


DBMS


SKILL – 5



GET:

FastAPI 0.1.0 OAS 3.1

/openapi.json



Code

Details

200

Response body

```
[
  {
    "id": 101,
    "name": "Ravi",
    "department": "CSE"
  },
  {
    "id": 102,
    "name": "Priya",
    "department": "ECE"
  }
]
```

 Download

Response headers

```
content-length: 90
content-type: application/json
date: Thu, 17 Sep 2026 16:35:11 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

POST:

default

GET

/students

Get Students

⌵

POST

/students

Create Student

⌵

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

⌵

Edit Value

Schema

```
{
  "id": 103,
  "name": "Arun",
  "department": "CSE"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  http://127.0.0.1:8080/students' \
  -H 'accept: */*' \
  -H 'content-type: application/json' \
  -d '{
    "id": 103,
    "name": "Arun",
    "department": "CSE"
  }'
```

Request URL

http://127.0.0.1:8080/students

Server response

Code Details

200

Response body

```
{
  "message": "Student created",
  "student": {
    "id": 103,
    "name": "Arun",
    "department": "CSE"
  }
}
```

Response headers

```
content-length: 83
content-type: application/json
date: Thu,17 Sep 2026 16:39:50 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

GET request displaying all students after successful insertion:

default

GET /students Get Students

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  http://127.0.0.1:8080/students' \
  -H 'accept: */*'
```

Request URL

http://127.0.0.1:8080/students

Server response

Code Details

200

Response body

```
{
  "id": 101,
  "name": "Ravi",
  "department": "CSE"
},
{
  "id": 102,
  "name": "Priya",
  "department": "ECE"
},
{
  "id": 103,
  "name": "Arun",
  "department": "CSE"
}
```

Response headers

```
content-length: 134
content-type: application/json
date: Thu,17 Sep 2026 16:42:29 GMT
server: uvicorn
```

Responses

Code	Description	Links
------	-------------	-------

Final MySQL students table after successful FastAPI operations:

The screenshot displays the MySQL Workbench interface. The left sidebar contains the 'Navigator' pane with sections for 'MANAGEMENT' (Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore), 'INSTANCE' (Startup / Shutdown, Server Logs, Options File), and 'PERFORMANCE' (Dashboard, Performance Reports, Performance Schema Setup). The 'Administration' tab is selected, showing 'Schemas'. The main workspace shows 'Query 1' with the following SQL code:

```
1 • USE university;
2
3 • SELECT * FROM students;
```

The 'Result Grid' below the query shows the data from the 'students' table:

id	name	department
101	Ravi	CSE
102	Priya	ECE
103	Arun	CSE

The 'Output' pane at the bottom shows the execution results of the queries:

#	Time	Action	Message
1	22:14:57	USE university	0 row(s) affected
2	22:14:57	SELECT * FROM students LIMIT 0, 1000	3 row(s) returned