




1. Create Database



3. Create Table



4. Insert Records



5. Display All Records

The screenshot shows the SQL Enterprise Manager interface. The left pane displays the server hierarchy for 'Koumudi_2520090161'. The central pane shows a query window with the following SQL statement:

```
SELECT * FROM orders;
```

The 'Result Grid' displays the following data:

ord_no	purch_amt	ord_date	customer_id	salesman_id
70001	150.50	2012-10-05	3005	5002
70002	65.26	2012-10-05	3002	5001
70003	2400.40	2012-10-10	3009	5003
70004	110.50	2012-08-17	3009	5003
70005	2400.60	2012-07-27	3007	5001

6. Purchases Greater Than 2000

The screenshot shows the SQL Enterprise Manager interface. The left pane displays the server hierarchy for 'Koumudi_2520090161'. The central pane shows a query window with the following SQL statement:

```
SELECT * FROM orders  
WHERE purch_amt > 2000;
```

The 'Result Grid' displays the following data:

ord_no	purch_amt	ord_date	customer_id	salesman_id
70003	2400.40	2012-10-10	3009	5003
70005	2400.60	2012-07-27	3007	5001
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001

7. Orders on 2012-09-10

The screenshot shows the SQL Enterprise Manager interface. The left pane displays the server hierarchy for 'Koumudi_2520090161'. The central pane shows a query window with the following SQL statement:

```
SELECT * FROM orders  
WHERE ord_date = '2012-09-10';
```

The 'Result Grid' displays the following data:

ord_no	purch_amt	ord_date	customer_id	salesman_id
70007	948.50	2012-09-10	3005	5002
70008	5760.00	2012-09-10	3002	5001
70009	270.65	2012-09-10	3001	5005