




1. Select Database



2. Create Customer Table



3. Create Account Table



4. Create Bank_Transaction Table

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Server Enterprise' tree with the 'Database' folder expanded. The right pane shows the 'Query 1' window with the following SQL script:

```
300 FOREIGN KEY (Customer_ID)
301 REFERENCES Customer(Customer_ID)
302 );
303
304
305 CREATE TABLE Bank_Transaction(
306 Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
307 Account_No INT,
308 Transaction_Type VARCHAR(20),
309 Amount DECIMAL(12,2),
310 Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
311 FOREIGN KEY (Account_No)
312 REFERENCES Account(Account_No)
313 );
```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message
1	21:51:28	USE Koumudi_2520090161	0 row(s) affected
2	21:52:33	CREATE TABLE Customer(Customer_ID INT PRIMARY KEY, Customer_Name ...	0 row(s) affected
3	21:53:32	CREATE TABLE Account(Account_No INT PRIMARY KEY, Customer_ID INT, ...	0 row(s) affected
4	21:54:32	CREATE TABLE Bank_Transaction(Transaction_ID INT PRIMARY KEY AUTO_IN...	0 row(s) affected

5. Create Loan Table

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Server Enterprise' tree with the 'Database' folder expanded. The right pane shows the 'Query 1' window with the following SQL script:

```
312 REFERENCES Account(Account_No)
313 );
314
315
316
317 CREATE TABLE Loan(
318 Loan_ID INT PRIMARY KEY,
319 Customer_ID INT,
320 Loan_Type VARCHAR(30),
321 Loan_Amount DECIMAL(12,2),
322 Interest_Rate DECIMAL(5,2),
323 FOREIGN KEY (Customer_ID)
324 REFERENCES Customer(Customer_ID)
325 );
```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message
1	21:51:28	USE Koumudi_2520090161	0 row(s) affected
2	21:52:33	CREATE TABLE Customer(Customer_ID INT PRIMARY KEY, Customer_Name ...	0 row(s) affected
3	21:53:32	CREATE TABLE Account(Account_No INT PRIMARY KEY, Customer_ID INT, ...	0 row(s) affected
4	21:54:32	CREATE TABLE Bank_Transaction(Transaction_ID INT PRIMARY KEY AUTO_IN...	0 row(s) affected
5	21:55:13	CREATE TABLE Loan(Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan...	0 row(s) affected

6. Insert Customer Records


The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Server Enterprise' tree with the 'Database' folder expanded. The right pane shows the 'Query 1' window with the following SQL script:

```
327
328 INSERT INTO Customer
329 (Customer_ID, Customer_Name, Phone, Email, City)
330 VALUES
331 (101, 'Ravi Kumar', '9876543210', 'ravi@gmail.com', 'Hyderabad'),
332 (102, 'Priya Sharma', '9876543211', 'priya@gmail.com', 'Vijayawada'),
333 (103, 'Arjun Reddy', '9876543212', 'arjun@gmail.com', 'Bangalore'),
334 (104, 'Sneha Rao', '9876543213', 'sneha@gmail.com', 'Chennai'),
335 (105, 'Anil Kumar', '9876543214', 'anil@gmail.com', 'Hyderabad'),
336 (106, 'Anil Kumar', '9876543215', 'anil@gmail.com', 'Delhi'),
337 (107, 'Heena Reddy', '9876543216', 'heena@gmail.com', 'Mumbai'),
338 (108, 'Rahul Sharma', '9876543217', 'rahul@gmail.com', 'Pune'),
339 (109, 'Lakshmi Devi', '9876543218', 'lakshmi@gmail.com', 'Hyderabad'),
340 (110, 'Suresh Babu', '9876543219', 'suresh@gmail.com', 'Vijayawada');
```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message
1	21:51:28	USE Koumudi_2520090161	0 row(s) affected
2	21:52:33	CREATE TABLE Customer(Customer_ID INT PRIMARY KEY, Customer_Name ...	0 row(s) affected
3	21:53:32	CREATE TABLE Account(Account_No INT PRIMARY KEY, Customer_ID INT, ...	0 row(s) affected
4	21:54:32	CREATE TABLE Bank_Transaction(Transaction_ID INT PRIMARY KEY AUTO_IN...	0 row(s) affected
5	21:55:13	CREATE TABLE Loan(Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan...	0 row(s) affected
6	21:56:11	INSERT INTO Customer(Customer_ID, Customer_Name, Phone, Email, City) VALUES...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0


7. Insert Account Records



```
343
344 INSERT INTO Account
345 (Account_No, Customer_ID, Account_Type, Balance, Branch)
346 VALUES
347 (10001, 101, 'Savings', 50000, 'Hyderabad'),
348 (10002, 102, 'Savings', 75000, 'Vijayawada'),
349 (10003, 103, 'Current', 120000, 'Bangalore'),
350 (10004, 104, 'Savings', 45000, 'Chennai'),
351 (10005, 105, 'Current', 90000, 'Hyderabad'),
352 (10006, 106, 'Savings', 65000, 'Delhi'),
353 (10007, 107, 'Current', 150000, 'Mumbai'),
354 (10008, 108, 'Savings', 35000, 'Pune'),
355 (10009, 109, 'Savings', 85000, 'Hyderabad'),
356 (10010, 110, 'Current', 110000, 'Vijayawada');
```

#	Time	Action	Message
1	21:51:28	USE Koumud_2520090161	0 row(s) affected
2	21:52:33	CREATE TABLE Customer(Customer_ID INT PRIMARY KEY, Customer_Name ...	0 row(s) affected
3	21:53:32	CREATE TABLE Account(Account_No INT PRIMARY KEY, Customer_ID INT, ...	0 row(s) affected
4	21:54:32	CREATE TABLE Bank_Transaction(Transaction_ID INT PRIMARY KEY AUTO_IN...	0 row(s) affected
5	21:55:13	CREATE TABLE Loan(Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan...	0 row(s) affected
6	21:56:11	INSERT INTO Customer(Customer_ID, Customer_Name, Phone, Email, City) VALUES...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
7	21:56:52	INSERT INTO Account(Account_No, Customer_ID, Account_Type, Balance, Branch...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0


8. Insert Bank Transaction Records



```
359 INSERT INTO Bank_Transaction
360 (Account_No, Transaction_Type, Amount)
361 VALUES
362 (10001, 'DEPOSIT', 100000),
363 (10001, 'WITHDRAWAL', 50000),
364 (10002, 'DEPOSIT', 150000),
365 (10003, 'WITHDRAWAL', 200000),
366 (10004, 'DEPOSIT', 50000),
367 (10005, 'WITHDRAWAL', 100000),
368 (10006, 'DEPOSIT', 120000),
369 (10007, 'DEPOSIT', 250000),
370 (10008, 'WITHDRAWAL', 52000),
371 (10009, 'DEPOSIT', 200000),
372 (10010, 'WITHDRAWAL', 150000);
```

#	Time	Action	Message
1	21:51:28	USE Koumud_2520090161	0 row(s) affected
2	21:52:33	CREATE TABLE Customer(Customer_ID INT PRIMARY KEY, Customer_Name ...	0 row(s) affected
3	21:53:32	CREATE TABLE Account(Account_No INT PRIMARY KEY, Customer_ID INT, ...	0 row(s) affected
4	21:54:32	CREATE TABLE Bank_Transaction(Transaction_ID INT PRIMARY KEY AUTO_IN...	0 row(s) affected
5	21:55:13	CREATE TABLE Loan(Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan...	0 row(s) affected
6	21:56:11	INSERT INTO Customer(Customer_ID, Customer_Name, Phone, Email, City) VALUES...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
7	21:56:52	INSERT INTO Account(Account_No, Customer_ID, Account_Type, Balance, Branch...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
8	21:57:45	INSERT INTO Bank_Transaction(Account_No, Transaction_Type, Amount) VALUES...	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0

9. Insert Loan Records



```
371 (10009, 'DEPOSIT', 200000),
372 (10010, 'WITHDRAWAL', 150000);
373
374 INSERT INTO Loan
375 (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)
376 VALUES
377 (101, 101, 'Home Loan', 5000000, 7.5),
378 (102, 102, 'Education Loan', 1000000, 8.5),
379 (103, 103, 'Car Loan', 800000, 9.2),
380 (104, 104, 'Personal Loan', 500000, 10.5),
381 (105, 105, 'Home Loan', 4000000, 7.2),
382 (106, 106, 'Car Loan', 900000, 8.5),
383 (107, 107, 'Business Loan', 3000000, 9.8),
384 (108, 108, 'Personal Loan', 600000, 10.0);
```

#	Time	Action	Message
2	21:52:33	CREATE TABLE Customer(Customer_ID INT PRIMARY KEY, Customer_Name...	0 row(s) affected
3	21:53:32	CREATE TABLE Account(Account_No INT PRIMARY KEY, Customer_ID INT...	0 row(s) affected
4	21:54:32	CREATE TABLE Bank_Transaction(Transaction_ID INT PRIMARY KEY AUTO_I...	0 row(s) affected
5	21:55:13	CREATE TABLE Loan(Loan_ID INT PRIMARY KEY, Customer_ID INT, Loa...	0 row(s) affected
6	21:56:11	INSERT INTO Customer(Customer_ID, Customer_Name, Phone, Email, City) VALU...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
7	21:56:52	INSERT INTO Account(Account_No, Customer_ID, Account_Type, Balance, Blanc...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
8	21:57:45	INSERT INTO Bank_Transaction(Account_No, Transaction_Type, Amount) VALU...	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0
9	21:59:30	INSERT INTO Loan(Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_R...	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0

10. Display Customer Table

The screenshot shows the SQL Developer interface with a query window containing the following SQL code:

```
370 (10000, 'WITHDRAW', 52000),
371 (10009, 'DEPOSIT', 20000),
372 (10010, 'WITHDRAW', 15000);
373
374
375
376 • SELECT * FROM Customer;
```

The Result Grid displays the following data:

Customer_ID	Customer_Name	Phone	Email	City
101	Ravi Kumar	9876543210	ravi@gmail.com	Hyderabad
102	Priya Sharma	9876543211	priya@gmail.com	Vijayawada
103	Arun Reddy	9876543212	arun@gmail.com	Bangalore
104	Sneha Rao	9876543213	sneha@gmail.com	Chennai
105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad

The Action Output pane shows the following messages:

```
# Time Action Message
3 21:53:32 CREATE TABLE Account( Account_No INT PRIMARY KEY, Customer_ID IN... 0 row(s) affected
4 21:54:32 CREATE TABLE Bank_Transaction( Transaction_ID INT PRIMARY KEY AUTO... 0 row(s) affected
5 21:55:13 CREATE TABLE Loan( Loan_ID INT PRIMARY KEY, Customer_ID INT, Lo... 0 row(s) affected
6 21:56:11 INSERT INTO Customer(Customer_ID, Customer_Name, Phone, Email, City) VALU... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
```

11. Display Account Table

The screenshot shows the SQL Developer interface with a query window containing the following SQL code:

```
371 (10009, 'DEPOSIT', 20000),
372 (10010, 'WITHDRAW', 15000);
373
374
375
376 • SELECT * FROM Customer;
377
378 • SELECT * FROM Account;
```

The Result Grid displays the following data:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	50000.00	Hyderabad
10002	102	Savings	75000.00	Vijayawada
10003	103	Current	120000.00	Bangalore
10004	104	Savings	45000.00	Chennai
10005	105	Current	90000.00	Hyderabad

The Action Output pane shows the following messages:

```
# Time Action Message
3 21:53:32 CREATE TABLE Account( Account_No INT PRIMARY KEY, Customer_ID IN... 0 row(s) affected
4 21:54:32 CREATE TABLE Bank_Transaction( Transaction_ID INT PRIMARY KEY AUTO... 0 row(s) affected
5 21:55:13 CREATE TABLE Loan( Loan_ID INT PRIMARY KEY, Customer_ID INT, Lo... 0 row(s) affected
6 21:56:11 INSERT INTO Customer(Customer_ID, Customer_Name, Phone, Email, City) VALU... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
```

12. Display Bank Transactions

The screenshot shows the SQL Developer interface with a query window containing the following SQL code:

```
374
375
376 • SELECT * FROM Customer;
377
378 • SELECT * FROM Account;
379
380 • SELECT * FROM Bank_Transaction;
```

The Result Grid displays the following data:

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
1	10001	DEPOSIT	10000.00	2026-08-30 21:57:45
2	10001	WITHDRAW	5000.00	2026-08-30 21:57:45
3	10002	DEPOSIT	15000.00	2026-08-30 21:57:45
4	10003	WITHDRAW	20000.00	2026-08-30 21:57:45
5	10004	DEPOSIT	5000.00	2026-08-30 21:57:45

The Action Output pane shows the following messages:

```
# Time Action Message
5 21:55:13 CREATE TABLE Loan( Loan_ID INT PRIMARY KEY, Customer_ID INT, Lo... 0 row(s) affected
6 21:56:11 INSERT INTO Customer(Customer_ID, Customer_Name, Phone, Email, City) VALU... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
```

13. Display Loans

The screenshot shows the SQL Studio interface with a query window titled 'Query 1'. The query contains four SELECT statements: `SELECT * FROM Customer;`, `SELECT * FROM Account;`, `SELECT * FROM Bank_Transaction;`, and `SELECT * FROM Loan;`. The 'Result Grid' tab is active, displaying the results of the fourth query, which lists five loans with columns: Loan_ID, Customer_ID, Loan_Type, Loan_Amount, and Interest_Rate.

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate
501	101	Home Loan	5000000.00	7.50
502	102	Education Loan	1000000.00	6.50
503	103	Car Loan	800000.00	8.20
504	104	Personal Loan	500000.00	10.50
505	105	Home Loan	4000000.00	7.20

The 'Output' tab shows the 'Action Output' for the query, indicating that 10 rows were affected by the INSERT INTO statement.

No object selected

14. Select Customer Details

The screenshot shows the SQL Studio interface with a query window titled 'Query 1'. The query contains four SELECT statements: `SELECT * FROM Account;`, `SELECT * FROM Bank_Transaction;`, `SELECT * FROM Loan;`, and `SELECT Customer_ID, Customer_Name, City`. The 'Result Grid' tab is active, displaying the results of the fourth query, which lists five customers with columns: Customer_ID, Customer_Name, and City.

Customer_ID	Customer_Name	City
101	Ravi Kumar	Hyderabad
102	Priya Sharma	Vijayawada
103	Arjun Reddy	Bangalore
104	Sheha Rao	Chennai
105	Kiran Kumar	Hyderabad

The 'Output' tab shows the 'Action Output' for the query, indicating that 10 rows were affected by the INSERT INTO statement.

No object selected

15. Create Customer View

The screenshot displays the SQL Enterprise Manager interface. The left-hand pane shows the 'Server Enterprise' tree with the following nodes expanded: **SERVER**, **SERVER STATUS**, **CLIENT CONNECTIONS**, **USERS AND PRIVILEGES**, **STATUS AND SYSTEM VARIABLES**, **DATA EXPORT**, **DATA IMPORT/RESTORE**, **NCE**, **STARTUP / SHUTDOWN**, **SERVER LOGS**, **OPTIONS FILE**, **RMANCE**, **DASHBOARD**, **PERFORMANCE REPORTS**, and **PERFORMANCE SCHEMA SETUP**. The main query window, titled 'Query1', contains the following SQL script:

```
376 • SELECT * FROM Customer;
377
378 • SELECT * FROM Account;
379
380 • SELECT * FROM Bank_Transaction;
381
382 • SELECT * FROM Loan;
383
384 • SELECT Customer_ID, Customer_Name, City
385 FROM Customer;
386
387 • CREATE VIEW Customer_Basic_View AS
388 SELECT Customer_ID, Customer_Name, City
389 FROM Customer;
```

The 'Output' pane at the bottom shows the execution results of the queries. The 'Action Output' tab is selected, displaying a table with columns: #, Time, Action, and Message. The results are as follows:

#	Time	Action	Message
8	21:57:45	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALU...	11 row(s) affected Record
9	21:58:30	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_...	8 row(s) affected Record
10	21:59:04	SELECT * FROM Customer LIMIT 0, 1000	10 row(s) returned
11	22:00:03	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned
12	22:00:49	SELECT * FROM Bank_Transaction LIMIT 0, 1000	11 row(s) returned
13	22:01:53	SELECT * FROM Loan LIMIT 0, 1000	8 row(s) returned
14	22:02:33	SELECT Customer_ID, Customer_Name, City FROM Customer LIMIT 0, 1000	10 row(s) returned
15	22:03:23	CREATE VIEW Customer_Basic_View AS SELECT Customer_ID, Customer_Name...	0 row(s) affected