

Get Method Through Postman

15 September 2021 10:14

The screenshot shows the Postman application interface. On the left, the 'Scratch Pad' sidebar displays a message: 'You don't have any collections'. The main workspace shows a GET request to the URL 'http://localhost:8085/messenger/webapi/messages'. The 'Body' tab is selected, showing a JSON response in 'Pretty' format:

```
2 {
3   "author": "soham",
4   "created": "2021-09-15T04:43:32.365Z[UTC]",
5   "id": 1,
6   "message": "hello world"
7 },
8 {
9   "author": "swati",
10  "created": "2021-09-15T04:43:32.365Z[UTC]",
11  "id": 1,
```

The status bar at the bottom indicates a 200 OK response with a 44 ms latency and 343 B of data.


Put Method Through Postman:-

The screenshot shows the Postman application interface. On the left, the 'Scratch Pad' sidebar displays a message: 'You don't have any collections'. The main workspace shows a POST request to the URL 'http://localhost:8085/messenger/webapi/messages'. The 'Body' tab is selected, showing a JSON request in 'Raw' format:


```
1 {
2   "author": "usha",
3   "created": "2021-09-07T10:45:49.064Z[UTC]",
4   "id": 4,
5   "message": "hello jersey1"
6 }
```

The status bar at the bottom indicates a 200 OK response with a 19 ms latency and 249 B of data.


Getting data for particular Id:-




Before delete:-



After Delete 4 id:-when getting id 4 is not available



Getting all record:-



Put Method:-Update method:-

Postman

File Edit View Help

Home Workspaces Reports Explore

Search Postman

Sign In Create Account

Working locally in Scratch Pad. Switch to a Workspace

Scratch Pad

New Import

Overview Error Run PUT ht... GET U... No Environment

Collections

APIs

Environments

Mock Servers

Monitors

History

You don't have any collections

Collections let you group related requests, making them easier to access and run.

Create Collection

http://localhost:8085/messenger/webapi/messages/3

PUT http://localhost:8085/messenger/webapi/messages/3

Send

Params Auth Headers (9) Body Pre-req. Tests Settings

raw JSON

Body

```
1 {
2   "author": "pranali",
3   "created": "2021-09-07T10:45:49.064Z[UTC]",
4   "id": 3,
5   "message": "hello jersey updated "
6 }
```

200 OK 21 ms 260 B Save Response

Pretty Raw Preview Visualize JSON

Runner Trash

Type here to search

26°C 10:28 15-09-2021

Postman

File Edit View Help

Home Workspaces Reports Explore

Search Postman

Sign In Create Account

Working locally in Scratch Pad. Switch to a Workspace

Scratch Pad

New Import

Overview Error Run PUT ht... GET U... No Environment

Collections

APIs

Environments

Mock Servers

Monitors

History

You don't have any collections

Collections let you group related requests, making them easier to access and run.

Create Collection

http://localhost:8085/messenger/webapi/messages/3

PUT http://localhost:8085/messenger/webapi/messages/3

Send

Params Auth Headers (9) Body Pre-req. Tests Settings

raw JSON

Body

```
1 {
2   "author": "pranali",
3   "created": "2021-09-07T10:45:49.064Z[UTC]",
4   "id": 3,
5   "message": "hello jersey updated "
6 }
```

200 OK 21 ms 260 B Save Response

Pretty Raw Preview Visualize JSON

Runner Trash

Type here to search

26°C 10:29 15-09-2021