

# SPRINT 1

## REGISTRATION:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="/css/login.css">

  <title>Sign Up</title>

  <script>

    if (window.location.hostname !== "localhost") {

      if (location.protocol !== "https:") {

        location.replace(

          `https:${location.href.substring(

            location.protocol.length

          )}`

        )

      }

    }

  </script>

  <script src="./localforage.js"></script>
```

```
</head>

<body>

  <div class="wrapper">

    <div class="loginContainer">

      <span>Login to Continue</span>

      <div class="traditionalLoginContainer">

        <form class="signupForm" action="/" method="post"><br><br>

          <input type="text" name="firstName" placeholder="First Name"
id="firstName"><br><br>

          <input type="text" name="lastName" placeholder="Last Name"
id="lastName"><br><br>

          <input type="email" name="email" placeholder="Email"
id="email"><br><br>

          <input type="password" name="password" placeholder="Password"
id="password"><br><br>

          <input type="password" name="confirmPassword"
placeholder="Confirm Password" id="confirmPassword"><br><br>

          <input class="loginButton" type="submit" value="Sign
Up"><br><br>

        </form>

      </div>      <div class="loginWithFireContainer">

        <button type="button" class="fire" title="Login with SAFETY"
id="fire">Login with SAFETY</button>

      </div>

      <a class="hyperLink" href="/login">Already have an Account? Login
↗</a>
```

</div>

</div>

<script>

// Necessary for Fire OAuth to Function

const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');

fireBroadcastingChannel.addEventListener('message', async event => {

let data = event.data

console.log("%c" + `Fire Token: \${data.token}`, `color: #f1c40f; font-weight: bold;`);

const response = await fetch('https://fire.adaptable.app/api/tokens/verify', {

method: 'POST',

headers: {

'Content-Type': 'application/json'

},

body: JSON.stringify({

token: data.token

})

})

const responseData = await response.json()

console.log(responseData)

await localforage.setItem('userData', { ...responseData, isFire: true })

let database = await localforage.getItem("userDatabase")

if (database == null) {

database = []

```

    }

    database.push(responseData)

    await localforage.setItem("userDatabase", database)

    // redirect to the home page

    window.location.href = '/'

  })

  function popupwindow(url, title, w, h) {

    var left = (screen.width/2)-(w/2);

    var top = (screen.height/2)-(h/2);

    return window.open(url, title, 'toolbar=no, location=no, directories=no,
status=no, menubar=no, scrollbars=no, resizable=no, copyhistory=no,
width='+w+', height='+h+', top='+top+', left='+left);

  }

  document.getElementById("fire").addEventListener("click", function() {

    popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)

  })

</script>

<script>

  // this.Website's Scripts / App Logic

  document.querySelector(".signupForm").addEventListener("submit" , async
(e) => {

    e.preventDefault()

    let firstName = document.getElementById("firstName").value

    let lastName = document.getElementById("lastName").value

```

```
    let username = document.getElementById("username").value

    let email = document.getElementById("email").value

    let password = document.getElementById("password").value

    let profilePic = `https://avatars.dicebear.com/api/adventurer-
neutral/${firstName}${lastName}.svg?backgroundColor=variant03`

    let data = { firstName, lastName, username, email, password, profilePic }

    await localforage.setItem("userData", data)

    let database = await localforage.getItem("userDatabase")

    if (database == null) {

        database = []

    }


    database.push(data)

    await localforage.setItem("userDatabase", database)

    window.location.href = "/"

  })
</script>
</body>
</html>
```

## OUTPUT:



Login to Continue

First Name

Last Name

Email

Password

Confirm Password

Sign Up

[Already have an Account? Login /](#)

## DASHBOARD

### Index.html :

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<style>
```

```
*{
```

```
margin: 0;
```

```
padding: 0;
```

```
}
```

```
.main
```

```
{
```

```
width: 100%;

background: linear-gradient(to top, rgba(0,0,0,0.5)50%,rgba(0,0,0,0.5)50%),
url(register.jpg); background-position: center;

background-size: cover; height: 100vh;

}

.navbar

{

width: 1200px; height: 70px;KK margin: auto;

}

.icon{

width: 100px; float: left; height: 70px;

}

.menu{

width: 400px; float: left; height: 60px;

}

ul{

float: left; display: flex;

justify-content: center; align-items: center;

}

ul li{

list-style: none; margin-left: 62px; margin-top: 27px; font-size: 15px;

}

ul li a{

text-decoration: none; color: #fff;
```

```
font-family: Arial;
```

```
font-weight: bold; transition: 0.4s ease-in-out;
```

```
}
```

```
ul li a:hover{ color: #ff7200;
```

```
}
```

```
.btn{
```

```
width: 100px; height: 40px;
```

```
background: #ff7200; border: 2px solid #ff7200; margin-top: 13px;
```

```
color: #fff;
```

```
font-size: 15px;
```

```
border-bottom-right-radius: 5px; border-bottom-right-radius: 5px; transition: 0.2s ease;
```

```
cursor: pointer;
```

```
}
```

```
.btn:hover{ color: #000;
```

```
}
```

```
.btn:focus{ outline: none;
```

```
}
```

```
.srch:focus{ outline: none;
```

```
}
```

```
.content{
```



```
width: 1200px; height: auto; margin: auto; color: #fff; position: relative;
}

.content .par{ padding-left: 25px;
padding-bottom: 25px; font-family: Arial; letter-spacing: 1.2px; line-height: 30px;
}

.content h1{
font-family: 'Times New Roman'; font-size: 50px;
padding-left: 20px; margin-top: 9%; letter-spacing: 2px;
}

.content .cn{ width: 160px; height: 40px;

background: #ff7200; border: none;

margin-bottom: 10px; margin-left: 20px; font-size: 18px; border-radius: 10px;
cursor: pointer; transition: .4s ease;
}

.content .cn a{
text-decoration: none; color: #000; transition: .3s ease;
}

.content span{ color: #ff7200; font-size: 65px
}

.form{
width: 250px; height: 200px;

background: linear-gradient(to top, rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
position: absolute;
```

```
top: -20px; left: 870px;  
transform: translate(0%,-5%); border-radius: 10px;
```

```
padding: 25px;  
}
```

```
.form h2{ width: 220px;  
font-family: sans-serif; text-align: center; color: #ff7200;  
font-size: 22px; background-color: #fff; border-radius: 10px; margin: 2px;  
padding: 8px;  
  
}
```

```
.form input{ width: 240px; height: 35px;  
background: transparent;  
border-bottom: 1px solid #ff7200; border-top: none;  
border-right: none; border-left: none; color: #fff;  
font-size: 15px; letter-spacing: 1px; margin-top: 30px;  
font-family: sans-serif;  
  
}
```

```
.form input:focus{ outline: none;  
}
```

```
::placeholder{ color: #fff;
font-family: Arial;

}

.btnn{
width: 240px; height: 40px;
background: #ff7200; border: none;
margin-top: 30px; font-size: 18px; border-radius: 10px; cursor: pointer; color: #fff;
transition: 0.4s ease;
}

.btnn:hover{ background: #fff; color: #ff7200;
}

.btnn a{
text-decoration: none;
color: rgba(22, 21, 21, 0.801); font-weight: bold;
}

.form .link{
font-family: Arial, Helvetica, sans-serif; font-size: 17px;
padding-top: 20px; text-align: center;
}

.form .link a{
text-decoration: none; color: #ff7200;
}
```

```
.liw{
padding-top: 15px; padding-bottom: 10px; text-align: center;
}

.icons a{
text-decoration: none; color: #fff;
}

.icons ion-icon{ color: #fff;
font-size: 30px; padding-left: 14px; padding-top: 5px; transition: 0.3s ease;
}

.icons ion-icon:hover{ color: #ff7200;
}

<title>Index form</title>
<link rel="stylesheet" href="style.css">

</style>
</head>
<body>
<div class="main">
<div class="navbar">
<div class="menu">
<ul>
<li><a href="#">HOME</a></li>
```

```
<li><a href="#">ABOUT</a></li>
```

```
<li><a href="#">CONTACT</a></li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
<div class="content">
```

```
<p class="par"><!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<style>
```

```
*{
```

```
margin: 0;
```

```
padding: 0;
```

```
}
```

```
.main{
```

```
width: 100%;
```

```
background: linear-gradient(to top, rgba(0,0,0,0.5)50%,rgba(0,0,0,0.5)50%),  
url(register.jpg); background-position: center;
```

```
background-size: cover; height: 100vh;
```

```
}
```

```
.navbar{
```

```
width: 1200px; height: 70px;KK margin: auto;
```

```
}  
.icon{  
width: 100px; float: left; height: 70px;  
}  
.menu{  
width: 400px; float: left; height: 60px;  
}  
ul{  
float: left; display: flex;  
justify-content: center; align-items: center;  
}  
ul li{  
list-style: none; margin-left: 62px; margin-top: 27px; font-size: 15px;  
}  
ul li a{  
text-decoration: none; color: #fff;  
font-family: Arial;  
font-weight: bold; transition: 0.4s ease-in-out;  
}  
ul li a:hover{ color: #ff7200;  
}  
.btn{
```

```
width: 100px; height: 40px;

background: #ff7200; border: 2px solid #ff7200; margin-top: 13px;

color: #fff;

font-size: 15px;

border-bottom-right-radius: 5px; border-bottom-right-radius: 5px; transition: 0.2s
ease;

cursor: pointer;

}

.btn:hover{ color: #000;

}

.btn:focus{ outline: none;

}

.srch:focus{ outline: none;

}

.content{

width: 1200px; height: auto; margin: auto; color: #fff; position: relative;

}

.content .par{ padding-left: 25px;

padding-bottom: 25px; font-family: Arial; letter-spacing: 1.2px; line-height: 30px;

}

.content h1{

font-family: 'Times New Roman'; font-size: 50px;

padding-left: 20px; margin-top: 9%; letter-spacing: 2px;

}
```

```
.content .cn{ width: 160px; height: 40px;

background: #ff7200; border: none;

margin-bottom: 10px; margin-left: 20px; font-size: 18px; border-radius: 10px;
cursor: pointer; transition: .4s ease;

}

.content .cn a{

text-decoration: none; color: #000; transition: .3s ease;

}

.content span{ color: #ff7200; font-size: 65px

}

.form{

width: 250px; height: 200px;

background: linear-gradient(to top, rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
position: absolute;

top: -20px; left: 870px;

transform: translate(0%,-5%); border-radius: 10px;

padding: 25px;

}

.form h2{ width: 220px;

font-family: sans-serif; text-align: center; color: #ff7200;

font-size: 22px; background-color: #fff; border-radius: 10px; margin: 2px;

padding: 8px;
```



```
}  
  
.form input{ width: 240px; height: 35px;  
background: transparent;  
border-bottom: 1px solid #ff7200; border-top: none;  
border-right: none; border-left: none; color: #fff;  
font-size: 15px; letter-spacing: 1px; margin-top: 30px;  
font-family: sans-serif;  
}  
  
.form input:focus{ outline: none;  
}  
  
::placeholder{ color: #fff;  
font-family: Arial;  
}  
  
.btnn{  
width: 240px; height: 40px;  
background: #ff7200; border: none;  
margin-top: 30px; font-size: 18px; border-radius: 10px; cursor: pointer; color: #fff;  
transition: 0.4s ease;  
}  
  
.btnn:hover{ background: #fff; color: #ff7200;  
}  
  
.btnn a{  
text-decoration: none;  
color: rgba(22, 21, 21, 0.801); font-weight: bold;
```

```
}

.form .link{
font-family: Arial, Helvetica, sans-serif; font-size: 30px;
padding-top: 20px; text-align: center;
}

.form .link a{
text-decoration: none; color: #ff7200;
}

.liw{
padding-top: 15px; padding-bottom: 10px; text-align: center;
}

.icons a{
text-decoration: none; color: #fff;
}

.icons ion-icon{ color: #fff;
font-size: 30px; padding-left: 14px; padding-top: 5px; transition: 0.3s ease;
}

.icons ion-icon:hover{ color: #ff7200;
}

<title>Index form</title>

<link rel="stylesheet" href="style.css">
```

```
</style>

</head>

<body>

<div class="content">

<h1>DETECTION SYSTEM<br><span>WEB APPLICATION</span>
<br></h1>

<p class="par">A System warns people when smoke, fire, carbon monoxide or
other fire-related or general<br>
notification emergencies are detected.<br></p>

<div class="form">

<p class="par"></p>

</div>

</div>

</div>

</div>

</div>

<a href="{{ 'login' }}">Login</a>

<p class="link">Don't have an account<br>

<a href="{{ 'register' }}">Sign up </a> here</a></p>

</div>

<script src="https://unpkg.com/ionicons@5.4.0/dist/ionicons.js"></script>

</body>

</html>
```

# OUTPUT:

