

**Client: Rockford IL**

Client Code: OUT

Supervised By: Manager on duty

Address: 2358 Hassell Rd. Hoffman Estates, IL 60169

Phone: 847-636-2667

Fax:

Patient: Poulin ,Kloey

ID: DOB: 04/08/2010 Gender: Female

Unit: Room:

Phone: (928) 219-7644

Address: 7573 Kishwaukee Rd, Stillman Valley, Illinois, 61084

Order ID: MK-1642723510389Collected:
01/20/2022 06:03 PMReported:
01/20/2022 19:42 PM

Specimen Type: NASAL SWAB

Physicians:

| Test | Result | Flag | Unit | Ref Range |
|---------------------------------------|----------|--------|------|-----------|
| COVID- 19 SARS -COV- 2, RAPID ANTIGEN | NEGATIVE | NORMAL | | NEGATIVE |

This test is performed using COVID-19 Antigen Test kit by Access Bio for the Detection of COVID-19 (SARS-CoV-2) RNA. The test has been received Emergency Use Authorization (EUA) by US Food and Drug Administration. The test performance characteristics were determined by the M K LABS INC, Hoffman Estates, Illinois. The laboratory is certified under CLIA Wavier to perform testing on human clinical specimens.

CLIA ID# 14D22 38829

This test was validated, and its performance determined by M K LABS INC. It has not been cleared or approved by FDA. Since FDA clearance is not required for clinical use of this laboratory developed test, this laboratory has established and validated the test's accuracy and precision, pursuant to the requirements of CLIA'88. Presumptive tests are indicated as (EUA). All other tests are confirmatory LCMS tests.

Lab Tech: SUPERVISOR

Report Date: 01/20/2022 19:42 PM

Lab Director: Samira Syed