

**Client: Rockford IL**

Client Code: OUT

Supervised By: Manager on duty

Address: 2358 Hassell Rd. Hoffman Estates, IL 60169

Phone: 847-636-2667

Fax:

Patient: Schmidt ,Derrick

ID: DOB: 06/01/1988 Gender: Male

Unit: Room:

Phone: (815) 222-7366

Address: 605 W Jackson St, Belvidere, IL, 61008

Order ID: MK-1642797240840Collected:
01/21/2022 02:31 PMReported:
01/21/2022 17:36 PM

Specimen Type: NASAL SWAB

Physicians:

Test	Result	Flag	Unit	Ref Range
COVID- 19 SARS -COV- 2, RAPID ANTIGEN	NEGATIVE	NORMAL		NEGATIVE

This test is performed using COVID-19 Antigen Test kit by Access Bio for the Detection of COVID-19 (SARS-CoV-2) RNA. The test has been received Emergency Use Authorization (EUA) by US Food and Drug Administration. The test performance characteristics were determined by the M K LABS INC, Hoffman Estates, Illinois. The laboratory is certified under CLIA Wavier to perform testing on human clinical specimens.

CLIA ID# 14D22 38829

This test was validated, and its performance determined by M K LABS INC. It has not been cleared or approved by FDA. Since FDA clearance is not required for clinical use of this laboratory developed test, this laboratory has established and validated the test's accuracy and precision, pursuant to the requirements of CLIA'88. Presumptive tests are indicated as (EUA). All other tests are confirmatory LCMS tests.

Lab Tech: SUPERVISOR

Report Date: 01/21/2022 17:36 PM

Lab Director: Samira Syed