

















New GPO

Name:
Block FB

Source Starter GPO:
(none)

OK Cancel

Group Policy Management

File Action View Window Help

Group Policy Management

Forest: hpit.com

Domains

hpit.com

Default Domain Policy

Domain Controllers

Sales

Training

Website

Block FB

Group Policy Objects

Block FB

Default Domain Policy

Default Domain Group Policy

WMI Filter

Starter GPO

Sites

Group Policy Models

Group Policy Results

Block FB

Scope Details Settings Delegation

Links

Display links in this location: hpit.com

The following sites, domains, and OUs are linked to this GPO:

Location	Enforced	Link Enabled	Path
Website	No	Yes	hpit.com/Website

Security Filtering

Settings in this GPO can only apply to the following groups, users, and computers:

Group
Authenticated Users

Add... Remove Properties


WMI Filtering

This GPO is linked to the following WMI filter:

WMI Filter
<none>

Open

Open the GPO editor





New Outbound Rule Wizard

X

Rule Type

Select the type of firewall rule to create.

Steps:

Rule Type

Program

Protocol and Ports

Scope

Action

Profile

Name

What type of rule would you like to create?

☐ Program

Rule that controls connections for a program.

☐ Port

Rule that controls connections for a TCP or UDP port.

☐ Predefined:

Active Directory Domain Services

Rule that controls connections for a Windows experience.

☒ Custom

Custom rule.

< Back

Next >

Cancel

New Outbound Rule Wizard

X

Scope

Specify the local and remote IP addresses to which this rule applies.

Steps:

Rule Type

Program

Protocol and Ports

Scope

Action

Profile

Name

Which local IP addresses does this rule apply to?

☒ Any IP address

☐ These IP addresses:

Add...

Edit...

Remove

Customize the interface types to which this rule applies:

Customize...

Which remote IP addresses does this rule apply to?

☐ Any IP address

☒ These IP addresses:

Add...

Edit...

Remove

< Back

Next >

Cancel

IP Address

Specify the IP addresses to match:

☒ This IP address or subnet:

157.240.239.35

Examples: 192.168.0.12
192.168.1.0/24
2002:9d3b:1a31:4:208:74ff:fe39:6c43
2002:9d3b:1a31:4:208:74ff:fe39:0/112

☐ This IP address range:

From:

To:

☐ Predefined set of computers:

Default gateway

OK Cancel

IP Address

Specify the IP addresses to match:

☒ This IP address or subnet:

2a03:2880:f144:181:face:b00c:0:25de

Examples: 192.168.0.12
192.168.1.0/24
2002:9d3b:1a31:4:208:74ff:fe39:6c43
2002:9d3b:1a31:4:208:74ff:fe39:0/112

☐ This IP address range:

From:

To:

☐ Predefined set of computers:

Default gateway

OK Cancel

Add both IPV4 and IPV6

New Outbound Rule Wizard

X

Action

Specify the action to be taken when a connection matches the conditions specified in the rule.

Steps:

Rule Type

Program

Protocol and Ports

Scope

Action

Profile

Name

What action should be taken when a connection matches the specified conditions?

☐ Allow the connection

This includes connections that are protected with IPsec as well as those are not.

☐ Allow the connection if it is secure

This includes only connections that have been authenticated by using IPsec. Connections will be secured using the settings in IPsec properties and rules in the Connection Security Rule node.

Customize...

☒ Block the connection

< Back

Next >

Cancel

Name

Specify the name and description of this rule.

Steps:

- Rule Type
- Program
- Protocol and Ports
- Scope
- Action
- Profile
- Name

Name:



FB Blocked

Description (optional):

< Back

Finish

Cancel



- * Policy settings in the **Computer Configuration** node apply at system startup and every 90–120 minutes thereafter
- * Policy settings in the **User Configuration** node apply at sign-in and every 90–120 minutes thereafter

So manual update the policy settings

Server cmd -> `gpupdate /force`

And also run the above command on client system which connects with the server domain