

SUPPORTIVE CARE

MPROKAM-50 Powder

Water Soluble Powder

For veterinary use only



GENERAL INFORMATION

Product name	MPROKAM-50 Powder
Dosage form	Water Soluble Powder
Target species	Poultry
Route	Oral, via drinking water / feed where stated

COMPOSITION

Each gram powder contains
Amprolium HCl...500mg
(USP Specification)

PRODUCT DESCRIPTION

Role of Amprolium HCl

Amprolium HCl is commonly used in veterinary medicine for birds as a coccidiostat to prevent and control coccidiosis, a common intestinal protozoan infection. It works by inhibiting the growth and reproduction of coccidia, helping to reduce morbidity and mortality associated with the disease in poultry.

INDICATIONS

- Mprokam-50 Powder is used for the treatment of intestinal coccidiosis caused by Eimeria spp susceptible to Amprolium. By preventing and treating coccidiosis, MPROKAM-50 Powder supports optimal growth performance and feed efficiency in poultry.
- Birds suffering from Coccidiosis Disease
- Caecal coccidiosis caused by Eimeria spp

DOSAGE & ADMINISTRATION

- Poultry: 1 gm per 3-5 litres of drinking water daily for 5 days.
- Calves, lambs and kids: 0.6 g / 30 Kg body weight daily for 5 days.

Prepare fresh medicated water and ensure uniform access for the flock.

PRECAUTIONS

Use MPROKAM-50 Powder under veterinary supervision only. Do not exceed the recommended dosage. Avoid administering to birds with known hypersensitivity to amprolium or other coccidiostats.

WITHDRAWAL PERIOD

Follow the approved product label and applicable regulatory requirements.

STORAGE

Store in a cool, dry place, protected from direct sunlight and moisture. Keep out of reach of children.

PACKAGING

Refer to the approved commercial pack label for pack size, batch details, manufacturing date and expiry date.

IMPORTANT: This sheet summarizes supplied product literature. Always follow the current approved pack label, veterinary direction and applicable regulatory requirements.