

HEPAKAM

Oral Liquid



Choline Chloride

DL Methionine

Vitamin B12

L- Lysine

Sorbitol



For Healthy Liver,
Active Birds,
and Maximum Gain
Choose **HEPAKAM**

mak
M. A. Kamil Fama (Pvt.) Limited

HEPAKAM

Oral Liquid

ہیپاکیم
(اورل لیکیوئڈ)

Composition:

Each ml contains:

DL Methionine	50mg
L-Lysine	100mg
Choline Chloride	190mg
Vitamin B12	0.01mg
Sorbitol	100mg
(As per innovator's specification)	

Role of DL Methionine:

DL-methionine is essential in veterinary medicine for birds as an indispensable amino acid necessary for protein synthesis, feather growth, and overall development. It is commonly supplemented in poultry diets to meet the birds' requirements for optimal growth, feather quality, and immune function.

Role of L-Lysine:

L-Lysine is important in veterinary medicine for birds as an essential amino acid that supports protein synthesis, growth, and immune function. It is commonly used as a dietary supplement to ensure optimal growth performance and overall health in avian species.

Role of Choline Chloride:

Choline chloride is essential in veterinary medicine for birds as a dietary supplement to support proper liver function, nerve signaling, and lipid metabolism. It plays a crucial role in maintaining overall health, growth, and egg production in avian species.

Role of Vitamin B12:

Vitamin B12, also known as cobalamin, is essential in veterinary medicine for birds as it plays a crucial role in various metabolic processes including DNA synthesis, nervous system function, and red blood cell formation. Deficiencies in vitamin B12 can lead to anemia, poor growth, and neurological disorders in avian species.

Role of Sorbitol:

Sorbitol is utilized in veterinary medicine for birds as a sweetening agent and a mild laxative. It helps improve palatability in oral medications and aids in regulating bowel movements, promoting Administered orally or added to drinking water as directed by a veterinarian or according to the manufacturer's gastrointestinal health in avian species.

Indications:

It is indicated to support optimal growth, immune function, and overall development by enhancing protein synthesis, feather quality, and metabolic processes. The product helps maintain liver function, nerve signaling, and lipid metabolism, promoting overall health and egg production. Additionally, it aids in improving gastrointestinal health and palatability of oral medications, ensuring comprehensive nutritional support for poultry.

Treatment Protocol with

Hepakam Oral Liquid for Poultry:

Dosage:

1 ml per 5 litres of drinking water during 5 - 7 days.

Precautions:

Use Hepakam Oral Liquid under veterinary supervision only.

Do not exceed the recommended dosage.

Avoid administering to birds with known hypersensitivity to any of the components in the formulation.

Packaging: Hepakam available in 1 Litre.



Postmortem Image of Fatty Liver Diseases

علامات:

ہیپاکیم اورل لیکیوئڈ دماغ اور ایسٹروٹیکا کا ایک ایسا استوازن مرکب جو مرغیوں کو پینے کے پانی کے ذریعے دیا جاتا ہے۔ خاص طور پر پیداوار کے عروج کے وقت، نقل و حرکت یا نقل و حمل کے بعد، ویکسینیشن اور انجکشن سے بحالی کے دوران جو بڑھایا جاتا ہے۔ اس کے علاوہ خاص طور پر ایک دان کی مر دہ لے چڑے کے لیے جو بڑھتی جاتی ہے۔



Manufactured By:
M. A. Kamil Farma (Pvt.) Limited
Karachi, Pakistan.

