

MOX-LS

Oral Powder



From
Respiratory Relief
to **Gut Recovery**
One **Solution**



MOX-LS

Oral Powder

موکس ایل ایس

(اورل پاؤڈر)

Composition:

Each gm Powder Contains:
Amoxicillin as Trihydrate..... 200 mg
Lincomycin as HCl 88 mg
Spectinomycin as Sulphate 88 mg
Vitamin E Acetate 30 mg
(As per innovator's specifications)

Role of Amoxicillin as trihydrate:

Amoxicillin trihydrate is widely used in veterinary medicine for birds as a broad-spectrum antibiotic to treat bacterial infections. It is effective against a variety of Gram-positive and Gram-negative bacteria, aiding in the management of respiratory, enteric, and systemic infections.

Role of Lincomycin as HCl:

Lincomycin hydrochloride is commonly used in veterinary medicine for birds to treat bacterial infections, particularly those affecting the respiratory and enteric systems. It is effective against a wide range of Gram-positive bacteria, making it suitable for controlling diseases like chronic respiratory disease and necrotic enteritis.

Role of Spectinomycin as sulphate:

Spectinomycin sulphate is utilized in veterinary medicine for birds to treat bacterial infections, particularly those affecting the respiratory and reproductive systems. It is effective against a range of Gram-positive and Gram-negative bacteria, making it valuable in controlling respiratory diseases and infections such as Mycoplasma gallisepticum.

Role of Vitamin E Acetate:

Vitamin E acetate is essential in veterinary medicine, serving as a powerful antioxidant that helps protect cell membranes and tissues from oxidative damage. It plays a critical role in maintaining reproductive health, immune function, and overall well-being in animals.

INDICATIONS:

It is indicated to treat CRD, Pneumonia, Fowl Cholera, Fowl Typhoid Coryza, Airsacculitis, Colibacillosis, Enteritis, Omphalitis, and various respiratory infections affecting growing chickens. Vitamin E acts as antioxidant and improves immunity during stress periods of birds.



Bird suffering from
respiratory tract infections



Bird suffering from Fowl Cholera



Omphalitis in Poultry

Treatment Protocol with MOX-LS ORAL POWDER for Birds:

DOSAGE:

Prevention: 1g per 4 litre of drinking water for 3-5 days.

Treatment: 1g per 2 litre of drinking water for 3-5 days.

Precautions:

Use **MOX-LS ORAL** powder under veterinary supervision only. Do not exceed the recommended dosage. Avoid administering to birds with known hypersensitivity to any of the components in the formulation.

Packaging: **MOX-LS ORAL** available in 1Kg, 5Kg.

علامات:

موکس ایل ایس پاؤڈری آرڈی، نمونیا، فائوڈ کالیرا، فائوڈ ٹائیفائیڈ، کورائیزہ، ایرساکولائٹس، کولیباسیلوس، اینٹرائٹس، اومفالائٹس اور بڑھتی ہوئی مرغیوں کو متاثر کرنے والے مختلف سانس کے انفیکشن کے علاج کے لیے مفید ہے۔



Manufactured By:
M. A. Kamil Farma (Pvt.) Limited
Karachi, Pakistan.



M. A. Kamil Farma (Pvt.) Limited