

OFLOXKAM-10

Oral Solution

Ofloxacin 10%



**Target Infection.
Deliver Recovery
with OFLOXKAM-10**

mak
M. A. Karim Farnia (Pvt.) Limited

OFLOXKAM-10

Oral Solution

اوفلوکس کیم - 10

(اورل سلوشن)

Composition:

Ofloxacin..... 100 mg
(As per innovator's specifications)

Role of Ofloxacin:

Ofloxacin is a fluoroquinolone antibiotic that plays a critical role in treating a wide range of bacterial infections. It is highly effective against both Gram-positive and Gram-negative bacteria and is commonly used to treat respiratory infections, urinary tract infections, skin infections, and certain sexually transmitted diseases. Ofloxacin works by inhibiting bacterial DNA gyrase and topoisomerase IV, enzymes critical for bacterial DNA replication and cell division, thereby stopping bacterial growth and multiplication.

Indications:


It is used for treatment of calves and lambs, poultry, dogs and cats suffering from septicemia, arthritis, polyarthritis, meningitis, mastitis, dermatitis, secondary infections in viral diseases and respiratory diseases (tonsillitis, tracheitis, pneumonia, bronchitis, rhinitis, sinusitis, bronchopneumonia), gastrointestinal tract (gastritis, enteritis, peritonitis), urogenital system (nephritis, pyelitis, pyelonephritis, urethritis, metritis, urotystyt) caused by microorganisms sensitive to ofloxacin.



Septecemia in poultry



Tonsillitis in poultry



Peritonitis in poultry

Treatment Protocol with

Ofloxkam-10 Oral Solution (Ofloxacin 100mg) in Birds:

Dosage:

Orally with drinking water or feed in a dose:
Poultry: 5 ml per 10 liters of drinking water, depending on the severity of the disease the dose can be increased by 2 times;
Calves and lambs: 0.5 ml per 10 kg of body weight;
Dogs, cats: 0.25 ml per 10 kg of body weight.
Use at intervals of 24 hours, the duration of treatment 3 - 5 days.

Contraindications:

Hypersensitivity to ofloxacin.
Do not administer to animals with impaired renal function and liver.
Do not use simultaneously with tetracyclines, macrolides, lincosamides, chloramphenicol, and non-steroidal anti-inflammatory preparations.
Do not administer to ruminants with the well-developed rumen.
Do not use to treat horses.
Do not use in pregnant dogs and cats, as well as during lactation (dogs and cats).
The use of the medicine for domestic animals are allowed in cases where the microflora sensitivity to the medicine is determined and the effect from the treatment prevails the negative consequences.
Do not administer to laying hens producing eggs for human consumption.

Notes:

Always consult a veterinarian for an accurate diagnosis before starting treatment with Ofloxkam-10 Oral Solution to ensure it is appropriate for the specific infection and bird species. This protocol should be used as a guideline that might need adjustments based on individual case specifics and veterinary recommendations.

Packaging: Ofloxkam-10 available in 1 Litre.



Manufactured By:
M. A. Kamil Farma (Pvt.) Limited
Karachi, Pakistan.



M. A. Kamil Farma (Pvt.) Limited

تلاعات:

اوفلوکس کیم اورل سلوشن چکڑوں اور مرغیوں کے سچے مرقے، کٹوں اور زخموں کے علاج کیلئے موثر ہے۔ اس کی سیالیت جتنا گھٹا، پانی اور قریش، گردن توڑ، بخار، سائٹس، جلد کی سوزش، وائرل بیماریوں میں جراثیمی انفیکشن اور سانس کی بیماریوں میں سانس کی نالی (گیس ٹریکٹس) یا کھانسی، پھیپھڑے، پیریتھیلکس (گردہ کے درمیان پانکھائیں، پیچھے نظر آتیں، پیچھے کی سوزش، پیچھے کی سوزش، پیچھے کی سوزش) کے سانس یا گردن زخموں کے لئے انتہائی مفید ہے۔

خوراک و طریقہ استعمال:

پانی اور قہر میں ملا کر دینے کا طریقہ:
مرغیوں کیلئے: دہلی لیٹر کے پانی میں، بیماری کی شدت زیادہ ہو تو دن میں 4 بار دیں۔
چکڑوں کے دھوکے کے بعد علاج کے دوران 3 سے 5 دن تک دیں۔