Packet Sniffing - Marking Scheme

	Registration Number	Surname	Forename	% Contribution
Student 1	000839875	Turon	Kacper	25
Student 2	000874782	Basharat	Usman	25
Student 3	000878481	Kallon	Kevin	25
Student 4	000871936	Young	Jack	25

Task	Mark	Grade
Task 1 - Capture a HTTP Request Sequence	40	
Task 2 - Capture a Chat Session	30	
Task 3 - Capture an FTP Session	30	
Total	100	

Packet Sniffing


Task 1

```
_ D X
  *Local Area Connection 2 [Wireshark 1.12.1 (v1.12.1-0-g01b65bf from master-1.12)]
  e <u>E</u>dit <u>V</u>iew <u>G</u>o <u>C</u>apture <u>A</u>nalyze <u>S</u>tatistics Telephon<u>y</u> <u>T</u>ools <u>I</u>nternals <u>H</u>elp
 ter: dns
                                                                                                                                            Expression... Clear Apply Save
        Time Source
                                                                                                           Destination
                                                                                                                                                                            Protocol Length Info
    13 0.724879000 193.60.73.207
18 0.734852000 193.60.77.254
35 1.113984000 193.60.73.207
36 1.114425000 193.60.77.254
160 2.406314000 193.60.73.118
162 2.506411000 193.60.73.118
                                                                                                              193.60.77.254
193.60.73.207
193.60.77.254
193.60.73.207
224.0.0.252
224.0.0.252
                                                                                                                                                                                                     72 Standard query 0x0185 A google.co.uk
88 Standard query response 0x0185 A 216.58.208.35
74 Standard query 0x6989 A www.google.com
170 Standard query response 0x6989 A 74.125.195.103 A 74.12
64 Standard query 0xb403 A wpad
64 Standard query 0xb403 A wpad
Protocol: UDP (17)


Header checksum: 0x0000 [validation disabled]
Source: 193.60.73.207 (193.60.73.207)
Destination: 193.60.77.254 (193.60.77.254)
[Source GeoIP: Unknown]
[Destination GeoIP: Unknown]
User Datagram Protocol, Src Port: 60358 (60358), Dst Port: 53 (53)
Source Port: 60358 (60358)
Destination Port: 53 (53)
Lenath: 38
Destination Port: 53 (53)
Length: 38
Checksum: Ox1a7e [validation disabled]
[Stream index: 9]
Domain Name System (query)
[Response In: 18]
Transaction ID: 0x0185
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
 □ Queries
□ google.co.uk: type A, class IN
        ☐ google.co.uk: type A, class IN
Name: google.co.uk
[Name Length: 12]
[Label Count: 3]
Type: A (Host Address)
Class: IN (0x0001)

1c e6 c7 53 e5 40 78 24 af 89 b2 af 08 00 45 00
00 3a 30 b4 00 00 80 11 00 00 c1 3c 49 cf c1 3c
4d fe eb c6 00 35 00 26 1a 7e 01 85 01 00 00 10
00 00 00 00 00 00 06 67 6f 6f 6f 67 6c 65 02 63 6f
02 75 6b 00 00 01 00 01
                                                                                                                                                         ...5.@x$ .....E.
.:0.....<I..<
M...5.& .-...
.....g oogle.co
  File: "C:\Users\kt9517u\AppData\Local\Tem... Packets: 184 · Displayed: 6 (3.3%) · Dropped: 0 (0.0%)
                                                                                                                                                                                                                                                                                                              Profile: Default
```


DNS request for the IP address that corresponds to the URL




DNS response returned with the IP address clearly seen




HTTP - TCP starting the 3-way handshake (SYN bit =1) - note sequence numbers




HTTP – TCP response from server (port 80) (SYN bit =1, ACK bit = 1)




HTTP – TCP acknowledgement to the server (ACK bit =1) – look at seq numbers again now browser starts to request web pages




HTTP GET - which the request to retrieve the web page



HTTP returned with data – this will be the header for the web page





HTTP data packets each with Hyper Text Mark Up Language (HTML) code in it – the data to display the Web page

Protocols found

A) List different protocols captured

```
        Protocol
        Length Info

        XMPP/XML
        189 MESSAGE > kw116-0498ubuntu-server

        TCP
        60 5222-49158 [ACK] Seq-668 Ack=3778 win=40595 Len=0

        NBNS
        92 Name query NB WPAD<00>

        NBNS
        92 Name query NB WPAD<00>

        NBPP/XML
        192 MESSAGE > kw116-0498ubuntu-server

        TCP
        60 5222-49158 [ACK] Seq-668 Ack=3916 win=40595 Len=0

                                                                                                                                                                                                                              Time Source 249 24, 9019370 10. 0.1. 35 250 24, 9021680 10. 0.1. 253 251 24, 9472520 10. 0.1.76 252 25. 3442850 10. 0.1. 35 254 25. 4585380 10. 0.1. 35 254 25. 4585940 10. 0. 0. 253
                                                                                                                                                                                                                                                                                                                                                                                                                        Destination
10.0.0.253
10.0.1.35
10.255.255.255
10.255.255.255
10.0.0.253
10.0.1.35
Spanning-tree-(
 NBNS
 ARP
                                                                                                                                                                                                         TCP 60 5222-49158 [AcK] Seq-668 Ack-3916 win-40595 Len-0
DHCP 342 DHCP Inform - Transaction ID 0x43c62965
DHCP 342 DHCP AcK - Transaction ID 0x43c62965
NBMS 92 Name query NB WPAD-005
NBMS 92 Name query NB WPAD-005
NBMS 95 NBMS-18 [AcK] Seq-668 Ack-4068 win-40595 Len-0
DHCP 342 DHCP Ack - Transaction ID 0x43c62965
NBMS 96 NBMS-18 [AcK] Seq-668 Ack-4068 win-40595 Len-0
NBMS 92 Name query NB WPAD-005
DNS 77 Standard query Oxb417 A cr1.microsoft.com
NBMS 92 Name query NB WPAD-005
UDP 82 Source port: 5276 Destination port: 1947
UDP 82 Source port: 5276 Destination port: 1947
NMPP/OXL 192 MESSAGE > kw116-0498ubuntu-server
TCP 60 5222-4913 [AcK] Seq-668 Ack-4303 win-40595 Len-0
NBMS 92 Name query NB WPAD-005
                                                                                                                                                                                                                                                                                                                                                                                                                      10. 0.1.35
spanning-tree-(f
255, 255, 255, 255
255, 255, 255, 255
10. 255, 255, 255
10. 0.0, 283
10. 0.1, 35
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 0.0, 2
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
10. 255, 255, 255
 DNS
 LLMNR
XMPP/XML
 TCP
 ARP
 LOOP
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               UDP
                                                                                                                                                                                                                              273 27.5703650 10.0.1.35
274 27.5706200 10.0.0.253
275 27.6021720 10.0.1.35
276 27.6024110 10.0.0.253
                                                                                                                                                                                                                              273 27, 5703650 10. 0.1.35
274 27, 5706200 10. 0.0.253
274 27, 5706200 10. 0.0.253
275 27, 6021720 10. 0.1.35
276 27, 6021410 10. 0.0.253
277 27, 6458810 10. 0.1.4
277 27, 6458810 10. 0.1.4
278 28, 0.35330 1 melCor_0b:d3:9d
279 28, 0.592210 fe80:702b:1865:c83ff02:16
280 28, 0.72850 fe80:702b:1865:c83ff02:16
281 28. 0.743600 fe80:702b:1865:c83ff02:16
281 28. 0.743600 fe80:702b:1865:c83ff02:16
282 28. 0.8837710 10. 0.1.49
284 28. 0.837710 10. 0.1.49
 DHCPv6
 BROWSER
 ICMP
 DHCP
                                                                                                                                                                                                         284 28.083771010.0.1.49 224.0.0.252 LLMNR 69 Standard query

Frame 245: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface 0
Interface id: 0 (Opevice\NPF_(C7092455-6096-4124-4938-902652844398))
Encapsulation type: Ethernet (1)
Arrival Time: Nov 24, 2015 13:47:19.967741000 GMT Standard Time
[Fime shift for this packet: 0.00000000 seconds]
[Fime delta from previous captured frame: 0.022412000 seconds]
[Time delta from previous captured frame: 0.022412000 seconds]
[Time since reference or first frame: 24.205402000 seconds]
Frame Number: 245
Frame Lenoth: 82 bytes (656 bits).
 ICMPv6
 SSDP
                                                                                                                                                                                                              Profile: Default
```

B) What is the protocol that delivers the chat packet? XMPP/XML

C) What ports are involved in the chat messaging?

Src port: 49158 DST port: 5222

```
⊕ Frame 253: 192 bytes on wire (1536 bits), 192 bytes captured (1536 bits) on interface 0
⊕ Ethernet II, Src: IntelCor_6e:58:5d (00:1b:21:6e:58:5d), Dst: Vmware_89:bc:3d (00:0c:29:89:bc:3d)
⊕ Internet Protocol Version 4, Src: 10.0.1.35 (10.0.1.35), Dst: 10.0.0.253 (10.0.0.253)
     Source Port: 49158 (49158)
     Destination Port: 5222 (5222)
     [Stream index: 0]
     [TCP Segment Len: 138]
    Sequence number: 3778 (relative sequence number)
[Next sequence number: 3916 (relative sequence number)]
     Acknowledgment number: 668
                                       (relative ack number)
     Header Length: 20 bytes
  Window size value: 256
     [Calculated window size: 256]
  [Window size scaling factor: -1 (unknown)]

① Checksum: 0x16c4 [validation disabled]
    Urgent pointer: 0
```

D) What else can you find out about the chat protocol?

MESSAGE [id="purple3cad42c5" type="chat" chatstate="composing"]

Id: purple3cad42c5

To:kw116-049@ubuntu-server

Type: chat

CHATSTATE: composing

XMPP Protocol

■ MESSAGE [id="purple3cad42c5" type="chat" chatstate="composing"]

id: purple3cad42c5

to: kw116-049@ubuntu-server

type: chat

CHATSTATE: composing


E) Why is the source IP address always the same regardless of which buddy you are chatting with?


The message is being transmitted from the same computer regardless of which user it is being sent to.


F) Open one of your captured packets by double clicking on it and open the jabber part of the packet. What is the chat message?


The message received was, "I'm not here right now"

Task 3























ftp shows everything that happen within protocol. ftp command channel

ftp-data shows the data that was sent. ftp is data channel