

Identify Required Website Data & Content for HisabDo AI Copilot

Project: HisabDo Website Enhancement

Department: AI/ML

Document Type: AI Knowledge Base and Content Requirements

Prepared By: Muhammad Taha — AI/ML Team Lead

1. Purpose of This Document

This document defines the website, product, help, support, and verified information required to support the future **HisabDo AI Copilot**.

The purpose is to identify which existing HisabDo content can be used by the AI assistant and which additional content must be created or improved before AI knowledge integration.

The identified content will support future AI capabilities such as:

- AI Chatbot
- FAQ Assistant
- AI-powered Help and Support
- RAG-based Knowledge Assistant
- Multilingual Product Assistance
- Feature Guidance
- Context-aware User Support
- Smart Content Recommendations

The objective is to ensure that the AI system receives **accurate, structured, verified, and maintainable information**.

The AI Copilot should not rely on random or unverified website content as its source of truth.

2. Scope

The content review covers all information that may be useful for the HisabDo AI system.

The scope includes:

- Frequently Asked Questions

- Website pages
- Product descriptions
- Feature descriptions
- Help and support content
- User guides
- Documentation
- Blog articles
- Service information
- Financial feature explanations
- Backup and restore instructions
- Privacy and security information
- Multilingual content
- Future product documentation


The purpose of this scope is to create a clear foundation for the future **HisabDo AI Knowledge Base**.

3. Content Collection Objective

Before implementing a RAG-based AI assistant, the project must identify:

1. What information already exists.
2. Whether the information is accurate.
3. Whether the information is complete.
4. Whether the information is suitable for AI retrieval.
5. Which information is missing.
6. Which content is outdated or unclear.
7. Which content should be considered verified.
8. Which information must not be used by the AI.

The final output should be a structured content inventory that can later be prepared for:



4. Frequently Asked Questions

FAQs should become one of the primary knowledge sources for the HisabDo AI Assistant.

The FAQ content should answer common user questions clearly and accurately.

Required FAQ Categories

4.1 General Questions

Examples:

- What is HisabDo?
- Who can use HisabDo?
- What problems does HisabDo solve?
- Is HisabDo easy to use?
- Which languages are supported?

4.2 Account and Access Questions

Examples:

- How do I create an account?
- How do I log in?
- What should I do if I cannot access my account?
- How can I update my account information?

4.3 Customer Management Questions

Examples:

- How do I add a customer?
- How do I edit customer information?
- How can I view a customer's transaction history?
- How can I check a customer's outstanding balance?

4.4 Transaction Questions

Examples:

- How do I add a transaction?

- How do I record a payment?
- How do I edit a transaction?
- Can I delete an incorrect transaction?

4.5 Expense Management Questions

Examples:

- How do I add an expense?
- How can I view monthly expenses?
- Can expenses be categorized?
- How can I compare expenses?

4.6 Reports and Analytics Questions

Examples:

- How do I generate a report?
- How do I export a PDF?
- What information is available in analytics?
- How can I view my financial summary?

4.7 Backup and Restore Questions

Examples:

- How do I create a backup?
- How can I restore my data?
- What happens if data is lost?
- How should backup files be managed?

4.8 Privacy and Security Questions

Examples:

- Is my data private?
- How is financial information protected?
- Who can access my data?
- How should I secure my account?

5. Feature Description Requirements

Each major HisabDo feature should have a clear and structured description.

Feature descriptions should explain:

- What the feature does.
- Why the feature is useful.
- Who can use it.
- How the user can access it.
- Basic usage instructions.
- Important limitations or requirements.
- Related features.

Suggested Feature Categories

Khata / Ledger
↓
Customer Management
↓
Transactions
↓
Udhar Management
↓
Expenses
↓
Receivables
↓
Analytics
↓
Reports
↓
PDF Export
↓
Voice Entry
↓
Backup & Restore
↓
Language Support

Each feature should ideally have its own knowledge document.

Example:

Feature Name:
Customer Management

Purpose:
Allows users to manage customer information and financial records.

Capabilities:
- Add customer
- View customer history
- Track balances
- Review transactions

Related Features:

- Transactions
- Receivables
- Financial Insights

Verification Status:

Verified

Last Updated:

[Date]

AI Usage:

Allowed

6. Product Information Requirements

The AI Assistant must understand the HisabDo product correctly.

The following product information should be collected.

6.1 Product Overview

The knowledge base should include:

- What HisabDo is.
- The purpose of the platform.
- The target users.
- The main problems solved by the platform.
- Core product capabilities.

6.2 Target Users

Content should clearly identify potential users such as:

- Small business owners
- Shopkeepers
- Freelancers
- Individual users
- Users managing personal financial records
- Businesses managing customer balances

Only officially approved product positioning should be included in the verified knowledge base.

6.3 Core Benefits

The AI should understand approved product benefits, for example:

- Simplified record management
- Customer balance tracking
- Expense tracking
- Transaction management
- Financial visibility
- Report generation
- Offline-first support

Benefits should be based on actual available or officially planned functionality.

7. Help and Support Content

The AI Assistant should be able to guide users when they face common problems.

Help content should be collected for:

- Getting started
- Navigation
- Adding customers
- Recording transactions
- Managing expenses
- Checking balances
- Viewing analytics
- Generating reports
- Exporting PDFs
- Backup and restore
- Common errors
- Account-related problems

Each support document should contain:

```
Problem
  ↓
Possible Cause
  ↓
Recommended Steps
  ↓
Expected Result
  ↓
Fallback / Contact Support
```

This structure will allow the AI to provide step-by-step guidance instead of vague responses.

8. Relevant Website Pages

The AI knowledge collection process should review all important website pages.

Potential pages include:

- Home Page
- About Page
- Features Page
- Product Information Pages
- FAQ Page
- Help or Support Page
- Contact Page
- Privacy Policy
- Terms and Conditions
- Blog Pages
- Documentation Pages

Each page should be reviewed to determine:

- Is the information accurate?
- Is the information complete?
- Is the content still current?
- Can the AI use this information?
- Does the page contain duplicate information?
- Does the page need improvement?

9. Financial and Product Data Requirements

Financial data requires special handling.

The AI knowledge base should **not** store dynamic user-specific balances as general knowledge.

For example, information such as:

Ali owes PKR 25,000.

Ahmed has a balance of PKR 10,000.

must not become static knowledge-base content.

Instead, dynamic financial information should follow this architecture:

User Financial Question
↓
Intent Detection
↓
Entity Extraction
↓
Authorized Financial API
↓
User-Scoped Database Query
↓
Verified Financial Result
↓
Business Logic
↓
AI Explanation
↓
User Response

The AI model must not independently invent financial values.

10. Static Knowledge vs Dynamic Data

A clear separation must exist between static product knowledge and dynamic financial information.

Static Knowledge

Suitable for the knowledge base:

- FAQs
- Product descriptions
- Feature explanations
- User guides
- Help documentation
- Blog content
- Backup instructions
- Report generation instructions

Dynamic Data

Should be retrieved through secure APIs:

- Customer balances
- Transaction history
- Expenses

- Receivables
- Payables
- Analytics
- User-specific financial information

Core Principle

Knowledge Base = Product and Support Information
Verified APIs = Dynamic Financial Information

This separation supports accuracy, privacy, and anti-hallucination requirements.

11. Identification of Missing Content

The website review should identify information that is missing or insufficient.

Potential missing areas may include:

- Detailed FAQs
- Step-by-step user guides
- Feature documentation
- Troubleshooting guides
- Backup and restore documentation
- Error resolution instructions
- Product terminology explanations
- Privacy and security explanations
- Multilingual help content

Missing content should be recorded in a structured format.

Example:

Content Area	Current Status	Required Action
FAQs	Partial	Expand common questions
Feature Guides	Limited	Create detailed guides
Backup Documentation	Needs review	Verify and improve
Troubleshooting	Missing	Create support content
Multilingual Help	Limited	Add future support
Financial Feature Guides	Needs review	Validate information

The exact status should be updated after reviewing the current website and available documentation.

12. Identification of Outdated or Unclear Content

Content should not automatically be added to the AI knowledge base.

Every document should be reviewed for:

- Outdated feature information
- Incorrect instructions
- Broken workflows
- Duplicate content
- Incomplete explanations
- Conflicting information
- Unsupported product claims
- Old screenshots or interface descriptions

Outdated or unclear content should be classified as:

Verified
Needs Review
Outdated
Deprecated
Do Not Use


Only approved and verified content should be included in the production AI knowledge base.

13. Knowledge Base Categories

The HisabDo AI Knowledge Base should use a structured category system.

Recommended structure:

```
knowledge-base/  
├── faqs/  
│   ├── general.md  
│   ├── accounts.md  
│   ├── transactions.md  
│   ├── expenses.md  
│   └── backup.md  
└── features/
```



This structure allows future expansion without requiring major changes to the AI architecture.

14. Verified and Unverified Information

One of the most important requirements is separating verified information from unverified information.

Verified Information

Verified information includes content that has been:

- Approved by the product or development team.
- Confirmed against the actual system.
- Reviewed for accuracy.
- Updated according to current functionality.

Verified content may be used for:

- RAG retrieval
- FAQ responses
- Product support
- AI assistance

Unverified Information

Unverified information may include:

- Draft content
- Old documentation
- Assumptions
- Unconfirmed future features
- User-generated suggestions
- Incomplete research notes

This information should not automatically be included in the production knowledge base.

15. Content Metadata Requirements

Every knowledge-base document should ideally contain metadata.

Example:

```
{
  "id": "feature-customer-management",
  "title": "Customer Management",
  "category": "features",
  "source": "official-hisabdo-documentation",
  "verification_status": "verified",
  "language": "english",
  "last_updated": "2026-09-01",
  "ai_usage": true,
  "requires_review": false
}
```

Recommended metadata fields:

- Unique ID
- Title
- Category
- Source
- Verification status
- Language
- Last updated date

- Content owner
- AI usage permission
- Review status

Metadata will make the knowledge base easier to maintain and audit.

16. Content Validation Process

Before AI ingestion, content should follow a validation workflow.

```
Content Collected
  ↓
Source Identified
  ↓
Content Reviewed
  ↓
Accuracy Checked
  ↓
Verification Status Assigned
  ↓
Duplicate Content Removed
  ↓
Outdated Information Flagged
  ↓
Approved for AI Usage
  ↓
Knowledge Base
```


No content should directly enter the production AI system without a review process.

17. Content Preparation for RAG

After verification, content can be prepared for the RAG pipeline.

The recommended process is:

```
Verified Documents
  ↓
Text Cleaning
  ↓
Remove Duplicate Content
  ↓
Normalize Formatting
  ↓
Add Metadata
```



The RAG system should retrieve only relevant information for the user's question.

18. Multilingual Content Requirements

HisabDo AI Copilot is planned to support multilingual interaction.

The content architecture should therefore be designed for future support of:

- English
- Roman Urdu
- Urdu
- Additional languages where required

Initially, the primary verified knowledge base may remain in one language if multilingual embeddings and response generation can support retrieval effectively.

However, important terminology should be documented.

Example:

English	Roman Urdu	Urdu Context
Customer	Customer / Grahak	گاہک
Balance	Balance / Baqi	بقایا
Expense	Kharcha	خرچہ
Transaction	Len Den	لین دین
Receivable	Wasooli	وصولی

Roman Urdu normalization should account for spelling variations where possible.

19. Content Update and Maintenance Process

The knowledge base should not remain static.

Whenever the HisabDo website or product changes, related AI content must also be reviewed.

Recommended workflow:

```
graph TD; A[Product Update] --> B[Identify Affected Content]; B --> C[Update Documentation]; C --> D[Review Accuracy]; D --> E[Update Metadata]; E --> F[Reprocess Content]; F --> G[Update Vector Index]; G --> H[Test AI Responses]; H --> I[Deploy Updated Knowledge];
```

This prevents the AI Assistant from answering based on outdated product information.

20. Recommended Content Ownership

Clear ownership should be assigned to maintain content quality.

Possible responsibilities:

Product / Website Team

- Product information
- Feature descriptions
- Website updates

AI/ML Team

- Knowledge-base structure
- Content ingestion requirements
- RAG preparation

- Content quality checks for AI usage

Development Team

- Technical documentation
- API documentation
- System behavior verification

QA Team

- Validate instructions against actual product behavior
- Identify incorrect or outdated documentation

This shared ownership model helps prevent inaccurate AI responses.

21. Risks

Potential risks include:

21.1 Outdated Knowledge

The AI may provide incorrect instructions if old content remains in the knowledge base.

21.2 Incomplete Documentation

The AI cannot reliably answer questions about features that are poorly documented.

21.3 Conflicting Information

Different website pages may contain different explanations of the same feature.

21.4 Unverified Content

Unreviewed information may cause hallucinated or unsupported responses.

21.5 Dynamic Data Exposure

User-specific financial information must never be stored in a general public knowledge base.

21.6 Missing Content Maintenance

New features may be released without corresponding knowledge-base updates.

22. Recommendations

The following recommendations are proposed:

1. Create a centralized HisabDo AI Knowledge Base.
 2. Define official content categories.
 3. Assign verification status to every document.
 4. Do not ingest unverified content into production RAG.
 5. Separate static product knowledge from dynamic financial data.
 6. Use secure APIs for user-specific financial information.
 7. Maintain metadata for all AI knowledge documents.
 8. Create a content review process.
 9. Update AI knowledge whenever the product changes.
 10. Test AI responses after every major knowledge-base update.
 11. Maintain clear ownership for website and documentation content.
 12. Track outdated and deprecated documents separately.
-

23. Final Content Requirements Checklist

Before production AI integration, the following content should be available or planned:

Product Content

- ☐ Product overview
- ☐ Core benefits
- ☐ Target users
- ☐ Supported features

FAQ Content

- ☐ General FAQs
- ☐ Account FAQs
- ☐ Customer FAQs
- ☐ Transaction FAQs
- ☐ Expense FAQs
- ☐ Report FAQs
- ☐ Backup FAQs

Feature Documentation

- ☐ Khata / Ledger
- ☐ Customer Management
- ☐ Transactions
- ☐ Expenses
- ☐ Receivables
- ☐ Analytics
- ☐ Reports
- ☐ PDF Export
- ☐ Voice Entry
- ☐ Backup and Restore

Support Content

- ☐ Getting Started
- ☐ Step-by-Step Guides
- ☐ Troubleshooting
- ☐ Common Errors
- ☐ Support Instructions

AI Preparation


- ☐ Content verified
- ☐ Outdated content removed or flagged
- ☐ Duplicate content reviewed
- ☐ Metadata added
- ☐ Knowledge categories defined
- ☐ Content prepared for cleaning
- ☐ RAG ingestion process defined

24. Expected Output

The final output of this activity should be:

A complete, structured, verified, and maintainable inventory of HisabDo website and product content required for future AI knowledge integration.

This content inventory will provide the foundation for:



25. Final Conclusion

The quality of the HisabDo AI Copilot will depend heavily on the quality of the information provided to it.

Therefore, AI development should not begin by simply connecting a language model to the website. The required website and product content must first be identified, organized, verified, and prepared for AI use.

The proposed content architecture follows the core HisabDo AI principle:

AI should understand and explain. Verified systems and verified information should provide the source of truth.

Static information such as FAQs, feature descriptions, product guides, and support documentation can be organized into a structured AI knowledge base.

Dynamic and sensitive information, including customer balances, transactions, expenses, and other user-specific financial data, must remain outside the general knowledge base and be accessed only through authorized, controlled, and verified application APIs.

By implementing this content preparation and governance process, HisabDo can build a reliable foundation for:

- AI Chatbot functionality
- FAQ assistance

- RAG-based knowledge retrieval
- Product guidance
- Multilingual user support
- AI-powered help and support
- Future financial intelligence features

This document therefore serves as the **content and knowledge foundation for the future implementation of the HisabDo AI Copilot.**

Recommended GitHub File Structure

```
hisabdo-ai/
├── docs/
│   ├── required-website-data-content.md
│   └── knowledge-base-requirements.md
├── knowledge-base/
│   ├── faqs/
│   ├── features/
│   ├── guides/
│   ├── support/
│   ├── product/
│   └── policies/
└── schemas/
    └── knowledge-base-schema.json
```

Prepared By: Muhammad Taha

Role: AI/ML Team Lead

Project: HisabDo AI Copilot

Give me separate code file content

Below is a **separate copy-paste ready code file** for your project.

Suggested file name: schemas/knowledge-base-schema.json

```
{
  "$schema": "https://json-schema.org/draft/2020-12/schema",
  "title": "HisabDo AI Knowledge Base Content Schema",
  "description": "Schema for managing, validating, and preparing verified HisabDo website and product content for AI knowledge integration and future RAG processing.",
  "type": "object",
  "required": [
    "id",
    "title",
    "category",
```

```

    "content",
    "source",
    "verification_status",
    "language",
    "last_updated",
    "ai_usage"
  ],
  "properties": {
    "id": {
      "type": "string",
      "description": "Unique identifier for the knowledge-base document.",
      "examples": [
        "faq-backup-restore",
        "feature-customer-management"
      ]
    },
    "title": {
      "type": "string",
      "description": "Clear title of the content document."
    },
    "category": {
      "type": "string",
      "description": "Primary knowledge-base category.",
      "enum": [
        "faqs",
        "features",
        "guides",
        "support",
        "product",
        "policies",
        "documentation",
        "blogs"
      ]
    },
    "subcategory": {
      "type": "string",
      "description": "Optional secondary category for more specific organization."
    },
    "content": {
      "type": "string",
      "description": "Main verified content that may be prepared for AI retrieval."
    },
    "summary": {
      "type": "string",
      "description": "Short summary of the document content."
    },
    "keywords": {
      "type": "array",
      "description": "Keywords used to improve search and retrieval.",
      "items": {
        "type": "string"
      }
    },
    "source": {
      "type": "object",

```

```

    "description": "Original source information for traceability.",
    "required": [
        "type",
        "name"
    ],
    "properties": {
        "type": {
            "type": "string",
            "enum": [
                "website",
                "documentation",
                "faq",
                "product-team",
                "development-team",
                "support",
                "blog",
                "guide"
            ]
        },
        "name": {
            "type": "string"
        },
        "reference": {
            "type": "string",
            "description": "Optional page, document, or internal reference."
        }
    }
},
"verification_status": {
    "type": "string",
    "description": "Current verification state of the content.",
    "enum": [
        "verified",
        "needs_review",
        "unverified",
        "outdated",
        "deprecated",
        "do_not_use"
    ]
},
"verification": {
    "type": "object",
    "properties": {
        "verified_by": {
            "type": "string"
        },
        "verified_date": {
            "type": "string",
            "format": "date"
        },
        "verification_notes": {
            "type": "string"
        }
    }
},
"language": {
    "type": "string",

```

```

    "description": "Primary language of the document.",
    "enum": [
        "english",
        "roman_urdu",
        "urdu",
        "multilingual"
    ]
},
"supported_languages": {
    "type": "array",
    "description": "Languages in which this content can support AI
responses.",
    "items": {
        "type": "string",
        "enum": [
            "english",
            "roman_urdu",
            "urdu"
        ]
    }
},
"content_owner": {
    "type": "string",
    "description": "Team or person responsible for maintaining the
content."
},
"last_updated": {
    "type": "string",
    "format": "date",
    "description": "Date when the content was last updated."
},
"review_status": {
    "type": "string",
    "enum": [
        "approved",
        "pending_review",
        "requires_update"
    ]
},
"ai_usage": {
    "type": "boolean",
    "description": "Defines whether this content is allowed to be used by
the AI system."
},
"rag_eligible": {
    "type": "boolean",
    "description": "Defines whether the content can be processed and
indexed for RAG retrieval."
},
"sensitive_data": {
    "type": "boolean",
    "description": "Indicates whether the document contains sensitive
information."
},
"dynamic_data": {
    "type": "boolean",

```



```

        "description": "Indicates whether the information changes dynamically
and should be retrieved through an API instead of a knowledge base."
    },
    "data_access_method": {
        "type": "string",
        "description": "Defines how the AI system should access related
information.",
        "enum": [
            "knowledge_base",
            "verified_api",
            "restricted",
            "not_applicable"
        ]
    },
    "related_features": {
        "type": "array",
        "items": {
            "type": "string"
        }
    },
    "related_documents": {
        "type": "array",
        "items": {
            "type": "string"
        }
    },
    "tags": {
        "type": "array",
        "items": {
            "type": "string"
        }
    },
    "version": {
        "type": "string",
        "description": "Content version for change tracking."
    }
}

```

Example Content File

You can also create this file:

knowledge-base/features/customer-management.json

```

{
  "id": "feature-customer-management",
  "title": "Customer Management",
  "category": "features",
  "subcategory": "financial_management",

  "summary": "Information about managing customers and accessing their
related records within HisabDo.",

```

"content": "The Customer Management feature allows users to maintain customer information and access related financial records. The AI assistant may use this verified feature documentation to explain how the feature works and guide users through supported workflows.",

```
"keywords": [  
  "customer",  
  "customer management",  
  "customer records",  
  "customer balance",  
  "transaction history"  
],
```

```
"source": {  
  "type": "documentation",  
  "name": "HisabDo Product Documentation",  
  "reference": "features/customer-management"  
},
```

"verification_status": "verified",

```
"verification": {  
  "verified_by": "HisabDo Product or Development Team",  
  "verified_date": "2026-09-01",  
  "verification_notes": "Content must match the currently implemented  
product functionality."  
},
```

"language": "english",

```
"supported_languages": [  
  "english",  
  "roman_urdu",  
  "urdu"  
],
```

"content_owner": "HisabDo AI/ML and Product Team",

"last_updated": "2026-09-01",

"review_status": "approved",

"ai_usage": true,

"rag_eligible": true,

"sensitive_data": false,

"dynamic_data": false,

"data_access_method": "knowledge_base",

```
"related_features": [  
  "transactions",  
  "receivables",  
  "financial-insights"  
],
```

```

"related_documents": [
  "guide-managing-customers",
  "faq-customer-balance"
],

"tags": [
  "hisabdo",
  "customer",
  "financial-management",
  "ai-knowledge-base"
],

"version": "1.0"
}

```

Important Example: Dynamic Financial Data

For financial data, the AI knowledge base should **not store actual user balances or transactions**.

For example:

File: schemas/financial-data-access.json

```

{
  "id": "customer-balance-query",
  "title": "Customer Balance Data Access Rule",

  "category": "financial_data",

  "description": "Customer-specific balances must be retrieved through an
authorized and verified financial API.",

  "verification_status": "verified",

  "ai_usage": true,

  "rag_eligible": false,

  "sensitive_data": true,

  "dynamic_data": true,

  "data_access_method": "verified_api",

  "access_rules": [
    "The LLM must not access the database directly.",
    "The request must be authenticated.",
    "Financial data must be scoped to the authenticated user.",
    "The application backend must validate the request.",
    "Financial calculations must be performed by verified business logic.",
    "The AI may explain verified results but must not invent financial
values."
  ]
}

```

```

],

"workflow": [
  "User Query",
  "Intent Detection",
  "Entity Extraction",
  "Authorization Check",
  "Verified Financial API",
  "User-Scoped Data Retrieval",
  "Business Logic",
  "Verified Result",
  "AI Response Generation"
]
}

```

Recommended Final Folder Structure

```

hisabdo-ai/
├── docs/
│   └── required-website-data-content.md
├── knowledge-base/
│   ├── faqs/
│   │   ├── general.json
│   │   ├── accounts.json
│   │   ├── transactions.json
│   │   └── backup.json
│   ├── features/
│   │   ├── customer-management.json
│   │   ├── transactions.json
│   │   ├── expenses.json
│   │   ├── analytics.json
│   │   └── reports.json
│   ├── guides/
│   │   ├── getting-started.json
│   │   ├── managing-customers.json
│   │   └── expense-tracking.json
│   ├── support/
│   │   ├── common-problems.json
│   │   └── troubleshooting.json
│   └── product/
│       ├── overview.json
│       └── supported-features.json
└── schemas/
    ├── knowledge-base-schema.json
    └── financial-data-access.json

```

This gives you a proper **separate technical/code component** for the documentation task and matches your **HisabDo AI Copilot architecture**, especially the rule:

Static verified information → Knowledge Base / RAG

Dynamic financial information → Verified API + Business Logic