

dbproject

aircrafts

Column	Type	Null	Default	Links to	Comments	Media type
Aircraft_ID (<i>Primary</i>)	int(10)	No				
Manufacturer	varchar(10)	No				
Model	varchar(20)	No				
Total_Capacity	int(3)	No				
Date_Of_Manufacture	date	No				
Airline_ID	int(10)	No		airlines -> Airline_ID		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Aircraft_ID	0	A	No	
fk_airlineID	BTREE	No	No	Airline_ID	0	A	No	

airlines

Column	Type	Null	Default	Links to	Comments	Media type
Airline_ID (<i>Primary</i>)	int(10)	No				
Airline_Name	varchar(50)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Airline_ID	0	A	No	

airport

Column	Type	Null	Default	Links to	Comments	Media type
Airport_ID (<i>Primary</i>)	int(10)	No				
Airport_Name	int(50)	No				
City	int(20)	No				
TimeZone	timestamp(6)	No	current_timestamp(6)			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Airport_ID	0	A	No	

baggage

Column	Type	Null	Default	Links to	Comments	Media type
Baggage_Tag_ID (<i>Primary</i>)	int(10)	No				
Weight	float	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Baggage_Tag_ID	0	A	No	

customers

Column	Type	Null	Default	Links to	Comments	Media type
Customer_ID (<i>Primary</i>)	int(10)	No				
Name	varchar(50)	No				
Nationality	varchar(10)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Customer_ID	0	A	No	

flights

Column	Type	Null	Default	Links to	Comments	Media type
Flight_ID (<i>Primary</i>)	int(11)	No				
Flight_Type	varchar(255)	Yes	NULL			
Arrival_Time	datetime	Yes	NULL			
Departure_Time	datetime	Yes	NULL			
Duration	datetime	Yes	NULL			
Airline_ID	int(11)	Yes	NULL	airlines -> Airline_ID		
Aircraft_ID	int(11)	Yes	NULL	aircrafts -> Aircraft_ID		
Departure_Airport_Id	int(11)	Yes	NULL	airport -> Airport_ID		
Arrival_Airport_Id	int(11)	Yes	NULL	airport -> Airport_ID		
Terminal_ID	int(11)	Yes	NULL	terminals -> Terminal_ID		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Flight_ID	0	A	No	
Airline_ID	BTREE	No	No	Airline_ID	0	A	Yes	
Departure_Airport_Id	BTREE	No	No	Departure_Airport_Id	0	A	Yes	
Arrival_Airport_Id	BTREE	No	No	Arrival_Airport_Id	0	A	Yes	
Aircraft_ID	BTREE	No	No	Aircraft_ID	0	A	Yes	
Terminal_ID	BTREE	No	No	Terminal_ID	0	A	Yes	

gateway

Column	Type	Null	Default	Links to	Comments	Media type
Gateway_ID (<i>Primary</i>)	int(11)	No				
Gateway_Name	int(11)	Yes	NULL			
Regulator	varchar(255)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Gateway_ID	0	A	No	

passports

Column	Type	Null	Default	Links to	Comments	Media type
Passport_ID (<i>Primary</i>)	int(11)	No				
Passport_Expiry	date	Yes	NULL			
Customer_ID	int(11)	Yes	NULL	customers -> Customer_ID		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Passport_ID	0	A	No	
Customer_ID	BTREE	No	No	Customer_ID	0	A	Yes	

payment

Column	Type	Null	Default	Links to	Comments	Media type
Payment_ID (<i>Primary</i>)	int(11)	No				
Payment_Type	int(11)	Yes	NULL			
Gateway_ID	int(11)	Yes	NULL	gateway -> Gateway_ID		
Ticket_ID	int(10)	Yes	NULL	ticket -> Ticket_ID		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Payment_ID	0	A	No	
Gateway_ID	BTREE	No	No	Gateway_ID	0	A	Yes	
fk_ticketID	BTREE	No	No	Ticket_ID	0	A	Yes	

pilot

Column	Type	Null	Default	Links to	Comments	Media type
Pilot_ID (<i>Primary</i>)	int(10)	No				
Pilot_Name	varchar(20)	No				
Hours_Worked	int(2)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Pilot_ID	0	A	No	

recordstable

Column	Type	Null	Default	Links to	Comments	Media type
Baggage_ID (<i>Primary</i>)	int(11)	No		baggage -> Baggage_Tag_ID		
Pilot_ID (<i>Primary</i>)	int(11)	No		pilot -> Pilot_ID		
Ticket_ID (<i>Primary</i>)	int(11)	No		ticket -> Ticket_ID		
Flight_ID	int(11)	Yes	NULL	flights -> Flight_ID		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Baggage_ID	0	A	No	
				Pilot_ID	0	A	No	
				Ticket_ID	0	A	No	
Pilot_ID	BTREE	No	No	Pilot_ID	0	A	No	
Ticket_ID	BTREE	No	No	Ticket_ID	0	A	No	
Flight_ID	BTREE	No	No	Flight_ID	0	A	Yes	

terminals

Column	Type	Null	Default	Links to	Comments	Media type
Terminal_ID (<i>Primary</i>)	int(11)	No				
Terminal_Name	varchar(255)	Yes	NULL			
Airport_ID	int(11)	Yes	NULL	airport -> Airport_ID		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Terminal_ID	0	A	No	
Airport_ID	BTREE	No	No	Airport_ID	0	A	Yes	

ticket

Column	Type	Null	Default	Links to	Comments	Media type
Ticket_ID (<i>Primary</i>)	int(10)	No				
Customer_ID	int(10)	No		customers -> Customer_ID		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Ticket_ID	0	A	No	
fk_custID	BTREE	No	No	Customer_ID	0	A	No	