

NEMO Feature Manual

Version 3.12.1

NEMO Calendar Tool control Status dashboard Buddy board Administration ▾ Welcome, Mathieu 

 Calendar	 Tool control	 Status dashboard	 Safety suggestions
 Send feedback	 Contact the NanoFab staff	 View your billing	 Maintenance
 News and events 1	 Staff Resources (Internet Explorer)	 SDS Directory (Internet Explorer)	

v 3.12.1 - Developed by CNST, NIST

Table of Contents

1	Foreword.....	13
2	Introduction	14
3	How NEMO works	15
3.1	NEMO Infrastructure.....	15
3.2	User model	16
3.3	User roles.....	17
3.4	Tool model.....	18
3.5	Area model (optional)	19
3.6	Supply model (optional)	20
3.7	Billing model	21
3.8	Controlling NEMO	22
4	NEMO user authentication	23
4.1	Web address	23
4.2	Usage.....	23
4.3	Mobile device authentication.....	24
4.4	Authentication customizations.....	25
5	Navigation Bar.....	26
5.1	User Navigation Bar	26
5.2	Staff Navigation Bar	26
5.3	Mobile device navigation bar	28
5.4	Navigation bar customizations	29
5.5	Landing Page.....	29
5.6	Web address	29
5.7	Upcoming reservations	30
5.8	Alerts and outages	30
5.9	Current NanoFab usage.....	31
5.10	Configurable Quick Links	34
5.11	Lab Tutorial	34
5.12	Mobile device landing page	35
5.13	Landing page customizations.....	36
6	Calendar	37
6.1	Web address	37

6.2	Calendar Side bar	37
6.3	Calendar	45
6.4	Reservations	49
6.5	Showing NanoFab usage	64
6.6	Show specific user activity (staff only)	69
6.7	Mobile device calendar	72
6.8	Calendar customizations	80
7	Tool control	81
7.1	Web address	81
7.2	Side bar	81
7.3	Tool page header bar	84
7.4	Summary Tab	84
7.5	Details Tab	108
7.6	Usage Data History	117
7.7	Config History	118
7.8	Report a problem Tab	119
7.9	Post a comment Tab	123
7.10	Mobile device tool control	125
7.11	Tool control customizations	129
8	Status dashboard	131
8.1	Web address	131
8.2	Area occupancy tab	131
8.3	Tool status & usage tab	132
8.4	Mobile device status dashboard	135
8.5	Status dashboard customizations	137
9	Buddy Board	138
9.1	Web address	138
9.2	Usage	138
9.3	Mobile device buddy board page	144
9.4	Buddy board page customizations	144
10	Jumbotron	145
10.1	Web address	145
10.2	Usage	145

10.3	Mobile device jumbotron	147
10.4	Jumbotron customizations	147
11	Safety	148
11.1	Safety message.....	148
11.2	View resolved safety issues	149
11.3	Report a new safety issue	150
11.4	View open safety issues.....	151
11.5	Resolve or update a safety issue (staff only)	153
11.6	Notifications (staff only)	155
11.7	Web address	156
11.8	Mobile device safety page	156
11.9	Safety page customizations	156
12	Send feedback	157
12.1	Web address	157
12.2	Usage	157
12.3	Mobile device send feedback page	158
12.4	Send feedback page customizations	158
13	Contact staff.....	160
13.1	Fields.....	160
13.2	Web address	161
13.3	Mobile device contact staff page	161
13.4	Contact staff page customizations	162
14	View usage	163
14.1	Select date range.....	163
14.2	Usage select project (for Principal Investigators only).....	165
14.3	Usage	165
14.4	Billing Information.....	168
14.5	Web address	168
14.6	Mobile device view usage page	168
14.7	View usage page customizations	168
15	News and events	169
15.1	Recent news	169
15.2	Archived news	171

15.3	Publish new news (staff only)	171
15.4	Update news article (staff only).....	173
15.5	Notifications.....	175
15.6	Web address	176
15.7	Mobile device news and events page	176
15.8	News and events customizations.....	176
16	User Preferences	177
16.1	Usage	177
16.2	Web address	178
16.3	Mobile device user preferences page	179
16.4	User preferences page customizations	179
17	Administration menu (staff only).....	180
17.1	Web address	181
17.2	Mobile device abuse page	181
17.3	Abuse page customizations	181
18	Accounts and projects (staff only)	182
18.1	Search for existing accounts or projects.....	182
18.2	Account and project status	184
18.3	Manage users on a project	184
18.4	Create an account	186
18.5	Create a project.....	187
18.6	Web address	190
18.7	Mobile device accounts and projects page	190
18.8	Accounts and projects page customizations	190
19	Alerts (staff only).....	191
19.1	Create an alert.....	191
19.2	Delete an alert.....	193
19.3	Edit an alert.....	193
19.4	Web address	195
19.5	Mobile device alerts page.....	195
19.6	Alerts page customizations.....	195
20	Area Access (staff only)	196
20.1	Create an access record.....	196

20.2	View access records.....	198
20.3	Web address	201
20.4	Mobile device area access page.....	201
20.5	Area access page customizations.....	201
21	Configuration agenda (staff only)	202
21.1	Usage	203
21.2	Web address	205
21.3	Mobile device configuration agenda page	205
21.4	Configuration agenda page customizations	205
22	Email (staff only)	206
22.1	Usage	206
22.2	Web address	212
22.3	Mobile device email page.....	212
22.4	Email page customizations	212
23	Maintenance (staff only)	213
23.1	Pending tasks	213
23.2	Closed tasks.....	221
23.3	Web address	222
23.4	Mobile device maintenance page	222
23.5	Maintenance page customizations	222
24	Qualifications (staff only).....	223
24.1	Tool qualifications	223
24.2	Usage	223
24.3	Web address	226
24.4	Mobile device qualifications page.....	226
24.5	Qualifications page customizations.....	226
25	Remote work (staff only)	227
25.1	Usage	227
25.2	Web address	229
25.3	Mobile device remote work page	229
25.4	Remote work page customizations	230
26	Resources (staff only)	231
26.1	Resource discussion.....	231

26.2	Resource Detail	232
26.3	Web address	241
26.4	Mobile device resources page	241
26.5	Resources page customizations	242
27	Staff charges (staff only)	243
27.1	Usage	243
27.2	Web address	248
27.3	Mobile device staff charges page.....	248
27.4	Staff charges page customizations.....	248
28	Project billing (staff only).....	249
28.1	Usage	249
28.2	Web address	250
28.3	Mobile device project billing page	250
28.4	Project billing page customizations.....	250
29	Supplies (staff only)	251
29.1	Usage	251
29.2	Web address	254
29.3	Mobile device supplies page.....	255
29.4	Supplies page customizations	255
30	Training (staff and tool superusers only).....	256
30.1	Usage	256
30.2	Web address	259
30.3	Mobile device training page	259
30.4	Training page customizations	259
31	Users (staff only)	260
31.1	Create new user	260
31.2	Modify existing user	267
31.3	Web address	271
31.4	Mobile device configuration agenda page	271
31.5	Users page customizations	271
32	Impersonate (admin only)	272
32.1	Usage	272
32.2	Web address	273

32.3	Mobile device impersonate page.....	273
32.4	Impersonate page customizations	273
33	Projects (PIs only)	274
33.1	Usage	274
33.2	Web address	274
33.3	Mobile device.....	275
33.4	Projects page customizations	275
34	Customization (admin only).....	276
34.1	Email Addresses	276
34.2	Calendar settings.....	277
34.3	Application settings	279
34.4	Interlock settings.....	281
34.5	Login banner	283
34.6	Introduction for Safety suggestions and observations page	285
34.7	Facility rules tutorial page.....	288
34.8	Facility failed login page	293
34.9	Jumbotron watermark.....	296
34.10	Cancellation email	299
34.11	Counter threshold reached email	303
34.12	Feedback email.....	306
34.13	Generic email	310
34.14	Missed reservation email.....	314
34.15	Facility rules tutorial email.....	318
34.16	New task email.....	323
34.17	Out of time reservation email.....	327
34.18	Reorder supplies reminder email.....	331
34.19	Reservation ending reminder email	334
34.20	Reservation reminder email	338
34.21	Reservation warning email	342
34.22	Safety issue email	346
34.23	Staff charge reminder email	350
34.24	Task status notification email	354
34.25	Unauthorized tool access email	359

34.26	Usage reminder email	363
34.27	User reservation created email.....	367
34.28	User reservation cancelled email.....	371
34.29	Tool Rates.....	375
35	Detailed administration (admin only)	382
35.1	Common features in detailed administration.....	384
35.2	Account types.....	391
35.3	Accounts.....	393
35.4	Activity histories.....	395
35.5	Alert categories	397
35.6	Alerts.....	399
35.7	Area access records	402
35.8	Areas	404
35.9	Badge readers	410
35.10	Buddy request messages	412
35.11	Buddy requests.....	414
35.12	Comments.....	417
35.13	Configuration histories	420
35.14	Configurations	422
35.15	Consumable categories	426
35.16	Consumable withdraws	428
35.17	Consumables	430
35.18	Contact information	433
35.19	Contact information categories	436
35.20	Doors.....	438
35.21	Email logs	440
35.22	Interlock card categories	442
35.23	Interlock cards	444
35.24	Interlocks.....	447
35.25	Landing page choices.....	449
35.26	Membership histories.....	452
35.27	News	455
35.28	Notifications	458

35.29	Physical access exceptions.....	460
35.30	Physical access levels.....	463
35.31	Physical access logs	466
35.32	Projects	468
35.33	Reservation Questions.....	471
35.34	Reservations.....	474
35.35	Resource categories	478
35.36	Resources	480
35.37	Safety issues.....	483
35.38	Scheduled outage categories	485
35.39	Scheduled outages	487
35.40	Staff charges.....	490
35.41	Task categories.....	492
35.42	Task statuses	494
35.43	Tasks	496
35.44	Tool usage counters	500
35.45	Tools.....	503
35.46	Training sessions	523
35.47	Usage events	526
35.48	User preferences	529
35.49	User types	531
35.50	Users	533
36	API access.....	540
36.1	Usage	540
36.2	Special parameters	542
36.3	Access Errors	544
36.4	Billing information.....	545
37	Kiosk.....	548
37.1	Setup.....	548
37.2	Usage	552
38	Entrance tablet.....	561
38.1	Setup.....	561
38.2	Usage	566

39	Configuring NEMO.....	577
39.1	Configuring NEMO Settings	577
39.2	Identity service.....	577
39.3	NEMO Timed Services	577
40	NEMO Release notes	579
40.1	Release 3.12.1	579
40.2	Release 3.12.0	579
40.3	Release 3.11.0	579
40.4	Release 3.10.0	580
40.5	Release 3.9.2	581
40.6	Release 3.9.1	581
40.7	Release 3.9.0	581
40.8	Release 3.8.0	582
40.9	Release 3.7.0	583
40.10	Release 3.6.0	584
40.11	Release 3.5.0	585
40.12	Release 3.4.0	586
40.13	Release 3.3.0	586
40.14	Release 3.2.7	587
40.15	Release 3.2.6	587
40.16	Release 3.2.5	587
40.17	Release 3.2.4	588
40.18	Release 3.2.3	588
40.19	Release 3.2.2	588
40.20	Release 3.2.1	588
40.21	Release 3.2.0	588
40.22	Release 3.1.2	589
40.23	Release 3.1.1	589
40.24	Release 3.1.0	589
40.25	Release 3.0.1	590
40.26	Release 3.0.0	590
40.27	Release 2.3.4	591
40.28	Release 2.3.3	591

40.29	Release 2.3.2	592
40.30	Release 2.3.1	592
40.31	Release 2.3.0	592
40.32	Release 2.2.3	593
40.33	Release 2.2.2	593
40.34	Release 2.2.1	593
40.35	Release 2.2.0	594
40.36	Release 2.1.1	594
40.37	Release 2.1.0	595
40.38	Release 2.0.1	595
40.39	Release 2.0.0	596

1 Foreword

The National Institute of Standards and Technology (NIST), Center for Nanoscale Science and Technology (CNST) NanoFab provides researchers with rapid access to state-of-the-art, commercial nanoscale measurement and fabrication tools and methods, along with associated technical expertise, at economical hourly rates. It is well equipped to process and characterize a wide range of nanoscale materials, structures, and devices.

In November 2013, CNST replaced its original lab management software with an in-house designed and developed web application. The NanoFab Equipment Management & Operations (NEMO) web application is laboratory logistics software that strives to be intuitive and easy to use, making life easier in the lab. NEMO manages tool reservations, controls access to areas and tools, and streamlines logistics and communication. The program is being actively developed with new features, improvement, and bug releases approximately once a month.

The code is open source and free so that other labs can benefit. NEMO is hosted at <https://github.com/usnistgov/NEMO>. The web application is written in the Python programming language and uses the Django web framework. It is system independent (can run on Linux, Windows, or Mac) and does not require special hardware to operate.

Users can customize NEMO for their own laboratory, enabling any customer with a network connected desktop or mobile device to reserve tools, view the operating status of instruments, and seek assistance from laboratory staff.

The CNST hopes to foster a developer community to collaborate on new features and improvements to NEMO. Source code contributions are welcome via GitHub pull requests. The CNST will compile and evaluate these suggestions, modifying NEMO as needed.

2 Introduction

This manual provides an overview of NEMO and detailed information on each webpage and describes how to configure NEMO to add or remove content to suit the end user's needs. The manual is organized to progress through NEMOs web pages in the order presented to a user accessing the website through the navigation bar and landing page.

The manual starts with a description of how NEMO works, then progresses through logging into the website, the site navigation bar and landing page, then details each user accessible page, then each staff accessible page, and finally each site administrator page. Most of the pages are accessible through the navigation bar however, to keep NEMO highly customizable, some pages must be added through the landing page if desired.

Every page description provides details of the pages direct access web address, how the page is used, how to configure optional features, any differences between the desktop view and mobile device view, and any customizations. To minimize the need for direct code changes, many of NEMOs features automatically hide if they have not been configured.

3 How NEMO works

To better understand the features presented in this manual, an overview of NEMO and the key relationships and terms used throughout the manual will be provided.

3.1 NEMO Infrastructure

NEMO is a scalable web application whose features can be run as a distributed application across multiple servers and devices or condensed to run on a single server without additional features. The NEMO components shown below detail the required and optional network connected parts of NEMO (Figure 1). A basic implementation of NEMO can be run with a web server, database, and user authentication as a single standalone server.




Figure 1 NEMO topographical map

- Production web server – (required) runs NEMO code.
- Database – (required) stores NEMO data.
- Authentication server – (required) authenticates users allowed to access NEMO.
- Development web server – (optional) write and test custom code changes without impacting the production environment
- NEMO entrance tablets – (optional) use NEMO to control access to labs in conjunction with door interlocks.

- NEMO kiosks – (optional) allow users quick access to NEMO via badge reader to enable/disable tools and make reservations.
- Tool interlocks – (optional) physically disable tools to prevent unauthorized access. This is typically disabling a keyboard and mouse, monitor, or tool interlock via relay control.
- Door interlocks – (optional) use NEMO to trigger door strikes on access-controlled doors via relay control.

3.2 User model

The user model begins with an account. Accounts are the highest level grouping and can be thought of in terms of who the bill is sent to. An account could be a business using the lab, a school in a university, or some other operational unit. Accounts are discussed in the [accounts and projects](#) section on page 182.

Each account will have one or more projects. Projects allow the account to distinguish what department, group, or project leader is using the account. All activity in NEMO is charged to a project. Projects are discussed in the [accounts and projects](#) section on page 182.

Each project will have one or more users. Users can be associated with multiple projects and even projects from different accounts (Figure 2). Users are discussed in the [users](#) section on page 260.




Figure 2 User model

3.3 User roles

NEMO has three types of distinct users to limit access to only the pages needed by the users role. A users role is defined in the users table of the database discussed in the [Detailed administration → Users](#) section on page 531.

- The first level is “user” which has basic access to a predefined set of features and functions that allow a user to do work in the lab.
- The second level is “staff” which has all of the basic access of a “user” but can override certain rules that restrict a user as well as an additional set of features specific to staff working in the lab and administering users.
- The third level is “superuser” which has all of the access of a “staff” along with admin access to configuration and database administration. NEMO must have at least one user with “superuser” role that can setup customizations and configure the website.

3.4 Tool model

Tools are the things a user will use, and that the lab is interested in keeping track of. There are many features associated with tools and most are optional (Figure 3). Tools are defined in the tool table of the database discussed in the [Detailed administration → Tools](#) section on page 500.



Figure 3 Tool model

- Training – users must be qualified to use a tool. Training and tool qualification is discussed in the [training](#) section on page 256.
- Reservations – qualified users can make reservations for tools with customizable rules to limit reservation abuse. Reservations are discussed in the [Calendar → Reservations](#) section on page 49. Reservation rules are defined for each tool in the tool table of the database discussed in the [Detailed administration → Tools](#) section on page 500.
- Tasks – allow users to report problems with tools and documents repairs. Tasks are discussed in the [tool control](#) section starting on page 81.
- Resources – (optional) allows a tool to depend on common facilities which allows shutting down multiple tools by disabling a resource. Resources are discussed in the [resource](#) section starting on page 231.

- Configuration – (optional) allows users to select the required configuration of a tool at reservation time and communicates the configuration request to staff. Configurations are discussed in the [Configuration Agenda](#) section on page 202.
- Consumable – (optional) allows lab to charge users for consumables used during a process through questions after usage. Consumables are discussed in the [supplies](#) section starting on page 251.
- Area – (optional) allows limiting tool use unless user is currently logged into a specific area. Areas are configured in the areas table of the database discussed in the [Detailed administration → Areas](#) section starting on page 404.
- Interlock – (optional) allows physical disabling of tool when not logged into by a qualified user. Interlocks are configured in the interlocks table of the database discussed in the [Detailed administration → Interlocks](#) section starting on page 436.

3.5 Area model (optional)

Areas can optionally be defined in NEMO to group tools in common places. An area can optionally have doors associated with it and permission for the door can be given to users as physical access levels to control when they can access an area (Figure 4). Areas can optionally be configured to restrict access to doors and tools unless the user has a current area reservation. Areas are configured in the areas table of the database discussed in the [Detailed administration → Areas](#) section starting on page 404.




Figure 4 Area model

3.6 Supply model (optional)

NEMO has the ability to track supplies and their distribution to users. In addition, the supply model is used to track consumables used during tool runs (Figure 5). Consumables and supplies are discussed in the [supplies](#) section starting on page 251.




Figure 5 Supply model

3.7 Billing model

NEMO tracks 6 types of billing by default. The data is accessible directly from the database tables or through the API interface. The database tables are discussed in the [Detailed administration](#) section starting on page 382. The API is discussed in the [API access](#) section starting on page 540.

- Tool usage – Tool usage is tracked in the usage events table of the database.
- Area access – Area access is tracked in the area access records table of the database.
- Consumables – Consumables, both supplies sold to users and supplies consumed during tool runs are tracked in the consumable withdraws table of the database.
- Staff charges – Staff charges, where a staff member performs work on behalf of a user, are tracked in the staff charges table of the database.
- Missed reservations – Missed reservation, where a user fails to show up for a reservation before a grace period expires, are tracked in the reservations table of the database.
- Training sessions – Training sessions are tracked in the training sessions table of the database.

3.8 Controlling NEMO

NEMO is a web application is written in the Python programming language and uses the Django web framework. All NEMO functionality is available using any common web browser by logging into the website to perform any needed actions. In addition, NEMO provides two dedicated interfaces to access NEMO controlled doors (Entrance tablet) and to provide a quick interface to access and reserve tools (Kiosk). The [entrance tablet](#) feature is discussed starting on page 561. The kiosk features are discussed in the [kiosk](#) section starting on page 548.

4 NEMO user authentication

The first step to accessing the NEMO website is the authentication log in. A successful log in requires authentication against the institutions' account system and an active user name in NEMO. NEMO user creation and user status is discussed in the [Users](#) section on page 260.

4.1 Web address

The login page is accessible at site-address/login. For example, www.nemo.com/login/. The logout page is accessible at site-address/logout. For example, www.nemo.com/logout/.

4.2 Usage

4.2.1 LDAP authentication

If LDAP is used for authentication, the log in page (Figure 6) is displayed. Enter a valid user name and password, then click 'Log in'.

Welcome to the NanoFab Equipment Management & Operations website

User name

Password

Log in

Welcome to our lab!

If you are having trouble with your user name or password, please see a user office staff member.

Figure 6 NEMO LDAP Login Page

Upon successful log in, the user will be redirected to the [landing page](#).

If invalid user credentials are entered, the user will be prompted in red with, "The user name or password was not valid" (Figure 7). In this case, enter a valid user name and password to continue.




Figure 7 NEMO LDAP Authentication Failed

4.2.2 Remote user authentication

If a remote user authentication such as Kerberos is used, authentication is handled behind the scenes and users **will not** be prompted for a username and password.

Upon successful log in, the user will be redirected to the [landing page](#).

If the user does not have an active NEMO account, they will be denied access to NEMO (Figure 8). This message is customizable and is described in the [Customization → NanoFab failed login](#) section on page 293.

You do not have a NEMO user account or your user account has been deactivated. Please contact the NanoFab User Office for assistance.

Figure 8 Remote User Authentication Failure Message

4.3 Mobile device authentication

There are no special user authentication views for mobile devices. The authentication procedures above should be followed.

4.4 Authentication customizations

4.4.1 Authentication

Authentication is configured to set LDAP or Remote User log in via the settings.py file described in the [Configuring NEMO settings → Authentication Backends](#) on page 577.

4.4.2 Customizable Login Banner

The log in page has a customizable html banner as shown above in blue. If a banner file has not been loaded, nothing will be shown. Customization of the login banner is described in the [Customization → Login banner](#) section on page 205.

4.4.3 Remote User Authorization Failure Message

If NEMO uses remote user authentication and a user is denied access to NEMO because they do not have an active user name, a failure message is displayed. This message is customizable and is described in the [Customization → NanoFab failed login](#) section on page 293.

5 Navigation Bar

The navigation bar is available at the top of every NEMO user page. Users that are designated as staff have visibility to more features than non-staff users. The distinction between staff and non-staff is set in the [Detailed administration → Users](#) dialog described on page 391.

5.1 User Navigation Bar

The default navigation bar (Figure 9) provides users with useful information and quick links to the most common NEMO features.




Figure 9 Navigation bar with default features

NEMO – Link to NEMO [landing page](#) described on page 29.

Calendar – Link to [calendar page](#) described on page 37.

Tool Control – Link to [tool control page](#) described on page 81.

Status dashboard – Link to [status dashboard page](#) described on page 129.

Buddy board – This link is optional and is only visible if configured. The link to [buddy board page](#) described on page 138.

Welcome – Identifies the user currently logged into NEMO. This can help reduce confusion in labs where users share computers to access NEMO.

Preferences – Link to [user preference page](#) described on page 176.

Logout – Clicking this link will log the current user out of NEMO and return to the [login page](#) described on page 17. The logout link will only be displayed if LDAP authentication is used, and the button is enabled (see [customizations](#) below).

5.2 Staff Navigation Bar

The navigation bar for staff (Figure 10) includes the same information for users and adds the Administration menu and an indicator if a staff member is charging time to a user.



Figure 10 Navigation bar with additional staff features

Administration – Drop down link list to the NEMO administration features that require staff or super user rights to access (Figure 11). Details of the administration pages begin on page 180.




Figure 11 Navigation bar administration menu

Charging Staff Time – If a staff member is charging staff time to a user, it is noted in red on the navigation bar, so the staff member remains aware of accumulating charges. Hovering over ‘Charging staff time’ will show details of the staff charge including who, what project, and when the charges started (Figure 12). Clicking ‘Charging staff time’ will take you to the [Staff charges page](#) which is detailed on page 243.




Figure 12 Charging staff time details

5.3 Mobile device navigation bar

The navigation bar will automatically change to a mobile-type menu icon drop down (Figure 13) if the window width is too small to display all information. The links provided for users and staff are maintained. However, there is no indication of charging staff time and the user name is not indicated. In addition, the preferences icon will change to a menu item.



Figure 13 Navigation bar for small windows with menu icon

Clicking on the menu icon will drop down the menu (Figure 14).




Figure 14 Mobile device drop down menu

5.4 Navigation bar customizations

5.4.1 Logout button

The logout button is configured to display or hide via the settings.py file described in the [Configuring NEMO settings → Templates](#) on page 577.

5.5 Landing Page

The landing page (Figure 15) is the home page for NEMO. It provides users and staff with important information as well as quick links that are fully configurable by your organization. In addition, first time lab users are prompted to complete a lab rules tutorial to reinforce important policies.

The screenshot shows the NEMO landing page with the following layout:

- Top navigation bar:** NEMO, Calendar, Tool control, Status dashboard, Administration, Welcome, Captain, Logout.
- Upcoming reservations:** You're late for your Ellipsometer reservation! Starting on Thursday, April 16th @ 5:00 PM Ending on Thursday, April 16th @ 10:00 PM
- Alerts & outages:** Sputter tool annual PM next week. The sputter tool will have a full annual preventative maintenance performed next week. During this time the tool will not be available to users. Resource outage: O2. We are out of oxygen and expect more next week.
- Current NanoFab usage:** You are using the Chlorine Etch for the project named Cleanroom Staff since Tuesday, April 14th, 2020 @ 7:58 PM. You are using the Fluorine Etch for the project named Project 2 since Tuesday, April 14th, 2020 @ 5:34 PM. You are logged in to the cleanroom (logout). Usage time is being billed to the project named Cleanroom Staff. Click here to bill to a different project at any time.
- Quick links:**
 - Calendar (icon: calendar)
 - Tool control (icon: toolbox)
 - Status dashboard (icon: info sign)
 - Safety (icon: first aid kit)
 - Send feedback (icon: speech bubble)
 - Contact the NanoFab staff (icon: smartphone)
 - View your usage (icon: receipt)
 - Google (icon: books)

Figure 15 NEMO landing page

5.6 Web address

The landing page is accessible as the home page of NEMO. For example, www.nemo.com/. The page can also be accessed from the navigation bar menu item “NEMO”.

5.7 Upcoming reservations

The landing page will list the next three reservations in two background colors, yellow or green. Each reservation box details the tool, start date/time, and end date/time. Details about reservations and how to make them can be found in the [Calendar page → Reservations section](#) starting on page 49.

Clicking on an upcoming reservation will take you to the [Tool control page](#) for the reserved tool which is described on page 81.

Yellow – indicates that you are late for your reservation (Figure 16). Once you log into a late reservation, it will no longer show up on the list. If you log out before your reserved end time, it may reappear.



You're late for your Ellipsometer reservation!
Starting on Thursday, April 16th @ 5:00 PM
Ending on Thursday, April 16th @ 10:00 PM

Figure 16 Late reservation dialog box

Green – indicates a future reservation that has not started yet (Figure 17).



PECVD
Starting on Friday, April 17th @ 4:00 AM
Ending on Friday, April 17th @ 5:00 AM

Figure 17 Future reservation dialog box

5.8 Alerts and outages

On occasion, the lab staff need to communicate important information to users. Alerts and outages (Figure 18) are shown in red to indicate their importance. Alerts and outages are configured through the [Alerts page](#) detailed on page 191.



Sputter tool annual PM next week
The sputter tool will have a full annual preventative maintenance performed next week. During this time the tool will not be available to users.

Figure 18 Alert notification dialog box

Lab resource outages are also indicated in red (Figure 19). Resources are fully definable by the organization and associated with tools. Details of the resource feature and how it is used can be found on the [Resources page](#) on page 231.




Figure 19 Resource outage notification dialog box

5.9 Current NanoFab usage

The landing page will list all current tool usage and lab area access in blue background boxes.

5.9.1 Tool Usage

Each tool usage dialog box (Figure 20) details the tool and start date/time. Clicking on a tool in use dialog box will take you to the [Tool control page](#) of the tool which is described on page 81.



Figure 20 Tool usage dialog box

5.9.2 Staff Charges

If a staff member is actively charging staff time to a user the details are displayed including the user, project, and start time. Clicking on the staff time dialog box will take you to the [Staff charges page](#) which is described on page 243.




Figure 21 Staff charge dialog box

5.9.3 Lab area access

The lab area access dialog details which lab you are in and which project your lab time is billed to. Area access history is maintained in the database. Lab areas are configured through the [Detailed administration → Areas page](#) detailed on page 391.

5.9.3.1 Manual area log in

NEMO can be configured to accommodate manual area log in through the landing page. If manual login is enabled, a green box under Current NanoFab usage provides the interface to log in to an area (Figure 22).




Figure 22 Manual area login dialog box

Clicking anywhere on the box will take you to the self-log-in dialog (Figure 23).

- If you have multiple projects, a radio button list will appear, select a project
- If you only have one project, your active project will be selected automatically
- If there are multiple areas, a radio button list will appear, select an area
- Click Log in to log into the area.

The dialog box has a white background and a black border. At the top, the title 'Log in to an access controlled area' is centered in a large, bold, dark font. Below the title, the text 'Charge area access to which project?' is displayed. There are three radio buttons for selecting a project: 'Cleanroom Eng', 'Cleanroom Maint', and 'Cleanroom Training'. Below this section, the text 'Log in to which area?' is displayed. There are two radio buttons for selecting an area: 'Cleanroom' and 'CMP lab'. At the bottom left of the dialog box is a green rectangular button with the text 'Log in' in white.

Figure 23 Self log in dialog

Upon success, the user will be logged in to the selected area using the selected project. There are several reasons a user may be denied log in including expired user accounts, no active

projects, area closures, resource outages, and more. Additional details about log in errors can be found in the [Entrance tablet → Log in errors](#) section starting on page 570.

5.9.3.2 Changing projects

If you have multiple projects, there will be a link to bill your area access time to a different project (Figure 24) than the one you initially selected when logging in.




Figure 24 Area usage dialog box

Clicking the link 'Click here to bill to a different project at any time' will take you to the change project page (Figure 25). Click the project name button to change the project. Projects are configured on the [Accounts and projects](#) section detailed on page 182.




Figure 25 Bill area access to a different project

5.9.3.3 Manual area log out

NEMO can be configured to accommodate manual area log out through the landing page. If manual area log out is enabled, a logout link will appear next to the area name (Figure 26). Click the link to log out of the area (Figure 26).




Figure 26 Area manual log out dialog box

5.10 Configurable Quick Links

The NEMO landing page can be configured with custom icon links (Figure 27) that point to commonly used features of NEMO, organizational internal web pages, and external internet pages. Links can be configured with a custom icon, description, how to open, staff only, and desktop or mobile device rendering. Landing page quick links can be configured with a custom icon, description, how to open, staff only, and desktop or mobile device rendering. Setup details can be found under [Detailed administration → Landing page choices](#) on page 436.




Figure 27 Landing page quick links

5.11 Lab Tutorial

The NanoFab rules tutorial is an opportunity to provide new users with a tutorial about your lab operating procedures and rules. However, it is an optional and fully configurable tutorial that can be triggered in a user's profile. In addition, it is setup to be self-completing so after a user successfully completes it, the trigger will be unchecked. If triggered, it will not allow any reservations or tool log ins until complete. The trigger is set in the user's profile and by default is set upon user creation. NEMO user profiles are discussed in the [Users](#) section on page 260. Details for creating the tutorial, tutorial completion email template, and email address can be found in the [customization](#) section starting on page 272.

Each time a user with the tutorial trigger set logs into NEMO, they will receive a prompt to begin the tutorial (Figure 28). Clicking anywhere in the dialog box will start the tutorial. The tutorial page can also be reached at any time regardless of the training required setting. The tutorial page is accessible at site-address/facility_rulesTutorial/. For example, http://www.nemo.com/facility_rulesTutorial/.




Figure 28 NanoFab rules tutorial dialog box

If the tutorial has not been configured but a user has been checked, an error message will be returned stating, “The NanoFab rules tutorial has not been customized for your organization yet.”

Upon completion of the tutorial, the training required checkbox in the user profile will be cleared and an email will be sent if the abuse email address has been configured and the tutorial summary email template has been configured. The user will be prompted with a completion dialog (Figure 29). Click the continue button to return to the landing page.




Figure 29 Landing page tutorial complete dialog

5.12 Mobile device landing page

The landing page will automatically change to a mobile display by stacking information into a single scrollable column (Figure 30). Information is prioritized in the order of upcoming reservations, alerts & outages, current NanoFab usage, then quick links. Functionality remains the same. The landing page quick links can be configured to only display on mobile devices or only on desktop computers.




Figure 30 Mobile device view of landing page

5.13 Landing page customizations

5.13.1 Area manual log in and log out

The landing page can be configured to allow manual area log in and/or manual area log out. Setup details can be found under [Customization → Application settings](#) on page 277.

5.13.2 Configurable quick links

Landing page quick links can be configured with a custom icon, description, how to open, staff only, and desktop or mobile device rendering. Setup details can be found under [Detailed administration → Landing page choices](#) on page 436.

5.13.3 Lab tutorial setup

The lab tutorial is a custom JavaScript enabled html page. Details of how to setup and load the tutorial can be found under [Customization → NanoFab rules tutorial](#) on page 288.

6 Calendar

The calendar page is the main interface for making area and tool reservations, viewing reservation schedules, and reviewing usage. The page features a side bar to quickly navigate between areas and tools and shows each tools status as well as links to review your reservation schedule and actual usage; and the calendar which can be set for day, week, or month resolution to graphically show your reservation and usage information. Several reservation policies are implemented to limit abuse and ensure fair access to all users. The calendar page will automatically refresh every 30 seconds updating the current calendar view and all tool status icons.

6.1 *Web address*

The calendar page is accessible at site-address/calendar/. For example, www.nemo.com/calendar/. The page can also be accessed from the navigation bar menu item “Calendar”.

6.2 *Calendar Side bar*

The side bar allows the calendar mode and an area or tool to be selected and the personal schedule to be selected (Figure 31). If calendar overview options are enabled in the [Customization → Calendar settings](#) page, those links will be displayed in the sidebar as well.

Area Notes:

- The area section of the side bar is only visible if an area is configured to require a reservation for access.
- Area categories are optional.
- Area creation and configuration are discussed in the [Detailed administration → Areas](#) section on page 404.

Tool Notes:

- The tool section of the side bar is only visible if tool have been configured.
- Tool categories are required.
- Tool creation and configuration are discussed in the [Detailed administration → Tools](#) section on page 500.




Figure 31 Calendar side bar

6.2.1 Calendar Mode

The top button on the side bar controls what information the calendar displays, and which calendar functions are available (Figure 32). Each mode is detailed in the following sections starting on page 49.




Figure 32 Calendar mode selection

6.2.2 Area and Tool list

The area and tool list has a variety of features to help users visually identify area, tools and training status, as well as convenient navigation.

6.2.2.1 Find the area or tool of interest

The expand and contract buttons (Figure 33) provide a shortcut to open or close the area and tool list.



Figure 33 Expand (left) and contract (right) buttons

Clicking expand will fully expand the area and tool list so all categories, sub-categories, areas, and tools are listed (Figure 31).

Clicking contract will close the area and tool list so only top categories are listed (Figure 34).




Figure 34 Tool list contracted

To find an area or tool directly, enter the name in the search dialog (Figure 35) then select the name of the list returned. The return list updates automatically as typed, and a tool can be clicked from the list at any time (Figure 36). Once clicked, the list is expanded to show the area or tool clicked and that area or tool is selected.




Figure 35 Tool search dialog




Figure 36 Tool search return list

6.2.2.2 Personal schedule

The personal schedule link appears as the first item in the tool list and provides a way to show reservations or usage across all tools for the current user. Note that since a specific tool is not selected while viewing a personal schedule, reservations cannot be made in this mode.

6.2.2.3 Overview options

Overview options can be enabled in the [Customization → Calendar settings](#) page detailed starting on page 277. Once enabled, you will have the options to see “All tools”, “All areas” and “All tools and areas” depending on the settings you decide to enable.

As their name indicates, those options will allow the user to see all tools, areas or both in the calendar. Those links will also work with both the “Reservations” and “Facility usage” event feeds (Figure 37).




Figure 37 Tool overview options

6.2.2.4 Hierarchy of the area and tool list

The area and tool list are displayed in alphabetical order by top level category, then by second level category, etc. If both areas/tools and sub-categories exist at any level, areas/tools are listed first in alphabetical order, then sub-categories are listed in alphabetical order (Figure 38).

All tools must have at least one top level category. Area categories are optional and set in the area table discussed in the [Detailed administration → Areas](#) section on page 404. Tool categories are set in the tool table and are discussed in the [Detailed administration → Tools](#) section on page 500.




Figure 38 Example of category and tool mixed listing

6.2.2.5 Area list icons

Each area lists information to determine the status of the area. A person icon indicates the occupancy status according to color. A fraction follows indicating the number of occupants versus the total number allowed (Figure 39).



Figure 39 Example Area with icons

-  The occupancy of this area is low and additional users will be allowed into the area.
Hovering over the icon shows a list of current users.
-  The occupancy is close to the limit. Hovering over the icon shows a list of current users.
-  The occupancy is at or above the limit and users will not be allowed to enter. Hovering over the icon shows a list of current users.

The list of current users is color coded by role. Users in white, staff in green, and service personnel in orange (Figure 40).




Figure 40 Hover over occupant listing

3 / 5 Fraction indicating the number of users currently logged in to the area versus the total number of users allowed. Hovering over will display the number of users, staff, and service personnel.

Note: The occupancy limits can be configured to include or exclude staff and service personnel in the total occupant count. In that case, they will be listed separately from the occupant count. The occupancy limit and counting staff and service personnel are set in the area table discussed in the [Detailed administration → Areas](#) section on page 404.

6.2.2.6 Tool list icons

Each tool can list icons to give a quick reference to visually note the operating status. Hovering over an icon will give a description of its purpose in case the icons meaning isn't known.



The tool requires an area reservation. Before a user can make a reservation on the tool, they must first make an area reservation that will encompass the start time of the tool reservation.



A user is currently logged into the tool. Hovering over the icon will show the logged in user's name.



A delayed logoff is in effect. The tool is not available for users.



A scheduled outage is in effect for this tool. The tool is not available to users.



A scheduled outage of an option resource is in effect for this tool. The tool is available but may not be fully functional.



A required resource is unavailable. The tool is not available to users.



An optional resource is unavailable. The tool is available to users, but the tool may not be fully functional. The optional resource unavailable icon is only displayed if the required resource unavailable icon is not displayed.



The tool is shut down because of a serious problem. The tool is not available to users.

 The tool has a problem that may impact usage or results. The tool is available to users, but the tool may not be fully functional. The tool problem icon is only displayed if the tool shut down icon is not displayed.

6.2.2.7 Area and tool qualification

By default, users can not see the areas they are not qualified to access. However, that is configurable in the [Customization → Calendar settings](#) page detailed starting on page 277. If enabled, areas that users are not qualified to access will be greyed out in the same manner as tools.

Tools that users are qualified to access will appear dark on the list while tools that a user is not qualified to access will appear greyed out (Figure 41). User tool qualifications are detailed in [Qualifications](#) on page 223.




Figure 41 Tool list showing user qualifications

6.3 Calendar

6.3.1 User calendar header bar

The default calendar header bar is displayed above the calendar and provides users an interface to navigate dates and switch views (Figure 42). By default, the calendar displays a one-week view which can be changed to a one-day view or one-month view. The default view is customizable and detailed in the [Customization → Calendar settings](#) page detailed starting on page 277.



Figure 42 Default calendar header

6.3.1.1 Arrow buttons

Clicking the left or right arrows will increment or decrement the current view. For example, in the week view, the left arrow will move to the previous week and the right arrow will move to the following week.

6.3.1.2 Today button

Clicking the “Today” button will change the display to include the current day in the selected view. In any view, when the current day is in the view, the background is highlighted in beige (Figure 43).




Figure 43 Background for current day (left) and other day (right)

6.3.1.3 Login to the area button

Clicking the login to the area button will log the user into the area selected if they have a current reservation. The login to the area button is only visible if area reservations are required, an area is selected, and the allow area login/logout in the calendar view option is set in the [Customization → Application settings](#) section detailed on page 279.

The log in process follows the same steps outlined in the [landing page](#) section stating on page 32.

There are several reasons a user may be denied log in including expired user accounts, no active projects, area closures, resource outages, and more. Additional details about log in errors can be found in the [Entrance tablet → Log in errors](#) section starting on page 570.

6.3.1.4 Current day/time indicator

The current day is highlighted in each calendar view. On calendar views with the time displayed (day and week views), the current time can optionally be displayed with a red pointer (Figure 44). This option is set in the [Customization → Calendar settings](#) page detailed starting on page 277.




Figure 44 Calendar day and time highlights

6.3.1.5 Day view button

Clicking “Day” will show a single day view calendar. The top of the calendar will show the date in the form of ‘day of week mm/dd/yyyy’ (e.g. Monday 04/20/2020) (Figure 45). The default date format is customizable and detailed in the [Customization → Calendar settings](#) page detailed starting on page 277.




Figure 45 Calendar day view

6.3.1.6 Week view button

Clicking “Week” will show a single week view calendar. The date for each day will be displayed at the top of the calendar in the form of ‘day of week mm/dd’ (e.g. Mon 4/20) (Figure 46). The default date format is customizable and detailed in the [Customization → Calendar settings](#) page detailed starting on page 277.




Figure 46 Calendar week view

6.3.1.7 Month view button

Clicking “Month” will show a single month view calendar with leading and trailing day from prior and future months. The calendar header will show the month and year, the top of the calendar will show the days of the week, and each day will show the day of the month (Figure 47). The default date format is customizable and detailed in the [Customization → Calendar settings](#) page detailed starting on page 277.

Mon		Tue	Wed	Thu	Fri	Sat	Sun
		30	31	1	2	3	4
		6	7	8	9	10	11
		13	14	15	16	17	18
		20	21	22	23	24	25
		27	28	29	30	1	2
		4	5	6	7	8	9
		10					

Figure 47 Calendar month view

6.4 Reservations

Selecting “Reservations” mode from the [calendar sidebar](#) will allow placement of area specific and tool specific reservations onto the calendar (Figure 48). All reservations are audited through system reservation policies as well as area specific and tool specific reservation policies. The calendar view is used to create a reservation, change a reservation, or view a personal schedule. All tools, all areas or all tools and areas can also be displayed if enabled in the [Customization → Calendar settings](#) page. A reservation history is maintained in the database including active, canceled, missed, moved, and resized reservations. Reservation records are discussed in the [Detailed Administration → Reservations](#) section on page 458.




Figure 48 Calendar side bar in Reservations mode

6.4.1 Staff calendar header bar

In “Reservations” mode, the calendar header bar expands for staff (Figure 49) and adds reserving on behalf of someone else and scheduling an outage. The distinction between staff and non-staff is set in the [Detailed administration → Users](#) dialog described on page 391.




Figure 49 Staff calendar header bar in reservations mode

6.4.1.1 Reserve for someone else button

The ‘Reserve for someone else’ button starts a staff reservation on behalf of another user which is detailed on page 61.

6.4.1.2 Schedule an outage button

The ‘Schedule an outage’ button starts the scheduling of a one time or recurring shutdown of an area or tool which is detailed on page 62.

6.4.2 Calendar view

Reservations for all users and scheduled outages are viewable for the selected tool in the time window displayed (Figure 50). Reservations display in blue and show the start time, end time, and user that reserved the tool. Scheduled outages display in red and show the start time, end time, and outage title. NEMO automatically updates the reservations upon any navigation change for tool selection or time window. A scroll bar will appear on the right side of the calendar view to allow scrolling the time window. Clicking any reservation or scheduled outage will show additional details (Figure 51, Figure 52).




Figure 50 Tool specific calendar view




Figure 51 Scheduled outage details dialog




Figure 52 Reservation details dialog

6.4.3 Personal schedule view

The personal schedule view will display all reserved areas and tools for the user in the current time window. Personal schedule reservations display in green and show start time, end time,

and the area or tool name (Figure 53). Reservations may be moved or deleted in this view. Clicking any reservation will show additional details (Figure 54).




Figure 53 Personal schedule calendar view




Figure 54 Personal schedule reservation details dialog

6.4.4 All tools, All areas and All tools and areas calendar views

Similar to the personal schedule, selecting “All tools” will allow the user to see all tool reservations (Figure 55). The same goes for “All areas” and “All areas and tools”.




Figure 55 All tools calendar view

6.4.5 Reservation policy

Reservation policies fall into two categories. There are system reservation policies and area/tool specific reservation policies. The policies are intended to safeguard NEMO, ensure the integrity of the database, and provide a customizable profile to maximize tool availability to users. Staff are able to override many of the policies on behalf of a user to provide scheduling flexibility and promote staff awareness of special tool needs such as excessively long runs that might otherwise go undetected.

6.4.5.1 System reservation policies

The following system reservation policies must be met to allow a reservation to be created or modified. Staff **may not override** any of these policies.

- Reservations may not have a start time that is earlier than the end time.
- The user may not create, move, or resize a reservation to coincide with another reservation.
- The user may not create, move, or resize a reservation to coincide with a scheduled outage.
- Reservations that have been cancelled may not be changed.
- The user must belong to at least one active project to make a reservation. User project associations are discussed in [Users](#) on page 260.
- The user must associate their reservation with a project they belong to. If a user has only one project, this is automatic.

The following system reservation policies must be met to allow a reservation to be created or modified. Staff **may override** any of these policies on behalf of a user. If a staff member is making the reservation for themselves, these policies will not be checked.

- The user must complete NEMO training to create reservations.

- The user may not create or move a reservation to have a start time that is earlier than the current time.
- The user may not move or resize a reservation to have an end time that is earlier than the current time.
- The user must be qualified on the tool in question in order to create, move, or resize a reservation.
- If an area requires a reservation a tool reservation in that area may not be made without a corresponding area reservation where the tool start time is within the area reservation.
- An area reservation may not be moved or resized out of range of any tool reservations it originally contained.

6.4.5.2 Area and tool specific reservation policies

Area specific reservation policy setup is discussed in the [Detailed administration → Areas](#) section on page 404.

Tool specific reservation policy setup is discussed in the [Detailed administration → Tools](#) section on page 500.

Area and tool specific reservation policies can be configured to automatically override for all users based on the time of day and for weekends. This can help promote off hour and weekend usage for high demand tools that have restrictive policies to limit regular weekday hours monopoly of tools.

The following area and tool specific reservation policies must be met to allow a reservation to be created or modified. Staff **may override** any of these policies on behalf of a user. If a staff member is making the reservation for themselves, these policies will not be checked.

- The reservation may not be made more than the area or tool's reservation horizon number of days in advance.
- The reservation must be at least as long as the minimum block time for the area or tool.
- The reservation may not exceed the maximum block time for the area or tool.
- The user may not exceed the maximum number of reservations per user per day for the area or tool.
- The user may not make reservations without the minimum amount of time between reservations for the same user and same area or tool.
- The user may not make reservations exceeding the maximum amount of time they may reserve in the future for the area or tool.

6.4.6 Create a reservation

To create a reservation in NEMO:

- Navigate to the Calendar page
- Select the area or tool of interest from the tool list on the sidebar.

- Note: when an area requires a reservation for access, tool reservations can only be made inside of an area reservation window, so make area reservations first.
- Navigate the calendar view to show the start day and time.
- Click the left mouse button and hold at the start day and time.
- While holding the left mouse button, drag to the end day and time.
- Release the left mouse button.
- The requested reservation will be tested against the reservations policies. If there is a policy conflict, the user will be prompted with a list of conflicts and the reservation will not be made (Figure 56). Click ‘Continue’ to close the dialog. [Reservation policies](#) are discussed on page 52.



Figure 56 Reservation policy conflict dialog

- If a user has only one project, it will automatically be selected.
- If a user has multiple projects, they will be prompted to select a project from their list of projects (Figure 57). Details about projects can be found on the [Accounts and projects page](#) discussed on page 182.




Figure 57 Reservation project selection

- Project information is needed to implement missed reservation and tool configuration accounting. Staff are exempt and therefore will not be asked for a project when making reservations.
- If there are reservation questions, a form will appear asking the user to answer the questions. Reservation questions are discussed in the [Reservation Questions](#) section on page 471.

- If the tool is configurable, a configuration dialog will appear. Tool configurations collect information about how a tool will be run by the user and can be collected for informational purposes or to prompt staff to configure a tool for a user. Configuration history is saved in the database. Each tool configuration has a minimum advanced notice. If the reservation request is within the advance notice window, the user will be prompted in red at the top of the window that the staff may not be able to accommodate the request. Select the appropriate options and provide details as necessary (Figure 58). Configurations are discussed in the [Configuration Agenda](#) section on page 202.

Choose tool configuration

Warning: 1 hours of advance notice is required when reserving this tool in order to configure it properly. You may still create a reservation right now, but there is no guarantee the tool will be properly configured when you arrive to use it.

Please select the target you will need. If you will provide the target, provide the details in the comments.

Target:

Select a target from the list.

Do you have anything else to add? (Optional)

Please provide any additional information regarding tool configuration for your reservation (using less than 3000 characters).

Create this reservation

Figure 58 Reservation tool configuration

- For tool reservations, if the area has a reservation warning person limit configured, the user will be prompted with a message to inform them of the number of people expected in the area and to consider social distancing when making reservations (Figure 59). In addition, if multiple people are expected in the same location within an area that information is provided as well. Areas are defined in the area table of the database and discussed in the [Detailed administration → Areas](#) section on page 404. Locations are defined in the tool table of the data base and discussed in the [Detailed administration → Tools](#) section on page 500.




Figure 59 Reservation occupancy warning

- The reservation will be written to the Reservations table in the database which is discussed in the [Detailed administration → Reservations](#) section on page 458.
- The reservation will appear on the calendar.

6.4.7 Move a reservation

- Move the mouse pointer into the middle of the reservation to be moved. If you have permission to move the reservation, the mouse pointer will change from the arrow to a hand.
- Click the left mouse button and hold.
- While holding the left mouse button, drag the reservation to the new day and time.
- Release the left mouse button.
- The requested move will be tested against the reservations policies. If there is a policy conflict, the user will be prompted with a list of conflicts and the reservation move will not be made (Figure 60). Click 'x' to close the dialog. [Reservation policies](#) are discussed on page 52.
- NOTE: An area reservation may not be moved out of range of any tool reservations it originally contained.
- Any time a reservation is moved, the old reservation is cancelled and a new reservation with updated information takes its place. The descendant field links the old reservation to the new one, so the history of reservation moves, and changes can be easily tracked.




Figure 60 Reservation move failed dialog

6.4.8 Resize a reservation

- Reservations may only be resized to change the end time. If the reservation needs to start at an earlier time, move the reservation to the new start time, then resize it.
- Move the mouse pointer over the bottom of the reservation to be resized. If you have permission to resize the reservation, the mouse pointer will change from the arrow to a double arrow and two stacked lines will appear at the bottom middle of the reservation (Figure 61).
- Click the left mouse button and hold.
- While holding the left mouse button, drag the reservation end time to the new day and time.
- Release the left mouse button.
- The requested resize will be tested against the reservations policies. If there is a policy conflict, the user will be prompted with a list of conflicts and the reservation resize will not be made (Figure 62, Figure 56). Click 'x' to close the dialog. [Reservation policies](#) are discussed on page 52.
- NOTE: An area reservation may not be resized out of range of any tool reservations it originally contained.
- Any time a reservation is resized, the old reservation is cancelled and a new reservation with updated information takes its place. The descendant field links the old reservation to the new one, so the history of reservation changes can be easily tracked.



Figure 61 Reservation resizing bottom change




Figure 62 Reservation resize failed dialog

6.4.9 View details or delete a reservation

- Single click the center of the reservation.
- A reservation detail dialog will be displayed that provides additional information (Figure 66)
 - Who created the reservation, this is a link that once clicked will provide an email dialog through NEMO to contact the user.
 - When the reservation was created

- The area or tool reserved, for tool reservations, the name is a link to the tool page.
- The project
 - If the user has multiple projects the selected project can be changed.
 - Click the edit icon (✎) on the right.
 - The project will change to the update dialog (Figure 63).




Figure 63 Reservation project change dialog

- Select the new project from the dropdown list (Figure 64).




Figure 64 Reservation project change dropdown

- Click the change project button to complete (Figure 65).



Figure 65 Reservation project change button

- The start time and end time




Figure 66 User reservation details dialog

- Staff Only – two additional fields are provided for staff (Figure 67)
 - A title for the reservation can be set to users see a more descriptive reason for a staff reservation. This can be useful to indicate process qualifications or baselines. Type a title into the dialog box then click 'Set title'.

- A cancellation reason box will appear next to the cancel if a staff member clicks on another user's reservation including another staff member. Staff can delete any reservation however they must give a reason that will be emailed to the impacted user. Type a reason for canceling the reservation into the dialog box then click 'Cancel this reservation'.




Figure 67 Staff reservation details dialog

- Click the 'x' to close the details without deleting the reservation
- Click the 'Cancel this reservation' button to cancel the reservation.
- Note: users may only cancel their own reservations that have not have not passed the end time.
- Any time a reservation is canceled, the canceled field in the reservation table is set.

6.4.10 Reservation email notifications

NEMO can send email notifications to staff and users

- There are user settable preferences to send reservation and cancellation emails with calendar invites. User preferences are discussed in the [User preferences section](#) on page 176.
- If staff cancels a user reservation, the user will receive an email notification regardless of user preference settings as described in [Customization → Cancellation email](#) detailed on page 293.
- Users are sent a reminder email approximately two hours prior to the start of a reservation. The email serves to not only remind user of upcoming reservations but also to alert them to any potential problems with the reserved tool as described in [Customization → Reservation reminder email](#) detailed on page 327 and [Customization → Reservation warning email](#) detailed on page 342.

6.4.11 Missed reservations

Each area and tool can be configured to automatically cancel a user's reservation if they are late logging in by more than the missed reservation threshold number of minutes. A missed reservation event requires three items to be setup.

1. A missed reservation threshold must be entered for any areas or tools that will trigger a missed reservation as discussed in the [Detailed administration → Areas](#) section on page 404 and in the [Detailed administration → Tools section](#) on page 500.
2. A missed reservation email can optionally be configured to notify the user and lab staff that a reservation was missed as described in [Customization → Missed reservation email](#) detailed on page 61.
3. A timed service app must be properly configured and running which is described in [NEMO timed services](#) on page 577.

If configured, once the missed reservation threshold is exceeded, the reservation will be canceled, marked as missed in the reservation table, and email notifications sent.

If an area or tool is shutdown, a missed reservation **will not** be triggered.

All staff reservations are exempt from this rule.

6.4.12 Reserve for someone else (staff only)

The reserve for someone else feature gives staff the ability to override reservation policies on behalf of a user. For example, reserving a tool for a user before they complete qualification on a tool or reserving further in advance due to special travel. The button is only visible if the user logged in is designated as staff.

Clicking the 'Reserve for someone else' button will display the selection dialog (Figure 68). Type the user's name in the search box. The return list updates automatically as typed, and a tool can be clicked from the list at any time (Figure 69). Once clicked, the button dialog changes to "Reserving as [user]". Proceed to make reservations.




Figure 68 Make a reservation for someone else dialog




Figure 69 User search return list

If a reservation made on behalf of another user violates the user reservation policy a dialog will be shown to prompt the staff member with a list of policy conflicts and buttons to override the policy or not create the reservation (Figure 70). Clicking override will make the reservation for the user and override any policy violations. Reservation policies are discussed below on page 50.




Figure 70 Reservation policy conflict

To end making reservations on behalf of the user, click the “Reserving as [user]” button on the calendar header. The button text will return to “Reserve for someone else”.

6.4.13 Schedule an outage (staff only)

The scheduled outage feature allows staff to make either single or recurring reservations that will automatically change an area or tools status to shut down. This prevents user login at automatic intervals which can be helpful for maintenance tasks such as changing tool configurations or executing pre-maintenance ‘behind the scenes’ tasks that could be impacted by users inadvertently operating a tool.

Clicking the ‘Schedule an outage’ button will remove the ‘Reserve for someone else’ button and change the ‘Schedule an outage’ button text to ‘I’ve finished creating scheduled outages’. After defining the start and end time as detailed on page 49, a dialog will appear (Figure 71).

Schedule an outage

Title
You must provide a title to create a scheduled outage

Category - is there a category for this outage? This is useful for data and trend analysis

Details
Please provide any additional details for the scheduled outage. Be descriptive so that users understand why there is a scheduled outage.

Create more than one occurrence of this outage

Schedule this outage

The dialog box has a light gray background with a thin black border. At the top left is the title 'Schedule an outage' and a close button 'X'. Below the title are three main sections: 'Title', 'Category', and 'Details'. The 'Title' section contains a text input field with a placeholder message: 'You must provide a title to create a scheduled outage'. The 'Category' section contains a label and a dropdown menu. The 'Details' section contains a text area with a placeholder message: 'Please provide any additional details for the scheduled outage. Be descriptive so that users understand why there is a scheduled outage.' At the bottom left is a checkbox labeled 'Create more than one occurrence of this outage'. At the bottom right is a green rectangular button labeled 'Schedule this outage'.

Figure 71 Scheduled outage dialog

A title is required and should provide a brief description of the why the area or tool is scheduled for an outage. An optional category will appear if any scheduled outage categories are defined. Categories can be useful for data analysis. An optional details box can be used to provide more in-depth information.

To create recurring outages, click the check box labeled 'Create more than one occurrence of this outage'. A new dialog will appear (Figure 72) under the check box to enter the frequency and end time. Recurring outages can only be scheduled up to 90 days in advance. It is important to note that recurring outages become standalone reservations once they are created and cannot be modified as a group. However, individual occurrences can be deleted

Schedule an outage

Title

You must provide a title to create a scheduled outage

Category - is there a category for this outage? This is useful for data and trend analysis

Details

Please provide any additional details for the scheduled outage. Be descriptive so that users understand why there is a scheduled outage.

Create more than one occurrence of this outage

Every	Frequency	Until:
1	Day(s)	Choose a date
	Day(s)	
	Week Day(s)	
	Weekend Day(s)	
	Week(s)	
	Month(s)	

Schedule this outage

Figure 72 Scheduled outage recurrence

To complete the reservation, click the ‘Schedule this outage’ button. The scheduled outage will appear on the calendar in red listing the start and end time as well as the title provided. The example in (Figure 73) shows a scheduled shutdown that had a title of ‘Monthly PM’. The details can be seen by clicking the reservation on the calendar.



Figure 73 Example scheduled outage

6.5 Showing NanoFab usage

Selecting “NanoFab usage” mode from the [calendar sidebar](#) will display activity history on the calendar (Figure 74).



Figure 74 Calendar side bar in NanoFab usage mode

6.5.1 Calendar view

Area or tool activity and missed reservations for all users are viewable for the selected area or tool in the time window displayed (Figure 75). Tool usage displays in blue and shows the start time, end time, and user that used the tool. Area access displays in orange. Missed reservations display in red and show the user, start time, end time. NEMO automatically updates the view upon any navigation change for tool selection or time window. A scroll bar will appear on the right side of the calendar view to allow scrolling the time window. Clicking on any activity box will show additional details (Figure 76, Figure 77).




Figure 75 Calendar view usage of a tool




Figure 76 Tool usage details dialog




Figure 77 Missed reservation details dialog

6.5.2 Personal schedule view

The personal schedule view will display all activity for the user in the current time window (Figure 78). Tool usage displays in green and shows the start time, end time, and tool name. Missed reservations display in red and show start time, end time, and tool name. Area access displays in gold and shows start time, end time, and area name. Clicking on any activity box will show additional details (Figure 79, Figure 80, Figure 81).




Figure 78 Personal schedule usage view




Figure 79 Area access details dialog




Figure 80 Tool usage details dialog




Figure 81 Missed reservation details dialog

6.5.3 All tools, All areas and All tools and areas views

Similar to the personal schedule, selecting “All tools” will allow the user to see all tool usages (Figure 82). The same goes for “All areas” and “All areas and tools”.




Figure 82 All tools usage view

6.6 Show specific user activity (staff only)

Selecting “Specific User” mode from the [calendar sidebar](#) will display activity and reservation history of the selected user on the calendar (Figure 83).




Figure 83 Calendar side bar in Specific user mode

To find a user, enter any character sequence of the username, first name, or last name in the search dialog on the side bar (Figure 84) then select the name of the list returned.



Figure 84 Specific user activity search dialog

The return list updates automatically as typed, and a user can be clicked from the list at any time (Figure 85).




Figure 85 User search return list

Once clicked, the search box changes to a button with the selected users name (Figure 86) and the users information is displayed in the calendar view (Figure 87). To switch to another user, click the button showing the current users name and the dialog will switch back to the search box.



Figure 86 Search dialog now shows user




Figure 87 Specific user activity and reservation view

Tool usage displays in green and shows the start time, end time, and tool name. Missed reservations display in red and show start time, end time, and tool name. Area access displays in gold and shows start time, end time, and area name. Reservations displays in blue and shows start time, end time, and tool name. Clicking on any activity box will show additional details (Figure 88, Figure 89, Figure 90, Figure 91).




Figure 88 Tool usage details dialog



Figure 89 Missed reservation details dialog




Figure 90 Area access details dialog




Figure 91 Reservation details dialog

6.7 Mobile device calendar

The calendar page will automatically change to a mobile display by stacking information into a single scrollable column (Figure 92). A subset of features is available while in mobile view. To start, directly enter the name of the area or tool in the search dialog or select a tool by category. All categories and sub-categories are listed.




Figure 92 Mobile calendar page

6.7.1 Search for an area or tool

To search for an area or tool, start typing in the search dialog box. A button list will appear below the search dialog as characters are entered but at least two characters must be entered (Figure 93). Once the area or tool of interest appears, click the button of interest to go to the mobile reservation page detailed below on page 74.




Figure 93 Mobile calendar search box and results

6.7.2 Select a tool by category

To select a tool by category, click the category button then click the tool link in the drop down. If the tool of interest is not on the list, click another category button (Figure 94). Note: it is possible to have more than one category at a time expanded. However, the page resets each time it is opened. Once the tool of interest appears, click the button of the tool of interest to go to the mobile tool reservation page detailed below on page 74.




Figure 94 Mobile calendar category drop down

6.7.3 Mobile reservation page

The mobile reservation will show the current day reservations (Figure 95). Only a one-day view is available in mobile view.

Left () and right () arrows at the top of the page increment or decrement the day. Any reservations for the currently listed day are shown. An add reservation icon () is on the bottom right.




Figure 95 Mobile tool reservation page

6.7.4 View details or delete a reservation

Clicking the down arrow on a reservation shows details (Figure 96). A user may cancel their own reservation (Figure 97). Staff may cancel any reservation but must enter a reason for canceling another users reservation (Figure 98). A full discussion of viewing reservation details and canceling reservations can be found on page 58.




Figure 96 Mobile view another user's reservation



Figure 97 Mobile view a reservation you own




Figure 98 Mobile view another user's reservation (staff)

6.7.5 Creating a reservation

To create a reservation in NEMO through the mobile view:

- Navigate to the tool reservation page.
- Click the add reservation icon (+) on the bottom right of the screen to navigate to the top of the create a new reservation page (Figure 99).




Figure 99 Mobile create new reservation dialog

- If the user has multiple projects, a project dialog will appear just below the title (Figure 100). However, if a staff member has multiple projects, they will not be prompted for a project because they are exempt from missed reservation and tool configuration accounting. Select the project to use for the reservation. Details about projects can be found on the [Accounts and projects page](#) discussed on page 182.




Figure 100 Mobile reservation multiple project dialog

- If the tool selected has a configuration that can be selected by the user, a configuration dialog will appear next. Each tool configuration has a minimum advanced notice. If the reservation request is within the advance notice window, the user will be prompted in red at the top of the window and the staff may not be able to accommodate the request. Select the appropriate options and provide details as necessary (Figure 101).

The screenshot shows a mobile application interface for tool configuration. At the top, a blue header bar contains the text "Choose tool configuration settings". Below this, a note in a blue box reads: "Please note: 1 hours of advance notice is required when reserving this tool in order to configure it properly. A tool is not guaranteed to be configured properly if a reservation is created or modified on short notice." The main body of the form includes a text input field with placeholder text "Please select the target you will need. If you will provide the target, provide the details in the comments." Below this is a dropdown menu labeled "Target:" with the option "Select a target from the list...". There is also a text input field for "Comments" with the placeholder text "Do you have anything else to add? (Optional)" and a note below it: "Please provide any additional information regarding tool configuration for your reservation (using less than 3000 characters)."

Figure 101 Mobile reservation tool configuration dialog

- Next, select the date and time for the reservation

The screenshot shows a mobile application interface for selecting a reservation date and time. At the top, a question "When would you like to reserve the PECVD?" is displayed. Below it are three input fields: a date picker showing "Wednesday, April 22", a time picker for "Choose a start time", and another time picker for "Choose an end time".

Figure 102 Mobile reservation date and time dialog

- If the date needs to be changed, click inside of the date box and a calendar will pop up (Figure 103). Select the date of interest. Clicking on the date on the calendar will close the pop up and fill in the new date.




Figure 103 Mobile reservation date dialog

- Click the choose a start time box and a time wheel will pop up (Figure 104). Any times already reserved will be greyed out and noted with 'already reserved'. Click on the available start time of your choice. The pop up will automatically close and fill in the start time. Repeat for the end time.




Figure 104 Mobile reservation start time and end time dialog

- Once all require information is entered, click the create this reservation button (Figure 105).



Figure 105 Mobile reservation create button

- The requested reservation will be tested against the reservations policies. If there is a policy conflict, the user will be prompted with a list of conflicts and the reservation will not be made (Figure 106). [Reservation policies](#) are discussed in detail starting on page 52. If an error is encountered click the back to previous page link or return to homepage link to continue.




Figure 106 Mobile reservation policy conflict dialog

- Upon successful creation of the reservation, a confirmation dialog will appear (Figure 107). Click the return to homepage link or view the tool calendar link to continue.




Figure 107 Mobile reservation confirmation dialog

- The reservation will appear on the calendar.

6.8 Calendar customizations

6.8.1 Notification emails

Several email notifications are possible associated with a reservation and must be configured to be functional.

- Missed reservations email template
- Reservation reminder email template
- Reservation warning email template
- Reservation cancelation email template
- User reservation creation email template
- User reservation cancel email template

All email templates are configured in the [Customization](#) page detailed starting on page 272.

6.8.2 Calendar view settings

The date format, default view, first day of week, calendar view start time, recurring outages days in advance and overview options can be configured in the [Customization → Calendar settings](#) page detailed starting on page 277.

6.8.3 Calendar view time grid resolution

The time grid resolution is 15 minutes. To change the value, edit the file calendar.html and change the constant in the slotDuration setting.

6.8.4 Reservation policies

The reservation policies are checked in the policy.py file. It is beyond the scope of this manual to discuss how to create a new policy however the policy.py file can be edited to turn off existing policies or change which policies can be bypassed by staff.

6.8.5 Calendar page refresh rate

The calendar page automatically refreshes every 30 seconds which updates the calendar and sidebar. To change the update interval, edit the calendar.html and change the setInterval constant (in milliseconds) in the on_load function.

7 Tool control

The tool control page is the main interface for finding information about a tool, using a tool, and commenting on or reporting problems with tools. The page features a side bar to quickly navigate between tools and visually determine each tool's status; a summary tab to provide tool information, status, and login interface; a details tab to provide information about a tool such as the tool owner, its location, required resources, and task history; and tabs to report problems and post comments.

7.1 Web address

The tool control page is accessible at site-address/tool_control/. For example, www.nemo.com/tool_control/. The page can also be accessed from the navigation bar menu item “Tool control”.

7.2 Side bar

The side bar has a variety of features to help users visually identify tool and training status, as well as convenient navigation (Figure 108).




Figure 108 Tool control page side bar

7.2.1 Find the tool of interest

The expand and contract buttons (Figure 109) provide a shortcut to open or close the tool list.



Figure 109 Expand (left) and contract (right) buttons

Clicking expand will fully expand the tool list so all categories, sub-categories, and tools are listed (Figure 108).

Clicking contract will close the tool list so only top categories are listed (Figure 110).




Figure 110 Tool list contracted

To find a tool directly, enter the name in the search dialog (Figure 111) then select the name of the list returned. The return list updates automatically as typed, and a tool can be clicked from the list at any time (Figure 112). Once clicked, the tool list is expanded to show the tool clicked and that tool is selected.



Figure 111 Tool search dialog




Figure 112 Tool search return list

7.2.2 Hierarchy of the tool list

The tool list is displayed in alphabetical order by top level category, then by second level category, etc. If both tools and sub-categories exist at any level, tools are listed first in alphabetical order, then sub-categories are listed in alphabetical order (Figure 113). All tools must have at least one top level category. Categories are set at the tool level and are discussed in the [Detailed administration → Tools](#) section on page 500.




Figure 113 Example of category and tool mixed listing

7.2.3 Tool list icons

Each tool can list icons to give a quick reference to visually note the operating status. Hovering over an icon will give a description of its purpose in case the icons meaning isn't known.

 The tool requires an area reservation. Before a user can make a reservation on the tool, they must first make an area reservation that will encompass the start time of the tool reservation. Area reservations are optional and configured in the area table discussed in the [Detailed administration → Areas](#) section on page 404.

 A user is currently logged into the tool. Hovering over the icon will show the logged in user's name.

 A delayed logoff is in effect. The tool is not available for users.

 A scheduled outage is in effect for this tool. The tool is not available to users.

 A scheduled outage of an option resource is in effect for this tool. The tool is available but may not be fully functional.

 A required resource is unavailable. The tool is not available to users.

 An optional resource is unavailable. The tool is available to users, but the tool may not be fully functional. The optional resource unavailable icon is only displayed if the required resource unavailable icon is not displayed.



The tool is shut down because of a serious problem. The tool is not available to users.



The tool has a problem that may impact usage or results. The tool is available to users, but the tool may not be fully functional. The tool problem icon is only displayed if the tool shut down icon is not displayed.

7.2.4 Tool qualification

Tools that users are trained and qualified on will appear dark on the list while tools that a user is not qualified on will appear greyed out (Figure 114). User tool qualifications are detailed in [Qualifications](#) on page 223.

Category	Tool	Status
Deposition	Evaporator	Requires Qualification
	PECVD	Requires Qualification
	Sputter	Requires Qualification
Etch	Chlorine Etch	Requires Qualification
	Fluorine Etch	Requires Qualification
Imaging	SEM	Requires Qualification

Figure 114 Tool list showing user qualifications

7.3 Tool page header bar

The tool page header bar shows the currently selected tool selectable tabs used to navigate the tool pages (Figure 115). The summary tab is selected by default each time the tool control page is loaded. The Config History tab is only visible on tools that are configurable.

Tab	Status
Summary	Active
Details	Inactive
Config History	Inactive
Report a problem	Inactive
Post a comment	Inactive

Figure 115 Tool page header bar

7.4 Summary Tab

The summary tab provides users and staff with operational information such as tool serial number, tool status, rates, tool status details, comments, configuration details, log in options

for idle tools, log out options for in use tools, tool description, and tool image (Figure 116, Figure 117).

Sputter

Summary Details Config History Report a problem Post a comment

s/n : XYZ123

This tool is operational and idle.

Tool rates: Full Cost \$100.00 Shared Cost \$50.00
Training rates: Individual \$150.00 Group \$75.00

Sputter recipes have been updated. Captain Nemo (captain) wrote this comment on Monday, April 27th, 2020 @ 10:33 AM

Gun 1 Target: User provided target ▾

Gun 2 Target: Au ▾

What would you like to do?

Use this tool for my own project
 Use this tool on behalf of another user
 Use this tool on behalf of another user and begin charging staff time

Bobs XYZ sputter system

This system has RF and DC capability up to 300 watts. The lab has several targets or you can bring your own with prior approval.



Figure 116 Tool control summary page of idle tool

Sputter

[Summary](#)[Details](#)[Config History](#)[Report a problem](#)[Post a comment](#)

You are using this tool for the project named Cleanroom Maint since Tuesday @ 3:21 PM.

s/n : XYZ123

Tool rates: Full Cost **\$100.00** Shared Cost **\$50.00**

Training rates: Individual **\$150.00** Group **\$75.00**

Sputter recipes have been updated. Captain Nemo (captain) wrote this comment on Monday, April 27th, 2020 @ 10:33 AM

Gun 1 Target: User provided target

Gun 2 Target: Au

How much gold was deposited?

nm

Prevent others from using the tool for minutes after disabling the tool. [What's this?](#)

Stop using the Sputter

Bobs XYZ sputter system

This system has RF and DC capability up to 300 watts. The lab has several targets or you can bring your own with prior approval.



Figure 117 Tool control summary page of tool in use

7.4.1 Tool serial number

The tool serial number is optional and will only be displayed if a value exists in the tool table. It is displayed in the top right corner of the summary tab (Figure 118). Tool serial number configuration is discussed in the [Detailed administration → Tools](#) section on page 500.

s/n : XYZ123

Figure 118 Tool serial number

7.4.2 Tool status

The tool status is displayed at the top of the summary tab and informs users and staff of the current condition of the tool. There are several possible statuses, and they are displayed with precedence in the order listed below.

7.4.2.1 Tool in use

The highest priority status is that a tool is in use. The tool in use message will identify the user, project, and the time they started using the tool (Figure 119). The user name is a link that can be clicked to contact the user by email through NEMO.

 Captain Nemo (captain) is using this tool for the project named Cleanroom Maintenance since Monday @ 11:05 AM.

Figure 119 Tool status in use by user message

If the current user is also the user logged into the tool, the message will be more personalized (Figure 120).

 You are using this tool for the project named Cleanroom Maintenance since Monday @ 11:05 AM.

Figure 120 Tool status in use by current user message

If a staff member is using a tool on behalf of another user, both the staff member and user will be listed (Figure 121).

 Captain Nemo (captain) is using this tool on behalf of Ned Land (ned) for the project named Project 1 since Monday @ 12:39 PM.

Figure 121 Tool status in use by staff on behalf of a user

In addition, if the current user is using the tool with a reservation, the reservation end time will also be displayed (Figure 122).

 You are using this tool for the project named Cleanroom Staff since Monday @ 11:33 AM.

Your reservation for this tool will end at 2:00 PM. The remainder of your reservation will be relinquished when you stop using this tool.

Figure 122 Tool status in use by current user with reservation message

7.4.2.2 Delayed logoff

The delayed logoff status indicates that the previous user initiated a delayed logoff to prevent usage for some amount of time. Users are not able to log in during this time however staff may override and log in. The feature is useful for tools that require post-process runs such as plasma cleans. It allows a user to run the post-process and leave without waiting for the completion. Tool usage time is accumulated during delayed logoff. Delayed logoff configuration is discussed in the [Detailed administration → Tools](#) section on page 500.

 Captain Nemo (captain) has finished using the Chlorine Etch but delayed logoff is in effect. The tool will be available at 11:51 AM.

7.4.2.3 Scheduled outage

There are two types of scheduled outage: a scheduled tool outage and a scheduled resource outage. If there are multiple scheduled outages, all outages will be displayed sequentially. Both outage types display the reason for the shutdown, details, who initiated the shutdown, the start day and time, and the end day and time. Scheduled outages are planned shutdowns that take a predictable amount of time.

A scheduled tool outage allows staff to automatically shut down a tool on a set date and time which can be useful for scheduling tool configurations or preventative maintenance (Figure 123). Users are not able to log in during a scheduled tool outage however staff are. Details about scheduled tool outages can be found in the [Calendar page → Reservations → Schedule an outage](#) section on page 62.

 Foil clean

The chamber is flaking so we will change the foil and vacuum.

Captain Nemo (captain) scheduled this outage from Monday, April 27th, 2020 @ 11:30 AM until Monday, April 27th, 2020 @ 1:00 PM.

Figure 123 Tool status scheduled tool outage

A scheduled resource outage allows staff to automatically shut down a resource on a set date and time which can be useful for scheduling gas bottle changes or other facility related maintenance (Figure 124). Resource outages will automatically update tool status for each tool that relies on the resource. Users are not able to log in during a scheduled resource outage when the resource is required by the tool however staff are.

 2% SiH4 scheduled outage

Gas bottle change

Captain Nemo (captain) scheduled this outage from Monday, April 27th, 2020 @ 11:30 AM until Monday, April 27th, 2020 @ 12:30 PM.

Figure 124 Tool status scheduled required resource outage

If a scheduled resource is optional on a tool, the scheduled outage will be indicated in yellow, and the tool will still be available to users (Figure 125).



An optional resource has an outage: O2 (Gases)

O2 scheduled outage: Gas bottle change

Captain Nemo (captain) scheduled this outage from Tuesday, May 5th, 2020 @ 4:36 PM until Tuesday, May 5th, 2020 @ 4:50 PM.

Figure 125 Tool status scheduled optional resource outage

Details about scheduled resource outages can be found in the [Resources](#) section on page 231.

7.4.2.4 Shutdown

The tool shutdown status is displayed if the tool has a problem that requires shut down or a required resource is not available (Figure 126). Users are not able to log in during this time however staff are. Details about tool shut downs can be found in the [Tool control page → Report a problem tab](#) section on page 117. Details about resources can be found in the [Resources](#) section on page 231.

 **This tool is shut down.**

Figure 126 Tool status shut down

7.4.2.5 Optional resource not available

The optional resource outage status is displayed if there are resources unavailable that a tool partially depends on (Figure 127). Users and staff are able to log in. For example, a fluorine reactive ion etch system with multiple types of fluorine gases, and one is not available. Details about resources can be found in the [Resources](#) section on page 231. Dependent and optional resource configuration is discussed in the [Detailed administration → Tools](#) section on page 500.

 **This tool is operational but not all resources are available.**

Figure 127 Tool status optional resource outage

7.4.2.6 Operational and idle

The operational and idle status is displayed if there are no issues preventing usage of the tool (Figure 128). However, there may be a problem listed in the tool status details below. Users and staff are able to log in.

 **This tool is operational and idle.**

Figure 128 Tool status operational and idle

7.4.3 Tool rates

The tool rates are optional and will only be displayed if they have been defined (Figure 129). Tool rates are discussed in the [Customizations → Tool rates](#) section on page 375.

Tool rates: Full Cost \$100.00 Shared Cost \$50.00
Training rates: Individual \$150.00 Group \$75.00

Figure 129 Tool rates

If a tool has child tools defined to allow multiple modes of operation with different charges, the parent and all child rates will be displayed (Figure 130). Parent and child tools are discussed in the [Detailed administration → Tools](#) section on page 500.

Tool rates:
SEM: Full Cost \$100.00 Shared Cost \$50.00
SEM Lithography mode: Full Cost \$200.00 Shared Cost \$150.00
Training rates: Individual \$150.00 Group \$75.00

Figure 130 Tool rates with parent and child tools

7.4.4 Tool usage counters

Tool usage counters, if configured, are displayed below the rates (Figure 131). Tool usage counters are linked to numeric or float post usage questions and accumulate value with each tool logout based on the answer to the post usage question. This feature is useful for displaying how much a tool has been used, to track material usage, or to trigger preventative maintenance. Detailed information on how to setup tool usage counters is provided in the [Detailed administration → Tool usage counters](#) section starting on page 500.

Total etch time: 147 *This is the running total for etch time in minutes.
Don't reset this counter.*

Etch Time: 0 *This is for the etch time in minutes.
PMs are performed every 100 minutes of use.*

Figure 131 Tool usage counter, user view

Staff are able to reset the counter and will see a reset button next to the current value (Figure 132).

Total etch time: 147 **Reset** *This is the running total for etch time in minutes.
Don't reset this counter.*

Etch Time: 100 **Reset** *This is for the etch time in minutes.
PMs are performed every 100 minutes of use.*

Figure 132 Tool usage counter, staff view

Clicking reset will open a confirmation dialog box, click ok to reset the counter or cancel to abort (Figure 133).




Figure 133 Tool usage counter reset confirmation dialog

Each time a counter is reset, a comment is posted for the tool that expires after seven days (Figure 134). In addition, if the Lab Manager role has been defined in settings.py, an email is sent. The comment and email will list the counter, its last value, who reset it, and when.




Figure 134 Tool usage counter reset comment

7.4.5 Tool status details

Tool status details provide additional information about a tool that may impact availability or results. If the information available for a particular dialog is lengthy, only the first two lines are displayed with an expansion icon (➤). Click the icon to see more information.

7.4.5.1 Unavailable required resources

When a required resource is not available, the status details will show a red leaf and identify which required resource is not available along with the description that was entered when the resource was shut down (Figure 135).




Figure 135 Unavailable required resource

7.4.5.2 Unavailable optional resources

When an optional resource is not available, the status details will show a yellow leaf and identify which required resource is not available along with the description that was entered when the resource was shut down (Figure 136).




Figure 136 Unavailable optional resource

7.4.5.3 Shutdown and problem tasks

Shutdowns and problems are reported in the [Tool control → Report a problem tab](#) described on page 117. The status details functionality are identical for both except for the displayed icon. Shutdowns are displayed with a red fire icon (Figure 137) and problems are displayed with a yellow wrench icon (Figure 138). When a shutdown or problem is reported, the user can select a category that will be displayed as the heading (Figure 137). If no category is selected, the description is displayed as the heading (Figure 138).




Figure 137 Tool shutdown



Figure 138 Tool problem

Clicking the (>) will expand the shutdown and problem dialog (Figure 139, Figure 140).

A screenshot of a software dialog box expanded to show more details. It includes a yellow wrench icon, the heading 'Wafers floating on platen.', a description of the task being created by Captain Nemo (captain) on Friday, April 17th, 2020 @ 12:30 PM, and options to update or resolve the task. Below this, there is a section for 'Progress updates' with an info icon, showing an update from Monday, April 20th, 2020 @ 8:53 PM, and a link to an image file: '2020-04-27_pecvd_01.png'.

Figure 139 Tool status problem dialog expanded

A screenshot of a software dialog box expanded to show more details. It includes a red fire icon, the heading 'Tool Error', a description of smoke coming from the lamp housing, and the estimated resolution time of Wednesday, April 29th, 2020 @ 2:00 PM. It also shows the task was created by Captain Nemo (captain) on Friday, April 17th, 2020 @ 12:31 PM, and provides options to update or resolve the task. Below this, there is a section for 'Progress updates' with an info icon, showing an update from Monday, April 27th, 2020 @ 2:09 PM, and a link to an image file: '2020-04-27_microscope_01.png'.

Figure 140 Tool status shutdown dialog expanded

Staff can update tasks and resolve tasks by following the update or resolve links provided (Figure 141).

You can update or resolve this task.

Figure 141 Tool status update and resolve links

The user that created the task can cancel it by following the link provided (Figure 142).

You may cancel this task if it was mistakenly created.

Figure 142 Tool status cancel link

All updates, new information, and expected resolution times are listed. Links are provided to any images that have been uploaded. Clicking an image link will open the image in a new tab (Figure 143).

images:

- 2020-04-27_pecvd_01.png

Figure 143 Tool status image link

Clicking the (▼) will collapse the shutdown or problem dialog.

7.4.5.4 Comments

Comments are created in the [Tool control → Post a comment tab](#) described on page 123. They are used to convey important information about a tool to users and can have an automatic expiration or display indefinitely.



➤ Please clean the bowl before logging out!

Captain Nemo (captain) wrote this comment on Monday, April 27th, 2020 @ 2:04 PM

Figure 144 Tool status comment

Clicking the (➤) will expand the comment dialog ().




Figure 145 Tool status comment dialog expanded

Staff or the user that created the comment may hide comments by clicking the hide this comment link (Figure 146).

[Hide this comment.](#)

Figure 146 Tool status hide comment link

Clicking the (▼) will collapse the comment dialog.

7.4.5.5 Update task (staff only)

Staff may update a task by clicking the update link on a problem or shutdown listed in the tool status details. Clicking the link will open the task update dialog (Figure 147). Many of the fields associated with the original task report are available to be edited. In addition, a summary of activity to date is listed on the right side of the page. However, if the page is too narrow or in mobile view, all information is listed in a single column. All fields are optional for updates. Only fields with changes are updated.

PECVD task

Created by Captain Nemo (captain) on Friday, April 17th, 2020 @ 12:30 PM (1 week, 3 days ago).
Last updated by Captain Nemo (captain) on Monday, April 27th, 2020 @ 2:13 PM (an hour ago).

Update the task

Would you like to change the urgency of this task? This will help staff prioritize tasks in the NanoFab.

Normal ▾

Would you like to change this task's initial classification to more accurately reflect the nature of the problem? Proper classification helps the NanoFab staff analyze long-term maintenance trends.

Wafer handling problem ▾

What is the status of the task?

Triage ▾

When do you think the problem will be resolved? Leave this field blank if it's difficult to predict.

04/29/2020 12:00 PM

- This task requires the PECVD to be shutdown
- This task is considered a potential safety hazard to the NanoFab

Please describe any actions being taken to resolve this task. This information will be visible to all users in order to keep everyone apprised of the tool's status.

(empty text area)

images:

- 2020-04-27_pecvd_01.png

No file chosen

Figure 147 Tool control task update dialog

- The urgency of the task can be changed by selecting a new urgency from the drop down (Figure 148). The urgency is displayed on the maintenance screen detailed in the [Maintenance](#) section on page 213.




Figure 148 Tool control task update urgency

- If task categories have been defined, a dropdown and instruction will appear. Click the dropdown and select the problem category that best describes the problem (Figure 149). If no category describes the problem, leave this blank. Task categories can be used to bin problems making future problem analysis easier. Categories are configured on the [Detailed administration → Task categories](#) page described on page 487.




Figure 149 Tool control task update category

- If task statuses have been defined, a dropdown and instruction will appear (Figure 150). If the status is not known, the field can be left blank. Click the dropdown and select the new status for the problem. Task statuses are used to update various staff as a problem progresses to resolution. For example, once the maintenance team has finished a repair, they can change the status to qualification which notifies the process engineer that the tool is ready to requalify. Statuses are configured on the [Detailed administration → Task statuses page](#) described on page 494.




Figure 150 Tool control task update status

- Provide an estimate of when the problem will be resolved if known or leave blank. Clicking in the dialog will open a date and time dialog (Figure 151).




Figure 151 Tool control task update completion date

- Check if the shutdown check box if the tool is not able to be used by others and could potentially ruin samples (Figure 152).

This task requires the PECVD to be shutdown

Figure 152 Tool control task update safety hazard

- Check the safety hazard check box if the problem is a safety hazard to people or equipment (Figure 153).

This task is considered a potential safety hazard to the NanoFab

Figure 153 Tool control task update shut down

- Provide a detailed update in the dialog box (Figure 154).

Please describe any actions being taken to resolve this task.
This information will be visible to all users in order to keep everyone apprised of the tool's status.




Figure 154 Tool control task update detailed description

- The choose files dialog may be used to upload any relevant pictures to show details that support the description (Figure 155). Clicking the button activates a standard file selection dialog. Multiple files can be uploaded. Note: it is good practice to make note of the files in the description to link the file to the text.

images:
• 2020-04-27_pecvd_01.png

Choose Files No file chosen

Figure 155 Tool control task update upload files

- Click the update button to finish (Figure 156). To cancel an update, navigate to another page prior to clicking the update button.

Update

Figure 156 Tool control task update button

7.4.5.6 Resolve task (staff only)

Staff may resolve a task by clicking the resolve link on a problem or shutdown listed in the tool status details. Clicking the link will open the task resolution dialog (Figure 157). A resolution description and resolution category can be entered. In addition, a summary of activity to date is listed on the right side of the page. However, if the page is too narrow or in mobile view, all information is listed in a single column. All fields are optional.

PECVD task

Created by Captain Nemo (captain) on Friday, April 17th, 2020 @ 12:30 PM (1 week, 3 days ago).
Last updated by Captain Nemo (captain) on Monday, April 27th, 2020 @ 3:46 PM (22 minutes ago).

Resolve the task <p>Please describe any actions taken to resolve this task. This information will be kept in order to analyze long-term trends in NanoFab maintenance.</p> <div style="border: 1px solid #ccc; height: 100px; margin-top: 10px;"></div> <p>Please select a classification that best describes how this problem was fixed. If no classification is appropriate then leave this field blank.</p> <div style="border: 1px solid #ccc; width: 100%; margin-top: 10px;"></div> <p>Resolve</p>	Problem description <p>Wafers floating on platen.</p> Progress <p>On Monday, April 20th, 2020 @ 8:53 PM Captain Nemo (captain) updated this task: Tested pump down curve. Need new soft pump valve, on order will arrive 5/6/2020.</p> <p>On Monday, April 27th, 2020 @ 2:13 PM, Captain Nemo (captain) set the status of this task to "Triage".</p> <p>On Monday, April 27th, 2020 @ 3:46 PM, Captain Nemo (captain) set the status of this task to "Triage".</p>
---	--

Figure 157 Tool control task resolution dialog

- Provide a detailed resolution description in the dialog box (Figure 158).

Please describe any actions taken to resolve this task. This information will be kept in order to analyze long-term trends in NanoFab maintenance.

Figure 158 Tool control task resolution description

- If task categories have been defined, a dropdown and instruction will appear. Click the dropdown and select the problem category that best describes the problem (Figure 159). If no category describes the problem, leave this blank. Task categories can be used to bin problems making future problem analysis easier. Categories are configured on the [Detailed administration → Task categories](#) page described on page 487.




Figure 159 Tool control task resolution category

- Click the resolve button to finish (Figure 160). To cancel an update, navigate to another page prior to clicking the update button.



Figure 160 Tool control task resolution button

7.4.5.7 Cancel task

The user who created a problem or shutdown may cancel the task by clicking the cancel link in the tool status details (Figure 161).

You may cancel this task if it was mistakenly created.

Figure 161 Tool control task cancel task link

There are no additional prompts, clicking the link immediately cancels the task and returns the user to the tool control summary page.

7.4.5.8 Hide comments

Staff or the user who created a comment may hide the comment by clicking the 'hide this comment' link in the comment details (Figure 162).

Hide this comment.

Figure 162 Tool control task hide comment link

There are no additional prompts, clicking the link immediately hides the comment and returns the user to the tool control summary page.

7.4.6 Tool configuration

Tool configurations are created in the Configurations table of the database detailed in the [Detailed administration → Configurations](#) section on page 422. If a tool is configurable, its current configuration will be shown (Figure 163).




Figure 163 Tool control tool configuration

If the tool is not in use and the current user is a staff member or has permission to change a tool configuration, a drop down with all possible configurations will be shown (Figure 164). Select the desired configuration from the drop down.




Figure 164 Tool control tool configuration dialog

Configuration history is saved in the database and is discussed in [Detailed administration → Configuration histories](#) on page 420. Configurations are discussed in the [Configuration Agenda](#) section on page 202.

7.4.7 Tool log in

The tool log in dialogs will vary depending on the user type (staff or not) and number of projects the user has.

7.4.7.1 User tool login

Users must be explicitly qualified to use tools. In addition, the tool must be in a usable tool status. Users with multiple projects will be prompted to select a project from their list of active projects (Figure 165). User qualifications are detailed in the [Qualifications](#) section on page 223.




Figure 165 Tool control login project selection

Clicking the project will enable the start button (Figure 166).




Figure 166 Tool control login multiple project start button

If a user only has one project, a message with the name of their project will appear and the start button will be displayed (Figure 167).




Figure 167 Tool control login single project start button

Click the 'Start using the tool' button to begin usage. NEMO will check user permissions before enabling the tool. If interlocks have been configured, NEMO will enable the interlock. Tool interlocks are discussed in the [Detailed administration → Tools](#) section on page 500.

A start record will be recorded in the usage events table listing the users, project, tool, and start time. Usage events are found on the [Detailed administration → Usage events](#) page detailed on page 526.

If a tool requires a user to be logged into an area and they are not, an error message will appear (Figure 168). Lab areas are configured through the [Detailed administration → Areas page](#) detailed on page 391. Tools can be configured to require a user to be logged into an area and are discussed in the [Detailed administration → Tools](#) section on page 500. If a tool requires a user to be logged into an area to use a tool and they attempt to enable the tool without being logged into the area, an unauthorized tool access email will be sent to the abuse email if configured. Both are configured in the [Customization](#) page detailed starting on page 272.



Figure 168 Tool control log in area error message

If the user isn't qualified to use the tool, an error message will appear (Figure 169).



Figure 169 Tool control log in qualification error message

If interlocks are enabled and the interlock command fails, an error message will appear (Figure 170). You can choose to Enable the tool anyway (if that option is checked), try again or cancel. More information on the [interlock settings customization](#) detailed on page 281.




Figure 170 Tool control interlock error

7.4.7.2 Multiple use tool login

If a tool has been configured for multiple uses as a parent tool with child tools then multiple start buttons will be displayed (Figure 171). The parent/child tool configuration is useful in cases where a single tool can be used multiple ways and either the usage of each way needs to be tracked or needs to be charged different rates.




Figure 171 Tool control multiple use tool log in buttons

Parent and child tools are discussed in the [Detailed administration → Tools](#) section on page 500.

7.4.7.3 Staff tool login

Staff have the option to use tools for their own projects or to perform work for other users (Figure 172). Select the appropriate usage type to continue.

What would you like to do?

- Use this tool for my own project
- Use this tool on behalf of another user
- Use this tool for a remote project

Figure 172 Tool control login staff

Selecting ‘Use this tool for my own project’ will proceed the same as a user tool login detailed above. Staff can enable any tool regardless of qualifications and therefore do not need to be explicitly qualified on a tool. If a staff member is already charging staff time to a user, that option will be greyed out.

7.4.7.4 Staff tool login on behalf of another user

If Staff select to use a tool on behalf of another user, a search dialog will appear (Figure 173). Enter the users name. As the name is typed, a list of possible users will appear under the dialog. Select the user from the list at any time.

What would you like to do?

- Use this tool for my own project
- Use this tool on behalf of another user
- Use this tool for a remote project

Which user?

Figure 173 Tool control login on behalf of user

Once a user is selected, a list of the user’s projects will appear if they have more than one (Figure 174).

Charge tool usage to which project?

Project 1

Project 2

Figure 174 Tool control staff login select project

Clicking the project will enable the start button (Figure 175).




Figure 175 Tool control staff login multiple project start button

If a user only has one project, a message with the name of their project will appear and the start button will be displayed (Figure 176).




Figure 176 Tool control staff login single project start button

Click the 'Start using the tool' button to begin usage.

NEMO will enable the tool and record usage for the selected user regardless of user qualifications on the tool.

If interlocks have been configured, NEMO will enable the interlock. Tool interlocks are discussed in the [Detailed administration → Tools](#) section on page 500.

If using the tool for a remote project, the charging staff time indicator will appear on the navigation bar (Figure 177). If the tool in use is in an area, area access time will also be recorded. Staff charges are discussed in the [Staff charges](#) section on page 243.



Figure 177 Tool control staff charging time

7.4.8 Tool log out

The tool log out dialogs will vary depending on the options configured.

7.4.8.1 Post usage questions

If post usage questions are configured and set as required, they must be answered before tool log out will be allowed (Figure 178). Questions can be multiple choice, text, or numeric input. They can be used to collect information about a run, create charges for consumables used, and record important tool parameters. Post usage questions can be configured so responses are either required or optional. In addition, questions can be grouped and repeated a configurable number of times to capture multiple processes in a single tool usage. Post usage questions are discussed in the [Detailed administration → Tools](#) section on page 500.

The dialog box contains two questions:

- A numeric input field asking "How much gold was deposited?" with a value of "0" and a unit of "nm".
- A multi-choice question asking "Please rate your experience." with four options: "Great", "As expected", "Not terrible", and "Disaster".

Figure 178 Tool control log out post usage questions

All post usage question responses are saved in the database usage events table described in the [Detailed administration → Usage events](#) section on page 526. Post usage question responses can also be reviewed on the [usage data history tab](#) of the tool control page detailed on page 117. The ability to review the post usage question responses provides an electronic logbook that can be viewed by users and staff.

7.4.8.2 Delayed log out

If delayed log out has been enable for the tool, the user has the option to log out while preventing usage until the delayed log out time has elapsed (Figure 179). Enter the number of minutes to delay or leave blank to skip the delay. This feature is useful for tools that require timed conditioning runs such as etch systems. It allows the user to start the post conditioning run, log out, and leave the area while the run completes.

The dialog box contains a text input field asking "Prevent others from using the tool for" with a value of "0" and a unit of "minutes after disabling the tool. [What's this?](#)"

Figure 179 Tool control log out delayed log out

Delayed log out configuration is discussed in the [Detailed administration → Tools](#) section on page 500.

7.4.8.3 Stop using a tool

If a required post usage question has not been answered, the ‘Stop using the tool’ button will be disabled (Figure 180).



Figure 180 Tool control log out button disabled

Once all required post usage questions have been answered, the ‘Stop using the tool’ button will be enabled (Figure 181).



Figure 181 Tool control log out button enabled

Click the button to stop using the tool.

NEMO will disable the tool and stop recording usage. The usage record in the database will be updated with the end time. Usage events are found on the [Detailed administration → Usage events](#) page detailed on page 526.

If interlocks have been configured, NEMO will disable the interlock immediately even if delayed log out have been selected. Tool interlocks are discussed in the [Detailed administration → Tools](#) section on page 500.

Staff only – If using the tool on behalf of another user and charging staff time, a dialog will pop up asking if staff time charges should continue (Figure 182). Click the appropriate button to continue or stop charging staff time. Staff charges are discussed in the [Staff charges](#) section on page 243.




Figure 182 Tool control log out staff charges

7.4.9 Tool description

The bottom of the tool summary page can be configured to display a description (Figure 183).

Bobs XYZ sputter system

This system has RF and DC capability up to 300 watts. The lab has several targets or you can bring your own with prior approval.

Figure 183 Tool control example tool description

The description is optional and html coding can be used to control appearance. Tool descriptions are discussed in the [Detailed administration → Tools](#) section on page 500.

7.4.10 Tool image

A tool image can be configured to display at the bottom of the tool summary page (Figure 184). If a tool description is configured, the image will be displayed next to the tool description.



Figure 184 Tool control example tool image

The image is optional. Tool images are discussed in the [Detailed administration → Tools](#) section on page 500.

7.4.11 Tool Documents

Tool documents can be added and displayed at the bottom of the summary page (Figure 185).

Documents:

- [Sputter_Manual.pdf](#)
- [Sputter_SOP.pdf](#)

Figure 185 Tool control example tool documents

The documents are optional. Tool documents are discussed in the [Detailed administration → Tools](#) section on page 500.

7.5 Details Tab

The details tab provides users and staff with information about the selected tool including the responsible staff, tool location, qualified users, required and optional resources, and task and comment history (Figure 186).

Profilometer [Summary](#) **Details** [Report a problem](#) [Post a comment](#)

You may force Ned Land (ned) off this tool.

 Captain Nemo (captain) is primarily responsible for this tool and can be contacted with any questions or concerns about the tool.
If you are unable to reach Captain Nemo (captain) then please contact  Staff Cleanroom (staff), or  Tech Cleanroom (tech).
Problem reports for the Profilometer are automatically emailed to  labstaff@nemo.com.
The Profilometer is located in room  Cleanroom Bay 5.
You may dial the phone that is closest to the Profilometer at extension  555-1234.

 ➤ Qualified users
 ➤ Resources that are required for this tool to operate
 ➤ Resources that are optional for this tool to operate
 ➤ Task & comment history for this tool

Figure 186 Tool control details page

7.5.1 Force user off of tool (staff only)

At the top of the page, staff are provided a quick link to force the currently logged in user off of the currently selected tool (Figure 187). Clicking the link will log the current user out of the tool and return the view to the summary tab.

If there are required post usage questions, an email will be sent to the user, the staff member who forced him off, the tool owner and backup owners, as well as the lab managers. The email will contain the required questions and the tool usage data entry will be blank for usage.

You may force Ned Land (ned) off this tool.

Figure 187 Tool details force user off of tool

7.5.2 Tool information

The tool information section of the details tab provides primary and back up staff contacts, problem report email, tool location, and tool location phone number (Figure 188).



Captain Nemo is primarily responsible for this tool and can be contacted with any questions or concerns about the tool.

If you are unable to reach Captain Nemo then please contact Captain Nemo, or Ned Land.

For equipment training, you can contact the primary, backup or the superuser, Pierre Aronnax.

Problem reports for the PECVD are automatically emailed to service@nautilus.com.

The PECVD is located in room NanoFab.

You may dial the phone that is closest to the PECVD at extension x1234.

Figure 188 Tool details tool information

- Primary tool owners are required. If the primary tool owner is associated with a contact, clicking on the arrow next to the primary tool owners name will display additional contact information (Figure 189).

Captain Nemo

Email: captain.nemo@nautilus.com

Office phone: 202-555-1212

Mobile phone:

- Call 098-765-4321
- Send a text message

Office location: Building 7 Room 2

Figure 189 Tool details additional information

- Backup tool owners are optional and will only display if configured. If the backup tool owners are associated with a contact, clicking on the arrow next to the backup tool owners name will display additional contact information in the same manner for primary tool owners.

- Tool superusers are optional and will only display if configured. If the superusers are associated with a contact, clicking on the arrow next to the superuser name will display additional contact information in the same manner for primary tool owners.
- Associating primary, backup tool owners and superusers with contacts is discussed in the [Detailed administration → Contact information](#) section starting on page 433.
- Problem reporting emails are optional and will only display if configured.
- Tool location is required.
- Tool phone number is required.

All tool information fields are set at the tool level and are discussed in the [Detailed administration → Tools](#) section on page 500.

7.5.2.1 Emailing tool contacts through NEMO

Clicking on a tool contact link will open the email dialog (Figure 190).

Compose an email

From: ned.land@nautilus.com

To: captain.nemo@nautilus.com

Send a copy of this message to myself

What is the subject of this email?

Send email

Figure 190 Tool control detail email dialog

To send an email

- The from and to fields are automatically set and cannot be changed (Figure 191).

From: ned.land@nautilus.com

To: captain.nemo@nautilus.com

Figure 191 Tool control detail email address

- Set the send a copy checkbox (Figure 192). By default, the user will be copied however, the checkbox can be unchecked if desired.




Figure 192 Tool control detail email copy

- Enter a subject line in the subject dialog box (Figure 193).



Figure 193 Tool control email subject

- Enter the message in the message dialog box (Figure 194).



Figure 194 Tool control email message

- Click ‘Send email’ button to send the message (Figure 195).



Figure 195 Tool control email send button

7.5.3 Qualified users (staff only)

Staff are able to see all qualified users on a tool (Figure 196).




Figure 196 Tool control details qualified users

Clicking the (>) will expand the qualified users’ dialog (Figure 197). All qualified users are listed and there are dialogs to add qualified users and email all qualified users. If qualifying a user will automatically grant them access to the lab, it will be indicated in red. Active users are displayed boldly, and inactive users are greyed out. NEMO user creation and user status is discussed in the [Users](#) section on page 260.

Qualified users

Only qualified users are able to operate the Sputter.

Qualifying a user for this tool automatically grants them the physical access level "Cleanroom anytime".

Add a qualified user

Search for a user

You can email [all qualified users](#).

Current qualified users are listed below. Inactive qualified users are marked in light grey.

- Captain Nemo (captain)
- Conseil Aronnax (conseil)
- Ned Land (ned)

Figure 197 Tool control details qualified users expanded

Clicking the (▼) will collapse the qualified user dialog.

7.5.3.1 Qualify a user

Users can be qualified directly using the Add a qualified user search dialog (Figure 198). User tool qualifications are detailed in [Qualifications](#) on page 223.




Figure 198 Tool control details qualify a user

Start typing the user's name in the search dialog then select the name of the list returned. The return list updates automatically as typed, and a user can be clicked from the list at any time (Figure 199). Once clicked, the user is added to the current qualified users list.




Figure 199 Tool control details qualify a user search list

7.5.3.2 Email all tool users

If there are any qualified users, an email link will appear below the add a qualified user dialog (Figure 200).

 You can email all qualified users.

Figure 200 Tool control details email all users

Clicking the link will open the user email page which is described in the [Email](#) section on page 206.

7.5.4 Required resources

The required resources are optional and only display if configured (Figure 201). Resources are discussed in the [Resources](#) section on page 231. Associating resources with tools is discussed in the [Detailed administration → Tools](#) section on page 500.




Figure 201 Tool control details required resources

Clicking the (>) will expand the required resource list (Figure 202).




Figure 202 Tool control details require resources expanded

Clicking the (▼) will collapse the required resource list.

7.5.5 Optional resources

The optional resources are optional and only display if configured (Figure 203). Resources are discussed in the [Resources](#) section on page 231. Associating resources with tools is discussed in the [Detailed administration → Tools](#) section on page 500.




Figure 203 Tool control details optional resources

Clicking the (>) will expand the optional resource list (Figure 204).




Figure 204 Tool control details optional resources expanded

Clicking the (▼) will collapse the required resource list.

7.5.6 Task and comment history

The task and comment history provides a way to look at problems, shutdowns, and comments that are currently open or have been previously closed (Figure 205).



Figure 205 Tool control details task and comment history

Clicking the (>) will expand the optional resource list (Figure 206).




Figure 206 Tool control details task and comment history expanded

Clicking the (▼) will collapse the required resource list.

The expanded task and comment history provides quick buttons to display all items created in the last three months (Figure 207) or the ten most recent events (Figure 208). Clicking either will show a list of tasks and comments below the search dialog (Figure 209).

Created in the last 3 months

Figure 207 Tool control details task 3-month button

10 most recent

Figure 208 Tool control details task 10 most recent button

A search dialog is also provided to allow a keyword search or any date range to be displayed (Figure 209).




Figure 209 Tool control details task search dialog

For a key word search, enter the search text in the contains field (Figure 210).




Figure 210 Tool control details task search text

For a date range search, click the start and end dialogs to enter dates. A calendar dialog will appear that can be used to navigate to the date of interest (Figure 211). However, a date can be typed directly into each box.




Figure 211 Tool control details task calendar dialog

The search can also combine text search and date ranges. To make open ended, leave fields blank. For example, to show all tasks, leave the contains field and start date blank and enter today's date into the end date, all task records will be returned.

Click the  button to display results below the dialog (Figure 212).




Figure 212 Tool control details task display results

Clicking the (>) will expand task or comment details (Figure 213).




Figure 213 Tool control details task results expanded

Clicking the (▼) will collapse the details.

Clicking the  button will export current shown tasks and comments into a text file.

7.5.6.1 Reopen closed task (staff only)

If a staff member is viewing task history, a line will be displayed giving the option to reopen the task (Figure 214).

You can [reopen this task if it was mistakenly resolved](#).

Figure 214 Tool control details task results reopen task link

Clicking on the reopen link will open the [task update page](#) which is detailed on page 94. Click update to reopen the task.

7.6 Usage Data History

The usage data history tab provides users and staff with the ability to see how a tool was used based on answers to post usage questions. This feature is useful to replace handwritten logbooks and gives easy access to post usage question data. The tab will only be visible on tools that have post usage questions configured. The usage data history is searchable by date, last records, and can be filtered by user. The selected data can be exported in a comma separated text file.

User	Date	Please rate your experience:	What material did you etch?:	How long did you etch (minutes)?	Additional notes
Robert Ilic	11/25/2020 @ 11:46 AM	Great	Silicon	44	
Robert Ilic	11/25/2020 @ 11:42 AM		Other (enter in note)	44	SiOxNy
Robert Ilic	11/25/2020 @ 11:42 AM	As expected	Silicon	11	SOI 220 nm
Robert Ilic	11/24/2020 @ 03:38 PM		Silicon	11	test silicon etch
Robert Ilic	11/24/2020 @ 03:38 PM	Great	Other (enter in note)	22	SiOxNy
Mathieu Rampant	11/24/2020 @ 10:07 AM		Silicon Nitride	5	
Mathieu Rampant	11/24/2020 @ 10:07 AM	As expected	Silicon Oxide	10	
Mathieu Rampant	11/23/2020 @ 10:35 AM	As expected	Silicon Nitride	20	
Mathieu Rampant	11/23/2020 @ 10:33 AM		Silicon Oxide	10	
Mathieu Rampant	11/23/2020 @ 10:33 AM	Great	Silicon	5	

Figure 215 Tool control usage data history

7.6.1 Feature setup

- The usage data history page is automatically displayed once post usage questions have been setup for a tool.
- Post usage question setup is discussed in detail in the [Detailed administration → Tools](#) section on page 500.
- Post usage questions can be configured so responses are either required or optional. In addition, questions can be grouped and repeated a configurable number of times to capture multiple processes in a single tool usage. If a combination of grouped and ungrouped questions are configured, the ungrouped question responses only appear with the first group response.

7.6.2 Review usage data history for a tool

- Navigate to the tool control page.
- Select the tool of interest from the tool list on the sidebar.
- Click the usage data history tab.
- The default view lists the last 25 records

Usage Data History

Figure 216 Tool control usage data history tab

- Select the date range or the last number of records:
 - Enter a start and end date if desired.
 - Or select the last number of records.
 - Click update to refresh the view.

The screenshot shows a search interface for tool control usage data. It includes fields for 'From' (07/31/2020), 'to' (11/30/2020), and 'or last' (with a dropdown menu and a 'records' input field). A 'records' input field is also present.

Figure 217 Tool control usage data history date range or last records

- Filter by user:
 - Enter a user name in the search box if desired.
 - Click on the user you want to filter by.
 - Click update to refresh the view.

The screenshot shows a search interface for tool control usage data. It includes a 'Filter by user:' label and a 'Search for a user' input field.

Figure 218 Tool control usage data history filter by user

- Scroll through the returned data to review.
- To export the selected data, click the export button.

Export

Figure 219 Tool control usage data history export button

7.7 Config History

The config history tab provides users and staff with the ability to see how a tool was configured previously (Figure 220). The tab will only be visible on tools that are configurable.

Configuration history is saved in the database and is discussed in [Detailed administration → Configuration histories](#) on page 420. Configurations are discussed in the [Configuration Agenda](#) section on page 202.

Sputter

[Summary](#)[Details](#)[Config History](#)[Report a problem](#)[Post a comment](#)

- On *Tuesday, April 28th, 2020 @ 3:43 PM* Captain Nemo (captain) changed the configuration
- On *Tuesday, April 28th, 2020 @ 12:35 PM* Captain Nemo (captain) changed the configuration
- On *Monday, April 27th, 2020 @ 10:47 AM* Captain Nemo (captain) changed the configuration
- On *Friday, April 24th, 2020 @ 4:55 PM* Captain Nemo (captain) changed the configuration
- On *Friday, April 24th, 2020 @ 4:55 PM* Captain Nemo (captain) changed the configuration
- On *Friday, April 24th, 2020 @ 4:55 PM* Captain Nemo (captain) changed the configuration
- On *Thursday, April 23rd, 2020 @ 3:50 PM* Captain Nemo (captain) changed the configuration
- On *Thursday, April 23rd, 2020 @ 3:50 PM* Captain Nemo (captain) changed the configuration

Figure 220 Tool control config history page

Click the (➤) icon to expand the details of a particular configuration (Figure 221).

- On *Tuesday, April 28th, 2020 @ 12:35 PM* Captain Nemo (captain) changed the configuration
 - Gun 1 Target: Cr
 - Gun 2 Target: Au

Figure 221 Tool control configuration details

Click the (▼) icon to collapse the details.

7.8 Report a problem Tab

The report a problem tab provides users and staff with the ability to alert others to problems with a tool (Figure 222). If a tool is unusable, it can be shut down and the tool owner notified. If it poses a safety hazard, more staff can be alerted.

Chlorine Etch

[Summary](#)[Details](#)[Config History](#)[Report a problem](#)[Post a comment](#)

Use this form to report a problem relating to the currently selected tool. The NanoFab staff will be notified of the problem by email and the details of the problem will be visible to everyone on the website.

Please choose a category that best describes this problem. If there is no appropriate category then leave this field blank.

What is the status of this task?

Please provide a **detailed** description of the problem so that the NanoFab staff have enough information to resolve the problem efficiently.

What is your best estimate of when the problem will be resolved? Leave this field blank if you are unsure.

- This problem represents a safety hazard to the NanoFab and should be regarded as urgent. Notify the NanoFab safety officer of this issue.
- Shut down the tool so that it may not be used until this problem is resolved.

[Choose Files](#) No file chosen

[Report problem](#)

Figure 222 Tool control report a problem page

7.8.1 To report a problem:

- Navigate to the tool control page.
- Select the tool of interest from the tool list on the sidebar.
- Click the report a problem tab.
- If task categories have been defined, a dropdown and instruction will appear. Click the dropdown and select the problem category that best describes the problem (Figure 223). If no category describes the problem, leave this blank. Task categories can be used to bin problems making future problem analysis easier. Categories are configured on the [Detailed administration → Task categories](#) page described on page 487.

Please choose a category that best describes this problem. If there is no appropriate category then leave this field blank.

Process problem
Tool Error
Wafer handling problem

Figure 223 Tool problem category selection

- (Staff Only) If task statuses have been defined, a dropdown and instruction will appear (Figure 224). If the status is not known, the field can be left blank. Click the dropdown and select the initial status for the problem. Task statuses are used to update various staff as a problem progresses to resolution. For example, once the maintenance team has finished a repair, they can change the status to qualification which notifies the process engineer that the tool is ready to requalify. Statuses are configured on the [Detailed administration → Task statuses page](#) described on page 494.

What is the status of this task?

Qualification
Repair
Triage

Figure 224 Tool problem task status selection

- Provide a detailed description of the problem in the dialog box (Figure 225).

Please provide a **detailed** description of the problem so that the NanoFab staff have enough information to resolve the problem efficiently.

Figure 225 Tool problem detailed description

- (Staff only) Provide an estimate of when the problem will be resolved if known or leave blank (Figure 226). Clicking in the dialog will open a date and time dialog (Figure 227).

What is your best estimate of when the problem will be resolved? Leave this field blank if you are unsure.

Figure 226 Tool problem estimated repair time




Figure 227 Tool problem estimated repair date and time dialog

- Check the safety hazard check box if the problem is a safety hazard to people or equipment (Figure 228).

This problem represents a safety hazard to the NanoFab and should be regarded as urgent. Notify the NanoFab safety officer of this issue.

Figure 228 Tool problem safety hazard

- Check if the shutdown check box if the tool is not able to be used by others and could potentially ruin samples (Figure 229).

Shut down the tool so that it may not be used until this problem is resolved.

Figure 229 Tool problem shut down

- The choose files dialog may be used to upload any relevant pictures or data to show details that support the description (Figure 230). Clicking the button activate a standard file selection dialog. Multiple files can be uploaded. Note: it is good practice to make note of the files in the description to link the file to the text.

No file chosen

Figure 230 Tool problem upload files

- Click the report button to finish (Figure 231).

Figure 231 Tool problem report button

7.8.2 Problem posting

Once the Report problem button is clicked, a task is created and saved in the Tasks table of the database which is discussed in the [Detailed administration → Tasks](#) section on page 494.

Tasks are displayed as problems and shutdowns in the summary tab of the tool control page.

Email notifications are triggered.

- Email notifications are only sent if the New task email has been configured in [Customization](#) which is discussed on page 323.
- Recipients set at the tool level as discussed in the [Detailed administration → Tools](#) section on page 500.
 - Primary tool owner
 - Backup tool owners if any are defined
 - Notification email if defined
- Recipients set in settings.py LAB_MANAGERS as discussed in the [Configuring NEMO settings → Lab Managers](#) section on page 577.
- Recipients any non-staff user with a future reservation.

If the task is marked as a safety hazard

- In addition to the standard email notifications, a safety issue is automatically created, and a safety email is sent. Safety issues are discussed in the [Safety page](#) section on page 138.

7.9 Post a comment Tab

The post a comment tab provides users and staff with the ability to record information about a tool without changing the tool status (Figure 232). It is useful for highlighting tool usage information, process results, and general comments. Unlike reporting a problem, staff are not notified when a comment is posted therefore, comments should not be used to report problems or shutdowns.

Sputter [Summary](#) [Details](#) [Config History](#) [Report a problem](#) [Post a comment](#)

Use this form to comment on the operating status of the selected tool. The comment will be visible to everyone on the website for **informational purposes**. (Note: if there is something wrong with the tool then please report a problem instead of creating a comment). You may remove the comment at any time because you are its author.

How many days would you like the comment to be visible? 30 days ▾

What would you like to say?

Make this comment only visible to staff users

Post comment

Figure 232 Tool control post a comment page

7.9.1 To post a comment:

- Navigate to the tool control page.
- Select the tool of interest from the tool list on the sidebar.
- Click the Post a comment tab.
- Click the drop down and select the amount of time to keep the comment visible (Figure 233).



Figure 233 Comment visible time dropdown

- Enter any relevant information in the dialog box (Figure 234).



Figure 234 Comment dialog box

- Check to make comment visible only to staff (staff only) (Figure 235). This feature is useful to post special tool information.



Figure 235 Comment dialog staff visible checkbox

- Click the post comment button (Figure 236).

Post comment

Figure 236 Comment post button

7.9.2 Comment posting

Once the Post comment button is clicked, the comment is saved in the Comments table of the database which is discussed in the [Detailed administration → Comments](#) section on page 410. Comments are displayed in the summary tab of the tool control page. No email notifications are triggered.

7.10 Mobile device tool control

The tool control page will automatically change to a mobile display by stacking information into a single scrollable column (Figure 237). All of the features are available while in mobile view. To start, directly enter the name of the tool in the search dialog or select a tool by category. All categories and sub-categories are listed.




Figure 237 Mobile tool control page

7.10.1 Search for a tool

To search for a tool, start typing in the search dialog box. A tool button list will appear below the search dialog as characters are entered but at least two characters must be entered (Figure 238). Once the tool of interest appears, click the button of the tool of interest to go to the tool control page detailed below on page 128.




Figure 238 Mobile tool control search box and results

7.10.2 Select a tool by category

To select a tool by category, click the category button then click the tool link in the drop down. If the tool of interest is not on the list, click another category button (Figure 239). Note: it is possible to have more than one category at a time expanded. However, the page resets each time it is opened. Once the tool of interest appears, click the button of the tool of interest to go to the mobile tool reservation page detailed below on page 128.




Figure 239 Mobile tool control category drop down

7.10.3 Mobile tool control page

The mobile tool control page lands on the summary tab (Figure 240). The summary tab, details tab, report a problem tab, and post a comment tab do not have any specializations to render on a mobile device. To select each tab, click or press near the tab title. Functionality is identical to the previously described tab features. If a tab renders larger than a screen, drag the screen to scroll.




Figure 240 Mobile tool control landing page

7.11 Tool control customizations

7.11.1 Notification emails

Email notifications are possible when a task is created, updated, or resolved or a user tries to use a tool they are not qualified for and must be configured to be functional. Email templates are configured in the [Customization](#) page detailed starting on page 272.

7.11.2 Tool usage reminders

Tool usage reminder emails can be sent periodically. A timed service app must be properly configured and running which is described in [NEMO timed services](#) on page 577. The usage reminder email template must be configured and is described in the [Customization](#) pages detailed starting on page 272.

7.11.3 Tool rates

Tool rates can be customized and are discussed in the [Customizations → Tool rates](#) section on page 375.

7.11.4 Tool control page refresh rate

The tool control page automatically refreshes every 30 seconds which updates the current tool information and sidebar. To change the update interval, edit the tool_control.html and change the setInterval constant (in milliseconds) in the on_load function.

7.11.5 Optional tool features

The tool control pages were implemented such that if a feature was not used, its corresponding content would not be displayed. This helps eliminate the need for special setups to view features and easily enables many features to be optional. All of the optional features are detailed in the tool control pages.

8 Status dashboard

The status dashboard page provides a convenient overview of all users and staff currently logged into any areas or tools. In addition, there are views for problematic tools, idle tools, and an all-tool view. The status dashboard lands on the area occupancy tab by default.

8.1 Web address

The status dashboard page is accessible at site-address/status_dashboard/. For example, www.nemo.com/status_dashboard/. The page can also be accessed from the navigation bar menu item “Status dashboard”.

8.2 Area occupancy tab

The status dashboard lands on the area occupancy tab by default and the area occupancy tab will be highlighted with a blue background (Figure 241). This view shows all users that are currently logged into all areas. Staff members are highlighted in green and service personnel are highlighted in orange, so they stand out. Each area will list the number of people in the area if it is greater than 1. Staff and service personnel are listed separately if the area is configured not to include them in the occupancy count. Lab areas are configured through the [Detailed administration → Areas](#) page detailed on page 404.

The screenshot shows the Status dashboard interface. At the top, there are two tabs: "Area occupancy" (which is highlighted in blue) and "Tool status & usage". Below the tabs, there are two sections: "Cleanroom" and "CMP lab".

Cleanroom: A yellow warning icon indicates 2 / 5 people (+ 2 staff and 1 service personnel). The table lists users and their activities:

User	Since	Working on project...
⊗ Tech Cleanroom	Monday @ 1:35 PM	Cleanroom Maint
⊗ Ned Land	Monday @ 3:53 PM	Project 1
⊗ Pierre Aronnax	Monday @ 3:53 PM	Project 2
⊗ Staff Cleanroom	Monday @ 3:53 PM	Cleanroom Maint
⊗ Captain Nemo	Monday @ 3:54 PM	Cleanroom Training

CMP lab: A yellow warning icon indicates 1 people. The table lists users and their activities:

User	Since	Working on project...
⊗ Conseil Aronnax	Monday @ 3:55 PM	Project 1

Figure 241 Status dashboard area occupancy

8.2.1 Maximum occupancy

If an area has a maximum occupancy set, the number of people will be listed as total of the maximum (Figure 242).



Figure 242 Status dashboard below maximum occupancy

If the occupancy is within one person, a yellow warning will be displayed with the occupancy (Figure 243).




Figure 243 Status dashboard near maximum occupancy

If the occupancy is at or above the limit, a red warning will be displayed with the occupancy (Figure 244).




Figure 244 Status dashboard at or above maximum occupancy

8.2.2 Force user out of area (staff only)

Staff will see a (ⓧ) icon next to each user's name. Clicking the icon will log the user out of the area. There is no prompt for confirmation, the logout is immediate.

8.3 Tool status & usage tab

Clicking the 'Tool status & usage' tab will switch the view and highlight the tab with a blue background. The default view is the 'tools in use' filter. To change the filter, click the dropdown and click the filter of interest (Figure 245). All filter views show the tool name, user name, and when they started using the tool. The tool names are followed by status icons which are identical to those described in [Tool control → Side bar Tool list icons](#) on page 83.




Figure 245 Status dashboard tool filter

8.3.1 Force user off of tool (staff only)

Staff will see a (✖) icon next to each user's name on all tool status views except for idle tools. Clicking the icon will log the user out of the tool. There is no prompt for confirmation, the logout is immediate. All normal logout procedures are skipped and if interlocks are defined, the interlock is turned off immediately.

If there are required post usage questions, an email will be sent to the user, the staff member who forced him off, the tool owner and backup owners, as well as the lab managers. The email will contain the required questions and the tool usage data entry will be blank for usage.

Tool logout procedures are discussed in the [Tool control → Summary tab → Tool log out](#) section on page 104.

8.3.2 Tools in use

The 'tools in use' filter will only show tools that currently have someone logged in (Figure 246).

Status dashboard		
		Area occupancy
		Tool status & usage
Showing tools in use ▾		
Tool	User	In use since...
CMP	✖ Tech Cleanroom (tech)	Tuesday @ 5:08 PM
Chlorine Etch	✖ Captain Nemo (captain) on behalf of Conseil Aronnax (conseil)	Tuesday @ 5:07 PM
Contact Aligner	✖ Captain Nemo (captain)	Tuesday @ 5:08 PM
Evaporator	✖ Ned Land (ned)	Tuesday @ 5:07 PM
Fluorine Etch	✖ Ned Land (ned)	Tuesday @ 4:31 PM
PECVD	✖ Pierre Aronnax (professor)	Tuesday @ 5:07 PM
SEM Lithography mode	✖ Staff Cleanroom (staff)	Tuesday @ 5:08 PM
Solvent Hood	✖ Conseil Aronnax (conseil)	Tuesday @ 5:11 PM

Figure 246 Status dashboard tools in use

8.3.3 All tools

The ‘all tools’ filter displays all tools regardless of log in or problem status (Figure 247).

Status dashboard		
	Area occupancy	Tool status & usage
Showing all tools ▾		
Tool	User	In use since...
Acid Hood		
CMP 🚧	✉ Tech Cleanroom (tech)	Tuesday @ 5:08 PM
Chlorine Etch 🚧	✉ Captain Nemo (captain) on behalf of Conseil Aronnax (conseil)	Tuesday @ 5:07 PM
Contact Aligner 🚧 🔥	✉ Captain Nemo (captain)	Tuesday @ 5:08 PM
Develop Hood		
Ellipsometer 🔥		
Evaporator 🚧 🔥	✉ Ned Land (ned)	Tuesday @ 5:07 PM
Fluorine Etch 🚧	✉ Ned Land (ned)	Tuesday @ 4:31 PM
Microscope 🔥		
PECVD 🚧 🔁	✉ Pierre Aronnax (professor)	Tuesday @ 5:07 PM
Profilometer 🔥		
SEM Lithography mode 🚧	✉ Staff Cleanroom (staff)	Tuesday @ 5:08 PM
Solvent Hood 🚧	✉ Conseil Aronnax (conseil)	Tuesday @ 5:11 PM
Spin rinse dryer		
Spinner		

Figure 247 Status dashboard all tools

8.3.4 Problematic tools

The ‘problematic tools’ filter displays all tools with a shutdown, problem, required resource outage or optional resource outage (Figure 248).

Status dashboard		
	Area occupancy	Tool status & usage
Showing problematic tools ▾		
Tool	User	In use since...
Chlorine Etch 🚧 🔁	✉ Captain Nemo (captain) on behalf of Conseil Aronnax (conseil)	Tuesday @ 5:07 PM
Contact Aligner 🚧 🔁	✉ Captain Nemo (captain)	Tuesday @ 5:08 PM
Ellipsometer 🔁		
Evaporator 🚧 🔁	✉ Ned Land (ned)	Tuesday @ 5:07 PM
Fluorine Etch 🚧 🔁	✉ Ned Land (ned)	Tuesday @ 4:31 PM
Microscope 🔁		
PECVD 🚧 🔁	✉ Pierre Aronnax (professor)	Tuesday @ 5:07 PM
Profilometer 🔁		
Sputter 🔁		

Figure 248 Status dashboard problematic tools

8.3.5 Idle tools


The ‘idle tools’ filter displays all tools that are currently not in use regardless of problematic status (Figure 249).

Status dashboard		
Showing idle tools ▾		
Tool	User	In use since...
Acid Hood		
Develop Hood		
Ellipsometer 🔥🔥		
Microscope 🔥🔥		
Profilometer 🔥🔥		
Spin rinse dryer		
Spinner		
Sputter		

Figure 249 Status dashboard idle tools

8.4 Mobile device status dashboard

The mobile device view organizes the data to fit the width of the screen without reduction of functionality (Figure 250, Figure 251).



The screenshot shows a mobile application interface titled "Status dashboard". At the top, there are two tabs: "Area occupancy" (which is selected) and "Tool status & usage". A note below the tabs states: "Staff members are highlighted in green." In the "Area occupancy" section, there are two tables: "CMP" and "Cleanroom".

CMP

User	Since	Working on project...
✉ Tech Cleanroom	Tuesday @ 5:04 PM	Cleanroom Maintenance

Cleanroom 4 people

User	Since	Working on project...
✉ Pierre Aronnax	Tuesday @ 4:58 PM	Project 3
✉ Captain Nemo	Tuesday @ 4:58 PM	Cleanroom Training
✉ Staff Cleanroom	Tuesday @ 4:57 PM	Cleanroom Maintenance
✉ Conseil Aronnax	Tuesday @ 4:57 PM	Project 1

Figure 250 Status dashboard mobile area occupancy view

Tool	User	In use since...
Chlorine Etch	⌚ Captain Nemo (captain) on behalf of Conseil Aronnax (conseil)	Tuesday @ 5:07 PM
Contact Aligner	⌚ Captain Nemo (captain)	Tuesday @ 5:08 PM
Evaporator	⌚ Ned Land (ned)	Tuesday @ 5:07 PM
Fluorine Etch	⌚ Ned Land (ned)	Tuesday @ 4:31 PM
PECVD	⌚ Pierre Aronnax (professor)	Tuesday @ 5:07 PM
SEM Lithography mode	⌚ Staff Cleanroom (staff)	Tuesday @ 5:08 PM
Solvent Hood	⌚ Conseil Aronnax (conseil)	Tuesday @ 5:11

Figure 251 Status dashboard tool status view

8.5 Status dashboard customizations

8.5.1 Status dashboard refresh rate

The status dashboard page automatically refreshes every 10 seconds which updates the current area occupancy and tool usage information. To change the update interval, edit the `status_dashboard.html` and change the `setInterval` constant (in milliseconds) in the `on_load` function.

9 Buddy Board

The buddy board is a simple message system that enables facility users to pair up or form working groups required in many facilities for out of hours access.

To enable the buddy board, you must first enable it on an area. See [Detailed administration - Areas](#) on page 404.

9.1 *Web address*

The buddy board page is accessible at site-address/buddy_system/. For example, www.nemo.com/buddy_system/. The page can also be accessed from the navigation bar menu item “Buddy board”.

9.2 *Usage*

9.2.1 Open the buddy board

Click the Buddy board item on the navigation bar to access the buddy board. The page shows a new request button in the right upper corner, instructions, and the current list of buddy requests and replies (Figure 252).

Buddy Board

New request

- *Requests will be removed at the end of the day on their end date. Once users for a group for out of hours access, contact the NanoFab manager for approval.*

Saturday, January 16th, 2021

- **New** Michael Stewart needs a buddy in the Cleanroom

I need a buddy this Saturday

Reply

Sunday, January 17th, 2021

- **New** Cheng Zhang needs a buddy in the Cleanroom

I am looking for a buddy on Sunday

Reply

Figure 252 Buddy board display

9.2.2 Create a new request

To create a new buddy request:

- Click the New request button (Figure 253).

New request

Figure 253 Buddy board new request button

- The new request page will open (Figure 254).

New buddy request

Start date End date

Area

Cleanroom

Description

Describe your request

Create buddy request


A screenshot of a web-based application for creating a buddy request. The interface includes fields for 'Start date' and 'End date' (both currently empty), a dropdown menu for 'Area' (set to 'Cleanroom'), a text area for 'Description' (with placeholder text 'Describe your request'), and a prominent green button labeled 'Create buddy request'.

Figure 254 Buddy board new request dialog

- Click in the Start date dialog and click the start date on the calendar pop-up (Figure 255).




Figure 255 Buddy board start date

- Click in the End date dialog and click the end date on the calendar pop-up (Figure 256).




Figure 256 Buddy board end date

- If you have access to multiple areas that use the buddy system, click the area you are looking for a buddy. Otherwise, your area is automatically selected (Figure 257).




Figure 257 Buddy board area button

- Enter a description that includes details another user would need to determine if they want to join your buddy group (Figure 258).

The image shows a text input field with a black border. At the top left, the word 'Description' is written in a small, dark font. Below it, there is a placeholder text 'Describe your request' in a lighter, grey font. The input field is currently empty.

Figure 258 Buddy board description

- Click create buddy request button (Figure 259).

Create buddy request

Figure 259 Buddy board create request button

- Your request will be created, and the page will return to the buddy board.
- All users with preferences set to see new buddy requests will see a notification icon next to the buddy board menu on the navigation bar (Figure 260).




Figure 260 Buddy board navigation bar notification

Edit or delete your request:

- Only the owner of a request can edit or delete the request.
- Once there is a reply, the request can't be edited or deleted.
- Click the edit button to edit the request (Figure 261).



Figure 261 buddy board edit request button

- All of the fields entered to create the request can be edited.
- Click save changes when finished (Figure 262).



Figure 262 Buddy board save changes button

- Click the delete button to delete the request (Figure 263).




Figure 263 Buddy board delete request button

- The request will be deleted without further input.

Reply to a request:

- Find a request in the time frame of interest (Figure 264).

Sunday, January 17th, 2021

- Cheng Zhang needs a buddy in the Cleanroom

I am looking for a buddy on Sunday

Reply

Figure 264 Buddy board request

- Click the reply button (Figure 265).

Reply

Figure 265 Buddy board reply button

- Enter a message in the dialog to respond to the initiator (Figure 266).

I can join you from 1 pm to 3 pm. Let me know if that works.

Figure 266 Buddy board reply dialog

- Click send to post your reply (Figure 267).

Send

Figure 267 Buddy board send reply button

- All users with preferences set to see buddy request replies that they replied to will see a notification icon next to the buddy board menu on the navigation bar (Figure 268).

Buddy board 3

Figure 268 Buddy board navigation bar notification

- All users with preferences set to receive emails for buddy request replies that they replied to will receive an email notification

9.3 Mobile device buddy board page

There are no mobile device views for the buddy board page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

9.4 Buddy board page customizations

9.4.1 Disclaimer

A disclaimer/information text can be set for the buddy board in [Customization - Application Settings](#). See more details on page 279.

10 Jumbotron

The jumbotron is similar to the status dashboard but provides an integrated page to display user occupancy, tools in use, and any alerts or outages (Figure 269).

Area occupancy

Staff members are highlighted in green.
Service personnel are highlighted in orange.
Users with expired reservations are highlighted in red.

Cleanroom
⚠ 2 / 5 people (+ 2 staff and 1 service personnel)

User	Since	Working on project...
Tech Cleanroom	Monday @ 1:35 PM	Cleanroom Maint
Ned Land	Monday @ 3:53 PM	Project 1
Pierre Aronnax	Monday @ 3:53 PM	Project 2
Staff Cleanroom	Monday @ 3:53 PM	Cleanroom Maint
Captain Nemo	Monday @ 3:54 PM	Cleanroom Training

v 3.4.0 - Developed by CNST, NIST

Tool usage

4 tools are in use

Tool	User	In use since...
Chlorine Etch	Staff Cleanroom	Monday @ 4:03 PM
Ellipsometer	Pierre Aronnax	Monday @ 4:03 PM
Sputter	Ned Land	Monday @ 4:02 PM
PECVD	Captain Nemo	Monday @ 3:00 PM

Alerts and outages

Sputter tool annual PM next week
The sputter tool will have a full annual preventative maintenance performed next week. During this time the tool will not be available to users.

Resource outage: O2
Gas bottle change

Figure 269 Jumbotron display

10.1 Web address

The jumbotron page is accessible at site-address/jumbotron/. For example, www.nemo.com/jumbotron/. The page is not accessible from the navigation bar and must be either directly addressed or have a quick link created in the landing page.

10.2 Usage

The intent of this page is to run continuously on a monitor.

- Area occupancy information will only be displayed if areas have been defined.
 - This section shows all users that are currently logged into all areas. Staff members are highlighted in green and service personnel are highlighted in orange, so they stand out. Each area will list the number of people in the area if it is greater than 1. Staff and service personnel are listed separately if the area is configured not to include them in the occupancy count.
 - When area reservations are in use, users with expired reservations are highlighted in red.
- Tool usage information will only be displayed if tools have been defined.
- Alerts and outages are only displayed if any are present (Figure 270).
- An optional watermark can be used on the page to highlight the lab.

Area occupancy

Staff members are highlighted in green.
Service personnel are highlighted in orange.
Users with expired reservations are highlighted in red.

Cleanroom		
User	Since	Working on project...
Tech Cleanroom	Monday @ 1:35 PM	Cleanroom Maint
Ned Land	Monday @ 3:53 PM	Project 1
Pierre Aronnax	Monday @ 3:53 PM	Project 2
Staff Cleanroom	Monday @ 3:53 PM	Cleanroom Maint
Captain Nemo	Monday @ 3:54 PM	Cleanroom Training

Tool usage

4 tools are in use

Tool	User	In use since...
Chlorine Etch	Staff Cleanroom	Monday @ 4:03 PM
Ellipsometer	Pierre Aronnax	Monday @ 4:03 PM
Sputter	Ned Land	Monday @ 4:02 PM
PECVD	Captain Nemo	Monday @ 3:00 PM

v 3.4.0 - Developed by CNST, NIST

Figure 270 Jumbotron with no alerts or outages

If there is no area occupancy or tool usage, then not-in-use messages are displayed (Figure 271).

Nobody is in an access controlled NanoFab area

No NanoFab tools are in use

v 3.4.0 - Developed by CNST, NIST

Figure 271 Jumbotron not in use messages

The page automatically refreshes periodically to keep the information current. If NEMO has gone offline and does not respond to a refresh request, the page will display “NEMO is offline” (Figure 272).




Figure 272 Jumbotron NEMO offline

10.3 Mobile device jumbotron

There are no mobile device views for the jumbotron page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

10.4 Jumbotron customizations

10.4.1 Background watermark

The jumbotron can display a background watermark image. The jumbotron watermark is configured through the [Customizations → Jumbotron watermark](#) page detailed on page 296.

10.4.2 Jumbotron refresh rate

The jumbotron page automatically refreshes every 10 seconds which updates the current area occupancy, tool usage information, alerts, and outages. To change the update interval, edit the jumbotrol.html and change the setInterval constant (in milliseconds) in the on_load function.

11 Safety

The safety page provides users a method to report and view non-emergency issues in the lab and gives staff a method to document progress and resolutions (Figure 273). If a user reports a problem with a tool and checks that the problem is also a safety hazard, as described in the [Tool control → Report a problem](#) section on page 117, a new safety issue will automatically be created here. Users and staff can see current issues and look at closed issues.

Safety suggestions and observations

Call 911 if there is an immediate emergency.

We invite your suggestions and observations in order to provide a safer and more effective environment for all users and staff. Use this form to report non-emergency related safety issues, unsafe working conditions, housekeeping suggestions, or observations. You can send your comments or concerns completely anonymously or provide your name so that we can follow up with you.

You can also [view past safety issues that have been resolved](#).

Report a new safety issue

Where is the problem?

Why are you concerned?

Report this issue anonymously. Your name will not be visible to NanoFab staff. There will be no way for us to follow up with you about how the safety issue was resolved.

Report a new safety concern

Existing safety issues

Concern
There is a pinch point on the glove box.
Location: Gowning room
Reported anonymously on Wednesday, April 29th, 2020 @ 5:03 PM

Figure 273 Safety page

11.1 Safety message

NEMO has a default safety message displayed at the top of the safety page. It can be customized to specific lab requirements (Figure 274). A customized html safety message can be loaded into NEMO through the [Customizations → Safety introduction message](#) detailed on page 285.

Call 911 if there is an immediate emergency.

We invite your suggestions and observations in order to provide a safer and more effective environment for all users and staff. Use this form to report non-emergency related safety issues, unsafe working conditions, housekeeping suggestions, or observations. You can send your comments or concerns completely anonymously or provide your name so that we can follow up with you.

Figure 274 Safety page default safety message

11.2 View resolved safety issues

Safety issues that have been closed can be accessed by clicking the view past safety issues link (Figure 275).

You can also [view past safety issues that have been resolved](#).

Figure 275 Safety past issues link

Clicking the link will open the resolved safety issues page (Figure 276).

Resolved safety issues

This page lists previously reported and resolved safety issues.

You can also [view current safety issues](#).

Concern

Several users are not wearing safety glasses.

Location: Cleanroom lithography

Reported on Wednesday, April 29th, 2020 @ 4:58 PM by Ned Land (ned)

Resolved on Wednesday, April 29th, 2020 @ 6:39 PM by Captain Nemo (captain)

Resolution

Posted sign in lab and will watch users to remind them to wear safety glasses.

Concern

Sliding door is closing while users are standing in the entry.

Location: Cleanroom

Reported on Monday, April 20th, 2020 @ 8:24 PM by Captain Nemo (captain)

Resolved on Wednesday, April 29th, 2020 @ 5:47 PM by Captain Nemo (captain)

Resolution

Plant replaced the sensor and tested the door. It is operating correctly now.

Figure 276 Safety resolved issues page

All resolved issues will be listed with the most recent resolution listed first. If there are not any resolved safety issues to list, the user will be notified with “There are no past issues.”

Clicking the view current safety issues link will return to the main safety page (Figure 277).

You can also [view current safety issues](#).

Figure 277 Safety return to main page

11.3 Report a new safety issue

New safety issues can be created by any user or staff member. To report a new safety issue, provide a location and a description of your concern (Figure 278).

The form has a title 'Report a new safety issue'. It contains two text input fields: one for 'Where is the problem?' and another for 'Why are you concerned?'. Below these fields is a checkbox labeled 'Report this issue anonymously. Your name will not be visible to NanoFab staff. There will be no way for us to follow up with you about how the safety issue was resolved.' At the bottom is a red button labeled 'Report a new safety concern'.

Figure 278 Safety report new issue

Users can select to report issues anonymously if desired and their name will not be recorded with the report (Figure 279). However, the staff will not be able to follow up directly with the user about the problem or how it was resolved.

A close-up view of the 'Report this issue anonymously' checkbox from Figure 278, showing the text: 'Report this issue anonymously. Your name will not be visible to NanoFab staff. There will be no way for us to follow up with you about how the safety issue was resolved.'

Figure 279 Safety report new issue anonymously

Once all information is correct, click the report button (Figure 280).



Figure 280 Safety issue report button

Upon clicking the report button NEMO will:

- Create a new safety issue in the safety issues table of the database as discussed in [Detailed administration → Safety Issues](#) on page 480.
- Send an email to the safety email address using the safety email template. If either are missing, no email will be sent. Safety email address and email template are detailed in the [Customization](#) section starting on page 272.
- Upon success, a confirmation screen will appear to verify that the safety issue was received and recorded (Figure 281).

Your safety concern was sent to NanoFab staff and will be addressed promptly

[Continue to NEMO home screen](#)

Figure 281 Safety report confirmation

Click the continue button to return to the NEMO landing page (Figure 282).

[Continue to NEMO home screen](#)

Figure 282 Safety continue button

11.4 View open safety issues

All open safety issues are listed at the bottom of the page (Figure 283).

Existing safety issues

Concern

There is a pinch point on the glove box.

Location: Gowning room

Reported anonymously on Wednesday, April 29th, 2020 @ 5:03 PM

Concern

This safety issue was automatically created because a microscope problem was identified as a safety hazard.

Smoke coming from lamp housing when on.

Location: Cleanroom Bay 5

Reported on Friday, April 17th, 2020 @ 12:31 PM by Captain Nemo (captain)

Figure 283 Safety open issues

11.4.1 User view

Each concern will list a description, location, the time and date (Figure 284).

Concern

There is a pinch point on the glove box.

Location: Gowning room

Reported anonymously on Wednesday, April 29th, 2020 @ 5:03 PM

Figure 284 Safety open issue user view

11.4.2 Staff view

The staff view will list a description, location, the time and date, and the user who reported the concern (Figure 285). In addition, staff can update a concern by clicking anywhere in the listing box.

Concern

There is a pinch point on the glove box.

Location: Gowning room

Reported anonymously on Wednesday, April 29th, 2020 @ 5:03 PM

Figure 285 Safety open issue staff view

11.4.3 Hidden issues

Some issues may be hidden from users however staff will still be able to view them (Figure 286). Issues hidden from users are noted.

Concern

There is a pinch point on the glove box.

⌚ This issue is hidden from users

Location: Gowning room

Reported anonymously on Wednesday, April 29th, 2020 @ 5:03 PM

Figure 286 Safety issue hidden from user view

11.4.4 Automatic safety issues

If a safety issues was created automatically with a tool problem report, it will say so (Figure 287).

Concern
This safety issue was automatically created because a microscope problem was identified as a safety hazard.

Smoke coming from lamp housing when on.

Location: Cleanroom Bay 5
Reported on Friday, April 17th, 2020 @ 12:31 PM

Figure 287 Safety report created by tool problem report

11.4.5 Progress

If a safety has an update but has not been resolved, it will have a progress section that lists the progress made so far (Figure 288).

Concern
Several users are not wearing safety glasses.

Location: Cleanroom lithography
Reported on Wednesday, April 29th, 2020 @ 4:58 PM by Ned Land (ned)

Progress
Posted sign in lab and will watch users to remind them to wear safety glasses.

Figure 288 Safety issue showing progress

11.5 Resolve or update a safety issue (staff only)

Staff can resolve an open issue or make progress updates. Clicking anywhere in a concern box will open the update page (Figure 289). The update page has check boxes to resolve an issue and hide an issue, a dialog box to enter information, save and abandon update buttons, and a listing of all information to date.

Update a safety issue

- This issue has been resolved
 This issue is visible to users

Provide an update on how this safety issue is being handled or resolved.

Save update

Abandon update

Concern

Several users are not wearing safety glasses.

Location: Cleanroom lithography

Reported on Wednesday, April 29th, 2020 @ 4:58 PM by Ned Land (ned)

Progress

Posted sign in lab and will watch users to remind them to wear safety glasses.

Figure 289 Safety issue update page

If this is the final update and the issue will be closed, check the issue resolved checkbox (Figure 290).



Figure 290 Safety update issue resolved checkbox

All issues are visible to users by default, if an issue needs to be hidden from users, uncheck the visible to users' checkbox (Figure 291).




Figure 291 Safety update issue visible checkbox

Enter a detailed narrative or the progress to date or the final resolution (Figure 292).

Provide an update on how this safety issue is being handled or resolved.

Figure 292 Safety update narrative dialog box

To save, click the save update button (Figure 293). After clicking save, the main safety page is opened.

Save update

Figure 293 Safety update save button

To leave without recording any changes, click the abandon changes button (Figure 294). After clicking abandon, the main safety page is opened.

A yellow rectangular button with the text "Abandon update" in black, centered within the button.

Figure 294 Safety update abandon button

11.6 Notifications (*staff only*)

When safety alerts are created, the notification status is set for staff members. It automatically expires after one month. If a user accesses a page with a notification within that time, there will be a notification indicating new content since their last visit. The safety notifications are reset upon visiting the safety page. Notifications are detailed in [Detailed administration → Notifications](#) on page 458.

If the safety page has a link on the landing page, a red number that represents the number of new safety issues reported since the user last visited the safety page will appear to the right of the link name (Figure 295). Setup details can be found under [Detailed administration → Landing page choices](#) on page 436.



Figure 295 Landing page safety notification

The next time the safety page is visited, any new issues that have been created since the user last visited the safety page will have a special “new” icon to highlight the concern (Figure 296).



Figure 296 Safety page new issues

11.7 Web address

The safety page is accessible at site-address/safety/. For example, www.nemo.com/safety/. The page is not accessible from the navigation bar and must be either directly addressed or have a quick link created in the landing page.

11.8 Mobile device safety page

There are no mobile device views for the safety page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

11.9 Safety page customizations

11.9.1 Safety email address and email template

Safety email address and email template are detailed in the [Customization](#) section starting on page 272.

11.9.2 Safety introduction message

A customized html safety message can be loaded into NEMO through the [Customizations → Safety introduction message](#) detailed on page 285.

12 Send feedback

The send feedback provides users a dialog to send general comments and suggestions to staff that are not safety related (Figure 297).

The screenshot shows a web page titled "Submit feedback about the NanoFab". The page has a large text area for input. Below the input area is a green button labeled "Send feedback".

Figure 297 Send feedback page

If either the email address or email template have not been configured, a warning message the feature has not been customized will be displayed instead of the feedback page (Figure 298). Configuration is detailed in the [Customization](#) section starting on page 272.

The Feedback page has not been customized yet

Feedback is emailed to an address specified by the NEMO site administrator. Use the [customizations page](#) to enter an email address, then all users will be able to send feedback.

Figure 298 Send feedback not configured

12.1 Web address

The send feedback page is accessible at site-address/feedback/. For example, www.nemo.com/feedback/. The page is not accessible from the navigation bar and must be either directly addressed or have a quick link created in the landing page.

12.2 Usage

To send user feedback:

- Provide a detailed narrative in the dialog box (Figure 299).

We're continually working to improve the NanoFab experience for everyone.
Do you have an idea to make the NanoFab better? Send us your feedback!

Figure 299 Feedback dialog box

- Click the send feedback button (Figure 300).



Send feedback

Figure 300 Feedback send button

- The dialog is checked for size. If the dialog is empty, the user is prompted to add information (Figure 301).




Figure 301 Feedback empty dialog prompt

- If the dialog is too long, it is truncated without warning.
- Feedback is sent to the configured feedback email address using the configured email template.

12.3 Mobile device send feedback page

There are no mobile device views for the send feedback page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

12.4 Send feedback page customizations

12.4.1 Feedback email address and email template

Safety email address and email template are detailed in the [Customization](#) section starting on page 272.

12.4.2 Feedback message length

The maximum length of the feedback message is 5000 characters and can be changed in the constants.py file.

13 Contact staff

The contact staff page can be used to provide information to help users get in touch with staff members (Figure 302). Contact information can be grouped into categories and the displayed in any order. Contacts are managed in the [Detailed administration → Contact information](#) section described on page 433.

13.1 Fields

Each contact can have the following information. Any optional fields that are left blank will not be displayed.

- Picture (optional) – pictures are automatically resized to 266 pixels high by 200 pixels wide and can be any common picture format such as png, tiff, jpg, etc.
- Name (required) – contact first and last name
- Email (optional) – any valid email address. The email address is displayed as a link to send email.
- Office phone (optional) – any valid phone number. The phone number is displayed as a link to make a call on a mobile device.
- Mobile phone (optional) – any valid phone number. The phone number is displayed as a link to make a call on a mobile device. In addition, a link to send a text message from a mobile device can be enabled.
- Office location (required) – description to find the contact, limited to 200 characters.

Contact information

Staff



Captain Nemo


Email: captain.nemo@nautilus.com

Office phone: 202-555-1212

Mobile phone:

- Call 098-765-4321
- Send a text message

Office location: Building 7 Room 2



Staff

Email: staff@nemo.com

Office phone: 314-159-2653

Office location: 271/A828

Technicians

Tech

Email: tech@nemo.com

Office phone: 123-456-7899

Office location: 123/A458

Figure 302 Contact staff page

13.2 Web address

The contact staff page is accessible at site-address/contact_staff/. For example, www.nemo.com/contact_staff/. The page is not accessible from the navigation bar and must be either directly addressed or have a quick link created in the landing page.

13.3 Mobile device contact staff page

There are no mobile device views for the contact staff page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

13.4 Contact staff page customizations

There are no contact staff page customizations

14 View usage

The view usage page allows a user to review all records for a selectable period (Figure 303). When the page is first opened, it displays any records for the current month.

Usage and billing information between August 1st, 2020 and August 31st, 2020

This page presents a monthly report of your NanoFab usage and billing information. Approved adjustments are reflected in the billing information data but not in the usage data.

Select month

or from to

Adjustment activities **are not included** in the usage information.

There was no usage between August 1st, 2020 and August 31st, 2020.

Figure 303 View usage and billing

14.1 Select date range

The date range may be selected from either the select month dropdown (Figure 304) or entered in the from and to dialogs. Clicking the from or to dialog will open a calendar view to select the dates (Figure 305).



Figure 304 Usage month dropdown




Figure 305 Usage date selection

Click update to search for records in the selected date range (Figure 306).



Figure 306 Usage date update

14.2 Usage select project (for Principal Investigators only)

Principal Investigators can select a project they managed in the dropdown (Figure 307). Upon clicking update, all the activities for that project will be displayed, regardless of the user being billed. This allows PIs to check their project's users activities for example.




Figure 307 View usage select project

14.3 Usage

The usage tab will display usage data for the selected period (Figure 308). Clicking 'Usage' will highlight and activate the tab.



Figure 308 View usage, usage tab

If no usage records exist for a given period, it is indicated. If usage records exist, they are categorized in the following order:

- Missed reservations – the tool, date, time, and project information are provided (Figure 309).




Figure 309 View usage missed reservations

- Supplies and consumables – the supply, quantity, seller, date, time, and project are provided (Figure 310). If the supply is related to a tool usage charge, the user will also be the seller.

Supplies and consumables

Sputter gold

Quantity 8

Purchased from Ned Land (ned) on Monday, May 4th, 2020 @ 12:33 PM

Charged to project Project 1

Tweezers

Quantity 1

Purchased from Captain Nemo (captain) on Monday, May 4th, 2020 @

12:29 PM

Charged to project Project 1

Figure 310 View usage supplies and consumables

- Staff charges – any work performed by a staff member for a user will be listed. The staff member, start date and time, end date and time, and project are listed (Figure 311).

Staff charges

Work performed by Captain Nemo (captain)

Tuesday, April 28th, 2020 @ 3:00 PM

Tuesday, April 28th, 2020 @ 3:26 PM

Charged to project Project 2

Figure 311 View usage staff charges

- Training sessions – the type of training, duration, staff member trainer, tool, project, date, and time are listed (Figure 312).

Training sessions

Individual training for 60 minutes taught by **Captain Nemo (captain)** for the

Ellipsometer. Charged to project Project 2 on Wednesday, April 22nd,

2020 @ 2:40 PM.

Figure 312 View usage training sessions

- Area access – the area accessed, start date and time, end date and time, and project are listed. If the area was accessed by a staff member on behalf of the user, it is highlighted in yellow, and the staff members name is also listed (Figure 313).

Area access

Cleanroom

Monday, September 21st, 2020 @ 1:33 PM
Monday, September 21st, 2020 @ 2:06 PM
Charged to project Project 2

Cleanroom

Area accessed by Captain Nemo (captain) on your behalf
Monday, September 21st, 2020 @ 11:53 AM
Monday, September 21st, 2020 @ 12:07 PM
Charged to project Project 1

Figure 313 View usage area access

- Tool usage – tool name, start date and time, end date and time, and project are listed. If the tool was operated by a staff member on behalf of the user, it is highlighted in yellow, and the staff members name is also listed (Figure 314).

Tool usage

Fluorine Etch

Tuesday, April 28th, 2020 @ 4:31 PM
Tuesday, April 28th, 2020 @ 5:27 PM
Charged to project Project 1

Sputter

Operated by Captain Nemo (captain) on your behalf
Tuesday, April 28th, 2020 @ 3:00 PM
Tuesday, April 28th, 2020 @ 3:26 PM
Charged to project Project 2

Figure 314 View usage tool time

Only categories with usage are displayed.

- Export: usage data can be exported in CSV format by clicking on the “Export” button (Figure 315).

Export

Figure 315 Usage data export

14.4 Billing Information

The billing information tab will display charge data for the selected period (Figure 316). Clicking ‘Billing information’ will highlight and activate the tab.



Figure 316 View usage, billing information tab

The billing information tab can be used to display actual charges for a user through a customized interface to your institutions billing and project data. An example is shown in the views/usage.py file under the billing_dict function. It is beyond the scope of this manual to describe how to customize this feature for your institution. If the feature has not been configured a message will appear (Figure 317).




Figure 317 View usage billing information error

14.5 Web address

The view usage page is accessible at site-address/usage/ and the view billing at site-address/billing/. For example, www.nemo.com/usage/ or www.nemo.com/billing/. The page is not accessible from the navigation bar and must be either directly addressed or have a quick link created in the landing page.

14.6 Mobile device view usage page

There are no mobile device views for the view usage page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

14.7 View usage page customizations

14.7.1 Billing information

Billing information data access must be customized for each institution. An example is shown in the views/usage.py file under the billing_dict function. It is beyond the scope of this manual to describe how to customize this feature for your institution.

15 News and events

The news and events page provides a convenient way for the lab staff to communicate with users about non-emergency topics. For example, new equipment on order, tool installation progress, future plans, etc. Each time NEMO is updated, news articles are automatically generated and describe the new features, improvements, and bug fixes implemented in the new release.

15.1 Recent news

The news and events page shows recent news articles by default (Figure 318).

The screenshot shows a web page titled 'Recent news'. At the top right is a green button labeled 'Publish new news'. Below the title, there is a message: 'Click a news story title to publish an update or archive it.' A note states, 'Stories that were updated recently appear first.' A link 'You can also view archived news.' is present. The main content area displays a news item with a green 'New update' badge. The title is 'New ICP etch system coming soon'. The text reads: 'Originally published on Monday, May 4th, 2020 @ 2:02 PM by Captain Nemo (captain): A new ICP fluorine etch system has been ordered and will be sited next to the existing system. We expect delivery in six months and plan another two months for installation and startup.' Below this, a link '... show full story ...' is shown. Another update is listed: 'Updated on Monday, May 4th, 2020 @ 2:05 PM by Captain Nemo (captain): The new tool has arrived and will be brought into the cleanroom next week.'

Figure 318 News and events recent news

Staff can create new news articles by clicking the Publish new news button (Figure 319). The button will not be visible to non-staff users.

Publish new news

Figure 319 News and events publish new news button

Users can view archived news articles by clicking the link (Figure 320).

You can also [view archived news](#).

Figure 320 News and events archived news link

If the article was recently created or updated, the new update icon will appear next to the article title (Figure 321).

New update New ICP etch system coming soon

Figure 321 New and events new update icon

Staff can update a news article by clicking the title (Figure 322). The title will not appear as a link for non-staff users.

New ICP etch system coming soon

Figure 322 News and events update article title link

If a story has more than 2 updates, only the first and last are shown (Figure 323).

Originally published on Monday, May 4th, 2020 @ 2:02 PM by Captain Nemo (captain):
A new ICP fluorine etch system has been ordered and will be sited next to the existing system. We expect delivery in six months and plan another two months for installation and startup.

[... show full story ...](#)

Updated on Monday, May 4th, 2020 @ 2:05 PM by Captain Nemo (captain):
The new tool has arrived and will be brought into the cleanroom next week.

Figure 323 News and events story collapsed

Clicking the show full story link (Figure 324) will expand the article to include all updates (Figure 325).

[... show full story ...](#)

Figure 324 News and events show full story link

New update New ICP etch system coming soon

Originally published on Monday, May 4th, 2020 @ 2:02 PM by Captain Nemo (captain):
A new ICP fluorine etch system has been ordered and will be sited next to the existing system. We expect delivery in six months and plan another two months for installation and startup.

Updated on Monday, May 4th, 2020 @ 2:03 PM by Captain Nemo (captain):
The vendor has informed us that the system will be delayed by a month.

Updated on Monday, May 4th, 2020 @ 2:03 PM by Captain Nemo (captain):
While we have been waiting for delivery of the new system the gas lines have been installed and the electric has been pre-wired.

Updated on Monday, May 4th, 2020 @ 2:05 PM by Captain Nemo (captain):
The new tool has arrived and will be brought into the cleanroom next week.

Figure 325 News and events story expanded

15.2 Archived news

The archived news page displays older articles in order of creation date from most recent to oldest (Figure 326).



Figure 326 News and events archived articles

Clicking the view recent news link will return to the recent news page (Figure 327).

You can also view recent news.

Figure 327 News and events view recent news link

Up to 20 articles are displayed per page fully expanded. If more than 20 archived articles are available, buttons will appear below the recent news link to go to the older articles ([Older »](#)) or newer articles ([« Newer](#)).

15.3 Publish new news (staff only)

Staff may publish new news articles by clicking the publish new news button from the recent news page (Figure 328).



Figure 328 News and events recent news with publish new news button

The publish new news page provides dialogs for the new story title and story body (Figure 329).

Publish new news

Provide a news story title

What's happening?

Keep this news story at the top of the news feed

Publish




Figure 329 News and events publish new news page

To publish a new news article:

- Enter a story title in the top dialog box (Figure 330). This title will be displayed at the top of the article.

Provide a news story title

Figure 330 New and events publish new news story title dialog

- Enter the body of the story in the what's happening dialog (Figure 331).

What's happening?

Figure 331 News and events publish new news story body dialog

- Check the box if you'd like the story to stay atop the news feed (Figure 332).

Keep this news story at the top of the news feed

Figure 332 News and events publish new news story pinned checkbox

- Click the publish button (Figure 333).



Publish

Figure 333 News and events publish new news story button

- The news story is automatically created in the database with author and time and date stamp added as discussed in [Detailed administration → News](#) on page 452.
- Notifications for all active users are set which are detailed in [Detailed administration → Notifications](#) on page 458.

15.4 Update news article (staff only)

Staff may update news articles by clicking the article title link from the recent news page (Figure 334).



New ICP etch system coming soon

Figure 334 News and events article title update link

The update a news story page will show the original posting, all updates, an archive button, an update dialog, and publish button (Figure 335).

Update a news story

New ICP etch system coming soon

[Archive this news story](#)

Originally published on Monday, May 4th, 2020 @ 2:02 PM by Captain Nemo (captain):
A new ICP fluorine etch system has been ordered and will be sited next to the existing system. We expect delivery in six months and plan another two months for installation and startup.

Updated on Monday, May 4th, 2020 @ 2:03 PM by Captain Nemo (captain):
The vendor has informed us that the system will be delayed by a month.

Updated on Monday, May 4th, 2020 @ 2:03 PM by Captain Nemo (captain):
While we have been waiting for delivery of the new system the gas lines have been installed and the electric has been pre-wired.

Updated on Monday, May 4th, 2020 @ 2:05 PM by Captain Nemo (captain):
The new tool has arrived and will be brought into the cleanroom next week.

Provide an update

[Publish](#)

Figure 335 News and events update page

Clicking the ‘Archive this news story’ button will set the archive flag immediately without confirmation (Figure 336). Archived news stories are removed from the recent news page and displayed on the archived news page.

[Archive this news story](#)

Figure 336 News and events update page archive button

To publish an update:

- Enter the update in the dialog box (Figure 337)



Figure 337 News and events update dialog box

- Check/uncheck the box if you'd like to change the pinned status of the story (Figure 338).




Figure 338 News and events update pinned checkbox

- Click the publish button (Figure 339)



Figure 339 News and events update publish button

- The news story is automatically updated in the database with author and time and date stamp added as discussed in [Detailed administration → News](#) on page 452.
- Notifications for all active users are set which are detailed in [Detailed administration → Notifications](#) on page 458.

15.5 Notifications

When news and events are created or updated, the notification status is set for all users. It automatically expires after one month. If a user accesses a page with a notification within that time, there will be a notification indicating new content since their last visit. The notifications are reset upon visiting the news and events page. Notifications are detailed in [Detailed administration → Notifications](#) on page 458.

If the news and events page has a link on the landing page, a red number that represents the number of articles created or updated since the user last visited the news and events page will appear to the right of the link name (Figure 340). Setup details can be found under [Detailed administration → Landing page choices](#) on page 436.



Figure 340 Landing page news notification

The next time the news and events page is visited, any new or updated articles will have a special “new update” icon to highlight the update (Figure 341).



Figure 341 News update icon

15.6 Web address

The news and events page is accessible at site-address/news/. For example, www.nemo.com/news/. The page is not accessible from the navigation bar and must be either directly addressed or have a quick link created in the landing page.

15.7 Mobile device news and events page

There are no mobile device views for the news and events page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

15.8 News and events customizations

A news story is published when a new NEMO release is installed with links to the release notes and the feature manual. This feature can be disabled by setting NEW_VERSION_NEWS = False in settings.py.

16 User Preferences

The user preferences page provides a dialog to enable user specific reservation notifications with meeting invites (Figure 342).

The figure shows a 'User Preferences' dialog box. The 'Reservations' section contains two checkboxes: 'Check this box to receive ICS calendar invitation when creating reservation' (unchecked) and 'Check this box to receive ICS calendar invitation when cancelling a reservation' (unchecked). The 'Buddy System' section contains three checked checkboxes: 'Check this box to see notification badges for new buddy requests', 'Check this box to see notification badges when users reply to buddy requests you replied to', and 'Check this box to receive an email notification when users reply to buddy requests you replied to'. A blue 'Update' button is located at the bottom left of the dialog.

Figure 342 User preferences page

16.1 Usage

To update reservation user preferences:

- Check the top box to receive a calendar invite when creating a reservation (Figure 343)

Check this box to receive ICS calendar invitation when creating reservation

Figure 343 User preferences creation email checkbox

- Check the bottom box to receive a calendar cancelation when cancelling a reservation (Figure 344)

Check this box to receive ICS calendar invitation when cancelling a reservation

Figure 344 User preferences cancellation email checkbox

To update buddy board user preferences:

- Check the top box to see notifications for new buddy requests (Figure 345). They will appear as a number next to the buddy board heading on the navigation bar (Figure 346).

Check this box to see notification badges for new buddy requests

Figure 345 User preferences new buddy request notification checkbox

Buddy board 1

Figure 346 User preferences buddy navigation bar notification

- Check the middle box to see notifications when users reply to buddy requests you replied to (Figure 347).

Check this box to see notification badges when users reply to buddy requests you replied to

Figure 347 User preferences buddy response notification checkbox

- Check the bottom box to receive email notifications when users reply to buddy requests you replied to (Figure 348).

Check this box to receive an email notification when users reply to buddy requests you replied to

Figure 348 User preferences buddy response email checkbox

To save user preferences:

- Click the update button (Figure 349)

Update

Figure 349 User preferences update button

- Selections will be updated in the database as discussed in [Detailed administration → User preferences](#) on page 529.
- Email templates must be created for User reservation created email and User reservation cancelled email for this feature to work. Details are provided in the [Customization → User reservation email](#) sections starting on page 367.

16.2 Web address

The user preferences page is accessible at site-address/user_preferences/. For example, www.nemo.com/user_preferences/. The page is accessible from the navigation bar by clicking the  link or in mobile view selecting preferences.

16.3 Mobile device user preferences page

There are no mobile device views for the safety page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

16.4 User preferences page customizations

16.4.1 Email templates

Email templates must be created for the User reservation created email and the User reservation cancelled email for this feature to work. Details are provided in the [Customization →User reservation email](#) sections starting on page 367.

17 Administration menu (staff only)

The administration menu provides the interfaces to manage accounts, projects, users, tools, areas, training, and maintenance as well as customize NEMO setups and access the NEMO database (Figure 350). Only staff have access to the administration menu and pages. Some administration pages also require super-user privilege.




Figure 350 Administration menu

Abuse (staff only)

The abuse page can take various inputs to score users on their missed reservations and last-minute cancelations (Figure 351).

Reservation abuse

This page ranks users that abuse reservation privileges. Abuse is defined as cancelling, moving, or extending a reservation shortly before the reservation would have started. A point penalty is calculated per abuse. Point penalties increase the shorter the notice of a reservation change. (That is, cancelling a reservation right before it would have started will incur a high amount of points, while cancelling it 6 hours before would incur fewer points).

The weight & details of what constitutes abuse can be configured (though reasonable defaults have been chosen).

Cancellation horizon	6	hours
Cancellation penalty	Up to	points
Evaluate for the	Entire NanoFab ▾	
Starting	04/01/2020	Ending 04/29/2020
Generate report		

Figure 351 Reservation abuse page

17.1 Web address

The abuse page is accessible at site-address/abuse/. For example, www.nemo.com/abuse/. The page is also accessible from the navigation bar by clicking Administration then clicking Abuse.

17.2 Mobile device abuse page

There are no mobile device views for the abuse page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

17.3 Abuse page customizations

There are no customizations for the abuse page.

18 Accounts and projects (staff only)

The accounts and projects page provides the interface to administer accounts, projects, and user permissions on projects.

An account is at the top of the hierarchy. This is where you send the bill. An account can have many projects.

Projects are used to identify different efforts by the same account. This is what department or group is charging the account. Each project can have many users.

A user can be active on any number of projects under any number of accounts.

Many accounts will have one project with one or more users, but NEMO has the flexibility to accommodate any mode of operation.

Upon entering the page, there are buttons to add accounts, add projects, search for accounts or projects, and a list of all accounts and projects (Figure 352). The accounts and projects

Accounts and projects		
<input type="text" value="Search for an account or project"/>		
25 ▾ results per page		
Name	Project Identifier	Active
▼ Account 1		<input checked="" type="checkbox"/> <input type="button" value="🔍"/>
Project 1	PROJ.123	<input checked="" type="checkbox"/> <input type="button" value="🔍"/>
▼ Account 2		<input checked="" type="checkbox"/> <input type="button" value="🔍"/>
Project 2	PROJ.456	<input checked="" type="checkbox"/> <input type="button" value="🔍"/>
▼ Account 3		<input checked="" type="checkbox"/> <input type="button" value="🔍"/>
Project 3	PROJ.789	<input checked="" type="checkbox"/> <input type="button" value="🔍"/>

Figure 352 Accounts and projects page

18.1 Search for existing accounts or projects

To search for an existing account or project, start typing in the search dialog (Figure 353).

Figure 353 Accounts and projects search dialog

Results are returned as characters are typed and the account or project of interest can be selected at any time by clicking the name (Figure 354).

cle	
Cleanroom Staff account	
Cleanroom Maint project	Proj.2019.001
Cleanroom Training project	Proj.2019.003
Cleanroom Eng project	Proj.2019.002

Figure 354 Accounts and projects search return list

Upon selecting an account, the base account and all associated projects are displayed (Figure 355).

Cleanroom Staff	Active
➤ Cleanroom Eng	Active
Proj.2019.002	
➤ Cleanroom Maint	Active
Proj.2019.001	
➤ Cleanroom Training	Active
Proj.2019.003	

Figure 355 Accounts and projects list view

The top of the list is the account name (Figure 356).

Cleanroom Staff	Active
------------------------	---------------

Figure 356 Accounts and projects view account

Each project title is listed (Figure 357).

Cleanroom Eng	Active
----------------------	---------------

Figure 357 Accounts and projects view project

The application identifier is listed below the project title (Figure 358).



Proj.2019.002

Figure 358 Accounts and projects project application identifier

Upon selecting a project, the project name, account, project identifier and start date (if defined) are displayed (Figure 359). Clicking on the account name will link back to the account view (Figure 355)



▼ Cleanroom Eng Active

Account: [Cleanroom Staff](#)

Identifier: PROJ.2019.02

Start Date: 06/03/2020

Figure 359 Accounts and projects project view

18.2 Account and project status

Accounts and projects can be either active or inactive and their status is indicated by an icon. Changing an account to inactive will cause all of its associated projects to inherit the inactive state regardless of individual project statuses. Although a project will inherit its account inactive status, the individual project statuses are not changed. Projects that are inactive, either directly or inherited from account, cannot be selected on any lab use activity.

Clicking the icon will toggle the status.



Active

Account or project is active



Inactive

Account or project is inactive

On the list view, account or project status can be toggled by clicking on the green icon  to deactivate, or the red icon  to reactive an account/project.

Any change in account or project status is recorded in the activity histories table of the database detailed in the [Detailed administration → Activity histories](#) section on page 395.

18.3 Manage users on a project

Users can be added and removed to any project regardless of associated accounts through the Accounts and project page or the [Users](#) page which is detailed on page 260.

To manage users on a project:

- Search for a project or select one from the list view using the details icon (🔍)
- Click the (↗) on a project listing to expand the project dialog and include qualified users (Figure 360).




Figure 360 Accounts and projects expanded dialog

- To add a user, click in the search dialog box (Figure 361).




Figure 361 Accounts and projects search for user

- Results are returned as characters are typed and the name of interest can be selected at any time by clicking the name on the list (Figure 362).




Figure 362 Accounts and projects add user

- The selected user is added immediately without confirmation and the list of users displayed is updated.
- Click the (✖) to remove a user from a project. The removal is immediate without confirmation and the list of users displayed is updated.
- Adding or removing a user on a project is recorded in the membership history table of the database detailed in the [Detailed administration → Membership histories](#) section on page 452.
- Clicking the (▼) will collapse the project dialog.

18.4 Create an account

To create an account:

- Click the new account button on the accounts and projects page (Figure 363).

A green rectangular button with the text "New account" in white.

Figure 363 Accounts and projects new account button

- The new account dialog will open (Figure 364).


A modal dialog box titled "New account". It contains fields for "Name" (with placeholder "Name"), "Type" (with placeholder "-----" and a dropdown arrow), "Start date" (with placeholder "Choose a date"), and a checked checkbox for "Active". At the bottom are two buttons: a green "Create new account" button and an orange "Abandon account creation" button.

Figure 364 Accounts and projects new account dialog

- Enter the account name in the dialog box (Figure 365).

A simple dialog box with a "Name" label and a text input field containing the placeholder "Name".

Figure 365 Accounts and projects new account name dialog box

- If account types are defined, you have the option to select the type (Figure 366).

A dialog box with a "Type" label and a dropdown menu containing the placeholder "-----".

Figure 366 Accounts and projects new account type selector

- Enter the start date of the account (optional) (Figure 367).


A dialog box with a "Start date" label and a dropdown menu containing the placeholder "Choose a date".

Figure 367 Accounts and projects new account start date

- The active checkbox is checked by default. It can be unchecked for inactive status (Figure 368).



Figure 368 Accounts and projects new account active checkbox

- Click the create new account button (Figure 369).



Figure 369 Accounts and projects new account create button

- The new account is recorded in the accounts table of the database detailed in the [Detailed administration → Accounts](#) section on page 391.
- The page will return to the accounts and projects page with the new account selected (Figure 370).




Figure 370 Accounts and projects new account finished

- If a duplicate account name is entered, an error will appear (Figure 371).




Figure 371 Accounts and projects new account error

- To cancel without saving, click the cancel button instead of the create new account button (Figure 372).



Figure 372 Accounts and projects new account cancel button

18.5 Create a project


To create a project:

- Click the new project button on the accounts and projects page (Figure 373).

New project

Figure 373 Accounts and projects new project button

- The new project dialog will open (Figure 374).



The New project dialog box contains the following fields:

- Name: A text input field.
- Account: A text input field.
- Application identifier: A text input field.
- Start date: A text input field with the placeholder "Choose a date".
- A checkbox labeled "Active" is checked.
- Two buttons at the bottom: "Create new project" (green) and "Abandon project creation" (orange).

Figure 374 Accounts and projects new project dialog

- Enter the project name in the name dialog box (Figure 375).



The Name dialog box contains a single text input field labeled "Name".

Figure 375 Accounts and projects new project name


- Enter the account name in the account dialog box (Figure 376).



The Account dialog box contains a single text input field labeled "Account".

Figure 376 Accounts and projects new project account search

- Results are returned as characters are typed and the name of interest can be selected at any time by clicking the name on the list (Figure 377).



The Account list dialog box shows a partial list of accounts. The first item, "Cleanroom Staff", is highlighted with a blue selection bar. The text "c" is typed into the search input field.

Figure 377 Accounts and projects new project account list

- Enter the application identifier in the application dialog box (Figure 378).

The dialog box has a title bar with the text 'Application identifier'. Below it is a single-line text input field.

Figure 378 Accounts and projects new project application identifier

- Enter the start date of the project (optional) (Figure 379).

The dialog box contains two buttons side-by-side: 'Start date' on the left and 'Choose a date' on the right.

Figure 379 Accounts and projects new project start date

- The active checkbox is checked by default. It can be unchecked for inactive status (Figure 380).

The dialog box contains a single checkbox labeled 'Active' which is checked.

Figure 380 Accounts and projects new project active checkbox

- Click the create new project button (Figure 381).

Create new project

Figure 381 Accounts and projects new project create button

- The new project is recorded in the projects table of the database detailed in the [Detailed administration → Projects](#) section on page 458.
- The page will redirect to the project details page (Figure 382).

The dialog box displays the following information:
New test project Active
 Account: [New test account](#)
 Identifier: Proj.2021.03
 Users:
 Search for a user to add
 This project does not have any members.
 Principal Investigators:
 Search for a PI to add
 This project does not have any principal investigators.

Figure 382 Accounts and projects new project finished

- If the project name already exists, an error will be created (Figure 383).

The screenshot shows a web form with a single input field labeled "Name". The input field contains the text "New test project". Below the input field, a red error message reads "Project with this Name already exists.".

Figure 383 Accounts and projects new project error

- To cancel without saving, click the cancel button instead of the create new account button (Figure 384).

An orange rectangular button with the white text "Abandon project creation" centered on it.

Figure 384 Accounts and projects new project cancel button

18.6 Web address

The accounts and projects page is accessible at site-address/accounts_and_projects/. For example, www.nemo.com/accounts_and_projects/. The page is also accessible from the navigation bar by clicking Administration then clicking Accounts and projects.

18.7 Mobile device accounts and projects page

There are no mobile device views for the accounts and projects page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

18.8 Accounts and projects page customizations

There are no customizations for the accounts and projects page.

19 Alerts (staff only)

The alerts page creates notifications to all users and can have a scheduled start date and time as well as a scheduled end date and time. Any existing alerts are displayed at the bottom of the page and can be edited or deleted. (Figure 385). Existing alerts display the title, details, start date/time and end date/time.

The screenshot shows the 'Alerts' page. At the top, a heading says 'You can create and edit alerts that will be visible to everyone. The alert will only be visible after the debut time and will be deleted after the expiration time.' Below this is a 'Create a new alert' section with fields for 'Title' (containing a single character), 'Type' (a dropdown menu showing 'Select an alert type'), 'Contents' (an empty text area), 'Debut time' (set to '05/04/2020 9:28 PM'), and 'Expiration time' (empty). A green 'Create alert' button is at the bottom. In the bottom right corner, there is a red alert card with the title 'Sputter tool annual PM next week', a note about preventative maintenance, the debut date ('Debuts on Monday, April 13th, 2020 @ 1:52 PM'), and a note that it 'This alert will never expire'. It has edit and delete icons.

Figure 385 Alerts page

19.1 Create an alert

To create an alert:

- Enter an alert title (Figure 386). The title is displayed in bold at the top of the alert message.

A screenshot of a title dialog box with a single input field labeled 'Title'.

Figure 386 Alerts title dialog box

- Select an alert type (Figure 387). The alert type will only display if alert types have been defined in the alert categories table of the database detailed in the [Detailed administration → Alert categories](#) section on page 397. Categorizing alerts can be useful for binning alerts aiding in future analysis and trending.



Figure 387 Alerts type dropdown

- Provide details to share with users (Figure 388).



Figure 388 Alerts details dialog box

- Select a start date and time (Figure 389). The default is now.



Figure 389 Alerts start date and time

- Select an end date and time (Figure 390). To prevent alert expiration, leave this blank.



Figure 390 Alerts end date and time

- Clicking in the start or end date/time area will bring up the calendar/clock selection dialog (Figure 391). Click to the appropriate date and time. The date/time dialog will update as you click.




Figure 391 Alerts calendar/clock dialog

- Click the create alert button (Figure 392).



Figure 392 Alerts create button

- Upon creation, the alert will be saved in the database and is detailed in the [Detailed administration → Alerts](#) section on page 399.
- The new alert will be displayed at the bottom of the alerts page and on the [landing page](#) described on page 30.

19.2 Delete an alert

An alert can be deleted by clicking the (X) icon in the alert of interest at the bottom of the alerts page (Figure 393). The deletion is immediate without confirmation. The alert is still saved in the database but marked as deleted and will no longer be displayed.




Figure 393 Alerts existing alert dialog

19.3 Edit an alert

To edit an alert:

- Click the (pencil) icon in the alert dialog of interest.
- The alert edit page will open (Figure 394).

Alerts

You can create and edit alerts that will be visible to everyone. The alert will only be visible after the debut time and will be deleted after the expiration time.

Edit this alert

Title

Type

Contents

The sputter tool will have a full annual preventative maintenance performed next week. During this time the tool will not be available to users.

Debut time

Expiration time

Abandon changes

Save changes




Figure 394 Alerts edit existing alert page


- Edit any fields that need updating. The process is identical to creating an alert above.
- To cancel click the abandon changes button (Figure 395).



Abandon changes

Figure 395 Alerts edit abandon changes button

- To save the update click the save changes button (Figure 396).



Save changes

Figure 396 Alerts edit save changes button

19.4 Web address

The alerts page is accessible at site-address/alerts/. For example, www.nemo.com/alerts/. The page is also accessible from the navigation bar by clicking Administration then clicking Alerts.

19.5 Mobile device alerts page

There are no mobile device views for the alerts page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

19.6 Alerts page customizations

19.6.1 Alert categories

The alert type will only display if alert types have been defined in the alert categories table of the database detailed in the [Detailed administration → Alert categories](#) section on page 397.

20 Area Access (staff only)

The area access page can be used to manually create an area access record and view area access (Figure 397).

The screenshot shows a page titled "Area access". Below the title, a message says "You can manually create an area access record under extraordinary circumstances." A section titled "View area access records for:" lists three options: "Today", "Yesterday", and "Or, enter a custom date range". Below this are two input fields labeled "start" and "end", followed by a button labeled "View access records".

Figure 397 Area access page

20.1 Create an access record

An area access record can be manually created due to a door access hardware or network failure. However, the preferred method to bypass area access requirements is to enable users to log themselves in and out of areas from the [landing page](#) which is setup in [Customizations → Application settings](#) section described on page 277.

To create an area access record:

- Click the manually create an access record link (Figure 398).

The screenshot shows a message box containing the text "You can manually create an area access record under extraordinary circumstances."

Figure 398 Area access new record link

- The new area access record page will open (Figure 399).

The screenshot shows a page titled "New area access record". A note at the top states: "Only use this form under extraordinary circumstances (such as when tablet login is not working). This form is not intended to be used regularly." Below this is a search bar with the placeholder text "Search for a customer".

Figure 399 Area access new record page

- Enter the user name in the dialog box (Figure 400).

Search for a customer

Figure 400 Area access new record search dialog

- Results are returned as characters are typed and the name of interest can be selected at any time by clicking the name on the list (Figure 401).




Figure 401 Area access new record search list

- If the user has multiple projects, select which project to bill time against (Figure 402).




Figure 402 Area access new record multiple projects

- If the user has only one project, it will be selected automatically (Figure 403).

Area access will be billed to the customer's only project, "Project 1"

Figure 403 Area access new record one project

- If the user has access to multiple areas, select which area to log the user into (Figure 404).

Staff Cleanroom (staff) has access to the following areas. Which would you like to bill for access?
 Cleanroom anytime
 CMP Anytime

Figure 404 Area access new record multiple areas

- If the user has access to only one area, it will be selected by default (Figure 405).

The customer only has access to the cleanroom anytime. Access will be billed for that area.

Figure 405 Area access new record single area


- Click the create area access record (Figure 406).



Create area access record

Figure 406 Area access new record create button

- The area access policy will be checked to determine if the user may access the selected area. If there is a failure, the user will be prompted with the problem (Figure 407).
 - The user must be active
 - The user must be associated with an active project
 - The user must have access to the area
 - The user must have current unexpired physical access to the lab
 - The user must not be currently logged into an area
 - The user must have a physical access level that permits access at the login time
 - The area must not be shut down as a resource
 - The area must not be over its occupancy limit
 - If the area requires a reservation, the user must have a reservation that encompasses the area access start time.



Oops! Something went wrong. The new area access record was not created because:
Ned Land (ned) is already billing area access to another area. The user must log out of that area before entering another.

Figure 407 Area access new record error dialog

- Upon success, a new area access record will be created in the area access table of the database and a success message will be displayed (Figure 408).



Ned Land (ned) is now logged in to the cleanroom.

Figure 408 Area access new record success message

20.2 View access records

Area access records can be viewed for any custom date range however, two shortcuts for today and yesterday are provided (Figure 409).

View area access records for:

- Today
- Yesterday
- Or, enter a custom date range

View access records




Figure 409 Area access view access records

To view area access records:

- Set a date range.
 - Click the 'Today' quick link to populate the start and end date with the current date (Figure 410). The view will automatically update with any records.

• Today

Figure 410 Area access view record today link

- Click the 'Yesterday' quick link to populate the start and end date with the previous days date (Figure 411). The view will automatically update with any records.

• Yesterday

Figure 411 Area access view record yesterday link

- Manually enter a start and end date (Figure 412).



Figure 412 Area access view record manual date range

- Click in the start and end date dialog boxes directly to bring up the calendar dialog and navigate to the desired start and end date (Figure 413).




Figure 413 Area access view record calendar dialog

- Click view access records button (Figure 414).



Figure 414 Area access view record button

- The page will update with access records from the selected date range (Figure 415). Fields returned are the record identifier, user name, project, start date/time and end date/time. If a user is currently logged into an area, the end will be indicated as "In progress".

Identifier	User	Project	Start	End
54	Ned Land (ned)	Project 2	Tuesday, May 5th, 2020 @ 12:18 PM	In progress
53	Ned Land (ned)	Project 2	Tuesday, May 5th, 2020 @ 12:17 PM	Tuesday, May 5th, 2020 @ 12:17 PM
52	Captain Nemo (captain)	Cleanroom Eng	Tuesday, May 5th, 2020 @ 12:10 PM	Tuesday, May 5th, 2020 @ 12:10 PM

Figure 415 Area access view record data

20.3 Web address

The area access page is accessible at site-address/area_access/. For example, www.nemo.com/area_access/. The page is also accessible from the navigation bar by clicking Administration then clicking Area access.

20.4 Mobile device area access page

There are no mobile device views for the area access page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

20.5 Area access page customizations

There are no customizations for the area access page.

21 Configuration agenda (staff only)

The configuration agenda is an organizational tool for staff to view all required configurations for each configurable tool on the same page and allows the configuration steps to be accomplished without navigating to other pages (Figure 416). Two views are available, the default current day and a near future that shows the next business day. Each tool requiring configuration is displayed and if the current day is a Friday, the near future view will show Saturday, Sunday, and Monday.

Tools that require staff to configure a tool for a user or when the type of usage needs to be tracked can have configurations created. Configurations are created in the configurations table of the database discussed in the [Detailed administration → Configurations](#) section starting on page 422. A history of configurations can be found in the configuration history table of the database discussed in the [Detailed administration → Configuration histories](#) section starting on page 420.

Configuration agenda for today

Below is a list of reservations which require tool configurations. The reservations are grouped by tool and ordered by start time. Reservations that have a red background were created on short notice, thus there is no guarantee the tool will be configured properly when the user arrives. Reservations that have already started or have no configuration information are excluded. You can also [view reservations in the near future](#) that will require configuration changes.

Evaporator	
Staff Cleanroom (staff) Tuesday, May 5th, 2020 @ 7:00 PM Tuesday, May 5th, 2020 @ 8:00 PM Pocket 1 Source needs to be set to Ti. Pocket 2 Source needs to be set to Au.	Pocket 1 Source: <input type="text" value="Ti"/> Pocket 2 Source: <input type="text" value="Ti"/> <input type="button" value="Enable the tool for myself"/>
Sputter	
Conseil Aronnax (conseil) Project 2 Tuesday, May 5th, 2020 @ 7:00 PM Tuesday, May 5th, 2020 @ 8:00 PM Gun 1 Target needs to be set to Ti. Gun 2 Target needs to be set to Au. <input type="button" value="Enable the tool on behalf of Conseil"/>	Gun 1 Target: <input type="text" value="User provided target"/> Gun 2 Target: <input type="text" value="Au"/> <input type="button" value="Enable the tool for myself"/>
Ned Land (ned) Project 1 Tuesday, May 5th, 2020 @ 9:00 PM Tuesday, May 5th, 2020 @ 10:00 PM Gun 1 Target needs to be set to Cr. Gun 2 Target needs to be set to Au. <input type="button" value="Enable the tool on behalf of Ned"/>	

Figure 416 Configuration agenda page with today view

21.1 Usage

All configurations required in a day are displayed for each tool in order of nearest to latest. This allows planning without the need to closely monitor the reservation calendar of each tool that requires configuration. To switch to the near future view, click the link in the dialog at the top of the page (Figure 417).

You can also [view reservations in the near future](#) that will require configuration changes.

Figure 417 Configuration agenda future view link

From the near future view, you can switch to the today view by clicking the link in the dialog at the top of the page (Figure 418 Configuration agenda today view link).

You can also view reservations for today that will require configuration changes.

Figure 418 Configuration agenda today view link

Each tool displays the reservations on the left and the current tool configuration on the right. The tool name heading is a link to that tools calendar page.

Configurations can only be changed while the tool is idle. The configurations will be listed with a drop down and a tool enable button will be provided to facilitate quick access (Figure 419). Select the new configuration as needed from the drop downs. Updates are automatic and immediate.



Figure 419 Configuration agenda idle tool

If a tool is enabled, the configuration will be locked, and a disable tool button will be displayed (Figure 420). The tool must be disabled to change the configuration however caution should be used to not impair a tool that may be currently running a process.




Figure 420 Configuration agenda tool in use

In some cases, it might be desirable to charge users for tool configuration changes. The user reservation dialog provides a short cut button to enable the tool on behalf of a user while the configuration is in progress (Figure 421).




Figure 421 Configuration agenda user reservation info

21.2 Web address

The configuration agenda page is accessible at site-address/configuration_agenda/. For example, www.nemo.com/configuration_agenda/. The page is accessible from the navigation bar by clicking Administration then clicking Configuration agenda.

21.3 Mobile device configuration agenda page

There are no mobile device views for the configuration agenda page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

21.4 Configuration agenda page customizations

There are no customizations for the configuration agenda page.

22 Email (staff only)

The email page provides staff with an interface to send emails to users. The user groups available are all users qualified on a tool, all users working on a project, or all users working under an account (Figure 422).




Figure 422 Email page

22.1 Usage

The email broadcast process starts with selecting the group of users to email, making some recipient selections, adding email content, then sending as detailed in the sections below.

22.1.1 Group selection

Click one of the user group links (Figure 423).

- are qualified for a tool
- have access to an area
- are working on a project
- bill to an account

Figure 423 Email groups

A search dialog will open below the group list. Enter the tool, area, project, or account depending on the link selected (Figure 424).



Figure 424 Email selection

Results are returned as characters are typed and the item of interest can be selected at any time by clicking on the list (Figure 425).




Figure 425 Email selection list

Upon selecting the item of interest, the compose email page will be opened (Figure 426).

Compose an email

Recipients

Active users are listed below in black. Inactive users are gray.

Only send this email to active users
 Send a copy of this email to myself

Captain Nemo (captain) - captain.nemo@nautilus.com
Conseil Aronnax (conseil) - conseil@nautilus.com
Ned Land (ned) - ned.land@nautilus.com
Pierre Aronnax (professor) - pierre.aronnax@nautilus.com
Staff Cleanroom (staff) - staff@nautilus.com

Email content

Subject line

Title background color:

Blue, for conveying information
 Green, for conveying success
 Orange, for conveying a warning
 Red, for conveying danger

TITLE (ALWAYS UPPERCASE)

Greeting

What would you like to say?

Preview

Figure 426 Email compose email page

If an email template has not been loaded yet, an error message will be displayed preventing the process from continuing (Figure 427).

Compose an email

A generic email format has not been customized for your organization yet. You'll need to create one before you can send email broadcasts from within NEMO. Please visit the [customizations page](#) to upload a template.

Figure 427 Email compose error page

22.1.2 Recipients

The recipients section shows all users in the group chosen and provides options to only include active users and to copy the sender (Figure 428).

Recipients

Active NEMO users are listed below in black. Inactive users are gray.

- Only send this email to active users
- Send a copy of this email to myself

Conseil Aronnax (conseil) - conseil@nautilus.com

Ned Land (ned) - ned.land@nautilus.com

Pierre Aronnax (professor) - pierre.aronnax@nautilus.com

Staff Cleanroom (staff) - staff@nautilus.com

Figure 428 Email recipients dialog

By default, only active users will receive the email. Uncheck the checkbox to include all users (Figure 429).

Only send this email to active users

Figure 429 Email recipients active user checkbox

By default, the staff member sending the message will be copied. Uncheck the checkbox to not be copied (Figure 430).

Send a copy of this email to myself

Figure 430 Email recipients copy sender checkbox

22.1.3 Email content

The mail content section provides options for subject, title, title color, greeting, and body (Figure 431).




Figure 431 Email content dialog

The subject line will appear as the subject in the email (Figure 432).



Figure 432 Email content subject dialog box

The title background color can be selected to emphasize the importance of the email (Figure 433).





Figure 433 Email content title background checklist

The title text is entered in the title dialog box (Figure 434).



TITLE (ALWAYS UPPERCASE)

Figure 434 Email content title dialog box

The greeting is entered in the greeting dialog box (Figure 435).



Greeting

Figure 435 Email content greeting dialog box

The email body is entered in the "what would you like to say?" dialog box (Figure 436).




What would you like to say?

Figure 436 Email content body dialog box

22.1.4 Preview Email

Clicking the preview button will render the email (Figure 437). Changes can be made in the email form above and the preview will be updated each time the preview button is clicked.



Preview

Figure 437 Email preview button

The email preview will render below the preview button (Figure 438).




Figure 438 Email rendered preview

22.1.5 Send Email

Clicking the send button will send the message to all recipients selected (Figure 439).



Figure 439 Email send button

Upon successful completion, a message will be displayed (Figure 440). Click the continue button to return to the landing page.




Figure 440 Email send success

22.2 Web address

The configuration agenda page is accessible at site-address/email_broadcast/. For example, www.nemo.com/email_broadcast/. The page is accessible from the navigation bar by clicking Administration then clicking Email.

22.3 Mobile device email page

There are no mobile device views for the email page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

22.4 Email page customizations

22.4.1 Generic email template

Emails require a generic email template that is used to format messages. The email template is configured in the [Customization → Generic email](#) page detailed starting on page 310.

23 Maintenance (staff only)

The maintenance page provides staff with a list of all pending and recently closed tasks on a single page which is useful for determining priorities across the lab. When first opening the page, it defaults to the pending tasks tab.

23.1 Pending tasks

The pending tasks tab displays urgency, severity, tool name, problem category, the last update, date created, and description for each pending task (Figure 441). The listing is ordered by urgency then by date created, oldest first. The list can be sorted by any heading except description by clicking the heading name.

Maintenance						
			Pending	Closed		
Urgency	Severity	Tool	Category	Last updated	Created	Description
High	🔥	Ellipsometer			2 weeks, 5 days ago	Measurements incorrect.
High	🔥	Microscope		1 week, 2 days ago by Captain	2 weeks, 5 days ago	Smoke coming from lamp housing when on.
High	🔥	Contact Aligner	Tool Error		1 week, 2 days ago	it doesnt work
High	🔥	Spinner	Process problem		53 seconds ago	Wafers are flying off the spinner.
Normal	🔧	PECVD	Wafer handling problem	1 week, 2 days ago by Captain	2 weeks, 5 days ago	Wafers floating on platen.
Normal	🔧	Evaporator			2 weeks, 2 days ago	test problem
Normal	🔧	Fluorine Etch	Tool Error		a minute ago	The tool errors with temperature alarms when idle

Figure 441 Maintenance pending tasks

Clicking on the row of any pending task will display the task details on the right side of the screen (Figure 442). The task details view provides important links and information about the current task to streamline access for updates.

Microscope task

Primary tool owner: Captain Nemo (captain)

[Enable tool](#) [Calendar](#) [Tool control](#)

Created by Captain Nemo (captain) on Friday, April 17th, 2020 @ 12:31 PM (2 weeks, 5 days ago).
Last updated by Captain Nemo (captain) on Monday, April 27th, 2020 @ 2:11 PM (1 week, 2 days ago).

Urgency	High
Problem category	
Status	Repair
Estimated resolution	04/29/2020 2:00 PM

This task requires the Microscope to be shutdown
 This task is considered a potential safety hazard to the NanoFab

Update Resolve

Please describe any actions being taken to resolve this task.

images:

- 2020-04-27_microscope_01.png

[Choose Files](#) No file chosen

Save task

Problem description
Smoke coming from lamp housing when on.

Progress
On Monday, April 27th, 2020 @ 2:09 PM Captain Nemo (captain) updated this task:
Possible frayed wires to lamp socket. Will test socket and wiring.

On Monday, April 27th, 2020 @ 2:09 PM, Captain Nemo (captain) set the status of this task to "Repair".

Figure 442 Maintenance pending task details

The pending task details contains the following information:

- Tool name (Figure 443)

Microscope task

Figure 443 Maintenance pending task tool name

- Primary tool owner (Figure 444)

Primary tool owner: Captain Nemo (captain)

Figure 444 Maintenance pending task primary tool owner

- Quick link buttons – quick link buttons are provided to streamline common operations while performing maintenance to resolve tasks.
 - Enable/disable the tool
 - Enable tool, single project – click enable tool to start logging time (Figure 445).

Enable tool

Figure 445 Maintenance pending task enable tool button

- Enable tool, multiple projects – click enable button to reveal dropdown list of projects (Figure 446). Select a project from the list to start logging time (Figure 447).

Enable tool ▾

Figure 446 Maintenance pending task enable tool button multiple projects




Figure 447 Maintenance pending task multiple projects list

- Disable tool – click to stop logging time on a tool (Figure 448). In the maintenance mode of operation, the disable tool is immediate, and the user is not prompted for logout questions.

Disable tool

Figure 448 Maintenance pending task disable tool button

- Navigate to the calendar page for the tool – this link will open the calendar page in a new tab and select the task subject tool (Figure 449).




Figure 449 Maintenance pending task calendar page link

- Navigate to the tool control page for the tool – this link will open the tool control page in a new tab and select the task subject tool (Figure 450).




Figure 450 Maintenance pending task tool control page link

- Who created the task and when (Figure 451)

Created by Captain Nemo (captain) on Friday, April 17th, 2020 @ 12:31 PM (2 weeks, 5 days ago).

Figure 451 Maintenance pending task creation info

- Who last updated the task and when (Figure 452)

Last updated by Captain Nemo (captain) on Monday, April 27th, 2020 @ 2:11 PM (1 week, 2 days ago).

Figure 452 Maintenance pending task update info

- Update the task

- The current urgency is displayed (Figure 453). Shutdowns and safety problems default to high urgency while problems default to normal urgency. To update, use the dropdown to change the task urgency to high, normal, or low (Figure 454).




Figure 453 Maintenance pending task urgency




Figure 454 Maintenance pending task urgency dropdown

- The current problem category is displayed only if task categories have been defined in the task categories table of the database (Figure 455). Task categories are discussed in the [Detailed administration → Task categories](#) section on page 487. To update, use the dropdown to change the problem category (Figure 456).



Figure 455 Maintenance pending task problem category




Figure 456 Maintenance pending task problem category dropdown

- The current status is displayed only if task statuses have been defined in the task statuses table of the database (Figure 457). Task statuses are discussed in the [Detailed administration → Task statuses](#) section on page 494. To update, use the dropdown to change the task status (Figure 458).



Figure 457 Maintenance pending task status



Figure 458 Maintenance pending task status dropdown

- The current estimated resolution time is displayed (Figure 459). To update, click the dialog box to open the clock-calendar dialog (Figure 460). Select the new date and time estimate. The dialog box is updated as the calendar and clock are clicked.

Estimated resolution	<input type="text"/>
----------------------	----------------------

Figure 459 Maintenance pending task estimated resolution




Figure 460 Maintenance pending task estimated resolution clock/calendar

- The current shutdown status is displayed (Figure 461). To update click the checkbox to select or deselect as needed.

<input checked="" type="checkbox"/>	This task requires the Microscope to be shutdown
-------------------------------------	--

Figure 461 Maintenance pending task shutdown status

- The current safety hazard status is displayed (Figure 462). To update click the checkbox to select or deselect as needed.

<input checked="" type="checkbox"/>	This task is considered a potential safety hazard to the NanoFab
-------------------------------------	--

Figure 462 Maintenance pending task safety hazard status

- Use the radio button to select update or resolve for the task (Figure 463). Selecting resolve will show the resolution category below the details dialog if resolution categories have been defined.

<input checked="" type="radio"/>	Update	<input type="radio"/>	Resolve
----------------------------------	--------	-----------------------	---------

Figure 463 Maintenance pending task update or resolve radio

- Provide update or resolution details that describe any actions taken (Figure 464).

Please describe any actions being taken to resolve this task.

Figure 464 Maintenance pending task update details

- The resolution category is displayed only if the resolve radio button is selected, and task categories have been defined in the task categories table of the database (Figure 465). Task categories are discussed in the [Detailed administration → Task categories](#) section on page 487. To update, use the dropdown to change the resolution category (Figure 466).



Figure 465 Maintenance pending task resolution category




Figure 466 Maintenance pending task resolution category dropdown

- The image listing is only displayed if images have been uploaded previously (Figure 467). Clicking on an image will open it in a new tab.



Figure 467 Maintenance pending task uploaded images

- The choose files dialog may be used to upload any relevant pictures to show details that support the description (Figure 468). Clicking the button activates a standard file selection dialog. Multiple files can be uploaded. Note: it is good practice to make note of the files in the description to link the file to the text.



Figure 468 Maintenance pending task upload new images

- Click the save button to commit the update/resolution (Figure 469).



Figure 469 Maintenance pending task save button

- The problem description is displayed for information (Figure 470).




Figure 470 Maintenance pending task problem description

- The progress to date is displayed for information (Figure 471).




Figure 471 Maintenance pending task progress

- Tool configuration
 - Disabled tool – tool configurations are changeable (Figure 472). Use the dropdown to select a different configuration from the list. Changes take effect immediately on selection.



Figure 472 Maintenance pending task configuration update

- Enabled tool – the current tool configuration is displayed for information (Figure 473).



Figure 473 Maintenance pending task configuration

23.2 Closed tasks

The closed tasks tab displays urgency, severity, tool name, problem category, date created, date resolved, and description for up to 20 closed tasks (Figure 474). The listing is ordered by date closed, more recent closure first. The list can be sorted by any heading except description by clicking the heading name.

Maintenance						
Urgency	Severity	Tool	Category	Created	Resolved	Description
High	🔥	Ellipsometer		Friday, April 17th, 2020 @ 12:29 PM	Wednesday, May 6th, 2020 @ 9:25 PM	Measurements incorrect.
High	🔥	Profilometer		Wednesday, April 1st, 2020 @ 3:25 PM	Wednesday, May 6th, 2020 @ 8:56 PM	Monthly PM complete, nothing unusual observed.
Normal	🔧	Fluorine Etch		Monday, April 20th, 2020 @ 8:18 PM	Monday, April 27th, 2020 @ 4:22 PM	trouble
Normal	🔧	Sputter	Tool Error	Thursday, April 23rd, 2020 @ 3:52 PM	Monday, April 27th, 2020 @ 10:30 AM	Chamber door is hard to close
High	🔥	Sputter	Process problem	Thursday, April 23rd, 2020 @ 3:51 PM	Monday, April 27th, 2020 @ 10:30 AM	Cant get the RF to strike, looks like bad vacuum
Normal	🔧	Sputter	Wafer handling problem	Friday, April 24th, 2020 @ 4:59 PM	Monday, April 27th, 2020 @ 10:30 AM	Stuck in vacuum transfer

Figure 474 Maintenance closed tasks

Clicking on the row of any closed task will display the task details on the right side of the screen (Figure 475).

PECVD task

Created by Captain Nemo (captain) on Friday, April 17th, 2020 @ 12:30 PM (2 weeks, 5 days ago).

Urgency: normal

Problem category: wafer handling problem

Problem description

Wafers floating on platen.

images:

- [2020-04-27_pecvd_01.png](#)

Progress

On Monday, April 20th, 2020 @ 8:53 PM Captain Nemo (captain) updated this task:

Tested pump down curve. Need new soft pump valve, on order will arrive 5/6/2020.

On Monday, April 27th, 2020 @ 2:13 PM, Captain Nemo (captain) set the status of this task to "Triage".

Resolved by Captain Nemo (captain) on Wednesday, May 6th, 2020 @ 9:39 PM

Resolution category: repairs complete

Parts arrived and were installed. System tested and operating normally.

Figure 475 Maintenance closed task details

All details and updates are listed including the initial task information, problem description, progress updates, and resolution information. Any images associated with the task are linked and can be open by clicking the links.

23.3 Web address

The maintenance page is accessible at site-address/maintenance/. For example, www.nemo.com/maintenance/. The page is accessible from the navigation bar by clicking Administration then clicking Maintenance.

23.4 Mobile device maintenance page

There are no mobile device views for the maintenance page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

23.5 Maintenance page customizations

23.5.1 Number of closed tasks to return

The number of closed tasks returned is set in the maintenance.py file, maintenance function, closed_tasks = statement. Change [:20] to the number of closed tasks to return.

24 Qualifications (staff only)

The qualifications page provides a convenient interface for performing batch qualification or disqualification for one or more users on one or more tools (Figure 476).

Batch qualifications

Use this form to qualify one or more users on one or more tools. You may select as many users or tools as you like. User and tool names are automatically searched for when you type in the text boxes below. All of the selected users will be qualified or disqualified for all of the selected tools. You can remove a selected user or tool by clicking on the representative button.

Qualify users Disqualify users

Search for user Search for tool

Figure 476 Qualifications page

24.1 Tool qualifications

Users can be qualified on tools through several interfaces within NEMO. Each has its particular value.

- [Tool control page](#) discussed on page 111 – users may be qualified or disqualified one at a time on the tool displayed. If the selected tool is configured to grant a physical access level to the user upon qualification, the users access level will be updated.
- [Qualifications page](#) discussed on page 223 – many users may be qualified or disqualified on many tools at the same time. If a selected tool is configured to grant a physical access level to the user upon qualification, the users access level will be updated.
- [Training page](#) discussed on page 256 – many users may be qualified on many tools at the same time. In addition, training type and time will be recorded. If a selected tool is configured to grant a physical access level to the user upon qualification, the users access level will be updated.
- [Users page](#) discussed on page 260 – the selected user may be qualified or disqualified on one tool at a time. The users physical access level is not updated.
- [Tool table in the database](#) discussed on page 500 – many users may be qualified or disqualified on a single tool. The users physical access level is not updated.

24.2 Usage

24.2.1 Select users

- Select one or more users by typing the first users name in the search for user dialog (Figure 477).

Search for user

Figure 477 Qualifications user search dialog

- Results are returned as characters are typed and the name of interest can be selected at any time by clicking on the list (Figure 478).




Figure 478 Qualifications user search dialog return list

- After clicking the user will be listed below the search dialog (Figure 479).



Figure 479 Qualifications user search name added

- If a user is selected by mistake, click the users name below the search dialog to remove them from the list (Figure 480).



Figure 480 Qualifications user search name button

- Repeat for each user to be qualified or disqualified.

24.2.2 Select tools

- Select one or more tools by typing the tool name in the search for tool dialog (Figure 481).



Figure 481 Qualifications tool search dialog

- Results are returned as characters are typed and the tool of interest can be selected at any time by clicking on the list (Figure 482).




Figure 482 Qualifications tool search return list

- After clicking the tool will be listed below the search dialog (Figure 483).




Figure 483 Qualifications tool search tool added

- If a tool is selected by mistake, click the tool name below the search dialog to remove it from the list (Figure 484).



Figure 484 Qualifications tool search name button

- Repeat for each tool to be qualified or disqualified.

24.2.3 Qualify or disqualify users

- Qualify users – click the qualify users button to qualify the selected users on the selected tools (Figure 485). If a tool is configured to grant a physical access level to the user upon qualification, the users access level will be updated. Granting access levels for tools is discussed in the [Detailed administration → Tools](#) section on page 500.

Qualify users

Figure 485 Qualifications qualify button

- Disqualify users – click the disqualify users button to disqualify the selected users on the selected tools (Figure 486).

Disqualify users

Figure 486 Qualifications disqualify button

- Change status – upon selection of either qualify or disqualify, the selected updates will be made. A success message will be shown (Figure 487). Click the continue button to

return to the NEMO home page. Note: to be successful, at least one user and one tool must be selected. If not, the user will be prompted to correct the problem.




Figure 487 Qualifications success message

24.3 Web address

The qualifications page is accessible at site-address/qualifications/. For example, www.nemo.com/qualifications/. The page is accessible from the navigation bar by clicking Administration then clicking Qualifications.

24.4 Mobile device qualifications page

There are no mobile device views for the qualifications page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

24.5 Qualifications page customizations

There are no customizations for the configuration agenda page.

25 Remote work (staff only)

The remote work page allows staff to review and validate any work performed by staff on behalf of a user (Figure 488). Work can be reviewed for any staff member or all staff members and the month/year is selectable. Staff can validate work performed to confirm charges before billing.

Remote work

This page displays remote work done by NanoFab staff on behalf of users. You can filter by which staff member performed the work, and when, by using the dropdown boxes below. Each charge can be validated, which means that you have confirmed that the charge is legitimate and correct, and no adjustment needs to be made to it. Press the green 'Validate' button on an individual row to validate a charge. Charges that have already been validated are highlighted in green.

Do not validate a charge if part or all of it is incorrect. Instead, visit the user office so an adjustment can be entered into the billing system. Furthermore, please visit the user office if there is a charge that you forgot to enter.

View charges for during

Staff charges

ID	Staff member	Customer	Project	Start	End	Validate
11	Captain Nemo (captain)	Ned Land (ned)	Project 2	Tuesday, May 12th, 2020 @ 2:54 PM	Tuesday, May 12th, 2020 @ 2:54 PM	<input type="button" value="Validate"/>
10	Staff Cleanroom (staff)	Pierre Aronnax (professor)	Project 2	Tuesday, May 12th, 2020 @ 2:48 PM	Tuesday, May 12th, 2020 @ 2:49 PM	
9	Captain Nemo (captain)	Ned Land (ned)	Project 1	Friday, May 8th, 2020 @ 4:09 PM	Friday, May 8th, 2020 @ 4:09 PM	<input type="button" value="Validate"/>

Tool usage

ID	Operator	User	Project	Start	End	Tool	Validate
76	Staff Cleanroom (staff)	Pierre Aronnax (professor)	Project 2	Tuesday, May 12th, 2020 @ 2:47 PM	Tuesday, May 12th, 2020 @ 2:48 PM	Ellipsometer	<input type="button" value="Validate"/>
69	Captain Nemo (captain)	Ned Land (ned)	Project 1	Tuesday, May 5th, 2020 @ 6:12 PM	Tuesday, May 5th, 2020 @ 6:12 PM	Sputter	<input type="button" value="Validate"/>
67	Captain Nemo (captain)	Ned Land (ned)	Project 1	Tuesday, May 5th, 2020 @ 5:55 PM	Tuesday, May 5th, 2020 @ 5:56 PM	Sputter	<input type="button" value="Validate"/>

Figure 488 Remote work page

25.1 Usage

25.1.1 Staff and date

By default, records for the current staff member and the current month are displayed (Figure 489).

View charges for during

Figure 489 Remote work staff and date dialog

To change the user, click the dropdown and select from the list (Figure 490). An option for all staff is listed first and will display remote work by any staff member for the selected time period. This can be useful for user office staff to confirm remote work validation before creating bills.




Figure 490 Remote work staff dropdown

To change the month, click the dropdown and select from the list (Figure 491).




Figure 491 Remote work date dropdown

After changing the user and/or month, click the update button to refresh the records displayed (Figure 492).



Figure 492 Remote work update button

25.1.2 Staff charges

Staff charges display the staff member, user, project, start date/time, and end date/time (Figure 493). If the staff member entered a billable area that access will be displayed as well.

18	Captain Nemo (captain)	Ned Land (ned)	Project 1	Wednesday, May 13th, 2020 @ 5:09 PM	Wednesday, May 13th, 2020 @ 5:29 PM	<button>Validate</button>
		Cleanroom access		Wednesday, May 13th, 2020 @ 5:23 PM	Wednesday, May 13th, 2020 @ 5:29 PM	
		CMP lab access		Wednesday, May 13th, 2020 @ 5:14 PM	Wednesday, May 13th, 2020 @ 5:22 PM	

Figure 493 Remote work staff charges

At the end of each record is a validate button that staff can use to confirm the work performed (Figure 494).



Figure 494 Remote work staff charge validate button

Validated records are displayed in green and do not show the validate button (Figure 495).

Staff charges						Validate
ID	Staff member	Customer	Project	Start	End	
11	Captain Nemo (captain)	Ned Land (ned)	Project 2	Tuesday, May 12th, 2020 @ 2:54 PM	Tuesday, May 12th, 2020 @ 2:54 PM	

Figure 495 Remote work staff charge validated

25.1.3 Tool usage

Tool usage displays the staff member, user, project, start date/time, and end date/time (Figure 496).

Tool usage						Tool	Validate
ID	Operator	User	Project	Start	End		
69	Captain Nemo (captain)	Ned Land (ned)	Project 1	Tuesday, May 5th, 2020 @ 6:12 PM	Tuesday, May 5th, 2020 @ 6:12 PM	Sputter	<button>Validate</button>

Figure 496 Remote work tool usage

At the end of each record is a validate button that staff can use to confirm the work performed (Figure 497).



Figure 497 Remote work tool usage validate button

Validated records are displayed in green and do not show the validate button (Figure 498).

Tool usage						Tool	Validate
ID	Operator	User	Project	Start	End		
69	Captain Nemo (captain)	Ned Land (ned)	Project 1	Tuesday, May 5th, 2020 @ 6:12 PM	Tuesday, May 5th, 2020 @ 6:12 PM	Sputter	

Figure 498 Remote work tool usage validated

25.2 Web address

The remote work page is accessible at site-address/remote_work/. For example, www.nemo.com/remote_work/. The page is accessible from the navigation bar by clicking Administration then clicking Remote work.

25.3 Mobile device remote work page

There are no mobile device views for the remote work page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

25.4 Remote work page customizations

There are no customizations for the remote work page.

26 Resources (staff only)

The resources page lists all resources, grouped by category. Resources in green are currently available while resources in red are unavailable (Figure 499).

The screenshot shows a page titled 'Resources'. Below the title, a message states: 'Below is a list of resources, grouped by category. Resources in green are currently available while resources in red are unavailable. Click on a resource to modify its availability, status message or to schedule an outage. When a resource is unavailable, users are blocked from using tools or login to areas that fully depend on that resource.' A section titled 'Gases' contains the following list of resources:

- 2% SiH4
- Ar
- CF4
- CHF3
- Cl2
- N2
- N2O
- NH4
- O2 - Gas bottle change

Figure 499 Resources page

26.1 Resource discussion

Resources provide a method to define tool dependencies such as gases, facility spaces, and utilities that can be associated with tools are either required or non-required resources. When a resource is unavailable, users are blocked from using tools or areas that require the resource and notified on tools that with a non-required association.

Example 1, if ‘oxygen’ is defined as a resource and shutdown, all tools that have ‘oxygen’ as a required dependency will also be shutdown. All tools that have ‘oxygen’ as a non-required dependency will be noted. This can be useful for gas bottle changes.

Example 2, if ‘cleanroom’ is defined as a resource and all tools require ‘cleanroom’ then shutting down the ‘cleanroom’ resource will shut down every tool. This can be useful for weather closures or lab wide closures.

Example 3, if ‘cleanroom’ is defined as a resource and the area ‘lab’ requires the ‘cleanroom’ resource, then shutting down the ‘cleanroom’ resource will prevent users logging in to the area ‘lab’. If the area also has physical access defined, the doors for the area will not open for non-staff.

Resources can optionally be grouped by category to visually organize common resources. Resource categories are defined in the [Detailed administration → Resource categories](#) section discussed on page (478).

Resources are defined in the [Detailed administration → Resources](#) section discussed on page (480). Areas are associated with resources here.

Tools may optionally have required resources and/or non-required resources assigned. Tools are defined in the [Detailed administration → Tools](#) section discussed on page (500).

26.2 Resource Detail

To access the details of a resource, click the resource name (Figure 500).



Figure 500 Resources example of resource name

The resource details page will open and list tools and areas that fully or partially depend on the resource (Figure 501). In addition, there are buttons to modify resource availability and to schedule resource outages.

N2 (Gases)

This resource is available.

Tools that fully depend on N2

- Acid Hood
- CMP tool
- Chlorine Etch
- Contact Aligner
- Develop Hood
- Evaporator
- Fluorine Etch
- PECVD
- Solvent Hood
- Spin rinse dryer
- Sputter

Tools that partially depend on N2

- Profilometer

No areas depend on N2

[Modify availability](#)

[Schedule outage](#)

Figure 501 Resources detail page

Information provided includes all fully dependent tools, all partially dependent tools, and all dependent areas. Any tools currently in use indicates the user information. If no dependency exists, it will be noted.

- Tools that fully depend on a resource (Figure 502).

Tools that fully depend on N2

- Acid Hood
- CMP tool
- Chlorine Etch
- Contact Aligner
- Develop Hood
- Evaporator - in use by  Captain Nemo (captain)
- Fluorine Etch
- PECVD
- Solvent Hood
- Spin rinse dryer
- Sputter

Figure 502 Resource fully dependent tool list

- Tools that partially depend on a resource (Figure 503).

Tools that partially depend on O2

- Chlorine Etch
- Evaporator - in use by  Captain Nemo (captain)
- Sputter

Figure 503 Resource partially dependent tool list

- Areas that depend on a resource (Figure 504).

Areas that depend on Cleanroom

- Cleanroom

Figure 504 Resource dependent area list

26.2.1 Modify a resource

Resource status and status messages can be managed through the modify resource dialogs. A resource can be shut down and details provided to users, and a resource can be brought back to available. Information about impacted tools and areas is also provided.

26.2.1.1 Shut down an available resource

- From the resource page, click the resource name (Figure 505).



Figure 505 Resources item name

- Click the modify availability button (Figure 506).

A blue rounded rectangle button with the white text "Modify availability".

Figure 506 Resources modify availability button

- The modify a resource dialog will open (Figure 507).

Modify N2 resource

N2 is currently **available**. Enter a status message to mark the resource as unavailable.

When a resource is unavailable:

- The status message will be displayed on the landing page and tool control page of each affected tool
- Tools that fully depend on this resource will be **unavailable to users**
- Areas that depend on this resource will be **unavailable to users**
- Tools that partially depend on this resource will be available to users, however it is the user's responsibility to determine if their fabrication process will succeed without the resource available

Why is the resource unavailable?

Warning: the following tools fully depend on this resource and are in use. You must disable the tools individually to block **current** use. It is recommended that you disable these tools before making the resource unavailable.

- Chlorine Etch

Modify resource

Nevermind

Figure 507 Resources modify resource dialog shutdown

- Provide a reason the resource will be unavailable (Figure 508).

Why is the resource unavailable?

Figure 508 Resources shutdown reason

- If any tools that require the resource are currently in use, a warning will be displayed (Figure 509).

Warning: the following tools fully depend on this resource and are in use. You must disable the tools individually to block **current** use. It is recommended that you disable these tools before making the resource unavailable.

- Evaporator

Figure 509 Resources shutdown tool in use warning

- Click the modify button to shut down the resource or, click the never mind button to return to the resource page (Figure 510).

Modify resource **Nevermind**

Figure 510 Resource shutdown buttons

- Return to the resources page, if the resource was shutdown, it will now be red with the outage reason listed (Figure 511).

N2 - Nitrogen gas bottle change underway, should be completed today.

Figure 511 Resource shutdown listing

- The outage will be listed in the alerts and outages section of the landing page (Figure 512).

Resource outage: N2
Nitrogen gas bottle change underway, should be completed today.

Figure 512 Resource shutdown landing page message

- The outage will be listed in the tool control summary tab of each impacted tool
 - Required resource outage will cause the tool to be shut down (Figure 513).

 **This tool is shut down.**
A required resource is unavailable: N2 (Gases) Nitrogen gas bottle change underway, should be completed today.

Figure 513 Resource shutdown tool shutdown message


- Non-required resource outage will list a warning (Figure 514).

 **This tool is operational but not all resources are available.**
An optional resource is unavailable: N2 (Gases) Nitrogen gas bottle change underway, should be completed today.

Figure 514 Resource outage tool problem message

26.2.1.2 Enable a previously shutdown resource

- Click the red resource name (Figure 515). Note: only the red text is a link.



N2 - Nitrogen gas bottle change underway, should be completed today.

Figure 515 Resource example of red shutdown resource listing

- Click the modify availability button (Figure 516).



Modify availability

Figure 516 Resources modify availability button

- The modify a resource dialog will open (Figure 517).

Modify O2 resource

O2 is currently **unavailable**. What would you like to do?

- Make the resource available
- Change the status message for the resource outage




Modify resource

Nevermind

Figure 517 Resources modify resource dialog enable

- Select make available or change message radio button (Figure 518). The make resource available button is checked by default.




N2 is currently **unavailable**. What would you like to do?

- Make the resource available
- Change the status message for the resource outage

Figure 518 Resources enable selection

- If change message selected, update dialog box (Figure 519).



What would you like the new status message to say?
Nitrogen gas bottle change underway, should be completed today.

Figure 519 Resources update status message dialog box

- Click modify button to finish or click never mind to return to the resource page (Figure 520).



Figure 520 Resource enable buttons

- Return to the resources page, if the resource was enabled, it will now be green (Figure 521).



Figure 521 Resource enabled listing

- All alerts and tool restrictions are removed.

26.2.2 Scheduled resource outages

Resource outages can be scheduled when the start and end time is known. Examples include gas bottle changes or facility maintenance that will happen in a predictable manner. Outages automatically start and end. Once the end time is past, the outage will be hidden. A history of scheduled outages is maintained in the [scheduled outages table](#) of the database as discussed on page 487.

26.2.2.1 Create a scheduled resource outage

- From the resource page, select the resource of interest (Figure 522).



Figure 522 Resource item name link

- Click the Schedule outage button on the resource detail page (Figure 523).




Figure 523 Resource scheduled outage button

- The scheduled resource outage dialog page will open (Figure 524).

Schedule N2 outage

You can schedule a resource outage to occur for a specific time window. This prevents users from using affected tools and areas, **but will not kick users off if they're already logged in to an area or using a tool**. It is the staff's responsibility to ensure that all tools and areas that use the resource are properly shutdown.

When a resource is unavailable:

- The status message will be displayed on the landing page and tool control page of each affected tool
- Tools that fully depend on the resource will be **unavailable to users**
- Areas that depend on the resource will be **unavailable to users**
- Tools that partially depend on the resource will be available to users, however it is the user's responsibility to determine if their fabrication process will succeed without the resource available

Create a new N2 outage

Outage category - is there a category for this outage? This is useful for data and trend analysis

Details

What is the reason for the outage? What other details will be relevant for users to know?

Start time End time

Create outage

Figure 524 Resource scheduled outage page

- Select the optional outage category if scheduled outage categories have been defined (Figure 525). If scheduled outage categories have not been defined, this dialog will not appear. Scheduled outage categories are defined in the [Detailed administration → Scheduled outage categories](#) section discussed on page (480).




Figure 525 Resource scheduled outage category dropdown

- Provide details about the outage (Figure 526).

Details

What is the reason for the outage? What other details will be relevant for users to know?

Figure 526 Resource scheduled outage details

- Select a start time and end time (Figure 527). Clicking in the start time or end time dialog will open the clock/calendar dialog (Figure 528). The date and time will update automatically as the clock/calendar is clicked.

Start time	End time
<input type="text"/>	<input type="text"/>

Figure 527 Resource start and end dialog

The dialog displays a calendar for May 2020. The date 12 is selected. Below the calendar is a time picker with fields for hours (05), minutes (:), seconds (16), and AM/PM (PM). The status bar at the bottom shows the date and time as 05/12/2020 5:16 PM.

Figure 528 Resource clock/calendar dialog

- Click the create outage button (Figure 529).

Create outage

Figure 529 Resource scheduled outage button

- Scheduled outages are saved in the scheduled outage table of the database which is described in the [Detailed administration → Scheduled outages](#) section on page (487).
- The details of the scheduled outage will be displayed at the top of the resource detail page (Figure 530).

N2 (Gases)

This resource is available.

[Modify availability](#)

[Schedule outage](#)

Scheduled outages:

N2 scheduled outage

Outage category: Preventative maintenance

Starts on Monday, September 21st, 2020 @ 5:28 PM

Ends on Monday, September 21st, 2020 @ 6:28 PM

Shutdown for purity testing



Tools that fully depend on N2

- Acid Hood
- CMP tool
- Chlorine Etch - in use by Captain Nemo (captain)
- Contact Aligner

Figure 530 Resource detail page scheduled outage details

26.2.2.2 Delete a scheduled resource outage

A scheduled resource outage can be deleted by clicking the () icon in the outage of interest at the top of the resource detail page (Figure 531). The deletion is immediate without confirmation. The outage is still saved in the database but marked as deleted and will no longer be displayed.

O2 scheduled outage

Outage category: Preventative maintenance

Starts on Monday, May 18th, 2020 @ 8:00 AM

Ends on Monday, May 18th, 2020 @ 12:00 PM

Gas bottle change



Figure 531 Resource existing scheduled outage dialog

26.2.2.3 Edit a scheduled resource outage

To edit a scheduled outage:

- Click the () icon in the alert dialog of interest at the top of the resource detail page.
- The scheduled outage page will populate the details of the selected outage (Figure 532).

The screenshot displays a web-based form titled 'Edit this outage'. The 'Resource' field is set to 'O2'. The 'Outage category' dropdown is set to 'Preventative maintenance'. In the 'Details' section, the text 'Gas bottle change' is entered. The 'Start time' is listed as '05/18/2020 8:00 AM' and the 'End time' as '05/18/2020 12:00 PM'. At the bottom of the form are two buttons: a yellow 'Abandon changes' button and a green 'Save changes' button.

Figure 532 Resource edit existing scheduled outage

- Edit any fields that need updating. The process is identical to creating a scheduled outage above.
- To cancel click the abandon changes button (Figure 533).

Abandon changes

Figure 533 Resource scheduled outage edit abandon changes button

- To save the update click the save changes button (Figure 534).

Save changes

Figure 534 Resource scheduled outage edit save changes button

26.3 Web address

The resources page is accessible at site-address/resources/. For example, www.nemo.com/resources/. The page is accessible from the navigation bar by clicking Administration then clicking Resources.

26.4 Mobile device resources page

There are no mobile device views for the resources page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

26.5 Resources page customizations

There are no customizations for the resources page.

27 Staff charges (staff only)

The staff charges page provides an interface to manage work performed by staff on behalf of users. The page can take several forms depending on what a staff member is currently doing on behalf of a user.

27.1 Usage

- If a staff member is not performing any work on behalf of a user, a dialog will be displayed to select a user (Figure 535).

The screenshot shows a web page titled "Staff charges". A descriptive text block says: "Use this form to charge a user for staff time and area access time when you are working on a project on their behalf. You may only work on one user project at a time for a customer." Below this is a section labeled "Customer" containing a search input field with the placeholder "Search for a customer".

Figure 535 Staff charge page, staff not currently working on behalf of user

- Enter a user name in the search dialog (Figure 536).

The screenshot shows a search dialog with the word "Customer" above a search input field containing the placeholder "Search for a customer".

Figure 536 Staff charge user search dialog

- A list of users is returned as characters are typed (Figure 537). The user can be selected from the return list at any time by clicking the name.

The screenshot shows a dropdown menu with the word "Customer" above it. The first item in the list is "C". Below the dropdown are three user suggestions: "Conseil Aronnax (conseil)", "Staff Cleanroom (staff)", and "Tech Cleanroom (tech)".

Figure 537 Staff charge user search return list

- If the user has only one project, it will be listed and automatically selected (Figure 538).

Staff charges

Customer: Conseil Aronnax (conseil)

Staff time will be billed to the customer's only project, "Project 1"

Begin billing staff time

Figure 538 Staff charge user with one project

- If the user has multiple projects, a list of projects will be returned to select from (Figure 539). Click one of the available projects to select it (Figure 540).

Staff charges

Customer: Ned Land (ned)

Which of the customer's projects would you like to bill?

- Project 1
- Project 2

Begin billing staff time

Figure 539 Staff charge user with multiple projects

Which of the customer's projects would you like to bill?

- Project 1
- Project 2

Figure 540 Staff charge user project selection

- Click the begin billing button to start charging staff time (Figure 541). The user, project, and start time will be recorded in the staff charges table of the database which is discussed in the [Detailed administration → Staff charges](#) section on page 490.

Begin billing staff time

Figure 541 Staff charge begin billing button

- The navigation bar will display the charging staff time indicator in red (Figure 542).

Charging staff time

Figure 542 Staff charge navigation bar indicator

- Hovering over the charging staff time indicator will provide user and project details (Figure 543).

Charging staff time

You are charging staff time to Ned Land (ned) for the project named Project 1 since Wednesday, May 13th, 2020 @ 4:43 PM.

Figure 543 Staff charge navigation bar indicator details

- The staff member is now working on a project on behalf of a user. The staff charges page will provide dialog to stop working on the project and, if areas have been defined, provide a dialog to also begin charges for area access. In addition, if the staff member is logged into a tool on behalf of a user, it will be listed as well (Figure 544).

Staff charges

You are charging staff time to Michael Stewart (stew) for the project named N09.0005 Single Electron and Single Atom Devices for Electrical Current Standards & Quantum Info since Thursday, January 14th, 2021 @ 1:21 PM.

Here is a summary of the current charges:

Type	Start	End
Microwave Asher usage	Thursday, January 14th, 2021 @ 1:22 PM	
Start time charge	Thursday, January 14th, 2021 @ 1:21 PM	
I have finished working on this project		
I have entered a billable area on behalf of this user:		
<input type="radio"/> Cleanroom		
<input type="radio"/> Soft lithography lab		
Begin billing for area access		

Figure 544 Staff charge page, staff working on project, not billing area access


- To stop working on a project, click the finished working button (Figure 545). This will write the end time to the staff charges table of the database, turn off the charging staff time indicator, and return to the initial customer search dialog.



I have finished working on this project

Figure 545 Staff charge finished working button

- To begin billing for area access, click the area to work in (Figure 546) then click the area access button (Figure 547). The area, user, project, and start time will be recorded in the area access records table of the database which is discussed in the [Detailed administration → Area access records](#) section on page 402.



I have entered a billable area on behalf of this user:

CMP lab
 Cleanroom

Figure 546 Staff charge area selection



Begin billing for area access

Figure 547 Staff charge area access button

- The staff member is now working on a project on behalf of a user and charging area access time. The staff charges page will provide a dialog to stop working in the area (Figure 548).

Staff charges

You are charging staff time to Michael Stewart (stew) for the project named N09.0005 Single Electron and Single Atom Devices for Electrical Current Standards & Quantum Info since Thursday, January 14th, 2021 @ 1:21 PM.

Here is a summary of the current charges:

Type	Start	End
Cleanroom access	Thursday, January 14th, 2021 @ 1:25 PM	
Microwave Asher usage	Thursday, January 14th, 2021 @ 1:22 PM	
Start time charge	Thursday, January 14th, 2021 @ 1:21 PM	

I am no longer in the Cleanroom on behalf of this user

Figure 548 Staff charge page, staff working on project and billing area access

- To stop charging area access, click the no longer in area button (Figure 549). This will write the end time to the area access records table of the database and return to the staff member is now working on a project on behalf of a user dialog.

I am no longer in the cleanroom on behalf of this user

Figure 549 Staff charge no longer in area button

- The dialog will return to the staff charge dialog however will include the area access billed (Figure 550). At this time another area can be entered, or staff charges can be ended.

Staff charges

You are charging staff time to Conseil Aronnax (conseil) for the project named Project 1 since Monday, September 21st, 2020 @ 5:39 PM.

Here is a summary of the current charges:

Type	Start	End
Cleanroom access	Monday, September 21st, 2020 @ 5:40 PM	Monday, September 21st, 2020 @ 5:41 PM
Start time charge	Monday, September 21st, 2020 @ 5:39 PM	

[I have finished working on this project](#)

I have entered a billable area on behalf of this user:

(Cleanroom) Cleanroom
 CMP lab

[Begin billing for area access](#)

Figure 550 Staff charge with area usage summary

27.2 Web address

The staff charge page is accessible at site-address/staff_charges/. For example, www.nemo.com/staff_charges/. The page is accessible from the navigation bar by clicking Administration then clicking Staff charges.

27.3 Mobile device staff charges page

There are no mobile device views for the staff charges page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

27.4 Staff charges page customizations

27.4.1 Staff charge reminders

Email reminders that staff charges are underway can be sent periodically and require an email template that is used to format messages. The email template is configured in the [Customization → Staff charge reminder email](#) page detailed starting on page 350.

In addition, a timed service app must be properly configured and running which is described in [NEMO timed services](#) on page 577.

28 Project billing (staff only)

The project billing page provides staff with an interface to search for usage by account, application, or project (Figure 551).

If the billing service is not set or unavailable, this page will redirect to the [project usage page](#).

This screenshot shows the 'Usage and billing information' page for May 2020. It includes a dropdown for 'Select month' (May, 2020), date range inputs ('or from 05/01/2020 to 05/31/2020'), a search field ('For Search for an account, application or project'), and an 'Update' button.

Figure 551 Project billing page

28.1 Usage

The project billing page offers an additional search dialog to display all records for an account, application, or project (Figure 552).

This screenshot shows a search dialog with a label 'For' and a search input field containing 'Search for an account, application or project'.

Figure 552 Project billing search dialog

A list of items is returned as characters are typed (Figure 553). The item of interest can be selected from the return list at any time by clicking the name.

This screenshot shows a search return list for the query 'acc'. It lists several accounts with their names and the word 'account' repeated next to each name.

For	Search term
acc	Account 1 account
acc	Account 2 account
acc	Account 3 account
acc	New test account account

Figure 553 Project billing search dialog return list

The rest of the project billing page usage and return information is identical to the [view usage page](#) detailed on page 163.

28.2 Web address

The project billing page is accessible at site-address/project_billing/. For example, www.nemo.com/project_billing/. The page is accessible from the navigation bar by clicking Administration then clicking Project billing.

28.3 Mobile device project billing page

There are no mobile device views for the project billing page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

28.4 Project billing page customizations

There are no customizations for the project billing page.

29 Supplies (staff only)

The supplies page provides staff with an interface to record distribution of consumable items and supplies to users (Figure 554). Supplies are setup in the consumables table of the database detailed in the [Detailed administration → Consumables](#) section on page 430. The consumables table facilitates tracking of quantities in stock and can trigger a notification if the stock is low.

The screenshot shows a web-based application titled "Withdraw consumables". The main instruction is "Use this form to charge users for consumable items & supplies." There are two input fields: "Customer" with a placeholder "Search for a customer" and a dropdown menu labeled "Project". Below these, there is a section for "Consumables" containing a list of items with addition icons: "2 inch wafer tray +" and "Tweezers (Cost \$5.00) +".

Figure 554 Supply page

29.1 Usage

To withdraw a consumable item or supply:

- Enter a user name in the customer dialog (Figure 555).

The screenshot shows a "Customer" search dialog with a placeholder "Search for a customer". Below it is a dropdown menu showing a single result: "Conseil Aronnax (conseil)".

Figure 555 Supply customer dialog

- A list of users is returned as characters are typed (Figure 556). The user can be selected from the return list at any time by clicking the name.

The screenshot shows a "Customer" search dialog with the input "cd". Below it is a dropdown menu showing a single result: "Conseil Aronnax (conseil)".

Figure 556 Supply customer dialog return list

- If the wrong name is selected, clicking the selected users name will reset the form.

- If the selected user does not have an active project, an error is displayed and the withdraw will not be allowed (Figure 557).




Figure 557 Supply no active project

- If the selected user has one project, it is automatically selected (Figure 558).



Figure 558 Supply single project

- If the selected user has multiple projects, click the dropdown and choose a project to bill (Figure 559).




Figure 559 Supply multiple projects

- Click on the consumable item or the + icon (+) in the list to bring up the quantity popup (Figure 560).



Figure 560 Supply select consumable

- The consumable item list can be organized by categories which are described in the [Detailed administration → Consumable categories](#) section on page 426.
- The cost of each consumable can be optionally listed by uploading rate information as discussed in the [Customizations → Tool rates](#) section on page 375.
- Enter an integer quantity in the quantity dialog (Figure 561).



Figure 561 Supply quantity

- Click the “Add to order” button or simply press <Enter> (Figure 562)




Figure 562 Supply add to order

- The item is added to the “current order” on the right side of the screen (Figure 563)

Withdraw consumables

Use this form to charge users for consumable items & supplies.

Customer	Captain Nemo (captain)
Project	Cleanroom Eng
Consumables	
2 inch wafer tray (Cost \$15.00) +	
Tweezers (Cost \$5.00) +	

Current order:			
Customer	Project	Consumable	Quantity
Captain Nemo (captain)	Cleanroom Eng	Tweezers	3

[Clear](#)
[Confirm](#)

Figure 563 Supply current order

- You can keep adding more items to the current order, for the same or for a different customer (Figure 564)

Current order:

Customer	Project	Consumable	Quantity	
Captain Nemo (captain)	Cleanroom Eng	Tweezers	3	×
Captain Nemo (captain)	Cleanroom Eng	2 inch wafer tray	10	×
Ned Land (ned)	Cleanroom Eng	Tweezers	2	×

[Clear](#)

[Confirm](#)

Figure 564 Supply multiple items order

- You can click the clear button (Figure 565) to clear the current order.

[Clear](#)

Figure 565 Supply clear button

- Click the confirm button (Figure 566).



Confirm

Figure 566 Supply confirm button

- If the withdraw was successful
 - The transaction is recorded in the consumable withdraws table of the database described in the [Detailed administration → Consumable withdraws](#) section on page 428.
 - The total quantity in stock is updated in the consumables table of the database.
 - A success message is displayed at the top of the page (Figure 567).



The withdrawal of 2 of Tweezers for Ned Land (ned) was successfully logged and will be billed to project Cleanroom Eng. X

Figure 567 Supply success message

- If the withdraw was not successful
 - A failure reason is provided at the top of the page (Figure 568).



Oops! Something went wrong. Please correct the errors highlighted below.

Figure 568 Supply fail message

- Any missing information is highlighted next to the dialog box (Figure 569).



This field is required.

Figure 569 Supply missing information

- If a non-integer is entered for the quantity, it is noted at the quantity dialog (Figure 570).




Figure 570 Supply integer error

- Correct any errors and try again.

29.2 Web address

The supplies page is accessible at site-address/consumables/. For example, www.nemo.com/consumables/. The page is accessible from the navigation bar by clicking Administration then clicking Supplies.

29.3 Mobile device supplies page

There are no mobile device views for the supplies page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

29.4 Supplies page customizations

29.4.1 Supply rates

Supply rates can be displayed next to each supply in the consumable list and are discussed in the [Customizations → Tool rates](#) section on page 375.

30 Training (staff and tool superusers only)

The training page provides staff and tool superusers with an interface to record user training and qualify users (Figure 571).

The screenshot shows a web-based form titled "Training". The header includes instructions: "Use this form to charge users for training sessions.", "You can add participants to a training session by clicking the 'Add another participant' link. Remove a participant or blank row by clicking the circled X on that row.", and "When a user has successfully completed a training session you have the option to check the "Qualify" box, which qualifies the user for that tool." Below these are the following fields:

Trainee	Tool	Project	Duration (in minutes)	Training type	Qualify
(<input checked="" type="checkbox"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="button" value="▼"/>	<input type="checkbox"/>

[Add another participant](#)

[Record training sessions](#)

Figure 571 Training page

30.1 Usage

To record user training:

- Enter the user name in the trainee dialog box (Figure 572).

The screenshot shows a modal dialog box with the title "Trainee". It contains a single input field.

Figure 572 Training trainee dialog

- A list of users is returned as characters are typed (Figure 573). The user can be selected from the return list at any time by clicking the user name.

The screenshot shows a modal dialog box with the title "Trainee". An input field contains the text "ned". Below it, a dropdown list displays "Ned Land (ned)".

Figure 573 Training trainee dialog return list

- If the incorrect user is selected, click the users name in the trainee dialog box to clear the entry and retry.

- Enter the tool in the tool dialog box (Figure 574).



Figure 574 Training tool dialog

- A list of tools is returned as characters are typed (Figure 575). The tool can be selected from the return list at any time by clicking the tool name. Staff can select any tool, superusers can only select the tools they are superusers for.




Figure 575 Training tool dialog return list

- If the incorrect tool is selected, click the tool name in the tool dialog box to clear the entry and retry.
- If the user has only one project, it will be selected automatically (Figure 576).



Figure 576 Training single project

- If the user has multiple projects, click the dropdown and choose a project to bill (Figure 577).





Figure 577 Training multiple projects


- Enter the training time in the duration dialog box in minutes (Figure 578).



A screenshot of a text input field with a black border. The label 'Duration (in minutes)' is at the top in bold black font. Below it is a large empty text area for input.

Figure 578 Training duration

- Select the training type from the dropdown (Figure 579).



A screenshot of a dropdown menu with a black border. The title 'Training type' is at the top. Inside, there are two options: 'Individual' and 'Group'. The 'Group' option is highlighted with a blue background.

Figure 579 Training type

- If the user should be qualified on the tool at this time, check the qualify checkbox (Figure 580).



A screenshot of a checkbox with a black border. The word 'Qualify' is at the top. Below it is a square checkbox. It is currently unchecked.

Figure 580 Training qualify

- More training sessions can be added by clicking the add participant link (Figure 581). Each training row is independent so multiple training sessions do not need to be related in any way.

[Add another participant](#)

Figure 581 Training add participant

- If a training session row needs to be removed, click the  next to the trainee name.
- Click the record button to complete the training (Figure 582).

[Record training sessions](#)

Figure 582 Training record button

- If the training was recorded successfully

- A training record will be written in the training sessions table of the database described on the [Detailed administration → Training sessions](#) page detailed on page 522.
- If the qualify box was checked, the membership histories table in the database is updated. The membership history table is described on the [Detailed administration → Membership histories](#) page detailed on page 452. If the selected tool is configured to grant a physical access level to the user upon qualification, the users access level will be updated.
- A success dialog will be displayed (Figure 583). Click continue to return to the NEMO landing page.



Figure 583 Training success message

- If the training was not recorded successfully, an error message is displayed (Figure 584). Correct any missing information and retry.




Figure 584 Training error message

30.2 Web address

The training page is accessible at site-address/training/. For example, www.nemo.com/training/. The page is accessible from the navigation bar by clicking Administration then clicking Training.

30.3 Mobile device training page

There are no mobile device views for the training page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

30.4 Training page customizations

There are no customizations for the training page.

31 Users (staff only)

The users page provides an interface to add new users and update existing users (Figure 585). Users can be associated with projects, tools, and physical access areas from this dialog. However, this feature exposes a limited number of parameters of the user table that are necessary to create users. A role beyond user must be defined in the users table of the database discussed in the [Detailed administration → Users](#) section on page 531.

The screenshot shows the 'Users' page in the NEMO application. At the top, there is a navigation bar with links for 'NEMO', 'Calendar', 'Tool control', 'Status dashboard', 'Administration', 'Welcome, Captain', and a gear icon. Below the navigation is a search bar labeled 'Search for a user'. On the right side of the header is a green 'New user' button. The main content area is titled 'Users' and contains a table with three rows of data. The columns are labeled 'First Name', 'Last Name', 'Username', 'Active', 'Staff', and 'Admin'. The data is as follows:

First Name	Last Name	Username	Active	Staff	Admin
Pierre	Aronnax	professor	✓		
Ned	Land	ned	✓		
Captain	Nemo	captain	✓	✓	✓

At the bottom right of the table is a dropdown menu set to '25' results per page. The footer of the page indicates 'Page 1 of 1'.

Figure 585 Users page

31.1 Create new user

To create a new user:

- Click the new user button (Figure 586).

New user

Figure 586 Users new user button

- The new user form will open (Figure 587). The items displayed on the form depend on the functionality that has been defined in NEMO.

New user

First name

Last name

User name

E-mail address

Type ▾

Badge number

Access expiration One year from now

Active

Training required

Projects Add a project
This user has no assigned projects.

Tool qualifications Add a qualification
This user is not qualified to use any tools.

Physical access levels Tablet controlled
 Cleanroom anytime
 Cleanroom normal business hours

Create user

Figure 587 Users new user form

- Required: enter first name in dialog box (Figure 588).

First name

Figure 588 New user first name dialog box

- Required: enter last name in dialog box (Figure 589).

Last name

Figure 589 New user last name dialog box

- Required: enter user name in dialog box (Figure 590).

User name

Figure 590 New user user name dialog box

- Required: enter email address in dialog box (Figure 591).

E-mail address

Figure 591 New user email address dialog box

- Select user type from dropdown (Figure 592). User types are defined in the user types table of the database on the [Detailed administration → User types](#) page detailed on page 529.

Type

Staff

Figure 592 New user user type dialog box

- Enter a badge number that is associated with the user for accessing doors and kiosks (Figure 593). This is easily accomplished by having a badge reader on a computer where user profiles are created. Click inside of the dialog box then scan the badge.

Badge number

Figure 593 New user badge number dialog box

- Enter an access expiration date (Figure 594). This can be useful to track safety training end dates or project expiration dates and will automatically turn off the users access on the designated date. Leave blank for no expiration.

Access expiration

Figure 594 New user access expiration dialog box

- Clicking the one year from now will automatically set the date (Figure 595).

One year from now

Figure 595 New user access expiration one-year quick link

- Clicking in the date dialog box will display the calendar dialog (Figure 596).




Figure 596 New user access expiration calendar dialog

- Navigate the calendar and click the date to update the dialog box.
- Make user active or not active by checking the checkbox (Figure 597). By default, a new user is active. A user that is not active cannot access NEMO or have reservations or tool usage performed on their behalf. Any change in a user status is recorded in the activity histories table of the database detailed in the [Detailed administration → Activity histories](#) section on page 395.

Active

Figure 597 New user active checkbox

- Select training required or not required by checking the checkbox (Figure 598). By default, training is required for new users. This will display the [lab tutorial](#) described on page 34 and block user tool reservations and tool login.

Training required

Figure 598 New user training required checkbox

- If the identity service is in use, select the domain the user belongs to (Figure 599). If only one domain has been defined, it will be selected automatically (Figure 600). The identity service is discussed in the [Configuring NEMO settings → Identity service](#) section on page 577.




Figure 599 New user domain selection



Figure 600 New user single domain

- Enter projects to associate the user with (Figure 601).



Figure 601 New user project dialog box

- A list of projects is returned as characters are typed (Figure 602). The project can be selected from the return list at any time by clicking the project name. Repeat for all projects.




Figure 602 New user projects return list

- The selected project will appear under the dialog (Figure 603). Click the (X) to remove the user from the project.



Figure 603 New user project added

- Enter tools the user is qualified on (Figure 604).




Figure 604 New user tool qualification dialog box

- A list of tools is returned as characters are typed (Figure 605). The tool can be selected from the return list at any time by clicking the tool name. Repeat for all tools.




Figure 605 New user tool qualification return list

- The selected tool will appear under the dialog (Figure 606). Click the (X) to remove a tool qualification.




Figure 606 New user tool qualification added

- If NEMO will control area access permissions, a dialog for physical access levels will be displayed (Figure 607).




Figure 607 New user physical access levels

- Check the box for the access levels for the user (Figure 608). The physical access levels are a combination of physical areas and access schedules which are defined in the [Detailed administration → Physical access levels](#) table detailed on page 458. Areas may also have doors associated with them that are accessed through [entrance tablets](#) which are detailed on page 561.




Figure 608 New user NEMO controlled doors

- Doors and access periods that are controlled by an external access control system can be setup to communicate permissions through the identity service. Any physical access levels available for NEMO to set user permissions on will be listed as badge-reader controlled (Figure 609).




Figure 609 New user external access control

- Select physical access levels to assign to the user by checking the checkboxes.
- Click the create user button to save the user information (Figure 610).

Create user

Figure 610 New user create user button

- If the user was recorded successfully
 - Any externally controlled door accesses are updated through the identity service.
 - A record is written in the users table of the database creating the user.
 - Any tool qualifications selected are written to the membership table.
 - Any physical access levels granted are written to the membership table.
 - Any projects selected are written to the membership table.
- If the user was not recorded successfully
 - If required fields are left blank, a notice message will be displayed at the field (Figure 611).




Figure 611 New user blank field error

- If an invalid email address is entered, a warning message will appear at the top of the page (Figure 612) and an error message will be displayed at the email address dialog box (Figure 613).

Oops! Something went wrong. Please correct the errors highlighted below.

Figure 612 New user error message

Enter a valid email address.

Figure 613 New user bad email address message

31.2 Modify existing user

To modify an existing user:

- From the users page, enter a user name in the search dialog (Figure 614).




Figure 614 User page search dialog

- A list of users is returned as characters are typed (Figure 615). The user can be selected from the return list at any time by clicking the user name.




Figure 615 User page search return list

- You can also click on the edit icon (of the users list (Figure 616).

First Name	Last Name	Username	Active	Staff	Admin	
Pierre	Aronnax	professor	✓			

Figure 616 User list edit

- Upon selecting the user, the modify user page will be displayed (Figure 617).

The screenshot shows a 'Modify user' form with the following fields:

- First name:** Ned
- Last name:** Land
- User name:** ned
- E-mail address:** ned.land@nautilus.com
- Type:** Staff (dropdown menu)
- Badge number:** (empty field)

Figure 617 Modify user page

- Above the modify user header, there are three quick links.
 - Search for another user (Figure 618). Clicking this link returns to the main users page.

[Search for another user](#)

Figure 618 Modify user search for another user link

- View user history (Figure 619).

[View user history](#)

Figure 619 Modify user view history link

- Clicking the link opens the membership history page for this user (Figure 620).
- The membership history tracks several user actions, who took them, and when. Records are stored in the membership histories table of the database detailed in the [Detailed administration → Membership histories](#) section on page 452.
 - Activated or deactivated user
 - Joined or removed from a project
 - Joined or removed from a tool qualification
 - Joined or removed from a physical access level.

History for Ned Land (ned)

Date & time	User	Action
Thursday, April 9th, 2020 @ 2:38 PM	Captain Nemo (captain)	This user now belongs to physical access level "Cleanroom anytime".
Monday, April 13th, 2020 @ 2:43 PM	Captain Nemo (captain)	This user no longer belongs to project "Project 2".
Monday, April 13th, 2020 @ 2:43 PM	Captain Nemo (captain)	This user no longer belongs to project "Project 3".
Tuesday, April 14th, 2020 @ 3:49 PM	Captain Nemo (captain)	User deactivated.
Tuesday, April 14th, 2020 @ 3:49 PM	Captain Nemo (captain)	This user no longer belongs to tool "PECVD".
Tuesday, April 14th, 2020 @ 3:49 PM	Captain Nemo (captain)	This user no longer belongs to physical access level "Cleanroom anytime".
Tuesday, April 14th, 2020 @ 3:49 PM	Captain Nemo (captain)	This user no longer belongs to project "Project 1".
Tuesday, April 14th, 2020 @ 3:49 PM	Captain Nemo (captain)	User activated.
Tuesday, April 14th, 2020 @ 11:01 PM	Captain Nemo (captain)	This user now belongs to physical access level "Cleanroom anytime".
Tuesday, April 14th, 2020 @ 11:03 PM	Captain Nemo (captain)	This user now belongs to project "Project 1".
Thursday, April 16th, 2020 @ 5:34 PM	Captain Nemo (captain)	This user now belongs to tool "PECVD".
Thursday, April 16th, 2020 @ 5:34 PM	Captain Nemo (captain)	This user now belongs to tool "Sputter".

Figure 620 Modify user history detail

- Safely deactivate this user (Figure 621). This is only displayed if an active user was selected. Safely deactivating a user will ensure no additional billable activity can be accumulated once the user is deactivated.

[Safely deactivate this user](#)

Figure 621 Modify user safe deactivation link

- Clicking the link checks to be sure it is safe to deactivate a user by checking for current billable tasks such as:
 - Future reservations
 - Tools currently in use
 - Currently in an access-controlled area
 - Staff charges currently in progress
- Any current activity is displayed by category (Figure 622).
- Checkboxes are selected by default to remove any current billable tasks. Uncheck them to skip removing a category of tasks.
- Clicking the deactivate user button will cancel any reservations and end any current charges for checked usage categories.

Safe deactivation for Ned Land (ned)

Upcoming reservations

There are two reservations for Ned that are upcoming or in progress.

Cancel all future reservations for Ned

Tool	Project	Start	End
Fluorine Etch	Project 1	Friday, May 22nd, 2020 @ 11:00 AM	Friday, May 22nd, 2020 @ 1:00 PM
Sputter	Project 1	Friday, May 22nd, 2020 @ 10:00 AM	Friday, May 22nd, 2020 @ 12:00 PM

Tool usage

Ned is using two tools.

Disable all tools for Ned

Tool	Project	Start
PECVD	Project 1	Thursday, May 21st, 2020 @ 5:47 PM
Ellipsometer	Project 1	Thursday, May 21st, 2020 @ 5:44 PM

Area access

Ned is currently in the CMP lab.

Force Ned to log out of the CMP lab

Staff charges

Captain Nemo (captain) is working on the project named "Project 1" for Ned Land (ned) since Thursday, May 21st, 2020 @ 5:44 PM.

End all staff charges

Deactivate user

Figure 622 Modify user safe deactivate page

- Modify user
 - The modify user dialog reads the information currently saved user profile including project associations, tool qualifications, and physical access levels. They can be changed under the same process detailed in the create user section above. Once changes are complete, click the save changes button at the bottom of the page (Figure 623).



Save changes

Figure 623 Modify user save button

31.3 Web address

The users page is accessible at site-address/users/. For example, www.nemo.com/users/. The page is accessible from the navigation bar by clicking Administration then clicking Users.

31.4 Mobile device configuration agenda page

There are no mobile device views for the users page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

31.5 Users page customizations

31.5.1 Identity service

The identity service requires custom programming to provide a bridge between NEMO and outside systems such as multiple LDAP servers for different types of users, and external access control systems to authorize users to access doors. It is beyond the scope of this manual to provide programming examples for bridge software, but details of the NEMO settings can be found in the [Configuring NEMO settings → Identity service](#) section on page 577.

32 Impersonate (admin only)

The impersonate feature allows an admin user to impersonate any active user (Figure 624). This feature is useful to replicate problems a user may be having accessing different features of NEMO.

This form allows you to impersonate any active user.

Search for a user to impersonate

Impersonate

Figure 624 Impersonate page

32.1 Usage

To impersonate a user:

- Enter the users name in the search dialog box (Figure 625).

Search for a user to impersonate

Figure 625 Impersonate search dialog

- A list of users is returned as characters are typed (Figure 626). The user can be selected from the return list at any time by clicking the users name.

ned

Ned Land (ned)

Figure 626 Impersonate search dialog return list

- If the incorrect user is selected, use the backspace to delete characters and names will be returned with each character deleted.
- Click the impersonate button to begin impersonating the selected user (Figure 627).

Impersonate

Figure 627 Training record button

- NEMO will return to the landing page and a header will appear at the top of each page indicating that you are currently impersonating another user (Figure 628). NEMO will act as if the selected user is currently logged in.




Figure 628 Impersonate page header

- Click the switch back button on the impersonate page header to return to normal operation (Figure 629).



Figure 629 Impersonate header switch back button

32.2 Web address

The impersonate page is accessible at site-address/impersonate/. For example, www.nemo.com/impersonate/. The page is accessible from the navigation bar by clicking Administration then clicking Impersonate.

32.3 Mobile device impersonate page

There are no mobile device views for the impersonate page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

32.4 Impersonate page customizations

There are no customizations for the impersonate page.

33 Projects (PIs only)

33.1 Usage

This page simply displays the projects the user is a Principal Investigator on. Project Investigators can be set in the [Projects Administration](#) page.

It will display basic information about the project as well as users on the project (Figure 630).

NEMO Calendar Tool control Status dashboard Buddy board Administration ▾

Projects

▼ Cleanroom Eng Active

Account: Cleanroom Staff
Identifier: PROJ.2019.02

Users:

- Captain Nemo (captain)
- Ned Land (ned)
- Pierre Aronnax (professor)

Figure 630 Projects view

33.2 Web address

The projects page is accessible at site-address/projects/. For example, www.nemo.com/projects/. The page is accessible from the navigation bar by clicking Administration then clicking Projects (Figure 631).




Figure 631 Projects view address

33.3 Mobile device

There are no mobile device views for the users page however, as the page size is reduced, the headings are stacked, and all information is viewable by scrolling.

33.4 Projects page customizations

There are no customizations for the impersonate page.

34 Customization (admin only)

The customization section can be used to tailor NEMO to the needs of a particular lab. Customizations include where NEMO will send emails, what the emails should look like, page customizations, and functional settings.

34.1 Email Addresses

NEMO has the ability to send email messages in support of a variety of features (Figure 632). The email address customization provides the capability to send different types of email messages to different people or departments in the organization.

The screenshot shows a configuration interface for email addresses. It lists four categories with their corresponding email addresses and descriptions:

Category	Email Address	Description
Feedback	feedback@example.org	User feedback from the Feedback page is sent to this email address.
Safety	safety@example.org	Safety suggestions and observations are sent to this email address.
Abuse	abuse@example.org	Alerts about user activities that could constitute 'abuse' are sent to this email address. Examples include missed reservations and unauthorized tool access.
User office	information@example.org	The main point of contact for users to obtain NanoFab information. Automated emails sent from NEMO are typically 'from' this address.

A green "Save email addresses" button is located at the bottom left of the form.

Figure 632 Customization email addresses

Feedback – emails generated by the send feedback page are sent to this email address. The send feedback feature is described in the [send feedback](#) section on page 157. The send feedback feature requires both the email address and email template to be configured in the customizations. The feedback email customization is described in the [feedback email](#) section below on page 303.

Safety – emails generated by the safety page are sent to this email address. The safety page is described in the safety section on page 148. Safety email notifications require both the email address and email template to be configured in the customizations. The safety email customization is described in the [safety issue email](#) section below on page 346.

Abuse – emails generated by either a missed reservation, unauthorized tool login attempt, or tutorial completion are sent to this email address. The missed reservation feature is described in the [reservation](#) section on page 61. The [tool login](#) feature is described on page 100. The [rules tutorial](#) feature is described on page 34. Both the email address and email template must be configured in the customizations. The [missed reservation email](#) customization is described in the missed reservation email section below on page 314. The [unauthorized tool login email](#)

customization is described below on page 359. The [tutorial completion email](#) customization is described below on page 318.

User office – all emails initiated by NEMO will be from this email address. For example, reservation reminders, missed reservations, and tool in use reminders. Emails initiated by a user will be from the user that initiated the email. For example, feedback emails, staff canceling a user's reservation, and safety.

34.2 Calendar settings

The calendar settings can be configured to set the default calendar view, first day of the week, default calendar start time, and to customize how dates are displayed for international support (Figure 633).

The screenshot shows the 'Calendar settings' configuration interface. It includes fields for setting the default view (Week view selected), the first day of the week (Monday selected), the start of the day (07:00:00), the outage recurrence limit (90 days), and date format options for day, week, and month columns. There are also checkboxes for showing the current time indicator and for showing areas the user doesn't have access to. At the bottom, there are overview options and a 'Save settings' button.

Default view: Week view Month view Day view

First day of the week: Monday Sunday

Start of the day: 07:00:00 The time the day starts in the calendar view (24h format).

Outage recurrence limit: 90 days The maximum number of days a recurring scheduled outage can be set in advance.

The following settings allow to customize the date format in the different calendar views. See [FullCalendar documentation](#) for more information on the syntax.

Day column format: dddd MM/DD/YYYY The column date format for the day view.

Week column format: ddd M/DD The column date format for the week view.

Month column format: ddd The column date format for the month view.

Show current time indicator on the calendar

Also show areas (for reservations) that the user doesn't have access too (they will be grayed out)

Overview options: Enable all tools option Enable all areas option Enable all tools & areas option

Save settings

Figure 633 Customization calendar settings

The default view can be changed between week view, month view, or day view by checking the desired radio button (Figure 634).

The screenshot shows the 'Default view' selection interface, which allows choosing between Week view, Month view, and Day view.

Default view: Week view Month view Day view

Figure 634 Customization calendar default view

The first day of the week displayed on the week view and month view can be changed between Monday and Sunday by checking the desired radio button (Figure 635).

First day of the week:	<input checked="" type="radio"/> Monday	<input type="radio"/> Sunday
------------------------	---	------------------------------

Figure 635 Customization calendar first day of week

The number of days in advance to create recurring outages can be set by entering an integer number (Figure 636).

Outage recurrence limit	90	days
-------------------------	----	------

Figure 636 Customization calendar recurring outage days in advance

The start time in the week view and day view can be set by entering a time in 24-hour format (Figure 637).

Start of the day	07:00:00
------------------	----------

Figure 637 Customization calendar start time

The date format for the day column can be customized by entering the format string in the dialog box (Figure 638). See the [Full Calendar documentation](#) for more information on the syntax.

Day column format	dddd MM/DD/YYYY
-------------------	-----------------

Figure 638 Customization calendar day column format

The date format for the week column can be customized by entering the format string in the dialog box (Figure 639). See the [Full Calendar documentation](#) for more information on the syntax.

Week column format	ddd M/DD
--------------------	----------

Figure 639 Customization calendar week column format

The date format for the month column can be customized by entering the format string in the dialog box (Figure 640). See the [Full Calendar documentation](#) for more information on the syntax.

Month column format	ddd
---------------------	-----

Figure 640 Customization calendar month column format

The calendar will highlight the current day and can optionally display a red pointer to indicate the current time on day and week calendar views. Display the red pointer to indicate the time by checking the show current time indicator checkbox (Figure 641).



Show current time indicator on the calendar

Figure 641 Customization calendar time indicator

The calendar will show a user the areas they specifically have permission to enter. However, a user can be given access to see the reservations for all areas by checking the Also show areas checkbox (Figure 642).



Also show areas (for reservations) that the user doesn't have access too (they will be grayed out)

Figure 642 Customization calendar show all areas checkbox

The calendar can show options to display reservation/usage for all tools, all areas or all tools and areas (Figure 643).

Overview options: Enable all tools option Enable all areas option Enable all tools & areas option

Figure 643 Customization calendar show overview options

When changes are complete, click the save button save the new application settings (Figure 644).

Save settings

Figure 644 Customization calendar settings save button

34.3 Application settings

The application settings can be configured to allow users to manually log into and out of areas and to set the facility name, site title, and the buddy board disclaimer (Figure 645). The log in and log out features are useful for labs that use NEMO for door control in the event of an outage and also for labs that do not use door control but want to track lab access. Tool can be configured to require a user to be logged into an area before they will be allowed to activate the tool. Customizing the facility name and site title can be used to tailor the application to your institution. Customizing the buddy board disclaimer provides users with instructions particular to your facility for buddy system usage. The [buddy board](#) is detailed starting on page 138.

Application settings

- Allow users to log themselves into access controlled areas from landing page
- Allow users to log themselves out of access controlled areas from landing page
- Show access controlled area login/logout button on calendar view header (requires login and/or logout feature enabled above)

- Also show areas the user doesn't have access to in status dashboard

Facility Name	NanoFab	The name of the facility to use in all templates.
Site Title	NEMO	The name of the site to use in all templates/headers.
Buddy Board Disclaimer	Requests will be removed at the end of the day on their end date. Contact the User Office	The disclaimer to display on the buddy board page.

Save settings

Figure 645 Customization application settings

- If the “allow users to log themselves into access controlled areas” checkbox is checked, the log in dialog is displayed (Figure 646) on the [NEMO landing page](#) as described on page 32.

You are not logged in to an access controlled area.
Click here to log in.

Figure 646 Landing page log in dialog box

- If the “allow users to log themselves out of access controlled areas” checkbox is checked, the log out dialog is displayed (Figure 647) on the [NEMO landing page](#) as described on page 33.

You are logged in to the **cleanroom** (logout). Usage time is being billed to the project named **Cleanroom Eng**. Click here to bill to a different project at any time.

Figure 647 Landing page log out dialog box

- If the “allow login/logout in the calendar view checkbox” is checked, the area login/logout button is displayed (Figure 648) on the [NEMO calendar page header](#) when an area is selected as described on page 45. This feature requires that the allow area login and/or allow area logout features above are enabled.



Login to the Cleanroom

Figure 648 Calendar page login button

- The default facility name is “NanoFab” and will be displayed in all templates (Figure 649). To edit, click in the dialog box and enter the desired facility name.



Figure 649 Customization application setting facility name

- The default site title is “NEMO” and will be displayed in all templates and headers (Figure 650). To edit, click in the dialog box and enter the desired site name.



Figure 650 Customization application setting site title

- The default buddy board disclaimer is blank. To edit, click in the dialog box and enter the desired message (Figure 651). Note that carriage returns will be displayed to ease visual organization of information. The  symbol in the corner of the dialog can be dragged to resize the box for easier visualization of the message.




Figure 651 Customization application setting buddy board disclaimer

- When changes are complete, click the save button save the new application settings (Figure 652).



Save settings

Figure 652 Customization application setting save button

34.4 Interlock settings

The Interlock settings can be configured to display a custom message when an interlock command fails. Interlocks can be used for both doors and tools, and you can customize the message for each (Figure 653).

Interlock settings

Tool interlock failure message	Communication with the interlock failed	The message to display when a tool interlock command fails.
Door interlock failure message	Communication with the interlock failed	The message to display when a door interlock command fails.

Check this box to offer users the option to bypass lock/unlock command when there is an interlock error.

Save settings

Figure 653 Interlock settings

- The default message for tool interlock failure is “Communication with the interlock failed”. To edit, click in the dialog box and enter the desired message (Figure 654). Note that carriage returns will be displayed to ease visual organization of information. The  symbol in the corner of the dialog can be dragged to resize the box for easier visualization of the message.

Tool interlock failure message	Communication with the interlock failed
--------------------------------	---

Figure 654 Interlock settings tool failure message

- The default message for door interlock failure is “Communication with the interlock failed”. To edit, click in the dialog box and enter the desired message (Figure 655). Note that carriage returns will be displayed to ease visual organization of information. The  symbol in the corner of the dialog can be dragged to resize the box for easier visualization of the message.

Door interlock failure message	Communication with the interlock failed
--------------------------------	---

Figure 655 Interlock settings door failure message

- Additionally, you can enable an option for users to bypass the interlock error by clicking the checkbox (Figure 656), meaning they can still enable/disable a tool or enter a billable area in NEMO.
In reality this means that if interlock commands fail but tools or doors can be manually enabled by staff, the user can select that option to have NEMO keep track of time as it otherwise would.

- Check this box to offer users the option to bypass lock/unlock command when there is an interlock error.

Figure 656 Interlock settings bypass

34.5 Login banner

The customization for the login banner can be configured using html to display information to users on the login page and is uploaded and viewed through this dialog (Figure 657). The login banner is optional, and no default value is displayed if not configured. More information about the [login](#) page can be found on page 17.

Login banner

The login banner is an informational message displayed underneath the username and password text boxes on the login page. You can customize this to convey rules for NEMO users at your organization.

Figure 657 Customization login banner

To create a custom login banner

- Use any html editor to create the desired content
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- Example
 - The html code in Figure 658

```
<H2><center>
Welcome to our lab!
</center></H2>
<H3><center>
If you are having trouble with your user name or password, please see a user office staff member.
</center></H3>
```

Figure 658 Customization login banner html

- Will produce the banner in Figure 659 on the login page




Figure 659 Customization login banner html rendered

To upload a login banner:

- Click the choose file button to open the file selection dialog (Figure 660).




Figure 660 Customization login banner choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 661).




Figure 661 Customization login banner file selected

- Click the upload login banner button to load the file (Figure 662).



Figure 662 Customization login banner upload button

- The selected file will be renamed 'login_banner.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 663).

A screenshot of a web page titled "Login banner". It contains a brief description: "The login banner is an informational message displayed underneath the username and password text boxes on the login page. You can customize this to convey rules for NEMO users at your organization." Below the text are two buttons: "Choose File" with the value "login_banner.html" and a green "Upload login banner" button. At the bottom of the page is a blue "Show current content" button.

Figure 663 Customization login banner file loaded

To delete the currently loaded file:

- Click the upload banner button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 664).




Figure 664 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 665).

Show current content

Figure 665 Customization login banner show current content button

- The current file is displayed in plain text below the button (Figure 666).

```
Show current content

<H2><center>
Welcome to our lab!
</center></H2>
<H3><center>
If you are having trouble with your user name or password, please see a user office staff member.
</center></H3>
```

Figure 666 Customization login banner current content

34.6 Introduction for Safety suggestions and observations page

The customization for the introduction for safety suggestions and observations page can be configured using html to display lab specific safety information to users on the safety page and is uploaded and viewed through this dialog (Figure 667). The safety introduction is optional, and a default value will be displayed if not configured. More information about the [safety](#) page can be found on page 148.

Introduction for "Safety suggestions and observations" page

What would you like everyone to know about safety policy and procedures? This introduction will be presented at the top of the safety page. You can use HTML to modify the look of the text.

Figure 667 Customization safety introduction

To create a custom safety introduction

- Use any html editor to create the desired content
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- Example
 - The html in Figure 668

```
<p style="font-weight:bold; color:red">For emergency related safety issues involving chemicals spills and exposures, fires, toxic gas release, or any personal injuries call 911 and tell them where you are.</p>

<p>This lab values safety and strives to create a safe working environment for everyone. We invite your suggestions and observations in order to provide a safer and more effective environment for all users and staff. Use this form to report non-emergency related safety issues, unsafe working conditions, housekeeping suggestions, or observations directly to the NanoFab management. This will generate an email that will be automatically sent to the NanoFab management. You can send your comments or concerns completely anonymously or provide your name so that we can follow up with you within 3 business days. If you feel this should be handled sooner than 3 business days, you should contact the lab manager.</p>
```

Figure 668 Customization safety introduction html

- Will produce the introduction in Figure 669 on the safety page:

For emergency related safety issues involving chemicals spills and exposures, fires, toxic gas release, or any personal injuries call 911 and tell them where you are.

This lab values safety and strives to create a safe working environment for everyone. We invite your suggestions and observations in order to provide a safer and more effective environment for all users and staff. Use this form to report non-emergency related safety issues, unsafe working conditions, housekeeping suggestions, or observations directly to the NanoFab management. This will generate an email that will be automatically sent to the NanoFab management. You can send your comments or concerns completely anonymously or provide your name so that we can follow up with you within 3 business days. If you feel this should be handled sooner than 3 business days, you should contact the lab manager.

Figure 669 Customization safety introduction html rendered

To upload a login banner:

- Click the choose file button to open the file selection dialog (Figure 670).

Figure 670 Customization safety introduction choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 671).



Figure 671 Customization safety introduction file selected

- Click the upload login banner button to load the file (Figure 672).



Figure 672 Customization safety introduction upload button

- The selected file will be renamed 'safety_introduction.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 673).

Introduction for "Safety suggestions and observations" page

What would you like everyone to know about safety policy and procedures? This introduction will be presented at the top of the safety page. You can use HTML to modify the look of the text.

Choose File safety_introduction.html

Upload safety introduction

Show current content

Figure 673 Customization safety introduction file loaded

- To view the uploaded content, navigate to the safety page by clicking the link provided (Figure 674).

Introduction for "Safety suggestions and observations" page

Figure 674 Customization safety introduction page link

To delete the currently loaded file:

- Click the upload safety introduction button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 675).




Figure 675 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 676).

Show current content

Figure 676 Customization safety introduction show current content button

- The current file is displayed in plain text below the button (Figure 677).

Show current content

```
<p style="font-weight:bold; color:red">For emergency related safety issues involving chemicals spills and exposures, fires, toxic gas release, or any personal injuries call 911 and tell them where you are.</p>

<p>This lab values safety and strives to create a safe working environment for everyone. We invite your suggestions and observations in order to provide a safer and more effective environment for all users and staff. Use this form to report non-emergency related safety issues, unsafe working conditions, housekeeping suggestions, or observations directly to the NanoFab management. This will generate an email that will be automatically sent to the NanoFab management. You can send your comments or concerns completely anonymously or provide your name so that we can follow up with you within 3 business days. If you feel this should be handled sooner than 3 business days, you should contact the lab manager.</p>
```

Figure 677 Customization safety introduction current content

34.7 Facility rules tutorial page

The customization for the facility rules tutorial page can be configured using html to display lab specific tutorial information to users and is uploaded and viewed through this dialog (Figure 678). The rules tutorial is optional however there is no default content therefore users with training required while no rules tutorial has been configured will require staff to uncheck the users training required status. More information about the rules tutorial can be found in the [landing page](#) section on page 34.




Figure 678 Customization rules tutorial

The tutorial is triggered by a flag in a user's profile and by default is set to require training upon user creation. NEMO user profiles are discussed in the [Users](#) section described on page 260. A notification is displayed on the landing page and is the user access point for completing the tutorial which is described in the [landing page](#) section on page 34.

To create a custom rules tutorial

- Use any html editor to create the desired content
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The HTML uploaded is rendered with the Django template engine.
- JavaScript (including jQuery) can be used within the page.
- To mark the training as complete, the form must be POSTed to the 'facility_rules' URL to enable the user to make reservations and control tools.
- Example
 - The html in Figure 679

```

<h1>NanoFab Rules</h1>

<form action="{% url 'facility_rules' %}" method="post">
    {% csrf_token %}

    <div id="introduction">
        <h4>Introduction</h4>
        <p>The NanoFab operates as a shared resource for both internal and external users. Please work with other users to ensure everyone is as productive as possible.</p>
        <p>Don't over reserve tools and if you no longer need a reservation, cancel it as soon as possible. Please be sure that you log in as soon as you begin using each tool and log out only after the tool is available for the next user.</p>
        <p><strong>Most important, clean up after yourself</strong></p>
        <button type="button" class="btn btn-success" onclick="$('#introduction').hide(); $('#conclusion').show(); window.scrollTo(0,0);">I understand and agree</button>
    </div>

    <div id="conclusion" style="display:none">
        <p>Ultimately, the staff want to make your NanoFab experience as productive and fun as possible. We hope these rules will make everyone's life better.<br></p>
        <button type="submit" style="white-space: normal" class="btn btn-success">Click here to officially complete your training</button>
    </div>
</form>

```

Figure 679 Customization rules tutorial html

- Will produce the tutorial pages shown in Figure 680 and Figure 681

NanoFab Rules

Introduction

The NanoFab operates as a shared resource for both internal and external users. Please work with other users to ensure everyone is as productive as possible.

Don't over reserve tools and if you no longer need a reservation, cancel it as soon as possible. Please be sure that you log in as soon as you begin using each tool and log out only after the tool is available for the next user.

Most important, clean up after yourself

[I understand and agree](#)

Figure 680 Customization rules tutorial html rendered page 1

NanoFab Rules

Ultimately, the staff want to make your NanoFab experience as productive and fun as possible. We hope these rules will make everyone's life better.

[Click here to officially complete your training](#)

Figure 681 Customization rules tutorial html rendered page 2

To upload a rules tutorial:

- Click the choose file button to open the file selection dialog (Figure 682).



Choose File

Figure 682 Customization rules tutorial choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 683).



Choose File nanofab_rule...eneric.html

Figure 683 Customization rules tutorial file selected

- Click the upload rules tutorial button to load the file (Figure 684Figure 672).



Upload NanoFab rules tutorial

Figure 684 Customization rules tutorial upload button

- The selected file will be renamed 'facility_rules_tutorial.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 685).

"NanoFab rules tutorial" page

The NanoFab rules tutorial is an opportunity to provide new users with a tutorial to your lab operating procedures and rules. The HTML you upload is rendered with the Django template engine. You can use JavaScript (including jQuery) within the page. Completion of the HTML form should be POSTed to the 'nanofab_rules' URL. Upon completion, the user's "training required" attribute is set to false, and they are able to make reservations and control tools.



Choose File nanofab_rules_tutorial.html



Upload NanoFab rules tutorial



Show current content

Figure 685 Customization rules tutorial file loaded

- To view the uploaded content, navigate to the safety page by clicking the link provided (Figure 686).



"NanoFab rules tutorial" page

Figure 686 Customization rules tutorial page link

To delete the currently loaded file:

- Click the upload rules tutorial button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 687).




Figure 687 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 688).

Show current content

Figure 688 Customization rules tutorial show current content button

- The current file is displayed in plain text below the button (Figure 689).

```
<h1>NanoFab Rules</h1>

<form action="{% url 'facility_rules' %}" method="post">
    {% csrf_token %}

    <div id="introduction">
        <h4>Introduction</h4>
        <p>The NanoFab operates as a shared resource for both internal and external users. Please work with other users to ensure everyone is as productive as possible.</p>
        <p>Don't over reserve tools and if you no longer need a reservation, cancel it as soon as possible. Please be sure that you log in as soon as you begin using each tool and log out only after the tool is available for the next user.</p>
        <p><strong>Most important, clean up after yourself</strong></p>
        <button type="button" class="btn btn-success" onclick="$('#introduction').hide(); $('#conclusion').show(); window.scrollTo(0,0);">I understand and agree</button>
    </div>

    <div id="conclusion" style="display:none">
        <p>Ultimately, the staff want to make your NanoFab experience as productive and fun as possible. We hope these rules will make everyone's life better.<br></p>
        <button type="submit" style="white-space: normal" class="btn btn-success">Click here to officially complete your training</button>
    </div>
</form>
```

Figure 689 Customization rules tutorial current content

34.8 Facility failed login page

The customization for the failed login page can be configured using html to display login trouble information to users and is uploaded and viewed through this dialog (Figure 690). The failed login configuration is optional, and a default value is displayed if not configured. More information about the [login](#) page can be found on page 17.

"NanoFab failed login" page

This page is displayed after authentication when either no matching username could be found in NEMO's database or if that user has been deactivated.

The HTML you upload is rendered with the Django template engine. You can use JavaScript (including jQuery) within the page.

Figure 690 Customization failed login

To create a custom failed login page:

- Use any html editor to create the desired content
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- Example
 - The html code in Figure 691

```
<H2><center>
There was a problem logging you in!
</center></H2>
<H3><center>
We cant find you on our list of active users. If you have used the lab before, your username may
be deactivated for some reason. Please see a user office staff member.
</center></H3>
```

Figure 691 Customization failed login html

- Will produce the failed login page in Figure 692

There was a problem logging you in!

We can't find you on our list of active users. If you have used the lab before, your username may be deactivated for some reason. Please see a user office staff member.

Figure 692 Customization failed login html rendered

To upload a login banner:

- Click the choose file button to open the file selection dialog (Figure 693).




Figure 693 Customization failed login choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 694).



Figure 694 Customization failed login file selected

- Click the upload failed login page button to load the file (Figure 695).



Figure 695 Customization failed login upload button

- The selected file will be renamed 'authorization_failed.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 696).

"NanoFab failed login" page

This page is displayed after authentication when either no matching username could be found in NEMO's database or if that user has been deactivated.

The HTML you upload is rendered with the Django template engine. You can use JavaScript (including jQuery) within the page.



Figure 696 Customization failed login file loaded

To delete the currently loaded file:

- Click the upload failed login page button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 697).




Figure 697 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 698).



Figure 698 Customization failed login show current content button

- The current file is displayed in plain text below the button (Figure 699).

```
Show current content

<H2><center>
There was a problem logging you in!
</center></H2>
<H3><center>
We cant find you on our list of active users. If you have used the lab before, your username may
be deactivated for some reason. Please see a user office staff member.
</center></H3>
```

Figure 699 Customization failed login current content

34.9 Jumbotron watermark

The customization for the jumbotron watermark can be configured to display a background on the jumbotron page view (Figure 700). The jumbotron watermark configuration is optional and a white background is displayed if not configured. More information about the [jumbotron](#) page can be found on page 138.

"Jumbotron" watermark

This image is displayed as background for the Jumbotron. It is set as a full background screen, so your image needs to take that into account.
The image you upload should be a valid image file (recommended size is 1500x1000).

Figure 700 Configuration jumbotron watermark

To upload a jumbotron watermark:

- Click the choose file button to open the file selection dialog (Figure 701).




Figure 701 Customization watermark choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 702).



Figure 702 Customization watermark file selected

- Click the upload button to load the file (Figure 703).

Upload jumbotron Watermark image

Figure 703 Customization watermark upload button

- The selected file will be renamed ‘jumbotron_watermark.png’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 704).

"Jumbotron" watermark

This image is displayed as background for the Jumbotron. It is set as a full background screen, so your image needs to take that into account.

The image you upload should be a valid image file (recommended size is 1500x1000).

jumbotron_watermark.png

Upload jumbotron Watermark image

Figure 704 Customization watermark file loaded

To delete the currently loaded file:

- Click the upload watermark button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 705).




Figure 705 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 706).

Show current content

Figure 706 Customization watermark show current content button

- The current file image is displayed below the button (Figure 707).




Figure 707 Customization watermark current content

- An example of the jumbotron with watermark background is displayed in Figure 708.

Area occupancy

Staff members are highlighted in green

User	Since	Working on project...
Captain Nemo	Thursday @ 11:53 AM	Cleanroom Eng

No NanoFab tools are in use

Alerts and outages

Sputter tool annual PM next week

The sputter tool will have a full annual preventative maintenance performed next week. During this time the tool will not be available to users.

Figure 708 Customization watermark behind jumbotron

34.10 Cancellation email

The customization for the cancellation email template can be configured using html to render a specific message when a staff member cancels a user's reservation (Figure 709). The cancel user reservation feature is described in the [reservations](#) section on page 49. The cancellation email template is optional and if not defined cancellation emails will not be sent.

Cancellation email

This email is sent to a user when a staff member cancels the user's reservation. The following context variables are provided when the email is rendered:

- **reservation** - the user's reservation that was cancelled
- **staff_member** - the user object of the staff member who cancelled the reservation
- **reason** - the reason the staff member provided for cancelling the reservation

Figure 709 Customization cancellation email

To create a custom cancellation email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - **reservation** – the reservation object of the canceled reservation
 - **staff_member** – the user object of the staff member who canceled the reservation
 - **reason** – the reason the staff member provided for canceling the reservation
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject is always, "Your reservation was canceled".
- The email will be from the staff member that canceled the reservation
- Example
 - The html code in Figure 710

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><!--[endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #5bc0de; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                RESERVATION CANCELLED
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <h2>
                Hi {{ reservation.user.first_name }},
            </h2>
            <p>{{ staff_member }} cancelled your reservation for the {{ reservation.tool }} starting on {{ reservation.start }} and ending on {{ reservation.end }}.</p>
            <p>{{ staff_member.first_name }} provided this reason for cancelling the reservation:</p>
            <div style="border-left: 5px solid #5bc0de; padding-left: 7px; font-style: italic">{{ reason }}</div>
            <p>You can reply to this message to contact {{ staff_member.first_name }} if you believe the reservation should not have been cancelled, or log in to NEMO to schedule a new reservation.</p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><!--[endif]-->
</body>
</html>

```

Figure 710 Customization cancellation email html

- Will produce the email in Figure 711

Subject: Your reservation was cancelled
From: captain.nemo@nautilus.com
To: ned.land@nautilus.com

RESERVATION CANCELLED

Hi Ned,

Captain Nemo (captain) cancelled your reservation for the Profilometer starting on Wednesday, June 3rd, 2020 @ 10:00 AM and ending on Wednesday, June 3rd, 2020 @ 12:00 PM.

Captain provided this reason for cancelling the reservation:

| Tool needs repair urgently

You can reply to this message to contact Captain if you believe the reservation should not have been cancelled, or log in to NEMO to schedule a new reservation.

Figure 711 Customization cancellation email html rendered

To upload a cancellation email template:

- Click the choose file button to open the file selection dialog (Figure 712).

Choose File

Figure 712 Customization cancellation email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 713).

Choose File cancellation...generic.html

Figure 713 Customization cancellation email file selected

- Click the upload button to load the file (Figure 714).

Upload cancellation email

Figure 714 Customization cancellation email upload button

- The selected file will be renamed ‘cancellation_email.html’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 715).




Figure 715 Customization cancellation email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 716).




Figure 716 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 717).



Figure 717 Customization cancellation email show current content button

- The current file is displayed below the button (Figure 718).




Figure 718 Customization cancellation email current content

34.11 Counter threshold reached email

The customization for the counter threshold reached template can be configured using html to render a specific message when the warning threshold value for a tool usage counter is reached (Figure 719). The counter threshold reached email template is optional and if not defined the emails will not be sent.




Figure 719 Customization counter threshold reached email

To create a custom counter threshold reached email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - counter – the tool usage counter which value reached the warning threshold

- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject is always, “Warning threshold reached for {tool.name} {counter.name} counter”.
- The email will be from the user office
- Example
 - The html code in Figure 720

```
<html>
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
  </head>
  <body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
    <!--[if mso]>
    <table width="600" align="center">
      <tr>
        <td>
          <!--[endif]-->
          <table align="center" style="width:100%; max-width:600px">
            <tr>
              <td align="center" style="color: white; background: #d9534f; margin: 0; padding: 50px 0;" bgcolor="#d9534f">
                <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">Threshold reached for {{ counter.name }}</h1>
              </td>
            </tr>
            <tr>
              <td style="margin: 10px 10px 20px; padding: 10px;">
                <p>This email is to inform you that the threshold of {{ counter.warning_threshold }} for {{ counter.name }} has been reached.</p>
                <p>Its current value is <b>{{ counter.value }}</b>.</p>
              </td>
            </tr>
          </table>
          <!--[if mso]>
        </td>
      </tr>
    </table>
    <!--[endif]-->
  </body>
</html>
```

Figure 720 Customization counter threshold reached email html

- Will produce the email in Figure 721





Figure 721 Customization counter threshold reached email html rendered

To upload a counter threshold reached email template:

- Click the choose file button to open the file selection dialog (Figure 722).

Figure 722 Customization counter threshold reached email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 723).



- Click the upload button to load the file (Figure 724).



- The selected file will be renamed 'counter_threshold_reached_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 725).

Counter threshold reached email

This email is sent to the counter's warning email when the value of an counter reaches the warning threshold. The following context variables are provided when the email is rendered:

- counter** - the counter which value reached the warning threshold

counter_thre...d_email.html

Figure 725 Customization counter threshold reached email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 726).





Figure 726 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 727).



- The current file is displayed below the button (Figure 728).




Figure 728 Customization counter threshold reached email current content

34.12 Feedback email

The customization for the feedback email template can be configured using html to render a specific message when a user fills out the feedback form (Figure 729). The send feedback feature is described in the [send feedback](#) section on page 157. The feedback feature requires both the feedback email template and feedback email address customizations or emails will not be sent. The feedback email address customization is described in the [email addresses](#) section above on page 276.

Feedback email

This email is sent when a user submits feedback. The feedback email address (at the top of this page) must also be configured for users to be able to do this. The following context variables are provided when the email is rendered:

- **contents** - the user's feedback
- **user** - the user object of the user who submitted the feedback

Figure 729 Customization feedback email

To create a custom feedback email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - contents – the user's feedback
 - user – the user object of the user who submitted feedback
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject is always, “feedback from {username}”.
- The email will be from the user leaving feedback.
- Example
 - The html code in Figure 730

```
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #5bc0de; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                USER FEEDBACK
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <h2>{{ user }} wrote:</h2>
            <p>{{ contents|linebreaksbr }}</p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><![endif]-->
</body>
</html>
```

Figure 730 Customization feedback email html

- Will produce the email in Figure 731




Figure 731 Customization feedback email html rendered

To upload a custom feedback email template:

- Click the choose file button to open the file selection dialog (Figure 732).

Choose File

Figure 732 Customization feedback email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 733).

Choose File feedback_email.html

Figure 733 Customization feedback email file selected

- Click the upload button to load the file (Figure 734).

Upload feedback email

Figure 734 Customization feedback email upload button

- The selected file will be renamed 'feedback_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 735).

Feedback email

This email is sent when a user submits feedback. The feedback email address (at the top of this page) must also be configured for users to be able to do this. The following context variables are provided when the email is rendered:

- **contents** - the user's feedback
- **user** - the user object of the user who submitted the feedback

Choose File feedback_email.html

Upload feedback email

Show current content

Figure 735 Customization feedback email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 736).




Figure 736 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 737).

Show current content

Figure 737 Customization feedback email show current content button

- The current file is displayed below the button (Figure 738).




Figure 738 Customization feedback email current content

34.13 Generic email

The customization for the generic email template can be configured using html to render a specific message when a staff member fills out the email form (Figure 739). The email feature is described in the [email](#) section on page 206. The email feature requires the generic email template or emails will not be sent.

Generic email

A generic email that can be sent to qualified tool users, members of an account, or members of a project. Send these using the [email broadcast page](#). The following context variables are provided when the email is rendered:

- **title** - the user specified title of the email
- **greeting** - a greeting to the recipients of the email
- **contents** - the body of the email
- **template_color** - the color to emphasize

Figure 739 Customization generic email

To create a custom generic email template

- Use any html editor to create the desired content

- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - title - the user specified title of the email
 - greeting - a greeting to the recipients of the email
 - contents - the body of the email
 - template_color - the title color to emphasize
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject is the subject entered on the email feature page.
- The email will be from the user creating the email.
- Example
 - The html code in Figure 740

```

<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
  <tr>
    <td align="center" style="color: white; background: {{ template_color }}; margin: 0; padding: 50px 0;" bgcolor="{{ template_color }}"
       >
      <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">{{ title }}</h1>
    </td>
  </tr>
  <tr>
    <td style="margin: 10px 10px 20px; padding: 10px;">
      <h2>{{ greeting }}</h2>
      {{ contents|linebreaksbr }}
    </td>
  </tr>
</table>
<!--[if mso]--></td></tr></table><![endif]-->
</body>
</html>

```

Figure 740 Customization generic email html

- Will produce the email in Figure 741

Subject: Sputter tool annual maintenance
From: captain.nemo@nautilus.com

SPUTTER TOOL ANNUAL PM NEXT WEEK

Hello NanoFab sputter users,

The sputter tool will not be available to users next week due to the annual preventive maintenance that will take place. The vendor will be onsite from Monday morning through Thursday afternoon. Staff will baseline and re-qualify the tool on Friday and post results in NEMO.

Figure 741 Customization generic email html rendered

To upload a generic email template:

- Click the choose file button to open the file selection dialog (Figure 742).

Choose File

Figure 742 Customization generic email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 743).

Choose File generic_email.html

Figure 743 Customization generic email file selected

- Click the upload button to load the file (Figure 744).

Upload generic email

Figure 744 Customization generic email upload button

- The selected file will be renamed ‘generic_email.html’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 745).

Generic email

A generic email that can be sent to qualified tool users, members of an account, or members of a project. Send these using the [email broadcast page](#). The following context variables are provided when the email is rendered:

- **title** - the user specified title of the email
- **greeting** - a greeting to the recipients of the email
- **contents** - the body of the email
- **template_color** - the color to emphasize

The screenshot shows a web-based customization interface. At the top, there is a text area containing the code for a generic email file. Below the text area are three buttons: 'Choose File' (with 'generic_email.html' selected), 'Upload generic email', and 'Show current content'. The 'Show current content' button is highlighted with a blue background.

Figure 745 Customization generic email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 746).




Figure 746 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 747).

Show current content

Figure 747 Customization generic email show current content button

- The current file is displayed in plain text below the button (Figure 748).



Figure 748 Customization generic email current content

34.14 Missed reservation email

The customization for the missed reservation email template can be configured using html to render a specific message when a user misses a reservation (Figure 749). The missed reservation feature is described in the [reservation](#) section on page 61. The missed reservation feature requires the missed reservation email template and the abuse email address described on page 276 or the email will not be sent.

Missed reservation email

This email is sent when a user misses a reservation. If a tool is not used for an amount of time after the user's reservation has begun, it is marked as missed and removed from the calendar. The following context variables are provided when the email is rendered:

- **reservation** - the reservation that the user missed

Figure 749 Customization missed reservation email

To create a custom missed reservation email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - reservation – the reservation object of the missed reservation
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject is always “Missed reservation for the {reservation.tool}”.
- The email will be from the user office email defined in the email addresses section above on page 276.
- The email will be addressed to the user that missed the reservation, the abuse email address, and the user office email address.
- Example
 - The html code in Figure 750

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'>
<!--[if mso]><table width="600" align="center"><tr><td><!--[endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #d9534f; margin: 0; padding: 50px 0;" bgcolor="#d9534f">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                MISSED RESERVATION NOTIFICATION
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <h2>
                {{ reservation.user.first_name }},
            </h2>
            <p>
                You missed your reservation to use the {{ reservation.tool }} in the CNST NanoFab starting at
                {{ reservation.start }} and ending at {{ reservation.end }}.
            </p>
            <p>
                The tool was not used for more than {{ reservation.tool.missed_reservation_threshold }} minutes after
                the start
                of your reservation, therefore your reservation time has been marked as 'missed' in NEMO and
                cancelled on the calendar.
            </p>
            <p>
                Please remember that the CNST NanoFab is a shared resource, and missing a reservation may inhibit the
                productivity of other NanoFab users.
            </p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><!--[endif]-->
</body>
</html>

```

Figure 750 Customization missed reservation email html

- Will produce the email in Figure 751

Subject: Missed reservation for the Ellipsometer
From: useroffice@nemo.com
To: conseil@nautilus.com, abuse@nemo.com, useroffice@nemo.com

MISSED RESERVATION NOTIFICATION

Conseil,

You missed your reservation to use the Ellipsometer in the CNST NanoFab starting at Friday, June 5th, 2020 @ 1:45 PM and ending at Friday, June 5th, 2020 @ 2:45 PM.

The tool was not used for more than 30 minutes after the start of your reservation, therefore your reservation time has been marked as 'missed' in NEMO and cancelled on the calendar.

Please remember that the CNST NanoFab is a shared resource, and missing a reservation may inhibit the productivity of other NanoFab users.

Figure 751 Customization missed reservation email html rendered

To upload a missed reservation email template:

- Click the choose file button to open the file selection dialog (Figure 752).

Choose File

Figure 752 Customization missed reservation email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 753).

Choose File [missed_reser...eneric.html](#)

Figure 753 Customization missed reservation email file selected

- Click the upload button to load the file (Figure 754).

Upload missed reservation email

Figure 754 Customization missed reservation email upload button

- The selected file will be renamed 'missed_reservation_email.html' and saved in the media folder of the NEMO website.

- Once a file has been uploaded, an option to view the file will be added (Figure 755).

Missed reservation email

This email is sent when a user misses a reservation. If a tool is not used for an amount of time after the user's reservation has begun, it is marked as missed and removed from the calendar. The following context variables are provided when the email is rendered:

- reservation** - the reservation that the user missed

missed_reservation_email.html

Figure 755 Customization missed reservation email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 756).




Figure 756 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 757).

Figure 757 Customization missed reservation email show current content button

- The current file is displayed in plain text below the button (Figure 758).




Figure 758 Customization missed reservation email current content

34.15 Facility rules tutorial email

The customization for the Facility rules tutorial email template can be configured using html to render a specific message to staff when a user completes the tutorial (Figure 759). The rules tutorial feature is described in the [landing page](#) section on page 34. The rules tutorial email is optional and will only be sent if the email template is configured. The rules tutorial email requires the email template and the abuse email address described on page 276 or the email will not be sent.

NanoFab rules tutorial email

This email is sent when a user completes the NanoFab rules tutorial. It can contain a free-response answer (quiz question). If you do not upload a template then no notification email is sent to staff when a user completes the training tutorial. The following context variables are provided when the email is rendered:

- **user** - the user's model instance
- **making_reservations_rule_summary** - a free-response answer provided by the user. Normally, this is provided by the user to summarize their understanding of the NanoFab rules and procedures.

Figure 759 Customization rules tutorial email

To create a custom rules tutorial email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - user – the user object of the user who completed the tutorial
 - making_reservations_rule_summary – a free response answer that can be passed from the rules tutorial to the email.
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject is always “<Facility Name> rules tutorial”.
- The email will be from the abuse email defined in the email addresses section above on page 276.
- The email will be addressed to the abuse email address.
- Example
 - The html code in Figure 760

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: {%
            if making_reservations_rule_summary %}#5bc0de{%
            else %}#d9534f{%
            endif %}; margin: 0; padding: 5px 0;" bgcolor="{%
            if making_reservations_rule_summary %}#5bc0de{%
            else %}#d9534f{%
            endif %}">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                NANOFAB RULES TUTORIAL
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            {%
                if making_reservations_rule_summary %}
                <p>
                    {{ user }} just completed the NanoFab rules tutorial. The following is how they described the
                    general theme of these rules for making reservations and the most important concepts to remember:
                </p>
                <div style="border-left: 5px solid #5bc0de; padding-left: 7px; font-style: italic">
                    {{ making_reservations_rule_summary|linebreaksbr }}
                </div>
            {%
                else %}
                <p>
                    {{ user }} just completed the NanoFab rules tutorial, but did not enter any information
                    regarding rules for making reservations and the most important concepts to remember.
                </p>
            {%
                endif %}
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><![endif]-->
</body>
</html>

```

Figure 760 Customization rules tutorial email html

- Will produce the email in Figure 761

Subject: NanoFab rules tutorial
 From: abuse@nemo.com
 To: abuse@nemo.com

NANOFAB RULES TUTORIAL

Captain Nemo (captain) just completed the NanoFab rules tutorial, but did not enter any information regarding rules for making reservations and the most important concepts to remember.

Figure 761 Customization rules tutorial email html rendered

To upload a rules tutorial email template:

- Click the choose file button to open the file selection dialog (Figure 762).

Figure 762 Customization rules tutorial email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 763).

nanofab_rule...eneric.html

Figure 763 Customization rules tutorial email file selected

- Click the upload button to load the file (Figure 764).

Figure 764 Customization rules tutorial email upload button

- The selected file will be renamed ‘facility_rules_tutorial_email.html’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 765).

6

NanoFab rules tutorial email

This email is sent when a user completes the NanoFab rules tutorial. It can contain a free-response answer (quiz question). If you do not upload a template then no notification email is sent to staff when a user completes the training tutorial. The following context variables are provided when the email is rendered:

- **user** - the user's model instance
- **making_reservations_rule_summary** - a free-response answer provided by the user. Normally, this is provided by the user to summarize their understanding of the NanoFab rules and procedures.

facility_rules_tutorial_email.html

Figure 765 Customization rules tutorial email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 766).




Figure 766 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 767).

Show current content

Figure 767 Customization rules tutorial email show current content button

- The current file is displayed in plain text below the button (Figure 768).

```

Show current content

NANOFAB RULES TUTORIAL

{%
  if making_reservations_rule_summary %
    {{ user }} just completed the NanoFab rules tutorial. The following is how they described the general theme of these rules for making reservations and the most important concepts to remember:
    {{ making_reservations_rule_summary|linebreaksbr }}
  {% else %}
    {{ user }} just completed the NanoFab rules tutorial, but did not enter any information regarding rules for making reservations and the most important concepts to remember.
  {% endif %}
}

```

Figure 768 Customization rules tutorial email current content

34.16 New task email

The customization for the new task email template can be configured using html to render a specific message to users and staff when a task is created (Figure 769). The task feature is described in the tool control section on page 34. The new task email is optional and will only be sent if the email template is configured.

New task email

This email is sent when a new maintenance task is created for a tool. The following context variables are provided when the email is rendered:

- **user** - the user who created the task
- **task** - the task information
- **tool** - the tool that the task is associated with
- **tool_control_absolute_url** - the URL of the tool control page for the tool
- **template_color** - an HTML color code indicating the severity of the problem. Orange for warning, red for shutdown.

Figure 769 Customization new task email

To create a custom rules tutorial email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - user – the user object of the user who created the task
 - task – the task object information
 - tool – the tool object that the task is associated with
 - tool_control_absolute_url – the URL of the tool control page for the tool
 - template_color – an HTML color code indicating the severity of the problem. Orange for warning, red for shutdown.
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will identify the tool name, if the task is a safety hazard, and if the task is defined as a problem or shutdown.
- The email will be from the user reporting or updating the task
- The email will be addressed to the tool primary owner, backup owners, notification email defined in the tool table, and lab managers if defined in the settings.py file.
- Example
 - The html code in Figure 770

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: {{ template_color }}; margin: 0; padding: 50px 0;" bgcolor="{{ template_color }}"
    </td>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            {% if task.force_shutdown %}
                <p>
                    The tool will remain shutdown until the problem is resolved.
                </p>
            {% endif %}

            <p>
                You can view and update this problem's status by visiting the <a href="{{ tool_control_absolute_url }}"/>{{ tool|lower }} tool control page</a>.
            </p>

            {% if task.problem_category %}
                <b>Problem category: {{ task.problem_category }}</b>
            {% endif %}

            {% if task.problem_description %}
                <div style="border-left: 5px solid {{ template_color }}; padding-left: 7px; font-style: italic">{{ task.problem_description }}</div>
            {% endif %}
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><![endif]-->
</body>
</html>

```

Figure 770 Customization new task email html

- Will produce the email in Figure 771

Subject: Chlorine Etch shutdown
From: captain.nemo@nautilus.com
To: captain.nemo@nautilus.com, staff@nautilus.com, tech@nautilus.com, Manager

CHLORINE ETCH SHUTDOWN

The tool will remain shutdown until the problem is resolved.

You can view and update this problem's status by visiting the [chlorine etch tool control page](#).

Problem category: Process problem

The etch rate is nearly zero. Tried a conditioning run and the etch rate did not improve. No errors were noted during the runs.

Figure 771 Customization new task email html rendered

To upload a new task email template:

- Click the choose file button to open the file selection dialog (Figure 772).

Choose File

Figure 772 Customization new task email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 773).

Choose File update_task_...eneric.html

Figure 773 Customization new task email file selected

- Click the upload button to load the file (Figure 774).

Upload new task email

Figure 774 Customization new task email upload button

- The selected file will be renamed 'new_task_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 775).

New task email

This email is sent when a new maintenance task is created for a tool. The following context variables are provided when the email is rendered:

- **user** - the user who created the task
- **task** - the task information
- **tool** - the tool that the task is associated with
- **tool_control_absolute_url** - the URL of the tool control page for the tool
- **template_color** - an HTML color code indicating the severity of the problem. Orange for warning, red for shutdown.

Choose File new_task_email.html

Upload new task email

Show current content

Figure 775 Customization new task email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 776).




Figure 776 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 777).

Show current content

Figure 777 Customization new task email show current content button

- The current file is displayed in plain text below the button (Figure 778).




Figure 778 Customization new task email current content

34.17 Out of time reservation email

The customization for the out of time reservation email template can be configured using html to render a specific message to users when a user is still logged in an area that requires reservations to access, but their reservation has expired (Figure 779). A grace period can be set when configuring the area that will delay the email.




Figure 779 Customization out of time reservation email

To create a custom out of time reservation email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - reservation – the user's upcoming reservation object
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “Out of time in the {area}”.
- The email will be from the user office email defined in the email addresses section above on page 276.
- The email will be addressed to the user with the reservation and any users defined in the abuse email of the area table.
- Example
 - The html code in Figure 780

6

```
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><!--[endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #d9534f; margin: 0; padding: 50px 0;" bgcolor="#d9534f">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                OUT OF TIME IN THE {{ reservation.area }}
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <h2>
                {{ reservation.user.first_name }},
            </h2>
            <p>Your reservation of the {{ reservation.area }} ended at {{ reservation.end }}.</p>
            <p>However, our records show that you are still logged in the {{ reservation.area }}.</p>
            <p>If you simply forgot to log out, please contact the User Office</p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><!--[endif]-->
</body>
</html>
```

Figure 780 Customization out of time email html

- Will produce the email in Figure 781

Subject: Out of time in the Cleanroom
From: useroffice@nemo.com
To: ned.land@nautilus.com

OUT OF TIME IN THE Cleanroom

Ned,

Your reservation of the Cleanroom ended at Monday, September 21st, 2020 @ 4:00 PM.

However, our records show that you are still logged in the Cleanroom.

If you simply forgot to log out, please contact the User Office

Figure 781 Customization out of time email html rendered

To upload an out of time email template:

- Click the choose file button to open the file selection dialog (Figure 782).

Choose File

Figure 782 Customization out of time email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 783).

Choose File out_of_time_...generic.html

Figure 783 Customization out of time email file selected

- Click the upload button to load the file (Figure 784).

Upload out of time reservation email

Figure 784 Customization out of time email upload button

- The selected file will be renamed 'out_of_time_reservation_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 785).

Out of time reservation email

This email is sent when a user is still logged in an area but his reservation expired. A grace period can be set when configuring the area. The following context variables are provided when the email is rendered:

- **reservation** - the reservation that the user is out of time on




Figure 785 Customization out of time email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 786).




Figure 786 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 787).



Figure 787 Customization out of time email show current content button

- The current file is graphically rendered below the button (Figure 788).



Figure 788 Customization out of time email current content

34.18 Reorder supplies reminder email

The customization for the reorder supplies reminder email template can be configured using html to render a specific message to the supply owner when the supply stock drops below the minimum (Figure 789).

Reorder supplies reminder email

This email is sent to the item's reminder email when the quantity of an item falls below the reminder threshold and should be reordered. The following context variables are provided when the email is rendered:

- **item** - the item which quantity fell below the reminder threshold

Choose File

Upload reorder supplies reminder email

Figure 789 Customization reorder supplies reminder email

To create a custom reorder supplies reminder email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.

- item – the item (consumable) object which quantity fell below the reminder threshold
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “Time to order more {consumable.name}”.
- The email will be from the user office email defined in the email addresses section above on page 276.
- The email will be addressed to the email set on the [Consumable table](#).
- Example
 - The html code in Figure 790

```

<html>
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
  </head>
  <body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
    <!--[if mso]>
      <table width="600" align="center">
        <tr>
          <td>
            <![endif]-->
            <table align="center" style="width:100%; max-width:600px">
              <tr>
                <td align="center" style="color: white; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
                  <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">Reorder {{ item.name }}</h1>
                </td>
              </tr>
              <tr>
                <td style="margin: 10px 10px 20px; padding: 10px;">
                  <p>
                    Hello,
                    <br>
                    The quantity of <b>{{ item.name }}</b> has fell below the reorder threshold of <b>{{ item.reorder_threshold }}</b>.
                  </p>
                  <br>
                  <p>
                    You can update the available quantity in the detailed administration of NEMO.
                  </p>
                </td>
              </tr>
            </table>
            <!--[if mso]>
          </td>
        </tr>
      </table>
      <![endif]-->
    </body>
  </html>

```

Figure 790 Customization reorder supplies reminder email html

- Will produce the email in Figure 791




Figure 791 Customization reorder supplies reminder email html rendered

To upload a reorder supplies email reminder template:

- Click the choose file button to open the file selection dialog (Figure 792).


 Choose File

Figure 792 Customization reorder supplies email reminder choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 793).


 Choose File reorder_sup...er_email.html

Figure 793 Customization reorder supplies reminder email file selected

- Click the upload button to load the file (Figure 794).

 Upload reorder supplies reminder email

Figure 794 Customization reorder supplies email reminder upload button

- The selected file will be renamed 'reorder_supplies_reminder_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 795).

Reorder supplies reminder email

This email is sent to the item's reminder email when the quantity of an item falls below the reminder threshold and should be reordered. The following context variables are provided when the email is rendered:

- **item** - the item which quantity fell below the reminder threshold

 [reorder_supplies_reminder_email.html](#)

 Upload reorder supplies reminder email

 Show current content

Figure 795 Customization reorder supplies reminder email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 796).




Figure 796 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 797).

Show current content

Figure 797 Customization reorder supplies reminder show current content button

- The current file is displayed in plain text below the button (Figure 798).




Figure 798 Customization reorder supplies reminder email current content

34.19 Reservation ending reminder email

The customization for the reservation ending reminder email template can be configured using html to render a specific message to users when a user is logged in an area and their reservation in that area is about to end (Figure 799). The reservation ending reminder email is optional and will only be sent if the reservation ending reminder email template is configured.

Reservation ending reminder email

This email is sent to a user that is logged in an area 30 and 15 minutes before their area reservation ends. The following context variables are provided when the email is rendered:

- **reservation** - the user's reservation ending

Figure 799 Customization reservation ending reminder email

To create a custom reservation ending reminder email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - reservation – the user's ending reservation object
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be "{area name} reservation ending soon".
- The email will be from the user office email defined in the email addresses section above on page 276.
- The email will be addressed to the user with the reservation.
- Example
 - The html code in Figure 800

```
<html>
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
  </head>
  <body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif">
    <!--[if mso]>
    <table width="600" align="center">
      <tr>
        <td>
          <![endif]-->
          <table align="center" style="width:100%; max-width:600px">
            <tr>
              <td align="center" style="color: white; background: #5bc0de; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
                <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                  RESERVATION ENDING REMINDER
                </h1>
              </td>
            </tr>
            <tr>
              <td style="margin: 10px 10px 20px; padding: 10px;">
                <h2>
                  Hi {{ reservation.user.first_name }},
                </h2>
                <p>
                  This is a reminder that your <b>{{ reservation.reservation_item }}</b> reservation ends in <b>{{ reservation.end|timeuntil }}</b> at
                <b>{{ reservation.end|time }}</b>. <br>
                  Don't forget to log out!
                </p>
              </td>
            </tr>
          </table>
        <!--[if mso]>
        <table width="600" align="center">
          <tr>
            <td>
              <![endif]-->
            </td>
          </tr>
        </table>
      <!--[endif]-->
    </body>
  </html>
```

Figure 800 Customization reservation ending reminder email html

- Will produce the email in Figure 801




Figure 801 Customization reservation ending reminder email html rendered

To upload a reservation ending reminder email template:

- Click the choose file button to open the file selection dialog (Figure 802).




Figure 802 Customization reservation ending reminder email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 803).



Figure 803 Customization reservation ending reminder email file selected

- Click the upload button to load the file (Figure 804).



Figure 804 Customization reservation ending reminder email upload button

- The selected file will be renamed 'reservation_ending_reminder_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 805).

Reservation ending reminder email

This email is sent to a user that is logged in an area 30 and 15 minutes before their area reservation ends. The following context variables are provided when the email is rendered:

- **reservation** - the user's reservation ending

The screenshot shows a web-based customization interface. At the top, there is a section titled "Reservation ending reminder email". Below this, a note states: "This email is sent to a user that is logged in an area 30 and 15 minutes before their area reservation ends. The following context variables are provided when the email is rendered:" followed by a bullet point about the "reservation" variable. There is a "Choose File" button with the path "reservation_...er_email.html" next to it. Below this is a green "Upload reservation ending reminder email" button. At the bottom of the interface is a blue "Show current content" button.

Figure 805 Customization reservation ending reminder email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 806).




Figure 806 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 807).



Figure 807 Customization reservation ending reminder show current content button

- The current file is displayed in plain text below the button (Figure 808).




Figure 808 Customization reservation ending reminder email current content

34.20 Reservation reminder email

The customization for the reservation reminder email template can be configured using html to render a specific message to users when a reservation is approaching (Figure 809). The reservation reminder feature is described in the [reservation](#) section on page 49. The reservation reminder email is optional and will only be sent if both the reservation reminder email template and the reservation warning email template are configured. [The reservation warning email](#) template is described below on page 342.

Reservation reminder email

This email is sent to a user two hours before their tool reservation begins. The reservation warning email must also exist for this email to be sent. The following context variables are provided when the email is rendered:

- **reservation** - the user's upcoming reservation

Figure 809 Customization reservation reminder email

To create a custom reservation reminder email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the `models.py` file.
 - `reservation` – the user's upcoming reservation object
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be "{tool name} reservation reminder".

- The email will be from the user office email defined in the email addresses section above on page 276.
- The email will be addressed to the user with the reservation.
- Example
 - The html code in Figure 810

```

<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
  <tr>
    <td align="center" style="color: white; background: #5bc0de; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
      <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
        RESERVATION REMINDER
      </h1>
    </td>
  </tr>
  <tr>
    <td style="margin: 10px 10px 20px; padding: 10px;">
      <h2>
        Hi {{ reservation.user.first_name }},
      </h2>
      <p>
        Your <b>{{ reservation.tool }}</b> reservation begins at <b>{{ reservation.start|time }}</b>.
        Please log in to NEMO if you need to modify or cancel your reservation.
      </p>
    </td>
  </tr>
</table>
<!--[if mso]></td></tr></table><![endif]-->
</body>
</html>

```

Figure 810 Customization reservation reminder email html

- Will produce the email in Figure 811

Subject: PECVD reservation reminder
From: useroffice@nemo.com
To: pierre.aronnax@nautilus.com

RESERVATION REMINDER

Hi Pierre,

Your **PECVD** reservation begins at **5:30 PM**. Please log in to NEMO if you need to modify or cancel your reservation.

Figure 811 Customization reservation reminder email html rendered

To upload a reservation reminder email template:

- Click the choose file button to open the file selection dialog (Figure 812).

Choose File

Figure 812 Customization reservation reminder email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 813).

Choose File reservation_...generic.html

Figure 813 Customization reservation reminder email file selected

- Click the upload button to load the file (Figure 814).

Upload reservation reminder email

Figure 814 Customization reservation reminder email upload button

- The selected file will be renamed ‘reservation_reminder_email.html’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 815).

Reservation reminder email

This email is sent to a user two hours before their tool reservation begins. The reservation warning email must also exist for this email to be sent. The following context variables are provided when the email is rendered:

- **reservation** - the user's upcoming reservation

reservation_reminder_email.html

Figure 815 Customization reservation reminder email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 816).




Figure 816 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 817).

Figure 817 Customization reservation reminder show current content button

- The current file is displayed in plain text below the button (Figure 818).




Figure 818 Customization reservation reminder email current content

34.21 Reservation warning email

The customization for the reservation warning email template can be configured using html to render a specific message to users when a reservation is approaching and there is a problem with the tool they reserved (Figure 819). The reservation warning feature is described in the [reservation section on page 49](#). The reservation warning email is optional and will only be sent if both the reservation reminder email template and the reservation warning email template are configured. The [reservation reminder email](#) template is described above on page 327.

Reservation warning email

This email is sent to a user two hours before their tool reservation begins and maintenance may interfere with the upcoming reservation. The reservation reminder email must also exist for this email to be sent. The following context variables are provided when the email is rendered:

- **reservation** - the user's upcoming reservation
- **fatal_error** - boolean value that, when true, indicates that it will be impossible for the user to use the tool during their reservation (due to tool maintenance or a missing required dependency)

Figure 819 Customization reservation warning email

To create a custom reservation warning email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - **reservation** – the user's upcoming reservation object
 - **fatal_error** – when true, indicates that the tool is shutdown

- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “{tool name} reservation problem”.
- The email will be from the user office email defined in the email addresses section above on page 276.
- The email will be addressed to the user with the reservation.
- Example
 - The html code in Figure 820

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><!--[endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: {{ template_color }}; margin: 0; padding: 50px 0;" bgcolor="{{ template_color }}"
            >
                <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                    RESERVATION {% if fatal_error %}PROBLEM{% else %}WARNING{% endif %}
                </h1>
            </td>
        </tr>
        <tr>
            <td style="margin: 10px 10px 20px; padding: 10px;">
                <h2>
                    Hi {{ reservation.user.first_name }},
                </h2>
                <p>
                    {% if fatal_error %}
                        There is a problem with your <b>{{ reservation.start|time }}</b> reservation for the <b>{{ reservation.tool }}</b>.
                    {% else %}
                        The tool was <b>shut down</b> when this email was sent. Please visit NEMO to view current tool status.
                    {% endif %}
                    There may be a problem with your <b>{{ reservation.start|time }}</b> reservation for the <b>{{ reservation.tool }}</b>.
                {% endif %}
                    The tool may be operating in a diminished capacity or may not be able to perform certain processes. Please visit NEMO to view current tool status.
                </p>
            </td>
        </tr>
    </table>
<!--[if mso]></td></tr></table><!--[endif]-->
</body>
</html>

```

Figure 820 Customization reservation warning email html

- Will produce the email in Figure 821

Subject: Chlorine Etch reservation problem
From: useroffice@nemo.com
To: pierre.aronnax@nautilus.com

RESERVATION PROBLEM

Hi Pierre,

There is a problem with your **5:45 PM** reservation for the **Chlorine Etch**.
The tool was **shut down** when this email was sent. Please visit NEMO to
view current tool status.

Figure 821 Customization reservation warning email html rendered

To upload a reservation warning email template:

- Click the choose file button to open the file selection dialog (Figure 822).

Choose File

Figure 822 Customization reservation warning email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 823).

Choose File *reservation_warning_email.html*

Figure 823 Customization reservation warning email file selected

- Click the upload button to load the file (Figure 824).

Upload reservation warning email

Figure 824 Customization reservation warning email upload button

- The selected file will be renamed ‘reservation_warning_email.html’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 825).

Reservation warning email

This email is sent to a user two hours before their tool reservation begins and maintenance may interfere with the upcoming reservation. The reservation reminder email must also exist for this email to be sent. The following context variables are provided when the email is rendered:

- **reservation** - the user's upcoming reservation
- **fatal_error** - boolean value that, when true, indicates that it will be impossible for the user to use the tool during their reservation (due to tool maintenance or a missing required dependency)

Choose File reservation_warning_email.html

Upload reservation warning email

Show current content

Figure 825 Customization reservation warning email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 826).




Figure 826 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 827).

Show current content

Figure 827 Customization reservation warning show current content button

- The current file is displayed in plain text below the button (Figure 828).




Figure 828 Customization reservation warning email current content

34.22 Safety issue email

The customization for the safety email template can be configured using html to render a specific message to users when a safety issue has been created (Figure 829). The safety issue feature is described in the [safety](#) section on page 148. The safety email is optional and will only be sent if both the safety email template and the safety email address are configured. The safety email address is defined in the email addresses section above on page 276.

Safety issue email

This email is sent when a new maintenance task is created for a tool. The following context variables are provided when the email is rendered:

- **issue** - the issue information
- **issue_absolute_url** - the URL for the detailed view of the issue

Figure 829 Customization safety email

To create a custom safety email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - issue – the issue object
 - issue_absolute_url – the URL to the detailed view of the issue
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “Safety issue”.
- The email will be from the user reporting the safety issue unless the report is anonymous then the email will be from the safety email address defined in the email addresses section above on page 276.
- The email will be addressed to the safety email address defined in the email addresses section above on page 276.
- Example
 - The html code in Figure 830

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #d9534f; margin: 0; padding: 50px 0;" bgcolor="#d9534f">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                SAFETY ISSUE
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <p>
                {% if issue.reporter %}{{ issue.reporter }}{% else %}An anonymous user{% endif %} created a safety
issue on {{ issue.creation_time }} for the stated location '{{ issue.location }}':
            </p>
            <p>
                <div style="padding-left: 7px; border-left: 5px solid #d9534f;">
                    {{ issue.concern|linebreaksbr }}
                </div>
            </p>
            <p>
                You can <a href="{{ issue_absolute_url }}>view and edit</a> this issue in NEMO.
            </p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><![endif]-->
</body>
</html>

```

Figure 830 Customization safety email html

- Will produce the email in Figure 831




Figure 831 Customization safety email html rendered

To upload a safety email template:

- Click the choose file button to open the file selection dialog (Figure 832).




Figure 832 Customization safety email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 833).



Figure 833 Customization safety email file selected

- Click the upload button to load the file (Figure 834).



Figure 834 Customization safety email upload button

- The selected file will be renamed 'safety_issue_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 835).

Safety issue email

This email is sent when a new maintenance task is created for a tool. The following context variables are provided when the email is rendered:

- **issue** - the issue information
- **issue_absolute_url** - the URL for the detailed view of the issue

Choose File safety_issue_email.html

Upload safety issue email

Show current content

Figure 835 Customization safety email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 836).




Figure 836 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 837).

Show current content

Figure 837 Customization safety show current content button

- The current file is displayed in plain text below the button (Figure 838).




Figure 838 Customization safety email current content

34.23 Staff charge reminder email

The customization for the staff charge email template can be configured using html to render a specific message to staff as a reminder they are currently charging a user (Figure 839). The staff charge feature is described in the [staff charge](#) section on page 243. The staff charge email is optional and will only be sent if the email template is configured.

This screenshot shows the configuration page for a staff charge reminder email. It includes a title "Staff charge reminder email", a note about periodically sending reminders, a context variable list, a file upload section, and a green "Upload staff charge reminder email" button.

- **staff_charge** - the staff charge that is in progress

Choose File

Upload staff charge reminder email

Figure 839 Customization staff charge email

To create a custom staff charge email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - Staff_charge – the staff charge object
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “Active staff charge since {staff_charge.start}”.

- The email will be from the user office email address defined in the email addresses section above on page 276.
- The email will be addressed to the staff member currently charging.
- Example
 - The html code in Figure 840

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #5bc0de; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                STAFF CHARGE REMINDER
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <h2>
                Hi {{ staff_charge.staff_member.first_name }},
            </h2>
            <p>
                This is a friendly reminder that you have been charging staff time to <b>{{ staff_charge.customer }}</b>
                while working on
                the project named <b>{{ staff_charge.project }}</b> since <b>{{ staff_charge.start }}</b>. You can
                stop charging staff time by visiting the Staff Charges page in NEMO. If you wish to adjust the amount
                of time charged then please contact the NanoFab user office by replying to this email.
            </p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><![endif]-->
</body>
</html>

```

Figure 840 Customization staff charge email html

- Will produce the email in Figure 841

Subject: Active staff charge since Friday, June 5th, 2020 @ 4:42 PM
From: useroffice@nemo.com
To: captain.nemo@nautilus.com

STAFF CHARGE REMINDER

Hi Captain,

This is a friendly reminder that you have been charging staff time to **Ned Land (ned)** while working on the project named **Project 1** since **Friday, June 5th, 2020 @ 4:42 PM**. You can stop charging staff time by visiting the Staff Charges page in NEMO. If you wish to adjust the amount of time charged then please contact the NanoFab user office by replying to this email.

Figure 841 Customization staff charge email html rendered

To upload a staff charge reminder email template:

- Click the choose file button to open the file selection dialog (Figure 842).

Choose File

Figure 842 Customization staff charge email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 843).

Choose File staff_charge...generic.html

Figure 843 Customization staff charge email file selected

- Click the upload button to load the file (Figure 844).

Upload staff charge reminder email

Figure 844 Customization staff charge email upload button

- The selected file will be renamed 'staff_charge_reminder_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 845).

Staff charge reminder email

This email is periodically sent to remind staff that they are charging a user for staff time. The following context variables are provided when the email is rendered:

- **staff_charge** - the staff charge that is in progress

staff_charge_reminder_email.html

Figure 845 Customization staff charge email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 846).




Figure 846 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 847).

Figure 847 Customization staff charge show current content button

- The current file is displayed in plain text below the button (Figure 848).




Figure 848 Customization staff charge email current content

34.24 Task status notification email

The customization for the task status notification email template can be configured using html to render a specific message to staff when the status of a task is changed (Figure 849). The task status feature is described in the [tool control](#) section on page 94. The task status email is optional and will only be sent if the email template is configured.

Task status notification email

This email is sent when a tool task has been updated and set to a particular state. The following context variables are provided when the email is rendered:

- **template_color** - the color to emphasize
- **title** - a title indicating that the message is a task status notification
- **task** - the task that was updated
- **status_message** - the current status message for the task
- **notification_message** - the notification message that is configured (via the admin site) for the status
- **tool_control_absolute_url** - the URL of the tool control page for the task

Figure 849 Customization new task email

To create a custom task status email template

- Use any html editor to create the desired content

- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - template_color – an HTML color code indicating the title background color
 - title – a title indicating the message is a task status notification
 - task – the task object that was updated
 - status_message – the current status message for the task
 - notification_message – the notification message that is configured (via the admin site) for the status
 - tool_control_absolute_url – the URL of the tool control page for the task
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “{tool.name} task notification”.
- The email will be from the user updating the task status
- The email will be addressed to the tool primary owner, backup owners, and/or notification emails defined in the tool table, if selected in the task status table.
- Example
 - The html code in Figure 850

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><!--[endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: {{ template_color }}; margin: 0; padding: 50px 0;" bgcolor="{{ template_color }}"
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                {{ title|upper }}
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <p>
                {{ status_message|linebreaksbr }}
            </p>
            <p>
                {{ notification_message|linebreaksbr }}
            </p>
            <p>
                You can view and update this problem's status by visiting the <a href="{{ tool_control_absolute_url }}">{{ task.tool|lower }} tool
control page</a>.
            </p>
            {% if task.status %}
                <b>Task status: {{ task.status }}</b>
            {% endif %}
            {% if task.problem_category %}
                <b>Problem category: {{ task.problem_category }}</b>
            {% endif %}

            {% if task.problem_description %}
                <div style="border-left: 5px solid {{ template_color }}; padding-left: 7px; font-style: italic">{{ task.problem_description }}</div>
            {% endif %}

            {% if task.progress_description %}
                <b>Progress Updates:</b>
                <div style="border-left: 5px solid {{ template_color }}; padding-left: 7px; font-style: italic">{{ task.progress_description }}</div>
            {% endif %}
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><!--[endif]-->
</body>
</html>

```

Figure 850 Customization new task email html

- Will produce the email in Figure 851

Subject: Chlorine Etch task notification
From: captain.nemo@nautilus.com
To: process@nemo.com

CHLORINE ETCH TASK NOTIFICATION

On Friday, June 5th, 2020 @ 5:44 PM, Captain Nemo (captain) set the status of this task to "Qualification".

Tool repairs are complete. The tool is now ready for qualification. Please qualify the tool and update NEMO with the results then resolve the problem.

You can view and update this problem's status by visiting the [chlorine etch tool control page](#).

Problem category: Process problem

The etch rate is nearly zero. Tried a conditioning run and the etch rate did not improve. No errors were noted during the runs.

Progress Updates:

On Friday, June 5th, 2020 @ 5:44 PM Captain Nemo (captain) updated this task: Chamber clean completed. Found etch buildup in chamber that was likely suppressing the etch rate. Ready for testing. On Friday, June 5th, 2020 @ 5:44 PM, Captain Nemo (captain) set the status of this task to "Qualification".

Figure 851 Customization new task email html rendered

To upload a custom task status email template:

- Click the choose file button to open the file selection dialog (Figure 852).

Choose File

Figure 852 Customization new task email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 853).

Choose File task_status_...generic.html

Figure 853 Customization new task email file selected

- Click the upload button to load the file (Figure 854).

Upload task status notification email

Figure 854 Customization new task email upload button

- The selected file will be renamed ‘task_status_notification.html’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 855).

Task status notification email

This email is sent when a tool task has been updated and set to a particular state. The following context variables are provided when the email is rendered:

- **template_color** - the color to emphasize
- **title** - a title indicating that the message is a task status notification
- **task** - the task that was updated
- **status_message** - the current status message for the task
- **notification_message** - the notification message that is configured (via the admin site) for the status
- **tool_control_absolute_url** - the URL of the tool control page for the task

task_status_notification.html

Figure 855 Customization new task email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 856).




Figure 856 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 857).

Figure 857 Customization new task email show current content button

- The current file is displayed in plain text below the button (Figure 858).



Figure 858 Customization new task email current content

34.25 Unauthorized tool access email

The customization for the unauthorized tool access email template can be configured using html to render a specific message to staff when a user tries to log into a tool that is in an area the user is not currently logged into (Figure 859). The unauthorized tool access feature is described in the [tool control](#) section on page 100. The unauthorized tool access email is optional and will only be sent if the email template and the abuse email address described on page 276 is configured.

Unauthorized tool access email

This email is sent when a user tries to access a tool without being logged in to the area in which the tool resides. The following context variables are provided when the email is rendered:

- operator** - the person who attempted to use the tool
- tool** - the tool that the user was denied access to

Figure 859 Customization unauthorized tool access email

To create a custom unauthorized tool access email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - operator – the person who attempted to enable the tool
 - tool – the tool object of the tool the user was denied access to
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “Area access requirement”.
- The email will be from the abuse email address
- The email will be addressed to the abuse email address
- Example
 - The html code in Figure 860

```
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #d9534f; margin: 0; padding: 50px 0;" bgcolor="#d9534f">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                UNAUTHORIZED TOOL ACCESS
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <p>
                {{ operator }} attempted to access the {{ tool }}, which requires {{ tool.requires_area_access|lower }} access.
                The user was not signed into the {{ tool.requires_area_access|lower }} at the time so the tool usage
                request was denied.
            </p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><![endif]-->
</body>
</html>
```

Figure 860 Customization unauthorized tool access email html

- Will produce the email in Figure 861




Figure 861 Customization unauthorized tool access html rendered

To upload a unauthorized tool access email template:

- Click the choose file button to open the file selection dialog (Figure 862).




Figure 862 Customization unauthorized tool access email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 863).



Figure 863 Customization unauthorized tool access email file selected

- Click the upload button to load the file (Figure 864).



Figure 864 Customization unauthorized tool access email upload button

- The selected file will be renamed 'task_status_notification.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 865).

Unauthorized tool access email

This email is sent when a user tries to access a tool without being logged in to the area in which the tool resides. The following context variables are provided when the email is rendered:

- **operator** - the person who attempted to use the tool
- **tool** - the tool that the user was denied access to

unauthorized_tool_access_email.html

Figure 865 Customization unauthorized tool access email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 866).




Figure 866 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 867).

Figure 867 Customization unauthorized tool access email show current content button

- The current file is displayed in plain text below the button (Figure 868).




Figure 868 Customization unauthorized tool access email current content

34.26 Usage reminder email

The customization for the usage reminder email template can be configured using html to render a specific message to users periodically when they are logged into areas or tools (Figure 869). The usage reminder feature is described in the [tool control](#) section on page 129. The usage reminder email is optional and will only be sent if the email template and the abuse email address described on page 276 is configured.

The screenshot shows a configuration interface for a "Usage reminder email". At the top, the title "Usage reminder email" is displayed. Below it, a text block states: "This email is periodically sent to remind a user that they have a tool enabled. The following context variables are provided when the email is rendered:". A bulleted list follows: • user - the user who is using a tool or logged in to an area. Below this list is a "Choose File" button with the text "No file chosen" next to it. At the bottom is a green "Upload new task email" button.

Figure 869 Customization usage reminder email

To create a custom usage reminder email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - user – the user object who is using a tool or logged in to an area
 - user.resources_in_use – a list of resources the user is currently using

- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “{facility name} usage”.
- The email will be from the user office email address
- The email will be addressed to the user
- Example
 - The html code in Figure 870

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'>
<!--[if mso]><table width="600" align="center"><tr><td><!--[endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #5bc0de; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                USAGE REMINDER
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <h2>
                Hi {{ user.first_name }},
            </h2>
            <p>This is a friendly reminder that you are currently using the following lab resources:</p>
            <ul>
                {% for resource in user.resources_in_use %}
                    <li>{{ resource }}</li>
                {% endfor %}
            </ul>
            <p>Please make sure you log out of any tools or areas that you are finished using.</p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><!--[endif]-->
</body>
</html>

```

Figure 870 Customization usage reminder email html

- Will produce the email in Figure 871

Subject: NanoFab usage
From: useroffice@nemo.com
To: captain.nemo@nautilus.com

USAGE REMINDER

Hi Captain,

This is a friendly reminder that you are currently using the following lab resources:

- Cleanroom
- Sputter

Please make sure you log out of any tools or areas that you are finished using.

Figure 871 Customization usage reminder email html rendered

To upload a usage reminder email template:

- Click the choose file button to open the file selection dialog (Figure 872).

Choose File

Figure 872 Customization usage reminder email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 873).

Choose File usage_remind...eneric.html

Figure 873 Customization usage reminder email file selected

- Click the upload button to load the file (Figure 874).

Upload new task email

Figure 874 Customization usage reminder email upload button

- The selected file will be renamed ‘usage_reminder_email.html’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 875).

Usage reminder email

This email is periodically sent to remind a user that they have a tool enabled. The following context variables are provided when the email is rendered:

- **user** - the user who is using a tool or logged in to an area




Figure 875 Customization usage reminder email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 876).




Figure 876 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 877).




Figure 877 Customization usage reminder email show current content button

- The current file is displayed in plain text below the button (Figure 878).




Figure 878 Customization usage reminder email current content

34.27 User reservation created email

The customization for the user reservation created email template can be configured using html to render a specific message to users when they create a reservation that provides a calendar invite for common mail interfaces such as Outlook or Gmail as an attachment (Figure 879). The feature is described in the [user preference](#) section on page 176. The user reservation created email is optional and will only be sent if the email template and the user office email address described on page 276 are configured and the user has enabled the feature in their user preferences.

User reservation created email

This email is sent to a user when the user creates a reservation. The following context variables are provided when the email is rendered:

- **reservation** - the user's reservation that was cancelled

Choose File

Upload created reservation email

Figure 879 Customization user reservation created email

To create a custom usage reminder email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.
 - reservation – the reservation object of the users reservation
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “{facility_name} Reservation for the {tool_name}”.
- The email will be from the user office email address
- The email will be addressed to the user
- Example
 - The html code in Figure 880

```
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #5bc0de; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                RESERVATION CREATED REMINDER
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <h2>
                Hi {{ reservation.user.first_name }},
            </h2>
            <p>
                Your <b>{{ reservation.tool }}</b> reservation begins at <b>{{ reservation.start|time }}</b>.
                Please log in to NEMO if you need to modify or cancel your reservation.
            </p>
        </td>
    </tr>
</table>
<![endif]></td></tr></table><![endif]-->
</body>
</html>
```

Figure 880 Customization user reservation created email html

- Will produce the email in Figure 881 along with an attachment of the ics invite file.




Figure 881 Customization user reservation created email html rendered

To upload a user reservation created email template:

- Click the choose file button to open the file selection dialog (Figure 882).

Choose File

Figure 882 Customization user reservation created email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 883).

Choose File reservation_...generic.html

Figure 883 Customization user reservation created email file selected

- Click the upload button to load the file (Figure 884).

Upload created reservation email

Figure 884 Customization user reservation created email upload button

- The selected file will be renamed 'usage_reminder_email.html' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 885).

User reservation created email

This email is sent to a user when the user creates a reservation. The following context variables are provided when the email is rendered:

- **reservation** - the user's reservation that was cancelled

Choose File

Upload created reservation email

Show current content

Figure 885 Customization user reservation created email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 886).




Figure 886 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 887).

Show current content

Figure 887 Customization user reservation created email show current content button

- The current file is displayed in plain text below the button (Figure 888).




Figure 888 Customization user reservation created email current content

34.28 User reservation cancelled email

The customization for the user reservation canceled email template can be configured using html to render a specific message to users when they cancel a reservation that provides a calendar invite for common mail interfaces such as Outlook or Gmail as an attachment (Figure 889). The feature is described in the [user preference](#) section on page 176. The user reservation canceled email is optional and will only be sent if the email template and the user office email address described on page 276 are configured and the user has enabled the feature in their user preferences.

This screenshot shows a configuration interface for a 'User reservation cancelled email'. The title 'User reservation cancelled email' is at the top. Below it, a text block states: 'This email is sent to a user when the user cancels his own reservation. The following context variables are provided when the email is rendered:' followed by a bulleted list: • **reservation** - the user's reservation that was cancelled. There is a 'Choose File' button and a green 'Upload cancelled reservation email' button at the bottom.

Figure 889 Customization user reservation canceled email

To create a custom usage reminder email template

- Use any html editor to create the desired content
- Context variables available. The fields of an object can be found in the objects model in the models.py file.

- reservation – the reservation object of the users reservation
- Note: It is beyond the scope of this manual to give detailed information regarding HTML content creation and formatting. However, a basic example that can be edited will be provided.
- The email subject will always be “{facility_name} Reservation for the {tool_name}”.
- The email will be from the user office email address
- The email will be addressed to the user
- Example
 - The html code in Figure 890

```

<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body style="font-family: 'Avenir Next', 'Helvetica Neue', 'Helvetica', 'Arial', 'sans-serif'">
<!--[if mso]><table width="600" align="center"><tr><td><![endif]-->
<table align="center" style="width:100%; max-width:600px">
    <tr>
        <td align="center" style="color: white; background: #5bc0de; margin: 0; padding: 50px 0;" bgcolor="#5bc0de">
            <h1 style="max-width: 90%; margin: 0 auto; padding: 0;">
                RESERVATION CANCELED REMINDER
            </h1>
        </td>
    </tr>
    <tr>
        <td style="margin: 10px 10px 20px; padding: 10px;">
            <h2>
                Hi {{ reservation.user.first_name }},
            </h2>
            <p>
                Your <b>{{ reservation.tool }}</b> reservation scheduled to begin
                at <b>{{ reservation.start|time }}</b> has been canceled.
            </p>
        </td>
    </tr>
</table>
<!--[if mso]></td></tr></table><![endif]-->
</body>
</html>

```

Figure 890 Customization user reservation canceled email html

- Will produce the email in Figure 891 along with an attachment of the ics invite file.

Subject: [NEMO] Cancelled Reservation for the Sputter
From: useroffice@nemo.com
To: captain.nemo@nautilus.com

RESERVATION CANCELED REMINDER

Hi Captain,

Your **Sputter** reservation scheduled to begin at **8:00 AM** has been canceled.

Figure 891 Customization user reservation canceled email html rendered

To upload a user reservation cancelled email template:

- Click the choose file button to open the file selection dialog (Figure 892).

Choose File

Figure 892 Customization user reservation canceled email choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 893).

Choose File reservation_...generic.html

Figure 893 Customization user reservation canceled email file selected

- Click the upload button to load the file (Figure 894).

Upload cancelled reservation email

Figure 894 Customization user reservation canceled email upload button

- The selected file will be renamed ‘usageReminder_email.html’ and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 895).

User reservation cancelled email

This email is sent to a user when the user cancels his own reservation. The following context variables are provided when the email is rendered:

- **reservation** - the user's reservation that was cancelled

reservation_cancelled_user_email.html

Figure 895 Customization user reservation canceled email file loaded

To delete the currently loaded file:

- Click the upload button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 896).




Figure 896 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 897).

Figure 897 Customization user reservation canceled email show current content button

- The current file is displayed in plain text below the button (Figure 898).




Figure 898 Customization user reservation canceled email current content

34.29 Tool Rates

The customization for the tool rates can be configured to display rates for tools and supplies (Figure 899). The tool rate configuration is optional, and no rate information will be displayed if not configured. More information about how the tool rates are displayed can be found in the [tool control](#) section on page 89. More information about how supply rates are displayed can be found in the [supply](#) section on page 251. NEMO comes with a default rate class defined which can be edited to suit your institution by modifying the rates.py file to create a custom rate class. NOTE: It is beyond the scope of this manual to provide details of programming changes.

Tool Rates

You can upload a json file to display tool rates. An example of a valid rates file can be found on [Github](#).

It should be a JSON array of elements, and the following key/values are supported for each element:

- **item_id** - the id of the tool or supply
- **table_id** - the type of rate, one of "inventory_rate" (for supplies), "primetime_eq_hourly_rate" (for tool), "training_individual_hourly_rate" (for individual training rate), "training_group_hourly_rate" (for group training rate)
- **rate_class** - the class, one of "full cost" or "cost shared"
- **rate** - the rate amount
- **item** - the name of the item (optional)

Figure 899 Configuration tool rates

To create a custom tool rate file for the default rate class

- Use any editor to create the desired json array of elements.

- The following key/values are supported for each element:
 - item_id - the id of the tool or supply that corresponds to the id value in the tool table or consumables table
 - item - the name of the item which is optional but useful to make the json file human readable.
 - table_id - the type of rate
 - "inventory_rate" (for consumables/supplies),
 - "primetime_eq_hourly_rate" (for tool),
 - "training_individual_hourly_rate" (for individual training rate),
 - "training_group_hourly_rate" (for group training rate)
 - rate_class - the class,
 - "full cost" (for tool, consumable/supply, individual and group training)
 - "cost shared" (for tool)
 - rate - the rate amount
- NOTE: only the rates defined will be displayed so every tool or supply does not need to be defined and every rate type and class do not need to be defined.
- Examples
 - Tool and training rates, full cost, cost shared tool rate and individual and group training.
 - The json code in Figure 900

```
[
  {
    "item_id": 4,
    "item": "Sputter",
    "table_id": "primetime_eq_hourly_rate",
    "rate_class": "cost shared",
    "rate": 50.0
  },
  {
    "item_id": 4,
    "item": "Sputter",
    "table_id": "primetime_eq_hourly_rate",
    "rate_class": "full cost",
    "rate": 100.0
  },
  {
    "item_id": 4,
    "item": "Sputter",
    "table_id": "training_individual_hourly_rate",
    "rate_class": "full cost",
    "rate": 150.0
  },
  {
    "item_id": 4,
    "item": "Sputter",
    "table_id": "training_group_hourly_rate",
    "rate_class": "full cost",
    "rate": 75.0
  }
]
```

Figure 900 Configuration tool rates example 1 json

- Will provide the rate view on the tool control page in Figure 901

Tool rates: Full Cost **\$100.00** Shared Cost **\$50.00**
 Training rates: Individual **\$150.00** Group **\$75.00**

Figure 901 Configuration tool rates example 1 view

- Tool and training rates; only full cost tool rate and individual training defined.
 - The json code in Figure 902

```
[  
 {  
   "item_id": 2,  
   "item": "PECVD",  
   "table_id": "primetime_eq_hourly_rate",  
   "rate_class": "full cost",  
   "rate": 100.0  
 },  
 {  
   "item_id": 2,  
   "item": "PECVD",  
   "table_id": "training_individual_hourly_rate",  
   "rate_class": "full cost",  
   "rate": 150.0  
 }  
]
```

Figure 902 Configuration tool rates example 2 json

- Will provide the rate view on the tool control page in Figure 903

```
Tool rates: Full Cost $100.00  
Training rates: Individual $150.00
```

Figure 903 Configuration tool rates example 2 view

- Supply rates
 - The json code in Figure 904

```
[  
 {  
   "item_id": 1,  
   "item": "Tweezers",  
   "table_id": "inventory_rate",  
   "rate_class": "full cost",  
   "rate": 10.0  
 },  
 {  
   "item_id": 2,  
   "item": "2 inch wafer tray",  
   "table_id": "inventory_rate",  
   "rate_class": "full cost",  
   "rate": 42.0  
 }  
]
```

Figure 904 Configuration tool rates example 3 json

- Will provide the rate view on the supply page in Figure 905

Sample handling
Tweezers (Cost \$10.00)
Sample storage
2 inch wafer tray (Cost \$42.00)

Figure 905 Configuration tool rates example 3 view

To upload a custom rate json file:

- Click the choose file button to open the file selection dialog (Figure 906).




Figure 906 Customization tool rates choose file button

- Select the desired file and click the open button. The selected file name will be displayed next to the choose file button (Figure 907).



Figure 907 Customization tool rates file selected

- Click the upload button to load the file (Figure 908).



Figure 908 Customization tool rates upload button

- The selected file will be renamed 'jumbotron_watermark.png' and saved in the media folder of the NEMO website.
- Once a file has been uploaded, an option to view the file will be added (Figure 909).

Tool Rates

You can upload a json file to display tool rates. An example of a valid rates file can be found on [Github](#).

It should be a JSON array of elements, and the following key/values are supported for each element:

- **item_id** - the id of the tool or supply
- **table_id** - the type of rate, one of "inventory_rate" (for supplies), "primetime_eq_hourly_rate" (for tool), "training_individual_hourly_rate" (for individual training rate), "training_group_hourly_rate" (for group training rate)
- **rate_class** - the class, one of "full cost" or "cost shared"
- **rate** - the rate amount
- item - the name of the item (optional)

Choose File rates.json

Upload rates file

Show current content

Figure 909 Customization tool rates file loaded

To delete the currently loaded file:

- Click the upload watermark button without selecting a file to remove the current file from the website media folder.
- A warning dialog will appear (Figure 910).




Figure 910 Customization file deletion confirmation

- Click OK to delete the file or Cancel to leave the file.
- If OK is selected, the filename next to the choose file button will disappear.

To display the contents of the currently loaded file:

- Click the show current content button (Figure 911).




Figure 911 Customization tool rates show current content button

- The current file image is displayed below the button (Figure 912).

Show current content

```
[  
  {  
    "item_id": 4,  
    "item": "Sputter",  
    "table_id": "primetime_eq_hourly_rate",  
    "rate_class": "cost shared",  
    "rate": 50.0  
  },  
  {  
    "item_id": 4,  
    "item": "Sputter",  
    "table_id": "primetime_eq_hourly_rate",  
    "rate_class": "full cost",  
    "rate": 100.0  
  },  
  {  
    "item_id": 4,  
    "item": "Sputter",  
    "table_id": "training_individual_hourly_rate",  
    "rate_class": "full cost",  
    "rate": 150.0  
  },  
  {  
    "item_id": 4,  
    "item": "Sputter",  
    "table_id": "training_group_hourly_rate",  
    "rate_class": "full cost",  
    "rate": 75.0  
  },  
]
```

Figure 912 Customization tool rates current content

35 Detailed administration (admin only)

The detailed administration page provides database table access to NEMO data where features can be configured, and usage data can be viewed (Figure 913).

The screenshot shows the NEMO administration interface. At the top, there's a dark blue header with the word 'NEMO' in yellow. Below it is a light blue navigation bar with the text 'WELCOME, CAPTAIN. [VIEW SITE](#) / [LOG OUT](#)'. Underneath is a breadcrumb trail 'Home > Nemo'. The main content area is titled 'Nemo administration' and contains a table of database tables with 'Add' and 'Change' buttons.

NEMO		
Accounts	+ Add	Change
Activity histories	+ Add	Change
Alert categories	+ Add	Change
Alerts	+ Add	Change
Area access records	+ Add	Change
Areas	+ Add	Change
Comments	+ Add	Change
Configuration histories	+ Add	Change
Configurations	+ Add	Change
Consumable categories	+ Add	Change
Consumable withdraws	+ Add	Change
Consumables	+ Add	Change

Figure 913 Detailed administration start of table list

Access to the detailed administration pages requires super-user status or special permissions. A super user can give access to non-super-users on a table-by-table basis from the users table of the database. The users table of the database discussed in the [Detailed administration → Users](#) section on page 531.

Users can return to the NEMO home page by clicking the “view site” link at the top of the page (Figure 914).



Figure 914 Detailed administration view site link

Users can log out of NEMO by clicking the “log out” link at the top of the page (Figure 915).



Figure 915 Detailed administration log out link

35.1 Common features in detailed administration

Each table can be accessed through the detailed administration page. There are several features that are common across all tables for adding and editing data. Features and details that are unique to a particular table will be discussed in the section specific to the table.

35.1.1 Adding data

Clicking the Add icon (Figure 916) on any table will open a dialog to input data that can be saved into the database.



Figure 916 Detailed administration add data icon

35.1.1.1 Common features when adding data

- The specific fields, their function, and usage will be detailed in each specific table section below. If the fields origin is data from another table in the database, the table name will be listed in italics. For example, *Accounts table*.
- Required fields are displayed in bold (Figure 917)

Name:
Parent tool:

Figure 917 Detailed administration bold and non-bold fields

- Saving records can be accomplished in three ways (Figure 918)
 - Click “save and add another” to save the current record and create another blank record.
 - Click “save and continue editing” to save the current record and stay on the current record for additional changes.
 - Click “save” to save the current record and return to the summary page for the table.



Figure 918 Detailed administration save buttons

35.1.2 Changing data

Clicking the Change icon (Figure 919) on any table will open a summary of the table rows that can be selected for editing (Figure 920). Clicking the table name will also open a summary.



Figure 919 Detailed administration change data icon

Action:	ID	CUSTOMER	MERCHANT	CONSUMABLE	QUANTITY	PROJECT	DATE
<input type="checkbox"/>	15	Captain Nemo (captain)	Captain Nemo (captain)	Sputter gold	1	Cleanroom Eng	Wednesday, June 10th, 2020 @ 4:00 PM
<input type="checkbox"/>	14	Ned Land (ned)	Captain Nemo (captain)	Tweezers	1	Project 1	Wednesday, May 13th, 2020 @ 7:42 PM
<input type="checkbox"/>	13	Ned Land (ned)	Captain Nemo (captain)	Tweezers	1	Project 1	Wednesday, May 13th, 2020 @ 7:32 PM
<input type="checkbox"/>	12	Ned Land (ned)	Captain Nemo (captain)	Tweezers	2	Project 1	Wednesday, May 13th, 2020 @ 7:10 PM
<input type="checkbox"/>	11	Ned Land (ned)	Ned Land (ned)	Sputter gold	8	Project 1	Monday, May 4th, 2020 @ 12:33 PM
<input type="checkbox"/>	10	Ned Land (ned)	Captain Nemo (captain)	Tweezers	1	Project 1	Monday, May 4th, 2020 @ 12:29 PM
<input type="checkbox"/>	9	Captain Nemo (captain)	Captain Nemo (captain)	Sputter gold	1	Cleanroom Maint	Tuesday, April 28th, 2020 @ 3:43 PM
<input type="checkbox"/>	8	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 2	Tuesday, April 28th, 2020 @ 3:26 PM
<input type="checkbox"/>	7	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 2	Tuesday, April 28th, 2020 @ 2:46 PM
<input type="checkbox"/>	6	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 1	Tuesday, April 28th, 2020 @ 2:33 PM
<input type="checkbox"/>	5	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 1	Tuesday, April 28th, 2020 @ 1:51 PM
<input type="checkbox"/>	4	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 1	Tuesday, April 28th, 2020 @ 1:07 PM
<input type="checkbox"/>	3	Captain Nemo (captain)	Captain Nemo (captain)	Sputter gold	1	Cleanroom Eng	Monday, April 27th, 2020 @ 10:47 AM
<input type="checkbox"/>	2	Captain Nemo (captain)	Captain Nemo (captain)	Sputter gold	15	Cleanroom Maint	Friday, April 24th, 2020 @ 7:03 PM
<input type="checkbox"/>	1	Ned Land (ned)	Captain Nemo (captain)	Tweezers	1	Project 2	Wednesday, April 22nd, 2020 @ 2:39 PM

Figure 920 Detailed administration example table summary

35.1.2.1 Common features when changing data

- Edit a record – to access a record for editing, the first column of the summary is a link to the data view (Figure 921). The ID field is often displayed in the summary page but is automatically assigned at record creation and is never editable.

<input type="checkbox"/>	ID	CUSTOMER
<input type="checkbox"/>	15	Captain Nemo (captain)
<input type="checkbox"/>	14	Ned Land (ned)
<input type="checkbox"/>	13	Ned Land (ned)

Figure 921 Detailed administration first column link to change data

- Click the link to open the change record view (Figure 922). The specific view will be discussed in the section for each table.

Home > Nemo > Tools > Acid Hood

Change tool

HISTORY **VIEW ON SITE**

Name: Acid Hood

Parent tool: ----- **+**

Select a parent tool to allow alternate usage

category: Wet Processing/Acid

Create sub-categories using slashes. For example "Category 1/Sub-category 1".

Figure 922 Detailed administration change record example

- The common features for editing a record are the same as those for adding a new record detailed above with the following exceptions
 - A history button may be displayed at the top right of the page (Figure 923). Clicking the history button will show a summary of the changes that have been made to the record (Figure 924).

HISTORY

Figure 923 Detailed administration record history button

Home > Nemo > Tools > Acid Hood > History

Change history: Acid Hood

DATE/TIME	USER	ACTION
Monday, April 13th, 2020 @ 2:01 PM	captain (Captain Nemo (captain))	Changed name.
Monday, April 13th, 2020 @ 2:03 PM	captain (Captain Nemo (captain))	Changed visible and _operational.
Monday, April 13th, 2020 @ 2:30 PM	captain (Captain Nemo (captain))	Changed _description, _serial and _image.
Monday, April 20th, 2020 @ 1:01 PM	captain (Captain Nemo (captain))	Changed _category.
Tuesday, April 21st, 2020 @ 12:09 PM	captain (Captain Nemo (captain))	Changed _missed_reservation_threshold.

Figure 924 Detailed administration record history

- A view on site button may be displayed at the top right of the page (Figure 925). Clicking the view on page button will redirect to the feature page defined for that table.

[VIEW ON SITE ➔](#)

Figure 925 Detailed administration view on site button

- A delete button will be displayed at the bottom of the page (Figure 926).



Figure 926 Detailed administration delete button

- Add record button – the top right side of the summary page will have a button to add new records (Figure 927).

ADD CONSUMABLE WITHDRAW +

Figure 927 Detailed administration add record button

- Search – some summary pages have a search dialog at the top of the page that can be used to quickly narrow results to records of interest (Figure 928). Enter a search term in the dialog box and click the search button. Partial names and wildcards can be used. Any matching results will be returned.



Figure 928 Detailed administration search dialog

- Filters can be used to narrow down the record list.
 - Filters may include a date range above the record list that can be clicked to filter results. A date range filter will start at a coarse range and continue to a narrower range. Anytime the date has been filtered, the first filter selection will be to unfilter to the previous filter level.
 - If there is multi-year data, the years with data will be displayed in the filter selection (Figure 929).

2013 2014 2015 2016 2017 2018 2019 2020

Figure 929 Detailed administration year filter

- Clicking a year filter will show data from that year and change the filter selection to the months with data (Figure 930).

« All dates January 2020 February 2020 March 2020

Figure 930 Detailed administration month filter

- Clicking a month filter will show data from that month and change the filter selection to the days of the month with data (Figure 931).



Figure 931 Detailed administration day filter

- Clicking a day filter will show data from the date selected (Figure 932).



Figure 932 Detailed administration date filter

- Other filters may be included on the right sidebar of the page and can change from page to page (Figure 933). However, their function is the same. Click on the filter level desired to narrow down the number of records displayed in the summary page until the records of interest are displayed.




Figure 933 Detailed administration side bar filters

- Actions can be used to execute a function on one or more records (Figure 934).

Action:	-----	<input type="button" value="Go"/>	0 of 15 selected
<input type="checkbox"/>	ID	CUSTOMER	MERCHANT
<input type="checkbox"/>	15	Captain Nemo (captain)	Captain Nemo (captain)
<input type="checkbox"/>	14	Ned Land (ned)	Captain Nemo (captain)
<input type="checkbox"/>	13	Ned Land (ned)	Captain Nemo (captain)

Figure 934 Detailed administration action menu

- Every table has a delete record action.
- To execute a function on one or more records
 - Select the records of interest by checking the checkbox on the left of the record. Checking the checkbox in the title bar will select all records (Figure 935).

<input type="checkbox"/>	ID
<input type="checkbox"/>	15
<input type="checkbox"/>	14

Figure 935 Detailed administration select records

- Select the action to execute from the drop-down list (Figure 936).

Action:	-----	Go
<input type="checkbox"/> ID	Delete selected consumable withdraws	CHANT

Figure 936 Detailed administration select action

- Click “go” (Figure 937).



Figure 937 Detailed administration action go button

- When deleting records, a list of impacts and related items will be displayed with a prompt to confirm or cancel the action (Figure 938).




Figure 938 Detailed administration delete confirmation dialog

- Click the yes button to continue or the no button to cancel (Figure 939).



Figure 939 Detailed administration delete confirmation buttons

- Sort – the summary list of records can be sorted by clicking on the column title (Figure 940).

MERCHANT	4 ▲ CONSUMABLE	3 ▼ QUANTITY	2 ▼ PROJECT	1 ▲
----------	----------------	--------------	-------------	-----

Figure 940 Detailed administration sort indicators

- An arrow next to the column title indicates sort direction. Down arrow indicates descending and up arrow indicates ascending.
- If multiple columns are clicked, then records are sorted in order of precedence with the last clicked column having the highest precedence. Lower numbers have higher precedence.
- Hovering over a sorted field heading will show an icon () to remove sorting from that column (Figure 941). Click the icon to remove sorting.



Figure 941 Detailed administration remove sorting

35.2 Account types

35.2.1 Usage

Account types are optional but can be useful for binning accounts aiding in future analysis and trending. Account types, if used, must be created in this table view and can be any text name. Any number can be defined. If no account types are defined, they are not displayed on the account page. Account types are discussed in the [account page](#) detailed on page 182.

35.2.2 Summary page

The summary page provides a listing of account types (Figure 942). Click the name field in the row of interest to edit.

The screenshot shows a web-based application interface for managing account types. At the top, there is a breadcrumb navigation: Home > Nemo > Account types. Below the header, a message says "Select account type to change". Underneath, there is a search bar labeled "Action: -----" with a dropdown arrow, a "Go" button, and a status indicator "0 of 3 selected". A list of account types is displayed with checkboxes next to each name: ACCOUNT TYPE, Academia, Industry, and Internal. At the bottom of the list, it says "3 account types".

Figure 942 Account types summary page

35.2.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 943). [Common features in detailed administration](#) is detailed on page 384.

The screenshot shows a web-based application interface for adding a new account type. At the top, there is a breadcrumb navigation: Home > Nemo > Account types > Add account type. Below the header, the title "Add account type" is displayed. There is a form field labeled "Name:" followed by a text input box containing the value "Academia".

Figure 943 Account types add/edit page

- Name – the name can be up to 200 characters (required).

35.2.4 User access page

There is no user access page to create account types however, account types are discussed in the [account page](#) detailed on page 182.

35.3 Accounts

35.3.1 Usage

An account is at the top of the billing hierarchy. This is where you send the bill. An account can have many projects. Users make charges to projects which are carried to accounts. A detailed discussion of accounts can be found in the [Accounts and projects](#) section on page 182.

35.3.2 Summary page

The summary page provides a search dialog and filtering of the active field (Figure 944). Click the name field in the row of interest to edit.

The screenshot shows a web-based application interface for managing accounts. At the top, there's a header bar with 'Home > Nemo > Accounts'. Below the header, a search bar contains the placeholder 'Select account to change' and a magnifying glass icon. To the right of the search bar is a button labeled 'ADD ACCOUNT +'. On the far right, there's a vertical sidebar titled 'FILTER' with several dropdown menus:

- By active:** Options include 'All', 'Yes', and 'No'.
- By type:** Options include 'All', 'Academia', 'Industry', and 'Internal'.
- By start date:** Options include 'Any date', 'Today', 'Past 7 days', 'This month', and 'This year'.

The main content area displays a table with the following data:

<input type="checkbox"/>	NAME	ID	ACTIVE	TYPE	START DATE
<input type="checkbox"/>	Account 2	2	<input checked="" type="checkbox"/>	Academia	-
<input type="checkbox"/>	Account 3	3	<input checked="" type="checkbox"/>	-	06/03/2020
<input type="checkbox"/>	Cleanroom Staff	1	<input checked="" type="checkbox"/>	-	-

Below the table, it says '3 accounts'.

Figure 944 Accounts summary page

35.3.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 945). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Accounts > Add account

Add account

Name:

Type: ---- ▼ Pencil + X

Start date: Today Calendar

Active
Users may only charge to an account if it is active. Deactivate the account to block future billable activity (such as tool usage and consumable check-outs) of all the projects that belong to it.

Save and add another Save and continue editing SAVE

Figure 945 Accounts add/edit page

- Name – this is the name referred to for the account. It can be a maximum of 100 characters and must be unique (required).
- Type – this is the type for the account. Account types are discussed in [Account types](#) in page 391.
- Start date – the account start date.
- Active – this indicates if the account is available to be used. Users may only charge to an account if it is active. Deactivate the account to block future billable activity (such as tool usage, etc.) of all the projects that belong to it.

35.3.4 User access page

Accounts are created and managed on the accounts and projects page detailed in the [Accounts and projects](#) section on page 182.

35.4 Activity histories

35.4.1 Usage

The activity histories table maintains a record of changes made to the active status of users, projects, and accounts. Records are written automatically, and manual entry or editing should not be necessary.

35.4.2 Summary page

The summary page provides date filtering (Figure 946). Click the activity history field in the row of interest to edit.

The screenshot shows a table titled "Activity histories" with the following data:

ACTIVITY HISTORY	CONTENT TYPE	OBJECT ID	ACTION	DATE	AUTHORIZER
Account 7 deactivated	account	7	Deactivated	Monday, June 22nd, 2020 @ 4:01 PM	Captain Nemo (captain)
User 15 activated	user	15	Activated	Thursday, May 21st, 2020 @ 5:55 PM	Captain Nemo (captain)
User 3 activated	user	3	Activated	Thursday, May 21st, 2020 @ 5:53 PM	Captain Nemo (captain)
User 3 deactivated	user	3	Deactivated	Thursday, May 21st, 2020 @ 5:53 PM	Captain Nemo (captain)
User 14 activated	user	14	Activated	Thursday, May 14th, 2020 @ 5:18 PM	Captain Nemo (captain)
User 5 activated	user	5	Activated	Friday, May 8th, 2020 @ 11:53 AM	Captain Nemo (captain)
User 5 deactivated	user	5	Deactivated	Wednesday, May 6th, 2020 @ 6:47 PM	Captain Nemo (captain)
User 4 activated	user	4	Activated	Tuesday, May 5th, 2020 @ 3:39 PM	Captain Nemo (captain)
User 4 deactivated	user	4	Deactivated	Tuesday, May 5th, 2020 @ 3:37 PM	Captain Nemo (captain)
Project 9 activated	project	9	Activated	Monday, May 4th, 2020 @ 8:37 PM	Captain Nemo (captain)

Figure 946 Activity histories summary page

35.4.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 947). [Common features in detailed administration](#) is detailed on page 384. In addition, the history button will show any manual changes that were made to the record.

The screenshot shows a web-based form titled 'Change activity history'. At the top, the navigation path is 'Home > Nemo > Activity histories > Account 7 deactivated'. A 'HISTORY' button is located in the top right corner. The form fields are as follows:

- Content type:** account (selected from a dropdown menu)
- Object id:** 7
- Action:** Deactivated (selected from a dropdown menu)

The target state (activated or deactivated).
- Date:** 06/22/2020 (selected from a date picker) | Today |
- Time:** 04:01 PM (selected from a time picker) | Now |
- Authorizer:** Captain Nemo (captain) (selected from a dropdown menu)

The staff member who changed the active state of the account, project, or user in question.

At the bottom of the form are four buttons: 'Delete' (red), 'Save and add another' (blue), 'Save and continue editing' (blue), and 'SAVE' (blue).

Figure 947 Activity histories add/edit page

- Content type – a large selection is available under the dropdown however, NEMO only uses accounts, projects, and users (required).
- Object id – this field is the id number of the account, project, or user (required).
- Action – this field is either activated or deactivated (required).
- Date – date and time the action was taken (required).
- Authorizer – user that initiated the action (required). *User table*

35.4.4 User access page

Activity histories are automatically recorded through actions initiated on accounts, projects, and users. Accounts and projects are detailed in the [Accounts and projects](#) section on page 182. Users are detailed in the [users](#) section on page 260.

35.5 Alert categories

35.5.1 Usage

Alert categories are optional but can be useful for binning alerts aiding in future analysis and trending. Alert categories, if used, must be created in this table view and can be any text name. Any number can be defined. If no alert categories are defined, they are not displayed on the alerts page. Alert categories are discussed in the [Alerts](#) section detailed on page 191.

35.5.2 Summary page

The summary page provides a listing of alert categories (Figure 948). Click the name field in the row of interest to edit.

The screenshot shows a web-based application interface for managing alert categories. The top navigation bar includes 'Home', 'Nemo', and 'Alert categories'. Below the header, a sub-header reads 'Select alert category to change'. A button labeled 'ADD ALERT CATEGORY +' is visible. A search bar with placeholder 'Action: -----' and a 'Go' button is present. The main content area displays a list of alert categories with checkboxes next to them. The categories listed are 'NAME', 'Facility outage', 'Long PM', and 'Site closure'. At the bottom of the list, it says '3 Alert categories'. The entire interface is contained within a light blue-bordered box.

Figure 948 Alert category summary page

35.5.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 949). [Common features in detailed administration](#) is detailed on page 384.

The screenshot shows a 'Add alert category' form. The top navigation bar includes 'Home', 'Nemo', 'Alert categories', and 'Add alert category'. The main form area has a label 'Name:' followed by an input field containing a single character. At the bottom of the form are three buttons: 'Save and add another', 'Save and continue editing', and a large 'SAVE' button. The entire form is contained within a light blue-bordered box.

Figure 949 Alert category add/edit page

- Name – the name can be up to 200 characters (required).

35.5.4 User access page

Alert categories are discussed in the [Alerts](#) section detailed on page 191.

35.6 Alerts

35.6.1 Usage

Alerts are used to notify users of upcoming events that can impact lab or equipment availability. Alerts are discussed in the [Alerts](#) section detailed on page 191. Alerts are created and edited through a NEMO page and manual editing of this table should not be necessary.

35.6.2 Summary page

The summary page provides a listing of alerts (Figure 950). Click the title field in the row of interest to edit.

The screenshot shows a table titled 'Home - Nemo > Alerts'. The table has columns: TITLE, CATEGORY, CREATION TIME, CREATOR, DEBUT TIME, EXPIRATION TIME, USER, DISMISSABLE, EXPIRED, and DELETED. There are two rows of data:

Action:	Go	0 of 2 selected								
<input type="checkbox"/>	TITLE	CATEGORY	CREATION TIME	CREATOR	DEBUT TIME	EXPIRATION TIME	USER	DISMISSABLE	EXPIRED	DELETED
<input type="checkbox"/>	Sputter tool annual PM next week	Long PM	Monday, April 13th, 2020 @ 1:53 PM	Captain Nemo (captain)	Monday, April 13th, 2020 @ 1:52 PM	-	-			
<input type="checkbox"/>	Cleanroom closed this weekend		Thursday, June 21st, 2018 @ 4:40 PM	Captain Nemo (captain)	Thursday, June 21st, 2018 @ 4:39 PM	-	-			

Figure 950 Alerts summary page

35.6.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 951). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Alerts > Add alert

Add alert

Title:

Category:
A category/type for this alert.

Contents:

Creation time: Date: 06/23/2020 Today | Time: 04:09 PM Now |

Creator:

Debut time: Date: Today | Time: Now |
The alert will not be displayed to users until the debut time is reached.

Expiration time: Date: Today | Time: Now |
The alert can be deleted after the expiration time is reached.

User:
The alert will be visible for this user. The alert is visible to all users when this is empty.

Dismissible
Allows the user to delete the alert. This is only valid when the 'user' field is set.

Expired
Indicates the alert has expired and won't be shown anymore

Deleted
Indicates the alert has been deleted and won't be shown anymore

Save and add another **Save and continue editing** **SAVE**

Figure 951 Alerts add/edit page

- Title – title to be displayed for the alert, maximum of 100 characters.
- Category – category of the alert selected from alert categories. *Alert categories table*
- Contents – message to describe the alert, maximum of 500 characters (required).
- Creation Time – the date/time the alert was created (required).
- Creator – the user that created the alert. *Users table*
- Debut time – the time the alert will start displaying on the landing page (required).
- Expiration time – the time the alert will expire and stop being displayed on the landing page.
- User – the user targeted for the alert, this will be blank for all users. *Users table*
- Dismissible – only valid when a user is selected, allows user to delete the alert.
- Expired – indicates the alert has expired and will not be displayed any longer.
- Deleted – indicates the alert was deleted and will not be displayed any longer.

35.6.4 User access page

Alerts are discussed in the [Alerts](#) section detailed on page 191.

35.7 Area access records

35.7.1 Usage

The area access records table maintains the list of users that have accessed an area. Records are written automatically when a user enters/exits an area. Manual editing may be necessary to correct an access record if for example a user forgets to log out of an area.

35.7.2 Summary page

The summary page provides date filtering, filtering by area, and by start date (Figure 952). Click the id field in the row of interest to edit.

Home > Nemo > Area access records					
Select area access record to change					
2018 2020					
Action:	-----	Go	0 of 75 selected		
ID	CUSTOMER	AREA	PROJECT	START	END
81	Ned Land (ned)	Cleanroom	Project 1	Friday, June 5th, 2020 @ 4:42 PM	Friday, June 5th, 2020 @ 4:59 PM
80	Ned Land (ned)	CMP lab	Project 1	Monday, June 1st, 2020 @ 2:28 PM	Monday, June 8th, 2020 @ 3:00 PM
79	Captain Nemo (captain)	Cleanroom	Cleanroom Eng	Thursday, May 28th, 2020 @ 11:53 AM	Wednesday, June 10th, 2020 @ 4:00 PM
78	Captain Nemo (captain)	Cleanroom	Cleanroom Eng	Thursday, May 21st, 2020 @ 7:23 PM	Wednesday, May 27th, 2020 @ 7:09 PM
77	Ned Land (ned)	CMP lab	Project 1	Thursday, May 21st, 2020 @ 5:52 PM	Thursday, May 21st, 2020 @ 7:23 PM
76	Ned Land (ned)	Cleanroom	Project 1	Thursday, May 21st, 2020 @ 5:44 PM	Thursday, May 21st, 2020 @ 5:50 PM
75	Ned Land (ned)	Cleanroom	Project 1	Wednesday, May 13th, 2020 @ 5:33 PM	Wednesday, May 13th, 2020 @ 5:33 PM
74	Ned Land (ned)	Cleanroom	Project 1	Wednesday, May 13th, 2020 @ 5:23 PM	Wednesday, May 13th, 2020 @ 5:29 PM
73	Ned Land (ned)	CMP lab	Project 1	Wednesday, May 13th, 2020 @ 5:14 PM	Wednesday, May 13th, 2020 @ 5:22 PM
72	Ned Land (ned)	CMP lab	Project 1	Wednesday, May 13th, 2020 @ 5:05 PM	Wednesday, May 13th, 2020 @ 5:05 PM
71	Captain Nemo (captain)	Cleanroom	Cleanroom Maint	Wednesday, May 13th, 2020 @ 4:59 PM	Thursday, May 21st, 2020 @ 7:23 PM
70	Ned Land (ned)	Cleanroom	Project 2	Wednesday, May 13th, 2020 @ 4:58 PM	Wednesday, May 13th, 2020 @ 4:59 PM
69	Ned Land (ned)	Cleanroom	Project 1	Wednesday, May 13th, 2020 @ 4:23 PM	Wednesday, May 13th, 2020 @ 4:27 PM

Figure 952 Area access records summary page

35.7.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 953). [Common features in detailed administration](#) is detailed on page 384. In addition, the history button will show any manual changes that were made to the record.

Home > Nemo > Area access records > 81

Change area access record

HISTORY

Area:	Cleanroom <input type="button" value="▼"/>	<input type="button" value="✎"/> <input type="button" value="+"/>
Customer:	Ned Land (ned) <input type="button" value="▼"/>	<input type="button" value="✎"/> <input type="button" value="+"/>
Project:	Project 1 <input type="button" value="▼"/>	<input type="button" value="✎"/> <input type="button" value="+"/>
Start:	Date: 06/05/2020 <input type="button" value="Today 📅"/>	Time: 04:42 PM <input type="button" value="Now ⏱"/>
End:	Date: 06/05/2020 <input type="button" value="Today 📅"/>	Time: 04:59 PM <input type="button" value="Now ⏱"/>
Staff charge:	21 <input type="button" value="▼"/>	<input type="button" value="✎"/> <input type="button" value="+"/>

Action Buttons:

-
-
-
-

Figure 953 Area access records add/edit page

- Area – drop down list of all areas (required). *Areas table*
- Customer – drop down list of all users (required). *Users table*
- Project – drop down list of all projects (required). *Projects table*
- Start – the start date and time (required).
- End – the end date and time.
- Staff charge – the staff charge record id the area access record is associated with.

35.7.4 User access page

Area access records are automatically recorded when a user accesses a controlled area. Access is provided via the landing page by a user, the area access page by staff, or through a controlled door tablet. Areas are discussed in the next section.

35.8 Areas

35.8.1 Usage

The areas table contains the list of areas defined for a facility. Areas are optional and can be used to define spaces and group tools in common places. In addition, areas can optionally have occupancy limits set as well as require a reservation for access.

The times a user has access to an area are defined as physical access levels. Physical access levels are used to associate areas with time schedules and are discussed in the [Detailed administration → Physical access level](#) section on page 458.

An area can optionally have doors associated with it that NEMO controls through interlocks. Doors are discussed in the [Detailed administration → Doors](#) section on page 436.

User area access permissions are permissions to physical access levels and are discussed in the [Users](#) section on page 260.

Areas must be created and edited through accessing this table directly.

35.8.2 Summary page

The summary page provides a list of areas (Figure 954). Click the area field in the row of interest to edit. If parent/child areas are used, clicking the expand tree button will list all children under a parent and clicking collapse tree will hide all children under a parent.

The screenshot shows a web-based administrative interface for managing areas. At the top, there's a breadcrumb navigation: Home > Nemo > Areas. Below the header, a search bar with a magnifying glass icon and a 'Search' button is followed by a dropdown menu labeled 'Action:' with a 'Go' button next to it. To the right of the search area are three buttons: 'EXPAND TREE', 'COLLAPSE TREE', and 'ADD AREA +'. On the far right, there's a sidebar titled 'FILTER' with two sections: 'By requires reservation' (with options 'All', 'Yes', and 'No') and 'By parent area' (with options 'All', 'Cleanroom', 'CMP lab', and '-'). The main content area displays a table with the following data:

	TITLE	NAME	PARENT AREA	CATEGORY	REQUIRES RESERVATION	MAXIMUM CAPACITY	RESERVATION WARNING	ID
<input type="checkbox"/>	+ Cleanroom	Cleanroom	-	Cleanroom	<input checked="" type="checkbox"/>	5	2	1
<input type="checkbox"/>	+ CMP lab	CMP lab	-	-	<input checked="" type="checkbox"/>	0	-	3

At the bottom left of the table area, it says '2 areas'.

Figure 954 Areas summary page

35.8.3 Fields

The add/change page for this table lists the fields that can be edited. [Common features in detailed administration](#) is detailed on page 384. In addition, the history button will show any manual changes that were made to the record. The area table is listed in five sections that will be detailed below.

- General Information (Figure 955)
 - Name – the name of the area, maximum 200 characters (required)
 - Parent area – if parent/child relationships are desired, select the parent area from the drop-down list. *Areas table*
 - Category – to organize areas on the calendar sidebar, categories can be created to group by. Optional
 - Reservation email – An email will be sent to this address when users create or cancel reservations in the area or in children areas. A comma-separated list can be used. Optional
 - Abuse email – An email will be sent to this address when users overstay their reservation in the area or in children areas (logged in with expired reservation). A comma-separated list can be used. Optional

Change area HISTORY

Name:	<input type="text" value="Cleanroom"/>	What is the name of this area? The name will be displayed on the tablet login and logout pages.
Parent area:	<input style="width: 100px; height: 20px; border: 1px solid #ccc; padding: 2px;" type="text" value="-----"/> ▼ ✎ +	Select a parent area, (building, floor etc.)
Category:	<input type="text" value="Cleanroom"/>	Create sub-categories using slashes. For example "Category 1/Sub-category 1".
Reservation email:	<input type="text"/>	
	An email will be sent to this address when users create or cancel reservations in the area or in children areas. A comma-separated list can be used.	
Abuse email:	<input type="text"/>	
	An email will be sent to this address when users overstay in the area or in children areas (logged in with expired reservation). A comma-separated list can be used.	

Figure 955 Area general information

- Area access (Figure 956)
 - Requires reservation – check this box to require a reservation for this area before a user can login. Checking this box will cause this area to display on the calendar sidebar so it is accessible for reservations.
 - Logout grace period – number of minutes users have to logout of this area after their reservation expired before being flagged and abuse email is sent.
 - Welcome message – the welcome message will be displayed on the tablet login page. You can use HTML and JavaScript. Only required for tablet door access control.

- Buddy system allowed – this checkbox enables the buddy board for this area. The buddy board appears on the navigation bar and is described in the [buddy board](#) section starting on page 138.

Area access

Requires reservation
Check this box to require a reservation for this area before a user can login.

Logout grace period:
Number of minutes users have to logout of this area after their reservation expired before being flagged and abuse email is sent.

Welcome message:

```
<center><h1>Welcome to the cleanroom!</h1>
<h2>Scan your badge to log in</h2></center>
```

The welcome message will be displayed on the tablet login page. You can use HTML and JavaScript.

Buddy system allowed
Check this box if the buddy system is allowed in this area.

Figure 956 Area area access

- Occupancy (Figure 957)
 - Maximum capacity – The maximum number of people allowed in this area at any given time. Set to 0 for unlimited. (required)
 - Count staff in occupancy – Indicates that staff users will count towards maximum capacity. If not checked, staff occupancy will be listed separately on the status dashboard and jumbotron pages.
 - Count service personnel in occupancy – Indicates that service personnel will count towards maximum capacity. If not checked, service personnel occupancy will be listed separately on the status dashboard and jumbotron pages.
 - Reservation warning – The number of simultaneous users (with at least one reservation in this area) allowed before a warning is displayed when creating a reservation.

Occupancy

Maximum capacity:	<input type="text" value="5"/>
The maximum number of people allowed in this area at any given time. Set to 0 for unlimited.	
<input type="checkbox"/> Count staff in occupancy	
Indicates that staff users will count towards maximum capacity.	
<input type="checkbox"/> Count service personnel in occupancy	
Indicates that service personnel will count towards maximum capacity.	
Reservation warning:	<input type="text" value="2"/>
The number of simultaneous users (with at least one reservation in this area) allowed before a warning is displayed when creating a reservation.	

Figure 957 Area occupancy

- Reservation (Figure 958) – these parameters are only applicable if the ‘requires reservation’ check box is checked
 - Reservation horizon – Users may create reservations this many days in advance. Leave this field blank to indicate that no reservation horizon exists for this area.
 - Missed reservation threshold – The amount of time (in minutes) that an area reservation may go unused before it is automatically marked as "missed" and hidden from the calendar. The cancellation process is triggered by a timed job on the web server.

Reservation

Reservation horizon:	<input type="text" value="14"/>
Users may create reservations this many days in advance. Leave this field blank to indicate that no reservation horizon exists for this area.	
Missed reservation threshold:	<input type="text"/>
The amount of time (in minutes) that an area reservation may go unused before it is automatically marked as "missed" and hidden from the calendar. Usage can be from any user, regardless of who the reservation was originally created for. The cancellation process is triggered by a timed job on the web server.	

Figure 958 Area reservation

- Policy (Figure 959) – these parameters are only applicable if the ‘requires reservation’ check box is checked.
 - Policy off between times – Check this box to disable policy rules every day between the given times
 - Policy off start time – The start time when policy rules should NOT be enforced
 - Policy off end time – The end time when policy rules should NOT be enforced
 - Policy off weekend – Whether or not policy rules should be enforced on weekends
 - Minimum usage block time – The minimum amount of time (in minutes) that a user must reserve this area for a single reservation. Leave this field blank to indicate that no minimum usage block time exists for this area.

- Maximum usage block time – The maximum amount of time (in minutes) that a user may reserve this area for a single reservation. Leave this field blank to indicate that no maximum usage block time exists for this area.
- Maximum reservations per day – The maximum number of reservations a user may make per day for this area.
- Minimum time between reservations – The minimum amount of time (in minutes) that the same user must have between any two reservations for this area.
- Maximum future reservation time – The maximum amount of time (in minutes) that a user may reserve from the current time onwards.

Policy

Policy off between times
Check this box to disable policy rules every day between the given times

Policy off start time: Now | The start time when policy rules should NOT be enforced

Policy off end time: Now | The end time when policy rules should NOT be enforced

Policy off weekend
Whether or not policy rules should be enforced on weekends

Minimum usage block time:
The minimum amount of time (in minutes) that a user must reserve this area for a single reservation. Leave this field blank to indicate that no minimum usage block time exists for this area.

Maximum usage block time:
The maximum amount of time (in minutes) that a user may reserve this area for a single reservation. Leave this field blank to indicate that no maximum usage block time exists for this area.

Maximum reservations per day:
The maximum number of reservations a user may make per day for this area.

Minimum time between reservations:
The minimum amount of time (in minutes) that the same user must have between any two reservations for this area.

Maximum future reservation time:
The maximum amount of time (in minutes) that a user may reserve from the current time onwards.

Figure 959 Area policy

35.8.4 User access page

There are no user pages for creating areas. Accessing areas can be performed from the landing page if enabled, the area access page by staff, and the entrance tablets if used.

35.9 Badge readers

35.9.1 Usage

The badge reader table can be used to create custom badge reader behavior. The default behavior of NEMO is to expect the F2 character as the send key and the record key. It does not need to be explicitly defined but has been here to provide an example of how to record a new badge reader. When using the Kiosk or Area Access, add ?reader_id=<reader_id> to the URL to select a badge reader configuration.

35.9.2 Summary page

The summary page provides a listing of badge readers (Figure 960). Click the id field in the row of interest to edit.

Select badge reader to change				
Action:	-----		Go	0 of 1 selected
<input type="checkbox"/>	ID	NAME	SEND KEY	RECORD KEY
<input type="checkbox"/>	1	Standard badge reader	F2	F2
1 badge reader				

Figure 960 Badge reader summary page

35.9.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 961). [Common features in detailed administration](#) is detailed on page 384.

Add badge reader

Name:

Send key:

The name of the key which submits the badge number ('F2', 'Shift', 'Meta', 'Enter', 'a' etc.)

Record key:

The name of the key which starts badge number recording. If left blank, badge number recording starts when any input is received.

[Save and add another](#)

[Save and continue editing](#)

SAVE

Figure 961 Badge reader add/edit page

- Name – the name can be up to 200 characters (required).
- Send key – The name of the key which submits the badge number ('F2', 'Shift', 'Meta', 'Enter', 'a' etc.) (required)
- Record key – The name of the key which starts badge number recording. If left blank, badge number recording starts when any input is received.

35.9.4 User access page

There are no user access pages associated with badge readers. When using the Kiosk or Area Access, add ?reader_id=<reader_id> to the URL to select a badge reader configuration.

35.10 Buddy request messages

35.10.1 Usage

The buddy request messages table stores the responses entered on the [buddy board](#) feature described starting on page 138.

35.10.2 Summary page

The summary page provides a listing of buddy request messages (Figure 962). Click the ID field in the row of interest to edit. You can reach the parent buddy request by clicking the buddy request of interest.

Select buddy request message to change				ADD BUDDY REQUEST MESSAGE +
Action:	ID	BUDGY REQUEST	AUTHOR	CREATION DATE
<input type="checkbox"/>	1	BuddyRequest [1]	Samuel Stavis (sstavis)	Tuesday, December 29th, 2020 @ 11:54 AM
<input type="checkbox"/>	2	BuddyRequest [1]	Mathieu Rampant (mrampant)	Tuesday, December 29th, 2020 @ 11:54 AM
<input type="checkbox"/>	21	BuddyRequest [41]	Michael Stewart (stew)	Thursday, January 14th, 2021 @ 3:41 PM
<input type="checkbox"/>	22	BuddyRequest [41]	Michael Stewart (stew)	Thursday, January 14th, 2021 @ 3:44 PM
<input type="checkbox"/>	23	BuddyRequest [42]	Jerry Bowser (jbowser)	Thursday, January 14th, 2021 @ 4:05 PM
<input type="checkbox"/>	24	BuddyRequest [42]	Jerry Bowser (jbowser)	Thursday, January 14th, 2021 @ 4:06 PM
<input type="checkbox"/>	41	BuddyRequest [43]	Jerry Bowser (jbowser)	Thursday, January 14th, 2021 @ 4:22 PM

Figure 962 Buddy request messages summary page

35.10.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 963). [Common features in detailed administration](#) is detailed on page 384.

Change buddy request message

HISTORY

Buddy request: **BuddyRequest [43]**  

The request that this message relates to.

Author: **Jerry Bowser (jbowser)**  

Creation date:

Date: **01/14/2021** Today | 

Time: **04:22 PM** Now | 

Content: I can join you from 1 pm to 3 pm. Let me know if that works.

Figure 963 Buddy request messages add/edit page

- Buddy request – select the parent buddy request from the list (required) (Buddy requests)
- Author – select user submitting request from the drop-down box (required) (Users Table).
- Creation date – use the dialog box or calendar/clock to select the creation date/time (required).
- Content – dialog box to enter description of the buddy request (required).

35.10.4 User access page

Records are typically not edited or created directly in this view. There is a [buddy board page](#) for managing buddy requests and messages which is described starting on page 138.

35.11 Buddy requests

35.11.1 Usage

The buddy requests table stores the requests entered on the [buddy board](#) feature described starting on page 138.

35.11.2 Summary page

The summary page provides a listing of buddy requests (Figure 964). Click the user field in the row of interest to edit.

Select buddy request to change						
Action:	-----	Go	0 of 3 selected			
<input type="checkbox"/>	USER	START	END	AREA	REPLIES	EXPIRED
<input type="checkbox"/>	Jerry Bowser (jbowser)	01/16/2021	01/17/2021	Cleanroom	0	
<input type="checkbox"/>	Mathieu Rampant (mrampant)	12/29/2020	12/31/2020	Cleanroom	0	
<input type="checkbox"/>	Mathieu Rampant (mrampant)	12/29/2020	12/29/2020	Cleanroom	2	

3 buddy requests

Figure 964 Buddy request summary page

35.11.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 965). [Common features in detailed administration](#) is detailed on page 384.

Change buddy request

Creation time:	Date: <input type="text" value="12/29/2020"/> Today
Time: <input type="text" value="11:53 AM"/> Now	The date and time when the request was created.
Start:	<input type="text" value="12/29/2020"/> Today
The start date the user is requesting a buddy.	
End:	<input type="text" value="12/29/2020"/> Today
The end date the user is requesting a buddy.	
Description:	<input type="text" value="I need a buddy today"/>
The description of the request.	
Area:	<input type="text" value="Cleanroom"/>
User:	<input type="text" value="Mathieu Rampant (mrampant)"/>
The user who is submitting the request.	
<input checked="" type="checkbox"/> Expired Indicates the request has expired and won't be shown anymore.	
<input type="checkbox"/> Deleted Indicates the request has been deleted and won't be shown anymore.	

Figure 965 Buddy request add/edit page

- Creation time – use the dialog box or calendar/clock to select the creation date/time (required).
- Start – use the dialog box or calendar to select the start date (required).
- End – use the dialog box or calendar to select the end date (required).
- Description – dialog box to enter description of the buddy request (required).
- Area – select area from the drop down (required) (Areas Table).
- User – select user submitting request from the drop-down box (required) (Users Table).
- Expired – check box indicates if request has past end date and won't be displayed any longer.
- Deleted – check box indicates if request was deleted by user and won't be displayed any longer.

35.11.4 User access page

Records are typically not edited or created directly in this view. There is a [buddy board page](#) for managing buddy requests which is described starting on page 138.

35.12 Comments

35.12.1 Usage

The comments table is used to store comments entered on the tool pages and should not normally need to be directly edited. Comments are entered on the [post a comment](#) tab of the tool control page and are detailed on page 123. The [comment history](#) for a tool can be viewed on the details tab of the tool control page and are detailed on page 114.

35.12.2 Summary page

The summary page provides a listing of comments (Figure 966). Click the id field in the row of interest to edit.

ID	TOOL	AUTHOR	CREATION DATE	EXPIRATION DATE	VISIBLE	STAFF ONLY	HIDDEN BY	HIDE DATE
6	Spinner	Ned Land (ned)	Monday, April 27th, 2020 @ 4:26 PM	Wednesday, May 27th, 2020 @ 4:26 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	-
5	Develop Hood	Captain Nemo (captain)	Monday, April 27th, 2020 @ 4:26 PM	Wednesday, May 27th, 2020 @ 4:26 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Captain Nemo (captain)	Monday, A
4	Spinner	Captain Nemo (captain)	Monday, April 27th, 2020 @ 2:04 PM	Wednesday, May 27th, 2020 @ 2:04 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	-
3	Sputter	Captain Nemo (captain)	Monday, April 27th, 2020 @ 10:33 AM	Wednesday, May 27th, 2020 @ 10:33 AM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	-
2	Profilometer	Ned Land (ned)	Friday, April 24th, 2020 @ 3:24 PM	-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Captain Nemo (captain)	Friday, Apr
1	Sputter	Ned Land (ned)	Thursday, April 23rd, 2020 @ 3:51 PM	Saturday, May 23rd, 2020 @ 3:51 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Captain Nemo (captain)	Monday, A

Select comment to change

ADD COMMENT +

FILTER

By visible

- All
- Yes
- No

By creation date

- Any date
- Today
- Past 7 days
- This month
- This year

By tool

- All
- Acid Hood
- CMP tool
- Chlorine Etch
- Contact Aligner
- Develop Hood
- Ellipsometer
- Evaporator
- Fluorine Etch

Figure 966 Comments summary page

35.12.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 967). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Comments > Add comment

Add comment

Tool:

The tool that this comment relates to.

Author:

Creation date: Date: 09/22/2020 Today |
Time: 02:50 PM Now |

Expiration date: Date: Today |
Time: Now |

The comment will only be visible until this date.

Visible

Hide date: Date: Today |
Time: Now |

The date when this comment was hidden. If it is still visible or has expired then this date should be empty.

Hidden by:

Content:

Staff only

Figure 967 Comments add/edit page

- Tool – select the tool this comment relates to from the drop-down list (required). *Tools table*
- Author – select the user name from the drop-down list (required). *Users table*
- Creation date – use the dialog box or calendar/clock to select the creation date/time (required).
- Expiration date – use the dialog box or calendar/clock to select the expiration date/time for the comment. After the expiration date/time, the comment will no longer be visible.
- Visible – check box to indicate if the comment is visible on the tool summary page it pertains to.

- Hide date – use the dialog box or calendar/clock to select the expiration date/time for the comment. After the hide date/time, the comment will no longer be visible.
- Hidden by – select the user name from the drop-down list. *Users table*
- Staff only – check box to indicate that comment will only be visible to staff. This is useful for listing restart procedures or other information that users should not have access to.

35.12.4 User access page

Comments are entered on the [post a comment](#) tab of the tool control page and are detailed on page 123. The [comment history](#) for a tool can be viewed on the details tab of the tool control page and are detailed on page 114.

35.13 Configuration histories

35.13.1 Usage

The configurations histories table is used to store tool configurations for each configurable tool. The configuration can be selected when a [reservation is made](#) which is detailed on page 49, staff [update the configuration](#) when the tool is setup for the user which is detailed on page 202, and the history can be viewed from the [config history tab](#) of the tool control page which is detailed on page 117.

35.13.2 Summary page

The summary page provides a listing of configuration histories (Figure 968). Click the id field in the row of interest to edit.

Home > Nemo > Configuration histories					
Select configuration history to change					
ADD CONFIGURATION HISTORY +					
< All dates April 2020 May 2020					
Action:	-----	Go	0 of 15 selected		
<input type="checkbox"/>	ID	CONFIGURATION	USER	MODIFICATION TIME	SLOT
<input type="checkbox"/>	15	Evaporator: Pocket 1 Source	Captain Nemo (captain)	Wednesday, May 6th, 2020 @ 11:09 PM	0
<input type="checkbox"/>	14	Evaporator: Pocket 1 Source	Captain Nemo (captain)	Wednesday, May 6th, 2020 @ 11:09 PM	0
<input type="checkbox"/>	13	Sputter: Gun 1 Target	Captain Nemo (captain)	Tuesday, May 5th, 2020 @ 6:13 PM	0
<input type="checkbox"/>	12	Sputter: Gun 2 Target	Captain Nemo (captain)	Tuesday, May 5th, 2020 @ 6:13 PM	0
<input type="checkbox"/>	11	Sputter: Gun 2 Target	Captain Nemo (captain)	Tuesday, May 5th, 2020 @ 6:13 PM	0
<input type="checkbox"/>	10	Evaporator: Pocket 2 Source	Captain Nemo (captain)	Tuesday, May 5th, 2020 @ 5:52 PM	0
<input type="checkbox"/>	9	Chlorine Etch: Material to be etched	Captain Nemo (captain)	Tuesday, April 28th, 2020 @ 4:15 PM	0
<input type="checkbox"/>	8	Sputter: Gun 1 Target	Captain Nemo (captain)	Tuesday, April 28th, 2020 @ 3:43 PM	0
<input type="checkbox"/>	7	Sputter: Gun 1 Target	Captain Nemo (captain)	Tuesday, April 28th, 2020 @ 12:35 PM	0

Figure 968 Configuration histories summary page

35.13.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 969). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Configuration histories > 15

Change configuration history

HISTORY

Configuration:	Evaporator: Pocket 1 Source		
User:	Captain Nemo (captain)		
Modification time:	Date: 05/06/2020	Today	
	Time: 11:09 PM	Now	
Slot:	0		
Setting:	Ti		
Delete		Save and add another	Save and continue editing
		SAVE	

Figure 969 Configuration histories add/edit page

- Configuration – select the configuration from the drop-down list. (required) *Configurations table*
- User – select the user name from the drop-down list (required). *Users table*
- Modification time – use the dialog box or calendar/clock to select the creation date/time (required).
- Slot – indicates where the configuration will go
- Setting – the specific item to be used for the configuration

35.13.4 User access page

Configurations are created in the [configurations table](#) detailed on page 422. The configuration of a tool can be changed, updated, and viewed on several pages of NEMO. The configuration can be selected when a [reservation is made](#) which is detailed on page 49, staff [update the configuration](#) when the tool is setup for the user which is detailed on page 202, and the history can be viewed from the [config history tab](#) of the tool control page which is detailed on page 117.

35.14 Configurations

35.14.1 Usage

The configurations histories table is used to store tool configurations for each configurable tool. The configuration can be selected when a [reservation is made](#) which is detailed on page 49, staff [update the configuration](#) when the tool is setup for the user which is detailed on page 202, and the history can be viewed from the [config history tab](#) of the tool control page which is detailed on page 117.

35.14.2 Summary page

The summary page provides a listing of configurations (Figure 970). Click the id field in the row of interest to edit.

Action:	ID	TOOL	NAME	QUALIFIED USERS ARE MAINTAINERS	DISPLAY PRIORITY	EXCLUDE FROM CONFIGURATION AGENDA
<input type="checkbox"/>	3	Chlorine Etch	Material to be etched	✓	0	✓
<input type="checkbox"/>	4	Evaporator	Pocket 1 Source	✗	1	✗
<input type="checkbox"/>	5	Evaporator	Pocket 2 Source	✗	2	✗
<input type="checkbox"/>	1	Sputter	Gun 1 Target	✗	1	✗
<input type="checkbox"/>	2	Sputter	Gun 2 Target	✗	2	✗

5 configurations

Figure 970 Configurations summary page

35.14.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 971, Figure 972). [Common features in detailed administration](#) is detailed on page 384.

HISTORY

Change configuration

Tool:

Evaporator



The tool that this configuration option applies to.

Name:

Pocket 2 Source

The name of this overall configuration. This text is displayed as a label on the tool control page.

Configurable item name:

Source

The name of the tool part being configured. This text is displayed as a label on the tool control page. Leave this field blank if there is only one configuration slot.

Advance notice limit:

24

Configuration changes must be made this many hours in advance.

Display priority:

2

The order in which this configuration will be displayed beside others when making a reservation and controlling a tool. Can be any positive integer including 0. Lower values are displayed first.

Prompt:

Please select the source you will need. If you will provide the target, provide the details in the comments.

The textual description the user will see when making a configuration choice.

Current settings:

Ag

The current configuration settings for a tool. Multiple values are separated by commas.

Available settings:

Ti,
Pt,
Cr,
Au,
Ag,
User provided source

The available choices to select for this configuration option. Multiple values are separated by commas.

Figure 971 Configurations add/edit page part 1

Available settings:

Ti,
Pt,
Cr,
Au,
Ag,
User provided source

The available choices to select for this configuration option. Multiple values are separated by commas.

Maintainers:

Available maintainers

- Conseil Aronnax (conseil)
- Door NEMO (NEMO_door)
- Kiosk External system integration
- Kiosk NEMO (NEMO_kiosk)
- Ned Land (ned)

+

Chosen maintainers

- Captain Nemo (captain)
- Staff Cleanroom (staff)
- Tech Cleanroom (tech)

✖ Remove all

Select the users that are allowed to change this configuration. Hold down "Control", or "Command" on a Mac, to select more than one.

Qualified users are maintainers

Any user that is qualified to use the tool that this configuration applies to may also change this configuration. Checking this box implicitly adds qualified users to the maintainers list.

Exclude from configuration agenda

Reservations containing this configuration will be excluded from the Configuration Agenda page.

Absence string:

None

The text that appears to indicate absence of a choice.

Delete
Save and add another
Save and continue editing
SAVE

Figure 972 Configurations add/edit page part 2

- Tool – The tool that this configuration option applies to selected from the drop-down list. (required) *Tools table*
- Name – The name of this overall configuration. This text is displayed as a label on the tool control page. (required)
- Configurable item name – The name of the tool part being configured. This text is displayed as a label on the tool control page. Leave this field blank if there is only one configuration slot.
- Advance notice limit – Configuration changes must be made this many hours in advance or the user will be prompted that the configuration may not be done in time. (required)

- Display priority – The order in which this configuration will be displayed beside others when making a reservation and controlling a tool. Can be any positive integer including 0. Lower values are displayed first. (required)
- Prompt – The textual description the user will see when making a configuration choice.
- Current settings – The current configuration settings for a tool. Multiple values are separated by commas.
- Available settings – The available choices to select for this configuration option. Multiple values are separated by commas.
- Maintainers – Select the users that are allowed to change this configuration. Hold down "Control", or "Command" on a Mac, to select more than one. *Users table*
- Qualified users are maintainers – Any user that is qualified to use the tool that this configuration applies to may also change this configuration. Checking this box implicitly adds qualified users to the maintainers list.
- Exclude from configuration agenda – Reservations containing this configuration will be excluded from the Configuration Agenda page.
- Absence string – The text that appears to indicate absence of a choice.

35.14.4 User access page

The configuration of a tool can be changed, updated, and viewed on several pages of NEMO. The configuration can be selected when a [reservation is made](#) which is detailed on page 49, staff [update the configuration](#) when the tool is setup for the user which is detailed on page 202, and the history can be viewed from the [config history tab](#) of the tool control page which is detailed on page 117.

35.15 Consumable categories

35.15.1 Usage

Consumable categories are optional but can be useful for binning consumables so they can be displayed in logical groups. Consumable categories, if used, must be created in this table view and can be any text name. Any number can be defined. If no consumable categories are defined, all consumables will be listed in alphabetical order. Consumable categories are discussed in the [Supplies](#) section detailed on page 251.

35.15.2 Summary page

The summary page provides a listing of consumable supply categories (Figure 973). Click the name field in the row of interest to edit.

The screenshot shows a web-based administrative interface for managing consumable categories. At the top, a blue header bar displays the navigation path: Home > Nemo > Consumable categories. Below the header, a light gray content area has a title "Select consumable category to change" on the left and a "ADD CONSUMABLE CATEGORY +" button on the right. Underneath, there's a search bar with "Action: -----" and a dropdown arrow, followed by a "Go" button and the text "0 of 3 selected". A scrollable list of categories is shown in a table-like structure with four rows. Each row contains a small square checkbox on the left, followed by the category name in blue text. The names are: NAME, PostUsage, Sample handling, and Sample storage. At the bottom of the list, it says "3 Consumable categories".

Figure 973 Consumable category summary page

35.15.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 974). [Common features in detailed administration](#) is detailed on page 384.

Add consumable category

Name:

Figure 974 Consumable category add/edit page

- Name – the name can be up to 200 characters (required).

35.15.4 User access page

Consumable categories are discussed in the [Supplies](#) section detailed on page 251.

35.16 Consumable withdraws

35.16.1 Usage

The consumable withdraws records table maintains the list of consumable or supply items that have been distributed to users either manually by staff or automatically by tool usage. Records are written automatically when a staff member [checks out a supply](#) to a user which is detailed on page 251, or a consumable withdraw is initiated by a [tool post usage](#) question which is detailed on page 500. Normally, this table will not require manual editing unless an incorrect quantity is entered.

35.16.2 Summary page

The summary page provides date filtering, filtering by consumable, and by start date (Figure 975). Click the id field in the row of interest to edit.

Select consumable withdraw to change						
ADD CONSUMABLE WITHDRAW +						
FILTER						
By date						
Any date						
Today						
Past 7 days						
This month						
This year						
By consumable						
All						
2 Inch wafer tray						
Sputter gold						
Tweezers						
Action:	<input type="button" value="-----"/>	<input type="button" value="Go"/>	0 of 16 selected			
<input type="checkbox"/>	ID	CUSTOMER	MERCHANT	CONSUMABLE	QUANTITY	PROJECT DATE
<input type="checkbox"/>	16	Conseil Aronnax (conseil)	Captain Nemo (captain)	Tweezers	1	Project 1 Monday, September 21st, 2020 @ 5:47 PM
<input type="checkbox"/>	15	Captain Nemo (captain)	Captain Nemo (captain)	Sputter gold	1	Cleanroom Eng Wednesday, June 10th, 2020 @ 4:00 PM
<input type="checkbox"/>	14	Ned Land (ned)	Captain Nemo (captain)	Tweezers	1	Project 1 Wednesday, May 13th, 2020 @ 7:42 PM
<input type="checkbox"/>	13	Ned Land (ned)	Captain Nemo (captain)	Tweezers	1	Project 1 Wednesday, May 13th, 2020 @ 7:32 PM
<input type="checkbox"/>	12	Ned Land (ned)	Captain Nemo (captain)	Tweezers	2	Project 1 Wednesday, May 13th, 2020 @ 7:10 PM
<input type="checkbox"/>	11	Ned Land (ned)	Ned Land (ned)	Sputter gold	8	Project 1 Monday, May 4th, 2020 @ 12:33 PM
<input type="checkbox"/>	10	Ned Land (ned)	Captain Nemo (captain)	Tweezers	1	Project 1 Monday, May 4th, 2020 @ 12:29 PM
<input type="checkbox"/>	9	Captain Nemo (captain)	Captain Nemo (captain)	Sputter gold	1	Cleanroom Maint Tuesday, April 28th, 2020 @ 3:43 PM
<input type="checkbox"/>	8	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 2 Tuesday, April 28th, 2020 @ 3:26 PM
<input type="checkbox"/>	7	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 2 Tuesday, April 28th, 2020 @ 2:46 PM
<input type="checkbox"/>	6	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 1 Tuesday, April 28th, 2020 @ 2:33 PM
<input type="checkbox"/>	5	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 1 Tuesday, April 28th, 2020 @ 1:51 PM
<input type="checkbox"/>	4	Ned Land (ned)	Captain Nemo (captain)	Sputter gold	1	Project 1 Tuesday, April 28th, 2020 @ 1:07 PM
<input type="checkbox"/>	3	Captain Nemo (captain)	Captain Nemo (captain)	Sputter gold	1	Cleanroom Eng Monday, April 27th, 2020 @ 10:47 AM
<input type="checkbox"/>	2	Captain Nemo (captain)	Captain Nemo (captain)	Sputter gold	15	Cleanroom Maint Friday, April 24th, 2020 @ 7:03 PM

Figure 975 Consumable withdraws summary page

35.16.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 976). [Common features in detailed administration](#) is detailed on page 384. In addition, the history button will show any manual changes that were made to the record.

Home > Nemo > Consumable withdraws > 11

Change consumable withdraw

HISTORY

Customer:	Ned Land (ned)		
The user who will use the consumable item.			
Merchant:	Ned Land (ned)		
The staff member that performed the withdraw.			
Consumable:	Sputter gold		
Quantity:	8		
Project:	Project 1		
The withdraw will be billed to this project.			
Date:	Date: 05/04/2020	Today	
Time:	12:33 PM	Now	
The date and time when the user withdrew the consumable.			
Delete		Save and add another	Save and continue editing
		SAVE	

Figure 976 Consumable withdraws add/edit page

- Customer – The user who will use the consumable item. (required) *Users table*
- Merchant – The staff member that performed the withdraw. (required) *Users table*
- Consumable – Select the consumable from the drop-down list. (required) *Consumables table*
- Quantity – The integer number quantity provided (required)
- Project – The withdraw will be billed to this project. (required) *Projects table*
- Date – use the dialog box or calendar/clock to select the creation date/time (required).

35.16.4 User access page

Records are written automatically when a staff member [checks out a supply](#) to a user which is detailed on page 251, or a consumable withdraw is initiated by a [tool post usage](#) question which is detailed on page 500.

35.17 Consumables

35.17.1 Usage

The consumables can be defined as items manually distributable by staff to users or items automatically distributed to users triggered by tool usage. The total quantity in stock can be tracked and messages automatically sent to the responsible person at a set threshold.

35.17.2 Summary page

The summary page provides date filtering, filtering by visibility and consumable (Figure 977). Click the name field in the row of interest to edit.

Action:	NAME	QUANTITY	CATEGORY	VISIBLE	REMINDER THRESHOLD	REMINDER EMAIL	ID
<input type="checkbox"/>	2 inch wafer tray	10	Sample storage	✓	5	service@nautilus.com	2
<input type="checkbox"/>	Sputter gold	999998	PostUsage	✗	100	nemo@nemo.com	3
<input type="checkbox"/>	Tweezers	3	Sample handling	✓	5	service@nautilus.com	1

3 consumables

FILTER

By visible

- All
- Yes
- No

By category

- All
- PostUsage
- Sample handling
- Sample storage

Figure 977 Consumables summary page

35.17.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 978). [Common features in detailed administration](#) is detailed on page 384. In addition, the history button will show any manual changes that were made to the record.

Home > Nemo > Consumables > Tweezers

Change consumable

HISTORY

Name:	Tweezers
Category:	Sample handling <input type="button" value="▼"/> <input type="button" value="✎"/> <input type="button" value="+"/>
Quantity:	3 The number of items currently in stock.
<input checked="" type="checkbox"/> Visible	
Reminder threshold:	5 More of this item should be ordered when the quantity falls below this threshold.
Reminder email:	service@nautilus.com An email will be sent to this address when the quantity of this item falls below the reminder threshold.
Reminder threshold reached:	<input checked="" type="checkbox"/>
<input type="button" value="Delete"/> <input type="button" value="Save and add another"/> <input type="button" value="Save and continue editing"/> <input type="button" value="SAVE"/>	

Figure 978 Consumables add/edit page

- Name – Name of the consumable (required)
- Category – Select a category from the drop-down list. *Consumable categories table*
- Quantity – The integer number of items currently in stock
- Visible – Checkbox to indicate if item is on the supply list. This is usually unchecked for items automatically distributed based on tool usage.
- Reminder threshold – The quantity at which a restock reminder email should be sent
- Reminder email – The email address of the person responsible for ordering additional stock.
- Reminder threshold reached – Indicator if stock is below reminder threshold (not user settable)

35.17.4 User access page

There is no page for creating or maintaining consumables, it must be done on this page. However, quantity records are updated automatically when a staff member [checks out a supply](#)

to a user which is detailed on page 251, or a consumable withdraw is initiated by a [tool post usage](#) question which is detailed on page 500.

35.18 Contact information

35.18.1 Usage

Contact information can provide users information about how to find a staff member when needed. Contact information, if used, must be created in this table view. Any number can be defined. In addition, contacts can be associated with NEMO users to provide additional contact information on the tool detail pages. Contact information is discussed in the [contact staff section](#) detailed on page 160. Tool details are discussed in the [tool details section](#) starting on page 108.

35.18.2 Summary page

The summary page provides a listing of contacts (Figure 979). Click the name field in the row of interest to edit.

Select contact information to change		
Action:	NAME	CATEGORY
<input type="checkbox"/>	Captain Nemo	Staff
<input type="checkbox"/>	Staff	Staff
<input type="checkbox"/>	Tech	Technicians

Figure 979 Contact information summary page

35.18.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 980). [Common features in detailed administration](#) is detailed on page 384.

Add contact information

Name: Captain NEMO

Image: Choose File No file chosen
Portraits are resized to 266 pixels high and 200 pixels wide. Crop portraits to these dimensions before uploading for optimal bandwidth usage

Category: Staff ▼ +

Email: captain.nemo@nautilus.com

Office phone: 202-555-1212

Office location: Building 7 Room 2

Mobile phone: 202-654-1212

Mobile phone is SMS capable
Is the mobile phone capable of receiving text messages? If so, a link will be displayed for users to click to send a text message to the recipient when viewing the 'Contact information' page.

User: ----- ▼ +
Select a user to associate with this contact. When set, this contact information will be shown instead of the user information on pages like tool details.

Save and add another Save and continue editing SAVE

Figure 980 Contact information add/edit page

- Name – the name can be up to 200 characters and is not linked to a user in the user table (required).
- Image – an image of the contact can be uploaded to display on the contact page.
- Category – The group the contact should be in. (required if categories are defined)
- Email – email address of the contact
- Office phone – land line phone number of contact
- Office location – text box for office location, can provide directions, etc.
- Mobile phone – mobile number of contact

- SMS capable – If the mobile phone capable of receiving text messages a link will be displayed for users to click to send a text message to the recipient when viewing the 'Contact information' page.
- User – Select the NEMO user to associate with this contact. When a user and contact are associated, more contact information will be provided for the contact on the tool details page. Tool details are discussed in the [tool details section](#) starting on page 108.

35.18.4 User access page

Contact information, if used, must be created in this table view and can be any text name. Contact information is discussed in the [contact staff section](#) detailed on page 160.


35.19 Contact information categories

35.19.1 Usage

Contact information categories are optional but can be useful for grouping types of staff on the contact information page. Contact information categories, if used, must be created in this table view and can be any text name. Any number can be defined. If no contact information categories are defined, all contacts will be listed in alphabetical order. Contact information categories are discussed in the [contact staff section](#) detailed on page 160.

35.19.2 Summary page

The summary page provides a listing of contact information categories (Figure 981). Click the name field in the row of interest to edit.



Select contact information category to change			
Action:	NAME	DISPLAY ORDER	
<input type="checkbox"/>	Staff	0	1 ▲
<input type="checkbox"/>	Technicians	2	2 ▲

2 Contact information categories

Figure 981 Contact information categories summary page

35.19.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 982). [Common features in detailed administration](#) is detailed on page 384.

HISTORY

Change contact information category

Name:	Staff		
Display order:	0		
Contact information categories are sorted according to display order. The lowest value category is displayed first in the 'Contact information' page.			
Delete	Save and add another	Save and continue editing	SAVE

Figure 982 Contact information categories add/edit page

- Name – the name can be up to 200 characters (required).
- Display order – Contact information categories are sorted according to display order. The lowest value category is displayed first in the 'Contact information' page. (required)

35.19.4 User access page

Contact information categories, if used, must be created in this table view and can be any text name. Contact information categories are discussed in the [contact staff section](#) detailed on page 160.

35.20 Doors

35.20.1 Usage

NEMO has the capability to control access to lab doors using a display with card reader and interlock relay to actuate a door lock solenoid. Doors are optional but can be useful for ensuring lab occupancy is tracked. Doors are discussed in more detail in the [entrance tablet section](#) on page 561.

35.20.2 Summary page

The summary page provides a listing of doors (Figure 983). Click the name field in the row of interest to edit. Once doors are defined, a URL is automatically available to access the door based on the row id number. In the doors summary page figure below, accessing www.nemo.com/welcome_screen/1/ will display the door access screen for the lab entrance door.

Select door to change					
Action:	NAME	AREA	INTERLOCK	URL	ID
<input type="checkbox"/>	Lab Entrance	Cleanroom	3ch Raspberry Pi Interlock: relay3, channel 3	/welcome_screen/1/	1
1 door					

Figure 983 Doors summary page

35.20.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 984). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Doors > Lab Entrance

Change door

HISTORY VIEW ON SITE ➔

Name:

Area: ▼ ✎ + ✖

Interlock: ✎ + ✖ ▼

Delete Save and add another Save and continue editing SAVE

Figure 984 Doors add/edit page

- Name – the name can be up to 200 characters (required).
- Area – select the area from the dropdown list. A user accessing this door will automatically be logged into this area. (required) *Areas table*
- Interlock – select the interlock from the dropdown list. This interlock relay will be actuated to unlock the door. (required) *Interlocks table*

35.20.4 User access page

There is no user access page available for the email logs. They are generated internally and cannot be modified or deleted.

35.21 Email logs

35.21.1 Usage

All emails sent by NEMO are logged for audit purposes and accessible in the detailed administration. Use the `send_email` function available in `utilities.py` to automatically log emails.

35.21.2 Summary page

The summary page provides a listing of emails sent by NEMO (Figure 985). Click the ID field in the row of interest to view. Email log records cannot be edited or deleted.

Select email log to view						
		<input type="text"/> Search				
< 2021 January 12						
ID	CATEGORY	SENDER	TO	SUBJECT	WHEN	OK
21	General	nanofabuseroffice@nist.gov	samuel.stavis@nist.gov	[NEMO TEST] Reservation for the PECVD	Tuesday, January 12th, 2021 @ 9:52 AM	<input checked="" type="checkbox"/>
1	General	nanofabuseroffice@nist.gov		[NEMO TEST] Reservation for the Cleanroom	Tuesday, January 12th, 2021 @ 8:24 AM	<input checked="" type="checkbox"/>

Figure 985 Email logs summary page

35.21.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 986). [Common features in detailed administration](#) is detailed on page 384.

View email log

Category:	General
Sender:	nanofabuseroffice@nist.gov
To:	samuel.stavis@nist.gov
Subject:	[NEMO TEST] Reservation for the PECVD
Content:	
Ok:	✓
Attachments:	reservation.ics
Content preview:	

Figure 986 Email logs view page

- Category – the type of email NEMO sent.
- Sender – the name of the sender, typically the User office email defined in the customization page.
- To – the user the email was sent to.
- Subject – the subject of the email.
- Content – the body of the email.
- Ok – indicated if the message was sent without error.
- Attachments – list of files attached.
- Content preview – a preview of the email if available.

35.21.4 User access page

Interlock card categories, if used, must be created in this table view and can be any text name. Interlock card categories are used in the interlock cards table to define how NEMO should communicate with the interlock.

35.22 Interlock card categories

35.22.1 Usage

Interlock card categories are used to link an interlock class in `interlocks.py` to interlock cards so NEMO knows how to talk to the interlock. An interlock card category should be created for each interlock class in `interlocks.py` that will be used to control tool access or door access.

35.22.2 Summary page

The summary page provides a listing of interlock card categories (Figure 987). Click the name field in the row of interest to edit.

The screenshot shows a web-based administrative interface for managing interlock card categories. At the top, a blue header bar displays the navigation path: Home > Nemo > Interlock card categories. Below the header, the main content area has a light gray background. A title 'Select interlock card category to change' is centered at the top of the content area. To the right of the title is a button labeled 'ADD INTERLOCK CARD CATEGORY +'. Below the title, there is a search bar with the placeholder 'Action: -----' and a dropdown arrow, followed by a 'Go' button and the text '0 of 4 selected'. A scrollable list of categories is displayed as a table. The first column contains checkboxes, and the second column contains the category names. The names listed are NAME, ProXr, Raspberry Pi Interlock, Stanford, and WebRelayHttp. The 'Raspberry Pi Interlock' entry is highlighted in blue, indicating it is currently selected. At the bottom left of the list area, the text '4 Interlock card categories' is visible. The entire interface is contained within a white rectangular frame.

Figure 987 Interlock card categories summary page

35.22.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 988). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Interlock card categories > WebRelayHttp

Change interlock card category

HISTORY

Name:
The name for this interlock category

Key:
The key to identify this interlock category by in interlocks.py

Delete **Save and add another** **Save and continue editing** **SAVE**




Figure 988 Interlock card categories add/edit page

- Name – name can be up to 200 characters (required).
- Key – The key to identify this interlock category in interlocks.py (required)
 - The interlocks.py file has a dictionary that links this key name to each interlock class in interlocks.py. Users can create their own interlock class and access it in NEMO by updating the dictionary to include their custom class (Figure 989).

```
interlocks: Dict[str, Interlock] = {
    'stanford': StanfordInterlock(),
    'web_relay_http': WebRelayHttpInterlock(),
    'proxr': ProXrInterlock(),
    'rpi_interlock': RPiInterlock(),
}
```

Figure 989 Interlock card categories example dictionary in interlocks.py

35.22.4 User access page

Interlock card categories, if used, must be created in this table view and can be any text name. Interlock card categories are used in the interlock cards table to define how NEMO should communicate with the interlock.

35.23 Interlock cards

35.23.1 Usage

Interlock cards define the communication parameters with an interlock device. Regardless if single relay interlock devices are used or multi-relay interlock devices are used, each device will require definition as an interlock card. Information such as IP address, port number and interlock category define how NEMO will communicate with the device.

35.23.2 Summary page

The summary page provides a listing of interlock cards (Figure 990). Click the name field in the row of interest to edit.

The screenshot shows a table with the following data:

<input type="checkbox"/>	NAME	SERVER	PORT	NUMBER	CATEGORY	EVEN PORT	ODD PORT
<input type="checkbox"/>	8ch Raspberry Pi Interlock	192.168.8.15	80	-	Raspberry Pi Interlock	-	-
<input type="checkbox"/>	3ch Raspberry Pi Interlock	relay3	80	-	Raspberry Pi Interlock	-	-

2 interlock cards

Figure 990 Interlock cards summary page

35.23.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 991). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Interlock cards > 8ch Raspberry Pi Interlock: 192.168.8.15

Change interlock card

HISTORY

Name:	8ch Raspberry Pi Interlock		
Server:	192.168.8.15		
Port:	80		
Number:			
Even port:			
Odd port:			
Category:	Raspberry Pi Interlock ▼ ✎ +		
Username:	NEMO_Interlock		
Password:		
<input checked="" type="checkbox"/> Enabled			
Delete	Save and add another	Save and continue editing	SAVE

Figure 991 Interlock cards add/edit page

- Name – name can be up to 200 characters (required).
- Server – IP address or FQDN of interlock device (required)
- Port – port number to access device through (required)
- Number – Card number (required for Stanford interlocks)
- Even port – even port number (required for Stanford interlocks)
- Odd port – odd port number (required for Stanford interlocks)
- Category – interlock card category selectable from drop down list (required) *Interlock card categories table*

- Username – if a username and password is required to access the interlock device, enter the user name
- Password – if a username and password is required to access the interlock device, enter the password
- Enabled – check box to set the status of the device, normally checked.

35.23.4 User access page

Interlock cards, if used, must be created in this table view and can be any text name. Interlock cards are used in the interlocks table to define which interlock device to talk to.

35.24 Interlocks

35.24.1 Usage

The interlocks table defines each relay on an interlock card. An entry is required for each relay on the card that will be used. NEMO areas and tools access the interlocks to control lab door and tool access.

35.24.2 Summary page

The summary page provides a listing of interlocks (Figure 992). Click the id field in the row of interest to edit.

Select interlock to change						
Action:	-----	Go	0 of 11 selected	ADD INTERLOCK +		
<input type="checkbox"/>	ID	CARD	CHANNEL/RELAY	STATE	TOOL	DOOR
<input type="checkbox"/>	6	8ch Raspberry Pi Interlock: 192.168.8.15	1	Locked	Sputter	-
<input type="checkbox"/>	7	8ch Raspberry Pi Interlock: 192.168.8.15	2	Locked	-	-
<input type="checkbox"/>	8	8ch Raspberry Pi Interlock: 192.168.8.15	3	Locked	-	-
<input type="checkbox"/>	9	8ch Raspberry Pi Interlock: 192.168.8.15	4	Locked	-	-
<input type="checkbox"/>	10	8ch Raspberry Pi Interlock: 192.168.8.15	5	Locked	-	-
<input type="checkbox"/>	11	8ch Raspberry Pi Interlock: 192.168.8.15	6	Locked	-	-
<input type="checkbox"/>	12	8ch Raspberry Pi Interlock: 192.168.8.15	7	Locked	-	-
<input type="checkbox"/>	13	8ch Raspberry Pi Interlock: 192.168.8.15	8	Unlocked	CMP tool	-
<input type="checkbox"/>	2	3ch Raspberry Pi Interlock: relay3	1	Locked	-	-
<input type="checkbox"/>	3	3ch Raspberry Pi Interlock: relay3	2	Locked	-	-
<input type="checkbox"/>	4	3ch Raspberry Pi Interlock: relay3	3	Locked	-	Lab Entrance

Figure 992 Interlocks summary page

35.24.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 993). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Interlocks > 8ch Raspberry Pi Interlock: 192.168.8.15, channel 1

Change interlock HISTORY

Card: 8ch Raspberry Pi Interlock: 192.168.8.15 ▼ +

Channel/Relay: 1

State: Locked

Most recent reply: Reply received at Monday, September 21st, 2020 @ 4:23 PM. Lock command succeeded.

Delete Save and add another Save and continue editing SAVE

Figure 993 Interlocks add/edit page

- Card – select the card from the drop-down list (required). *Interlock cards table*
- Channel/Relay – the channel or relay number of the interlock (required).
- State – Informational only, can be locked, unlocked, or unknown if not initialized.
- Most recent reply – Informational only, useful for testing.

35.24.4 User access page

Interlocks, if used, must be created in this table view. Interlocks are used in the tools and doors table to define which relay is used on an interlock card.

35.25 Landing page choices

35.25.1 Usage

The landing page choices table stores configurable quick links that are displayed at the bottom of the landing page. The links can be tailored for desktop or laptop rendering and provide shortcuts to NEMO pages that are or are not accessible from the navigation bar, organizational pages, or outside resources. The [landing page](#) is detailed starting on page 29.

35.25.2 Summary page

The summary page provides a listing of landing page choices (Figure 994). Click the name field in the row of interest to edit.

<input type="checkbox"/>	DISPLAY PRIORITY	NAME	URL	OPEN IN NEW TAB	SECURE REFERRAL	HIDE FROM MOBILE DEVICES	HIDE FROM DESKTOP COMPUTERS
<input type="checkbox"/>	0	Calendar	/calendar/	✗	✗	✗	✗
<input type="checkbox"/>	1	Tool control	/tool_control/	✗	✗	✗	✗
<input type="checkbox"/>	2	Status dashboard	/status_dashboard/	✗	✗	✗	✗
<input type="checkbox"/>	3	Safety	/safety/	✗	✗	✗	✗
<input type="checkbox"/>	4	Send feedback	/feedback/	✗	✗	✗	✗
<input type="checkbox"/>	5	Contact the NanoFab staff	/contact_staff/	✗	✗	✗	✗
<input type="checkbox"/>	6	View your usage	/usage/	✗	✗	✗	✗
<input type="checkbox"/>	9	News and events	/news/	✗	✗	✗	✗
<input checked="" type="checkbox"/>	10	Google	https://www.google.com/	✓	✓	✗	✗

Figure 994 Landing page choices summary page

35.25.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 995). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Landing page choices > Tool control

Change landing page choice

HISTORY

Image:	Currently: tools.png <input type="button" value="Choose File"/> No file chosen
An image that symbolizes the choice. It is automatically resized to 128x128 pixels when displayed, so set the image to this size before uploading to optimize bandwidth usage and landing page load time	
Name:	Tool control The textual name that will be displayed underneath the image
URL:	/tool_control/ The URL that the choice leads to when clicked. Relative paths such as /calendar/ are used when linking within the site. Use fully qualified URL paths such as https://www.google.com/ to link to external sites.
Display priority:	1 The order in which choices are displayed on the landing page, from left to right, top to bottom. Lower values are displayed first.
<input type="checkbox"/> Open in new tab Open the URL in a new browser tab when it's clicked	
<input type="checkbox"/> Secure referral Improves security by blocking HTTP referrer [sic] information from the targeted page. Enabling this prevents the target page from manipulating the calling page's DOM with JavaScript. This should always be used for external links. It is safe to uncheck this when linking within the site. Leave this box checked if you don't know what this means	
<input type="checkbox"/> Hide from mobile devices Hides this choice when the landing page is viewed from a mobile device	
<input type="checkbox"/> Hide from desktop computers Hides this choice when the landing page is viewed from a desktop computer	
<input type="checkbox"/> Hide from users Hides this choice from normal users. When checked, only staff, technicians, and super-users can see the choice	
Notifications:	-----
Displays a the number of new notifications for the user. For example, if the user has two unread news notifications then the number '2' would appear for the news icon on the landing page.	

Figure 995 Landing page choices add/edit page

- Image – click the choose file button to select the icon image of interest. It is automatically resized to 128 x 128 pixels when displayed, so set the image to this size before uploading to optimize bandwidth usage and landing page load time. (required)
- Name – the textural name that will be displayed below the image. (required)
- URL – The URL that the choice leads to when clicked. Relative paths such as /calendar/ are used when linking within the site. Use fully qualified URL paths such as https://www.google.com/ to link to external sites. (required)
- Display priority – The order in which choices are displayed on the landing page, from left to right, top to bottom. Lower values are displayed first. (required)
- Open in new tab – check the checkbox to open the URL in a new browser tab when it's clicked.
- Secure referral – Improves security by blocking HTTP referrer [sic] information from the targeted page. Enabling this prevents the target page from manipulating the calling page's DOM with JavaScript. This should always be used for external links. It is safe to

unchecked this when linking within the site. Leave this box checked if you don't know what this means.

- Hide from mobile devices – Hides this choice when the landing page is viewed from a mobile device
- Hide from desktop computers – Hides this choice when the landing page is viewed from a desktop computer
- Hide from users – Hides this choice from normal users. When checked, only staff, technicians, and super-users can see the choice
- Notifications – Displays the number of new notifications for the user. For example, if the user has two unread news notifications then the number '2' would appear for the news icon on the landing page. *Notifications table*

35.25.4 User access page

Landing page choices, if used, must be created in this table view. Once created, they appear on the landing page displaying the uploaded icon and description. The [landing page](#) is detailed on page 29.

35.26 Membership histories

35.26.1 Usage

The membership histories table automatically tracks several user actions, who took them, and when.

Actions tracked:

- Project joined or removed from an account
- User joined or removed from a project
- User joined or removed from a tool qualification
- User joined or removed from a physical access level.

Normally, this table does not require direct editing. User permissions and permission history can be accessed on the [users page](#) detailed on page 260. [Account and project](#) changes are detailed on page 182.

35.26.2 Summary page

The summary page provides a listing of membership histories (Figure 996). Click the membership history field in the row of interest to edit.

The screenshot shows a web-based application interface titled 'NEMO'. At the top, there's a navigation bar with links for 'Home', 'Nemo', and 'Membership histories'. On the right side of the header, it says 'WELCOME, CAPTAIN' and has links for 'VIEW SITE / LOG OUT'. Below the header, a sub-header reads 'Select membership history to change'. There are date filters for 'All dates', 'April 2020', 'May 2020', 'August 2020', and 'September 2020'. A search bar with a dropdown menu and a 'Go' button is present. To the right of the search bar, it says '0 of 100 selected'. Below these, there's a large table with the following columns: 'ACTION', 'PARENT CONTENT TYPE', 'PARENT OBJECT ID', 'ACTION', 'CHILD CONTENT TYPE', 'CHILD OBJECT ID', 'DATE', and 'AUTHORIZER'. The table lists eight entries, each with a checkbox next to it. The entries are as follows:

Action	PARENT CONTENT TYPE	PARENT OBJECT ID	ACTION	CHILD CONTENT TYPE	CHILD OBJECT ID	DATE	AUTHORIZER
<input type="checkbox"/> MEMBERSHIP HISTORY							
<input type="checkbox"/> Membership change for account 7	account	7	Added	project	9	Monday, May 4th, 2020 @ 8:37 PM	Captain Nemo (captain)
<input type="checkbox"/> Membership change for account 4	account	4	Added	project	6	Monday, April 13th, 2020 @ 2:42 PM	Captain Nemo (captain)
<input type="checkbox"/> Membership change for account 4	account	4	Added	project	5	Monday, April 13th, 2020 @ 2:41 PM	Captain Nemo (captain)
<input type="checkbox"/> Membership change for account 4	account	4	Added	project	4	Monday, April 13th, 2020 @ 2:40 PM	Captain Nemo (captain)
<input type="checkbox"/> Membership change for physical access level 4	physical access level	4	Added	user	5	Monday, September 21st, 2020 @ 3:55 PM	Captain Nemo (captain)
<input type="checkbox"/> Membership change for physical access level 4	physical access level	4	Removed	user	3	Monday, September 21st, 2020 @ 1:59 PM	Captain Nemo (captain)
<input type="checkbox"/> Membership change for physical access level 4	physical access level	4	Added	user	1	Thursday, August 20th, 2020 @ 2:52 PM	Captain Nemo (captain)

Figure 996 Membership histories summary page

35.26.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 997). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Membership histories > Membership change for account 7

Change membership history

HISTORY

Parent content type:	account
Parent object id:	7
Child content type:	project
Child object id:	9
Date:	Date: 05/04/2020
	Time: 08:37 PM
The time at which the membership status was changed.	
Authorizer:	Captain Nemo (captain)
The staff member who changed the membership status of the account, project, or user in question.	
Action:	Added

Figure 997 Membership histories add/edit page

- Parent content type – select from drop down list either account, physical access level, project or tool. Selection corresponds to a record in *Accounts table, Physical access levels table, Projects table, or Tools table*.
- Parent object id – the table row id number of the content type. For example, if the content type is account, an id of 10 would correspond to the account table where id=10.
- Child object type – select from the drop-down list either user or project. Selection corresponds to a record in *Users table or Projects table*.
- Child object id – the table row id number of the object type.
- Date – date and time action was taken.
- Authorizer – the user that made the change (required) *Users table*
- Action – select from drop down list either added or removed.

35.26.4 User access page

Normally, this table does not require direct editing. User permissions and permission history can be accessed on the [users page](#) detailed on page 260. [Account and project](#) changes are detailed on page 182.

35.27 News

35.27.1 Usage

The news table stores the story information for the news and events page. This table normally does not require direct editing however story content mistakes can be corrected here. The [news and events page](#) is detailed on page 169.

Normally, this table does not require direct editing. User permissions and permission history can be accessed on the [users page](#) detailed on page 260. [Account and project](#) changes are detailed on page 182.

35.27.2 Summary page

The summary page provides a listing of news stories (Figure 998). Click the id field in the row of interest to edit.

Action:	ID	TITLE	CREATED	LAST UPDATED	ARCHIVED	PINNED
<input type="checkbox"/>	23	Chapter 23: The Coral Kingdom	Wednesday, September 26th, 2018 @ 12:33 PM	Wednesday, September 26th, 2018 @ 12:33 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	22	Chapter 22: "Aegri Somnia"	Wednesday, September 26th, 2018 @ 12:31 PM	Wednesday, September 26th, 2018 @ 12:32 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	21	Chapter 21: Captain Nemo's Thunderbolt	Wednesday, September 26th, 2018 @ 12:30 PM	Wednesday, September 26th, 2018 @ 12:30 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	20	Chapter 20: A Few Days on Land	Wednesday, September 26th, 2018 @ 12:30 PM	Wednesday, September 26th, 2018 @ 12:30 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	19	Chapter 19: Torres Straits	Wednesday, September 26th, 2018 @ 12:29 PM	Wednesday, September 26th, 2018 @ 12:29 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	18	Chapter 18: Vanikoro	Wednesday, September 26th, 2018 @ 12:29 PM	Wednesday, September 26th, 2018 @ 12:29 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	17	Chapter 17: Four Thousand Leagues Under the Pacific	Wednesday, September 26th, 2018 @ 12:29 PM	Wednesday, September 26th, 2018 @ 12:29 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	16	Chapter 16: A Submarine Forest	Wednesday, September 26th, 2018 @ 12:28 PM	Wednesday, September 26th, 2018 @ 12:28 PM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Figure 998 News summary page

35.27.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 999). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > News > News object (23)

Change news HISTORY

Title:	<input type="text" value="Chapter 23: The Coral Kingdom"/>
<input type="checkbox"/> Pinned Check this box to keep this story at the top of the news feed	
Created:	Date: <input type="text" value="09/26/2018"/> Today
	Time: <input type="text" value="12:33 PM"/> Now
The date and time this story was first published	
Original content:	<div style="border: 1px solid #ccc; padding: 5px;"><p>Originally published on Wednesday, September 26th, 2018 @ 12:33 PM by Captain Nemo (captain): The next day I woke with my head singularly clear. To my great surprise, I was in my own room. My </p></div> <small>The content of the story when it was first published, useful for visually hiding updates 'in the middle' of the story</small>
All content:	<div style="border: 1px solid #ccc; padding: 5px;"><p>Originally published on Wednesday, September 26th, 2018 @ 12:33 PM by Captain Nemo (captain): The next day I woke with my head singularly clear. To my great surprise, I was in my own room. My </p></div> <small>The entire content of the story</small>
Last updated:	Date: <input type="text" value="09/26/2018"/> Today
	Time: <input type="text" value="12:33 PM"/> Now
The date and time this story was last updated	
Last update content:	<div style="border: 1px solid #ccc; padding: 5px;"><p>Updated on Wednesday, September 26th, 2018 @ 12:33 PM by Captain Nemo (captain): About two o'clock, I was in the drawing-room, busied in arranging my notes, when the Captain opened the door and appeared. I bowed. He made a slight inclination in return, without speaking. I resumed my work. </p></div> <small>The most recent update to the story, useful for visually hiding updates 'in the middle' of the story</small>
<input type="checkbox"/> Archived A story is removed from the 'Recent News' page when it is archived	
Update count:	<input type="text" value="5"/>
<small>The number of times this story has been updated. When the number of updates is greater than 2, then only the original story and the latest update are displayed in the 'Recent News' page</small>	

Figure 999 News add/edit page

- Title – this is the top-level title given to the news story.
- Pinned – checkbox to indicate whether or not this news story should stay at the top.
- Created – date and time story was initially posted.
- Original content - the content of the story when it was first published, useful for visually hiding updates 'in the middle' of the story.
- All content – the entire content of the story including all updates.
- Last updated – date and time the story was last updated.
- Last update content – the most recent update to the story useful for visually hiding updates 'in the middle' of the story.
- Archived – checkbox to indicate that the story has been removed from the Recent News page.
- Update count – integer number to indicate the number of times the story has been updated. When the number of updates is great than 2, only the original story and the latest update are displayed in the recent news page to save space. A reader would need to expand the story to see all of the content.

35.27.4 User access page

Normally, this table does not require direct editing. Adding and updating news stories is done on the [news and events page](#) detailed on page 169.

35.28 Notifications

35.28.1 Usage

The notifications table stores updates to news and safety events so notification alerts can be provided on a user-by-user basis on the landing page icons if used. If a new safety event or new news event is updated or published, the notifications will be triggered and stored in this table. Once a user visits the safety or news page, the notification is deleted from the table. Notifications are displayed as a number at the bottom right of the safety or new icon on the landing page. Safety notifications are discussed in the [safety](#) section starting on page 148. News notifications are discussed in the [news and events](#) section starting on page 169.

35.28.2 Summary page

The summary page provides a listing of notifications (Figure 1000). Click the id field in the row of interest to edit.

Home > Nemo > Notifications				
<p>✓ Successfully deleted 8 notifications.</p>				
Select notification to change				
Action:	<input type="text"/> -----	<input type="button" value="Go"/>	0 of 5 selected	<input type="button" value="ADD NOTIFICATION +"/>
ID	USER	EXPIRATION	CONTENT TYPE	OBJECT ID
92	Tech Cleanroom (tech)	Friday, October 23rd, 2020 @ 11:34 AM	news	25
91	Staff Cleanroom (staff)	Friday, October 23rd, 2020 @ 11:34 AM	news	25
90	Pierre Aronnax (professor)	Friday, October 23rd, 2020 @ 11:34 AM	news	25
89	Ned Land (ned)	Friday, October 23rd, 2020 @ 11:34 AM	news	25
85	Conseil Aronnax (conseil)	Friday, October 23rd, 2020 @ 11:34 AM	news	25
5 notifications				

Figure 1000 Notifications summary page

35.28.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1001). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Notifications > Notification object (91)

Change notification

HISTORY

User: Staff Cleanroom (staff) ▼

Expiration:

Date: 10/23/2020 ▼ Today

Time: 11:34 AM ▼ Now

Content type: news ▼

Object id: 25

Delete Save and add another Save and continue editing SAVE

Figure 1001 Notifications add/edit page

- User – person notification is for. (required) *Users table*
- Expiration – date and time notification will expire. Currently all notifications post for 30 days. (required)
- Content type – select from drop down list. Only news and safety issue have been implemented. (required)
- Object id – the ID of the news or safety issue record in their respective tables. (required)

35.28.4 User access page

Normally, this table does not require direct editing. Safety notifications are discussed in the [safety](#) section starting on page 148. News notifications are discussed in the [news and events](#) section starting on page 169.

35.29 Physical access exceptions

35.29.1 Usage

The physical access exceptions table is used to override a physical access level schedule to prevent access during the times defined. This feature is useful for creating holiday schedules and planned closures. During a physical access exception period, the selected physical access levels are not accessible to users.

35.29.2 Summary page

The summary page provides a listing of physical access exceptions (Figure 1002). Click the name field in the row of interest to edit.

The screenshot shows a web-based administrative interface for managing physical access exceptions. At the top, a breadcrumb navigation shows 'Home > Nemo > Physical access exceptions'. Below this is a header bar with the text 'Select physical access exception to change' and a 'ADD PHYSICAL ACCESS EXCEPTION +' button. On the left, there's a table with three rows of data. The columns are labeled 'NAME', 'START TIME', and 'END TIME'. The rows contain the following information:

NAME	START TIME	END TIME
New Years Holiday - Lab Closed	Friday, January 1st, 2021 @ 12:00 AM	Friday, January 1st, 2021 @ 11:59 PM
Christmas Holiday - Lab Closed	Friday, December 25th, 2020 @ 12:00 AM	Friday, December 25th, 2020 @ 11:59 PM
Emergency HVAC Maintenance - Lab Closed	Friday, December 4th, 2020 @ 12:00 PM	Friday, December 4th, 2020 @ 6:00 PM

To the right of the table is a 'FILTER' sidebar with a 'By area' dropdown set to 'All'. It lists several lab areas: Chemical Receiving, Cleanroom, TEM specimen preparation lab, Nanoscale measurement lab, and Soft lithography lab.

At the bottom left of the main content area, it says '3 physical access exceptions'.

Figure 1002 Physical access exceptions summary page

35.29.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1003). [Common features in detailed administration](#) is detailed on page 384.

Change physical access exception

HISTORY

Name:	Christmas Holiday - Lab Closed
The name of this exception that will be displayed as the policy problem	
Start time:	Date: 12/25/2020 Today
	Time: 12:00 AM Now
The start of the exception, after which users will be denied access.	
End time:	Date: 12/25/2020 Today
	Time: 11:59 PM Now
The end of the exception, after which users will be allowed access again	
Physical access levels:	
<div style="display: flex; align-items: center;"> <div style="border: 1px solid #ccc; padding: 5px; margin-right: 10px;">Available Physical Access Levels </div> <div style="flex-grow: 1;"> <div style="background-color: #f0f0f0; padding: 5px; margin-bottom: 5px;"> <input style="width: 100%; height: 1.2em; border: none; outline: none; font-size: inherit; font-family: inherit; border: none; padding: 0; margin: 0;" type="text"/> Filter </div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">Chemical receiving during business hours</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">Cleanroom anytime</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">Soft lithography anytime - F102</div> <div style="display: flex; justify-content: space-around; width: 100%;"> </div> </div> </div>	
<div style="background-color: #f0f0f0; padding: 5px; margin-bottom: 5px;"> Chosen Physical Access Levels <p>Cleanroom during normal business hours</p> </div> <div style="display: flex; justify-content: space-between;"> </div>	
Delete	Save and add another Save and continue editing SAVE

Figure 1003 Physical access exceptions add/edit page

- Name – descriptive name of physical access exception. This field is displayed in the message to users if someone tries to enter the area during the selected time (Figure 1004) (required)

You do not have access to the Cleanroom at this time due to the following exception: Emergency HVAC Maintenance - Lab Closed. The exception ends on Friday, December 4th, 2020 @ 6:00 PM

Figure 1004 Physical access exceptions message

- Start time – select from drop down list the area this access level is associated with. (required) *Areas table*
- End time – select from drop down list. Available options are Always, Weekdays, or Weekends. (required)

- Physical access levels – select available physical access levels that the exception will apply to and use the right arrow to add to the chosen users list. Multiple physical access levels can be selected using the control or shift keys. (required) *Physical access levels table*

35.29.4 User access page

There is no user page available to create physical access exceptions. Once created, users with the selected physical access level will not be able to access the associated area during the exception window.

35.30 Physical access levels

35.30.1 Usage

The physical access levels table associates areas with schedules. Schedules can be set for always, weekends, or weekdays between a set start and end time. User permissions to access areas are given as physical access levels to have the ability to limit the days and times users have access. Exceptions to a physical access level can be made using the physical access exception table detailed above. Exceptions could be a holiday schedule or other expected closures. User permissions are discussed on the [users](#) page detailed starting on page 260.

35.30.2 Summary page

The summary page provides a listing of physical access levels (Figure 1005). Click the name field in the row of interest to edit.

Select physical access level to change				
Action:	NAME	AREA	SCHEDULE	ALLOW STAFF ACCESS
<input type="checkbox"/>	CMP Anytime	CMP lab	Always	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Cleanroom anytime	Cleanroom	Always	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Cleanroom normal business hours	Cleanroom	Weekdays from 07:00 AM to 12:00 AM	<input checked="" type="checkbox"/>

3 physical access levels

FILTER

By area

All

Cleanroom

CMP lab

Figure 1005 Physical access levels summary page

35.30.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1006). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Physical access levels > Cleanroom normal business hours

Change physical access level

HISTORY

Name:	Cleanroom normal business hours				
Area:	Cleanroom <input type="button" value="▼"/> <input type="button" value="✎"/> <input type="button" value="+"/>				
Schedule:	Weekdays <input type="button" value="▼"/>				
Weekdays start time:	07:00 AM <input type="button" value="Now ⏱"/> The weekday access start time				
Weekdays end time:	12:00 AM <input type="button" value="Now ⏱"/> The weekday access end time				
<input checked="" type="checkbox"/> Allow staff access Check this box to allow access to Staff users without explicitly granting them access					
Authorized users: <table border="1"> <tr> <td>Available Users</td> <td>Chosen Users</td> </tr> <tr> <td> <input type="button" value="Filter"/> <input type="text" value="Filter"/> <ul style="list-style-type: none"> Door NEMO (NEMO_door) Kiosk External system integration (kiosk) Kiosk NEMO (NEMO_kiosk) Pierre Aronnax (professor) Staff Cleanroom (staff) <input type="button" value="Choose all"/> <input type="button" value="Remove all"/> </td> <td> Captain Nemo (captain) Conseil Aronnax (conseil) Ned Land (ned) </td> </tr> </table>		Available Users	Chosen Users	<input type="button" value="Filter"/> <input type="text" value="Filter"/> <ul style="list-style-type: none"> Door NEMO (NEMO_door) Kiosk External system integration (kiosk) Kiosk NEMO (NEMO_kiosk) Pierre Aronnax (professor) Staff Cleanroom (staff) <input type="button" value="Choose all"/> <input type="button" value="Remove all"/>	Captain Nemo (captain) Conseil Aronnax (conseil) Ned Land (ned)
Available Users	Chosen Users				
<input type="button" value="Filter"/> <input type="text" value="Filter"/> <ul style="list-style-type: none"> Door NEMO (NEMO_door) Kiosk External system integration (kiosk) Kiosk NEMO (NEMO_kiosk) Pierre Aronnax (professor) Staff Cleanroom (staff) <input type="button" value="Choose all"/> <input type="button" value="Remove all"/>	Captain Nemo (captain) Conseil Aronnax (conseil) Ned Land (ned)				

Figure 1006 Physical access levels add/edit page

- Name – descriptive name of physical access level (required)
- Area – select from drop down list the area this access level is associated with. (required) *Areas table*
- Schedule – select from drop down list. Available options are Always, Weekdays, or Weekends. (required)
- Weekdays start time – the time weekday access will start. (required if weekdays schedule is selected)
- Weekdays end time – the time weekday access will end. (required if weekdays schedule is selected)
- Allow staff access – checking this box will give staff users access even if not explicitly granted in the user dialog.
- Authorized users – select available users and use the right arrow to add to the chosen users list. Multiple users can be selected using the control or shift keys. *Users table*

35.30.4 User access page

There is no user page available to create physical access levels. Once created, permissions to access physical levels are given to users on the [users](#) page detailed starting on page 260.

35.31 Physical access logs

35.31.1 Usage

The physical access logs automatically record each time a door is accessed by a user at an entrance tablet and the access result. Doors are discussed in more detail in the [entrance tablet section](#) on page 561.

35.31.2 Summary page

The summary page provides a listing of physical access logs (Figure 1007). Click the user field in the row of interest to edit.

Select physical access log to change				
ADD PHYSICAL ACCESS LOG +				
FILTER				
Action:	-----	Go	0 of 33 selected	
<input type="checkbox"/> USER	DOOR	TIME	RESULT	
<input type="checkbox"/> Captain Nemo (captain)	Lab Entrance	Wednesday, September 23rd, 2020 @ 1:27 PM	Allow	
<input type="checkbox"/> Captain Nemo (captain)	Lab Entrance	Wednesday, September 23rd, 2020 @ 1:24 PM	Allow	
<input type="checkbox"/> Captain Nemo (captain)	Lab Entrance	Thursday, April 23rd, 2020 @ 12:11 PM	Allow	
<input type="checkbox"/> Captain Nemo (captain)	Lab Entrance	Thursday, April 23rd, 2020 @ 12:11 PM	Allow	
<input type="checkbox"/> Captain Nemo (captain)	Lab Entrance	Wednesday, April 22nd, 2020 @ 10:18 AM	Allow	

Figure 1007 Physical access logs summary page

35.31.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1008). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Physical access logs > PhysicalAccessLog object (33)

Change physical access log

HISTORY

User: Captain Nemo (captain) +/-

Door: Lab Entrance +/-

Time: Date: 09/23/2020 Today |
Time: 01:27 PM Now |

Result: Allow +/-

Details:
The user was permitted to enter this area, and already had an active area access record for this area.

Any details that should accompany the log entry. For example, the reason physical access was denied.

Figure 1008 Physical access logs add/edit page

- User – drop down list of name of user accessing door. (required) *Users table*
- Door – drop down list of doors. (required) *Doors table*
- Time – date/time door was accessed. (required)
- Result – drop down list allow or deny. (required)
- Details – narrative of access event.

35.31.4 User access page

There is no user page available to create or edit physical access logs. Events are created automatically when a door is accessed at an entrance tablet. Doors are discussed in more detail in the [entrance tablet section](#) on page 561.

35.32 Projects

35.32.1 Usage

The projects table maintains the association of projects with a parent account and child users. For a user to access NEMO resources the user must be active on a project which is active on an account. A detailed discussion of projects can be found in the [Accounts and projects](#) section on page 182.

35.32.2 Summary page

The summary page provides a listing of projects (Figure 1009). Click the name field in the row of interest to edit.

The screenshot shows the 'Nemo > Projects' summary page. At the top, there's a search bar with a placeholder 'Select project to change' and a 'Search' button. To the right is an 'ADD PROJECT +' button. On the far right, there's a 'FILTER' sidebar with sections for 'By active' (with 'All', 'Yes', and 'No' options), 'By account' (with 'All', 'Account 2', 'Account 3', and 'Cleanroom Staff' options), and 'By start date' (with 'Any date', 'Today', 'Past 7 days', 'This month', 'This year', and 'No date' options). The main table lists three projects:

<input type="checkbox"/>	NAME	ID	APPLICATION IDENTIFIER	ACCOUNT	ACTIVE	START DATE
<input type="checkbox"/>	Cleanroom Eng	1	PROJ.2019.02	Cleanroom Staff	<input checked="" type="checkbox"/>	-
<input type="checkbox"/>	Project 2	2	PROJ.456	Account 2	<input checked="" type="checkbox"/>	-
<input type="checkbox"/>	Project 3	3	PROJ.789	Account 3	<input checked="" type="checkbox"/>	-

Below the table, it says '3 projects'.

Figure 1009 Projects summary page

35.32.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1010). [Common features in detailed administration](#) is detailed on page 384.

Change project

Name:

Application identifier:

Account: Cleanroom Staff
All charges for this project will be billed to the selected account.

Start date: Today

Allow consumable withdrawals
Uncheck this box if consumable withdrawals are forbidden under this project

Active
Users may only charge to a project if it is active. Deactivate the project to block billable activity (such as tool usage and consumable check-outs).

Members:

Available Users	Chosen Users
<input type="text"/> Filter	Captain Nemo (captain) Ned Land (ned) Pierre Aronnax (professor)

Remove all

Choose all

Principal investigators:

Available Principal Investigators	Chosen Principal Investigators
<input type="text"/> Filter	Ned Land (ned)

Remove all

Choose all

Only allow tools:

Available only allow tools	Chosen only allow tools
<input type="text"/> Filter	
Dicing saw PECVD Sinter	

Remove all

Choose all

Selected tools will be the only ones allowed for this project. Hold down "Control", or "Command" on a Mac, to select more than one.

Figure 1010 Projects add/edit page

- Name – descriptive name of project (required)
- Application identifier – the application identifier is not used by NEMO but is a convenient way to associate the project with external project tracking systems. (required)
- Account – select from drop down list. All charges for this project will be billed to the selected account. (required)
- Start date – the start date for this project.
- Allow consumable withdrawals – unselect to prevent consumable/supplies withdrawals for this project. Default is enabled.
- Active – users may only charge to a project if it is active. Deactivate the project to block billable activity (such as tool usage and consumable check-outs).
- Members – select available users and use the right arrow to add to the chosen users list. Multiple users can be selected using the control or shift keys.
- Principal Investigators – select available users and use the right arrow to add to the chosen users list. Multiple users can be selected using the control or shift keys
- Only allow tools – select available tools to limit billing options for this project. Users belonging to this project will only be able to reserve and enable those specific tools, and areas that this tool requires access to. Staff charges will only be available for those tools and areas they require. Training will also be limited to the tools as well.

35.32.4 User access page

Projects are administered in the [Accounts and projects](#) section detailed on page 182.

35.33 Reservation Questions

35.33.1 Usage

The reservation questions table provides a way to ask users questions when they are making a reservation.

35.33.2 Summary page

The summary page provides a listing of reservation questions (Figure 1011). Click the id field in the row of interest to edit.

The screenshot shows a web application interface for managing reservation questions. At the top, there's a header bar with the text 'NEMO' on the left and 'WELCOME, CAPTAIN. VIEW SITE / LOG OUT' on the right. Below the header, a breadcrumb navigation shows 'Home > Nemo > Reservation questions'. The main content area has a title 'Select reservation questions to change' and a 'ADD RESERVATION QUESTIONS +' button. There are two checkboxes: one for 'RESERVATION QUESTIONS' and another for 'Test questions', which is highlighted in blue. Below the checkboxes, a message says '1 reservation questions'. At the bottom left, there's a dropdown menu labeled 'Action:' with a 'Go' button next to it, showing '0 of 1 selected'.

Figure 1011 Reservation questions summary page

35.33.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1012). [Common features in detailed administration](#) is detailed on page 384.

NEMO

WELCOME, CAPTAIN [VIEW SITE / LOG OUT](#)

Home > Nemo > Reservation questions > Test questions

✓ The reservation questions "Test questions" was changed successfully. You may edit it again below.

Change reservation questions HISTORY

Name: The name of this

Questions:

```
{
  {
    "type": "textbox",
    "name": "project_id",
    "title": "Project ID",
    "max-width": "350"
  },
  {
    "type": "textbox",
    "name": "experiment_title",
    "title": "Title of Experiment*"
  }
}
```

Upon making a reservation, the user will be asked these questions. This field will only accept JSON format

Questions Preview:

Project ID

Title of Experiment*

The form is invalid

Save form to preview reservation questions

Figure 1012 Reservation questions add/edit page part 1

- Name – descriptive name of reservation questions (required)
- Questions – json formatted list of questions to ask users for input when making reservations. The specific format of those questions is the same as discussed in [Tool post usage questions](#) on page 504.
- Questions preview – displays the preview of what the questions would look like.

Tool Reservations
Check this box to apply these questions to tool reservations

Only For Tools:

Available only for tools ⓘ
<input type="text" value="Filter"/> Dicing saw PECVD Sinter

[Choose all ⓘ](#) [Remove all ⓘ](#)

Select the tools these questions only apply to. Leave blank for all tools Hold down "Control", or "Command" on a Mac, to select more than one.

Area Reservations
Check this box to apply these questions to area reservations

Only For Areas:

Available only for areas ⓘ
<input type="text" value="Filter"/> Campus Cleanroom

[Choose all ⓘ](#) [Remove all ⓘ](#)

Select the areas these questions only apply to. Leave blank for all areas Hold down "Control", or "Command" on a Mac, to select more than one.

Only For Projects:

Available only for projects ⓘ
<input type="text" value="Filter"/> Cleanroom Eng Project 2 Project 3

[Choose all ⓘ](#) [Remove all ⓘ](#)

Select the projects these questions only apply to. Leave blank for all projects Hold down "Control", or "Command" on a Mac, to select more than one.

Figure 1013 Reservation questions add/edit page part 2

- Tool reservations – select to apply questions to tool reservations
- Only For Tools – restrict the tools the questions apply to by selecting them. Leaving blank will apply to all tools.
- Area reservations – select to apply questions to area reservations
- Only For Areas – restrict the areas the questions apply to by selecting them. Leaving blank will apply to all areas.
- Only For Projects – restrict the reservations the questions apply to by selecting projects. Leaving blank will apply to all projects.

35.33.4 User access page

There is no user access page to create reservation questions.

35.34 Reservations

35.34.1 Usage

The reservations table maintains the association of projects with a parent account and child users. For a user to access NEMO resources the user must be active on a project which is active on an account. A detailed discussion of projects can be found in the [Accounts and projects](#) section on page 182.

35.34.2 Summary page

The summary page provides a listing of reservations (Figure 1014). Click the id field in the row of interest to edit.

Action:	ID	USER	CREATOR	TOOL	AREA	PROJECT	START	END
<input type="checkbox"/>	1	Captain Nemo (captain)	Captain Nemo (captain)	-	Cleanroom	-	Saturday, May 29th, 2021 @ 9:00 AM	Saturday, May 29th, 2021 @ 9:45 AM
<input type="checkbox"/>	4	Captain Nemo (captain)	Captain Nemo (captain)	Sinter	-	-	Thursday, May 27th, 2021 @ 9:30 AM	Thursday, May 27th, 2021 @ 10:45 AM
<input type="checkbox"/>	2	Captain Nemo (captain)	Captain Nemo (captain)	-	Cleanroom	-	Wednesday, May 26th, 2021 @ 9:00 AM	Wednesday, May 26th, 2021 @ 9:45 AM
<input type="checkbox"/>	3	Captain Nemo (captain)	Captain Nemo (captain)	PECVD	-	-	Tuesday, May 25th, 2021 @ 10:45 AM	Tuesday, May 25th, 2021 @ 11:15 AM
<input type="checkbox"/>	5	Captain Nemo (captain)	Captain Nemo (captain)	Dicing saw	-	-	Monday, May 24th, 2021 @ 8:15 AM	Monday, May 24th, 2021 @ 9:15 AM

Figure 1014 Reservations summary page

35.34.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1015, Figure 1016). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Reservations > 170

Change reservation

HISTORY

User:	Ned Land (ned)			
Creator:	Ned Land (ned)			
Creation time:	Date: 09/21/2020	Today	Time: 02:26 PM	Now
Tool:	-----			
Area:	Cleanroom			
Project:	Project 2			
Indicates the intended project for this reservation. A missed reservation would be billed to this project.				
Start:	Date: 09/22/2020	Today	Time: 06:00 PM	Now
End:	Date: 09/22/2020	Today	Time: 08:00 PM	Now

Figure 1015 Reservations add/edit page part 1

- User – select from drop down name of user the reservation is for (required) *Users table*
- Creator – select from drop down name of user that created the reservation. (required) *Users table*
- Creation time – date/time the reservation was created. (required)
- Tool – select from drop down name of tool reserved. (either a tool or an area must be selected) *Tools table*
- Area – select from drop down name of area reserved. (either a tool or an area must be selected) *Area table*
- Project – select from drop down name of project to bill reservation to. A missed reservation would be billed to this project.
- Start – date/time the reservation starts. (required)
- End – date/time the reservation ends. (required)

<input type="checkbox"/> Short notice	Indicates that the reservation was made after the configuration deadline for a tool. Staff may not have enough time to properly configure the tool before the user is scheduled to use it.
<input type="checkbox"/> Cancelled	Indicates that the reservation has been cancelled, moved, or resized.
Cancellation time:	Date: <input type="text"/> Today
	Time: <input type="text"/> Now
Cancelled by:	<input type="text"/>
<input type="checkbox"/> Missed	Indicates that the tool was not enabled by anyone before the tool's "missed reservation threshold" passed.
<input type="checkbox"/> Shortened	Indicates that the user finished using the tool and relinquished the remaining time on their reservation. The reservation will no longer be visible on the calendar and a descendant reservation will be created in place of the existing one.
Descendant:	<input type="text"/> Any time a reservation is moved or resized, the old reservation is cancelled and a new reservation with updated information takes its place. This field links the old reservation to the new one, so the history of reservation moves & changes can be easily tracked.
Additional information:	<input type="text"/>
<input type="checkbox"/> Self configuration	When checked, indicates that the user will perform their own tool configuration (instead of requesting that the staff configure it for them).
Title:	<input type="text"/> Shows a custom title for this reservation on the calendar. Leave this field blank to display the reservation's user name as the title (which is the default behaviour).

Figure 1016 Reservations add/edit page part 2

- Short notice – indicates that the reservation was made after the configuration deadline for a tool. Staff may not have enough time to properly configure the tool before the user is scheduled to use it.
- Cancelled – indicates that the reservation has been cancelled, moved, or resized.
- Cancellation time – date/time the reservation was changed.
- Cancelled by – select from drop down name of user that changed the reservation *Users table*
- Missed – indicates that the tool was not enabled by anyone before the tool's "missed reservation threshold" passed. Missed reservations require a threshold set in the tool

table and a timed job to check for missed reservations periodically. Missed reservations are discussed in the [reservations section](#) starting on page 61.

- Shortened – indicates that the user finished using the tool and relinquished the remaining time on their reservation. The reservation will no longer be visible on the calendar and a descendant reservation will be created in place of the existing one.
- Descendant – any time a reservation is moved or resized, the old reservation is cancelled and a new reservation with updated information takes its place. This field links the old reservation to the new one, so the history of reservation moves & changes can be easily tracked.
- Additional information – text that can be provided by a user when making a reservation on a configurable tool.
- Self-configuration – when checked, indicates that the user will perform their own tool configuration (instead of requesting that the staff configure it for them).
- Title – Shows a custom title for this reservation on the calendar. Leave this field blank to display the reservation's user name as the title (which is the default behavior).

35.34.4 User access page

Reservations are made and maintained on the [calendar](#) page and detailed starting on page 37.

35.35 Resource categories

35.35.1 Usage

Resource categories are optional but can be useful for grouping similar resources to make visualization easier. Resource categories, if used, must be created in this table view and can be any text name. Any number can be defined. If no resource categories are defined, they are not displayed on the resources page. Resource categories are discussed in the [Resources](#) section detailed on page 231.

35.35.2 Summary page

The summary page provides a listing of resource categories (Figure 1017). Click the name field in the row of interest to edit.

The screenshot shows a web-based application interface for managing resource categories. At the top, there is a breadcrumb navigation: Home > Nemo > Resource categories. Below the header, a search bar contains the placeholder text "Select resource category to change". To the right of the search bar is a button labeled "ADD RESOURCE CATEGORY +". Underneath the search bar, there is a form with the label "Action:" followed by a dropdown menu and a "Go" button. A status message indicates "0 of 3 selected". A list of resource categories is displayed in a table format. Each row has a checkbox next to the category name. The categories listed are "Gases", "Lab", and "Utilities". At the bottom of the list, it says "3 resource categories".

Figure 1017 Resource category summary page

35.35.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1018). [Common features in detailed administration](#) is detailed on page 384.

The screenshot shows a web-based application interface for editing a resource category. At the top, there is a breadcrumb navigation: Home > Nemo > Resource categories > Lab. Below the header, a title bar says "Change resource category" and a "HISTORY" button is visible. The main form has a label "Name:" followed by an input field containing the value "Lab".

Figure 1018 Resource category add/edit page

- Name – the name can be up to 200 characters (required).

35.35.4 User access page

Resource categories must be setup in this table view but are discussed in the [Resources](#) section detailed on page 231.

35.36 Resources

35.36.1 Usage

Resources provide a method to define tool dependencies such as gases, facility spaces, and utilities that can be associated with tools are either required or non-required resources. When a resource is unavailable, users are blocked from using tools or areas that require the resource and notified on tools that with a non-required association. Resources are discussed in the [Resources](#) section detailed on page 231.

35.36.2 Summary page

The summary page provides a listing of resources (Figure 1019). Click the name field in the row of interest to edit.

The screenshot shows a web-based application interface for managing resources. At the top, there is a navigation bar with links to 'Home', 'Nemo', and 'Resources'. Below the navigation is a search bar with placeholder text 'Select resource to change' and an 'ADD RESOURCE +' button. On the left, there is a table with columns: 'NAME', 'CATEGORY', and 'AVAILABLE'. The table lists various resources: 2% SiH4 (Gases), Ar (Gases), Bay 1 (Lab), Bay 2 (Lab), Bay 3 (Lab), Bay 4 (Lab), Bay 5 (Lab), CF4 (Gases), CHF3 (Gases), CMP (Lab), Cl2 (Gases), and Cleanroom (Lab). Each row has a checkbox in the first column. To the right of the table is a 'FILTER' sidebar with sections for 'By available' (All, Yes, No) and 'By category' (All, Gases, Lab, Utilities).

	NAME	CATEGORY	AVAILABLE
<input type="checkbox"/>	2% SiH4	Gases	✓
<input type="checkbox"/>	Ar	Gases	✓
<input type="checkbox"/>	Bay 1	Lab	✓
<input type="checkbox"/>	Bay 2	Lab	✓
<input type="checkbox"/>	Bay 3	Lab	✓
<input type="checkbox"/>	Bay 4	Lab	✓
<input type="checkbox"/>	Bay 5	Lab	✓
<input type="checkbox"/>	CF4	Gases	✓
<input type="checkbox"/>	CHF3	Gases	✓
<input type="checkbox"/>	CMP	Lab	✓
<input type="checkbox"/>	Cl2	Gases	✓
<input type="checkbox"/>	Cleanroom	Lab	✓

Figure 1019 Resources summary page

35.36.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1020, Figure 1021). [Common features in detailed administration](#) is detailed on page 384.

The screenshot shows the 'Change resource' page for a resource named 'Exhaust'. The top navigation bar includes 'Home', 'Nemo', 'Resources', and 'Exhaust'. A 'HISTORY' button is in the top right. The main form has fields for 'Name' (set to 'Exhaust') and 'Category' (set to 'Utilities'). A 'Available' checkbox is checked. Below these are two sections for selecting tools: 'Fully dependent tools' and 'Partially dependent tools'. Each section has a 'Choose all' button and a 'Remove all' button. The 'Fully dependent tools' section lists: Ellipsometer, Microscope, Profilometer, SEM, and SEM Lithography mode. The 'Chosen fully dependent tools' section lists: Acid Hood, CMP tool, Chlorine Etch, Develop Hood, Evaporator, Fluorine Etch, PECVD, and Solvent Hood. The 'Partially dependent tools' section lists: Acid Hood, CMP tool, Chlorine Etch, Contact Aligner, and Develop Hood. The 'Chosen partially dependent tools' section is currently empty.

Figure 1020 Resources add/edit page part 1

- Name – the name of the resource can be up to 200 characters (required).
- Category – drop down list used to group resources by similarity. *Resource categories table*
- Available – checkbox indicates whether the resource is available to be used.
- Fully dependent tools – These tools will be completely inoperable if the resource is unavailable. Hold down "Control", or "Command" on a Mac, to select more than one. *Tools table*

- Partially dependent tools – These tools depend on this resource but can operated at a reduced capacity if the resource is unavailable. Hold down "Control", or "Command" on a Mac, to select more than one. *Tools table*

Dependent areas:

Available dependent areas
<input type="text"/> Filter
Cleanroom CMP lab

Choose all

Remove all

Users will not be able to login to these areas when the resource is unavailable. Hold down "Control", or "Command" on a Mac, to select more than one.

Restriction message:

The message that is displayed to users on the tool control page when this resource is unavailable.

Figure 1021 Resources add/edit page part 2

- Dependent Areas – Users will not be able to login to these areas when the resource is unavailable. Hold down "Control", or "Command" on a Mac, to select more than one. *Areas table*
- Restriction message – The message that is displayed to users on the tool control page when this resource is unavailable.

35.36.4 User access page

Resources must be setup in this table view but are managed in the [Resources](#) page detailed on page 231.

35.37 Safety issues

35.37.1 Usage

The safety issues table maintains a list and status of all safety issues reported through the safety page. Normally this table will not need to be edited directly. The [safety](#) section is detailed starting on page 148.

35.37.2 Summary page

The summary page provides a listing of safety issues (Figure 1022). Click the ID field in the row of interest to edit.

Action:	ID	REPORTER	CREATION TIME	VISIBLE	RESOLVED	RESOLUTION TIME	RESOLVER
<input type="checkbox"/>	11	Captain Nemo (captain)	Wednesday, September 23rd, 2020 @ 11:44 AM	✓	✗	-	-
<input type="checkbox"/>	10	Captain Nemo (captain)	Friday, June 5th, 2020 @ 4:01 PM	✓	✗	-	-
<input type="checkbox"/>	9	Captain Nemo (captain)	Wednesday, May 6th, 2020 @ 8:55 PM	✓	✗	-	-
<input type="checkbox"/>	8	Captain Nemo (captain)	Friday, May 1st, 2020 @ 6:02 PM	✓	✗	-	-
<input type="checkbox"/>	7	Ned Land (ned)	Wednesday, April 29th, 2020 @ 8:33 PM	✓	✗	-	-
<input type="checkbox"/>	6	Captain Nemo (captain)	Wednesday, April 29th, 2020 @ 8:25 PM	✓	✗	-	-
<input type="checkbox"/>	5	Captain Nemo (captain)	Wednesday, April 29th, 2020 @ 7:12 PM	✓	✓	Wednesday, April 29th, 2020 @ 8:03 PM	Captain Nemo (captain)
<input type="checkbox"/>	4	-	Wednesday, April 29th, 2020 @ 5:03 PM	✗	✗	-	-
<input type="checkbox"/>	3	Ned Land (ned)	Wednesday, April 29th, 2020 @ 4:58 PM	✓	✗	Wednesday, April 29th, 2020 @ 6:39 PM	-
<input type="checkbox"/>	2	Captain Nemo (captain)	Monday, April 20th, 2020 @ 8:24 PM	✓	✓	Wednesday, April 29th, 2020 @ 5:47 PM	Captain Nemo (captain)
<input type="checkbox"/>	1	Captain Nemo (captain)	Friday, April 17th, 2020 @ 12:31 PM	✓	✗	-	-

11 safety issues

ADD SAFETY ISSUE +

FILTER

By resolved

- All
- Yes
- No

By visible

- All
- Yes
- No

By creation time

- Any date
- Today
- Past 7 days
- This month
- This year

By resolution time

- Any date
- Today
- Past 7 days

Figure 1022 Safety issues summary page

35.37.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1023). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Safety issues > 9

Change safety issue

HISTORY **VIEW ON SITE >**

Reporter:	Captain Nemo (captain)	<input type="button" value="▼"/> <input type="button" value="✎"/> <input type="button" value="+"/> <input type="button" value="✖"/>
Location:	Cleanroom Bay 2	
<input checked="" type="checkbox"/> Visible Should this safety issue be visible to all users? When unchecked, the issue is only visible to staff.		
Concern:	This safety issue was automatically created because a spinner problem was identified as a safety hazard. Wafers are flying off the spinner.	
Progress:		
Resolution:		
<input type="checkbox"/> Resolved		
Resolver:	<input type="button" value="-----"/> <input type="button" value="▼"/> <input type="button" value="✎"/> <input type="button" value="+"/> <input type="button" value="✖"/>	
Creation time:	Wednesday, May 6th, 2020 @ 8:55 PM	
Resolution time:	-	

Figure 1023 Safety issues add/edit page

- Reporter – drop down list select user who reported problem. (this is optional for anonymous reporting) *Users table*
- Location – text to report where the problem was observed. (required)
- Visible – checkbox, when unchecked, the issue is only visible to staff.
- Concern – narrative of safety issue found.
- Progress – narrative of actions in progress to address issue.
- Resolution – narrative of final action to address issue.
- Resolved – checkbox to indicate if the safety issue has been resolved.
- Resolver – drop down list select user who resolved the problem. *Users table*
- Creation time – information only, date/time issue was created.
- Resolution time – information only, date/time issue was resolved.

35.37.4 User access page

All safety functions are detailed in the [safety](#) section starting on page 148.

35.38 Scheduled outage categories

35.38.1 Usage

Scheduled outage categories are optional but can be useful for binning outages aiding in future analysis and trending. Scheduled outage categories, if used, must be created in this table view and can be any text name. Any number can be defined. If no scheduled outage categories are defined, they are not displayed on the scheduled outages page. Scheduled outage categories are discussed in the [scheduled outages table](#) section detailed on page 487.

35.38.2 Summary page

The summary page provides a listing of scheduled outage categories (Figure 1024). Click the name field in the row of interest to edit.

Home > Nemo > Scheduled outage categories

Select scheduled outage category to change

ADD SCHEDULED OUTAGE CATEGORY +

Action: ----- Go 0 of 2 selected

<input type="checkbox"/> NAME
<input type="checkbox"/> Preventative maintenance
<input type="checkbox"/> Tool configuration

2 Scheduled outage categories

Figure 1024 Scheduled outage categories summary page

35.38.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1025). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Scheduled outage categories > Add scheduled outage category

Add scheduled outage category

Name:

Figure 1025 Scheduled outage categories add/edit page

- Name – the name can be up to 200 characters (required).

35.38.4 User access page

There is no user access page for scheduled outage categories however, scheduled outage categories usage are discussed in the [scheduled outages table](#) section detailed on page 487.

35.39 Scheduled outages

35.39.1 Usage

Scheduled outages table records outages for tools, areas, and resources. A scheduled outage is a planned shutdown that triggers automatically at the designated time and will clear automatically at the designated end time. Scheduled outages are useful for planned activities such as gas bottle changes or tool maintenance that happens in a predictable way. Scheduled outages are created and maintained on the [calendar](#) which is detailed on page 62 and the [resource](#) pages which is detailed on page 231.

35.39.2 Summary page

The summary page provides a listing of scheduled outages (Figure 1026). Click the id field in the row of interest to edit.

Select scheduled outage to change								
Action:	ID	TOOL	AREA	RESOURCE	CREATOR	TITLE	START	END
<input type="checkbox"/>	15	-	Cleanroom	-	Captain Nemo (captain)	The lab is closed	Monday, September 21st, 2020 @ 5:00 PM	Monday, September 21st, 2020 @ 7:00 PM
<input type="checkbox"/>	14	-	-	O2	Captain Nemo (captain)	O2 scheduled outage	Monday, May 18th, 2020 @ 8:00 AM	Monday, May 18th, 2020 @ 12:00 PM
<input type="checkbox"/>	9	Evaporator	-	-	Captain Nemo (captain)	Foil clean	Monday, April 27th, 2020 @ 11:30 AM	Monday, April 27th, 2020 @ 1:00 PM
<input type="checkbox"/>	7	Profilometer	-	-	Captain Nemo (captain)	Monthly PM	Wednesday, April 22nd, 2020 @ 8:00 AM	Wednesday, April 22nd, 2020 @ 9:00 AM
<input type="checkbox"/>	5	Fluorine Etch	-	-	Captain Nemo (captain)	Scheduled outage	Wednesday, April 15th, 2020 @ 5:00 PM	Wednesday, April 15th, 2020 @ 5:45 PM
<input type="checkbox"/>	4	Ellipsometer	-	-	Captain Nemo (captain)	Ellipsometer PM	Thursday, June 18th, 2020 @ 12:00 PM	Thursday, June 18th, 2020 @ 1:00 PM
<input type="checkbox"/>	3	Ellipsometer	-	-	Captain Nemo (captain)	Ellipsometer PM	Monday, May 18th, 2020 @ 12:00 PM	Monday, May 18th, 2020 @ 1:00 PM
<input type="checkbox"/>	2	Ellipsometer	-	-	Captain Nemo (captain)	Ellipsometer PM	Saturday, April 18th, 2020 @ 12:00 PM	Saturday, April 18th, 2020 @ 1:00 PM
<input type="checkbox"/>	1	PECVD	-	-	Captain Nemo (captain)	outage	Wednesday, April 8th, 2020 @ 8:00 AM	Wednesday, April 8th, 2020 @ 10:00 AM

Figure 1026 Scheduled outages summary page

35.39.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1027). [Common features in detailed administration](#) is detailed on page 384.

Home › Nemo › Scheduled outages › Foil clean

Change scheduled outage

Start:	Date: 04/27/2020	Today
	Time: 11:30 AM	Now
End:	Date: 04/27/2020	Today
	Time: 01:00 PM	Now
Creator:	Captain Nemo (captain)	
Title:	Foil clean	A brief description to quickly inform users about the outage
Details:	The chamber is flaking so we will change the foil and vacuum.	
	A detailed description of why there is a scheduled outage, and what users can expect during the outage	
Category:	Preventative maintenance	
	A categorical reason for why this outage is scheduled. Useful for trend analytics.	
Tool:	Evaporator	
Area:	-----	
Resource:	-----	

Figure 1027 Scheduled outages add/edit page

- Start – date/time scheduled outage will start. (required)
- End – date/time scheduled outage will end. (required)
- Creator – drop down list select user that created the scheduled outage. (required) *Users table*
- Title – a brief description to quickly inform users about the outage. (required)
- Details – a detailed description of why there is a scheduled outage, and what users can expect during the outage.
- Category – grouping similar outages for future analysis. *Scheduled outage categories table*
- Tool – drop down list select tool. (required to have one tool, area, or resource selected) *Tools table*
- Area – drop down list select tool. (required to have one tool, area, or resource selected) *Areas table*

- Resource – drop down list select tool. (required to have one tool, area, or resource selected) *Resources table*

35.39.4 User access page

Scheduled outages are created and maintained on the [calendar](#) which is detailed on page 62 and the [resource](#) pages which is detailed on page 231.

35.40 Staff charges

35.40.1 Usage

The staff charges table records the time that a staff member has performed work on behalf of another user. Staff charges are detailed in the [staff charges](#) section starting on page 243.

35.40.2 Summary page

The summary page provides a listing of staff charges (Figure 1028). Click the id field in the row of interest to edit.

Action:	ID	STAFF MEMBER	CUSTOMER	START	END
<input type="checkbox"/>	23	Captain Nemo (captain)	Conseil Aronnax (conseil)	Monday, September 21st, 2020 @ 5:39 PM	Monday, September 21st, 2020 @ 5:57 PM
<input type="checkbox"/>	22	Captain Nemo (captain)	Ned Land (ned)	Monday, September 21st, 2020 @ 11:53 AM	Monday, September 21st, 2020 @ 12:07 PM
<input type="checkbox"/>	21	Captain Nemo (captain)	Ned Land (ned)	Friday, June 5th, 2020 @ 4:42 PM	Friday, June 5th, 2020 @ 4:59 PM
<input type="checkbox"/>	20	Captain Nemo (captain)	Ned Land (ned)	Thursday, May 21st, 2020 @ 5:44 PM	Wednesday, May 27th, 2020 @ 7:11 PM
<input type="checkbox"/>	19	Captain Nemo (captain)	Ned Land (ned)	Wednesday, May 13th, 2020 @ 5:31 PM	Wednesday, May 13th, 2020 @ 5:33 PM
<input type="checkbox"/>	18	Captain Nemo (captain)	Ned Land (ned)	Wednesday, May 13th, 2020 @ 5:09 PM	Wednesday, May 13th, 2020 @ 5:29 PM
<input type="checkbox"/>	17	Captain Nemo (captain)	Ned Land (ned)	Wednesday, May 13th, 2020 @ 5:01 PM	Wednesday, May 13th, 2020 @ 5:08 PM
<input type="checkbox"/>	16	Captain Nemo (captain)	Ned Land (ned)	Wednesday, May 13th, 2020 @ 4:58 PM	Wednesday, May 13th, 2020 @ 5:01 PM
<input type="checkbox"/>	15	Captain Nemo (captain)	Ned Land (ned)	Wednesday, May 13th, 2020 @ 4:43 PM	Wednesday, May 13th, 2020 @ 4:58 PM
<input type="checkbox"/>	14	Captain Nemo (captain)	Ned Land (ned)	Wednesday, May 13th, 2020 @ 4:20 PM	Wednesday, May 13th, 2020 @ 4:27 PM
<input type="checkbox"/>	13	Captain Nemo (captain)	Ned Land (ned)	Wednesday, May 13th, 2020 @ 4:12 PM	Wednesday, May 13th, 2020 @ 4:18 PM

Figure 1028 Staff charges summary page

35.40.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1029). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Staff charges > 23

Change staff charge

Staff member:	Captain Nemo (captain)	
Customer:	Conseil Aronnax (conseil)	
Project:	Project 1	
Start:	Date: 09/21/2020	Today
	Time: 05:39 PM	Now
End:	Date: 09/21/2020	Today
	Time: 05:57 PM	Now
<input type="checkbox"/> Validated		

Figure 1029 Staff charges add/edit page

- Staff member – drop down list select staff user that will perform the work. (required) *Users table*
- Customer – drop down list select user that work will be billed to. (required) *Users table*
- Project – drop down list select project to charge against. (required) *Projects table*
- Start – date/time scheduled outage will start. (required)
- End – date/time scheduled outage will end.
- Validated – checkbox to indicate if a staff member has confirmed the charge is valid and correct.

35.40.4 User access page

Staff charges are created and managed on the [staff charges](#) page which is detailed starting on page 243.

35.41 Task categories

35.41.1 Usage

Task categories are optional but can be useful for binning tasks aiding in future analysis and trending. Task categories, if used, must be created in this table view and can be any text name. Any number can be defined. Also, they can be defined for use as initial problem categories or final problem categories. If no task categories are defined, they are not displayed on the tasks page. Task categories are discussed in the [Report a problem](#) tab of the Tool control page detailed on page 119.

35.41.2 Summary page

The summary page provides a listing of task categories (Figure 1030). Click the name field in the row of interest to edit.

Home > Nemo > Task categories	
Select task category to change	
Action:	<input type="button" value="-----"/> Go 0 of 9 selected
<input type="checkbox"/> NAME	STAGE
<input type="checkbox"/> Facility problem	Completion
<input type="checkbox"/> Magic	Completion
<input type="checkbox"/> Preventative maintenance	Completion
<input type="checkbox"/> Process problem	Initial assessment
<input type="checkbox"/> Repairs complete	Completion

Figure 1030 Task categories summary page

35.41.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1031). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Task categories > Facility problem

Change task category

Name:	Facility problem
Stage:	Completion ▾

Figure 1031 Task categories add/edit page

- Name – the name can be up to 200 characters (required).
- Stage – drop down list select either initial or completion (required).

35.41.4 User access page

There is no user access page to create task categories however, task categories are discussed in the [Report a problem](#) tab of the Tool control page detailed on page 119.

35.42 Task statuses

35.42.1 Usage

Task statuses are optional but can be used to update various staff as a problem progresses to resolution. For example, once the maintenance team has finished a repair, they can change the status to qualification which notifies the process engineer that the tool is ready to requalify. Task statuses, if used, must be created in this table view and number can be defined. If no task statuses are defined, they are not displayed on the tasks page. Task statuses are discussed in the [Report a problem](#) tab of the Tool control page detailed on page 119.

35.42.2 Summary page

The summary page provides a listing of task statuses (Figure 1032). Click the name field in the row of interest to edit.

The screenshot shows a web-based application interface for managing alert categories. At the top, there's a breadcrumb navigation: Home > Nemo > Alert categories. Below the header, a message says "Select alert category to change". On the right, there's a button labeled "ADD ALERT CATEGORY +". Underneath, there's a search bar with "Action: -----" and a dropdown arrow, followed by a "Go" button and the text "0 of 3 selected". A table lists four alert categories, each with a checkbox next to it:

	NAME
<input type="checkbox"/>	Facility outage
<input type="checkbox"/>	Long PM
<input type="checkbox"/>	Site closure

At the bottom left of the table area, it says "3 Alert categories".

Figure 1032 Task statuses summary page

35.42.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1033). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Alert categories > Add alert category

Add alert category

Name:

Figure 1033 Task statuses add/edit page

- Name – the name can be up to 200 characters (required).

35.42.4 User access page

There is no user access page to create task statuses however, task statuses are discussed in the [Report a problem](#) tab of the Tool control page detailed on page 119.


35.43 Tasks

35.43.1 Usage

Tasks are used to track problems with tools statuses are optional but can be used to update various staff as a problem progresses to resolution. For example, once the maintenance team has finished a repair, they can change the status to qualification which notifies the process engineer that the tool is ready to requalify. Task statuses, if used, must be created in this table view and number can be defined. If no task statuses are defined, they are not displayed on the tasks page. Task statuses are discussed in the [Report a problem](#) tab of the Tool control page detailed on page 119.

35.43.2 Summary page

The summary page provides a listing of tasks (Figure 1034). Click the id field in the row of interest to edit.



ID	URGENCY	TOOL	CREATOR	CREATION TIME	PROBLEM CATEGORY
18	High	Chlorine Etch	Captain Nemo (captain)	Friday, June 5th, 2020 @ 2:41 PM	Process problem
17	High	Spinner	Captain Nemo (captain)	Wednesday, May 6th, 2020 @ 8:55 PM	Process problem
16	Normal	Fluorine Etch	Captain Nemo (captain)	Wednesday, May 6th, 2020 @ 8:54 PM	Tool Error
15	High	Contact Aligner	Ned Land (ned)	Monday, April 27th, 2020 @ 2:40 PM	Tool Error
14	Normal	Sputter	Captain Nemo (captain)	Friday, April 24th, 2020 @ 4:59 PM	Wafer handling problem
12	Normal	Chlorine Etch	Ned Land (ned)	Thursday, April 23rd, 2020 @ 6:58 PM	-
11	Normal	Sputter	Captain Nemo (captain)	Thursday, April 23rd, 2020 @ 6:50 PM	Process problem
10	Normal	Sputter	Ned Land (ned)	Thursday, April 23rd, 2020 @ 3:52 PM	Tool Error
9	High	Sputter	Ned Land (ned)	Thursday, April 23rd, 2020 @ 3:51 PM	Process problem

Figure 1034 Task statuses summary page

35.43.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1035, Figure 1036). [Common features in detailed administration](#) is detailed on page 384.

HISTORY

Change task

Urgency:

High ▾

Tool:

Chlorine Etch ▾



The tool that this task relates to.

 Force shutdown

Indicates that the tool this task relates to will be shutdown until the task is resolved.

 Safety hazard

Indicates that this task represents a safety hazard.

Creator:

Captain Nemo (captain) ▾



The user who created the task.

Creation time:

Date: 06/05/2020

Today |

Time: 02:41 PM

Now |

The date and time when the task was created.

Problem category:

Process problem ▾

**Problem description:**

The etch rate is nearly zero. Tried a conditioning run and the etch rate did not improve. No errors were noted during the runs.

Progress description:

On Friday, June 5th, 2020 @ 5:44 PM Captain Nemo (captain) updated this task:

Chamber clean completed. Found etch buildup in chamber that was likely suppressing the etch rate. Ready for testing.

Figure 1035 Tasks add/edit page part 1

- Urgency – drop down list select high, medium, or low (required).
- Tool – drop down list select tool that the task relates to (required). *Tools table*
- Force shutdown – checkbox indicates that the tool this task relates to will be shut down until the task is resolved.
- Safety hazard – checkbox indicates that this task represents a safety hazard.
- Creator – drop down list select user that created the task. (required) *Users table*
- Creation time – date/time the task was created. (required)

- Problem category – drop down list select category if used. *Task categories table*
- Problem description – text description of initial problem.
- Progress description – text description of progress posted through updates.

Last updated:	Date: 06/05/2020	Today
	Time: 05:44 PM	Now
The last time this task was modified. (Creating the task does not count as modifying it.)		
Last updated by:	Captain Nemo (captain)	
The last user who modified this task. This should always be a staff member.		
Estimated resolution time:	Date: <input type="text"/>	Today
	Time: <input type="text"/>	Now
The estimated date and time that the task will be resolved.		
<input type="checkbox"/> Cancelled		
<input type="checkbox"/> Resolved		
Resolution time:	Date: <input type="text"/>	Today
	Time: <input type="text"/>	Now
The timestamp of when the task was marked complete or cancelled.		
Resolver:	-----	
The staff member who resolved the task.		
Resolution description:	<input type="text"/>	
Resolution category:	-----	

Figure 1036 Tasks add/edit page part 2

- Last updated – date/time the task was last updated.
- Last updated by – drop down list select user that provided the last update. *Users table*
- Estimated resolution – date/time the problem is expected to be fixed.

- Cancelled – checkbox indicates that this task was cancelled.
- Resolved – checkbox indicates that this task was resolved.
- Resolution time – date/time the task was resolved.
- Resolver – drop down list select user that marked the problem resolved. *Users table*
- Resolution description – text description of steps taken to resolve the problem
- Resolution category – drop down list select category if used. *Task categories table*

35.43.4 User access page

Tasks are created and maintained in the [Report a problem](#) tab of the Tool control page detailed on page 119.


35.44 Tool usage counters

Tool usage counters are linked to numeric or float post usage questions and accumulate value with each tool logout based on the answer to the post usage question. This feature is useful for displaying how much a tool has been used, to track material usage, or to trigger preventative maintenance. Tool usage counters are displayed on the [tool control summary page](#) detailed on page 90.

35.44.1 Usage

The tool usage counters table lists each counter, the associated tool, the post usage question field, the current value, and last reset information. The tool usage counter must be created from this view.

- Tool usage counter setup
 - Prerequisites: the tool and a post usage question for that tool must exist.
 - Create tools and post usage questions for tools of interest in the [Detailed administration → Tools](#) table detailed starting on page 503.
 - For example, if we used the following post usage question on the “790 RIE Right” tool (Figure 1037)



```
[  
  {  
    "type": "number",  
    "title": "How long did you etch?",  
    "max-width": 250,  
    "suffix": "minutes",  
    "required": true,  
    "default_choice": null,  
    "placeholder": 0,  
    "name": "etch_time"  
  }  
]
```

Figure 1037 Tool usage counter example post usage question

- Add a tool usage counter in the [Detailed administration → Tool usage counter](#) table in this section and save.
 - For example, if we create a tool usage counter based on the post usage question above:
 - **Name:** “Etch Time”
 - **Description:** “This is for the etch time in minutes.
PMs are performed every 100 minutes of use.”
 - NOTE: line breaks will be displayed on the tool summary page so limited formatting can be used to keep the page readable.
 - **Tool:** 790 RIE Right

- NOTE: selected from dropdown box.
- **Tool usage question: “etch_time”**
 - NOTE: “etch_time” is the name we gave the post usage question in the previous step. When saving, the post usage question name must be present, or an error will occur.
- When we log out of the 790 RIE Right tool, the following post usage question is displayed on the tool summary page before logout (Figure 1038). The [Tool control → Summary](#) page is detailed starting on page 90.

The screenshot shows a simple form element. At the top, the text "How long did you etch?" is displayed in a blue font. Below it is a large rectangular input field. To the right of the input field, the word "minutes" is written in a smaller blue font. The entire form is enclosed in a thin black border.

Figure 1038 Tool usage counter post usage input

- The counter is updated and displayed (Figure 1039) on the [Tool control → Summary](#) page detailed starting on page 90.
If a warning threshold is set, the value will be green when it is less than the threshold, orange when it is equal to the threshold and red when the value is greater than the threshold.
 - NOTE: the reset button is only visible to staff.

The screenshot shows a digital display for a counter. On the left, the text "Etch Time: 100" is displayed. To the right of this is a small orange button labeled "Reset". Further to the right, there is explanatory text: "This is for the etch time in minutes." and "PMs are performed every 100 minutes of use." The entire display is enclosed in a thin black border.

Figure 1039 Tool usage counter display

35.44.2 Summary page

The summary page provides a listing of tool usage counters (Figure 1040). Click the name field in the row of interest to edit.

The screenshot shows a table with a header row containing columns for Action, Name, Tool, Tool Usage Question, Value, Warning Threshold, Last Reset, Last Reset By, and Is Active. There are two data rows. The first row has a checked checkbox in the Action column and is for 'Total etch time' on the '790 RIE Right' tool, using the 'etch_time' question. The second row has an unchecked checkbox in the Action column and is for 'Etch Time' on the same tool, also using the 'etch_time' question. The 'Value' column shows 682.81 and 534.81 respectively. The 'Warning Threshold' column shows '-' and 510.0. The 'Last Reset' column shows '-' and Tuesday, December 1st, 2020 @ 4:48 PM. The 'Last Reset By' column shows '-' and Jerry Bowser (jbowser). The 'Is Active' column shows a green checkmark for both rows.

Action:	NAME	TOOL	TOOL USAGE QUESTION	VALUE	WARNING THRESHOLD	LAST RESET	LAST RESET BY	IS ACTIVE
<input checked="" type="checkbox"/>	Total etch time	790 RIE Right	etch_time	682.81	-	-	-	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Etch Time	790 RIE Right	etch_time	534.81	510.0	Tuesday, December 1st, 2020 @ 4:48 PM	Jerry Bowser (jbowser)	<input checked="" type="checkbox"/>

2 tool usage counters

Figure 1040 Tool usage counters summary page

35.44.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1041). [Common features in detailed administration](#) is detailed on page 384.

Change tool usage counter

Name:	<input type="text" value="Etch Time"/>	<small>The name of this counter</small>
Description:	<p>This is for the etch time in minutes. PMs are performed every 100 minutes of use.</p> <small>The counter description to be displayed next to it on the tool control page</small>	
Value:	<input type="text" value="534.81"/>	<small>The current value of this counter</small>
Tool:	<input type="text" value="790 RIE Right"/>	<small>The tool this counter is for.</small>
Tool usage question:	<input type="text" value="etch_time"/>	
Last reset value:	<input type="text" value="9.0"/>	
Last reset:	Date: <input type="text" value="12/01/2020"/>	Time: <input type="text" value="04:48 PM"/>
Last reset by:	<input type="text" value="Jerry Bowser (jbowser)"/>	
Warning threshold:	<input type="text" value="510.0"/>	
Warning email:	<input type="text" value="mrampant@nist.gov"/>	
<input checked="" type="checkbox"/> Is active	<small>The state of the counter</small>	
Warning threshold reached:		

Figure 1041 Tool usage counters add/edit page

- **Name** – the name of the counter. This name will be displayed on the tool summary page.
- **Description** – the counter description to be displayed next to the counter on the tool summary page.
- **Value** – the current value of the counter.
- **Tool** – the tool the counter is for. *Tools table*

- **Tool usage question** – the name of the post usage question used to increment the counter.
- Last reset value – the last value before the counter was last reset. When a counter is reset, a comment is also written for the associated tool that captures the last reset value, date, and who reset.
- Last reset – the date/time the counter was last reset.
- Last reset by – the user who last reset the counter.
- Warning threshold – the value which once reached will trigger an email to be sent to the warning email.
- Warning email – email address to send the tool usage counter threshold reached email to. For this feature to work, the counter_threshold_reached_email needs to be set in [Customization – Counter threshold reached email](#)
- Is active – checked indicates the counter is active and will be displayed on the tool summary page. Unchecked hides the counter.

35.45 Tools

35.45.1 Usage

The tools table lists each tool, its status, qualified users, usage rules, interlock information, reservation rules, and dependencies. While the attributes can be modified on various pages of NEMO, the tool must first be created from this view.

35.45.2 Summary page

The summary page provides a listing of tools (Figure 1042). Click the name field in the row of interest to edit.

Home > Nemo > Tools

Select tool to change

ADD TOOL +

FILTER

By visible

- All
- Yes
- No

By operational

- All
- Yes
- No

By category

- All
- Deposition
- Etch
- Imaging
- Inspection
- Lithography
- Wet Processing
- Wet Processing/Acid
- Wet Processing/Solvent

Action: Go 0 of 17 selected

<input type="checkbox"/>	NAME	CATEGORY	VISIBLE	OPERATIONAL	PROBLEMATIC	CONFIGURABLE	ID
<input type="checkbox"/>	Acid Hood	Wet Processing/Acid	✓	✓	✗	✗	10
<input type="checkbox"/>	CMP tool	Wet Processing	✓	✓	✗	✗	21
<input type="checkbox"/>	Chlorine Etch	Etch	✓	✗	✓	✓	8
<input type="checkbox"/>	Contact Aligner	Lithography	✓	✗	✓	✗	5
<input type="checkbox"/>	Develop Hood	Lithography	✓	✓	✗	✗	11
<input type="checkbox"/>	Ellipsometer	Inspection	✓	✓	✗	✗	13
<input type="checkbox"/>	Evaporator	Deposition	✓	✓	✓	✓	12
<input type="checkbox"/>	Fluorine Etch	Etch	✓	✓	✓	✗	7
<input type="checkbox"/>	Microscope	Inspection	✓	✗	✓	✗	15
<input type="checkbox"/>	PECVD	Deposition	✓	✓	✗	✗	2
<input type="checkbox"/>	Profilometer	Inspection	✓	✓	✗	✗	14

Figure 1042 Tools summary page

35.45.3 Fields

The add/change page for this table lists the fields that can be edited. [Common features in detailed administration](#) is detailed on page 384.

General Information (Figure 1043)

- Name – text field of what the tool will be called throughout NEMO. (required)
- Parent tool – Select the parent tool from the dropdown list. If parent/child tools will be used, the child tools must identify which tool is the parent tool. If a parent tool is selected, the child tool will use all of the attributes of the parent tool except for the name. The parent/child tool relationship is useful when a single tool is used for multiple purposes that may be billed at different rates. For example, a dual beam focused ion beam tool may have one rate to use in SEM mode and another rate when used in FIB mode. *Tools table*
- Category – tools can be grouped together by location, type, or other grouping. These categories will be used to group tool in the calendar and tool control sidebars. Create sub-categories using slashes. For example, "Category 1/Sub-category 1". (required)
- Qualified users – select from available users and click the right arrow to add to chosen users. Multiple users can be selected at the same time using shift or control keys. Qualified users are managed on the users page, training page, or qualifications page. *Users table*

Home > Nemo > Tools > SEM

Change tool

[HISTORY](#) [VIEW ON SITE >](#)

Name:	SEM
Parent tool:	----- Select a parent tool to allow alternate usage
category:	Imaging
Create sub-categories using slashes. For example "Category 1/Sub-category 1".	
Qualified users: <div style="display: flex; justify-content: space-between;"> <div style="flex: 1;"> <p>Available Users</p> <input placeholder="Filter" style="width: 100%;" type="text"/> <ul style="list-style-type: none"> Captain Nemo (captain) Conseil Aronnax (conseil) Door NEMO (NEMO_door) Kiosk External system integration (kiosk) Kiosk NEMO (NEMO_kiosk) Ned Land (ned) Pierre Aronnax (professor) Staff Cleanroom (staff) Tech Cleanroom (tech) Timed service NEMO (NEMO_timed_service) jerry bowser (jerry) test user (testuser) <p>Choose all </p> </div> <div style="flex: 1;"> <p>Chosen Users</p> <p> Remove all</p> </div> </div>	

Figure 1043 Tools general information

Post usage questions (Figure 1044)

- Post usage questions – json formatted list can ask users for input at the end of their processes as either optional or required input using a radio button list, dropdown list, text entry (textbox or textarea), or numeric input (number or float). Only number inputs can trigger consumable purchases. The json script is validated when saving the tool record and error messages indicating format or missing required fields will be displayed. Responses to post usage questions are entered on the summary tab of the tool control page (page 105) and stored in the run data field of the usage events table as json formatted data (page 526). In addition, responses are displayed on the tool control page under usage data history detailed on page 117. Post usage questions can be configured so responses are either required or optional. In addition, questions can be grouped and repeated a configurable number of times to capture multiple processes in a single tool usage.

post usage questions:

```
[
  {
    "type": "number",
    "title": "How much gold was deposited?",
    "max-width": 250,
    "suffix": "nm",
    "required": true,
    "placeholder": "0",
    "name": "gold_used",
    "consumable": "Sputter gold"
  },
  {
    "type": "radio",
    "title": "Please rate your experience.",
    "choices": ["Great", "As expected", "Not terrible", "Disaster"],
    "name": "user_rating",
    "required": true,
    "default_choice": null
  },
  {
    "type": "textbox",
    "title": "Tell us about your run?",
    "name": "feedback",
    "max-width": 250,
    "required": true
  }
]
```

Upon logging off a tool, questions can be asked such as how much consumables were used by the user. This field will only accept JSON format

post usage preview:

The form is valid!

Save form to preview post usage questions

Figure 1044 Tools post usage questions

- Radio button list, required fields in bold (Figure 1045)
 - “**type**”: “radio”
 - “**title**”: title of the question (label)
 - “**name**”: name of the question for submit (unique)
 - “**choices**”: list of choices [‘choice1’, ‘choice2’]
 - “**required**”: whether the question is required, true or false
 - “**default_choice**”: the question default choice if any
 - “**title_html**”: html code to display instead of title
 - “**help**”: the question help text

```
[  
  {  
    "type": "radio",  
    "title": "Please rate your experience.",  
    "choices": ["Great", "As expected", "Not terrible", "Disaster"],  
    "name": "user_rating",  
    "required": true,  
    "default_choice": null  
  }  
]
```

Figure 1045 Tools post usage radio button list example

- Textbox entry, required fields in bold (Figure 1046)
 - “**type**”: “textbox”
 - “**title**”: title of the question (label)
 - “**name**”: name of the question for submit (unique)
 - “**max-width**”: max width of the input in px
 - “**required**”: whether the question is required, true or false
 - “**title_html**”: html code to display instead of title
 - “**help**”: the question help text
 - “**maxlength**”: the maximum allowed characters in the input
 - “**pattern**”: input field pattern validation. The pattern is a regular HTML attribute that accepts regular expressions. More info and examples can be found here: https://www.w3schools.com/tags/att_input_pattern.asp.
 - “**placeholder**”: input field placeholder
 - “**prefix**”: prefix inside input field
 - “**suffix**”: suffix inside input field

```
[  
  {  
    "type": "textbox",  
    "title": "How did your run go?",  
    "name": "feedback",  
    "max-width": 250,  
    "required": true  
  }  
]
```

Figure 1046 Tools post usage textbox example

- Textarea entry, required fields in bold (Figure 1047)
 - “**type**”: “textarea”
 - “**title**”: title of the question (label)
 - “**name**”: name of the question for submit (unique)

- “**max-width**”: max width of the input in px
- “**required**”: whether the question is required, true or false
- “title_html”: html code to display instead of title
- “help”: the question help text
- “rows”: number of rows to display. Default is 2
- “pattern”: input field pattern validation. The pattern is a regular HTML attribute that accepts regular expressions. More info and examples can be found here: https://www.w3schools.com/tags/att_input_pattern.asp.
- “placeholder”: input field placeholder
- “prefix”: prefix inside input field
- “suffix”: suffix inside input field

```
[  
 {  
   "type": "textarea",  
   "title": "Comments",  
   "name": "comments",  
   "required": true,  
   "max-width":250,  
   "rows": 5  
 }]  
]
```

Figure 1047 Tools post usage textarea example

- Numeric entry, required fields in bold (Figure 1048)
 - “**type**”: “number”
 - “**title**”: title of the question (label)
 - “**name**”: name of the question for submit (unique)
 - “**max-width**”: max width of the input in px
 - “**required**”: whether the question is required. True or false
 - “title_html”: html code to display instead of title
 - “help”: the question help text
 - “placeholder”: input field placeholder
 - “prefix”: prefix inside input field
 - “suffix”: suffix inside input field
 - “min”: minimum number
 - “max”: maximum number
 - “step”: step number
 - “consumable”: supply name. This name must correspond to a valid entry in the consumables table, or an error will be triggered on saving. A consumable charge record will be created in the consumable withdraws table for the supply name listed for the quantity entered. Consumables

are detailed in the [Detailed administration → Consumables](#) table starting on page 430.

```
[  
  {  
    "type": "number",  
    "title": "How much gold was deposited?",  
    "max-width": 250,  
    "suffix": "nm",  
    "required": true,  
    "placeholder": "0",  
    "min": 0,  
    "max": 1000,  
    "name": "gold_used",  
    "consumable": "Sputter gold"  
  }  
]
```

Figure 1048 Tools post usage number example

- Float entry, required fields in bold (Figure 1049)
 - **“type”**: “float”
 - **“title”**: title of the question (label)
 - **“name”**: name of the question for submit (unique)
 - **“max-width”**: max width of the input in px
 - **“required”**: whether the question is required. True or false
 - **“title_html”**: html code to display instead of title
 - **“help”**: the question help text
 - **“precision”**: precision of the float number (default is 2)
 - **“placeholder”**: input field placeholder
 - **“prefix”**: prefix inside input field
 - **“suffix”**: suffix inside input field

```
[  
  {  
    "type": "float",  
    "title": "How long did you etch?",  
    "max-width": 250,  
    "suffix": "minutes",  
    "required": true,  
    "placeholder": "0",  
    "name": "etch_time"  
  }  
]
```

Figure 1049 Tools post usage float example

- Dropdown list, required fields in bold (Figure 1050)
 - “**type**”: “dropdown”
 - “**title**”: title of the question (label)
 - “**name**”: name of the question for submit (unique)
 - “**max-width**”: max width of the input in px
 - “**required**”: whether the question is required. true or false
 - “**choices**”: list of choices enclosed in brackets
 - For example [“choice 1”, “choice 2”]
 - “**placeholder**”: input field placeholder, e.g. “Pick one”
 - “**title_html**”: html code to display instead of title
 - “**help**”: the question help text

```
[  
 {  
   "type": "dropdown",  
   "title": "What material did you etch?",  
   "placeholder": "Pick one",  
   "required": true,  
   "max-width": 250,  
   "choices": ["Silicon Oxide", "Silicon Nitride"],  
   "name": "etch_material"  
 }  
 ]
```

Figure 1050 Tools post usage dropdown list example

- Group, allows creation of a group of questions that can be repeated. For example, when a user uses multiple processes on a tool, and we want to collect information about each one (Figure 1051).
 - “**type**”: “group”
 - “**title**”: title of the group (label), use “\n” to force line breaks
 - “**name**”: name of the group for submit (unique)
 - “**max-number**”: maximum number of times the group of inputs can be repeated.
 - “**questions**”: list of questions, enclosed in brackets, to group together.
 - “**title_html**”: html code to display instead of title
 - “**group_add_button_name**”: name of “Add” button to display

```

[

{
  "type": "group",
  "title": "Tell us about the work you performed today.",
  "name": "group1",
  "max_number": 3,
  "questions": [
    {
      "type": "dropdown",
      "title": "What material did you etch?\n:",
      "placeholder": "Pick one",
      "required": true,
      "max-width": 250,
      "choices": ["Silicon Oxide", "Silicon Nitride"],
      "name": "etch_material"
    },
    {
      "type": "number",
      "title": "How long did you etch (minutes)?",
      "max-width": 250,
      "suffix": "minutes",
      "required": true,
      "default_choice": null,
      "placeholder": 0,
      "name": "etch_time"
    },
    {
      "type": "textbox",
      "title": "Additional Notes",
      "max-width": 500,
      "required": false,
      "default_choice": null,
      "name": "etch_notes"
    }
  ]
}
]

```

Figure 1051 Tools post usage group example

- Post usage preview – after saving the tool record with post usage question json information, the post usage preview will display what users will see (Figure 1052). This feature is useful for verifying the json input is correct and previewing the output. If there are errors in the json script, they will be indicated and suggestions to fix the issue will be given. The preview will show not valid if the required fields are not entered or in the specified range.

How much gold was deposited?

0 nm

Please rate your experience.

Great

As expected

Not terrible

Disaster

Tell us about your run?

The form is invalid

How much gold was deposited?

1 nm

Please rate your experience.

Great

As expected

Not terrible

Disaster

Tell us about your run?

no troubles

The form is valid!

Figure 1052 Tools post usage preview

- Post usage preview – example of groups
 - Using this json code example (Figure 1053)

```
[
  {
    "type": "group",
    "title": "Tell us about the work you performed\nClick add to enter up to 3 processes",
    "name": "group1",
    "max_number": 3,
    "questions": [
      {
        "type": "dropdown",
        "title": "What material did you etch?",
        "placeholder": "Pick one",
        "required": true,
        "max-width": 250,
        "choices": ["Silicon Oxide", "Silicon Nitride"],
        "name": "etch_material"
      },
      {
        "type": "number",
        "title": "How long did you etch?",
        "max-width": 250,
        "suffix": "minutes",
        "required": true,
        "default_choice": null,
        "placeholder": 0,
        "name": "etch_time"
      }
    ]
  }
]
```

Figure 1053 Tools post usage groups example json

- Results in the initial display (Figure 1054)

Tell us about the work you performed
Click add to enter up to 3 processes

What material did you etch?

Pick one

How long did you etch?

minutes

Add

The form is invalid

Figure 1054 Tools post usage groups initial

- Entering required information makes the form valid (Figure 1055)

Tell us about the work you performed
Click add to enter up to 3 processes

What material did you etch?

Silicon Oxide

How long did you etch?

15 minutes

Add

The form is valid!

Figure 1055 Tools post usage groups validated

- Clicking add will create another group of questions and make the form invalid again until required information is entered (Figure 1056). Click remove to remove added groups if needed.

Tell us about the work you performed
Click add to enter up to 3 processes

What material did you etch?

Silicon Oxide

How long did you etch?

15 minutes

What material did you etch?

Pick one

How long did you etch?

minutes

Remove

Add

The form is invalid




Figure 1056 Tools post usage groups add/remove

- Once the maximum number of groups is added, the add button will disappear (Figure 1057). Unneeded groups can be removed by clicking the remove button. Removals do not need to be done in sequence.

Tell us about the work you performed
Click add to enter up to 3 processes

What material did you etch?

Silicon Oxide

How long did you etch?

15 minutes

What material did you etch?

Silicon Nitride

How long did you etch?

10 minutes

Remove

What material did you etch?

Pick one

How long did you etch?

minutes

Remove

The form is invalid

Figure 1057 Tools post usage groups maximum

Additional Information (Figure 1058)

- Description – html description that will be displayed near the bottom of the tool summary page.
- Serial – alphanumeric field that will display at the top right of the tool summary page.

- Image – 500 pixel x 500 pixel maximum image that will display on the tool summary page next to the description.

Additional Information

description:

HTML syntax could be used

serial:

Serial Number

image:

Choose File No file chosen

An image that represent the tool. Maximum width and height are 500px

Figure 1058 Tools additional information

Current state (Figure 1059)

- Visible – checkbox to indicate whether the tool is visible to users. If not checked, the tool will not be displayed on the calendar or tool control sidebars.
- Operational – checkbox to indicate whether the tool is available to users. The operational status is managed by the report a problem tab on the tool control page.

Current state

Visible
Specifies whether this tool is visible to users.

operational
Marking the tool non-operational will prevent users from using the tool.

Figure 1059 Tools current state

Contact Information (Figure 1060)

- Primary owner – select from the drop down list the staff member who is responsible for the administration of the tool. The primary owner is listed on the details tab of the tool control page. (required)
- Backup owners - select from available users and click the right arrow to add to chosen users. Multiple users can be selected at the same time using shift or control keys. The backup owners are listed on the details tab of the tool control page.

- Superusers – select from available users and click the right arrow to add to chosen superusers. Multiple users can be selected at the same time using shift or control keys. The superusers are listed on the details tab of the tool control page and have the ability to train users on tools they are listed as superusers for.
- Notification email address – in addition to the primary and backup tool owners, comments, problems, and shutdown notices will be forwarded to this email address.
- Location – a text descriptor to identify the tools location. The location is displayed on the details tab of the tool control page. In addition, the kiosk uses the location to group nearby tools. Since this is a free form text input, make sure locations across tools are consistently listed. (required)
- Phone number – a text listing of the phone number. No phone number formatting is performed so extensions can be used as well as full phone numbers. The phone number is displayed on the details tab of the tool control page. (required)

Contact information

primary owner:	<input type="text" value="Captain Nemo (captain)"/>
The staff member who is responsible for administration of this tool.	
backup owners:	<div style="display: flex; align-items: center;"> <div style="flex: 1;"> <input style="border: none; padding: 2px; width: 100%;" type="text" value="Available Users"/> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> Filter Choose all Remove all </div> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px; height: 150px; overflow-y: scroll;"> <p>Captain Nemo (captain) Conseil Aronnax (conseil) Door NEMO (NEMO_door) Kiosk External system integration (kiosk) Kiosk NEMO (NEMO_kiosk) Ned Land (ned) Pierre Aronnax (professor) Staff Cleanroom (staff) Tech Cleanroom (tech) Timed service NEMO (NEMO_timed_service) jerry bowser (jerry) test user (testuser) test user (testuser1)</p> </div> </div> <div style="flex: 1; background-color: #f0f0f0; padding: 5px; margin-left: 10px;"> <input style="border: none; padding: 2px; width: 100%;" type="text" value="Chosen Users"/> </div> </div>
notification email address:	<input type="text"/>
Messages that relate to this tool (such as comments, problems, and shutdowns) will be forwarded to this email address. This can be a normal email address or a mailing list address.	
location:	<input type="text" value="Cleanroom Bay 5"/>
phone number:	<input type="text" value="1234"/>

Figure 1060 Tools contact information

Reservation (Figure 1061)

- Reservation horizon – Users may create reservations this many days in advance. Leave this field blank to indicate that no reservation horizon exists for this area.
- Missed reservation threshold – The amount of time (in minutes) that an area reservation may go unused before it is automatically marked as "missed" and hidden from the calendar. The cancellation process is triggered by a timed job on the web server.

Reservation	
reservation horizon:	<input type="text" value="14"/>
	<p>Users may create reservations this many days in advance. Leave this field blank to indicate that no reservation horizon exists for this tool.</p>
missed reservation threshold:	<input type="text" value="15"/>
	<p>The amount of time (in minutes) that a tool reservation may go unused before it is automatically marked as "missed" and hidden from the calendar. Usage can be from any user, regardless of who the reservation was originally created for. The cancellation process is triggered by a timed job on the web server.</p>

Figure 1061 Tools reservation

Usage policy (Figure 1062)

- Policy off between times – Check this box to disable policy rules every day between the given times
- Policy off start time – The start time when policy rules should NOT be enforced
- Policy off end time – The end time when policy rules should NOT be enforced
- Policy off weekend – Whether or not policy rules should be enforced on weekends
- Minimum usage block time – The minimum amount of time (in minutes) that a user must reserve this tool for a single reservation. Leave this field blank to indicate that no minimum usage block time exists for this tool.
- Maximum usage block time – The maximum amount of time (in minutes) that a user may reserve this tool for a single reservation. Leave this field blank to indicate that no maximum usage block time exists for this tool.
- Maximum reservations per day – The maximum number of reservations a user may make per day for this tool.
- Minimum time between reservations – The minimum amount of time (in minutes) that the same user must have between any two reservations for this tool.
- Maximum future reservation time – The maximum amount of time (in minutes) that a user may reserve from the current time onwards.

Usage policy	
<input type="checkbox"/> policy off between times <small>Check this box to disable policy rules every day between the given times</small>	
policy off start time:	<input type="text"/> Now
<small>The start time when policy rules should NOT be enforced</small>	
policy off end time:	<input type="text"/> Now
<small>The end time when policy rules should NOT be enforced</small>	
<input type="checkbox"/> policy off weekend <small>Whether or not policy rules should be enforced on weekends</small>	
minimum usage block time:	<input type="text"/>
<small>The minimum amount of time (in minutes) that a user must reserve this tool for a single reservation. Leave this field blank to indicate that no minimum usage block time exists for this tool.</small>	
maximum usage block time:	<input type="text"/>
<small>The maximum amount of time (in minutes) that a user may reserve this tool for a single reservation. Leave this field blank to indicate that no maximum usage block time exists for this tool.</small>	
maximum reservations per day:	<input type="text"/>
<small>The maximum number of reservations a user may make per day for this tool.</small>	
minimum time between reservations:	<input type="text"/>
<small>The minimum amount of time (in minutes) that the same user must have between any two reservations for this tool.</small>	
maximum future reservation time:	<input type="text"/>
<small>The maximum amount of time (in minutes) that a user may reserve from the current time onwards.</small>	

Figure 1062 Tools usage policy

Area access (Figure 1063)

- Requires area access – drop down list select area. Indicates that this tool is physically located in a billable area and requires an active area access record in order to be operated. *Areas table*
- Grant physical access level upon qualification – drop down list select physical access level. The designated physical access level is granted to the user upon qualification for this tool. *Physical access levels table*
- Grant badge reader access upon qualification – text that corresponds to a door name setup through the external identity service. Badge reader access is granted to the user upon qualification for this tool.
- Interlock – drop down list select interlock channel to associate with this tool. *Interlocks table*

- Allow delayed logoff - Upon logging off users may enter a delay before another user may use the tool. Some tools require "spin-down" or cleaning time after use.

Area Access

requires area access:	<input style="width: 150px; height: 25px; border: 1px solid #ccc; margin-bottom: 5px;" type="text" value="-----"/> Indicates that this tool is physically located in a billable area and requires an active area access record in order to be operated.	
grant physical access level upon qualification:	<input style="width: 150px; height: 25px; border: 1px solid #ccc; margin-bottom: 5px;" type="text" value="-----"/> The designated physical access level is granted to the user upon qualification for this tool.	
grant badge reader access upon qualification:	<input style="width: 150px; height: 25px; border: 1px solid #ccc; margin-bottom: 5px;" type="text"/> Badge reader access is granted to the user upon qualification for this tool.	
interlock:	<input style="width: 150px; height: 25px; border: 1px solid #ccc; margin-bottom: 5px;" type="text" value="-----"/> 	
<input type="checkbox"/> allow delayed logoff Upon logging off users may enter a delay before another user may use the tool. Some tools require "spin-down" or cleaning time after use.		

Figure 1063 Tools area access

Dependencies (Figure 1064)

- Required resources – select from available resources and click the right arrow to add to chosen required resources. Multiple resources can be selected at the same time using shift or control keys. If a required resource is shutdown, this tool will not be available to users. Resource status is displayed on the tool control page. Resources are managed through the resources page. *Resources table*
- Nonrequired resources – select from available resources and click the right arrow to add to chosen nonrequired resources. Multiple resources can be selected at the same time using shift or control keys. If a nonrequired resource is shutdown, this tool will be available to users but will notify them of a potential problem. Resource status is displayed on the tool control page. Resources are managed through the resources page. *Resources table*

Dependencies

Required resources:

Available Required resources

- 2% SiH4
- Ar
- Bay 1
- Bay 2
- Bay 3
- Bay 4
- CF4
- CHF3
- CMP
- Cl2
- Exhaust
- House Vacuum

Chosen Required resources

- Bay 5
- Cleanroom

Choose all (*ctrl*) **Remove all** (*ctrl*)

Nonrequired resources:

Available Nonrequired resources

- 2% SiH4
- Ar
- Bay 1
- Bay 2
- Bay 3
- Bay 4
- Bay 5
- CF4
- CHF3
- CMP
- Cl2
- Cleanroom

Chosen Nonrequired resources

Choose all (*ctrl*) **Remove all** (*ctrl*)

Figure 1064 Tools dependencies

Tool Documents (Figure 1065)

- Tool documents can be uploaded and will be displayed on the tool control page near the bottom of the tool summary page.
- You can either click “Choose File” to upload a file or enter a URL to a file.
- Optionally a name can be set for the document. If not provided, the document filename will be used.
- To delete a file, either replace it or click the “DELETE?” checkbox for that file, then save.

TOOL DOCUMENTS			
DOCUMENT	URL	NAME <small>?</small>	DELETE?
Manual			<input type="checkbox"/>
<input type="button" value="Choose File"/> No file chosen	<input type="text" value="http://documents/sputter_manual.pdf"/>	<input type="text" value="Manual"/>	<input type="checkbox"/>
Sputter_SOP.pdf			<input type="checkbox"/>
Currently: tool_documents/asml-stepper/Sputter_SOP.pdf <input type="button" value="Clear"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>
Change: <input type="button" value="Choose File"/> No file chosen	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>
<input type="button" value="Choose File"/> No file chosen	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>
<input type="button" value="Choose File"/> No file chosen	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>
 Add another Tool documents			

Figure 1065 Tools documents

35.45.4 User access page

There is no user access page to create tools. However, once created, several parameters can be updated in NEMO pages.

- Qualified users are managed on the [users page](#) detailed starting on page 260, the [training page](#) detailed starting on page 256, or the [qualifications page](#) detailed starting on page 223.
- Most tool attributes are displayed on the [tool control pages](#) detailed starting on page 81.
- Reservation and usage policy are discussed in the [reservations section](#) detailed starting on page 49.
- Dependency status is updated on the [resources page](#) detailed starting on page 231.

35.46 Training sessions

35.46.1 Usage

The training sessions table records the time and type of training provided. It is updated directly from the training page and under normal situations this table should not need to be directly modified. If a facility charges for training, this table contains the training to be billed and duration.

35.46.2 Summary page

The summary page provides a listing of training sessions (Figure 1066). Click the id field in the row of interest to edit.

<input type="checkbox"/>	ID	TRAINER	TRAINEE	TOOL	PROJECT	TYPE	DATE	DURATION	QUALIFIED
<input type="checkbox"/>	9	Captain Nemo (captain)	Pierre Aronnax (professor)	Microscope	Project 2	Group	Thursday, May 14th, 2020 @ 1:26 PM	33	✖
<input type="checkbox"/>	8	Captain Nemo (captain)	Pierre Aronnax (professor)	Solvent Hood	Project 1	Group	Thursday, May 14th, 2020 @ 12:39 PM	1	✓
<input type="checkbox"/>	7	Captain Nemo (captain)	Pierre Aronnax (professor)	Sputter	Project 2	Group	Wednesday, May 13th, 2020 @ 9:10 PM	99	✖
<input type="checkbox"/>	6	Captain Nemo (captain)	Ned Land (ned)	Chlorine Etch	Project 1	Individual	Wednesday, May 13th, 2020 @ 9:10 PM	34	✓
<input type="checkbox"/>	5	Captain Nemo (captain)	Pierre Aronnax (professor)	Spinner	Project 2	Individual	Friday, May 8th, 2020 @ 12:52 PM	15	✓
<input type="checkbox"/>	4	Captain Nemo (captain)	Conseil Aronnax (conseil)	Sputter	Project 1	Group	Friday, May 8th, 2020 @ 12:52 PM	30	✓
<input type="checkbox"/>	3	Captain Nemo (captain)	Conseil Aronnax (conseil)	Evaporator	Project 1	Group	Monday, May 4th, 2020 @ 4:32 PM	60	✓
<input type="checkbox"/>	2	Captain Nemo (captain)	Ned Land (ned)	Evaporator	Project 1	Group	Monday, May 4th, 2020 @ 4:32 PM	60	✓
<input type="checkbox"/>	1	Captain Nemo (captain)	Ned Land (ned)	Ellipsometer	Project 2	Individual	Wednesday, April 22nd, 2020 @ 2:40 PM	60	✓

Select training session to change

Action: Go 0 of 9 selected

ADD TRAINING SESSION +

FILTER

By qualified

All Yes No

By date

Any date Today Past 7 days This month This year

By type

All Individual Group

By tool

All Acid Hood CHIRAL

Figure 1066 Training sessions summary page

35.46.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1067). [Common features in detailed administration](#) is detailed on page 384.

Change training session

Trainer:	Captain Nemo (captain)	 
Trainee:	Pierre Aronnax (professor)	 
Tool:	Microscope	 
Project:	Project 2	 
Duration:	33	The duration of the training session in minutes.
Type:	Group	
Date:	Date: 05/14/2020	Today 
	Time: 01:26 PM	Now 
<input type="checkbox"/> Qualified Indicates that after this training session the user was qualified to use the tool.		

Figure 1067 Training sessions add/edit page

- Trainer – drop down list select the staff user that performed the training. (required) *Users table*
- Trainee – drop down list select the user that received training. (required) *Users table*
- Tool – drop down list select the tool that training was performed on. (required) *Tools table*
- Project – drop down list select the project to charge training to. (required) *Projects table*
- Duration – the training duration in whole minutes. (required)
- Type – drop down list select group or individual. (required)
- Date – date/time the training activity was recorded. (required)
- Qualified – checkbox indicates if the user was qualified to use the tool after the training session.

35.46.4 User access page

Training sessions are maintained on the [training page](#) detailed on page 256.

35.47 Usage events

35.47.1 Usage

The usage events table records all tool usage based on log in and log out events on the tool control page. Under normal situations this table should not need to be directly modified. If a facility charges for tool usage, this table contains the usage events to be billed and duration.

35.47.2 Summary page

The summary page provides a listing of usage events (Figure 1068). Click the id field in the row of interest to edit.

Home > Nemo > Usage events						
Select usage event to change						
2018 2020						
Action:	<input type="text"/> Go 0 of 85 selected					
ID	TOOL	USER	OPERATOR	PROJECT	START	END
86	Chlorine Etch	Captain Nemo (captain)	Captain Nemo (captain)	Cleanroom Maint	Monday, September 21st, 2020 @ 5:03 PM	-
85	Chlorine Etch	Staff Cleanroom (staff)	Staff Cleanroom (staff)	Cleanroom Maint	Monday, September 21st, 2020 @ 4:03 PM	Monday,
84	Ellipsometer	Pierre Aronnax (professor)	Pierre Aronnax (professor)	Project 1	Monday, September 21st, 2020 @ 4:03 PM	Monday,
83	Sputter	Ned Land (ned)	Ned Land (ned)	Project 2	Monday, September 21st, 2020 @ 4:02 PM	Monday,
82	PECVD	Captain Nemo (captain)	Captain Nemo (captain)	Cleanroom Maint	Monday, September 21st, 2020 @ 3:00 PM	Monday,
81	PECVD	Captain Nemo (captain)	Captain Nemo (captain)	Cleanroom Maint	Monday, September 21st, 2020 @ 11:54 AM	Monday,
80	PECVD	Ned Land (ned)	Captain Nemo (captain)	Project 1	Monday, September 21st, 2020 @ 11:52 AM	Monday,
79	Sputter	Captain Nemo (captain)	Captain Nemo (captain)	Cleanroom Eng	Monday, June 8th, 2020 @ 4:08 PM	Wednesday
78	PECVD	Ned Land (ned)	Captain Nemo (captain)	Project 1	Thursday, May 21st, 2020 @ 5:47 PM	Wednesday
77	Ellipsometer	Ned Land (ned)	Captain Nemo (captain)	Project 1	Thursday, May 21st, 2020 @ 5:44 PM	Wednesday
76	Ellipsometer	Pierre Aronnax (professor)	Staff Cleanroom (staff)	Project 2	Tuesday, May 12th, 2020 @ 2:47 PM	Tuesday

ADD USAGE EVENT +

FILTER

By start

- Any date
- Today
- Past 7 days
- This month
- This year

By end

- Any date
- Today
- Past 7 days
- This month
- This year
- No date
- Has date

By tool

- All
- Acid Hood
- CMP tool
- Chlorine Etch

Figure 1068 Usage events summary page

35.47.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1069). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > Usage events > 79

Change usage event

User:	Captain Nemo (captain)		
Operator:	Captain Nemo (captain)		
Project:	Cleanroom Eng		
Tool:	Sputter		
Start:	Date: 06/08/2020	Today	
	Time: 04:08 PM	Now	
End:	Date: 06/10/2020	Today	
	Time: 04:00 PM	Now	
<input type="checkbox"/> Validated			
Run data:	<pre>{ "gold_used": "1" }</pre>		

Figure 1069 Usage events add/edit page

- User – drop down list select the user using the tool. This is the person being billed. (required) *Users table*
- Operator – drop down list select the user using the tool. This is the person using the tool so it could be the user or a staff member on behalf of the user. (required) *Users table*
- Project – drop down list select the project to charge usage to. (required) *Projects table*
- Tool – drop down list select the tool in use. (required) *Tools table*
- Start – data/time the usage event started. (required)
- End – data/time the usage event ended. Active usage has a blank end date/time.
- Validated – checkbox indicates if the staff member confirmed the usage was correct. Only applies to tool run on behalf of another user.
- Run data – contains the answers to any post usage questions in json format.

35.47.4 User access page

Training sessions are maintained on the [training page](#) detailed on page 256.

35.48 User preferences

35.48.1 Usage

The user preferences table records the preferences for each user that are settable in NEMO. User preferences are automatically created and updated from the [user preference page](#) detailed on page 177.

35.48.2 Summary page

The summary page provides a listing of user preferences (Figure 1070). Click the user field in the row of interest to edit.

The screenshot shows a web-based application interface for managing user preferences. At the top, a blue header bar displays the navigation path: Home > Nemo > User preferences. Below the header, the main content area has a light gray background. A heading "Select User preferences to change" is centered at the top of the content area. Below the heading, there is a form with the following elements:

- An "Action:" dropdown menu with a downward arrow icon, currently set to "-----".
- A "Go" button to the right of the dropdown.
- A status message "0 of 5 selected" to the right of the Go button.
- A list of users, each preceded by a small square checkbox:
 - USER
 - Conseil Aronnax (conseil)
 - Pierre Aronnax (professor)
 - jerry bowser (jerry)
 - Captain Nemo (captain)
 - Ned Land (ned)
- A footer message "5 User preferences" at the bottom of the list.

Figure 1070 User preference summary page

35.48.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1071). [Common features in detailed administration](#) is detailed on page 384.

Home › Nemo › User preferences › UserPreferences object (5)

Change User preferences

Created_reservation_invite
Whether or not to send a calendar invitation when creating a new reservation

Cancelled_reservation_invite
Whether or not to send a calendar invitation when cancelling a reservation

Figure 1071 User preference add/edit page

- **Created_reservation_invite** – checkbox indicates whether or not to send a calendar invitation when creating a new reservation
- **Cancelled_reservation_invite** – checkbox indicated whether or not to send a calendar invitation when cancelling a reservation

35.48.4 User access page

User preferences are automatically created and updated from the [user preference page](#) detailed on page 177.

35.49 User types

35.49.1 Usage

User types are optional but can be useful for binning users aiding in future analysis and trending. User types, if used, must be created in this table view and can be any text name. Any number can be defined. If no user types are defined, they are not displayed on the user page. User types are discussed in the [users page](#) detailed on page 260.

35.49.2 Summary page

The summary page provides a listing of user types (Figure 1072). Click the name field in the row of interest to edit.

<input type="checkbox"/>	NAME
<input type="checkbox"/>	NEMO_Services
<input type="checkbox"/>	Staff
<input type="checkbox"/>	User

Figure 1072 User types summary page

35.49.3 Fields

The add/change page for this table lists the fields that can be edited (Figure 1073). [Common features in detailed administration](#) is detailed on page 384.

Home > Nemo > User types > NEMO_Services

Change user type

Name:

Figure 1073 User types add/edit page

- Name – the name can be up to 200 characters (required).

35.49.4 User access page

There is no user access page to create user types however, user types are discussed in the [users page](#) detailed on page 260.

35.50 Users

35.50.1 Usage

The users table lists each user, their permissions, important dates, and qualifications. Users are created and maintained from the [users page](#) detailed on page 260. However, some attributes may be updated from other pages and some attributes may only be set directly from this page. If an attribute can be set from a page other than the users page, it will be noted in the field details below.

35.50.2 Summary page

The summary page provides a listing of tools (Figure 1074). Click the name field in the row of interest to edit.

	FIRST NAME	LAST NAME	USERNAME	EMAIL ADDRESS	ACTIVE	DOMAIN	STAFF STATUS	TECHNICIAN STATUS	SERVICE PERSONEL
<input type="checkbox"/>	Captain	Nemo	captain	captain.nemo@nautilus.com	✓	✓	✓	✗	✗
<input type="checkbox"/>	Conseil	Aronnax	conseil	conseil@nautilus.com	✓	✗	✗	✗	✗
<input type="checkbox"/>	Door	NEMO	NEMO_door	door@nemo.com	✓	✗	✗	✗	✗
<input type="checkbox"/>	Kiosk	NEMO	NEMO_kiosk	kiosk@nemo.com	✓	✗	✗	✗	✗
<input type="checkbox"/>	Kiosk	External system integration	kiosk	kiosk@nemo.com	✓	NEMO	✗	✗	✗
<input type="checkbox"/>	Ned	Land	ned	ned.land@nautilus.com	✓	✗	✗	✗	✗
<input type="checkbox"/>	Pierre	Aronnax	professor	pierre.aronnax@nautilus.com	✓	NEMO	✗	✗	✗
<input type="checkbox"/>	Staff	Cleanroom	staff	staff@nautilus.com	✓	NEMO	✓	✗	✗
<input type="checkbox"/>	Tech	Cleanroom	tech	tech@nautilus.com	✓	NEMO	✗	✗	✓
<input type="checkbox"/>	Timed service	NEMO	NEMO_timed_service	time@nemo.com	✓	✗	✗	✗	✗
<input type="checkbox"/>	jerry	bowser	jerry	jerry@home.com	✓	NEMO	✗	✗	✗
<input type="checkbox"/>	test	user	testuser1s	test@nemo.com	✓	✗	✗	✗	✗
<input type="checkbox"/>	test	user	testuser1	testuser@nemo.com	✓	✗	✗	✗	✗
<input type="checkbox"/>	test	user	testuser	test@use.com	✓	✗	✗	✗	✗

FILTER

- By active
 - All
 - Yes
 - No
- By domain
 - All
 - NEMO
- By staff status
 - All
 - Yes
 - No
- By technician status
 - All
 - Yes
 - No
- By service personnel
 - All
 - Yes
 - No
- By superuser status
 - All
 - Yes
 - No

Figure 1074 Users summary page

35.50.3 Fields

The add/change page for this table lists the fields that can be edited. [Common features in detailed administration](#) is detailed on page 384.

Personal Information (Figure 1075)

- First name – text field of the users first name. (required)
- Last name – text field of the users last name. (required)
- Username – text field of the users username. This is the name the user authenticates with. (required)

- Email address – text field of the users email address. NEMO uses emails to provide useful updates and information to users. (required)
- Badge number – the badge number associated with this user. This field must correctly correspond to a user in order for the entrance tablet and kiosk systems to work properly.
- Type – drop down list select user type from list. This is an informational user type for grouping users for future data analysis. *User types*
- Domain – If the identity service is being used to validate users against multiple domains, enter the active directory domain that the account resides on. Not needed for single domain implementations.

Home > Nemo > Users > Captain Nemo (captain)

Change user

HISTORY

Personal information

First name:	Captain
Last name:	Nemo
Username:	captain
Email address:	captain.nemo@nautilus.com
Badge number:	12 <small>The badge number associated with this user. This number must correctly correspond to a user in order for the tablet-login system (in the lobby) to work properly.</small>
Type:	----- <input type="button" value="▼"/> <input type="button" value="✎"/> <input type="button" value="+"/> <input type="button" value="✖"/>
Domain:	<input type="text"/> <small>The Active Directory domain that the account resides on</small>

Figure 1075 Users personal information

Permissions (Figure 1076)

- Active – checkbox designates whether this user can log in. Unselect this instead of deleting accounts.
- Staff Status – checkbox designates whether the user can log into this admin site. Can only be changed from this page.

- Technician Status – checkbox specifies how to bill staff time for this user. When checked, customers are billed at technician rates. Can only be changed from this page. Can only be changed from this page.
- Service Personnel – checkbox designates this user as service personnel. Service personnel can operate qualified tools without a reservation even when they are shutdown or during an outage and can access authorized areas without a reservation. Can only be changed from this page.
- Superuser status – checkbox designates that this user has all permissions without explicitly assigning them. Can only be changed from this page.
- Training required – checkbox when selected, the user is blocked from all reservation and tool usage capabilities.

Permissions
<input checked="" type="checkbox"/> Active Designates whether this user can log in. Unselect this instead of deleting accounts.
<input checked="" type="checkbox"/> Staff status Designates whether the user can log into this admin site.
<input checked="" type="checkbox"/> Technician status Specifies how to bill staff time for this user. When checked, customers are billed at technician rates.
<input type="checkbox"/> Service personnel Designates this user as service personnel. Service personnel can operate qualified tools without a reservation even when they are shutdown or during an outage and can access authorized areas without a reservation.
<input checked="" type="checkbox"/> Superuser status Designates that this user has all permissions without explicitly assigning them.
<input type="checkbox"/> Training required When selected, the user is blocked from all reservation and tool usage capabilities.

Figure 1076 Users permissions

Additional Permissions (Figure 1077)

- Groups – groups can be used to list common user permissions into a single item to make assignment easier. Select from available groups and click the right arrow to add to chosen groups. Multiple groups can be selected at the same time using shift or control keys. Groups can be created from the detailed administration groups page. Normally, groups do not need to be assigned to users. Can only be changed from this page.
- User permissions – user permissions pertain to either detailed administration access or behind the scenes activity such as doors and kiosks. Select from available user permissions and click the right arrow to add to chosen user permissions. Multiple user permissions can be selected at the same time using shift or control keys. Normally, user permissions do not need to be assigned to users. Can only be changed from this page.
- Physical access levels – physical access levels determine what area access a user has and when. Select from available physical access levels and click the right arrow to add to chosen physical access levels. Multiple physical access levels can be selected at the same time using shift or control keys. *Physical access levels table*

The screenshot shows a user interface for managing permissions. It is divided into two main sections: "User permissions" and "Physical access levels".

User permissions:

- Available user permissions:**
 - NEMO | activity history | Can delete activity history
 - NEMO | activity history | Can view activity history
 - NEMO | alert | Can add alert
 - NEMO | alert | Can change alert
 - NEMO | alert | Can delete alert
 - NEMO | alert | Can view alert
 - NEMO | alert category | Can add alert category
 - NEMO | alert category | Can change alert category
 - NEMO | alert category | Can delete alert category
 - NEMO | alert category | Can view alert category
 - NEMO | area | Can add area
 - NEMO | area | Can change area
 - NEMO | area | Can delete area
 - NEMO | area | Can view area
- Chosen user permissions:** (Empty)
- Buttons:** Choose all (with a circular arrow icon), Remove all (with a circular arrow icon).
- Note:** Specific permissions for this user. Hold down "Control", or "Command" on a Mac, to select more than one.

Physical access levels:

- Available physical access levels:**
 - CMP Anytime
 - Cleanroom anytime
 - Cleanroom normal business hours
- Chosen physical access levels:** (Empty)
- Buttons:** Choose all (with a circular arrow icon), Remove all (with a circular arrow icon).
- Note:** Hold down "Control", or "Command" on a Mac, to select more than one.

Figure 1077 Users additional permissions

Important Dates (Figure 1078)

- Date joined – date/time the user record was created. This field is automatically set and should not be changed.
- Last login – date/time the user last authenticated into NEMO. This field is automatically set and should not be changed.
- Access expiration – date/time the user will lose all access rights. Typically, this is used to ensure that safety training has been completed by the user every year and that users don't have perpetual access.

Important dates		
Date joined:	Date: 12/10/2012	Today
	Time: 11:43 AM	Now
Last login:	Date: 09/21/2020	Today
	Time: 11:50 AM	Now
Access expiration:	04/09/2021	Today
The user will lose all access rights after this date. Typically this is used to ensure that safety training has been completed by the user every year.		

Figure 1078 Users important dates

Facility Information (Figure 1079 & Figure 1080)

- Qualifications – select from available tool qualifications and click the right arrow to add to chosen tool qualifications. Multiple tool qualifications can be selected at the same time using shift or control keys.
- Backup owner on tools – select from available tools and click the right arrow to add the chosen tool. Multiple tools can be selected at the same time using shift or control keys.
- Superuser on tools – select from available tools and click the right arrow to add the chosen tool. Multiple tools can be selected at the same time using shift or control keys.
- Projects - select from available projects and click the right arrow to add to chosen projects. Multiple projects can be selected at the same time using shift or control keys.
- Managed projects - select from available projects and click the right arrow to add to chosen projects. Multiple projects can be selected at the same time using shift or control keys.

Facility information

Qualifications:

Available qualifications	Chosen qualifications
<input type="text" value="Filter"/> Choose all	Dicing saw PECVD Sinter

Backup owner on tools:

Available tools	Chosen tools
<input type="text" value="Filter"/> Choose all	Dicing saw PECVD Sinter

Superuser on tools:

Available tools	Chosen tools
<input type="text" value="Filter"/> Dicing saw PECVD Sinter	Choose all

Figure 1079 Users facility information




Figure 1080 Users facility information (continued)

35.50.4 User access page

Users are created and maintained from the [users page](#) detailed on page 260 or directly in this table view. The permissions that give elevated user status are only settable or updateable in this table view.

Once created, some parameters can be updated in NEMO pages other than the users page.

- Qualified users can also be managed on the [training page](#) detailed starting on page 256, or the [qualifications page](#) detailed starting on page 223.
- Projects can also be managed in the [Accounts and projects](#) section detailed on page 182.

36 API access

36.1 Usage

- The API base access page is accessible at site-address/API/. For example, www.nemo.com/API/. A list of available data tables will be displayed (Figure 1081).
- Several tables are available through the API
 - Billing: "site-address/api/billing/?start={startdate}&end={enddate}"
 - The billing api requires parameters and is therefore not displayed on the api root page. Accessing billing information is discussed later in this section.
 - accounts: "site-address /api/accounts/",
 - area_access_records: "site-address /api/area_access_records/",
 - areas: "site-address /api/areas/",
 - projects: "site-address /api/projects/",
 - reservations: "site-address /api/reservations/",
 - resources: "site-address /api/resources/",
 - scheduled_outages: "site-address /api/scheduled_outages/",
 - staff_charges: "site-address /api/staff_charges/",
 - tasks: "site-address /api/tasks/",
 - tools: "site-address /api/tools/",
 - training_sessions: "site-address /api/training_sessions/",
 - usage_events: "site-address /api/usage_events/",
 - users: "site-address/api/users/"


The screenshot shows a browser window displaying the Django REST framework's API root view. The title bar says "Django REST framework" and "Captain Nemo (captain)". The main content area is titled "Api Root" and contains the text "The default basic root view for DefaultRouter". Below this, there is a "GET /api/" button. The response body is shown in a code block:

```
HTTP 200 OK
Allow: GET, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

{
    "accounts": "http://localhost:8000/api/accounts/",
    "area_access_records": "http://localhost:8000/api/area_access_records/",
    "areas": "http://localhost:8000/api/areas/",
    "projects": "http://localhost:8000/api/projects/",
    "reservations": "http://localhost:8000/api/reservations/",
    "resources": "http://localhost:8000/api/resources/",
    "scheduled_outages": "http://localhost:8000/api/scheduled_outages/",
    "staff_charges": "http://localhost:8000/api/staff_charges/",
    "tasks": "http://localhost:8000/api/tasks/",
    "tools": "http://localhost:8000/api/tools/",
    "training_sessions": "http://localhost:8000/api/training_sessions/",
    "usage_events": "http://localhost:8000/api/usage_events/",
    "users": "http://localhost:8000/api/users/"
}
```

Figure 1081 API access root

- Directly enter the web address or click on the address link of any table to access the data (Figure 1082). The example below was reached with the address “site-address/api/users/”



The screenshot shows a Django REST framework API endpoint for a user list. The top navigation bar includes 'Django REST framework' and 'Captain Nemo (captain)'. Below this, the URL 'Api Root / User List' is shown. On the right, there are buttons for 'Filters', 'OPTIONS', and a dropdown menu set to 'GET'. The main content area displays the response to a GET request to '/api/users/'. It shows the following JSON output:

```

HTTP 200 OK
Allow: GET, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

{
    "count": 3,
    "next": null,
    "previous": null,
    "results": [
        {
            "id": 1,
            "first_name": "Captain",
            "last_name": "Nemo",
            "username": "captain",
            "email": "captain.nemo@nautilus.com",
            "date_joined": "2012-12-10T11:43:37-05:00",
            "badge_number": null,
            "is_active": true,
            "is_staff": true,
            "is_superuser": true,
            "is_technician": false,
            "is_service_personnel": false
        },
        {
            "id": 3,
            "first_name": "Ned",
            ...
        }
    ]
}

```

Figure 1082 API access example data list view

- To remove all formatting and convert the data to a json output stream, add the parameter “format=json” or select the drop down in the top right corner then select json from the list (Figure 1083).




Figure 1083 API access change to json view

- The page output will now be in json format which can be parsed in many external software packages for analysis or billing (Figure 1084). The example below was reached with the address “site-address/api/users/?format=json”

```
{
  "count": 3,
  "next": null,
  "previous": null,
  "results": [
    {
      "id": 1,
      "first_name": "Captain",
      "last_name": "Nemo",
      "username": "captain",
      "email": "captain.nemo@nautilus.com",
      "date_joined": "2012-12-10T11:43:37-05:00",
      "badge_number": null,
      "is_active": true,
      "is_staff": true,
      "is_superuser": true,
      "is_technician": false,
      "is_service_personnel": false
    },
    {
      "id": 3,
      "first_name": "Ned",
      "last_name": "Land",
      "username": "ned",
      "email": "ned.land@nautilus.com",
      "date_joined": "2012-12-10T11:49:38-05:00",
      "badge_number": null,
      "is_active": true,
      "is_staff": false,
      "is_superuser": false,
      "is_technician": false,
      "is_service_personnel": false
    },
    {
      "id": 2,
      "first_name": "Pierre",
      "last_name": "Aronnax",
      "username": "professor",
      "email": "pierre.aronnax@nautilus.com",
      "date_joined": "2012-12-10T11:48:43-05:00",
      "badge_number": null,
      "is_active": true,
      "is_staff": false,
      "is_superuser": false,
      "is_technician": false,
      "is_service_personnel": false
    }
  ]
}
```

Figure 1084 API access example data json view

36.2 Special parameters

The “expand” parameter can be used to request fully nested object in the response. For example, this is the view without expand. “site-address/api/projects/” (Figure 1085)

```

HTTP 200 OK
Allow: GET, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

{
  "count": 3,
  "next": null,
  "previous": null,
  "results": [
    {
      "id": 1,
      "name": "Cleanroom Eng",
      "application_identifier": "PROJ.2019.02",
      "start_date": null,
      "active": true,
      "allow_consumable_withdrawals": true,
      "account": 1,
      "only_allow_tools": []
    },
    ...
  ]
}

```

Figure 1085 API access example projects

And this is an example with expand. “<http://localhost:8005/api/projects/?expand=account>” (Figure 1086)

Django REST framework Captain Nemo (captain)

Api Root / Project List

Project List

`GET /api/projects/?expand=account`

HTTP 200 OK
Allow: GET, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

```
{
    "count": 3,
    "next": null,
    "previous": null,
    "results": [
        {
            "id": 1,
            "name": "Cleanroom Eng",
            "application_identifier": "PROJ.2019.02",
            "start_date": null,
            "active": true,
            "allow_consumable_withdrawals": true,
            "account": {
                "id": 1,
                "name": "Cleanroom Staff",
                "start_date": null,
                "active": true,
                "type": null
            },
            "only_allow_tools": []
        }
    ]
}
```

Figure 1086 API access example projects with expand

The parameter “fields” can be used to select specific fields to be retrieved. For example “site-address/api/projects/?fields=name” will only retrieve the name of the projects (Figure 1087)

Django REST framework Captain Nemo (captain)

Api Root / Project List

Project List


`GET /api/projects/?fields=name`

HTTP 200 OK
Allow: GET, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

```
{
    "count": 3,
    "next": null,
    "previous": null,
    "results": [
        {
            "name": "Cleanroom Eng"
        },
        {
            "name": "Project 2"
        },
        {
            "name": "Project 3"
        }
    ]
}
```

Figure 1087 API access example projects with fields

Using the same syntax, “?omit=name” can be used to retrieve all fields except “name” (Figure 1088)



Django REST framework Captain Nemo (captain)

Api Root / Project List

Project List

GET /api/projects/?omit=name

HTTP 200 OK

Allow: GET, HEAD, OPTIONS

Content-Type: application/json


Vary: Accept

```
{ "count": 3, "next": null, "previous": null, "results": [ { "id": 1, "application_identifier": "PROJ.2019.02", "start_date": null, "active": true, "allow_consumable_withdrawals": true, "account": 1, "only_allow_tools": [] } ] }
```

Figure 1088 API access example projects with omit

36.3 Access Errors

If an error is received, the user may not have permission to access the API interface (Figure 1089). Users accessing the API must have either superuser status or have the “Can use billing API” permission.



Django REST framework Conseil Aronnax (conseil)

Api Root

Api Root

GET /api/

HTTP 403 Forbidden

Allow: GET, HEAD, OPTIONS

Content-Type: application/json

Vary: Accept

```
{ "detail": "You do not have permission to perform this action." }
```

Figure 1089 API access permission error

The authentication class must be set for the method you plan to access the API, or you will receive an error (Figure 1090). To use token authentication which is the easiest way for a program such as Excel to retrieve data, the following setting must be used in the REST_FRAMEWORK section of the setting.py: 'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework.authentication.TokenAuthentication'). Then, a token must be created for the user that will access the API. When token authentication is enabled, tokens can be created in the detailed administration tokens table.

To allow web address access, add ('rest_framework.authentication.SessionAuthentication') to the authentication class tuple.




Figure 1090 API access authentication error

36.4 Billing information

Billing information can be directly accessed in a date range through the billing API. The billing API requires a start date (start) and end date (end) to be passed as arguments.

Valid parameters are:

- **start** (required): date in format MM/DD/YYYY
- **end** (required): date in format MM/DD/YYYY
- **username**: username of a user to get billing for
- **account_name**: name of the account to get billing for
- **account_id**: id of the account to get billing for
- **project_name**: name of the project to get billing for
- **project_id**: id of the project to get billing for
- NOTE: If valid start and end dates are not given, an error will be returned (Figure 1091).

Django REST framework Captain Nemo (captain)

Api Root / Billing

Billing

OPTIONS GET ▾

```
GET /api/billing
```

```
HTTP 400 Bad Request
Allow: OPTIONS, GET
Content-Type: application/json
Vary: Accept

{
    "start": [
        "This field is required."
    ],
    "end": [
        "This field is required."
    ]
}
```

Figure 1091 API access billing date range error

- The format for requesting billing information through the API is site-address/api/billing?start=1/1/2020&end=12/31/2020. This request will produce the output in Figure 1092.

Figure 1092 API access example billing data list view

- The format for requesting billing information as a json stream is the same as the other tables; site-address/api/billing?start=1/1/2020&end=12/31/2020&format=json. This request will produce the output in Figure 1093.

```
[{"type": "tool_usage", "name": "Chlorine Etch", "details": "", "account": "Cleanroom Staff", "account_id": 4, "project": "Cleanroom Maint", "project_id": 4, "application": "Proj.2019.001", "username": "staff", "user_id": 6, "start": "09/21/2020 16:03:32", "end": "09/21/2020 16:23:38", "quantity": 20.08}, {"type": "tool_usage", "name": "Ellipsometer", "details": "", "account": "Account 1", "account_id": 1, "project": "Project 1", "project_id": 1, "application": "PROJ.123", "username": "professor", "user_id": 2, "start": "09/21/2020 16:03:02", "end": "09/21/2020 16:23:40", "quantity": 20.62}, {"type": "tool_usage", "name": "Sputter", "details": "", "account": "Account 2", "account_id": 2, "project": "Project 2", "project_id": 2, "application": "PROJ.456", "username": "ned", "user_id": 3, "start": "09/21/2020 16:02:39", "end": "09/21/2020 16:23:43", "quantity": 21.07}, {"type": "tool_usage", "name": "PECVD", "details": "", "account": "Cleanroom Staff", "account_id": 4, "project": "Cleanroom Maint", "project_id": 4, "application": "Proj.2019.001", "username": "captain", "user_id": 1, "start": "09/21/2020 15:00:39", "end": "09/21/2020 16:23:41", "quantity": 83.02}, {"type": "tool_usage", "name": "PECVD", "details": "", "account": "Cleanroom Staff", "account_id": 4, "project": "Cleanroom Maint", "project_id": 4, "application": "Proj.2019.001", "username": "captain", "user_id": 1, "start": "09/21/2020 11:54:07", "end": "09/21/2020 15:00:33", "quantity": 186.42}, {"type": "tool_usage", "name": "PECVD", "details": "Work performed by Captain Nemo (captain) on your behalf", "account": "Account 1", "account_id": 1, "project": "Project 1", "project_id": 1, "application": "PROJ.123", "username": "ned", "user_id": 3, "start": "09/21/2020 11:52:45", "end": "09/21/2020 11:53:03", "quantity": 0.28}, {"type": "tool_usage", "name": "Sputter", "details": "", "account": "Cleanroom Staff", "account_id": 4, "project": "Cleanroom Eng", "project_id": 6, "application": "Proj.2019.002", "username": "captain", "user_id": 1, "start": "06/08/2020
```

Figure 1093 API access example billing data json view

37 Kiosk

Kiosks provide a quick and convenient way for users to access tools and reservations. The kiosk can run on any device with web access but requires a card reader and NEMO user with permission to act as a kiosk.

37.1 Setup

The use of a kiosk tablet requires a tablet or computer configured to interface with NEMO and send the appropriate messages.

37.1.1 Kiosk user

A dedicated NEMO user should be setup for kiosk tablets. That user must have the following permissions which are set in the users table of the database:

- NEMO|user|Kiosk services

37.1.2 Card reader

The kiosk tablet uses a badge reader to identify the user. Usually, an identity card that users of the facility already have can be utilized, but there are also tokens that can be used. NEMO defaults to expecting the F2 character to start recording the badge number and another F2 character to end and submit the badge number similar to what is provided by a pcProx Plus card reader (Figure 1094). NIST does not endorse this product but the information is provided as an example of the type of reader that can be used.



Figure 1094 Kiosk card reader example

If your card reader uses different characters, a custom badge reader configuration can be setup in the [badge reader table](#) detailed starting on page 410.

Once the card reader is setup, it can be tested by opening notepad or other computer text editor software then scan a badge. A serial number should be seen (Figure 1095).




Figure 1095 Kiosk card reader test example

37.1.3 User setup

Now that the card reader is setup, each user needs to have their badge number entered into their user profile. This is easily accomplished by setting up a card reader on a computer that has access to NEMO by a staff member. Then follow these steps:

- Navigate to the Administration → Users page (Figure 1096)




Figure 1096 Kiosk card reader users page

- Enter the user name of interest and click their name when it appears or create a new user if needed (Figure 1097).





Figure 1097 Kiosk user name

- Click in the badge number dialog box and ensure there are no characters already entered (Figure 1098).



The screenshot shows the 'Modify user' form. It includes fields for First name (Captain), Last name (Nemo), User name (captain), E-mail address (captain.nemo@nautilus.com), Type (a dropdown menu showing a placeholder), Badge number (an empty input field), and Access expiration (set to 04/09/2021 and 'One year from now').

Figure 1098 Kiosk update user

- Then, scan the users badge. The badge number will fill in and the user dialog will close (Figure 1099).

NEMO Calendar Tool control Status dashboard Administration ▾

Search for another user
View user history
Safely deactivate this user

Modify user

First name	Captain
Last name	Nemo
User name	captain
E-mail address	captain.nemo@nautilus.com
Type	-----
Badge number	137516826715
Access expiration	04/09/2021 One year from now

Figure 1099 Kiosk scan badge

- An update successful message will appear at the top of the users page (Figure 1100).

NEMO Calendar Tool control Status dashboard Administration ▾

Captain Nemo (captain) has been updated successfully

Users

Search for a user

Figure 1100 Kiosk update success

- Once the kiosk tablet is confirmed to be operational, repeat the badge update for all users.

37.1.4 Web page

The list of kiosk locations can be found on the kiosk summary page, site-address/kiosk/ (Figure 1101). The list is enumerated from the location field in the tool table. Since the field is a text input, it is important to make how locations are entered consistent (e.g. cleanroom is not the same as Cleanroom). This location is important for capturing near-by tools.

Kiosk locations

CMP Lab

Cleanroom Bay 1

Cleanroom Bay 2

Cleanroom Bay 3

Cleanroom Bay 4

Cleanroom Bay 5

NanoFab

Figure 1101 Kiosk summary page

- Kiosk URL format – site-address/kiosk/{location}/

In addition, the current occupants of an area can be displayed on the idle tablet by including the occupancy parameter and providing the case sensitive area name.

- Kiosk URL format – site-address/kiosk/{location}/?occupancy=Cleanroom

37.2 Usage

37.2.1 Access and main page

- When idle, the kiosk tablet will display the idle message (Figure 1102). The idle message can be edited in the kiosk.html page in the kiosk/templates directory.

Scan your badge to control tools

Figure 1102 Kiosk idle screen

- If the occupancy parameter is set for the area (e.g. site-address/kiosk/Cleanroom bay 2/?occupancy=Cleanroom), occupancy will be displayed as well (Figure 1103).

Scan your badge to control tools

Staff members are highlighted in green.

Service personnel are highlighted in orange.

Users with expired reservations are highlighted in red.

Cleanroom		0 / 3 people (+ 2 staff and 1 service personnel)
User	Since	Working on project...
Captain Nemo	Friday @ 9:30 AM	Cleanroom Maint
Tech Cleanroom	Thursday @ 5:58 PM	Cleanroom Maint
Staff Cleanroom	Thursday @ 5:58 PM	Cleanroom Eng

Figure 1103 Kiosk idle screen with area occupancy

- Scan your badge at the card reader to begin. NOTE: after a badge scan if the user is prompted for additional information and does not respond the page will automatically return to the welcome screen. Wait times vary and are detailed with each prompt below.
 - Each time a badge is scanned, the badge number is displayed on the screen greyed out (Figure 1104). This is useful when determining why a user's badge isn't opening a door.

137516826715, sent

Figure 1104 Kiosk badge scan

- If the badge isn't recognized, a message will be displayed, and the view will revert to the idle screen after 15 seconds (Figure 1105).

Your badge wasn't recognized. If you got a new one recently then we'll need to update your account. Please contact staff to resolve the problem.

Figure 1105 Kiosk badge error

- If there is a problem with user permissions, a message will be displayed, and the view will revert to the idle screen after 15 seconds (Figure 1106).

There was a problem communicating with the web server. Please visit the user office for assistance.

Figure 1106 Kiosk permission error

- Upon success, the kiosk main page will appear (Figure 1107). The page will revert to the idle screen after 75 seconds. The time remaining appears in the bottom right side of the screen. Anytime user input occurs, the timer is reset to 75 seconds.




Figure 1107 Kiosk main page

- Click the I've finished using the kiosk button to end the kiosk session (Figure 1108). If no activity is detected in 75 seconds, the view will revert to the idle screen.




Figure 1108 Kiosk finished button

- Current usage is displayed at the top of the screen (Figure 1109). Click the tool usage of interest to open that tools detail page.

Current NanoFab usage

Sputter

You are using this tool for the project named
Project 1 since Friday @ 11:07 AM

Figure 1109 Kiosk current usage

- Tool can be accessed by clicking the category (Figure 1110). Categories that are in grey mean the user does not have any qualifications on tools in that category. Clicking a category will open the tool selection page for the tool category.

Find a tool by category

[Deposition](#)

[Etch](#)

[Imaging](#)

[Inspection](#)

[Lithography](#)

[Wet Processing](#)

[Wet Processing/Acid](#)

[Wet Processing/Solvent](#)

Figure 1110 Kiosk find tool

- Upcoming reservations are displayed at the bottom of the screen (Figure 1111). Click the reservation of interest to open that tools detail page.

Upcoming Reservations

PECVD

Tuesday, August 3rd
 Starting 10:00 AM
 Ending 11:00 AM

Created by Mathieu Rampant (mrampant) on Monday, August 2nd,
 2021 @ 10:28 AM

[Cancel this reservation](#)

Figure 1111 Kiosk reservations

37.2.2 Tool selection

- Clicking a tool category on the main page will open the tool selection page for the selected category (Figure 1112).
 - Icons are displayed next to each tool to provide status information. [Tool status icons](#) are described on page 83.
 - Click the tool button to open the tool detail page for the selected tool.
 - Click the ‘Go back’ button to return to the main page.
 - The page will revert to the idle screen after 60 seconds of no activity.




Figure 1112 Kiosk tool selection

37.2.3 Tool detail

- Tool usage features are the same as the mobile view tool control features and are detailed in the [tool control section](#) starting on page 128.
- Tool reservation features are the same as the mobile view reservation features and are detailed in the [reservations section](#) starting on page 74.
- The tool detail page provides the tool status and buttons to use the tool and to reserve the tool (Figure 1113).




Figure 1113 Kiosk tool detail idle tool

- If a tool is currently in use, usage information, a stop usage button, and a make reservation button are provided (Figure 1114).





Figure 1114 Kiosk tool detail tool in use

- If the tool has numeric input post usage questions configured (Figure 1115), clicking in the dialog box will open a keypad for the user to enter the response (Figure 1116).



The dialog box is titled "Post usage questions". It contains the text "Tell us about the work you performed" and "Click add to enter up to 3 processes". Below this, there are two questions: "What material did you etch?" and "How long did you etch?". The "What material" question has a dropdown menu labeled "Pick one". The "How long" question has a text input field followed by a "minutes" unit indicator. At the bottom is a "Add" button.

Figure 1115 Kiosk post usage questions




Figure 1116 Kiosk post usage question and delayed logout numeric input keypad


- If the tool has delayed logout configured, clicking in the dialog box will open a keypad for the user to enter the delay time to prevent other users login (Figure 1117).

Delayed logoff

Use the following field to prevent others from using the tool for minutes after disabling the tool. [What's this?](#)

Figure 1117 Kiosk delayed logout dialog

- If a user clicks on a tool they are not qualified to use, information about how to get trained is provided (Figure 1118).



The dialog shows a yellow 'Go back' button at the top right. Below it is the tool name 'PECVD'. A green checkmark icon is followed by the text 'This tool is **operational** and **idle**'. A message states: 'You have not been qualified to use this tool yet. Please contact the primary tool owner, Captain Nemo (captain), if you would like to receive training for tool qualification.' It also says: 'If you are unable to reach Captain Nemo (captain) then please contact one of the backup tool owners:' followed by a bulleted list: '• Staff Cleanroom (staff)' and '• Tech Cleanroom (tech)'.

Figure 1118 Kiosk tool detail not qualified for tool

38 Entrance tablet

The entrance tablets are used to provide an interface for users to access the lab and choose the appropriate project to bill lab time against. Entrance tablets are associated with door that have been defined in the doors table of the database. This method allows multiple entrance and exit tablets to be associated with one area but multiple doors and locks. Tablets or computers can be configured to allow users to sign into an area and open the door (entrance tablet) as well as sign them out when they leave (exit tablet).

38.1 Setup

The use of an entrance or exit tablet requires a door that is tied to an interlock that will unlock a door and an entrance tablet configured to interface with NEMO and send the appropriate messages.

38.1.1 Door setup

Doors are setup in the [doors table](#) of the database detailed on page 438. The doors table associates areas with interlocks.

[Physical access levels](#) must be established to provide users with a time schedule that they can access a door and are detailed on page 460. Users are given physical access level permission on the users page.

Areas are created in the [areas table](#) of the database detailed on page 404 and are used to group tools into common spaces. When a tool is located in an area, the requires area access field in the tools table for the tool of interest should be updated to require the active area access. This will prevent users enabling or disabling the tool unless they are currently logged into the area.

Interlocks are created in the [interlocks table](#) detailed on page 447. An interlock must be associated with an interlock card which are created in the interlocks card table.

38.1.2 Entrance tablet user

A dedicated user should be setup for entrance tablets. That user must have the following permissions which are set in the users table of the database:

- NEMO|area access record|Can add area access record
- NEMO|area access record|Can change area access record

38.1.3 Card reader

The entrance tablet uses a badge reader to identify the user. Usually an identity card that users of the facility already have can be utilized, but there are also tokens that can be used. NEMO defaults to expecting the F2 character to start recording the badge number and another F2 character to end and submit the badge number similar to what is provided by a pcProx Plus

card reader (Figure 1119). NIST does not endorse this product but the information is provided as an example of the type of reader that can be used.



Figure 1119 Entrance tablet card reader example

If your card reader uses different characters, a custom badge reader configuration can be setup in the [badge reader table](#) detailed starting on page 410.

Once the card reader is setup, it can be tested by opening notepad or other computer text editor software then scan a badge. A serial number should be seen (Figure 1120).




Figure 1120 Entrance tablet card reader test example

38.1.4 User setup

Now that the door and card reader are setup, each user needs to have their badge number entered into their user profile and be given permission to access the door. This is easily

accomplished by setting up a card reader on a computer that has access to NEMO by a staff member. Then follow these steps:

- Navigate to the Administration → Users page (Figure 1121)




Figure 1121 Entrance tablet card reader users page

- Enter the user name of interest and click their name when it appears or create a new user if needed (Figure 1122).




Figure 1122 Entrance tablet user name

- Scroll down and update the physical access level for the user (Figure 1123). Note: staff and super users may already have access by default if the physical access level was set up to allow staff access. In that case, the checkboxes will be checked but greyed out.




Figure 1123 Entrance tablet physical access

- Click in the badge number dialog box and ensure there are no characters already entered (Figure 1124).

NEMO Calendar Tool control Status dashboard Administration ▾

Search for another user
View user history
Safely deactivate this user

Modify user

First name	Captain
Last name	Nemo
User name	captain
E-mail address	captain.nemo@nautilus.com
Type	-----
Badge number	
Access expiration	04/09/2021 One year from now

Figure 1124 Entrance tablet update user

- Then, scan the users badge. The badge number will fill in and the user dialog will close (Figure 1125).

NEMO Calendar Tool control Status dashboard Administration ▾

Search for another user
View user history
Safely deactivate this user

Modify user

First name	Captain
Last name	Nemo
User name	captain
E-mail address	captain.nemo@nautilus.com
Type	-----
Badge number	137516826715
Access expiration	04/09/2021 One year from now

Figure 1125 Entrance tablet scan badge

- An update successful message will appear at the top of the users page (Figure 1126).




Figure 1126 Entrance tablet update success

- Once the entrance tablet is confirmed to be operational, repeat the badge update for all users.

38.1.5 Web page

The webpage URL for each door is listed on the doors summary page (Figure 1127).

Home > Nemo > Doors				
Select door to change				
Action:	NAME	AREA	INTERLOCK	URL
<input type="checkbox"/>	Lab Entrance	Cleanroom	3ch Raspberry Pi Interlock: relay3, channel 3	/welcome_screen/1/ 1
1 door				

Figure 1127 Doors summary page

- Entrance URL – site-address/welcome_screen/{doors_ID}/
- Exit URL – site-address/farewell_screen/{doors_ID}/

In addition, the current occupants of the area can be displayed on the idle tablet by including the occupancy parameter and providing the case sensitive area name.

- Entrance URL with occupancy – site-address/welcome_screen/{doors_ID}/?occupancy=Cleanroom
- Exit URL – site-address/farewell_screen/{doors_ID}/?occupancy=Cleanroom

38.2 Usage

38.2.1 Entrance Tablet

- When idle, the entrance tablet will display the welcome message that was set in the area table for the area the entrance leads to (Figure 1128).




Figure 1128 Entrance tablet welcome screen

- If the occupancy parameter is set for the area (e.g. site-address/welcome_screen/1/?occupancy=Cleanroom), occupancy will be displayed as well (Figure 1129).




Figure 1129 Entrance tablet welcome screen with area occupancy

- Scan your badge at the card reader to begin the login process. NOTE: after a badge scan if the user is prompted for additional information and does not respond the page will

automatically return to the welcome screen. Wait times vary and are detailed with each prompt below.

- Each time a badge is scanned, the badge number is displayed on the screen greyed out (Figure 1130). This is useful when determining why a user's badge isn't opening a door.



Figure 1130 Entrance tablet badge scan

- If you have multiple projects, a dialog to select your project will appear (Figure 1131). Select the project to be billed or select 'Nevermind, don't log in' to return to the welcome screen. If no input is provided within 30 seconds, the page will return to the welcome screen.

Welcome to the Cleanroom, Captain!

Please choose a project to bill for area access.

You can always change your choice later.

Cleanroom Eng

Cleanroom Maint

Cleanroom Training

Nevermind, don't log in

137516826715, sent

Figure 1131 Entrance tablet multiple projects

- If you are already logged in to the area, a dialog with a list of possible actions is displayed (Figure 1132). Select the action to take. If no input is provided within 15 seconds, the page will return to the welcome screen.

According to our records, you're already logged into the Cleanroom under the project named Cleanroom Maint.

Please visit the NanoFab staff if you believe this is an error.

What would you like to do?

Do nothing and keep me logged in

Open the door and keep me logged in

Log out of the Cleanroom

137516826715, sent

Figure 1132 Entrance tablet already logged in


- Selecting ‘Do nothing and keep me logged in’ will return to the welcome screen.
- Selecting ‘Open the door and keep me logged in’ will display a door unlocked dialog (Figure 1133) and unlock the door for 8 seconds then return to the welcome screen.

The door is open.

137516826715, sent

Figure 1133 Entrance tablet door open


- Selecting ‘Log out of the Cleanroom’ will end your area access. Note: additional screens displayed are detailed in the Exit tablet section below.
- If an error occurs a dialog will appear informing the user of the issue. Log in errors are described in section 38.2.2 below.
- Upon success, the user will be logged into the area, a record will be recorded in the area access records table, a record will be recorded in the physical access logs table, and the door will open for 8 seconds. A success message will be displayed while the door is unlocked then revert to the welcome screen (Figure 1134).



You're logged in to the Cleanroom, Captain.
The door is open.
Access time is being charged to the project named Cleanroom Maint.
137516826715, sent

Figure 1134 Entrance tablet success message

- If the user was already logged into a different area, they will be prompted with a dialog notifying them that they were logged out of the other area and logged into the new area (Figure 1135).



You've been automatically logged out of the CMP lab, and you're now logged in to the Cleanroom, Ned.
The door is open.
Access time is being charged to the project named Project 1.
137516826652, sent

Figure 1135 Entrance tablet success message area change

38.2.2 Log in errors

If an error occurs a dialog will appear informing the user of the issue. Errors will be displayed for 15 seconds then the page will revert to the welcome screen.

- Physical access denied.
 - The area requires a reservation, and the user does not have one (Figure 1136). Requiring reservations to access an area are set in the [areas table](#) detailed on page 404.

Physical access denied

You do not have a current reservation for this area.
Please make a reservation before trying to access
this area.

137516826652, sent

Figure 1136 Entrance tablet reservation error

- The area occupancy limit has been reached (Figure 1137). Occupancy limits are set in the [areas table](#) detailed on page 404.

Physical access denied

The Cleanroom has reached its maximum capacity.
Please wait for somebody to leave and try again.

137516826652, sent

Figure 1137 Entrance tablet occupancy error

- No physical access levels have been granted to the user (Figure 1138). Physical access level permissions are set in the [users page](#) detailed on page 260 or the [users table](#) detailed on page 533.

Physical access denied

You have not been granted physical access to any NanoFab area. Please visit the User Office if you believe this is an error.

137516826652, sent

Figure 1138 Entrance tablet access level error

- Access has expired (Figure 1139). Access expiration dates are set in the [users page](#) detailed on page 260 or the [users table](#) detailed on page 533.

Physical access denied

Your physical access to the NanoFab has expired.
Have you completed your safety training within the last year? Please visit the User Office to renew your access.

137516826652, sent

Figure 1139 Entrance tablet access expired error

- The area has a scheduled outage in progress (Figure 1140). Scheduled outages are created on the [resources page](#) detailed on page 231 or the [scheduled outages table](#) detailed on page 487.




Figure 1140 Entrance tablet outage error

- The area has a physical access exception in progress. Physical access exceptions are used to block access that would normally be granted to a physical access level. This feature is used for holiday schedules, emergency closures, or other reasons to prevent access at an otherwise accessible time. More information about physical access exceptions can be found in the [Detailed administration → Physical access exceptions](#) section detailed starting on page 460.



- Account deactivated (Figure 1141). User accounts are activated/deactivated in the [users page](#) detailed on page 260 or the [users table](#) detailed on page 533.




Figure 1141 Entrance tablet deactivated error

- No active project (Figure 1142). Projects are associated with users on the [accounts and projects page](#) detailed on page 182, the [users page](#) detailed on page 260 or the [users table](#) detailed on page 533.

You are not a member of any active projects.

You won't be able to use any interlocked NanoFab tools.

Please visit the NanoFab user office for more information.

137516826652, sent

Figure 1142 Entrance tablet project error

- Badge not found (Figure 1143). Badge numbers are recorded for users in the [users page](#) detailed on page 260 or the [users table](#) detailed on page 533.

Your badge wasn't recognized.

If you got a new one recently then we'll need to update your account.

Please visit the NanoFab staff to resolve the problem.

137516826680, sent

Figure 1143 Entrance tablet badge error

- A required resource is not available (Figure 1144). Resources are maintained on the [resources page](#) detailed on page 231.

This area is currently inaccessible because a required resource is unavailable:

 Cleanroom

Inclement weather, lab closed.

137516826652, sent

Figure 1144 Entrance tablet resource error

- Interlock command failed (Figure 1145). The interlock command failed, you can choose to login anyway (if that option is checked), try again or cancel. More information on the [interlock settings customization](#) detailed on page 281.



Figure 1145 Entrance tablet interlock error

38.2.3 Exit Tablet

- When idle, the exit tablet will display the farewell message (Figure 1146).



Figure 1146 Exit tablet farewell screen

- If the occupancy parameter is set for the area (e.g. site-address/farewell_screen/1/?occupancy=Cleanroom), occupancy will be displayed as well (Figure 1147).

Scan your badge to log out of the Cleanroom.

Staff members are highlighted in green.

Service personnel are highlighted in orange.

Users with expired reservations are highlighted in red.

Cleanroom		1 / 3 people (+ 2 staff and 1 service personnel)
User	Since	Working on project...
Ned Land	Friday @ 10:08 AM	Project 1
Captain Nemo	Friday @ 9:30 AM	Cleanroom Maint
Tech Cleanroom	Thursday @ 5:58 PM	Cleanroom Maint
Staff Cleanroom	Thursday @ 5:58 PM	Cleanroom Eng

Figure 1147 Exit tablet farewell screen with area occupancy

- Scan your badge at the card reader to begin the log out process.
 - Each time a badge is scanned, the badge number is displayed on the screen greyed out (Figure 1148). This is useful when determining why a user's badge isn't working properly.



137516826715, sent

Figure 1148 Exit tablet badge scan

- If the user is a staff member and was logged in on behalf of another user, they will be automatically logged out as well.
- If the user is still logged into a tool in the area, a warning is displayed on an orange background along with a list of tools the user is currently logged into, and the user is logged out of the area (Figure 1149).

11:07 AM

You're now logged out of the Cleanroom,
Ned.

You are currently still logged in to the following tools:

- Sputter

137516826652, sent

Figure 1149 Exit tablet logout warning

- If the user is not logged into any tools in the area, a green background is displayed along with a success message and the user is logged out (Figure 1150).

11:05 AM

You're now logged out of the Cleanroom,
Ned.

137516826652, sent

Figure 1150 Exit tablet logout

- If an error occurs a dialog will appear informing the user of the issue. Errors will be displayed for 15 seconds then the page will revert to the farewell screen.
 - Badge not found (Figure 1151). Badge numbers are recorded for users in the [users page](#) detailed on page 260 or the [users table](#) detailed on page 533.

Your badge wasn't recognized.

If you got a new one recently then we'll need to update your account.

Please visit the NanoFab staff to resolve the problem.

137516826680, sent

Figure 1151 Entrance tablet badge error

39 Configuring NEMO

39.1 Configuring NEMO Settings

NEMO settings are maintained in the settings.py file. Additional information about the settings including examples is available on the NEMO GitHub site at www.github.com/usnistgov/NEMO

39.1.1 Authentication Backends

The AUTHENTICATION_BACKENDS key is used to select between a decoupled “REMOTE_USER” method such as Kerberos from a reverse proxy and LDAP authentication from NEMO itself.

39.1.2 Templates

The context processors in the templates section of settings.py determines if the logout button is displayed or not. Uncomment the desired processor.

'NEMO.context_processors.hide_logout_button', will hide the logout button on the navigation bar.

'NEMO.context_processors.show_logout_button', will show the logout button on the navigation bar.

39.1.3 Lab Managers

Lab managers can be defined in the settings.py file and will receive all shutdown and progress notices posted for tools.

39.2 Identity service

The identity service can be used to connect to external resources such as billing systems or access control systems. The identity service requires the user to create an intermediary service to act as a go between for NEMO and the service.

39.3 NEMO Timed Services

A few features require periodically polling NEMO to trigger events which can be done in two ways, by web request or management command.

39.3.1 Web request

The user that connects must have the ‘NEMO|user|Can trigger timed services’ permission or the connection will be refused. Make a GET request to trigger the service.

- Email usage reminders – typically run every hour, site-address/email_usage_reminders/
- Reservation reminders – typically run every 15 minutes, site-address/email_reservation_reminders/
- Missed reservations – typically run every minute, site-address/cancel_unused_reservations/

- Out of time – typically run every minute, site-address/email_out_of_time_reservation_notification/

39.3.2 Management command

Management commands can be run directly on the NEMO server and eliminate the authentication and http overhead. Run the required service using “python manage.py service name” or “django-admin service name”.

- Email usage reminders – typically run every hour, email_usage_reminders
- Reservation reminders – typically run every 15 minutes, email_reservation_reminders
- Missed reservations – typically run every minute, cancel_unused_reservations
- Out of time – typically run every minute, email_out_of_time_reservation_notification

For example, to process missed reservations, run: “python manage.py cancel_unused_reservations” or “django-admin cancel_unused_reservations”

39.3.3 Email logging

All emails sent by NEMO are logged for audit purposes and accessible in the detailed administration. If you are a developer, make sure to use the `send_email` function available in `utilities.py` to benefit from this feature.

40 NEMO Release notes

40.1 [Release 3.12.1](#)

40.1.1 Bug fix

- Fixed issue with badge number not working in area access if they start with 0 or have letter in it.

40.2 [Release 3.12.0](#)

40.2.1 New Features

- Added export of tool tasks and comments history to a text file.
Located in Tool Control -> Details -> Task and comment history.
- When creating recurring scheduled outages, the number of days in advance can now be customized in the Customization page.

40.2.2 Improvements

- In post usage group questions, the "Add" button text can be customized using property group_add_button_name
- Changed display of upcoming reservation on Kiosk so they don't need to be expanded to cancel. Clicking on a reservation will go to the corresponding tool.

40.2.3 Bug fix

- Fixed a bug in new version of Chrome where extra scrollbars would appear and flicker on the calendar page.
- Fixed an issue with recording training sessions, where a staff member who is also a tool superuser would not be able to record training on tools he is not superuser for.
- Fixed issue when double clicking on task/comment creation/update would create multiple instances.

40.2.4 Vulnerabilities

- Updated drf-flex-fields to version 0.9.1

40.3 [Release 3.11.0](#)

40.3.1 New Features

- Added reservation questions that are asked when a user makes a reservation. They can be added in the detailed admin section. Reservation questions can be set for tools and/or areas and can also be limited to specific tools, specific areas and/or specific projects.
- Added Areas, Resources, Staff Charges and Training Sessions to Rest API

- Added conditional nesting of related objects in Rest API as well as cherry picking of fields returned using [drf-flex-fields](#) (see link for details)
- Added a projects page for projects Principal Investigators who are not staff members. This allows them to see project information and users.

40.3.2 Improvements

- Added filtering by display and filtering by areas in Reservation admin page.
- Added filters to Rest API (for a complete list, see NEMO/views/api.py)
- Added a "pinned" field to news to have certain news stay at the top of the feed.
- Added optional start date for both projects and accounts. Added optional account type for accounts.
- Improved dynamic form (JSON formatted questions):
 - Added red asterisk when a field is required
 - Added "title_html" attribute to display html in title
 - Added "help" attribute (displaying help text for inputs)
 - Added "maxlength" attribute to textbox questions (max characters allowed in input)

40.3.3 Bug fix

- Fixed issues with reservation dates in ical invites not using UTC times.

40.4 [*Release 3.10.0*](#)

40.4.1 New Features

- Added "All tools", "All areas" and "All tools & Areas" overview options in the calendar. Thanks @bpedersen2 for the contribution!
- Added tool superusers who are allowed to train users on tools. They can be added in the detailed admin section, either in the user section or the tool section.
- Added a way to restrict projects to only certain tools, regardless of the users qualifications. This can be done in Detailed Administration/Project.
A project restricted to certain tools will:
 - allow reservations and usage of those tools only.
 - allow reservations and login on area that this tool requires.
 - allow staff charges on those tools and areas they require.
 - allow training on those tools only.
- Added a checkbox on projects to allow consumable withdrawals or not. Consumable withdrawals set through post usage questions are always allowed.
- Added warning threshold and warning email addresses for Tool usage counter. Added corresponding email template in customizations
- Added an area reservation ending reminder email 30 and 15 minutes before reservation ends and user is still logged in.

40.4.2 Improvements

- Changed user's badge number field to string (rather than integer) to get around integer max number but also to provide better flexibility with card readers.
- Added option to clear the list of consumable withdrawals.
- Added tools the user is a backup owner on, in detailed administration user page.
- Improved calendar support for making and cancellation reservations. Thanks @bpedersen2 for the suggestion.
- Moved the set PI on project feature to Detailed Administration only.
- Now sending task updated email when a task is cancelled.

40.4.3 Bug fix

- Fixed issue where writing in a post usage question of type textarea would not update the "stop using tool" button
- Fixed layout issues on pagination pages on mobile devices
- Fixed an issue when multiple coincident reservations could be created at the same time.
- Fixed NEMO install_systemd_service command.

40.5 *Release 3.9.2*

40.5.1 Bug fix

- Fixed badge number max digits issue by making it a char field instead of integer. It should also provide more flexibility with badge readers

40.5.2 Security vulnerability

- Fixed badge number max digits issue by making it a char field instead of integer. It should also provide more flexibility with badge readers

40.6 *Release 3.9.1*

40.6.1 Bug fix

- fixed a bug after updating LDAP library. TLS is not needed anymore since the LDAP connection security is set on the server connection through use_ssl (and it actually raises an error if set on an already secure server connection).

40.7 *Release 3.9.0*

40.7.1 New Features

- Added the ability to set Principal Investigators on projects. PIs are able to see all activities for the projects they manage in the "My usage" page.
- Added exporting of data in CSV format from "My usage" page.
- When forcing a user out of a tool, if there are any required unanswered post usage questions, the required questions will be sent in an email to the user, lab managers, tool

owner & backup owner, and to the staff member who forced the user off. Blank answers are set in the usage history record until edited in detailed admin.

- Added float post usage question (with optional precision property) and textarea (with optional rows property)
- Added tool documents. (thanks to [4D Labs](#) for the contribution)

40.7.2 Improvements

- Added options for last 10, 25, 50 & 100 records and filtering by users in tool usage data history
- Added filtering by tool in Tool usage counter admin page
- Improved the import of plugin URLs to be more consistent

40.7.3 Bug fixes

- Fixed an issue where areas that don't require a reservation would not show up when using staff charges
- Updated to latest versions for all dependencies

40.8 [Release 3.8.0](#)

40.8.1 New Features

- Added list views for Accounts and Projects and Users pages (thanks to [4D Labs](#) for the contribution)
- Supplies/Consumables withdrawal can now be done in bulk. A flat list is displayed, and users can add supplies to their cart, and checkout all the items at once.
- Added a way to bypass interlock errors on both desktop and kiosk. If there is an error with an interlock command, the user will now be able to:
 - enable anyway (so that time tracking can still take place - when staff can override interlocks manually)
 - try again
 - cancel

The "enable anyway" option can be turned on or off in customizations, and the error messages for both tool and door interlock failures can be customized as well.

40.8.2 Improvements

- Billing pages (billing and project billing) will now redirect to usage/project usage if billing service is not defined or not available
- Added notification message when post usage questions are linked to consumables/supplies withdrawals so that the user is aware that they are being billed for those.

- Added 11:59pm time option for access level exception (end of the day)
- Updated resources page so resizing would not mess with the layout
- Made required tool fields bold and capitalized in detailed admin for consistency

40.8.3 Bug Fix

- Fixed issue with upcoming reservation showing when delayed logoff is in effect ([#60](#))
- Fixed an error when creating a user would fail if identity service was not defined
- Fixed an error when adding access level exception with blank start or end time would break (added validation)
- Added locking mechanism to enable/disable tools and area login to prevent race condition (enabling the same tool at the same time - through js or "double click")

40.8.4 Security

- Updated dependency version of cryptography library (due to vulnerability in previous version)

40.9 [Release 3.7.0](#)

40.9.1 New Features

- When a tool requires an area access, area access time will be charged when staff use tool for a remote project (so staff time, tool time and area time are all started at the same time)
- Staff charge for area access will stop when staff users log out of any area
- Added virtual keyboard for Kiosk text post usage questions
- Added keypad for delayed logoff on Kiosk
- Kiosk timeout will now reset on user input
- Added a way to contact other users from reservation details and to contact the current user of a tool on tool control page
- Added the Buddy Board, a simple message board for buddy requests:
 - At least one area need to be set to "allow buddy system" in detailed administration for this feature to be active
 - Users will be notified of new buddy requests with notification badge number on menu item (can be turned off in user preferences)
 - Users will be notified by notification badge number and via email when somebody also replies on a request they replied to (can be turned off in user preferences)
 - A disclaimer can be set in customizations. Use it to specify special instructions or rules for buddy system
 - Buddy requests expire at the end of the day on their end date
 - Only users who have completed training, have an active project and have access to the area can reply

- A news story will now be published when a new NEMO release is installed (with links to the release notes and the feature manual). This feature can be disabled by setting `NEW_VERSION_NEWS = False` in `settings.py`
- All emails sent by NEMO will now be logged for audit purposes and accessible in the detailed administration. If you are a developer, make sure to use the `send_email` function available in `utilities.py` to benefit from this feature.

40.9.2 Improvements

- News stories can now include HTML tags (link etc.)
- Added validation for physical access exceptions in detailed admin (end date must be later than start date)

40.9.3 Bug Fix

- Fixed a bug where project usage page was only showing results for the current logged in user.
- Fixed a bug on Kiosk when the keypad would stay open on Kiosk timeout.

40.10 Release 3.6.0

40.10.1 New Features

- Added "dropdown" type for tool post usage questions
- Added "group" type post usage question. This allows to create groups of questions that can be repeated. For example, when a user uses multiple processes on a tool, and we want to collect information about each one. More details can be found on the feature manual.
- Added "Usage Data History" tab in tool control, which displays the history of answers to post usage questions. The data can also be exported to CSV.
- Added Tool usage counters:
 - They are counters linked to a "number" type post usage question and keep a running total of some user inputs.
 - They can be added in the detailed administration and NEMO will check that the post usage question exists in the corresponding tool (with the correct type)
 - Counters are displayed in the tool summary page.
 - Counters can be reset by staff members. A comment will be added to the tool and an email will be sent to `LAB_MANAGERS` if that setting is enabled.
 - For example, you can use it to keep track of total etch time for maintenance purposes etc.
- Added a new setting in customization to display current time indicator in the calendar.
- Added Physical Access Exceptions which allows to set specific exceptions when access levels will be denied. This can be used for holiday closures, understaffed times etc.

40.10.2 Improvements

- Area reservations can now be extended even while user is logged in the area (but not moved or cancelled).
- Updated calendar area login/logout buttons to be shown only when relevant (instead of being grayed out if a tool is selected for instance)
- Updated billing/usage search to use Bootstrap date picker instead of pickadate
- Updated validation on post usage questions to check that consumable exists with the correct name, and that required attributes are provided
- Added management commands to run timed services. (you can now use manage.py or django-admin to run timed services actions)
- Added keypad for answering post usage questions of type number (only on Kiosk)

40.10.3 Bug Fixes

- Fixed an error when using the search feature in physical access log (in Detailed Administration)
- Fixed excessive load time when selecting a reservation in Detailed Administration
- Fixed [#43](#) unique constraint violation in Postgres, thanks to [@bpedersen2](#)

40.10.4 Security

- Updated dependency version of cryptography library (due to vulnerability in previous version)

40.11 [Release 3.5.0](#)

40.11.1 New Features

- Added a way to link contact information to an actual user (through Detailed Administration\Contact Information). When both are linked, in Tool Control details page, the contact information will be displayed (instead of simply the email) of the tool owner or backup owner.

40.11.2 Improvements

- Area reservation policies: user cannot cancel area reservation while logged in that area during that reservation. also, users won't be able to cancel or move an area reservation when they have tools reservations that require that area reservation.
- Added post usage question validation and better error message for required attributes.
- Consumables can now only be withdrawn if the post usage question is of type "number".

40.11.3 Bug Fixes

- Fixed a bug preventing tool synchronization feature to work.
- Fixed a bug in tool admin page, when missing required attributes of post usage questions would completely break the page.
- Fixed a bug where selecting Facility Usage in calendar view would display ALL tool usage even when selecting a particular area.
- Fixed a bug when a tool needed to be shutdown and the wrong email was sent to users.

40.12 [Release 3.4.0](#)

40.12.1 New Features

- Added the ability to create more badge reader configuration in detailed administration. When using the Kiosk or Area Access, add ?reader_id=<reader_id> to the URL to select a badge reader configuration.

40.12.2 Improvements

- Added ability to search by user in project billing
- Added user information on Usage Events in usage page.
- Hiding project billing if billing service isn't defined

40.12.3 Bug Fix

- Fixed an error when not all areas would show up on the email broadcast page
- Fixed out of time email being sent when customer has back to back reservations

40.13 [Release 3.3.0](#)

40.13.1 New Features

- Added service personnel to NEMO: service personnel can access **authorized** areas without having a reservation and use **qualified** tools even when shutdown or during outages
- Added checkbox to count service personnel in area capacity or not
- Added supply reminder email: a reorder email will be sent when supplies fall below the defined threshold.

40.13.2 Improvements

- Improved the staff charges page to show more details: customer being charged staff time, area access and tool usage on behalf of that user
- Improved resources page to be easier to navigate. Added a resource details page where the user can schedule an outage and modify the resource availability.

40.13.3 Security

- Updated Pillow library to latest stable version

40.13.4 Bug fix

- Reservations were not marked as missed if the email template wasn't defined. Fix it so that reservations would be marked as missed regardless.

40.14 [Release 3.2.7](#)

40.14.1 Bug Fix

- fixed a broken link when selecting tool on mobile

40.15 [Release 3.2.6](#)

40.15.1 Bug Fix

- fixed an issue in the kiosk where upcoming reservations would include area reservations and trying to display tool_id would fail

40.16 [Release 3.2.5](#)

40.16.1 Bug Fix

- Fixed an issue with platform specific formatting (was causing issues on Windows)
- Fixed an issue when enabling a tool would not work if the user id contained a specific number

40.17 [Release 3.2.4](#)

40.17.1 Bug Fix

- fixed an issue with overlapping reservations not being counted correctly towards capacity

40.18 [Release 3.2.3](#)

40.18.1 Bug Fix

- Fixed a small UI issue where calendar/tool control would not show up correctly when impersonating.
- Fixed an issue where Jumbotron would try to show tool usage info when no tools are set up

40.19 [Release 3.2.2](#)

40.19.1 Bug Fix

- fixed an issue with impersonating (couldn't go back in some conditions)

40.20 [Release 3.2.1](#)

40.20.1 Bug Fix

- fixed an issue when rest_framework isn't installed

40.21 [Release 3.2.0](#)

40.21.1 New Features

- (**superusers only**) added the ability to impersonate other users. Located in the administration dropdown menu. You'll need to add 'NEMO.middleware.ImpersonateMiddleware', to settings.py for this to work
- default user reservation preferences can be overridden in settings.py with USER_RESERVATION_PREFERENCES_DEFAULT = True

40.21.2 Bug Fix

- fixed a bug where access usage was not showing when clicking on areas in sidebar

40.21.3 Improvements

- removed hard coded URLs which cause issues when deploying using subpath
- added success message when saving user preferences
- fixed authentication issues when using multiple authentication backends (especially when mixing pre-auth backends and backends using login page)

40.22 [Release 3.1.2](#)

40.22.1 Bug Fix

- fixed an issue when staff cancels another user's reservation and the email is not sent to the additional reservation emails set on the area

40.23 [Release 3.1.1](#)

Re-releasing 3.1.0 as 3.1.1 to fix docker tag issue.

40.24 [Release 3.1.0](#)

40.24.1 New Features

- A reservation email (or a list) can now be set on areas. Any reservation created or cancelled will be sent to that email with an .ics calendar invite attached (in addition to the user).
- An abuse email (or a list) can now be set on areas. When a non-staff user overstays (reservation expired but still logged in the area) an email will be sent to that email (in addition to the user).

40.24.2 Improvements

- Now using foldable trees in views where areas can be selected (self login, area access login, and physical access in user form).
- Added email previews and link to download current content in customizations.

40.24.3 Note

For the abuse and reservation emails, NEMO will send the emails "all the way up the tree". So if you have a setup where Campus contains Buildings which contains Offices, then when a reservation is created in an office, the email will be sent to the email for the Office, and the email for the Building (if set) and the email for the Campus (again, if set) etc. same goes for overstays.

40.25 [Release 3.0.1](#)

40.25.1 Bug Fix

- fixed a bug when counting occupancy

40.26 [Release 3.0.0](#)

NEMO 3.0.0 is here with area reservations!

40.26.1 Before Updating

- **add mptt to INSTALLED_APPS in settings.py**
- **add timed services call to**
url /email_out_of_time_reservation_notification every minute
- **if you plan on using area reservations, update reservation email templates to check whether the reservation item is a tool or an area.** **reservation.tool, reservation.area or reservation.reservation_item and reservation.reservation_item_type can be used for that. (emails to update area: reservation_reminder_email, reservation_warning_email, missed_reservation_email, cancellation_email, reservation_created_user_email, reservation_cancelled_user_email)**
- **if you plan on using area reservations,**
update unauthorized_tool_access_email to use the new type variable. It can be either 'reservation' when a user tries to use a tool without a reservation or 'access' when a user tries to use a tool without being logged in to the required area

40.26.2 New Area Features

- Added the ability to make reservations for Areas that have requires_reservation set to True
- Added icon on tools in the sidebar when they require access to an area that requires a reservation
- Tools cannot be reserved until a reservation is made on the required area (area reservation needs to exist at the start time of the tool reservation)
- Added Area capacity and policy rules for area reservations. Area capacity is checked when making reservation and logging in, parent area capacity is also checked. (Capacity can be set on buildings or campuses that have other areas in them as well)

- Warning will be shown to user when making a reservation if `reservation_warning` is set on an area
- Added categories to area
- Added `count_staff_in_occupancy` flag on areas. If unchecked, staff users will not count.
- Added customization setting to display all areas or only areas the user has access to
- Access levels can now be set directly when creating the access level.
- Access level can be given on parent areas (i.e. Buildings)
- Outages can be scheduled on Areas as well. Can also be set on parent area through the detailed administration
- Added tooltip showing all users logged in an area
- Added ability to log in and out of areas directly from the calendar view (enable with setting in customization)
- Logged in users without a reservation will be shown in red on status dashboard
- Area reservation are shortened when user logs out
- Added ability to email users authorized to access an area or parent area (building)
- Displaying scheduled outages and unavailable resources for areas in sidebar
- Added mobile calendar area reservations
- Added email to be sent when users are out of time (logged in area but reservation expired). A grace period can be set in area.

40.27 [Release 2.3.4](#)

40.27.1 Bug fix

- Fixed a bug preventing disabling tools from kiosk

+++++

40.28 [Release 2.3.3](#)

40.28.1 Security vulnerability

- Updated django version

40.29 [Release 2.3.2](#)

40.29.1 Bug Fix

- fixed a bug with reservation warning

40.30 [Release 2.3.1](#)

40.30.1 Bug Fix

Fixed a bug with facility usage events not showing in calendar

40.31 [Release 2.3.0](#)

40.31.1 Before Updating

- Replace '`NEMO.context_processors.device`' with '`NEMO.context_processors.base_context`' in `context_processors` in `settings.py`
- Rename media
file `nanofab_rules_tutorial.html` to `facility_rules_tutorial.html` and update form in file to post to `facility_rules` URL
- Rename media
file `nanofab_rules_tutorial_email.html` to `facility_rules_tutorial_email.html`

40.31.2 New Features

- Added a reservation warning (number) field to Area. A "Busy time" warning will be displayed when reserving a tool in that Area when there already are a greater number of users with reservations for that same area. (This can be used separately from the area capacity)
- Added a Boolean field in area to decide if staff should count towards max capacity. Updated pages to show a separate staff count if unchecked
- Post usage questions now support `number` type and `min`, `max` and `pattern` attribute.
- Post usage questions preview has been added as well.
- Consumable withdrawal now subtracts from quantity.
- In email page, subject and content are now required and the preview can now be updated before sending.
- Added area access record in remote work for staff charges.
- Self login button will now be shown all the time when enabled from customization. Errors will be displayed when user cannot login (rather than hiding the button)

- User type isn't required anymore. Confirmation of user creation/update has been added and another `safely deactivate user` link was added next to the active checkbox
- The facility name can now be configured from the customization page. Thanks [**@dsbarth**](#) for the original code!
- The site name can also be configured from the customization page.
- The calendar view can now be configured from the customization page (default view, first day of the week, start of the day, column date format for day, week, and month views). Thanks [**@sbonaime**](#) for the suggestions and help!

40.31.3 Improvements

- Added a spinner in tool control page when waiting after clicking on tools
- Past outages aren't shown on scheduled outage page anymore
- Added staff charges to billing api. Added detailed information for items.
- Made identity service optional in `settings.py`
- Made `no_header` feature sticky (per session): use parameter `no_header=True` in page URL to use NEMO without header bar, use `no_header=False` to turn it off.

40.31.4 Bug fixes

- Added consumable withdrawal on Kiosk after answering post usage questions.

40.32 [Release 2.2.3](#)

40.32.1 Bug Fix

- Fixes [#32](#) (mix up between access levels and areas in area access record page)

40.33 [Release 2.2.2](#)

40.33.1 Bug Fix

- fixes [#33](#)

40.34 [Release 2.2.1](#)

40.34.1 Bug Fix

- Fixes [#32](#)

40.35 [Release 2.2.0](#)

40.35.1 Improvements

- Improved LDAP settings to allow users to specify port, bind credentials, dn search and more
- Improved interlock implementation interface, allowing to validate both interlock card and interlock objects
- Updated tool autocomplete results to have better spacing.
- Updated Jumbotron to not display areas when none are defined

40.35.2 New Features

- Users can now change the project on an upcoming reservation
- Added comments that only staff can see (and create)
- Added ProXR interlock implementation (contribution by [@4Lowe](#) at the Minnesota Nano Center)
- Added rates to customizations. Labs can now upload a json file containing rates for tools
- Added authorization failed to customizations. Labs can personalize the error message shown when login failed
- Added jumbotron watermark to customizations.
- Made tasks and comments searchable
- Added notification icon and statement when scheduled non required resource is not available
- Added tool config history tab (in tool control)
- Added max capacity for areas

40.35.3 Bug fixes

- Fixed an issue where staff needed to select a project when making reservations on desktop site (didn't need to in mobile). Now it doesn't ask for project either way (staff are not charged for missed reservations, so no projects needed)
- Fixed a few typos here and there

40.36 [Release 2.1.1](#)

40.36.1 Bug Fix #24

- Fixed error when image was being resized and removed then saved again (when no changes were made on the file)

40.37 [Release 2.1.0](#)

40.37.1 New Features

- Added Tool image, serial and description. Thanks [**@sbonaime**](#) for the contribution!
- In Kiosk, categories and tools that a user is not qualified to use will be grayed out
- Added checkbox in Physical Access Level to grant access to staff without have to do it explicitly
- Added categories to alerts, and updated alerts to keep them after they are deleted or expired
- Only showing visible tools on resource pages

40.37.2 Improvements

- Updated Ldap authentication to provide better logging and not require certificate
- Updated NEMO's configuration to work without django admin installed
- Added version number to Jumbotron, Kiosk & Area Access pages
- LAB_MANAGERS will now receive an email when a task is created (not just updated)
- Added training sessions to billing API
- Updated plugin feature so that URLs are automatically added when plugin name starts with 'NEMO'
- Added name to interlock cards

40.37.3 Bug Fix

- Fixed user history when history item had been deleted

40.38 [Release 2.0.1](#)

40.38.1 Bug Fix

- fixed wrong migration filename

40.39 [Release 2.0.0](#)

40.39.1 NEMO 2.0 is here!

This major release is focused solely on internal improvements and library updates. no changes have been to features or user interface.

40.39.2 Plugin Development

- A big effort has been made to facilitate plugin development in NEMO. See the [Plugin Development](#) wiki page for detailed instructions and examples.

40.39.3 Improvements

- Updated to Django 2.2 (LTS version with extended support until April 2022), requests 2.22, django rest framework 3.11, and to latest version of all the other libraries (cryptography, django-filter, ldap, pillow and dateutil).
- Added JSON validation for post usage questions. Thanks [@sbonaime](#) for the contribution!

40.39.4 Before Updating

The Kiosk and Area Access features of NEMO have been moved into internal plugins. If you were using them, you'll need to add them to `INSTALLED_APPS` of your `settings.py` file:

- '`NEMO.apps.kiosk`',
- '`NEMO.apps.area_access`',

