This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

NISTIR 8271 DRAFT SUPPLEMENT

Face Recognition Vendor Test (FRVT)

Part 2: Identification

Patrick Grother
Mei Ngan
Kayee Hanaoka
Information Access Division
Information Technology Laboratory

This document is a draft supplement of NIST Interagency Report 8271

2020/03/20

National Institute of Standards and Technology
U.S. Department of Commerce

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

NISTIR 8271 DRAFT SUPPLEMENT

Face Recognition Vendor Test (FRVT)

Part 2: Identification

Patrick Grother
Mei Ngan
Kayee Hanaoka
Information Access Division
Information Technology Laboratory

This document is a draft supplement of NIST Interagency Report 8271

January 2020

U.S. Department of Commerce
Wilbur Ross, Secretary

National Institute of Standards and Technology
Walter Copan, Director

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

RELEASE NOTES

2020-03-12: The second draft of the update to NIST Interagency Report 8271:

- ▷ Adds results for three algorithms from three developers, Dermalog, Innovatrics, and Synesis.
- ▷ Adds Table **??** on ageing i.e. a tabulation showing the increase in false negative rates with time elapsed between two photos. Some of the results were contained in graphs in prior editions of this report, but the table adds results for some newly submitted algorithms.
- ▷ Adjusts frontal mugshot results (for recent and lifetime consolidated galleries) to include the effect of removing some images that should not have been included in image test sets. These images were mostly profile views, images of tattoos containing faces, images of faces on tee shirts, and images of photographs on walls behind the intended subject. This affects many tables and reduces false negative identification rates for all algorithms. The February 2020 edition of this report included some tables that included results with and without this adjustment.

2020-02-26: The first draft of the update to NIST Interagency Report 8271:

- ▷ Adds results for 38 algorithms from 31 different developers, eleven of whom are entirely new to the 1:N track of FRVT. These are Allgovision, Cyberlink, Deepsea Tencent, Farbar F8, IITVision, Imperial College London, Intsys MSU, Kedacom, Kneron, Pixelall, and Scanovate

DISCLAIMER

Specific hardware and software products identified in this report were used in order to perform the evaluations described in this document. In no case does identification of any commercial product, trade name, or vendor, imply recommendation or endorsement by the National Institute of Standards and Technology, nor does it imply that the products and equipment identified are necessarily the best available for the purpose.

INSTITUTIONAL REVIEW BOARD

The National Institute of Standards and Technology's Research Protections Office reviewed the protocol for this project and determined it is not human subjects research as defined in Department of Commerce Regulations, 15 CFR 27, also known as the Common Rule for the Protection of Human Subjects (45 CFR 46, Subpart A).

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Executive Summary

This report supplements the September 2019 report NIST Interagency Report 8271 that, in turn, replaced the NIST Interagency Report 8238. **This report adds partial results for algorithms submitted to NIST since those reports were prepared. This report will be updated on an approximately monthly basis with results from newly submitted algorithms. It will additionally be updated with results currently being computed in ongoing recognition tests, and with new results and analyses.**

The algorithms, which implement one-to-many identification of faces appearing in two-dimensional images, are prototypes from the research and development laboratories of mostly commercial suppliers, and are submitted to NIST as compiled black-box libraries implementing a NIST-specified C++ test interface. The report therefore does not describe how algorithms operate.

The evaluation used three datasets - frontal mugshots, profile views, and webcam photos - and the report lists accuracy results alongside developer names. It will therefore be useful for comparison of face recognition algorithms and assessment of absolute capability. The primary dataset is comprised of 26.6 million reasonably well-controlled live portrait photos of 12.3 million individuals. The three smaller datasets contain more unconstrained photos: 3.2 million webcam images; and 200 thousand side-view images. NIST Interagency Report 8271 includes results also for 2.5 million photojournalism and amateur photographer photos. These datasets are sequestered at NIST, meaning that developers do not have access to them for training or testing. The last dataset, however, consists of images drawn from the internet for testing purposes so while it is not truly sequestered, its composition is unknown to the developers.

The major result in NIST IRs 8238 and 8271 was that massive gains in accuracy have been achieved in the years 2013 to 2018 and these far exceed improvements made in the prior period, 2010 to 2013. While the industry gains were broad - at least 30 developers' algorithms outperformed the most accurate algorithm from late 2013 - there remains a wide range of capability. While this report shows accuracy gains only over the course of 2018, the most accurate algorithm reported here is substantially more accurate than anything reported in NIST IR 8238. This is evidence that face recognition development continues apace, and that FRVT reports are but a snapshot of contemporary capability.

From discussion with developers, the accuracy gains stem from the adoption of deep convolutional neural networks. As such, face recognition has undergone an industrial revolution, with algorithms increasingly tolerant of poorly illuminated and other low quality images, and poorly posed subjects. One related result is that a few algorithms correctly match side-view photographs to galleries of frontal photos, with search accuracy approaching that of the best c. 2010 algorithms executing frontal-frontal search. The capability to recognize under a 90-degree change in viewpoint - pose invariance - has been a long-sought milestone in face recognition research.

With good quality portrait photos, the most accurate algorithms will find matching entries, when present, in galleries containing 12 million individuals, with rank one miss rates of approaching 0.1%. The remaining errors are in large part attributable to long-run ageing, facial injury and poor image quality. Given this impressive achievement - close to perfect recognition - an advocate might claim that frontal face recognition is a solved problem, a statement that should be refuted with the following context and caveats:

- ▷ **Algorithm accuracy spectrum:** Many algorithms do not achieve the low error rates tabulated above, and while many of those may still be useful and valuable to end-users, only the most accurate excel on poor quality images and those collected long after the initial enrollment sample.
- ▷ **Versioning:** While results for up to seven algorithms from each developer are reported here, the intra-provider accuracy variations are usually smaller than the inter-provider variations. That said different versions give order of magnitude fewer misses. Some developers demonstrate speed-accuracy tradeoffs[1]. See Figs. 16, 17.

[1] NEC-0 prepares templates much faster than NEC-2 but gives twenty times more misses. Dermalog-5 executes a template search much more quickly than Dermalog-6 but is also much less accurate.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

- ▷ **Quality:** The low error rates here are attained using mostly excellent cooperative live-capture mugshot images collected with an attendant present. Recognition in other circumstances, particularly those without a dedicated photographic environment and human or automated quality control checks, will lead to declines in accuracy. This is documented here for poorer quality webcam images and unconstrained "wild" images.

- ▷ **Low similarity scores:** In thousands of cases the correct gallery image is returned at rank 1 but its similarity score is nevertheless low, below some operationally required score threshold. This does not matter when face recognition is used for "lead generation" in investigational applications because human reviewers are specifically required to review potentially long candidate lists and the threshold is effectively 0. In applications where search volumes are higher and labor is not available to review the results from searches, a higher threshold can be applied. This reduces the length of candidate lists and false positive identification rates at the expense of increased false negative miss rates. The tradeoff between the two error rates is reported extensively later.

- ▷ **Population size:** As the number of enrolled subjects grows, some mates are displaced from rank one, decreasing accuracy. As tabulated later for N up to 12 million, false negative rates generally rise slowly with population size.

- ▷ **Database integrity:** An operational error rate should be added to all false negative rates in this report reflecting the proportion of images in a real database that are un-matchable. Such anomalies arise from images that: do not contain a face; include multiple persons; cannot be decoded; are rotated by 90° or 180°; depict a face on clothing; and others introduced by a long tail of various clerical errors. While the mugshot trials in this report have been constructed to minimize such effects, they are a real problem in actual operations.

Recognition accuracy is very strongly dependent on the algorithm and, more generally, on the developer of the algorithm. False negative error rates in a particular scenario range from a few tenths of one percent to beyond fifty percent. This is tabulated exhaustively later: For example Table 23 shows accuracy across datasets. Figure 1 here compares algorithms on mugshot searches in a consolidated gallery of 12 million subjects and 26.1 million photos. In positive or negative identification applications, a score threshold is set to limit the rate at which non-mate searches produce false positives. This has the consequence that some mated searches will report the mate below threshold, i.e. a miss, even if it is at rank 1. The utility of this is that many non-mated searches will usually not return any candidate identities at all. As the figure error-tradeoff characteristic shows, investigational miss rates on the right side are very low but then rise steadily (in the center region) as threshold is increased to support "lights-out" applications, and ultimately rise quickly (left side) as discussed below. Thus, if we demand that just one in one thousand non-mate searches produce any false positives, the most accurate algorithms there (Sensetime-003 and NEC-3) would fail on between 4 and 7% of mated searches. Even though the graph shows results for the most accurate algorithms, all but two would fail to find the mate in more than 10% of mated searches. While the NEC algorithm produces a relatively flat error tradeoff until the threshold is raised to limit false positives to about 1 in 400 non-mated searches[2]

Thereafter, as the threshold is raised to further reduce false positives, miss rates rise rapidly. This means that low false positive identification rates are inaccesible with these algorithms, a result that does not apply for ten-finger identification algorithms. The rapid rise occurs because the lower mate scores are mixed with very high non-mate scores, the low scores from poor image quality and ageing, the high non-mates from the presence of lookalikes persons (doppelgangers), twins (discussed next) and, ultimately, the presence of a few unconsolidated subjects i.e. persons present under multiple IDs.

▷ **False positives from twins:** By enrolling 640 000 mugshots, adding photos of one twin, and then searching photos

[2] The gallery size here is 12 million people, 26.1 million images. Given 331 254 non-mated searches, an exhaustive implementation of one-too-many search would execute 8.6 trillion comparisons. At a false positive identification rate of 0.0025 the number of false positives is, to first order, 828 corresponding to single-comparison false match rate of 828 / 8.6 trillion = 9.6 10^{-11} i.e. about 1 in 10 billion. Strictly this FMR computation is meaningful only for algorithms that implement 1:N search using N 1:1 comparisons, which is not always the case.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 1: Identification Miss rates across the false positive range. N = 12 million individuals are enrolled with a total of 26.1 million images.

of those subjects and their twin the inset figure shows, for one typical algorithm, the similarity is generally greater when searching twins against themselves (A) than when searching twins against their sibling (B) but very often still above even stringent thresholds i.e. those corresponding to one in one thousand searches producing a false positive. Thus twins will very often produce a high-scoring non-match on a candidate list and a false alarm in an online identification system. The plot shows that some fraternal twins are correctly rejected at those thresholds - these are largely from different sex twins (at center). Figure 20 shows substantially similar behavior for all algorithms tested. In an investigative search, a twin would typically appear at rank 1, or rank 2 if their sibling happened to also be

Figure 2: Intra- and inter-twin scores

the gallery. Twins (and triplets etc.) constituted 3.3%
of all live births [16] in recent years[3], and because that number is higher today than when the individuals in current adult databases were born, the false positives that arise from twins are now, and will increasingly be, an operational problem. Relative to the United States, twins are born with considerable regional variation. For example they are much less common in East Asia, and much more common in Sub-Saharan Africa [20]. The presence of twins in the mugshot database is inevitable given its size, around 12.3 million people. As this is not an insignificant sample of the domestic United States population, people with other familial ties will be present also. The data was collected over an extended period and because location information is not available, we are unable to estimate the proportion of the domestic population that is present in the dataset. However, if we assume twins are neither more or less disposed to arrest than the general population, we can estimate that hundreds of thousands of individuals in the dataset are twins. This will affect false positive rates because we randomly set aside 331 254 individuals for nonmate searches, and some proportion of those will be twins with siblings in the gallery.

From early 2020 this report is being updated continuously as new algorithms are submitted to FRVT, and run on new datasets. Participation in the one-to-many identification track requires a developer to first demonstrate high accuracy in the one-to-one verification track of FRVT.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

[3]See the CDC's National Vital Statistics Report for 2017: https://www.cdc.gov/nchs/data/nvsr/nvsr67/nvsr67_08-508.pdf

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Scope and Context

Audience: This report is intended for developers, integrators, end users, policy makers and others who have some familiarity with biometrics applications. The methods and metrics documented here will be of interest to organizations engaged in tests of face recognition algorithms. Some of these have been incorporated in the ISO/IEC 19795 Part 1 Biometric Testing and Reporting Framework standard, now under revision.

Prior benchmarks: Automated face recognition accuracy has improved massively in the two decades since initial commercialization of the various technologies. NIST has tracked that improvement through its conduct of regular independent, free, open, and public evaluations. These have fostered improvements in the state of the art. This report serves as an update to the NIST Interagency Report 8271 on performance of face identification algorithms, published in September 2019.

Demographics: In December 2019, NIST published a first report on demographic dependencies in face recognition, NIST Interagency Report 8280 that documented age, sex and race differentials in one-to-one and one-to-many false positive and false negative rates.

Scope: NIST IR 8271 documented recognition results for four databases containing in excess of 30.2 million still photographs of 14.4 million individuals. That constituted the largest public and independent evaluation of face recognition ever conducted. It includes results for accuracy, speed, investigative vs. identification applications, scalability to large populations, use of multiple images per person, images of cooperative and non-cooperative subjects.

The report also includes results for ageing, recognition of twins, and recognition of profile-view images against frontal galleries. It otherwise does not address causes of recognition failure, neither image-specific problems nor subject-specific factors including demographics. Separate reports on demographic dependencies in face recognition will be published in the future. Additionally out of scope are: performance of live human-in-the-loop transactional systems like automated border control gates; human recognition accuracy as used in forensic applications; and recognition of persons in video sequences (which NIST evaluated separately [8]). Some of those applications share core matching technologies that *are* tested in this report.

Images: Three kinds of images are employed. The primary dataset is a set of law enforcement mugshot images (Fig. 3) which are enrolled and then searched with three kinds of images: 1) other mugshots (i.e. within-domain); 2) profile-view photographs (90 degree cross-view); 3) lower quality webcam images (Fig. 4) collected in similar detention operations (cross-domain);

Participation and industry coverage: The report includes performance figures for prototype algorithms from the research laboratories of commercial developers and a few universities. This represents a substantial majority of the face recognition industry, but only a tiny minority of the academic community. Participation was open worldwide. While there is no charge for participation, developers incur some software engineering expense in implementing their algorithms behind the NIST application programming interface (API). The test is a black-box test where the function of the algorithm, and the intellectual property associated with it, is hidden inside pre-compiled libraries.

Recent technology development: Most face recognition research with deep convolutional neural networks (CNNs) has been aimed at achieving invariance to pose, illumination and expression variations that characterize photojournalism and social media images. The initial research [17, 21] employed large numbers of images of relatively few ($\sim 10^4$) individuals to learn invariance. Inevitably much larger populations ($\sim 10^7$) were employed for training [10, 19] but the benchmark, Labeled Faces in the Wild with (essentially) an equal error rate metric [11], represents an easy task, one-to-one verification at very high false match rates. While a larger scale identification benchmark duly followed, Megaface [14], its primary metric, rank one hit rate, contrasts with the high threshold discrimination task required in most large-population applications of face recognition, namely credential de-duplication, and background checks. There, identification in galleries containing up to 10^8 individuals must be performed using a) very few images per

individual and b) stringent thresholds to afford very low false positive identification rates. This track of FRVT was launched to measure the capability of the new technologies, including in these two cases. FRVT has included open-set identification tests since 2002, reporting both false negative and positive identification rates [6].

Performance metrics for applications: This report documents the performance of one-to-many face recognition algorithms. The word "performance" here refers to recognition accuracy and computational resource usage, as measured by executing those algorithms on massive sequestered datasets.

This report includes extensive tabulation of recognition error rates germane to the main use-cases for face search technology. The Figure below, inspired by the Figure 1 in [22] differentiates different applications of the technolgy. The last row directs readers to the main tables relevant to those applications, respectively threshold-based and rank-based metrics that are special cases of the metrics given in section 3. The terms negative identification and positive identification are taken from the ISO/IEC 2382-37:2017 standardized biometrics vocabulary.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

	Positive identification	Negative identification	Post-event investigation
Example	Access to a gym or cruise ship	Watchlist e.g. Detection of deportee or duplicate drivers license applications	Crime scene photos, or of detainee without ID documents.
Claim of identity	Implicit claim to be enrolled	Implicit claim to not be enrolled	No claim: Inquiry
Threshold	High, to implement security objective	High, to limit false positives	Zero
Num. candidates	1	0	L, set by request to algorithm
Human role	Review candidate to assist user in resolution of false negatives, or to detect impostor	Review candidate to determine false positive or correct hit	Review multiple candidates, refer possible hits to examiners see [26]
Intended human involvement frequency	Rare – approx. the false negative identification rate plus prior probability of impostor	Rare – approx. the false positive identification rate plus prior probability of an actual mate	Always
Performance metric of interest	**FNIR at low FPIR. See sec. 3.1, 3.2 and Tables 10, 19**	**FNIR at low FPIR. See sec. 3.1, 3.2 and Tables 10, 19**	**FNIR at ranks 1... 50, say. FPIR = 1. See sec. 3.2 and Table 12, 14, 16**

The algorithms are specifically configured for these applications by setting thresholds and candidate list lengths. Both rank-based metrics and threshold-based metrics include tradeoffs. In investigation, overall accuracy will be reduced if labor is only available to review a few candidates from the automated system. Note that when a fixed number of candidates are returned, the false positive identification rate of the automated face recognition engine will be 100%, because a probe image of anyone not enrolled will still return candidates. In identification applications where false positives must be limited to satisfy reviewer labor availability or a security objective, higher false negative rates are implied. This report includes extensive quantification of this threshold-based tradeoff. See Sec. 3

Template diversity: The FRVT is designed to evaluate black-box technologies with the consequence that the templates that hold features extracted from face images are entirely proprietary opaque binary data that embed considerable

intellectual property of the developer. Despite migration to CNN-based technologies there is no consensus on the optimal feature vector dimension. This is evidenced by template sizes ranging from below 100 bytes to more than four kilobytes. This diversity of approaches, suggests there is no prospect of a standard template something that would require a common feature set to be extracted from faces. Interoperability in automated face recognition remains solidly based on images and documentary standards for those, in particular the ICAO portrait [26] specification deriving from the ISO/IEC 19794-5 Token frontal [23] standard, which are similar to certain ANSI/NIST Type 10 [25] formats.

Training: The algorithms submitted to NIST have been developed using image datasets that developers do not disclose. The development will often include application of machine learning techniques and will additionally involve iterative training and testing cycles. NIST itself does not perform any training and does not refine or alter the algorithm in any way. Thus the model, data files, and libraries that define an algorithm are fixed for the duration of the tests. This reflects typical operational reality where recognition software, once installed, is fixed and constant until upgraded. This situation persists because on-site training of algorithms on customer data is atypical essentially because training is not a turnkey process.

Automated search and human review: Virtually all applications using automated face search require human review of the outputs at some frequency: Always for investigational applications; rarely in positive identification applications, after rejection (false or otherwise); and rarely in negative identification applications, after an alarm (false or otherwise). The human role is usually to compare a reference image with the query image or the live-subject if present, to render either a definitive decision on "exclusion" (different subjects), or "identification" (same subject), or a declaration that one or both images have "no value" and that no decision can be made. Note that automated face recognition algorithms are not built to do exclusion - low scores from a face comparison arise from different faces *and* poor quality images of the same face.

Human reviewers make recognition errors [4, 18, 24] and are sensitive to image acquisition and quality. Accurate human review is supported by high resolution - as specified in the Type 50, 51 acquisition profiles of the ANSI/NIST Type 10 record [25], and by multiple non-frontal views as specified in the same standard. These often afford views of the ear. Organizations involved in image collection should consider supporting human adjudication by collecting high-resolution frontal and non-frontal views, preparing low resolution versions for automated face recognition [23], and retaining both for any subsequent resolution of candidate matches. Along these lines, the ISO/IEC Joint Technical Committee 1 subcommittee 37 on biometrics has just initiated projects on image quality assessment and face-aware capture.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Release Notes

FRVT Activities: Since February 2017, NIST has been evaluating one-to-one verification algorithms on an ongoing basis. NIST then restarted FRVT's one-to-many track in February 2018, inviting participants to send up to prototype algorithms. Both tracks allows developers to submit updated algorithms to NIST at any time but no more frequently than four calendar months. This more closely aligns development and evaluation schedules. Results are posted to the web within a few weeks of submission. Details and full report are linked from the Ongoing FRVT site.

FRVT Reports: The results of the FRVT appear in the series NIST Interagency Reports tabulated below. The reports were developed separately and released on different schedules. In prior years NIST has mostly reported FRVT results as a single report; this had the disadvantage that results from completed sub-studies were not published until all other studies were complete.

Date	Link	Title	No.
2014-03-20	PDF	FRVT Performance of Automated Age Estimation Algorithms	7995
2015-04-20	PDF	Face Recognition Vendor Test (FRVT) Performance of Automated Gender Classification Algorithms	8052
2014-05-21	PDF	FRVT Performance of face identification algorithms	8009
2017-03-07	PDF	Face In Video Evaluation (FIVE) Face Recognition of Non-Cooperative Subjects	8173
2017-11-23	PDF	The 2017 IARPA Face Recognition Prize Challenge (FRPC)	8197
2018-11-27	PDF	Face Recognition Vendor Test - Part 2: Identification	8271
2019-09-11	PDF	Face Recognition Vendor Test - Part 2: Identification	8271
2019-12-11	PDF	Face Recognition Vendor Test - Part 3: Demographic Effects	8280
2020-01-03	WWW	Face Recognition Vendor Test (FRVT) - Part 1 Verification	Draft

Details appear on pages linked from `https://www.nist.gov/programs-projects/face-projects`.

Appendices: This report is accompanied by appendices which present exhaustive results on a per-algorithm basis. These are machine-generated and are included because the authors believe that visualization of such data is broadly informative and vital to understanding the context of the report.

Typesetting: Virtually all of the tabulated content in this report was produced automatically. This involved the use of scripting tools to generate directly type-settable LaTeX content. This improves timeliness, flexibility, maintainability, and reduces transcription errors.

Graphics: Many of the Figures in this report were produced using the ggplot2 package running under R, the capabilities of which extend beyond those evident in this document.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Contents

Release Notes 1

Disclaimer 1

Institutional Review Board 1

Executive Summary 2

Scope and Context 6

Release Notes 10

1 Introduction 12

2 Evaluation datasets 12

3 Performance metrics 17

4 Results 33

Appendices 69

A Accuracy on large-population FRVT 2018 mugshots 69

B Effect of time-lapse: Accuracy after face ageing 114

C Effect of enrolling multiple images 152

D Accuracy with poor quality webcam images 159

E Accuracy for profile-view to frontal recognition 169

F Search duration 173

G Gallery Insertion Timing 180

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

1 Introduction

One-to-many identification represents the largest market for face recognition technology. Algorithms are used across the world in a diverse range of biometric applications: detection of duplicates in databases, detection of fraudulent applications for credentials such as passports and driving licenses, token-less access control, surveillance, social media tagging, lookalike discovery, criminal investigation, and forensic clustering.

This report contains a breadth of performance measurements relevant to many applications. Performance here refers to accuracy and resource consumption. In most applications, the core accuracy of a facial recognition algorithm is the most important performance variable. Resource consumption will be important also as it drives the amount of hardware, power, and cooling necessary to accommodate high volume workflows. Algorithms consume processing time, they require computer memory, and their static template data requires storage space. This report documents these variables.

1.1 Open-set searches

FRVT tested open-set identification algorithms. Real-world applications are almost always "open-set", meaning that some searches have an enrolled mate, but some do not. For example, some subjects have truly not been issued a visa or drivers license before; some law enforcement searches are from first-time arrestees[4]. In an "open-set" application, algorithms make no prior assumption about whether or not to return a high-scoring result, and for a mated search, the ideal behaviour is that the search produces the correct mate at high score and first rank. For a non-mate search, the ideal behavior is that the search produces zero high-scoring candidates.

Many academic benchmarks execute only closed-set searches. The proportion of mates found in the rank one position is the default accuracy metric. This hit rate metric ignores the score with which a mate is found; weak hits count as much as strong hits. This ignores the real-world imperative that in many applications it is necessary to elevate a threshold to reduce the number of false positives.

2 Evaluation datasets

This report documents accuracy for four kinds of images - mugshots, webcam, profiles and wild - as described in the following sections.

2.1 Mugshot images

The main mugshot dataset used is referred to as the FRVT 2018 set. This set was collected over the period 2002 to 2017 in routine United States law enforcement operations. This set has been extracted from a larger operational parent set by excluding non-face images, and setting aside webcam and profile-view images, for use in separate tests.

NIST Interagency Report 8238 includes a comparison of this set of mugshots with the smaller and easier sets of mugshots used in tests run in 2010 and 2014.

[4]Operationally closed-set applications are rare because it is usually not the case that all searches have an enrolled mate. One counter-example, however, is a cruise ship in which all passengers are enrolled and all searches should produce exactly one identity. Another example is forensic identification of dental records from an aircraft crash.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

- ▷ **Mugshots**: Mugshots comprise about 86% of the database. They have reasonable compliance with the ANSI/NIST ITL1-2011 Type 10 standard's subject acquisition profiles levels 10-20 for frontal images [25]. The most common departure from the standard's requirements is the presence of mild pose variations around frontal - the images of Figure 3 are typical. The images vary in size, with many being 480x600 pixels with JPEG compression applied to produce filesizes of between 18 and 36KB with many images outside this range, implying that about 0.5 bits are being encoded per pixel.

- ▷ **Profile images**: Profile-view images have been collected in law enforcement for more than 100 years, as human capability is improved with orthogonal information. The profile images used in this report were collected during the same session as the frontal mugshot photograph, in the same standardized photographic setup. These would not therefore be used with automated face recognition. A small subset, 200 000 images, were set aside for testing.

- ▷ **Webcam images**: The remaining 14% of the images were collected using an inexpensive webcam attached to a flexible operator-directed mount. These images are all of size 240x240 pixels, that are in considerable violation of most quality-related clauses of all face recognition standards. As evident in the figure, the most common defects are non-frontal pose (associated with the rotational degrees of freedom of the camera mount), low contrast (due to varying and intense background lights), and poor spatial resolution (due to inexpensive camera optics) - see examples in Fig 4. The images are overly JPEG compressed, to between 4 and 7KB, implying that only 0.5 to 1 bits are being encoded per color pixel.

Example images are shown in Figures 3, 4 and 5 These are drawn from NIST Special Database 32 which may be downloaded here.

These images were partitioned in galleries and probesets for the various experiment listed in Table 1.

Figure 3: Six mated mugshot pairs representative of the FRVT-2014 (LEO) and FRVT-2018 datasets. The images are collected live, i.e. not scanned from paper. Image source: NIST Special Database 32 the Multiple Encounter Deceased Subjects dataset.

Figure 5: **[Profile views]** *The three images are a frontal enrollment, subsequent frontal probe, and same-session ninety degree profile view. While collection of both frontal and profile views has been typical in law enforcement for more than a century, the recognition of profile to frontal views has essentially been impossible. However, reasonbly high accuracy results is now possible - see section E.*

Figure 4: Twelve webcam images representative of probes against the FRVT-2018 mugshot gallery. The first eight images are four mated pairs. Such images present challenges to recognition including pose, non-uniform illumination, low contrast, compression, cropping, and low spatial sampling rate. Image source: NIST Special Database 32 the Multiple Encounter Deceased Subjects dataset.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

2.2 Enrollment strategies

Many operational applications include collection and enrollment of biometric data from subjects on more than one occasion. This might be done on a regular basis, as might occur in credential (re-)issuance, or irregularly, as might happen in a criminal recidivist situation [3]. The number of images per person will depend on the application area. In civil identity credentialing (e.g. passports, driver's licenses), the images will be acquired approximately uniformly over time (e.g. ten years for a passport). While the distribution of dates for such images of a person might be assumed uniform, a number of factors might undermine this assumption[5]. In criminal applications, the number of images would depend on the number of arrests. The distribution of dates for arrest records for a person (i.e. the recidivism distribution) has been modeled using the exponential distribution but is recognized to be more complicated[6].

In any case, the 2010 NIST evaluation of face recognition showed that considerable accuracy benefits accrue with retention and use of *all* historical images [5].

[5] For example, a person might skip applying for a passport for one cycle, letting it expire. In addition, a person might submit identical images (from the same photography session) to consecutive passport applications at five year intervals.
[6] A number of distributions have been considered to model recidivism, see for example [2].

Image				
Encounter	1	...	$K_i - 1$	K_i
Capture Time	T_1	...	T_{K_i-1}	T_{K_i}
Role RECENT	Not used	Not used	Enrolled	Search
Role LIFETIME	Enrolled	Enrolled	Enrolled	Search

Figure 6: Depiction of the "recent" and "lifetime" enrollment types. Image source: NIST Special Database 32

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

To this end, the FRVT API document provides $K \geq 1$ images of an individual to the enrollment software. The software is tasked with producing a single proprietary undocumented "black-box" template[7] from the K images. This affords the algorithm an ability to generate a *model* of the individual, rather than to simply extract features from each image on a sequential basis.

As depicted in Figure 6, the i-th individual in the FRVT 2018 dataset has K_i images. These are labelled as x_k for $k = 1 \ldots K_i$ in chronological order of capture date. To measure the utility of having multiple enrollment images, this report evaluates three kinds of enrollment:

- ▷ **Recent**: Only the second most recent image, x_{K_i-1} is enrolled. This strategy of enrollment mimics the operational policy of retaining the imagery from the most recent encounter. This might be done operationally to ameliorate the effects of face ageing. Obviously retaining only the most recent image should only be done if the identity of the person is trusted to be correct. For example, in an access control situation retention of the most recent successful *authentication* image would be hazardous if it could be a false positive.

- ▷ **Lifetime-consolidated**: All but the most recent image are enrolled, $x_1 \ldots x_{K_i-1}$. This subject-centric strategy might be adopted if quality variations exist where an older image might be more suitable for matching, despite the ageing effect.

- ▷ **Lifetime-unconsolidated**: Again all but the most recent image are enrolled $x_1 \ldots x_{K_i-1}$ but now separately, with different identifiers, such that the algorithm is not aware that the images are from the same face. This kind of event- or encounter-centric enrollment is very common when operational constraints preclude reliable consolidation of the historical encounters into a single identity. This aspect also prevents the recognition algorithm from a) building a holistic model of identity (as is common in speaker recognition systems) and b) implementing fusion, for example template-level fusion of feature vectors, or post-search score-level fusion. The result is that searches will typically yield more than one image of a person in the top ranks. This has consequences for appropriate metrics, as detailed in section 3.2.1

  NIST first evaluated this kind of enrollment in mid 2018, and the results tables include some comparison of accuracy available from all three enrollment styles.

In all cases, the most recent image, x_{K_i}, is reserved as the search image. For the 1.6 million subject enrollment partition of the FRVT 2018 data, $1 \leq K_i \leq 33$ with $K_i = 1$ in 80.1% of the individuals, $K_i = 2$ in 13.4%, $K_i = 3$ in 3.7%, $K_i = 4$ in

[7] There are no formal face template standards. Template standards only exist for fingerprint minutiae - see ISO/IEC 19794-2:2011.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 7: **Enrollment strategies**. *The figure shows the three kinds of enrollment databases examined in this report. Image source: NIST Special Database 32*

	ENROLLMENT				SEARCH			
	TYPE SEE	POPULATION			MATE		NON-MATE	
	SECTION 2.2	FILTER	N-SUBJECTS	N-IMAGES	N-SUBJECTS	N-IMAGES	N-SUBJECTS	N-IMAGES
Mugshot trials from enrollment of single images								
1	RECENT	NATURAL	640 000	640 000	154 549	154 549	331 254	331 254
2	RECENT	NATURAL	1 600 000	1 600 000				
3	RECENT	NATURAL	3 000 000	3 000 000				
4	RECENT	NATURAL	6 000 000	6 000 000				
5	RECENT	NATURAL	12 000 000	12 000 000				
Mugshot trials from enrollment of lifetime images								
6	CONSOL	NATURAL	640 000	1 247 331				
7	CONSOL	NATURAL	1 600 000	3 351 206				
8	CONSOL	NATURAL	3 000 000	6 417 057				
9	CONSOL	NATURAL	6 000 000	12 976 185				
10	CONSOL	NATURAL	12 000 000	26 107 917				
11	UN-CONSOL	NATURAL	640 000	1 247 331				
12	UN-CONSOL	NATURAL	1 600 000	3 351 206				
Cross-domain								
13	MUGSHOTS AS ON ROW 2				82 106 WEBCAM	82 106 WEBCAM	331 254 WEBCAM	331 254 WEBCAM
Cross-view								
14	MUGSHOTS AS ON ROW 2				100 000 PROFILE	100 000 PROFILE	100 000 PROFILE	100 000 PROFILE
Ageing								
17	OLDEST	NATURAL	3 068 801	3 068 801	2 853 221	10 951 064	0	0

Table 1: **Enrollment and search sets**. *Each row summarizes one identification trial. Unless stated otherwise, all entries refer to mugshot images. The term "natural" means that subjects were selected without heed to demographics, i.e. in the distribution native to this dataset. The probe images were collected in a different calendar year to the enrollment image. Missing values in rows 2-12 are the same as in row 1.*

1.4%, $K_i = 5$ in 0.6%, $K_i = 6$ in 0.3%, and $K_i > 6$ is 0.2% for everyone else. This distribution is substantially dependent on United States recidivism rates.

We did not evaluate the case of retaining only the highest quality image, since automated quality assessment is out of scope for this report. We do not anticipate that such strategies will prove beneficial when the quality assessment apparatus is imperfect and unvalidated.

3 Performance metrics

This section gives specific definitions for accuracy and timing metrics. Tests of open-set biometric algorithms must quantify frequency of two error conditions:

- ▷ **False positives**: Type I errors occur when search data from a person who has never been seen before is incorrectly associated with one or more enrollees' data.
- ▷ **Misses**: Type II errors arise when a search of an enrolled person's biometric does not return the correct identity.

Many practitioners prefer to talk about "hit rates" instead of "miss rates" - the first is simply one minus the other as detailed below. Sections 3.1 and 3.2 define metrics for the Type I and Type II performance variables.

Additionally, because recognition algorithms sometimes fail to produce a template from an image, or fail to execute a one-to-many search, the occurrence of such events must be recorded. Further because algorithms might elect to not

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

produce a template from, for example, a poor quality image, these failure rates must be combined with the recognition error rates to support algorithm comparison. This is addressed in section 3.5.

Finally, section 3.7 discusses measurement of computation duration, and section 3.8 addresses the uncertainty associated with various measurements. Template size measurement is included with the results.

3.1 Quantifying false positives

It is typical for a search to be conducted into an enrolled population of N identities, and for the algorithm to be configured to return the closest L candidate identities. These candidates are ranked by their score, in descending order, with all scores required to be greater than or equal to zero. A human analyst might examine either all L candidates, or just the top $R \leq L$ identities, or only those with score greater than threshold, T. The workload associated with such examination is discussed later, in 3.6.

False alarm performance is quantified in two related ways. These express how many searches produces false positives, and then, how many false positives are produced in a search.

False positive identification rate: The first quantity, FPIR, is the proportion of non-mate searches that produce an adverse outcome:

$$\text{FPIR}(N,T) = \frac{\text{Num. non-mate searches where one or more enrolled candidates are returned with score at or above threshold}}{\text{Num. non-mate searches attempted.}} \tag{1}$$

Under this definition, FPIR can be computed from the highest non-mate candidate produced in a search - it is not necessary to consider candidates at rank 2 and above. FPIR is the primary measure of Type I errors in this report.

Selectivity: However, note that in any given search, several non-mate may be returned above threshold. In order to quantify such events, a second quantity, selectivity (SEL), is defined as the *number* of non-mates returned on a candidate list, averaged over all searches.

$$\text{SEL}(N,T) = \frac{\text{Num. non-mate enrolled candidates returned with score at or above threshold}}{\text{Num. non-mate searches attempted.}} \tag{2}$$

where $0 \leq$ SEL(N, T) $\leq$L. Both of these metrics are useful operationally. FPIR is useful for targeting how often an adverse false positive outcome can occur, while SEL as a number is related to workload associated with adjudicating candidate lists. The relationship between the two quantities is complicated - it depends on whether an algorithm concentrates the false alarms in the results of a few searches or whether it disburses them across many. This was detailed in FRVT 2014, NISTIR 8009. It has not yet been detailed in FRVT 2018.

3.2 Quantifying hits and misses

If L candidates are returned in a search, a shorter candidate list can be prepared by taking the top $R \leq L$ candidates for which the score is above some threshold, $T \geq 0$. This reduction of the candidate list is done because thresholds may be applied, and only short lists might be reviewed (according to policy or labor availability, for example). It is useful then to state accuracy in terms of R and T, so we define a "miss rate" with the general name **false negative identification**

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

rate (FNIR), as follows:

$$\text{FNIR}(N, R, T) = \frac{\text{Num. mate searches with enrolled mate found outside top R ranks or score below threshold}}{\text{Num. mate searches attempted.}} \quad (3)$$

This formulation is simple for evaluation in that it does not distinguish between causes of misses. Thus a mate that is not reported on a candidate list is treated the same as a miss arising from face finding failure, algorithm intolerance of poor quality, or software crashes. Thus if the algorithm fails to produce a candidate list, either because the search failed, or because a search template was not made, the result is regarded as a miss, adding to FNIR.

Hit rates, and true positive identification rates: While FNIR states the "miss rate" as how often the correct candidate is either not above threshold or not at good rank, many communities prefer to talk of "hit rates". This is simply the **true positive identification rate**(TPIR) which is the complement of FNIR giving a positive statement of how often mated searches are successful:

$$\text{TPIR}(N, R, T) = 1 - \text{FNIR}(N, R, T) \quad (4)$$

This report does not report true positive "hit" rates, preferring false negative miss rates for two reasons. First, costs rise linearly with error rates. For example, if we double FNIR in an access control system, then we double user inconvenience and delay. If we express that as decrease of TPIR from, say 98.5% to 97%, then we mentally have to invert the scale to see a doubling in costs. More subtly, readers don't perceive differences in numbers near 100% well, becoming inured to the "high nineties" effect where numbers close to 100 are perceived indifferently.

Reliability is a corresponding term, typically being identical to TPIR, and often cited in automated (fingerprint) identification system (AFIS) evaluations.

An important special case is the **cumulative match characteristic**(CMC) which summarizes accuracy of mated-searches only. It ignores similarity scores by relaxing the threshold requirement, and just reports the fraction of mated searches returning the mate at rank R or better.

$$\text{CMC}(N, R) = 1 - \text{FNIR}(N, R, 0) \quad (5)$$

We primarily cite the complement of this quantity, $\text{FNIR}(N, R, 0)$, the fraction of mates *not* in the top R ranks.

The **rank one hit rate** is the fraction of mated searches yielding the correct candidate at best rank, i.e. CMC(N, 1). While this quantity is the most common summary indicator of an algorithm's efficacy, it is not dependent on similarity scores, so it does not distinguish between strong (high scoring) and weak hits. It also ignores that an adjudicating reviewer is often willing to look at many candidates.

3.2.1 False negative rates for unconsolidated galleries

As detailed in section 2.2 a common type of gallery, here referred to as the lifetime unconsolidate type, is populated with all images of an individual without any association between them. That is, the gallery construction algorithm is not provided with any ID labels that would support processing of a person's images jointly. This constrasts with the lifetime consolidate type where an algorithm may explicitly fuse features from multiple images of a person, or select a best image. In such cases, where the number of enrolled images is a random variable, we define two false negative rates as follows.

The first demands that the algorithm place any of the K_i mates in the top $R \geq 1$ ranks. The proportion of searches for

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

which this does not occur forms a false negative identification rate:

$$\text{FNIR}_{\text{any}}(N,R,T) = 1 - \frac{\text{Num. mate searches where any enrolled mate is found in the top R ranks and at-or-above threshold}}{\text{Num. mate searches attempted.}} \tag{6}$$

The second demands that the algorithm place all K_i mates in the top $R \geq K_i$ ranks. The proportion of searches for which this does not occur forms a false negative identification rate:

$$\text{FNIR}_{\text{all}}(N,R,T) = 1 - \frac{\text{Num. mate searches where all enrolled mates are found in the top R ranks and at-or-above threshold}}{\text{Num. mate searches attempted.}} \tag{7}$$

Placing all mates in the top ranks is a more difficult task than correctly retrieving any image, so it holds that: $\text{FNIR}_{\text{all}} \geq \text{FNIR}_{\text{any}}$. This is evident in the results presented for November 2018 algorithms in Tables starting at 27.

The information retrieval community might prefer to compute and plot *precision* and *recall*; this is a valid approach, but we advance the two metrics above because they relate to our normal definition of consolidated FNIR, and they cover the two extreme use-cases of wanting any hit vs. all hits.

3.3 DET interpretation

In biometrics, a false negative occurs when an algorithm fails to match two samples of one person a Type II error. Correspondingly, a false positive occurs when samples from two persons are improperly associated a Type I error.

Matches are declared by a biometric system when the native comparison score from the recognition algorithm meets some threshold. Comparison scores can be either similarity scores, in which case higher values indicate that the samples are more likely to come from the same person, or dissimilarity scores, in which case higher values indicate different people. Similarity scores are traditionally computed by fingerprint and face recognition algorithms, while dissimilarities are used in iris recognition. In some cases, the dissimilarity score is a distance possessing metric properties. In any case, scores can be either mate scores, coming from a comparison of one persons samples, or nonmate scores, coming from comparison of different persons samples.

The words "genuine" or "authentic" are synonyms for mate, and the word "impostor" is used as a synonym for nonmate. The words "mate" and "nonmate" are traditionally used in identification applications (such as law enforcement search, or background checks) while genuine and impostor are used in verification applications (such as access control).

An error tradeoff characteristic represents the tradeoff between Type II and Type I classification errors. For identification this plots false negative vs. false positive identification rates i.e. FNIR vs. FPIR parametrically with T. Such plots are often called detection error tradeoff (DET) characteristics or receiver operating characteristic (ROC). These serve the same function − to show error tradeoff − but differ, for example, in plotting the complement of an error rate (e.g. TPIR = 1 − FNIR) and in transforming the axes, most commonly using logarithms, to show multiple decades of FPIR. More rarely, the function might be the inverse of the Gaussian cumulative distribution function.

The slides of Figures 8 through 15 discuss presentation and interpretation of DETs used in this document for reporting face identification accuracy. Further detail is provided in formal biometrics testing standards, see the various parts of ISO/IEC 19795 Biometrics Testing and Reporting. More terms, including and beyond those to do with accuracy, appear in ISO/IEC 2382-37 Information technology – Vocabulary – Part 37: Harmonized biometric vocabulary.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 8: **DET as the primary performance reporting mechanism**.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 9: **DET as the primary performance reporting mechanism**.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 10: **DET as the primary performance reporting mechanism**.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 11: **DET as the primary performance reporting mechanism**.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Sharp rise in DET indicates arises if the dataset contains biometrically similar samples under two different IDs. This can occur when:

1. **Ground truth errors** are present: Instances of a person being present in the dataset under different IDs. This leads to high non-mate scores that are actually mate-scores.
2. **Twins:** For a genetically linked biometric trait such as face shape, very similar facial appearance in two individuals will lead to high non-mate scores+.
3. **Familial similarity:** For the same, but less pronounced, reasons, siblings and parent-child face similarity leads to elevated non-mate scores.
4. **National origin**: Individuals with same national origin have faces more similar than randomly selected individuals.

Additionally false positives can occur due to algorithm idiosyncrasies, e.g. from matching similar think-framed glasses, from hair covering the face in similar patterns.

Figure 12: **DET as the primary performance reporting mechanism**.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 13: **DET as the primary performance reporting mechanism**.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 14: **DET as the primary performance reporting mechanism**.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 15: **DET as the primary performance reporting mechanism**.

3.4 Best practice testing requires execution of searches with and without mates

FRVT embeds 1:N searches of two kinds: Those for which there is an enrolled mate, and those for which there is not. The respective numbers for these types of searches appear in Table 1. However, it is common to conduct only mated searches[8]. The cumulative match characteristic is computed from candidate lists produced in mated searches. Even if the CMC is the only metric of interest, the actual trials executed in a test should nevertheless include searches for which no mate exists. As detailed in Table 1 the FRVT reserved disjoint populations of subjects for executing true non-mate searches.

3.5 Failure to extract features

During enrollment some algorithms fail to convert a face image to a template. The proportion of failures is the failure-to-enroll rate, denoted by FTE. Similarly, some search images are not converted to templates. The corresponding proportion is termed failure-to-extract, denoted by FTX.

We do not report FTX because we assume that the same underlying algorithm is used for template generation for enrollment and search.

Failure to extract rates are incorporated into FNIR and FPIR measurements as follows.

- ▷ **Enrollment templates**: Any failed enrollment is regarded as producing a zero length template. Algorithms are required by the API [9] to transparently process zero length templates. The effect of template generation failure on search accuracy depends on whether subsequent searches are mated, or non-mated: Mated searches will fail giving elevated FNIR; non-mated searches will not produce false positives so, to first order, FPIR will be reduced by a factor of $1-\text{FTE}$.

- ▷ **Search templates and 1:N search**: In cases where the algorithm fails to produce a search template from input imagery, the result is taken to be a candidate list whose entries have no hypothesized identities and zero score. The effect of template generation failure on search accuracy depends on whether searches are mated, or non-mated: Mated searches will fail giving elevated FNIR; Non-mated searches will not produce false positives, so FPIR will be reduced. Thus given a measurement of false negative and positive rates made over only those where failures-to-extract did not occur, those rates - call them $\text{FNIR}^\dagger$ and $\text{FPIR}^\dagger$ - could be adjusted by an explicit measurement of FTX as follows

$$\text{FNIR} = \text{FTX} + (1 - \text{FTX})\text{FNIR}^\dagger \tag{8}$$

$$\text{FPIR} = (1 - \text{FTX})\text{FPIR}^\dagger \tag{9}$$

This approach is the correct treatment for positive-identification applications such as access control where cooperative users are enrolled and make attempts at recognition. This approach is not appropriate to negative identification applications, such as visa fraud detection, in which hostile individuals may attempt to evade detection by submitting poor quality samples. In those cases, template generation failures should be investigated as though a false alarm had occurred.

[8]For example, the Megaface benchmark. This is bad practice for several reasons: First, if a developer knows, or can reasonably assume, that a mate always exists, then unrealistic gaming of the test is possible. A second reason is that it does not put FPIR on equal footing with FNIR and that matters because in most applications, not all searches have mates - not everyone has been previously enrolled in a driving license issuance or a criminal justice system - so addressing between-class separation becomes necessary.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

3.6 Fixed length candidate lists, threshold independent workload

Suppose an automated face identification algorithm returns L candidates, and a human reviewer is retained to examine up to R candidates, where $R \leq L$ might be set by policy, preference or labor availability. For now, assume also that the reviewer is not provided with, or ignores, similarity scores, and thresholds are not applied. Given the algorithm typically places mates at low (good) ranks, the number of candidates a reviewer can be expected to review can be derived as follows. Note that the reviewer will:

- ▷ Always inspect the first ranked image — Frac. reviewed = 1
- ▷ Then inspect those candidates where mate not confirmed at rank 1 — Frac. reviewed = 1-CMC(1)
- ▷ Then inspect those candidates where mate not confirmed at rank 1 or 2 — Frac. reviewed = 1-CMC(2)

etc. Thus if the reviewer will stop after a maximum of R candidates, the expected number of candidate reviews is

$$M(R) = 1 + (1 - CMC(1)) + (1 - CMC(2)) + \ldots + (1 - CMC(R-1)) \tag{10}$$

$$= R - \sum_{r=1}^{R-1} CMC(r) \tag{11}$$

A recognition algorithm that front-loads the cumulative match characteristic will offer reduced workload for the reviewer. This workload is defined only over the searches for which a mate exists. In the cases where there truly is no mate, the reviewer would review all R candidates. Thus, if the proportion of searches for which a mate does exist is β, which in the law enforcement context would be the recidivism rate [2], the full expression for workload becomes:

$$M(R) = \beta \left(R - \sum_{r=1}^{R-1} CMC(r) \right) \quad + \quad (1-\beta)R \tag{12}$$

$$= R - \beta \sum_{r=1}^{R-1} CMC(r) \tag{13}$$

3.7 Timing measurement

Algorithms were submitted to NIST as implementations of the application programming interface(API) specified by NIST in the Evaluation Plan [9]. The API includes functions for initialization, template generation, finalization, search, gallery insert, and gallery delete. Two template generation functions are required, one for the preparation of an enrollment template, and one for a search template.

In NIST's test harness, all functions were wrapped by calls to the C++ std::chrono::high resolution clock which on the dedicated timing machine counts 1ns clock ticks. Precision is somewhat worse than that however.

3.8 Uncertainty estimation

3.8.1 Random error

This study leverages operational datasets for measurement of recognition error rates. This affords several advantages. First, large numbers of searches are conducted (see Table 1) giving precision to the measurements. Moreover, for the two mugshot datasets, these do not involve reuse of individuals so binomial statistics can be expected to apply to recognition error counts. In that case, an observed count of a particular recognition outcome (i.e. a false negative or false positive) in M trials will sustain 95% confidence that the actual error rate is no larger than some value.

As an example, the minimum number of mugshot searches conducted in this report is M =154 549, and for an observed FNIR around 0.002, the measurement supports a conclusion that the actual FNIR is no higher than 0.00228 at 99% confidence level. On the false positive side, we tabulate FNIR at FPIR values as low as 0.001. Given estimates based on 331 254 non-mate trials, the actual FPIR values will be below 0.00115 at 99% confidence. In conclusion, large scale evaluation, without reuse of subjects, supports tight uncertainty bounds on the measured error rates.

3.8.2 Systematic error

The FRVT 2018 dataset includes anomalies discovered as a result of inspecting images involved in recognition failures from the most accurate algorithms. Two kinds of failure occur: False negatives (which, for the purpose here, include failures to make templates) and false positives.

False negative errors: We reviewed 600 false negative pairs for which either or both of the leading two algorithms did not put the correct mate in the top 50 candidates. Given 154 549 searches, this number represents 0.39% of the total, resulting in FNIR ~ 0.0039. Of the 600 pairs:

- ▷ **A: Poor quality**: About 20% of the pairs included images of very low quality, often greyscale, low resolution, blurred, low contrast, partially cropped, interlaced, or noisy scans of paper images. Additionally, in a few cases, the face is injured or occluded by bandages or heavy cosmetics.
- ▷ **B: Ground truth identity label bugs**: About 15% of the pairs are not actually mated. We only assigned this outcome when a pair is clearly not mated.
- ▷ **C: Profile views**: About 35% included an image of a profile (side) view of the face, or, more rarely, an image that was rotated 90 degrees in-plane (roll).
- ▷ **D: Tattoos**: About 30% included an image of a tattoo that contained a face image. These arise from mis-labelling in the parent dataset metadata.
- ▷ **E: Ageing**: There is considerable time-lapse between the two captures.

All these estimates are approximate. Of these, the tattoo and mislabled images can never be matched. These constitute an accuracy floor in the sample implying that FNIR cannot be below 0.0018[9]. The profile-views, low-quality images, and images with considerable ageing can, in principle, be successfully matched - indeed some algorithms do so - so are not part of the accuracy floor.

[9]This value is the sum of two partial false negative rates: FNIR_B = 0.15 * 0.0039 plus FNIR_D = 0.3 * 0.0039

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

For the microsoft-4 algorithm the lowest miss rate from (recent entry in Table 15) is FNIR(640 000, 50, 0) = 0.0018. This is close to the value estimated from the inspection of misses. It is below the 0.0039 figure because the algorithm does match some profile and poor quality images, that the yitu-2 algorithm does not.

For many tables (e.g. Table 15), the FNIR values obtained for the FRVT-2018 mugshots could be corrected by reducing them by 0.0018. The best values would then be indistinct from zero. The results in this report *were not* adjusted to account for this systematic error.

False positive errors: As depicted in Figure 8 many of the DET characteristics in this report exhibit a pronounced turn upward at low false positive rates. The shape can be caused by identity labelling errors in the ground truth of a dataset, specifically persons present in the database under two IDs such that some proportion of non-mate pairs are actually mated. We merged the highest 1000 non-mate pairs produced by three different algorithms which resulted in 1839 unique pairs. This constitutes 0.56% of all non-mate searches. We assert that it is *very* difficult for human reviewers to assign the pairs into the following three categories: twins; doppelgangers; or ground-truth errors (instances of the same person under two IDs). Given this difficulty we made no attempt to correct any ground truth except by removing 57 pairs in the following categories:

- **A: Profile views**: Thirteen pairs included one or two profile-view images. As described in Figure 111, these can cause false positives.
- **B: Same-session photographs**: For twelve pairs, the images were identical or trivially altered (e.g. cropped) versions of the same photo. These were present under a different ID likely due to some clerical or procedural mistake.
- **C: Tattoos of faces**: There were fourteen instances of tattoo photographs that contained faces causing false matches.
- **D: T-shirt faces**: There were six instances of T-shirt photographs (of Bob Marley and Che Guevara) being detected instead of the face and causing false positives.
- **E: Background faces**: There were twelve instances of one subject appearing in the background of two otherwise correct portrait photos.

Note we did not remove any images where there was a chance that the pair was actually a different person.

In any case, the results in this report have not been adjusted for this systematic error.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

4 Results

This section gives extensive results for algorithms submitted to FRVT 2018. Three page "report cards" for each algorithm are contained in a separate supplement. Performance metrics were described in section 3. The main results are summarized in tabular form with more exhaustive data included as DET, CMC and related graphs in appendices as follows:

▷ The three tables 2-4 list algorithms alongside full developer names, acceptance date, size of the provided configuration data, template size and generation time, and search duration data.

- The **template generation duration** is most important to applications that require fast response. For example, an eGate taking more than two seconds to produce a template might be unacceptable. Note that GPUs may be of utility in expediting this operation for some algorithms, though at additional expense. Two additional factors should be considered[10][11].
- The **search duration** is the time taken for a search of a search template into a gallery of N enrollment templates. This performance variable, together with the volume of searches, is influential on the amount of hardware needed to sustain an operational deployment. This is measured here with the algorithm running on a single core of a contemporary CPU. Search is most simply implemented as N computations of a distance metric followed by a sort operation to find the closest enrollments. However, considerable optimization of this process is possible, up to and including fast-search algorithms that, by various means, avoid computation of all N distances.
- The **template size** is the size of the extracted feature vector (or vectors) and any needed header information. Large template sizes may be influential on bus or network bandwidth, storage requirements, and on search duration. While the template itself is an opaque data blob, the feature dimensionality might be estimated by assuming a four-bytes-per-float encoding. There is a wide range of encodings. For the more accurate algorithm, sizes range from 256 bytes to about 2KB bytes, indicating essentially no consensus on face modeling and template design.
- The **template size multiplier** column shows how, given k input images, the size of the template grows. Most implementations internally extract features from each image and concatenate them, and implement some score-level fusion logic during search. Other implementations, including many of the most accurate algorithms, produce templates whose size does not grow with k. This could be achieved via selection of the best quality image - but this is not optimal in handling ageing where the oldest image could be the best quality. Another mechanism would be feature-level fusion where information is fused from all k inputs. In any case, as a black-box test, the fusion scheme is proprietary and unknown.
- The size of the **configuration data** is the total size of all files resident in a vendor-provided directory that contains arbitrary read-only files such as parameters, recognition models (e.g caffe). Generally a large value for this quantity may prohibit the use of the algorithm on a resource-constrained device.

[10] The FRVT 2018 API prohibited threading, so some gains from parallelism may be available on multiple-cores or multiple processors, if the feature extraction code could be distributed across them.

[11] Note also that factors of two or more may be realizable by exploiting modern vector processing instructions on CPUs. It is not clear in our measurements whether all developers exploited Intel's AVX2 instructions, for example. Our machine was so equipped, but we insisted that the same compiled library should also run on older machines lacking that instruction. The more sophisticated implementations may have detected AVX2 presence and branched accordingly. The less sophisticated may be defaulted to the reduced instruction set. Readers should see the FRVT 2018 API document for the specific chip details.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

▷ Tables 15-16 report core rank-based accuracy for mugshot images. The population size is limited to N = 1.6 million identities because this is the largest gallery size on which all algorithms were executed. Notable observations from these tables are as follows:

- **Accuracy gains during 2018**: NIST Interagency Report 8238 documented massive gains over those reported in the FRVT 2014 report, NIST Interagency Report 8009.

  Further gains are documented in this report. Comparing the most accurate algorithm in June 2018, Microsoft-4, with the most accurate in November 2018, NEC-2, the value of FNIR(N, 1, 0) reduced from 0.0031 to 0.0028 with N = 1.6 million recent images. For lifetime enrollments, Microsoft-4 remained the most accurate algorithm as the newer variants from Microsoft did not reduce this error rate.

  We further note that the revolution is not over: Figure 18 shows that many developers have made great advances in the four months between Phases 1 and 2 of FRVT 2018, Feburary to June. Most developers saw a two-fold reduction in errors, with Neurotechnology seeing a five fold reduction.

- **Wide range in accuracy**: The rank-1 miss rates vary from FNIR(N, 1, 0) = 0.001 for nec-3 up to about 0.5 for the very fast but inaccurate microfocus-x algorithms. Among the developers who are superior to NEC in 2013, the range is from 0.002 to 0.035 for camvi-3. This large accuracy range is consistent with the buyer-beware maxim, and indicates that face recognition software is far from being commoditized.

▷ Tables 19-20 report threshold-based error rates, FNIR(N, L, T), for N = 1.6 million for mugshot-mugshot accuracy on FRVT 2014, FRVT 2018, and also (in pink) mugshot-webcam accuracy using FRVT 2018 enrollments. Notable observations from these tables are as follows:

- **Order of magnitude accuracy gains since 2014**: As with rank-based results, the gains in accuracy are substantial, though somewhat reduced. At FPIR = 0.01, the best improvement over NEC in 2014 is a 27 fold reduction in FNIR using the NEC_2 algorithm. At FPIR = 0.001, the largest gain is a six-fold reduction in FNIR via the NEC_3 algorithm.

- **Broad gains across the industry**: About 19 companies realize accuracy better than the NEC benchmark from 2014. This is somewhat lower than the 28 developers who succeeded on the rank-1 metric. This may be due to the ubiquity of, and emphasis on, the rank-1 metric in many published algorithm development papers.

- **Webcam images**: Searches of webcam images give FNIR(N, T) values around 2 to 3 times higher than mugshot searches. Notably the leading developers with mugshots are approximately the same with poorer quality webcams. But some developers e.g. Camvi, Megvii, TongYi, and Neurotechnology do improve their relative rankings on webcams, perhaps indicating their algorithms were tailored to less constrained images.

▷ Tables 9, 11, 12 and show, respectively, high-threshold, rank 1, nd rank 50 FNIR values for all algorithms performing searches into five different gallery sizes, N = 640 000, N = 1 600 000, N = 3 000 000, N = 6 000 000 and 12 000 000. The FPIR = 0.001 table is included to inform high-volume duplicate detection applications. The Rank-1 table is included as a primary accuracy indicator. The Rank-50 table is included to inform agencies who routinely produce 50 candidates for human-review. The notable results are:

- **Slow growth in rank-based miss rates:** FNIR(N, R) generally grows as a power law, aN^b. From the straight lines of many graphs of Figure 21 this is clearly a reasonable model for most, but not all, algorithms. The coefficient a can be interpreted as FNIR in a gallery of size 1. The more important coefficient b indicates

scalability, and often, $b \ll 1$, implies very benign growth in FNIR. The coefficients of the models appear in the Tables 11 and 12.

– **Slow growth in threshold-based miss rates:** FNIR(N, T) also generally grows as a power law, aN^b except at the high threshold values corresponding to low FPIR values. This is visible in the plots of Figure 37 which show straight lines except for FPIR = 0.001, which increase more rapidly with N above 3 000 000. Each trace in those figures shows FNIR(N, T) at fixed FPIR with both N and T varying. Thus at large N, it is usually necessary to elevate T to maintain fixed FPIR. This causes increased FNIR. Why that would no-longer obey a power-law is not known. However, if we expect large galleries to contain individuals with familial relations to the non-mate search images - in the most extreme case, twins - then suppression of false positives becomes more difficult. This is discussed in the Figures starting at Fig. 8

▷ Figure 20 shows false positives from twins against their enrolled siblings, broken out by type of twin: fraternal or identical. The Figure is based on the enrollment of 104 single images on one of a pair of twins, and then the search of 2354 second images. Note that the dataset is heavily skewed towards identical twins which is not representative of the true population. There is also a skew towards same sex fraternal twin pairs compared to different sex fraternal twin pairs again not representative of the true population.

The notable results are:

– For all algorithms tested, the 1087 mated searches (Twin A vs. Twin A) produce scores almost always above typical operational thresholds, with (not shown) matches at rank 1. The images are of good quality, so this is the result expected from the rest of this report.

– For the 1066 identical twin searches (AB), almost all produce the twin at rank 1, with a few producing the mate at further down the candidate lists rank and low score.

– For the 169 fraternal searches (AB) from same sex pairs, most algorithms give a large number of very high scores, implying false positives at all thresholds. However, there there are long tails containing lower scores that are correctly below threshold. In general, scores that are higher in this distribution are all rank 1 whereas the lower scores have much higher ranks.

– (Not shown) Of the 169, there are 24 fraternal searches (AB) involving different sex twins. Here most algorithms correctly report scores well below the lowest threshold, and usually not on the candidate list at all.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 16: **[Mugshot Dataset] Speed-accuracy tradeoff**. *For developers of the more accurate algorithms the plot shows the tradeoff of high-threshold recognition miss-rates, FNIR(N, N, T) for FPIR(N, T) = 0.003, and template generation time. Developers are coded by color. Template size is encoded by the size of the circle. Some labels are quite distant from the respective point, to avoid superposing text. Without any other influences, the assumption would be that taking time to localize the face, and extract features, would lead to better accuracy. The most notable result, for NEC, is that their slower algorithms are much more accurate than the version that extract features in fewer than 90 milliseconds.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 17: **[Mugshot Dataset] Speed-accuracy tradeoff**. *For developers of the more accurate algorithms the plot shows the tradeoff of rank-one recognition miss-rates, FNIR(N, 1, 0), and template generation time. Developers are coded by color. Template size is encoded by the size of the circle. Some labels are quite distant from the respective point, to avoid superposing text. Without any other influences, the assumption would be that taking time to localize the face, and extract features, would lead to better accuracy. This occurs for NEC with their slower algorithm being much accurate than the version that extract features in fewer than 90 milliseconds.*

	DEVELOPER	SHORT	SEQ.	VALIDATION	CONFIG[1]	TEMPLATE GENERATION			SEARCH DURATION[4] MILLISEC					
	FULL NAME	NAME	NUM.	DATE	DATA (MB)	SIZE (B)	MULT[2]	TIME (MS)[3]	L=1 N=1.6M	L=50 N=1.6M	L=50 N=3M	L=50 N=6M	L=50 N=12M	POWER LAW (μs)
1	3Divi	3divi	0	2018-02-09	186	^{217}4096	k	^{101}426	-	^{122}553	-	-	-	
2	3Divi	3divi	1	2018-02-15	187	^{230}4224	k	^{105}428	-	^{21}37	-	-	-	
3	3Divi	3divi	2	2018-02-15	187	^{53}528	k	^{103}428	-	^{19}33	-	-	-	
4	3Divi	3divi	3	2018-06-19	165	^{47}512	k	^{147}625	^{17}76	^{25}76	-	-	-	
5	3Divi	3divi	4	2018-06-19	186	^{213}4096	k	^{148}628	^{89}604	^{148}801	-	-	-	
6	3Divi	3divi	5	2018-10-26	186	^{211}4096	k	^{157}653	^{81}537	^{119}537	^{63}1376	^{60}2612	^{53}5524	$^{88}0.07\ N^{1.1}$
7	3Divi	3divi	6	2018-10-26	187	^{55}528	k	^{159}653	^{12}33	^{17}33	-	-	-	
8	Alchera Inc	alchera	0	2018-06-30	168	^{169}2048	k	^{48}263	^{150}3296	^{226}5420	-	-	-	
9	Alchera Inc	alchera	1	2018-06-30	46	^{143}2048	k	^{8}66	^{151}3516	^{227}5489	-	-	-	
10	Alchera Inc	alchera	2	2018-10-30	7	^{166}2048	k	^{16}115	^{147}2920	^{210}2926	-	-	-	
11	Alchera Inc	alchera	3	2018-10-30	251	^{126}2048	k	^{133}548	^{148}2952	^{212}2953	^{106}6540	^{101}14998	^{97}35227	$^{103}0.10\ N^{1.2}$
12	AllGoVision	allgovision	000	2019-07-30	168	^{157}2048	k	^{100}425	^{149}3217	^{216}3184	^{104}6111	^{98}12411	^{94}25758	$^{48}1.40\ N^{1.0}$
13	Anke Investments	anke	0	2018-10-30	779	^{193}2072	k	^{107}431	^{91}675	^{143}748	^{67}1482	^{64}2965	^{55}6142	$^{70}0.21\ N^{1.1}$
14	Anke Investments	anke	002	2019-06-27	341	^{186}2056	k	^{152}641	^{90}624	^{138}682	^{61}1306	^{57}2403	^{51}5082	$^{43}0.30\ N^{1.0}$
15	Anke Investments	anke	1	2018-10-30	779	^{192}2072	k	^{108}433	^{95}707	^{146}769	-	-	-	
16	Aware	aware	0	2018-02-16	261	^{109}1564	k	^{158}653	-	^{66}251	-	-	-	
17	Aware	aware	1	2018-02-16	232	^{110}1564	k	^{155}651	-	^{67}251	-	-	-	
18	Aware	aware	2	2018-02-16	349	^{195}2076	k	^{231}912	-	^{68}252	-	-	-	
19	Aware	aware	3	2018-06-22	350	^{194}2076	k	^{189}716	^{143}2426	^{205}2508	^{99}4495	-	-	$^{46}1.09\ N^{1.0}$
20	Aware	aware	4	2018-06-22	349	^{2}92	k	^{185}712	^{114}1232	^{167}1187	-	-	-	
21	Aware	aware	5	2018-10-30	368	^{204}3100	k	^{212}827	^{20}94	^{29}97	^{14}202	^{12}370	^{10}251	$^{12}4.13\ N^{0.7}$
22	Aware	aware	6	2018-10-30	368	^{3}124	k	^{205}818	^{31}157	^{44}162	-	-	-	
23	Ayonix	ayonix	0	2018-06-21	57	^{85}1036	k	^{1}10	^{53}283	^{82}298	-	-	-	
24	Ayonix	ayonix	1	2018-10-29	74	^{89}1036	k	^{3}12	^{50}277	^{77}277	-	-	-	
25	Ayonix	ayonix	2	2018-10-30	74	^{87}1036	1	^{2}11	^{49}277	^{76}274	^{31}531	^{29}1079	^{27}2268	$^{56}0.11\ N^{1.0}$
26	Camvi Technologies	camvitech	1	2018-02-16	94	^{77}1024	1	^{25}177	-	^{13}23	-	-	-	
27	Camvi Technologies	camvitech	2	2018-02-16	442	^{82}1024	1	^{200}774	-	^{12}20	-	-	-	
28	Camvi Technologies	camvitech	3	2018-06-30	233	^{80}1024	1	^{183}707	^{8}10	^{10}11	-	-	-	
29	Camvi Technologies	camvitech	4	2018-10-30	233	^{74}1024	1	^{191}718	^{13}33	^{16}32	^{9}38	^{7}40	^{5}48	$^{2}8492.66\ N^{0.1}$
30	Camvi Technologies	camvitech	5	2018-10-30	257	^{69}1024	1	^{198}769	^{11}31	^{15}30	-	-	-	
31	Thales	cogent	0	2018-06-20	533	^{52}525	k	^{134}551	^{77}494	^{125}558	^{49}1047	^{50}2060	^{41}4141	$^{22}0.46\ N^{1.0}$
32	Thales	cogent	1	2018-06-20	533	^{51}525	k	^{135}552	^{78}498	^{123}556	^{50}1048	^{51}2082	^{43}4263	$^{27}0.39\ N^{1.0}$
33	Thales	cogent	2	2018-10-30	681	^{92}1043	k	^{238}987	^{137}2017	^{197}2144	^{98}4298	^{94}8472	^{90}16429	$^{40}1.08\ N^{1.0}$
34	Thales	cogent	3	2018-10-30	681	^{91}1043	k	^{237}960	^{113}1230	^{174}1311	^{87}2687	^{81}5398	^{73}10184	$^{44}0.62\ N^{1.0}$
35	Cognitec Systems GmbH	cognitec	0	2018-06-21	364	^{179}2052	k	^{24}176	^{129}1748	^{185}1780	^{93}3672	^{89}7093	^{88}15224	$^{66}0.57\ N^{1.0}$
36	Cognitec Systems GmbH	cognitec	1	2018-06-21	412	^{173}2052	k	^{32}202	^{132}1835	^{187}1805	^{96}3971	^{92}7484	^{89}16249	$^{74}0.49\ N^{1.1}$
37	Cognitec Systems GmbH	cognitec	2	2018-10-30	463	^{175}2052	k	^{39}227	^{128}1733	^{184}1763	^{92}3660	^{91}7279	^{83}13895	$^{45}0.83\ N^{1.0}$
38	Cognitec Systems GmbH	cognitec	3	2018-10-30	465	^{181}2052	k	^{60}297	^{127}1719	^{186}1791	^{91}3638	^{90}7277	^{86}14904	$^{62}0.66\ N^{1.0}$
39	Cyberlink Corp	cyberlink	000	2019-06-12	217	^{171}2052	1	^{177}699	^{93}694	^{140}699	^{64}1376	^{61}2633	^{56}6201	$^{58}0.28\ N^{1.0}$
40	Cyberlink Corp	cyberlink	001	2019-10-07	459	^{182}2052	1	^{109}433	^{94}698	^{141}700	^{62}1350	^{83}5524	^{78}12031	$^{108}0.00\ N^{1.3}$
41	Dahua Technology Co Ltd	dahua	0	2018-10-29	276	^{152}2048	k	^{80}378	-	^{71}256	-	-	-	
42	Dahua Technology Co Ltd	dahua	002	2019-12-02	607	^{137}2048	k	^{178}699	^{46}243	^{75}269	^{55}1189	^{63}2950	^{58}6732	$^{112}0.00\ N^{1.5}$
43	Dahua Technology Co Ltd	dahua	1	2018-10-29	276	^{129}2048	k	^{76}371	-	^{70}256	^{37}601	^{35}1199	^{36}3001	$^{96}0.02\ N^{1.2}$
44	Deepglint	deepglint	001	2019-11-15	448	^{215}4096	1	^{176}696	^{76}484	^{113}493	^{69}1687	^{37}1246	^{12}686	$^{5}76694.70\ N^{0.2}$
45	Tencent Deepsea Lab	deepsea	001	2019-07-29	250	^{131}2048	1	^{202}780	^{107}1021	^{157}1020	^{88}2774	^{84}5767	^{79}12341	$^{101}0.06\ N^{1.2}$
46	Dermalog	dermalog	0	2018-02-16	0	^{5}128	1	^{73}344	-	^{99}404	-	-	-	
47	Dermalog	dermalog	007	2020-02-12	0	^{8}128	-	^{94}413	-	^{28}96	^{16}218	^{13}427	^{14}1010	$^{84}0.01\ N^{1.1}$
48	Dermalog	dermalog	1	2018-02-16	0	^{9}128	1	^{23}171	-	^{102}407	-	-	-	
49	Dermalog	dermalog	2	2018-02-16	0	^{21}256	k	^{72}344	-	^{136}640	-	-	-	
50	Dermalog	dermalog	3	2018-06-21	0	^{7}128	1	^{35}211	^{19}92	^{26}92	-	-	-	
51	Dermalog	dermalog	4	2018-06-21	0	^{4}128	1	^{33}208	^{18}91	^{27}93	-	-	-	
52	Dermalog	dermalog	5	2018-10-26	0	^{6}128	1	^{124}532	^{3}0	^{2}0	^{2}0	^{2}0	^{2}0	$^{4}66.21\ N^{0.2}$

Notes	
1	Configuration size does not capture static data present in libraries. Libraries are not counted because most implementations include common ancillary libraries for image processing (e.g. openCV) or numerical computation (e.g. blas).
2	This multiplier expresses the increase in template size when k images are passed to the template generation function.
3	All durations are measured on Intel®Xeon®CPU E5-2630 v4 @ 2.20GHz processors. Estimates are made by wrapping the API function call in calls to std::chrono::high_resolution_clock which on the machine in (3) counts 1ns clock ticks. Precision is somewhat worse than that however.
4	Search durations are measured as in the prior note. The power-law model in the final column mostly fits the empirical results in Figure 112. However in certain cases the model is not correct and should not be used numerically.

Table 2: Summary of algorithms and properties included in this report. The blue superscripts give ranking for the quantity in that column. Missing search durations, denoted by "-", are absent because those runs were not executed, usually because we did not run on the larger galleries. Caution: The power-law model is sometimes an incorrect model. It is included here only to show broad sublinear behavior, which is flagged in green. The models should not be used for prediction.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

	DEVELOPER	SHORT	SEQ.	VALIDATION	CONFIG[1]	TEMPLATE GENERATION			SEARCH DURATION[4] MILLISEC					
	FULL NAME	NAME	NUM.	DATE	DATA (MB)	SIZE (B)	MULT[2]	TIME (MS)[3]	L=1 N=1.6M	L=50 N=1.6M	L=50 N=3M	L=50 N=6M	L=50 N=12M	POWER LAW (μs)
53	Dermalog	dermalog	6	2018-10-26	0	^{27}256	1	^{119}514	^{28}141	^{39}143	^{21}267	^{19}527	^{18}1285	$^{63}0.05\ N^{1.0}$
54	Paravision (EverAI)	everai	0	2018-06-21	142	^{163}2048	1	^{111}438	^{5}4	^{6}3	^{3}5	-	-	$^{10}42.41\ N^{0.3}$
55	Paravision (EverAI)	everai	1	2018-06-21	200	^{123}2048	1	^{142}590	^{58}336	^{89}356	^{39}651	-	-	$^{91}0.03\ N^{1.1}$
56	Paravision (EverAI)	everai	2	2018-10-30	224	^{153}2048	1	^{79}377	^{52}278	^{79}283	-	-	-	
57	Paravision (EverAI)	everai	3	2018-10-30	438	^{125}2048	1	^{195}735	^{51}278	^{78}281	^{34}572	^{33}1146	^{28}2278	$^{54}0.12\ N^{1.0}$
58	Paravision (EverAI)	everai-paravision	004	2019-06-19	527	^{209}4096	1	^{193}720	^{84}559	^{126}559	^{86}2611	^{87}6445	^{84}14519	$^{111}0.00\ N^{1.5}$
59	Eyedea Recognition	eyedea	0	2018-02-16	644	^{229}4152	k	^{99}424	-	^{137}640	-	-	-	
60	Eyedea Recognition	eyedea	1	2018-02-16	287	^{90}1036	k	^{64}311	-	^{84}307	-	-	-	
61	Eyedea Recognition	eyedea	2	2018-02-16	287	^{86}1036	k	^{106}429	-	^{83}305	-	-	-	
62	Eyedea Recognition	eyedea	3	2018-06-18	284	^{88}1036	k	^{81}385	^{55}309	^{86}311	-	-	-	
63	FarBar Inc	f8	001	2019-10-03	266	^{136}2048	k	^{220}851	^{1}0	^{1}0	^{1}0	^{1}0	^{1}0	
64	Glory Ltd	glory	0	2018-06-30	0	^{38}418	k	^{18}160	^{86}575	^{129}575	-	-	-	
65	Glory Ltd	glory	1	2018-06-30	0	^{113}1726	k	^{90}405	^{133}1864	^{190}1978	-	-	-	
66	Gorilla Technology	gorilla	0	2018-02-01	95	^{237}8300	k	^{102}427	-	^{234}10426	-	-	-	
67	Gorilla Technology	gorilla	004	2020-01-06	182	^{199}2192	k	^{84}395	^{54}286	^{81}285	^{56}1191	^{59}2416	^{50}5036	$^{107}0.00\ N^{1.3}$
68	Gorilla Technology	gorilla	1	2018-06-19	91	^{198}2156	k	^{21}169	^{159}5254	^{223}5156	-	-	-	
69	Gorilla Technology	gorilla	2	2018-10-29	91	^{95}1132	k	^{70}341	^{29}145	^{41}146	^{22}293	^{20}612	^{22}1509	$^{82}0.02\ N^{1.1}$
70	Gorilla Technology	gorilla	3	2018-10-26	94	^{197}2156	k	^{141}563	^{134}1934	^{192}2047	-	-	-	
71	loginface Corp	hbinno	0	2018-02-01	88	^{50}520	-	^{49}265	-	^{106}419	-	-	-	
72	Hikvision Research Institute	hikvision	0	2018-02-12	378	^{115}1808	1	^{227}875	-	^{202}2360	-	-	-	
73	Hikvision Research Institute	hikvision	1	2018-02-12	378	^{117}1808	1	^{208}820	-	^{203}2403	-	-	-	
74	Hikvision Research Institute	hikvision	2	2018-02-12	378	^{116}1808	1	^{206}820	-	^{204}2408	-	-	-	
75	Hikvision Research Institute	hikvision	3	2018-06-30	408	^{100}1408	1	^{150}633	^{104}904	^{162}1108	^{80}2377	^{68}3785	^{60}7570	$^{21}0.91\ N^{1.0}$
76	Hikvision Research Institute	hikvision	4	2018-06-30	334	^{96}1152	1	^{117}510	^{99}784	^{158}1024	^{75}2094	^{67}3254	^{59}7117	$^{20}0.86\ N^{1.0}$
77	Hikvision Research Institute	hikvision	5	2018-10-29	593	^{99}1408	1	^{146}619	^{103}883	^{154}895	^{71}1908	^{69}3792	^{69}9387	$^{89}0.10\ N^{1.1}$
78	Hikvision Research Institute	hikvision	6	2018-10-29	593	^{98}1408	1	^{143}610	^{102}871	^{153}877	-	-	-	
79	Idemia	idemia	0	2018-02-16	371	^{37}364	1	^{96}416	-	^{32}133	^{17}249	^{15}502	-	$^{35}0.08\ N^{1.0}$
80	Idemia	idemia	007	2020-01-17	738	^{66}860	1	^{204}807	^{30}151	^{42}152	^{41}683	^{40}1481	^{37}3022	$^{110}0.00\ N^{1.4}$
81	Idemia	idemia	1	2018-02-16	371	^{35}364	1	^{97}417	-	^{37}138	-	-	-	
82	Idemia	idemia	2	2018-02-16	371	^{36}364	1	^{98}417	-	^{38}138	-	-	-	
83	Idemia	idemia	3	2018-06-21	472	^{54}528	1	^{170}689	^{57}318	^{90}361	^{38}631	^{32}1104	^{29}2332	$^{13}5.03\ N^{0.8}$
84	Idemia	idemia	4	2018-06-21	472	^{56}528	1	^{167}669	^{33}168	^{59}211	^{29}475	^{27}995	^{26}2225	$^{90}0.02\ N^{1.1}$
85	Idemia	idemia	5	2018-10-29	417	^{33}352	1	^{78}374	^{23}137	^{36}138	^{27}437	^{23}724	^{24}1630	$^{100}0.01\ N^{1.2}$
86	Idemia	idemia	6	2018-10-29	417	^{34}352	1	^{77}373	^{24}137	^{35}138	^{28}442	^{26}827	^{25}1646	$^{102}0.01\ N^{1.2}$
87	Institute of Information Technologies	iit	001	2019-12-04	253	^{147}2048	-	^{120}524	^{121}1331	^{175}1328	^{100}4803	^{96}9525	^{92}19239	$^{106}0.02\ N^{1.3}$
88	Imagus Technology Pty Ltd	imagus	0	2018-02-14	35	^{43}512	k	^{5}43	-	^{54}202	-	-	-	
89	Imagus Technology Pty Ltd	imagus	2	2018-06-21	35	^{39}512	k	^{9}76	^{42}200	^{58}208	-	-	-	
90	Imagus Technology Pty Ltd	imagus	3	2018-06-21	46	^{45}512	k	^{7}57	^{43}201	^{56}206	-	-	-	
91	Imperial College London	imperial	000	2019-08-28	461	^{145}2048	1	^{161}654	^{60}360	^{93}379	^{68}1626	^{71}4057	^{74}10291	$^{113}0.00\ N^{1.5}$
92	Incode Technologies Inc	incode	0	2018-06-29	23	^{83}1024	k	^{30}190	^{119}1293	^{217}3510	-	-	-	
93	Incode Technologies Inc	incode	004	2019-06-24	254	^{135}2048	1	^{116}508	^{61}365	^{92}377	^{66}1481	^{42}1658	^{35}2951	$^{72}0.12\ N^{1.1}$
94	Incode Technologies Inc	incode	1	2018-06-29	151	^{167}2048	k	^{172}690	^{123}1542	^{220}4497	-	-	-	
95	Incode Technologies Inc	incode	2	2018-10-29	71	^{139}2048	1	^{57}291	^{71}411	^{100}404	-	-	-	
96	Incode Technologies Inc	incode	3	2018-10-29	133	^{162}2048	1	^{181}704	^{70}408	^{105}412	^{44}846	^{41}1606	^{44}4482	$^{86}0.05\ N^{1.1}$
97	Innovatrics	innovatrics	0	2018-02-16	0	^{59}530	k	^{112}455	-	^{135}625	-	-	-	
98	Innovatrics	innovatrics	1	2018-02-16	0	^{57}530	k	^{66}316	-	^{134}625	-	-	-	
99	Innovatrics	innovatrics	2	2018-06-21	0	^{58}530	k	^{45}255	^{4}1	^{4}2	-	-	-	
100	Innovatrics	innovatrics	3	2018-06-21	0	^{60}530	k	^{46}255	^{138}2020	^{188}1882	-	-	-	
101	Innovatrics	innovatrics	4	2018-10-30	0	^{93}1076	k	^{92}406	^{7}8	^{9}8	^{5}11	^{4}9	^{3}13	$^{8}668.38\ N^{0.2}$
102	Lomonosov Moscow State University	intsysmsu	000	2019-08-19	375	^{134}2048	1	^{169}675	^{72}430	^{109}431	^{46}860	^{43}1730	^{52}5353	$^{95}0.03\ N^{1.1}$
103	Alivia / Innovation Sys	isystems	0	2018-02-14	262	^{155}2048	1	^{38}222	-	^{96}393	-	-	-	
104	Alivia / Innovation Sys	isystems	1	2018-02-14	263	^{71}1024	1	^{37}222	-	^{61}240	-	-	-	

Notes	
1	Configuration size does not capture static data present in libraries. Libraries are not counted because most implementations include common ancillary libraries for image processing (e.g. openCV) or numerical computation (e.g. blas).
2	This multiplier expresses the increase in template size when k images are passed to the template generation function.
3	All durations are measured on Intel®Xeon®CPU E5-2630 v4 @ 2.20GHz processors. Estimates are made by wrapping the API function call in calls to std::chrono::high_resolution_clock which on the machine in (3) counts 1ns clock ticks. Precision is somewhat worse than that however.
4	Search durations are measured as in the prior note. The power-law model in the final column mostly fits the empirical results in Figure 112. However in certain cases the model is not correct and should not be used numerically.

Table 3: Summary of algorithms and properties included in this report. The blue superscripts give ranking for the quantity in that column. Missing search durations, denoted by "-", are absent because those runs were not executed, usually because we did not run on the larger galleries. Caution: The power-law model is sometimes an incorrect model. It is included here only to show broad sublinear behavior, which is flagged in green. The models should not be used for prediction.

	DEVELOPER	SHORT	SEQ.	VALIDATION	CONFIG[1]	TEMPLATE GENERATION			SEARCH DURATION[4] MILLISEC					
	FULL NAME	NAME	NUM.	DATE	DATA (MB)	SIZE (B)	MULT[2]	TIME (MS)[3]	L=1 N=1.6M	L=50 N=1.6M	L=50 N=3M	L=50 N=6M	L=50 N=12M	POWER LAW (μs)
105	Alivia / Innovation Sys	isystems	2	2018-06-25	268	^{146}2048	1	^{67}316	^{66}385	^{112}484	^{60}1275	^{48}1770	^{38}3063	$^{17}0.68\ N^{0.9}$
106	Alivia / Innovation Sys	isystems	3	2018-10-30	350	^{165}2048	1	^{221}856	^{65}384	^{95}387	^{48}976	^{49}1817	^{68}9319	$^{109}0.00\ N^{1.3}$
107	Kedacom International Pte	kedacom	001	2019-09-16	239	^{31}292	1	^{128}537	^{97}764	^{144}760	^{73}1940	^{65}2983	^{57}6623	$^{60}0.31\ N^{1.0}$
108	Lookman Electroplast Industries	lookman	005	2019-09-16	239	^{62}548	1	^{118}514	^{106}1005	^{156}1008	^{85}2597	^{82}5446	^{65}8939	$^{78}0.19\ N^{1.1}$
109	Lookman Electroplast Industries	lookman	3	2018-10-28	203	^{30}292	1	^{71}342	^{96}739	^{142}745	^{65}1394	^{62}2817	^{61}8286	$^{80}0.13\ N^{1.1}$
110	Lookman Electroplast Industries	lookman	4	2018-10-28	184	^{61}548	1	^{68}325	^{105}981	^{155}998	-	-	-	
111	Megvii/Face++	megvii	0	2018-02-15	1327	^{160}2048	1	^{203}794	-	^{80}284	^{30}530	^{28}1060	-	$^{31}0.18\ N^{1.0}$
112	Megvii/Face++	megvii	1	2018-10-28	1703	^{218}4096	1	^{156}652	^{82}551	^{127}560	^{59}1219	^{55}2316	^{54}5956	$^{85}0.08\ N^{1.1}$
113	Megvii/Face++	megvii	2	2018-10-28	1735	^{216}4096	1	^{162}656	^{83}552	^{124}557	-	-	-	
114	MicroFocus	microfocus	0	2018-02-12	101	^{24}256	k	^{121}525	-	^{48}184	-	-	-	
115	MicroFocus	microfocus	1	2018-02-16	101	^{16}256	k	^{122}527	-	^{22}39	-	-	-	
116	MicroFocus	microfocus	2	2018-02-16	101	^{25}256	k	^{123}529	-	^{5}2	-	-	-	
117	MicroFocus	microfocus	3	2018-06-22	101	^{17}256	k	^{52}269	^{38}185	^{51}188	-	-	-	
118	MicroFocus	microfocus	4	2018-06-22	102	^{23}256	k	^{53}270	^{39}186	^{52}189	-	-	-	
119	MicroFocus	microfocus	5	2018-10-29	94	^{29}256	k	^{51}266	^{36}182	^{50}186	^{24}353	^{22}706	^{20}1422	$^{37}0.11\ N^{1.0}$
120	MicroFocus	microfocus	6	2018-10-29	94	^{22}256	k	^{50}265	^{37}182	^{49}186	-	-	-	
121	Microsoft	microsoft	0	2018-01-30	126	^{49}512	1	^{56}283	-	^{131}593	^{57}1193	^{56}2395	^{46}4936	$^{61}0.22\ N^{1.0}$
122	Microsoft	microsoft	1	2018-02-12	165	^{76}1024	1	^{74}349	-	^{152}869	-	-	-	
123	Microsoft	microsoft	2	2018-02-12	228	^{81}1024	1	^{136}555	-	^{151}869	-	-	-	
124	Microsoft	microsoft	3	2018-06-20	230	^{73}1024	1	^{89}404	^{125}1638	^{179}1603	^{90}3260	^{88}6730	^{82}13833	$^{68}0.51\ N^{1.1}$
125	Microsoft	microsoft	4	2018-06-20	437	^{148}2048	1	^{199}773	^{146}2662	^{208}2691	^{101}5260	^{97}11070	^{93}22748	$^{69}0.83\ N^{1.1}$
126	Microsoft	microsoft	5	2018-10-29	381	^{78}1024	1	^{168}673	^{124}1604	^{181}1671	^{89}3073	^{85}6296	^{81}13147	$^{42}0.79\ N^{1.0}$
127	Microsoft	microsoft	6	2018-10-29	478	^{70}1024	1	^{174}695	^{126}1640	^{180}1617	^{94}3707	^{86}6394	^{80}12879	$^{53}0.68\ N^{1.0}$
128	NEC	nec	0	2018-06-21	131	^{203}2592	k	^{10}82	^{56}317	^{107}426	^{42}738	^{38}1315	^{32}2737	$^{15}0.73\ N^{0.9}$
129	NEC	nec	1	2018-06-29	131	^{202}2592	k	^{11}88	^{41}193	^{57}208	^{26}388	^{24}750	^{23}1577	$^{19}0.21\ N^{1.0}$
130	NEC	nec	2	2018-10-30	705	^{111}1616	k	^{160}653	^{69}405	^{104}409	^{52}1072	^{45}1755	^{42}4255	$^{87}0.06\ N^{1.1}$
131	NEC	nec	3	2018-10-30	774	^{112}1712	k	^{171}690	^{6}7	^{8}7	^{6}14	^{6}40	^{7}82	$^{98}0.00\ N^{1.2}$
132	Neurotechnology	neurotech	0	2018-02-16	331	^{232}5214	k	^{179}702	-	^{213}3040	-	-	-	
133	Neurotechnology	neurotech	007	2019-10-03	57	^{28}256	k	^{22}169	^{110}1118	^{163}1110	^{78}2143	^{73}4397	^{67}9045	$^{41}0.55\ N^{1.0}$
134	Neurotechnology	neurotech	1	2018-02-16	331	^{233}5214	k	^{165}661	-	^{215}3054	-	-	-	
135	Neurotechnology	neurotech	2	2018-02-16	331	^{234}5214	k	^{164}658	-	^{214}3051	-	-	-	
136	Neurotechnology	neurotech	3	2018-06-27	265	^{130}2048	k	^{132}547	^{109}1084	^{159}1059	^{76}2111	^{75}4779	^{64}8793	$^{32}0.73\ N^{1.0}$
137	Neurotechnology	neurotech	4	2018-06-27	265	^{168}2048	k	^{131}543	^{108}1060	^{160}1061	^{74}2091	^{72}4263	^{62}8736	$^{18}1.22\ N^{1.0}$
138	Neurotechnology	neurotech	5	2018-10-30	266	^{20}256	k	^{93}412	^{100}835	^{149}839	^{70}1690	^{66}3219	^{68}8955	$^{76}0.19\ N^{1.1}$
139	Neurotechnology	neurotech	6	2018-10-30	564	^{19}256	k	^{197}746	^{101}839	^{150}842	-	-	-	
140	Newland Computer Co Ltd	newland	2	2018-10-30	96	^{122}2048	-	^{224}868	^{166}8653	^{233}8765	^{114}17713	^{109}38963	-	$^{83}1.32\ N^{1.1}$
141	Noblis	noblis	1	2018-10-30	114	^{149}2048	1	^{34}211	^{117}1273	^{170}1272	-	-	-	
142	Noblis	noblis	2	2018-10-30	153	^{235}6144	1	^{125}535	^{145}2513	^{206}2522	^{102}5649	^{99}12432	^{100}44262	$^{105}0.04\ N^{1.3}$
143	N-Tech Lab	ntech	0	2018-02-16	2124	^{231}4442	k	^{194}730	-	^{94}382	^{40}673	^{39}1344	-	$^{23}0.27\ N^{1.0}$
144	N-Tech Lab	ntechlab	007	2019-06-25	2450	^{205}3348	k	^{217}834	^{67}393	^{108}427	^{43}780	^{46}1768	^{40}3499	$^{59}0.16\ N^{1.0}$
145	N-Tech Lab	ntechlab	008	2020-01-06	1111	^{97}1300	k	^{140}562	^{35}179	^{47}184	^{23}341	^{21}683	^{19}1395	$^{34}0.11\ N^{1.0}$
146	N-Tech Lab	ntech	1	2018-02-16	851	^{114}1736	k	^{91}405	-	^{43}161	-	-	-	
147	N-Tech Lab	ntech	3	2018-06-21	3664	^{206}3484	k	^{214}831	^{64}384	^{88}326	^{35}596	^{34}1192	^{30}2411	$^{25}0.24\ N^{1.0}$
148	N-Tech Lab	ntech	4	2018-06-21	3766	^{207}3484	k	^{232}929	^{62}378	^{87}312	^{36}597	^{36}1204	^{31}2416	$^{30}0.21\ N^{1.0}$
149	N-Tech Lab	ntech	5	2018-10-30	1685	^{120}1940	k	^{190}717	^{48}243	^{63}246	^{32}538	^{30}1100	^{33}2867	$^{92}0.02\ N^{1.1}$
150	N-Tech Lab	ntech	6	2018-10-30	1686	^{121}1940	k	^{218}841	^{47}243	^{62}246	^{33}546	^{31}1104	^{34}2873	$^{94}0.02\ N^{1.1}$
151	Paravision (EverAI)	paravision	005	2019-12-11	543	^{219}4096	1	^{222}858	^{85}561	^{128}564	^{51}1056	^{53}2298	^{47}4966	$^{71}0.16\ N^{1.1}$
152	Guangzhou Pixel Solutions Co Ltd	pixelall	002	2019-07-01	0	^{200}2560	k	^{31}198	^{120}1296	^{176}1334	^{84}2526	^{77}5136	^{76}11045	$^{57}0.52\ N^{1.0}$
153	Guangzhou Pixel Solutions Co Ltd	pixelall	003	2019-11-05	0	^{201}2560	k	^{192}719	^{116}1273	^{173}1307	^{82}2474	^{78}5198	^{77}11141	$^{64}0.46\ N^{1.0}$
154	Quantasoft	quantasoft	1	2018-10-30	276	^{132}2048	k	^{85}396	^{167}15422	^{235}14858	^{113}14717	-	^{91}18323	
155	Rank One Computing	rankone	0	2018-02-07	0	^{15}228	k	^{6}50	-	^{24}75	^{12}142	^{11}220	^{11}502	$^{16}0.12\ N^{0.9}$
156	Rank One Computing	rankone	006	2019-06-03	0	^{14}165	k	^{47}261	-	-	-	-	-	

Notes	
1	Configuration size does not capture static data present in libraries. Libraries are not counted because most implementations include common ancillary libraries for image processing (e.g. openCV) or numerical computation (e.g. blas).
2	This multiplier expresses the increase in template size when k images are passed to the template generation function.
3	All durations are measured on Intel®Xeon®CPU E5-2630 v4 @ 2.20GHz processors. Estimates are made by wrapping the API function call in calls to std::chrono::high_resolution_clock which on the machine in (3) counts 1ns clock ticks. Precision is somewhat worse than that however.
4	Search durations are measured as in the prior note. The power-law model in the final column mostly fits the empirical results in Figure 112. However in certain cases the model is not correct and should not be used numerically.

Table 4: Summary of algorithms and properties included in this report. The blue superscripts give ranking for the quantity in that column. Missing search durations, denoted by "-", are absent because those runs were not executed, usually because we did not run on the larger galleries. Caution: The power-law model is sometimes an incorrect model. It is included here only to show broad sublinear behavior, which is flagged in green. The models should not be used for prediction.

FNIR(N, R, T) = False neg. identification rate
FPIR(N, T) = False pos. identification rate
N = Num. enrolled subjects
R = Num. candidates examined
T = Threshold
T = 0 → Investigation
T > 0 → Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

	DEVELOPER	SHORT	SEQ.	VALIDATION	CONFIG[1]	TEMPLATE GENERATION			SEARCH DURATION[4] MILLISEC					
	FULL NAME	NAME	NUM.	DATE	DATA (MB)	SIZE (B)	MULT[2]	TIME (MS)[3]	L=1	L=50	L=50	L=50	L=50	POWER LAW
									N=1.6M	N=1.6M	N=3M	N=6M	N=12M	(μs)
157	Rank One Computing	rankone	007	2019-11-12	0	[13]165	k	[55]278	[22]116	[31]115	[15]215	[14]439	[13]877	[36]0.07 $N^{1.0}$
158	Rank One Computing	rankone	1	2018-02-15	0	[32]324	k	[17]136	-	[46]169	-	-	-	
159	Rank One Computing	rankone	2	2018-06-19	0	[11]133	k	[14]113	[25]138	[33]137	[19]258	[17]517	[16]1029	[26]0.10 $N^{1.0}$
160	Rank One Computing	rankone	3	2018-06-19	0	[12]133	k	[15]114	[26]138	[34]137	[18]258	[16]515	[15]1027	[29]0.09 $N^{1.0}$
161	Rank One Computing	rankone	4	2018-10-09	0	[1]85	k	[4]36	[21]101	[30]101	[13]190	-	-	[28]0.07 $N^{1.0}$
162	Rank One Computing	rankone	5	2018-10-24	0	[10]133	k	[12]94	[27]140	[40]144	[20]266	[18]525	[17]1049	[24]0.11 $N^{1.0}$
163	Realnetworks Inc	realnetworks	0	2018-06-21	96	[220]4100	1	[43]244	[153]4257	[209]2740	-	-	-	
164	Realnetworks Inc	realnetworks	003	2019-06-12	93	[119]1848	k	[26]178	[112]1143	[164]1130	[77]2139	[79]5235	[75]10485	[77]0.21 $N^{1.1}$
165	Realnetworks Inc	realnetworks	004	2019-10-17	94	[118]1848	1	[27]185	[111]1142	[166]1136	[79]2147	[74]4735	[72]9683	[67]0.36 $N^{1.0}$
166	Realnetworks Inc	realnetworks	1	2018-06-21	105	[224]4104	k	[42]243	[152]3568	[195]2107	-	-	-	
167	Realnetworks Inc	realnetworks	2	2018-10-30	105	[222]4104	k	[44]245	[136]2006	[191]2046	[97]4190	[95]8633	[87]15020	[39]1.08 $N^{1.0}$
168	Remark Holdings	remarkai	0	2018-10-30	187	[150]2048	k	[144]615	[162]5685	[229]5723	-	-	-	
169	Remark Holdings	remarkai	000	2019-06-12	234	[124]2048	k	[173]691	[163]5776	[228]5703	[110]11604	[108]32133	-	[104]0.16 $N^{1.2}$
170	Remark Holdings	remarkai	1	2018-10-30	187	[128]2048	k	[110]434	[161]5680	[230]5761	[112]12475	[107]28726	[103]59618	[99]0.37 $N^{1.2}$
171	Scanovate Ltd	scanovate	000	2020-01-15	250	[161]2048	1	[186]712	[122]1419	[178]1412	-	-	-	
172	Sensetime Group	sensetime	0	2018-10-30	525	[221]4104	k	[188]715	[79]498	[114]501	[58]1212	[52]2281	[49]5032	[81]0.09 $N^{1.1}$
173	Sensetime Group	sensetime	002	2019-06-03	523	[185]2056	k	[154]650	[59]359	[91]370	-	-	-	
174	Sensetime Group	sensetime	003	2019-12-02	769	[184]2056	1	[236]940	[156]4885	[222]4989	-	-	-	
175	Sensetime Group	sensetime	1	2018-10-30	525	[223]4104	k	[163]656	[80]516	[115]502	[53]1146	[54]2301	[45]4765	[79]0.09 $N^{1.1}$
176	Shaman Software	shaman	0	2018-02-12	0	[214]4096	k	[129]538	-	[117]523	-	-	-	
177	Shaman Software	shaman	1	2018-02-12	0	[212]4096	k	[137]557	-	[118]524	-	-	-	
178	Shaman Software	shaman	2	2018-02-12	0	[236]8192	k	[138]557	-	[139]688	-	-	-	
179	Shaman Software	shaman	3	2018-06-30	0	[144]2048	k	[180]704	[92]692	[85]310	-	-	-	
180	Shaman Software	shaman	4	2018-06-30	0	[158]2048	k	[153]642	[74]434	[72]267	-	-	-	
181	Shaman Software	shaman	6	2018-10-26	0	[154]2048	k	[182]706	[88]594	[132]603	-	-	-	
182	Shaman Software	shaman	7	2018-10-26	0	[142]2048	k	[184]709	[87]593	[133]605	[54]1169	[58]2411	[48]5007	[55]0.25 $N^{1.0}$
183	Shenzhen Inst Adv Integrated Tech CAS	SIAT	0	2018-02-14	306	[94]1096	k	[75]358	-	[177]1343	-	-	-	
184	Shenzhen Inst Adv Integrated Tech CAS	SIAT	1	2018-06-30	521	[170]2052	1	[219]842	[155]4512	[218]4402	[108]9103	[103]18391	[98]38745	[50]2.06 $N^{1.0}$
185	Shenzhen Inst Adv Integrated Tech CAS	SIAT	2	2018-02-30	521	[177]2052	1	[229]906	[157]5101	[221]4884	[109]9556	[104]18834	[99]39717	[51]2.08 $N^{1.0}$
186	Smilart	smilart	0	2018-02-15	105	[72]1024	k	[20]168	-	[171]1285	-	-	-	
187	Smilart	smilart	1	2018-02-15	120	[79]1024	k	[166]662	-	[165]1135	-	-	-	
188	Smilart	smilart	2	2018-02-15	109	[75]1024	k	[139]560	-	[172]1302	-	-	-	
189	Smilart	smilart	4	2018-10-30	65	[41]512	k	[19]167	[168]15879	[236]15382	-	-	-	
190	Smilart	smilart	5	2018-10-30	562	[151]2048	k	[113]464	-	-	-	-	-	
191	Synesis	synesis	0	2018-02-15	332	[44]512	k	[41]237	-	[45]162	-	-	-	
192	Synesis	synesis	003	2019-07-04	143	[127]2048	-	[36]215	-	[116]502	-	-	-	
193	Synesis	synesis	3	2018-10-30	237	[210]4096	k	[13]103	[98]784	[147]796	[72]1928	[70]3861	[63]8748	[93]0.07 $N^{1.1}$
194	Tech5 SA	tech5	001	2019-08-19	1394	[101]1536	k	[228]898	[63]383	[145]765	-	-	-	
195	Tevian	tevian	0	2018-02-16	666	[141]2048	1	[83]394	-	[101]405	-	-	-	
196	Tevian	tevian	1	2018-02-16	666	[159]2048	1	[88]398	-	[98]403	-	-	-	
197	Tevian	tevian	2	2018-02-16	666	[156]2048	1	[86]397	-	[97]402	-	-	-	
198	Tevian	tevian	3	2018-06-20	707	[133]2048	1	[62]300	[75]473	[121]539	-	-	-	
199	Tevian	tevian	4	2018-06-20	707	[164]2048	1	[61]299	[73]434	[120]537	-	-	-	
200	Tevian	tevian	5	2018-10-30	773	[140]2048	1	[95]416	[68]405	[103]407	[45]852	[44]1753	[39]3373	[65]0.14 $N^{1.0}$
201	TigerIT Americas LLC	tiger	0	2018-06-29	333	[176]2052	k	[104]428	[131]1822	[211]2942	-	-	-	
202	TigerIT Americas LLC	tiger	1	2018-06-27	333	[172]2052	k	[87]398	[2]0	[3]1	-	-	-	
203	TigerIT Americas LLC	tiger	2	2018-10-29	416	[180]2052	k	[115]464	[130]1814	[189]1919	[95]3829	[93]7519	[85]14805	[49]0.83 $N^{1.0}$
204	TigerIT Americas LLC	tiger	3	2018-10-30	416	[178]2052	k	[114]464	[40]191	[53]189	-	-	-	
205	TongYi Transportation Technology	tongyi	0	2018-06-29	1701	[191]2070	k	[29]190	[142]2256	[200]2272	-	-	-	
206	TongYi Transportation Technology	tongyi	1	2018-06-29	1701	[189]2070	1	[28]189	[141]2238	[199]2257	-	-	-	
207	Toshiba	toshiba	0	2018-10-30	961	[108]1548	k	[234]930	[165]6147	[231]6230	[111]12209	[106]25330	[102]49398	[97]0.36 $N^{1.2}$
208	Toshiba	toshiba	1	2018-10-30	961	[187]2060	k	[235]931	[164]6001	[232]6349	-	-	-	

Notes	
1	Configuration size does not capture static data present in libraries. Libraries are not counted because most implementations include common ancillary libraries for image processing (e.g. openCV) or numerical computation (e.g. blas).
2	This multiplier expresses the increase in template size when k images are passed to the template generation function.
3	All durations are measured on Intel®Xeon®CPU E5-2630 v4 @ 2.20GHz processors. Estimates are made by wrapping the API function call in calls to std::chrono::high_resolution_clock which on the machine in (3) counts 1ns clock ticks. Precision is somewhat worse than that however.
4	Search durations are measured as in the prior note. The power-law model in the final column mostly fits the empirical results in Figure 112. However in certain cases the model is not correct and should not be used numerically.

Table 5: Summary of algorithms and properties included in this report. The blue superscripts give ranking for the quantity in that column. Missing search durations, denoted by "-", are absent because those runs were not executed, usually because we did not run on the larger galleries. Caution: The power-law model is sometimes an incorrect model. It is included here only to show broad sublinear behavior, which is flagged in green. The models should not be used for prediction.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

	DEVELOPER	SHORT	SEQ.	VALIDATION	CONFIG[1]	TEMPLATE GENERATION			SEARCH DURATION[4] MILLISEC					
	FULL NAME	NAME	NUM.	DATE	DATA (MB)	SIZE (B)	MULT[2]	TIME (MS)[3]	L=1 N=1.6M	L=50 N=1.6M	L=50 N=3M	L=50 N=6M	L=50 N=12M	POWER LAW (μs)
209	Visidon	visidon	0	2018-06-20	208	[84]1028	k	[69]337	[135]2006	[207]2566	-	-	-	
210	Visidon	visidon	1	2018-10-30	166	[174]2052	k	[175]695	[154]4357	[219]4458	[107]8429	[102]17210	[96]34185	[38]2.40 $N^{1.0}$
211	Vigilant Solutions	vigilant	0	2018-02-08	335	[105]1544	k	[210]823	-	[193]2058	-	-	-	
212	Vigilant Solutions	vigilant	1	2018-02-14	249	[183]2056	k	[196]739	-	[194]2075	-	-	-	
213	Vigilant Solutions	vigilant	2	2018-02-14	335	[107]1544	k	[207]820	-	[196]2121	-	-	-	
214	Vigilant Solutions	vigilant	3	2018-06-21	335	[104]1544	k	[215]832	[144]2453	[201]2307	-	-	-	
215	Vigilant Solutions	vigilant	4	2018-06-21	337	[103]1544	k	[213]830	[139]2050	[198]2251	-	-	-	
216	Vigilant Solutions	vigilant	5	2018-10-30	335	[106]1544	k	[201]778	-	[183]1720	-	-	-	
217	Vigilant Solutions	vigilant	6	2018-10-30	337	[102]1544	k	[216]834	-	[182]1713	-	-	-	
218	VisionLabs	visionlabs	008	2019-06-18	348	[42]512	1	[54]277	[10]23	[14]24	-	-	-	
219	VisionLabs	visionlabs	3	2018-02-16	624	[18]256	1	[40]228	-	[7]5	[4]5	[3]6	-	[7]417.37 $N^{0.2}$
220	VisionLabs	visionlabs	4	2018-06-22	299	[26]256	1	[65]315	[9]19	[11]17	[7]20	[5]26	[4]29	[3]2663.29 $N^{0.1}$
221	VisionLabs	visionlabs	5	2018-06-22	305	[40]512	1	[63]300	[15]54	[18]33	[8]37	[9]56	[8]88	[11]166.84 $N^{0.4}$
222	VisionLabs	visionlabs	6	2018-10-30	360	[46]512	1	[58]292	[14]36	[20]36	[10]39	[8]44	[6]53	[6]3211.93 $N^{0.2}$
223	VisionLabs	visionlabs	7	2018-10-30	360	[48]512	1	[59]293	[16]63	[23]63	[11]72	[10]80	[9]115	[9]2076.32 $N^{0.2}$
224	Vocord	vocord	0	2018-02-16	872	[63]608	k	[126]536	-	[73]268	-	-	-	
225	Vocord	vocord	1	2018-02-16	872	[64]608	k	[127]536	-	[74]268	-	-	-	
226	Vocord	vocord	2	2018-02-16	924	[138]2048	k	[151]635	-	[65]248	-	-	-	
227	Vocord	vocord	3	2018-06-30	627	[67]896	k	[187]714	[44]215	[64]247	-	-	-	
228	Vocord	vocord	4	2018-06-30	627	[68]896	k	[130]538	[45]216	[69]253	-	-	-	
229	Vocord	vocord	5	2018-10-30	1035	[65]768	k	[209]822	[32]158	[55]204	[25]383	[25]767	[21]1466	[33]0.12 $N^{1.0}$
230	Vocord	vocord	6	2018-10-30	1035	[238]10240	k	[211]825	[34]170	[60]216	-	-	-	
231	Zhuhai Yisheng Electronics Technology	yisheng	0	2018-02-14	473	[196]2108	k	[145]615	-	[130]587	-	-	-	
232	Zhuhai Yisheng Electronics Technology	yisheng	1	2018-06-19	474	[208]3704	k	[82]387	[140]2228	[161]1108	-	-	-	
233	Shanghai Yitu Technology	yitu	0	2018-02-12	1774	[226]4136	1	[149]633	-	[111]464	[47]868	[47]1769	-	[73]0.12 $N^{1.1}$
234	Shanghai Yitu Technology	yitu	1	2018-02-12	1944	[225]4136	1	[233]930	-	[110]463	-	-	-	
235	Shanghai Yitu Technology	yitu	2	2018-06-21	2077	[228]4138	1	[225]870	[160]5516	[225]5417	[103]6101	[100]13264	[95]33047	[14]9.25 $N^{0.9}$
236	Shanghai Yitu Technology	yitu	3	2018-06-21	2077	[227]4138	1	[226]871	[158]5248	[224]5242	[105]6286	[105]19829	[101]45621	[75]1.08 $N^{1.1}$
237	Shanghai Yitu Technology	yitu	4	2018-10-30	2119	[190]2070	1	[230]910	[118]1288	[169]1203	[81]2440	[80]5241	[71]9671	[52]0.52 $N^{1.0}$
238	Shanghai Yitu Technology	yitu	5	2018-10-30	2043	[188]2070	1	[223]861	[115]1235	[168]1197	[83]2508	[76]5003	[70]9601	[47]0.55 $N^{1.0}$

Notes	
1	Configuration size does not capture static data present in libraries. Libraries are not counted because most implementations include common ancillary libraries for image processing (e.g. openCV) or numerical computation (e.g. blas).
2	This multiplier expresses the increase in template size when k images are passed to the template generation function.
3	All durations are measured on Intel®Xeon®CPU E5-2630 v4 @ 2.20GHz processors. Estimates are made by wrapping the API function call in calls to std::chrono::high_resolution_clock which on the machine in (3) counts 1ns clock ticks. Precision is somewhat worse than that however.
4	Search durations are measured as in the prior note. The power-law model in the final column mostly fits the empirical results in Figure 112. However in certain cases the model is not correct and should not be used numerically.

Table 6: Summary of algorithms and properties included in this report. The blue superscripts give ranking for the quantity in that column. Missing search durations, denoted by "-", are absent because those runs were not executed, usually because we did not run on the larger galleries. Caution: The power-law model is sometimes an incorrect model. It is included here only to show broad sublinear behavior, which is flagged in green. The models should not be used for prediction.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISS RATES		INVESTIGATION, FNIR(N, R = 1, T = 0)								IDENTIFICATION, FNIR(N, R = L, T $\geq$ 0) FOR FPIR = 0.001							
#	ALGORITHM	(0, 2]	(2, 4]	(4, 6]	(6, 8]	(8, 10]	(10, 12]	(12, 14]	(14, 18]	(0, 2]	(2, 4]	(4, 6]	(6, 8]	(8, 10]	(10, 12]	(12, 14]	(14, 18]
1	3DIVI-005	[61]0.0207	[60]0.0304	[60]0.0415	[60]0.0533	[60]0.0646	[59]0.0735	[59]0.0884	[60]0.1148	[62]0.1580	[61]0.2316	[61]0.3033	[61]0.3740	[61]0.4285	[61]0.4742	[62]0.5329	[60]0.5975
2	ANKE-000	[58]0.0162	[58]0.0245	[58]0.0333	[58]0.0428	[57]0.0515	[57]0.0615	[56]0.0780	[55]0.1028	[60]0.1132	[60]0.1761	[60]0.2402	[60]0.3057	[58]0.3640	[57]0.4200	[57]0.4928	[57]0.5680
3	AWARE-005	[67]0.0328	[67]0.0519	[67]0.0712	[67]0.0910	[67]0.1078	[67]0.1235	[67]0.1457	[68]0.1831	[68]0.3605	[69]0.4949	[69]0.5948	[69]0.6783	[69]0.7393	[69]0.7905	[69]0.8408	[70]0.8831
4	AWARE-006	[72]0.0702	[72]0.1110	[72]0.1502	[72]0.1899	[72]0.2253	[73]0.2614	[72]0.3045	[72]0.3659								
5	AYONIX-002	[75]0.3360	[76]0.4389	[76]0.5144	[76]0.5814	[76]0.6340	[76]0.6818	[76]0.7297	[76]0.7774	[71]0.8288	[72]0.9013	[72]0.9375	[72]0.9603	[72]0.9744	[73]0.9837	[73]0.9893	[73]0.9927
6	CAMVI-004	[71]0.0623	[71]0.0944	[71]0.1243	[71]0.1548	[70]0.1812	[70]0.2056	[70]0.2344	[70]0.2672	[53]0.0810	[52]0.1267	[50]0.1721	[50]0.2203	[50]0.2619	[48]0.3040	[46]0.3543	[43]0.4124
7	CAMVI-005	[73]0.0849	[73]0.1255	[73]0.1631	[73]0.1989	[73]0.2298	[72]0.2585	[71]0.2915	[71]0.3246								
8	COGENT-000	[54]0.0128	[53]0.0184	[54]0.0250	[53]0.0327	[53]0.0407	[52]0.0488	[51]0.0611	[50]0.0794	[42]0.0559	[43]0.0923	[41]0.1342	[41]0.1812	[39]0.2243	[38]0.2675	[37]0.3240	[41]0.3992
9	COGENT-001	[53]0.0128	[52]0.0184	[53]0.0250	[52]0.0327	[52]0.0407	[51]0.0488	[50]0.0611	[49]0.0794	[41]0.0559	[42]0.0923	[40]0.1342	[40]0.1812	[38]0.2243	[37]0.2675	[36]0.3240	[40]0.3992
10	COGENT-002	[32]0.0081	[30]0.0105	[27]0.0123	[27]0.0137	[25]0.0157	[25]0.0175	[23]0.0215	[23]0.0280	[34]0.0499	[33]0.0827	[32]0.1207	[31]0.1639	[31]0.2037	[31]0.2432	[32]0.2972	[33]0.3638
11	COGENT-003	[33]0.0082	[31]0.0108	[29]0.0128	[29]0.0145	[29]0.0168	[31]0.0191	[32]0.0239	[29]0.0312	[43]0.0582	[44]0.0971	[44]0.1417	[44]0.1918	[44]0.2380	[44]0.2836	[44]0.3440	[45]0.4207
12	COGNITEC-000	[66]0.0265	[66]0.0423	[66]0.0588	[66]0.0757	[65]0.0894	[65]0.1014	[65]0.1169	[63]0.1381	[61]0.1522	[62]0.2330	[62]0.3051	[62]0.3751	[62]0.4300	[62]0.4779	[61]0.5307	[59]0.5913
13	COGNITEC-001	[56]0.0149	[57]0.0228	[57]0.0312	[56]0.0399	[56]0.0479	[55]0.0546	[54]0.0656	[51]0.0806	[56]0.0963	[55]0.1562	[55]0.2157	[55]0.2771	[54]0.3287	[54]0.3771	[54]0.4343	[52]0.4959
14	COGNITEC-002	[40]0.0101	[40]0.0138	[41]0.0170	[41]0.0201	[40]0.0237	[40]0.0264	[40]0.0309	[39]0.0389	[36]0.0517	[35]0.0879	[36]0.1269	[37]0.1707	[35]0.2098	[32]0.2463	[31]0.2919	[31]0.3535
15	COGNITEC-003	[42]0.0104	[41]0.0140	[42]0.0174	[42]0.0205	[41]0.0238	[41]0.0266	[41]0.0311	[41]0.0401	[35]0.0504	[34]0.0855	[34]0.1235	[33]0.1662	[32]0.2045	[30]0.2403	[30]0.2854	[29]0.3451
16	DAHUA-002	[12]0.0035	[9]0.0047	[8]0.0058	[7]0.0067	[7]0.0074	[7]0.0082	[8]0.0100	[8]0.0108	[11]0.0169	[12]0.0294	[11]0.0449	[11]0.0635	[11]0.0817	[12]0.1013	[10]0.1291	[9]0.1638
17	DEEPGLINT-001	[79]0.9395	[79]0.9397	[79]0.9382	[79]0.9388	[79]0.9388	[79]0.9392	[79]0.9396	[79]0.9409								
18	DERMALOG-006	[46]0.0113	[42]0.0142	[38]0.0163	[37]0.0183	[36]0.0200	[35]0.0218	[34]0.0251	[32]0.0329	[39]0.0545	[37]0.0889	[37]0.1271	[35]0.1697	[34]0.2090	[34]0.2498	[34]0.3028	[34]0.3670
19	DERMALOG-007	[50]0.0125	[49]0.0170	[48]0.0214	[48]0.0264	[47]0.0309	[46]0.0356	[46]0.0432	[46]0.0579	[54]0.0910	[54]0.1453	[54]0.2009	[53]0.2602	[53]0.3134	[53]0.3649	[53]0.4289	[54]0.5007
20	GORILLA-002	[63]0.0213	[63]0.0359	[64]0.0528	[65]0.0716	[66]0.0895	[66]0.1088	[66]0.1367	[66]0.1765	[64]0.1828	[65]0.2787	[65]0.3654	[65]0.4485	[66]0.5168	[66]0.5823	[66]0.6508	[66]0.7180
21	IDEMIA-000	[52]0.0126	[54]0.0190	[55]0.0265	[54]0.0341	[54]0.0419	[53]0.0497	[52]0.0621	[53]0.0852	[58]0.1062	[58]0.1668	[58]0.2311	[58]0.2990	[57]0.3582	[56]0.4140	[56]0.4825	[56]0.5599
22	IDEMIA-003	[45]0.0110	[46]0.0151	[46]0.0196	[45]0.0238	[44]0.0281	[43]0.0313	[44]0.0368	[43]0.0504	[49]0.0717	[49]0.1147	[49]0.1614	[49]0.2113	[47]0.2553	[46]0.2976	[45]0.3537	[46]0.4334
23	IDEMIA-004	[44]0.0107	[44]0.0148	[45]0.0192	[44]0.0233	[43]0.0277	[42]0.0312	[43]0.0367	[44]0.0512	[25]0.0373	[23]0.0587	[23]0.0833	[23]0.1100	[22]0.1340	[20]0.1580	[17]0.1911	[17]0.2482
24	IDEMIA-005	[47]0.0118	[48]0.0167	[50]0.0218	[49]0.0270	[48]0.0317	[47]0.0357	[45]0.0425	[45]0.0579	[31]0.0440	[29]0.0689	[26]0.0964	[25]0.1254	[25]0.1513	[24]0.1762	[20]0.2113	[21]0.2698
25	IDEMIA-006	[49]0.0124	[50]0.0171	[49]0.0218	[47]0.0263	[46]0.0302	[44]0.0321	[42]0.0356	[42]0.0471	[27]0.0409	[25]0.0620	[24]0.0850	[22]0.1097	[20]0.1309	[16]0.1486	[14]0.1738	[14]0.2200
26	IDEMIA-007	[19]0.0050	[19]0.0071	[18]0.0089	[19]0.0106	[19]0.0124	[18]0.0142	[18]0.0171	[19]0.0220	[14]0.0202	[15]0.0335	[13]0.0491	[12]0.0663	[12]0.0825	[11]0.0999	[9]0.1240	[10]0.1645
27	IMPERIAL-000	[14]0.0040	[14]0.0054	[14]0.0067	[12]0.0079	[12]0.0093	[13]0.0112	[12]0.0139	[13]0.0178	[21]0.0286	[22]0.0503	[22]0.0779	[24]0.1116	[24]0.1455	[25]0.1844	[26]0.2341	[25]0.2951
28	INCODE-003	[57]0.0155	[59]0.0247	[59]0.0348	[59]0.0463	[58]0.0571	[58]0.0674	[58]0.0856	[59]0.1114	[63]0.1627	[63]0.2507	[63]0.3322	[63]0.4122	[63]0.4772	[64]0.5368	[64]0.6059	[64]0.6766
29	INCODE-004	[23]0.0061	[24]0.0087	[24]0.0110	[25]0.0136	[27]0.0161	[27]0.0185	[30]0.0236	[28]0.0309	[37]0.0532	[38]0.0908	[39]0.1334	[39]0.1809	[40]0.2245	[39]0.2675	[38]0.3249	[37]0.3932
30	INNOVATRICS-004	[76]0.3594	[75]0.3629	[75]0.3688	[74]0.3754	[74]0.3813	[74]0.3870	[74]0.3960	[74]0.4135	[69]0.4234	[68]0.4642	[68]0.5073	[68]0.5522	[67]0.5902	[67]0.6274	[67]0.6736	[67]0.7253
31	ISYSTEMS-002	[39]0.0101	[39]0.0135	[40]0.0169	[39]0.0197	[39]0.0228	[39]0.0256	[39]0.0304	[40]0.0398	[52]0.0779	[51]0.1258	[52]0.1759	[52]0.2299	[52]0.2758	[51]0.3204	[50]0.3763	[48]0.4401
32	ISYSTEMS-003	[37]0.0089	[33]0.0115	[32]0.0139	[31]0.0158	[32]0.0177	[33]0.0198	[29]0.0234	[26]0.0303	[47]0.0647	[47]0.1056	[47]0.1502	[47]0.1986	[46]0.2402	[42]0.2819	[41]0.3351	[39]0.3976
33	LOOKMAN-003	[48]0.0123	[43]0.0144	[37]0.0158	[33]0.0168	[33]0.0178	[29]0.0188	[22]0.0212	[22]0.0260	[30]0.0438	[27]0.0687	[27]0.0978	[27]0.1296	[26]0.1581	[26]0.1879	[25]0.2294	[23]0.2756
34	MEGVII-000	[38]0.0094	[47]0.0157	[51]0.0236	[55]0.0343	[55]0.0466	[56]0.0609	[57]0.0830	[58]0.1114	[55]0.0962	[56]0.1617	[59]0.2329	[59]0.3053	[60]0.3676	[58]0.4254	[58]0.4960	[58]0.5712
35	MICROFOCUS-005	[77]0.4269	[77]0.5527	[77]0.6355	[77]0.7024	[77]0.7503	[77]0.7876	[77]0.8234	[78]0.8601	[72]0.8338	[73]0.9113	[73]0.9468	[73]0.9667	[73]0.9771	[72]0.9836	[72]0.9880	[72]0.9924
36	MICROSOFT-000	[27]0.0071	[28]0.0103	[30]0.0131	[32]0.0158	[34]0.0187	[36]0.0221	[36]0.0271	[37]0.0354	[28]0.0418	[30]0.0698	[29]0.1025	[28]0.1390	[28]0.1752	[28]0.2126	[28]0.2610	[28]0.3232
37	MICROSOFT-003	[10]0.0034	[13]0.0050	[11]0.0064	[11]0.0078	[10]0.0092	[10]0.0107	[11]0.0135	[12]0.0166	[22]0.0288	[21]0.0503	[21]0.0763	[21]0.1067	[23]0.1359	[22]0.1680	[21]0.2116	[19]0.2644
38	MICROSOFT-004	[7]0.0032	[8]0.0047	[9]0.0060	[10]0.0075	[9]0.0087	[9]0.0103	[10]0.0131	[10]0.0159	[19]0.0268	[20]0.0470	[20]0.0716	[19]0.1007	[19]0.1291	[21]0.1610	[19]0.2052	[18]0.2590
39	MICROSOFT-005	[6]0.0031	[10]0.0047	[13]0.0066	[15]0.0084	[15]0.0103	[16]0.0131	[17]0.0164	[14]0.0185	[17]0.0243	[17]0.0432	[17]0.0658	[17]0.0913	[17]0.1172	[15]0.1476	[16]0.1874	[15]0.2272
40	MICROSOFT-006	[8]0.0032	[12]0.0049	[12]0.0065	[14]0.0081	[14]0.0096	[14]0.0117	[13]0.0144	[11]0.0160	[8]0.0134	[8]0.0233	[9]0.0346	[7]0.0462	[6]0.0578	[6]0.0713	[6]0.0903	[6]0.1156
41	NEC-000	[60]0.0195	[62]0.0316	[62]0.0445	[62]0.0581	[61]0.0699	[62]0.0817	[61]0.0998	[61]0.1237	[51]0.0759	[50]0.1245	[51]0.1729	[51]0.2240	[51]0.2671	[50]0.3117	[47]0.3639	[47]0.4348
42	NEC-001	[65]0.0246	[65]0.0382	[63]0.0524	[63]0.0672	[64]0.0793	[64]0.0904	[62]0.1076	[62]0.1317	[57]0.1019	[57]0.1623	[56]0.2214	[56]0.2834	[55]0.3341	[55]0.3844	[55]0.4440	[55]0.5183
43	NEC-002	[9]0.0033	[6]0.0041	[4]0.0043	[3]0.0044	[2]0.0045	[2]0.0049	[2]0.0056	[2]0.0041	[4]0.0066	[3]0.0090	[3]0.0111	[3]0.0131	[3]0.0149	[3]0.0171	[4]0.0207	[4]0.0267
44	NEC-003	[13]0.0036	[7]0.0046	[6]0.0051	[6]0.0055	[6]0.0059	[5]0.0067	[5]0.0077	[6]0.0073	[2]0.0056	[2]0.0076	[2]0.0091	[2]0.0105	[2]0.0119	[2]0.0137	[2]0.0162	[2]0.0209

Table 7: **Accuracy for the FRVT 2018 mugshot sets under ageing**. *The second row shows the time lapse between gallery and subsequent probe images, in years. The first two columns identify the algorithm The next 8 values give rank-based FNIR with R = 1, T = 0 and FPIR = 1. All these are relevant to investigational uses where candidates from all searches would need human review. The second 8 values give threshold-based FNIR with T $\geq$ 0, FPIR = 0.001 and no rank criterion. The shaded cells indictate indicate the three most accurate algorithms for that elapsed time. The gallery size is 3068801. The total number of searches is 10951064.*

MISS RATES		INVESTIGATION, FNIR(N, R = 1, T = 0)								IDENTIFICATION, FNIR(N, R = L, T $\geq$ 0) FOR FPIR = 0.001							
#	ALGORITHM	(0, 2]	(2, 4]	(4, 6]	(6, 8]	(8, 10]	(10, 12]	(12, 14]	(14, 18]	(0, 2]	(2, 4]	(4, 6]	(6, 8]	(8, 10]	(10, 12]	(12, 14]	(14, 18]
45	NEUROTECHNOLOGY-003	^{64}0.0234	^{64}0.0379	^{65}0.0549	^{64}0.0682	^{63}0.0720	^{60}0.0747	^{60}0.0886	^{57}0.1066	^{70}0.6802	^{70}0.8187	^{71}0.8920	^{71}0.9355	^{71}0.9594	^{71}0.9738	^{71}0.9828	^{71}0.9885
46	NEUROTECHNOLOGY-004	^{43}0.0104	^{38}0.0134	^{36}0.0156	^{34}0.0173	^{35}0.0195	^{34}0.0212	^{33}0.0245	^{30}0.0320	^{46}0.0642	^{45}0.1015	^{45}0.1426	^{43}0.1881	^{41}0.2299	^{40}0.2722	^{39}0.3269	^{38}0.3943
47	NEUROTECHNOLOGY-005	^{36}0.0089	^{34}0.0116	^{31}0.0136	^{30}0.0152	^{31}0.0173	^{32}0.0196	^{28}0.0233	^{27}0.0306	^{40}0.0556	^{40}0.0913	^{38}0.1315	^{38}0.1766	^{37}0.2192	^{36}0.2617	^{35}0.3174	^{35}0.3843
48	NEUROTECHNOLOGY-007	^{30}0.0078	^{29}0.0103	^{28}0.0124	^{28}0.0140	^{26}0.0161	^{26}0.0185	^{25}0.0225	^{24}0.0290	^{45}0.0641	^{48}0.1069	^{48}0.1546	^{48}0.2075	^{48}0.2572	^{49}0.3081	^{49}0.3713	^{49}0.4421
49	NOBLIS-002	^{74}0.1520	^{74}0.2419	^{74}0.3296	^{75}0.4114	^{75}0.4856	^{75}0.5528	^{75}0.6061	^{75}0.6532	^{74}0.9984	^{74}0.9996	^{74}0.9998	^{74}0.9999	^{74}0.9999	^{74}1.0000	^{74}1.0000	^{74}1.0000
50	NTECHLAB-000	^{41}0.0103	^{51}0.0179	^{56}0.0285	^{57}0.0422	^{59}0.0578	^{61}0.0790	^{63}0.1099	^{64}0.1488	^{50}0.0731	^{53}0.1299	^{53}0.1989	^{54}0.2756	^{56}0.3493	^{59}0.4294	^{59}0.5156	^{61}0.6021
51	NTECHLAB-003	^{29}0.0078	^{37}0.0131	^{47}0.0202	^{50}0.0295	^{51}0.0405	^{54}0.0543	^{55}0.0761	^{56}0.1035	^{33}0.0491	^{36}0.0881	^{43}0.1384	^{46}0.1985	^{49}0.2594	^{52}0.3270	^{52}0.4065	^{51}0.4891
52	NTECHLAB-004	^{26}0.0068	^{32}0.0110	^{39}0.0167	^{46}0.0239	^{49}0.0330	^{50}0.0447	^{53}0.0641	^{54}0.0891	^{26}0.0379	^{28}0.0688	^{30}0.1108	^{30}0.1629	^{36}0.2192	^{45}0.2846	^{48}0.3657	^{50}0.4524
53	NTECHLAB-006	^{20}0.0056	^{26}0.0095	^{33}0.0148	^{43}0.0218	^{45}0.0301	^{48}0.0413	^{49}0.0591	^{52}0.0814	^{23}0.0349	^{26}0.0636	^{28}0.1023	^{29}0.1506	^{30}0.2024	^{35}0.2617	^{42}0.3374	^{44}0.4185
54	NTECHLAB-007	^{15}0.0044	^{16}0.0066	^{19}0.0089	^{23}0.0118	^{24}0.0150	^{30}0.0189	^{35}0.0255	^{35}0.0342	^{18}0.0256	^{18}0.0450	^{19}0.0705	^{20}0.1012	^{21}0.1334	^{23}0.1692	^{22}0.2170	^{22}0.2752
55	NTECHLAB-008	^{4}0.0025	^{5}0.0038	^{7}0.0052	^{9}0.0074	^{16}0.0104	^{19}0.0146	^{31}0.0236	^{36}0.0348	^{9}0.0143	^{11}0.0267	^{12}0.0459	^{13}0.0733	^{14}0.1062	^{14}0.1469	^{18}0.2044	^{20}0.2698
56	PARAVISION-004	^{3}0.0024	^{3}0.0032	^{3}0.0040	^{4}0.0047	^{4}0.0053	^{4}0.0061	^{4}0.0073	^{5}0.0072	^{5}0.0118	^{7}0.0209	^{8}0.0327	^{8}0.0465	^{7}0.0613	^{7}0.0779	^{7}0.1008	^{7}0.1285
57	PARAVISION-005	^{2}0.0021	^{2}0.0028	^{2}0.0035	^{2}0.0041	^{3}0.0046	^{3}0.0054	^{3}0.0067	^{4}0.0070	^{3}0.0057	^{4}0.0093	^{4}0.0144	^{4}0.0207	^{5}0.0278	^{5}0.0368	^{5}0.0508	^{5}0.0715
58	PARAVSIION-002	^{21}0.0058	^{23}0.0083	^{25}0.0111	^{26}0.0137	^{28}0.0162	^{28}0.0187	^{27}0.0229	^{25}0.0295								
59	PARAVSIION-003	^{18}0.0048	^{17}0.0067	^{20}0.0090	^{21}0.0109	^{21}0.0128	^{20}0.0148	^{19}0.0178	^{18}0.0219	^{24}0.0354	^{24}0.0618	^{25}0.0931	^{26}0.1290	^{27}0.1625	^{27}0.1964	^{27}0.2408	^{24}0.2924
60	RANKONE-000	^{69}0.0400	^{68}0.0591	^{68}0.0786	^{68}0.0994	^{68}0.1166	^{68}0.1312	^{68}0.1512	^{67}0.1818	^{66}0.2134	^{66}0.3003	^{66}0.3776	^{66}0.4518	^{65}0.5104	^{65}0.5616	^{65}0.6195	^{65}0.6830
61	RANKONE-002	^{62}0.0212	^{61}0.0313	^{61}0.0431	^{61}0.0562	^{62}0.0712	^{63}0.0881	^{64}0.1130	^{65}0.1543	^{59}0.1111	^{59}0.1707	^{57}0.2305	^{57}0.2968	^{59}0.3646	^{60}0.4345	^{60}0.5172	^{62}0.6110
62	RANKONE-004	^{70}0.0424	^{69}0.0643	^{69}0.0875	^{69}0.1127	^{69}0.1364	^{69}0.1579	^{69}0.1914	^{69}0.2378	^{65}0.1855	^{64}0.2681	^{64}0.3431	^{64}0.4155	^{64}0.4785	^{63}0.5350	^{63}0.5980	^{63}0.6722
63	RANKONE-005	^{55}0.0136	^{56}0.0192	^{52}0.0246	^{51}0.0303	^{50}0.0362	^{49}0.0422	^{48}0.0521	^{47}0.0694	^{44}0.0582	^{39}0.0910	^{35}0.1260	^{32}0.1645	^{29}0.2005	^{29}0.2353	^{29}0.2816	^{30}0.3522
64	RANKONE-007	^{31}0.0078	^{27}0.0099	^{26}0.0113	^{24}0.0123	^{23}0.0139	^{24}0.0156	^{21}0.0191	^{20}0.0242	^{16}0.0242	^{16}0.0376	^{16}0.0542	^{14}0.0737	^{13}0.0935	^{13}0.1130	^{11}0.1416	^{11}0.1811
65	REALNETWORKS-002	^{68}0.0381	^{70}0.0687	^{70}0.1062	^{70}0.1495	^{71}0.1963	^{71}0.2513	^{73}0.3206	^{73}0.3927	^{67}0.2153	^{67}0.3323	^{67}0.4444	^{67}0.5485	^{68}0.6355	^{68}0.7132	^{68}0.7855	^{68}0.8437
66	SENSETIME-002	^{59}0.0186	^{55}0.0191	^{44}0.0183	^{36}0.0179	^{30}0.0173	^{17}0.0133	^{7}0.0089	^{3}0.0059	^{15}0.0220	^{9}0.0236	^{5}0.0237	^{5}0.0240	^{4}0.0245	^{4}0.0219	^{3}0.0195	^{3}0.0222
67	SENSETIME-003	^{1}0.0021	^{1}0.0028	^{1}0.0031	^{1}0.0033	^{1}0.0035	^{1}0.0040	^{1}0.0047	^{1}0.0033	^{1}0.0046	^{1}0.0064	^{1}0.0076	^{1}0.0086	^{1}0.0101	^{1}0.0122	^{1}0.0155	^{1}0.0196
68	SIAT-002	^{78}0.8309	^{78}0.8310	^{78}0.8311	^{78}0.8306	^{78}0.8296	^{78}0.8302	^{78}0.8300	^{77}0.8301	^{73}0.8340	^{71}0.8368	^{70}0.8404	^{70}0.8445	^{70}0.8480	^{70}0.8532	^{70}0.8595	^{69}0.8691
69	SYNESIS-003	^{51}0.0125	^{45}0.0151	^{43}0.0174	^{40}0.0199	^{38}0.0223	^{37}0.0240	^{37}0.0279	^{33}0.0331	^{48}0.0658	^{46}0.1052	^{46}0.1483	^{45}0.1968	^{45}0.2399	^{43}0.2834	^{43}0.3405	^{42}0.4046
70	TOSHIBA-001	^{34}0.0086	^{35}0.0119	^{34}0.0150	^{35}0.0178	^{37}0.0209	^{38}0.0241	^{38}0.0292	^{38}0.0365								
71	VISIONLABS-004	^{17}0.0048	^{18}0.0069	^{21}0.0091	^{22}0.0111	^{22}0.0130	^{22}0.0152	^{20}0.0187	^{21}0.0242	^{38}0.0540	^{41}0.0916	^{42}0.1358	^{42}0.1855	^{42}0.2303	^{41}0.2745	^{40}0.3312	^{36}0.3913
72	VISIONLABS-005	^{16}0.0044	^{15}0.0063	^{15}0.0081	^{17}0.0095	^{17}0.0109	^{15}0.0125	^{14}0.0151	^{15}0.0187	^{32}0.0479	^{32}0.0812	^{33}0.1212	^{34}0.1664	^{33}0.2078	^{33}0.2473	^{33}0.2999	^{32}0.3577
73	VISIONLABS-006	^{11}0.0035	^{11}0.0048	^{10}0.0061	^{8}0.0069	^{8}0.0077	^{8}0.0087	^{9}0.0105	^{9}0.0120	^{20}0.0273	^{19}0.0465	^{18}0.0702	^{18}0.0970	^{18}0.1228	^{17}0.1486	^{15}0.1847	^{16}0.2295
74	VISIONLABS-008	^{5}0.0028	^{4}0.0037	^{5}0.0047	^{5}0.0053	^{5}0.0058	^{6}0.0067	^{6}0.0081	^{7}0.0085	^{10}0.0143	^{10}0.0241	^{10}0.0373	^{10}0.0519	^{10}0.0677	^{8}0.0850	^{8}0.1104	^{8}0.1444
75	YITU-000	^{35}0.0088	^{36}0.0119	^{35}0.0153	^{38}0.0193	^{42}0.0253	^{45}0.0338	^{47}0.0501	^{48}0.0732	^{29}0.0433	^{31}0.0748	^{31}0.1164	^{36}0.1701	^{43}0.2306	^{47}0.3029	^{51}0.3969	^{53}0.4969
76	YITU-002	^{24}0.0066	^{22}0.0083	^{22}0.0094	^{18}0.0101	^{18}0.0121	^{21}0.0150	^{24}0.0223	^{31}0.0328	^{12}0.0189	^{13}0.0317	^{14}0.0494	^{15}0.0750	^{15}0.1066	^{18}0.1494	^{23}0.2171	^{26}0.2958
77	YITU-003	^{28}0.0072	^{25}0.0089	^{23}0.0100	^{20}0.0107	^{20}0.0125	^{23}0.0153	^{26}0.0226	^{34}0.0334	^{13}0.0194	^{14}0.0321	^{15}0.0500	^{16}0.0756	^{16}0.1071	^{19}0.1500	^{24}0.2177	^{27}0.2964
78	YITU-004	^{22}0.0061	^{20}0.0075	^{16}0.0081	^{13}0.0081	^{11}0.0092	^{11}0.0107	^{16}0.0154	^{17}0.0207	^{7}0.0125	^{6}0.0204	^{7}0.0314	^{9}0.0469	^{9}0.0671	^{10}0.0955	^{13}0.1421	^{13}0.2006
79	YITU-005	^{25}0.0067	^{21}0.0080	^{17}0.0087	^{16}0.0085	^{13}0.0094	^{12}0.0108	^{15}0.0151	^{16}0.0204	^{6}0.0124	^{5}0.0198	^{6}0.0308	^{6}0.0462	^{8}0.0667	^{9}0.0953	^{12}0.1418	^{12}0.1930

Table 8: **Accuracy for the FRVT 2018 mugshot sets under ageing**. *The second row shows the time lapse between gallery and subsequent probe images, in years. The first two columns identify the algorithm The next 8 values give rank-based FNIR with R = 1, T = 0 and FPIR = 1. All these are relevant to investigational uses where candidates from all searches would need human review. The second 8 values give threshold-based FNIR with T $\geq$ 0, FPIR = 0.001 and no rank criterion. The shaded cells indictate indicate the three most accurate algorithms for that elapsed time. The gallery size is 3068801. The total number of searches is 10951064.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES BELOW THRESHOLD, T		ENROL LIFETIME					ENROL MOST RECENT				
FNIR(N, T> 0, R >L)		DATASET: FRVT 2018					DATASET: FRVT 2018				
#	ALGORITHM	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M
1	3DIVI-003	^{168}0.2998	^{152}0.3495	^{74}0.3853	^{71}0.4340		^{182}0.3531	^{181}0.4005			
2	3DIVI-005	^{122}0.1041	^{120}0.1334				^{136}0.1358	^{136}0.1664	^{72}0.1915	^{69}0.2370	^{90}0.3054
3	ALCHERA-000	^{111}0.0848	^{110}0.1097	^{62}0.1352	^{60}0.1880		^{127}0.1103	^{126}0.1380			
4	ALCHERA-003	^{120}0.1014	^{118}0.1290				^{129}0.1176	^{129}0.1553	^{69}0.1853	^{70}0.2409	^{97}0.3553
5	ALLGOVISION-000	^{92}0.0555	^{91}0.0733				^{100}0.0688	^{100}0.0881	^{60}0.1084	^{58}0.1389	^{65}0.2129
6	ANKE-000	^{105}0.0762	^{102}0.0982				^{116}0.0942	^{114}0.1169	^{64}0.1404	^{62}0.1776	^{85}0.2559
7	ANKE-002	^{29}0.0200	^{29}0.0275				^{31}0.0229	^{31}0.0318	^{26}0.0406	^{26}0.0605	^{26}0.1466
8	AWARE-003	^{110}0.0843	^{103}0.0987	^{59}0.1143	^{55}0.1450		^{126}0.1098	^{124}0.1283			^{77}0.2364
9	AWARE-005	^{160}0.2569	^{146}0.2895				^{178}0.3389	^{174}0.3643	^{79}0.3993	^{77}0.4526	^{84}0.2531
10	AYONIX-000	^{202}0.8262	^{169}0.8490	^{80}0.8639	^{75}0.8808		^{217}0.7789	^{214}0.8109			
11	AYONIX-002	^{198}0.7602	^{167}0.8038				^{218}0.7862	^{216}0.8242	^{83}0.8508	^{80}0.8704	^{105}0.8939
12	CAMVI-003	^{56}0.0278	^{69}0.0505	^{45}0.0675	^{59}0.1868		^{61}0.0388	^{83}0.0711			
13	CAMVI-004	^{48}0.0254	^{68}0.0501				^{58}0.0367	^{84}0.0716	^{56}0.0983	^{72}0.2508	^{87}0.2701
14	COGENT-000	^{73}0.0384	^{64}0.0425	^{39}0.0515	^{36}0.0773	^{21}0.1556	^{27}0.0430	^{64}0.0527			^{57}0.1960
15	COGENT-002	^{33}0.0216	^{32}0.0296	^{25}0.0381	^{35}0.0692	^{24}0.1592	^{43}0.0322	^{47}0.0444	^{37}0.0610	^{48}0.1116	^{67}0.2180
16	COGENT-003	^{46}0.0251	^{45}0.0337	^{32}0.0436	^{39}0.0819	^{36}0.1861	^{44}0.0328	^{50}0.0463	^{44}0.0683	^{52}0.1294	^{79}0.2445
17	COGNITEC-001	^{93}0.0592	^{92}0.0770	^{53}0.0937	^{52}0.1281	^{49}0.2504	^{109}0.0807	^{107}0.1017			^{71}0.2238
18	COGNITEC-002	^{60}0.0291	^{57}0.0396	^{38}0.0509	^{40}0.0833	^{46}0.2213	^{68}0.0406	^{65}0.0531	^{41}0.0666	^{39}0.0935	^{51}0.1874
19	COGNITEC-003	^{57}0.0285	^{56}0.0393	^{37}0.0494	^{37}0.0792	^{44}0.2100	^{66}0.0400	^{62}0.0526	^{38}0.0650	^{36}0.0895	^{45}0.1772
20	CYBERLINK-000	^{64}0.0308	^{63}0.0423				^{70}0.0414	^{71}0.0565	^{47}0.0707	^{45}0.1031	^{62}0.2050
21	CYBERLINK-001	^{58}0.0287	^{55}0.0393				^{62}0.0392	^{66}0.0536	^{45}0.0695	^{43}0.0973	^{46}0.1794
22	DAHUA-001	^{77}0.0407	^{71}0.0518				^{88}0.0569	^{86}0.0727	^{54}0.0878	^{50}0.1148	^{50}0.1867
23	DAHUA-002	^{12}0.0095	^{10}0.0126	^{10}0.0156	^{8}0.0257	^{6}0.1113	^{12}0.0108	^{12}0.0151	^{12}0.0191	^{11}0.0291	^{15}0.1153
24	DEEPSEA-001	^{40}0.0245	^{42}0.0322				^{51}0.0347	^{49}0.0462	^{36}0.0586	^{35}0.0802	^{43}0.1708
25	DERMALOG-004	^{171}0.3403	^{157}0.3890	^{76}0.4179	^{72}0.4531		^{189}0.4365	^{187}0.4798			
26	DERMALOG-005	^{87}0.0487	^{84}0.0646				^{105}0.0700	^{99}0.0880	^{62}0.1144	^{60}0.1578	^{80}0.2451
27	DERMALOG-006	^{54}0.0273	^{54}0.0380				^{63}0.0395	^{60}0.0517	^{39}0.0659	^{42}0.0973	^{44}0.1745
28	DERMALOG-007						^{101}0.0691	^{95}0.0863	^{61}0.1107		^{75}0.2299
29	EYEDEA-003	^{166}0.2908	^{150}0.3279	^{73}0.3670	^{70}0.4151		^{181}0.3480	^{178}0.3877			
30	F8-001	^{189}0.5795	^{163}0.5947				^{128}0.1140	^{134}0.1658	^{68}0.1658	^{61}0.1658	^{42}0.1658
31	GLORY-001	^{152}0.2157	^{138}0.2444	^{68}0.2613	^{65}0.2878		^{122}0.2771	^{167}0.3049			
32	GORILLA-002	^{128}0.1085	^{125}0.1376				^{143}0.1539	^{142}0.1880	^{75}0.2184	^{73}0.2596	^{96}0.3398
33	GORILLA-004	^{89}0.0510	^{85}0.0653	^{51}0.0789	^{49}0.1057	^{33}0.1762	^{104}0.0699	^{103}0.0892	^{58}0.1048	^{57}0.1370	^{59}0.1969
34	HIK-002	^{129}0.1099	^{124}0.1359	^{64}0.1598	^{61}0.2047	^{53}0.3043	^{121}0.0959	^{119}0.1187			
35	HIK-004	^{109}0.0836	^{107}0.1025	^{60}0.1222	^{58}0.1515	^{51}0.2615	^{108}0.0796	^{104}0.0988			^{83}0.2483
36	HIK-005	^{32}0.0215	^{35}0.0304	^{28}0.0392	^{32}0.0656		^{41}0.0312	^{43}0.0436	^{35}0.0560	^{37}0.0911	^{66}0.2129
37	IDEMIA-000	^{96}0.0642	^{93}0.0798	^{54}0.0983	^{51}0.1234	^{37}0.1869	^{113}0.0896	^{112}0.1112			^{68}0.2181
38	IDEMIA-001	^{63}0.0300	^{53}0.0374	^{35}0.0462	^{27}0.0620	^{23}0.1575	^{71}0.0418	^{59}0.0515			^{36}0.1587
39	IDEMIA-002	^{80}0.0450	^{76}0.0561	^{43}0.0665	^{43}0.0892	^{29}0.1703	^{74}0.0424	^{61}0.0518			
40	IDEMIA-004	^{34}0.0220	^{28}0.0273	^{20}0.0334	^{19}0.0475	^{20}0.1554	^{38}0.0300	^{37}0.0373	^{28}0.0447	^{27}0.0617	^{40}0.1635
41	IDEMIA-005	^{51}0.0257	^{39}0.0315	^{27}0.0391	^{24}0.0584	^{32}0.1761	^{55}0.0360	^{45}0.0440	^{33}0.0537	^{34}0.0764	^{52}0.1915
42	IDEMIA-006	^{43}0.0249	^{38}0.0312	^{24}0.0379	^{23}0.0577	^{42}0.2043	^{52}0.0351	^{42}0.0433	^{32}0.0525	^{32}0.0734	^{69}0.2201
43	IDEMIA-007	^{17}0.0118	^{15}0.0151	^{13}0.0192	^{12}0.0305	^{14}0.1403	^{15}0.0136	^{15}0.0181	^{13}0.0228	^{14}0.0357	^{25}0.1402
44	IIT-001						^{37}0.0295	^{33}0.0341	^{23}0.0341	^{13}0.0341	^{1}0.0341
45	IMAGUS-002	^{194}0.6603	^{164}0.7119	^{78}0.7481	^{73}0.7855		^{212}0.7077	^{210}0.7491			
46	IMPERIAL-000	^{25}0.0153	^{24}0.0215	^{19}0.0285	^{28}0.0623	^{30}0.1723	^{26}0.0187	^{25}0.0259	^{29}0.0358	^{31}0.0733	^{47}0.1794
47	INCODE-001	^{136}0.1395	^{132}0.1788	^{66}0.2147	^{64}0.2729		^{149}0.1739	^{148}0.2116			
48	INCODE-003	^{117}0.0945	^{115}0.1222				^{135}0.1324	^{137}0.1672	^{73}0.1961	^{68}0.2345	^{92}0.3123
49	INCODE-004	^{61}0.0296	^{60}0.0405				^{67}0.0403	^{68}0.0538	^{40}0.0662	^{38}0.0917	^{37}0.1619
50	INNOVATRICS-004	^{108}0.0834	^{98}0.0925				^{125}0.1082	^{125}0.1317	^{63}0.1394	^{59}0.1394	^{24}0.1394
51	INNOVATRICS-005						^{33}0.0251	^{32}0.0340	^{27}0.0424	^{20}0.0482	^{3}0.0482
52	INTSYSMSU-000	^{218}0.9978	^{178}0.9981				^{235}0.9982	^{231}0.9984	^{87}0.9985	^{83}0.9987	^{109}0.9988
53	ISYSTEMS-000	^{85}0.0481	^{83}0.0629	^{50}0.0789	^{48}0.1051	^{43}0.2054	^{98}0.0681	^{101}0.0887			
54	ISYSTEMS-001	^{83}0.0476	^{82}0.0622	^{49}0.0777	^{47}0.1043	^{41}0.2039	^{97}0.0673	^{97}0.0878			
55	ISYSTEMS-002	^{74}0.0390	^{74}0.0542	^{44}0.0673			^{90}0.0584	^{89}0.0783			^{74}0.2295
56	ISYSTEMS-003	^{62}0.0297	^{58}0.0396	^{41}0.0550	^{42}0.0873	^{39}0.1979	^{79}0.0438	^{75}0.0590	^{52}0.0807	^{51}0.1259	^{76}0.2357
57	KEDACOM-001	^{28}0.0190	^{26}0.0225				^{23}0.0181	^{22}0.0227	^{14}0.0265	^{18}0.0422	^{23}0.1340
58	LOOKMAN-003	^{69}0.0332	^{62}0.0421				^{50}0.0346	^{44}0.0437	^{31}0.0514	^{30}0.0724	^{38}0.1620
59	LOOKMAN-005	^{45}0.0250	^{37}0.0311				^{32}0.0240	^{30}0.0301	^{24}0.0356	^{23}0.0512	^{22}0.1334
60	MEGVII-000	^{107}0.0819	^{106}0.1020	^{61}0.1224	^{57}0.1485	^{48}0.2346	^{112}0.0868	^{111}0.1061			^{73}0.2255
61	MEGVII-001						^{86}0.0562	^{85}0.0722	^{53}0.0872	^{54}0.1309	^{88}0.2713
62	MICROFOCUS-003	^{210}0.9000	^{173}0.9213	^{82}0.9342			^{223}0.9116	^{221}0.9308			
63	MICROFOCUS-005	^{213}0.9679	^{175}0.9835				^{230}0.9732	^{218}0.8354	^{84}0.8555	^{81}0.8755	^{106}0.8954
64	MICROSOFT-000	^{30}0.0204	^{30}0.0287	^{22}0.0357	^{21}0.0519	^{15}0.1460	^{39}0.0302	^{39}0.0410			^{41}0.1637
65	MICROSOFT-001	^{31}0.0211	^{31}0.0295	^{23}0.0368	^{22}0.0532	^{22}0.1556	^{40}0.0310	^{40}0.0418			
66	MICROSOFT-002	^{42}0.0248	^{46}0.0341	^{29}0.0422	^{25}0.0595	^{19}0.1544	^{53}0.0359	^{54}0.0475			
67	MICROSOFT-004	^{18}0.0126	^{19}0.0176	^{16}0.0238	^{17}0.0395	^{25}0.1617	^{25}0.0185	^{26}0.0259			^{31}0.1510
68	MICROSOFT-005	^{16}0.0117	^{17}0.0169	^{14}0.0216	^{15}0.0381	^{26}0.1637	^{24}0.0181	^{24}0.0256	^{20}0.0320	^{22}0.0512	^{30}0.1491
69	MICROSOFT-006	^{8}0.0057	^{7}0.0079	^{7}0.0107	^{11}0.0269	^{27}0.1651	^{9}0.0091	^{8}0.0120	^{9}0.0162	^{12}0.0301	^{29}0.1482
70	NEC-000	^{84}0.0480	^{79}0.0600	^{48}0.0718	^{45}0.0969	^{47}0.2339	^{92}0.0637	^{90}0.0789			^{55}0.1941
71	NEC-002	^{1}0.0016	^{2}0.0021	^{2}0.0031	^{1}0.0167	^{4}0.0948	^{2}0.0020	^{3}0.0026	^{3}0.0033	^{3}0.0135	^{5}0.0653
72	NEC-003	^{2}0.0017	^{1}0.0020	^{1}0.0024	^{2}0.0089	^{2}0.0747	^{3}0.0021	^{2}0.0024	^{2}0.0028	^{2}0.0059	^{4}0.0540

Table 9: **Identification-mode: Effect of N on FNIR at high threshold.** *Values are threshold-based miss rates i.e.* FNIR *at* FPIR *= 0.001 for five enrollment population sizes, N. The left six columns apply for enrollment of a variable number of images per subject. The right six columns apply for enrollment of one image. Missing entries usually apply because another algorithm from the same developer was run instead. Some developers are missing because less accurate algorithms were not run on galleries with* $N \geq 3\,000\,000$*. Throughout blue superscripts indicate the rank of the algorithm for that column.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES BELOW THRESHOLD, T		ENROL LIFETIME					ENROL MOST RECENT				
FNIR(N, T > 0, R > L)		DATASET: FRVT 2018					DATASET: FRVT 2018				
#	ALGORITHM	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M
73	NEUROTECHNOLOGY-004	^{79}0.0424	^{77}0.0570	^{47}0.0704	^{44}0.0949	^{35}0.1832	^{81}0.0466	^{79}0.0629			^{64}0.2102
74	NEUROTECHNOLOGY-005	^{72}0.0381	^{73}0.0522	^{40}0.0542	^{38}0.0808	^{12}0.1361	^{64}0.0396	^{69}0.0538	^{42}0.0675	^{41}0.0950	^{58}0.1966
75	NEUROTECHNOLOGY-007	^{76}0.0402	^{224}1.0000	^{46}0.0694	^{46}0.0973	^{40}0.2032	^{78}0.0436	^{78}0.0623	^{49}0.0802	^{55}0.1320	^{78}0.2393
76	NEWLAND-002						^{185}0.3996	^{184}0.4385	^{80}0.4702	^{78}0.5119	
77	NOBLIS-002	^{216}0.9941	^{177}0.9959				^{234}0.9962	^{230}0.9973	^{86}0.9979	^{82}0.9985	
78	NTECHLAB-000	^{90}0.0514	^{86}0.0663	^{52}0.0847	^{50}0.1153		^{96}0.0652	^{91}0.0804			^{54}0.1926
79	NTECHLAB-001	^{95}0.0631	^{94}0.0815	^{56}0.1003	^{54}0.1332	^{45}0.2148	^{107}0.0777	^{106}0.0997			
80	NTECHLAB-004	^{44}0.0250	^{43}0.0333	^{30}0.0428	^{34}0.0684	^{34}0.1816	^{42}0.0312	^{38}0.0405			
81	NTECHLAB-005	^{53}0.0265	^{48}0.0344				^{46}0.0334	^{41}0.0424	^{34}0.0537	^{33}0.0760	^{34}0.1543
82	NTECHLAB-006	^{35}0.0225	^{33}0.0298	^{26}0.0391	^{31}0.0650	^{38}0.1883	^{35}0.0288	^{35}0.0367	^{30}0.0471	^{29}0.0670	^{32}0.1523
83	NTECHLAB-007	^{26}0.0167	^{25}0.0219	^{18}0.0284	^{20}0.0475	^{28}0.1677	^{27}0.0188	^{23}0.0256	^{19}0.0317	^{21}0.0495	^{21}0.1306
84	NTECHLAB-008	^{14}0.0108	^{14}0.0148	^{12}0.0185	^{13}0.0306	^{18}0.1485	^{11}0.0107	^{10}0.0145	^{11}0.0187	^{9}0.0286	^{7}0.0995
85	PARAVISION-003	^{27}0.0188	^{27}0.0254	^{21}0.0335	^{16}0.0386		^{34}0.0260	^{34}0.0351	^{29}0.0447	^{28}0.0657	^{39}0.1630
86	PARAVISION-004	^{9}0.0075	^{8}0.0097	^{8}0.0127	^{7}0.0245	^{10}0.1231	^{7}0.0074	^{7}0.0101	^{7}0.0136	^{8}0.0267	^{18}0.1256
87	PARAVISION-005	^{5}0.0046	^{4}0.0052	^{4}0.0063	^{3}0.0145	^{7}0.1144	^{5}0.0032	^{4}0.0041	^{4}0.0057	^{4}0.0174	^{9}0.1037
88	PIXELALL-002	^{113}0.0889	^{114}0.1203				^{106}0.0716	^{109}0.1052	^{66}0.1475	^{71}0.2489	^{99}0.3904
89	PIXELALL-003	^{38}0.0237	^{40}0.0317				^{20}0.0158	^{19}0.0218	^{18}0.0288	^{19}0.0474	^{14}0.1138
90	QUANTASOFT-001	^{215}0.9915	^{176}0.9915				^{208}0.6387	^{205}0.6387	^{82}0.6387		^{103}0.6387
91	RANKONE-000	^{137}0.1480	^{131}0.1782	^{67}0.2189	^{66}0.3223	^{55}0.4688	^{151}0.1876	^{149}0.2169			^{100}0.4275
92	RANKONE-001	^{131}0.1202	^{129}0.1543	^{65}0.1786	^{63}0.2341	^{54}0.3508	^{142}0.1518	^{135}0.1659			
93	RANKONE-003	^{102}0.0741	^{99}0.0936	^{58}0.1115	^{56}0.1480	^{52}0.2930	^{123}0.0973	^{116}0.1175			^{86}0.2613
94	RANKONE-004	^{134}0.1260	^{128}0.1539				^{144}0.1608	^{143}0.1929	^{76}0.2189		
95	RANKONE-005	^{70}0.0343	^{66}0.0443	^{42}0.0566	^{41}0.0841	^{50}0.2526	^{82}0.0473	^{76}0.0592	^{46}0.0700	^{40}0.0944	^{60}0.1998
96	RANKONE-007	^{24}0.0150	^{23}0.0191	^{15}0.0231	^{14}0.0374	^{16}0.1464	^{22}0.0168	^{21}0.0222	^{15}0.0266	^{15}0.0381	^{13}0.1132
97	REALNETWORKS-000	^{148}0.2087	^{139}0.2469	^{70}0.2830			^{155}0.1965	^{153}0.2335			
98	REALNETWORKS-002	^{139}0.1682	^{134}0.2037				^{153}0.1943	^{151}0.2314	^{78}0.2656	^{76}0.3134	^{94}0.3208
99	REALNETWORKS-003	^{130}0.1114	^{126}0.1402				^{134}0.1300	^{132}0.1594	^{71}0.1858	^{66}0.2246	^{91}0.3076
100	REALNETWORKS-004	^{116}0.0938	^{113}0.1176				^{133}0.1279	^{131}0.1581	^{70}0.1857	^{67}0.2329	^{93}0.3179
101	REMARKAI-000	^{68}0.0331	^{67}0.0457				^{69}0.0406	^{70}0.0552	^{43}0.0676	^{44}0.1028	^{61}0.2003
102	REMARKAI-002	^{101}0.0726	^{101}0.0982				^{118}0.0946	^{122}0.1239	^{65}0.1472	^{64}0.1895	
103	SCANOVATE-000	^{199}0.7848	^{166}0.7901	^{79}0.7906	^{74}0.7906	^{56}0.7906	^{83}0.0498	^{82}0.0667	^{50}0.0804	^{47}0.1097	^{12}0.1109
104	SENSETIME-000	^{15}0.0115	^{16}0.0161				^{19}0.0158	^{17}0.0208	^{16}0.0270	^{16}0.0398	^{16}0.1232
105	SENSETIME-001	^{19}0.0126	^{18}0.0172				^{21}0.0161	^{20}0.0219	^{17}0.0277	^{17}0.0420	^{20}0.1304
106	SENSETIME-002	^{20}0.0128	^{12}0.0131	^{9}0.0135	^{9}0.0258	^{3}0.0823	^{17}0.0146	^{11}0.0148	^{8}0.0153	^{6}0.0234	^{6}0.0657
107	SENSETIME-003	^{3}0.0035	^{3}0.0037	^{3}0.0039	^{1}0.0063	^{1}0.0451	^{1}0.0016	^{1}0.0018	^{1}0.0021	^{1}0.0054	^{2}0.0451
108	SHAMAN-003	^{174}0.3504	^{158}0.3916	^{77}0.4292			^{186}0.4163	^{185}0.4513			
109	SHAMAN-007	^{115}0.0921	^{112}0.1109				^{132}0.1212	^{128}0.1413	^{67}0.1587	^{63}0.1879	^{81}0.2460
110	SIAT-001	^{161}0.2693	^{145}0.2725	^{69}0.2755			^{14}0.0136	^{13}0.0176			^{8}0.1035
111	SMILART-004	^{203}0.8381	^{174}0.9569				^{227}0.9258	^{225}0.9682	^{85}0.9913		
112	SYNESIS-003	^{183}0.4747	^{160}0.5294				^{199}0.5341	^{198}0.5821	^{81}0.6113	^{29}0.6479	^{104}0.6822
113	SYNESIS-003						^{84}0.0499	^{80}0.0652	^{51}0.0804	^{46}0.1095	^{53}0.1916
114	TECH5-001	^{78}0.0422	^{78}0.0587				^{72}0.0420	^{72}0.0574	^{55}0.0911	^{65}0.2106	^{98}0.3725
115	TEVIAN-004	^{98}0.0681	^{96}0.0875	^{57}0.1029			^{114}0.0924	^{115}0.1170			
116	TEVIAN-005	^{91}0.0515	^{87}0.0663				^{102}0.0692	^{96}0.0873	^{59}0.1066	^{53}0.1301	^{49}0.1840
117	TIGER-000	^{163}0.2857	^{151}0.3356	^{72}0.3654	^{69}0.4129		^{180}0.3435	^{180}0.3904			
118	TIGER-002	^{88}0.0507	^{89}0.0690				^{94}0.0647	^{93}0.0861	^{57}0.1036	^{56}0.1332	^{70}0.2231
119	TONGYITRANS-001	^{97}0.0653	^{95}0.0830	^{55}0.1000	^{53}0.1305		^{85}0.0519	^{81}0.0665			
120	TOSHIBA-000	^{71}0.0366	^{72}0.0519				^{80}0.0460	^{77}0.0620	^{48}0.0780	^{49}0.1117	^{63}0.2082
121	VD-000	^{207}0.8686	^{172}0.9048	^{81}0.9241	^{76}0.9378		^{221}0.8889	^{220}0.9169			
122	VD-001	^{135}0.1309	^{130}0.1650				^{145}0.1642	^{147}0.2015	^{77}0.2351	^{74}0.2736	^{95}0.3293
123	VIGILANTSOLUTIONS-003	^{169}0.3059	^{153}0.3565	^{75}0.3859	^{67}0.3859		^{184}0.3631	^{183}0.4082			
124	VISIONLABS-003	^{49}0.0256	^{47}0.0343	^{34}0.0440	^{33}0.0670		^{57}0.0367	^{55}0.0480			
125	VISIONLABS-005	^{41}0.0247	^{49}0.0350	^{33}0.0438	^{29}0.0625	^{31}0.1726	^{60}0.0369	^{58}0.0502			^{48}0.1815
126	VISIONLABS-006	^{22}0.0129	^{21}0.0182				^{29}0.0188	^{28}0.0267	^{22}0.0336	^{25}0.0542	^{27}0.1478
127	VISIONLABS-007	^{21}0.0129	^{20}0.0182	^{17}0.0240	^{18}0.0407	^{17}0.1478	^{28}0.0188	^{27}0.0266	^{21}0.0335	^{24}0.0540	^{28}0.1479
128	VISIONLABS-008	^{10}0.0089	^{9}0.0114				^{10}0.0096	^{9}0.0131	^{10}0.0166	^{10}0.0291	^{17}0.1247
129	VOCORD-003	^{118}0.0955	^{116}0.1250	^{63}0.1580	^{62}0.2275		^{117}0.0944	^{121}0.1222			
130	VOCORD-005	^{100}0.0717	^{108}0.1043				^{130}0.1179	^{130}0.1577	^{74}0.2183	^{75}0.3122	^{102}0.4490
131	YISHENG-001	^{159}0.2528	^{147}0.2972	^{71}0.3352	^{68}0.3879		^{176}0.3001	^{171}0.3464			
132	YITU-000	^{55}0.0276	^{50}0.0354	^{36}0.0464	^{30}0.0630	^{13}0.1383	^{56}0.0362	^{53}0.0474			
133	YITU-001	^{50}0.0257	^{44}0.0337	^{31}0.0429	^{26}0.0606	^{11}0.1343	^{48}0.0340	^{46}0.0444			
134	YITU-002	^{11}0.0092	^{11}0.0129	^{11}0.0171	^{10}0.0268	^{9}0.1174	^{13}0.0129	^{14}0.0177			
135	YITU-004	^{6}0.0048	^{5}0.0070	^{5}0.0094	^{5}0.0180	^{8}0.1144	^{6}0.0067	^{5}0.0096	^{5}0.0129	^{5}0.0232	^{10}0.1046
136	YITU-005	^{7}0.0054	^{6}0.0072	^{6}0.0097	^{6}0.0183	^{5}0.1100	^{8}0.0074	^{6}0.0101	^{6}0.0135	^{7}0.0255	^{11}0.1057

Table 10: **Identification-mode: Effect of N on FNIR at high threshold.** *Values are threshold-based miss rates i.e.* FNIR *at* FPIR *= 0.001 for five enrollment population sizes, N. The left six columns apply for enrollment of a variable number of images per subject. The right six columns apply for enrollment of one image. Missing entries usually apply because another algorithm from the same developer was run instead. Some developers are missing because less accurate algorithms were not run on galleries with* $N \geq 3\,000\,000$. *Throughout blue superscripts indicate the rank of the algorithm for that column.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES NOT AT RANK 1		ENROL LIFETIME						ENROL MOST RECENT					
FNIR(N, T= 0, R =1)		DATASET: FRVT 2018						DATASET: FRVT 2018					
#	ALGORITHM	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	aN^b	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	aN^b
1	3DIVI-003	^{169}0.0491	^{150}0.0641	^{73}0.0756	^{69}0.0895		^{94}0.0014 N$^{0.269}$ ^{82}	^{188}0.0655	^{187}0.0833				^{107}0.0020 N$^{0.261}$ ^{90}
2	3DIVI-005	^{109}0.0097	^{111}0.0130				^{40}0.0001 N$^{0.317}$ ^{113}	^{132}0.0137	^{129}0.0176	^{71}0.0210	^{69}0.0253	^{91}0.0302	^{85}0.0004 N$^{0.271}$ ^{96}
3	ALCHERA-000	^{115}0.0103	^{106}0.0119	^{59}0.0132	^{57}0.0167		^{73}0.0006 N$^{0.211}$ ^{65}	^{133}0.0143	^{124}0.0161				^{110}0.0024 N$^{0.134}$ ^{27}
4	ALCHERA-003	^{121}0.0117	^{116}0.0156				^{45}0.0002 N$^{0.316}$ ^{111}	^{97}0.0079	^{101}0.0104	^{62}0.0123	^{65}0.0147	^{83}0.0180	^{58}0.0002 N$^{0.278}$ ^{103}
5	ALLGOVISION-000	^{104}0.0092	^{99}0.0102				^{101}0.0019 N$^{0.117}$ ^{31}	^{113}0.0101	^{108}0.0114	^{63}0.0127	^{64}0.0145	^{80}0.0166	^{98}0.0010 N$^{0.171}$ ^{39}
6	ANKE-000	^{94}0.0074	^{92}0.0097				^{41}0.0001 N$^{0.295}$ ^{101}	^{116}0.0102	^{117}0.0132	^{68}0.0155	^{67}0.0188	^{87}0.0225	^{73}0.0003 N$^{0.270}$ ^{94}
7	ANKE-002	^{56}0.0041	^{48}0.0044				^{93}0.0013 N$^{0.084}$ ^{21}	^{30}0.0024	^{29}0.0028	^{22}0.0032	^{23}0.0037	^{25}0.0043	^{48}0.0002 N$^{0.203}$ ^{50}
8	AWARE-003	^{136}0.0161	^{126}0.0205	^{64}0.0243	^{62}0.0293		^{70}0.0005 N$^{0.267}$ ^{81}	^{155}0.0238	^{151}0.0306			^{104}0.0506	^{95}0.0008 N$^{0.256}$ ^{86}
9	AWARE-005	^{135}0.0159	^{125}0.0205				^{67}0.0004 N$^{0.275}$ ^{87}	^{157}0.0245	^{152}0.0311	^{76}0.0366	^{75}0.0434	^{95}0.0312	^{121}0.0056 N$^{0.118}$ ^{23}
10	AYONIX-000	^{209}0.4196	^{173}0.4647	^{80}0.4967	^{75}0.5316		^{125}0.1020 N$^{0.106}$ ^{30}	^{230}0.4080	^{227}0.4505				^{134}0.0961 N$^{0.108}$ ^{16}
11	AYONIX-002	^{202}0.2189	^{166}0.2603				^{119}0.0175 N$^{0.189}$ ^{53}	^{224}0.2935	^{222}0.3414	^{86}0.3736	^{83}0.4101	^{111}0.4465	^{131}0.0440 N$^{0.143}$ ^{30}
12	CAMVI-003	^{125}0.0141	^{139}0.0365	^{69}0.0525	^{72}0.1788		^{2}0.0000 N$^{1.084}$ ^{129}	^{150}0.0199	^{175}0.0520				^{2}0.0000 N$^{1.048}$ ^{136}
13	CAMVI-004	^{99}0.0081	^{137}0.0324				^{1}0.0000 N$^{1.514}$ ^{130}	^{125}0.0124	^{172}0.0468	^{80}0.0719	^{82}0.2363	^{110}0.2367	^{1}0.0000 N$^{1.055}$ ^{137}
14	COGENT-000	^{114}0.0100	^{101}0.0102	^{52}0.0106	^{47}0.0111	^{42}0.0119	^{108}0.0045 N$^{0.059}$ ^{15}	^{115}0.0101	^{103}0.0105			^{68}0.0125	^{115}0.0037 N$^{0.075}$ ^{9}
15	COGENT-002	^{19}0.0019	^{19}0.0024	^{12}0.0029	^{13}0.0034	^{14}0.0040	^{25}0.0001 N$^{0.251}$ ^{77}	^{35}0.0029	^{38}0.0036	^{27}0.0041	^{27}0.0049	^{33}0.0059	^{30}0.0001 N$^{0.244}$ ^{76}
16	COGENT-003	^{31}0.0029	^{30}0.0034	^{21}0.0038	^{21}0.0045	^{21}0.0052	^{46}0.0002 N$^{0.208}$ ^{64}	^{42}0.0031	^{40}0.0038	^{30}0.0043	^{30}0.0051	^{36}0.0060	^{39}0.0001 N$^{0.230}$ ^{68}
17	COGNITEC-001	^{85}0.0065	^{86}0.0086	^{51}0.0103	^{50}0.0124	^{46}0.0150	^{42}0.0001 N$^{0.284}$ ^{93}	^{107}0.0090	^{109}0.0117			^{85}0.0199	^{67}0.0002 N$^{0.271}$ ^{95}
18	COGNITEC-002	^{33}0.0032	^{40}0.0040	^{31}0.0049	^{31}0.0058	^{30}0.0071	^{28}0.0001 N$^{0.271}$ ^{85}	^{68}0.0048	^{63}0.0057	^{43}0.0067	^{43}0.0079	^{54}0.0094	^{62}0.0002 N$^{0.232}$ ^{69}
19	COGNITEC-003	^{46}0.0037	^{49}0.0045	^{35}0.0052	^{34}0.0061	^{33}0.0075	^{43}0.0001 N$^{0.240}$ ^{74}	^{72}0.0053	^{69}0.0062	^{46}0.0072	^{46}0.0085	^{56}0.0100	^{71}0.0003 N$^{0.222}$ ^{61}
20	CYBERLINK-000	^{72}0.0049	^{62}0.0053				^{95}0.0014 N$^{0.091}$ ^{22}	^{49}0.0034	^{44}0.0040	^{32}0.0046	^{32}0.0054	^{38}0.0063	^{60}0.0002 N$^{0.209}$ ^{55}
21	CYBERLINK-001	^{58}0.0043	^{52}0.0047				^{89}0.0011 N$^{0.101}$ ^{27}	^{39}0.0030	^{35}0.0035	^{29}0.0042	^{29}0.0050	^{35}0.0060	^{31}0.0001 N$^{0.243}$ ^{75}
22	DAHUA-001	^{50}0.0038	^{53}0.0048				^{38}0.0001 N$^{0.251}$ ^{78}	^{73}0.0053	^{73}0.0067	^{48}0.0079	^{50}0.0093	^{60}0.0112	^{53}0.0002 N$^{0.256}$ ^{85}
23	DAHUA-002	^{42}0.0035	^{34}0.0037	^{19}0.0038	^{18}0.0040	^{15}0.0042	^{97}0.0015 N$^{0.063}$ ^{16}	^{18}0.0017	^{15}0.0018	^{9}0.0021	^{7}0.0023	^{7}0.0027	^{56}0.0002 N$^{0.156}$ ^{34}
24	DEEPSEA-001	^{63}0.0044	^{60}0.0051				^{71}0.0005 N$^{0.163}$ ^{41}	^{48}0.0033	^{49}0.0043	^{36}0.0052	^{39}0.0065	^{48}0.0081	^{13}0.0001 N$^{0.311}$ ^{124}
25	DERMALOG-004	^{172}0.0757	^{153}0.0958	^{76}0.1102	^{71}0.1257		^{107}0.0037 N$^{0.227}$ ^{70}	^{193}0.1017	^{192}0.1251				^{120}0.0050 N$^{0.226}$ ^{65}
26	DERMALOG-005	^{97}0.0080	^{104}0.0110				^{26}0.0001 N$^{0.357}$ ^{125}	^{122}0.0114	^{123}0.0149	^{70}0.0201	^{71}0.0289	^{102}0.0447	^{5}0.0000 N$^{0.470}$ ^{135}
27	DERMALOG-006	^{77}0.0053	^{67}0.0058				^{96}0.0015 N$^{0.095}$ ^{23}	^{92}0.0075	^{86}0.0081	^{54}0.0086	^{51}0.0093	^{57}0.0104	^{106}0.0017 N$^{0.109}$ ^{17}
28	DERMALOG-007						-	^{99}0.0080	^{94}0.0092	^{58}0.0102		^{72}0.0140	^{93}0.0006 N$^{0.192}$ ^{46}
29	EYEDEA-003	^{168}0.0477	^{149}0.0610	^{72}0.0714	^{68}0.0827		^{100}0.0018 N$^{0.247}$ ^{76}	^{186}0.0638	^{186}0.0800				^{109}0.0024 N$^{0.247}$ ^{79}
30	F8-001	^{215}0.5359	^{175}0.5362				^{127}0.5316 N$^{0.001}$ ^{5}	^{120}0.0113	^{114}0.0120	^{61}0.0120	^{57}0.0120	^{65}0.0120	^{122}0.0090 N$^{0.019}$ ^{3}
31	GLORY-001	^{178}0.0815	^{152}0.0929	^{74}0.1004	^{70}0.1088		^{118}0.0146 N$^{0.129}$ ^{36}	^{198}0.1130	^{194}0.1268				^{129}0.0211 N$^{0.126}$ ^{24}
32	GORILLA-002	^{112}0.0100	^{112}0.0134				^{37}0.0001 N$^{0.326}$ ^{119}	^{134}0.0147	^{135}0.0197	^{72}0.0238	^{70}0.0288	^{96}0.0351	^{75}0.0003 N$^{0.295}$ ^{114}
33	GORILLA-004	^{80}0.0056	^{75}0.0066	^{42}0.0075	^{39}0.0087	^{36}0.0101	^{63}0.0004 N$^{0.204}$ ^{61}	^{69}0.0048	^{70}0.0063	^{47}0.0075	^{49}0.0091	^{62}0.0114	^{28}0.0001 N$^{0.292}$ ^{111}
34	HIK-002	^{132}0.0152	^{119}0.0182	^{62}0.0206	^{60}0.0237	^{53}0.0269	^{90}0.0011 N$^{0.195}$ ^{57}	^{123}0.0122	^{120}0.0147				^{96}0.0008 N$^{0.204}$ ^{54}
35	HIK-004	^{98}0.0080	^{97}0.0101	^{55}0.0119	^{53}0.0144	^{47}0.0174	^{52}0.0002 N$^{0.264}$ ^{80}	^{105}0.0088	^{107}0.0113			^{84}0.0195	^{64}0.0002 N$^{0.271}$ ^{97}
36	HIK-005	^{27}0.0025	^{26}0.0032	^{20}0.0038	^{23}0.0047		^{20}0.0001 N$^{0.283}$ ^{91}	^{53}0.0036	^{53}0.0046	^{39}0.0053	^{38}0.0065	^{47}0.0081	^{26}0.0001 N$^{0.274}$ ^{99}
37	IDEMIA-000	^{65}0.0045	^{69}0.0059	^{40}0.0073	^{40}0.0092	^{38}0.0113	^{23}0.0001 N$^{0.317}$ ^{112}	^{87}0.0067	^{89}0.0088			^{76}0.0156	^{42}0.0001 N$^{0.287}$ ^{108}
38	IDEMIA-001	^{67}0.0046	^{72}0.0062	^{43}0.0077	^{42}0.0097	^{44}0.0121	^{18}0.0001 N$^{0.334}$ ^{121}	^{89}0.0070	^{91}0.0090			^{81}0.0168	^{35}0.0001 N$^{0.303}$ ^{120}
39	IDEMIA-002	^{93}0.0072	^{91}0.0096	^{53}0.0116	^{55}0.0145	^{50}0.0180	^{35}0.0001 N$^{0.312}$ ^{108}	^{98}0.0079	^{100}0.0100				^{72}0.0003 N$^{0.252}$ ^{83}
40	IDEMIA-004	^{52}0.0039	^{55}0.0049	^{37}0.0058	^{36}0.0071	^{35}0.0085	^{34}0.0001 N$^{0.270}$ ^{84}	^{78}0.0054	^{72}0.0066	^{49}0.0079	^{54}0.0097	^{64}0.0117	^{41}0.0001 N$^{0.270}$ ^{93}
41	IDEMIA-005	^{61}0.0044	^{68}0.0059	^{39}0.0070	^{38}0.0085	^{37}0.0104	^{29}0.0001 N$^{0.293}$ ^{99}	^{84}0.0064	^{85}0.0081	^{56}0.0097	^{56}0.0118	^{74}0.0143	^{46}0.0002 N$^{0.277}$ ^{102}
42	IDEMIA-006	^{75}0.0052	^{76}0.0067	^{45}0.0080	^{43}0.0097	^{41}0.0115	^{39}0.0001 N$^{0.272}$ ^{86}	^{94}0.0076	^{98}0.0096	^{60}0.0113	^{61}0.0135	^{79}0.0161	^{65}0.0002 N$^{0.259}$ ^{87}
43	IDEMIA-007	^{48}0.0037	^{41}0.0041	^{27}0.0044	^{25}0.0048	^{22}0.0054	^{78}0.0007 N$^{0.125}$ ^{35}	^{22}0.0021	^{26}0.0026	^{20}0.0030	^{21}0.0036	^{26}0.0044	^{18}0.0001 N$^{0.250}$ ^{81}
44	IIT-001						-	^{41}0.0031	^{32}0.0033	^{23}0.0033	^{20}0.0033	^{18}0.0033	^{108}0.0022 N$^{0.027}$ ^{4}
45	IMAGUS-002	^{192}0.1467	^{162}0.1830	^{77}0.2083	^{73}0.2377		^{114}0.0083 N$^{0.216}$ ^{67}	^{213}0.1817	^{213}0.2203				^{125}0.0109 N$^{0.210}$ ^{57}
46	IMPERIAL-000	^{55}0.0040	^{42}0.0041	^{26}0.0043	^{22}0.0046	^{19}0.0048	^{98}0.0016 N$^{0.068}$ ^{17}	^{29}0.0022	^{25}0.0024	^{18}0.0027	^{18}0.0030	^{20}0.0035	^{70}0.0003 N$^{0.157}$ ^{35}
47	INCODE-001	^{107}0.0096	^{109}0.0128	^{66}0.0283	^{65}0.0463		^{3}0.0000 N$^{0.737}$ ^{128}	^{126}0.0128	^{126}0.0166				^{74}0.0003 N$^{0.286}$ ^{106}
48	INCODE-003	^{84}0.0065	^{88}0.0086				^{33}0.0001 N$^{0.313}$ ^{109}	^{112}0.0098	^{116}0.0129	^{67}0.0154	^{68}0.0191	^{88}0.0233	^{56}0.0002 N$^{0.296}$ ^{115}
49	INCODE-004	^{60}0.0044	^{57}0.0049				^{87}0.0009 N$^{0.117}$ ^{32}	^{37}0.0029	^{36}0.0035	^{28}0.0041	^{28}0.0049	^{34}0.0060	^{29}0.0001 N$^{0.244}$ ^{77}
50	INNOVATRICS-004	^{87}0.0067	^{80}0.0078				^{79}0.0007 N$^{0.167}$ ^{46}	^{109}0.0093	^{115}0.0123	^{65}0.0132	^{59}0.0132	^{70}0.0132	^{111}0.0024 N$^{0.110}$ ^{19}
51	INNOVATRICS-005						-	^{23}0.0021	^{24}0.0024	^{19}0.0028	^{19}0.0031	^{14}0.0031	^{83}0.0004 N$^{0.136}$ ^{29}
52	INTSYSMSU-000	^{186}0.1237	^{157}0.1291				^{122}0.0670 N$^{0.046}$ ^{14}	^{200}0.1395	^{198}0.1457	^{82}0.1498	^{79}0.1544	^{107}0.1591	^{133}0.0768 N$^{0.045}$ ^{5}
53	ISYSTEMS-000	^{91}0.0071	^{85}0.0082	^{48}0.0091	^{46}0.0102	^{40}0.0115	^{82}0.0008 N$^{0.166}$ ^{44}	^{111}0.0096	^{105}0.0110				^{101}0.0013 N$^{0.149}$ ^{33}
54	ISYSTEMS-001	^{92}0.0071	^{84}0.0082	^{47}0.0091	^{45}0.0101	^{39}0.0115	^{84}0.0008 N$^{0.164}$ ^{42}	^{110}0.0096	^{104}0.0110				^{102}0.0013 N$^{0.148}$ ^{32}
55	ISYSTEMS-002	^{47}0.0037	^{46}0.0044	^{32}0.0049			^{58}0.0003 N$^{0.183}$ ^{51}	^{74}0.0053	^{71}0.0064			^{55}0.0096	^{80}0.0003 N$^{0.204}$ ^{51}
56	ISYSTEMS-003	^{36}0.0033	^{35}0.0037	^{25}0.0041	^{24}0.0048	^{23}0.0054	^{57}0.0003 N$^{0.174}$ ^{50}	^{64}0.0046	^{61}0.0052	^{40}0.0057	^{40}0.0066	^{45}0.0076	^{89}0.0004 N$^{0.174}$ ^{40}
57	KEDACOM-001	^{110}0.0097	^{95}0.0099				^{113}0.0077 N$^{0.017}$ ^{7}	^{95}0.0076	^{81}0.0077	^{50}0.0079	^{45}0.0083	^{49}0.0087	^{117}0.0040 N$^{0.047}$ ^{6}
58	KNERON-000						-	^{67}0.0048	^{66}0.0059	^{44}0.0067	^{44}0.0079	^{53}0.0093	^{63}0.0002 N$^{0.226}$ ^{66}
59	LOOKMAN-003	^{101}0.0082	^{87}0.0086				^{109}0.0046 N$^{0.044}$ ^{13}	^{102}0.0083	^{90}0.0088	^{55}0.0091	^{52}0.0096	^{58}0.0104	^{114}0.0030 N$^{0.076}$ ^{10}
60	LOOKMAN-005	^{111}0.0100	^{98}0.0102				^{112}0.0073 N$^{0.023}$ ^{9}	^{96}0.0078	^{84}0.0080	^{52}0.0083	^{47}0.0086	^{51}0.0092	^{116}0.0038 N$^{0.053}$ ^{8}
61	MEGVII-000	^{90}0.0070	^{93}0.0097	^{57}0.0121	^{56}0.0147	^{49}0.0179	^{32}0.0001 N$^{0.321}$ ^{114}	^{79}0.0055	^{80}0.0073			^{73}0.0140	^{20}0.0001 N$^{0.318}$ ^{126}
62	MEGVII-001						-	^{118}0.0105	^{111}0.0118	^{64}0.0128	^{63}0.0142	^{78}0.0161	^{105}0.0015 N$^{0.143}$ ^{31}
63	MICROFOCUS-003	^{211}0.4789	^{176}0.5387	^{81}0.5770			^{124}0.0950 N$^{0.121}$ ^{34}	^{232}0.5405	^{230}0.5942				^{135}0.1358 N$^{0.103}$ ^{15}
64	MICROFOCUS-005	^{206}0.3152	^{170}0.3699				^{120}0.0306 N$^{0.174}$ ^{49}	^{227}0.3700	^{225}0.4242	^{87}0.4610	^{84}0.5000	^{112}0.5391	^{132}0.0674 N$^{0.128}$ ^{26}
65	MICROSOFT-000	^{20}0.0020	^{20}0.0025	^{14}0.0030	^{17}0.0038	^{18}0.0046	^{14}0.0000 N$^{0.293}$ ^{100}	^{43}0.0031	^{41}0.0038			^{40}0.0068	^{19}0.0001 N$^{0.275}$ ^{100}
66	MICROSOFT-001	^{17}0.0019	^{18}0.0024	^{13}0.0029	^{14}0.0036	^{16}0.0045	^{12}0.0000 N$^{0.298}$ ^{104}	^{36}0.0029	^{37}0.0035				^{34}0.0001 N$^{0.238}$ ^{73}
67	MICROSOFT-002	^{21}0.0021	^{22}0.0028	^{16}0.0033	^{19}0.0040	^{20}0.0049	^{17}0.0000 N$^{0.283}$ ^{92}	^{44}0.0031	^{43}0.0040				^{27}0.0001 N$^{0.260}$ ^{89}
68	MICROSOFT-004	^{2}0.0008	^{2}0.0010	^{3}0.0012	^{4}0.0015	^{4}0.0018	^{8}0.0000 N$^{0.290}$ ^{95}	^{4}0.0012	^{5}0.0015			^{10}0.0028	^{9}0.0000 N$^{0.288}$ ^{109}
69	MICROSOFT-005	^{5}0.0010	^{7}0.0013	^{7}0.0015	^{7}0.0019	^{8}0.0024	^{7}0.0000 N$^{0.310}$ ^{107}	^{10}0.0015	^{16}0.0019	^{12}0.0023	^{16}0.0030	^{22}0.0037	^{6}0.0000 N$^{0.320}$ ^{127}
70	MICROSOFT-006	^{6}0.0010	^{8}0.0013	^{8}0.0016	^{9}0.0020	^{9}0.0025	^{6}0.0000 N$^{0.321}$ ^{115}	^{12}0.0016	^{17}0.0020	^{15}0.0025	^{17}0.0030	^{23}0.0038	^{10}0.0000 N$^{0.305}$ ^{122}
71	NEC-000	^{106}0.0094	^{108}0.0124	^{60}0.0151	^{58}0.0181	^{51}0.0219	^{48}0.0002 N$^{0.290}$ ^{97}	^{128}0.0131	^{127}0.0170			^{90}0.0294	^{78}0.0003 N$^{0.276}$ ^{101}
72	NEC-002	^{4}0.0009	^{3}0.0010	^{2}0.0010	^{1}0.0011	^{1}0.0012	^{54}0.0002 N$^{0.098}$ ^{25}	^{1}0.0009	^{2}0.0010	^{2}0.0011	^{2}0.0012	^{2}0.0013	^{61}0.0002 N$^{0.113}$ ^{22}

Table 11: **Investigation-mode: Effect of N on FNIR at rank 1** *For five enrollment population sizes, N, with T = 0 and FPIR = 1. The left five columns apply for consolidated enrollment of a variable number of lifetime images from each subject. The right five columns apply for enrollment of one recent image. Missing entries usually apply because another algorithm from the same developer was run instead. Some developers are missing because less accurate algorithms were not run on galleries with $N > 1\,600\,000$. Throughout blue superscripts indicate the rank of the algorithm for that column, and yellow highlighting indicates the most accurate value. Caution: The Power-low models are mostly intended to draw attention to the kind of behavior, not as a model to be used for prediction.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES NOT AT RANK 1		ENROL LIFETIME						ENROL MOST RECENT					
FNIR(N, T= 0, R =1)		DATASET: FRVT 2018						DATASET: FRVT 2018					
#	ALGORITHM	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	aN^b	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	aN^b
73	NEC-003	^{8}0.0011	^{6}0.0012	^{4}0.0012	^{3}0.0013	^{2}0.0014	^{68}0.0004 N$^{0.076}$ ^{20}	^{6}0.0013	^{4}0.0014	^{3}0.0015	^{3}0.0016	^{3}0.0016	^{90}0.0005 N$^{0.079}$ ^{11}
74	NEUROTECHNOLOGY-004	^{69}0.0046	^{63}0.0055	^{38}0.0062	^{37}0.0072	^{34}0.0084	^{56}0.0003 N$^{0.204}$ ^{60}	^{65}0.0046	^{62}0.0056			^{50}0.0088	^{66}0.0002 N$^{0.221}$ ^{60}
75	NEUROTECHNOLOGY-005	^{35}0.0032	^{39}0.0039	^{23}0.0040	^{26}0.0050	^{24}0.0058	^{53}0.0002 N$^{0.194}$ ^{56}	^{52}0.0035	^{48}0.0043	^{34}0.0049	^{34}0.0057	^{39}0.0068	^{54}0.0002 N$^{0.223}$ ^{63}
76	NEUROTECHNOLOGY-007	^{71}0.0048	^{224}1.0000	^{36}0.0057	^{35}0.0064	^{31}0.0072	^{130}20.0319 N$^{-0.476}$ ^{1}	^{46}0.0032	^{42}0.0039	^{31}0.0044	^{31}0.0052	^{37}0.0062	^{49}0.0002 N$^{0.222}$ ^{62}
77	NEWLAND-002						-	^{187}0.0646	^{185}0.0786	^{81}0.0889	^{78}0.1015		^{118}0.0044 N$^{0.202}$ ^{49}
78	NOBLIS-002	^{189}0.1257	^{161}0.1562				^{110}0.0053 N$^{0.237}$ ^{73}	^{204}0.1486	^{205}0.1794	^{84}0.2018	^{81}0.2356		^{124}0.0097 N$^{0.204}$ ^{52}
79	NTECHLAB-000	^{76}0.0054	^{79}0.0075	^{49}0.0092	^{48}0.0113		^{27}0.0001 N$^{0.328}$ ^{120}	^{90}0.0071	^{96}0.0094			^{82}0.0173	^{36}0.0001 N$^{0.303}$ ^{121}
80	NTECHLAB-001	^{88}0.0069	^{90}0.0095	^{54}0.0117	^{52}0.0144	^{48}0.0177	^{31}0.0001 N$^{0.322}$ ^{116}	^{106}0.0088	^{113}0.0119				^{33}0.0001 N$^{0.323}$ ^{129}
81	NTECHLAB-004	^{30}0.0028	^{37}0.0038	^{29}0.0047	^{33}0.0059	^{32}0.0073	^{13}0.0000 N$^{0.323}$ ^{118}	^{55}0.0037	^{58}0.0048				^{16}0.0001 N$^{0.297}$ ^{116}
82	NTECHLAB-005	^{29}0.0027	^{36}0.0038				^{9}0.0000 N$^{0.369}$ ^{126}	^{50}0.0035	^{55}0.0047	^{41}0.0058	^{41}0.0073	^{52}0.0092	^{12}0.0000 N$^{0.334}$ ^{132}
83	NTECHLAB-006	^{24}0.0023	^{28}0.0033	^{24}0.0041	^{27}0.0051	^{27}0.0064	^{10}0.0000 N$^{0.350}$ ^{124}	^{38}0.0030	^{47}0.0041	^{35}0.0050	^{36}0.0062	^{46}0.0078	^{11}0.0000 N$^{0.326}$ ^{130}
84	NTECHLAB-007	^{53}0.0039	^{45}0.0043	^{28}0.0047	^{28}0.0052	^{25}0.0058	^{74}0.0006 N$^{0.136}$ ^{38}	^{26}0.0022	^{27}0.0027	^{21}0.0031	^{22}0.0037	^{27}0.0044	^{22}0.0001 N$^{0.245}$ ^{78}
85	NTECHLAB-008	^{38}0.0034	^{33}0.0037	^{22}0.0039	^{20}0.0042	^{17}0.0045	^{88}0.0009 N$^{0.097}$ ^{24}	^{8}0.0014	^{9}0.0017	^{7}0.0020	^{9}0.0024	^{8}0.0027	^{17}0.0001 N$^{0.224}$ ^{64}
86	PARAVISION-003	^{18}0.0019	^{17}0.0022	^{11}0.0025	^{11}0.0027		^{49}0.0002 N$^{0.167}$ ^{47}	^{32}0.0026	^{31}0.0031	^{24}0.0035	^{24}0.0042	^{29}0.0048	^{47}0.0002 N$^{0.210}$ ^{56}
87	PARAVISION-004	^{40}0.0034	^{32}0.0035	^{18}0.0036	^{16}0.0037	^{12}0.0039	^{103}0.0020 N$^{0.040}$ ^{12}	^{11}0.0015	^{8}0.0016	^{6}0.0017	^{6}0.0019	^{5}0.0021	^{79}0.0003 N$^{0.111}$ ^{20}
88	PARAVISION-005	^{37}0.0034	^{31}0.0034	^{17}0.0035	^{15}0.0037	^{11}0.0038	^{102}0.0019 N$^{0.040}$ ^{11}	^{9}0.0015	^{6}0.0015	^{5}0.0016	^{5}0.0018	^{4}0.0019	^{88}0.0004 N$^{0.094}$ ^{14}
89	PIXELALL-002	^{89}0.0069	^{82}0.0080				^{80}0.0007 N$^{0.166}$ ^{45}	^{57}0.0037	^{51}0.0045	^{37}0.0052	^{37}0.0062	^{44}0.0075	^{45}0.0002 N$^{0.238}$ ^{74}
90	PIXELALL-003	^{62}0.0044	^{50}0.0047				^{99}0.0018 N$^{0.069}$ ^{18}	^{20}0.0019	^{19}0.0021	^{13}0.0024	^{12}0.0028	^{17}0.0032	^{50}0.0002 N$^{0.182}$ ^{44}
91	QUANTASOFT-001	^{220}0.9857	^{180}0.9857				^{129}0.9857 N$^{-0.000}$ ^{2}	^{219}0.2177	^{212}0.2177	^{85}0.2177		^{108}0.2177	^{136}0.2177 N$^{0.000}$ ^{1}
92	RANKONE-000	^{151}0.0252	^{135}0.0316	^{67}0.0362	^{64}0.0422	^{55}0.0482	^{92}0.0013 N$^{0.222}$ ^{69}	^{173}0.0349	^{168}0.0429			^{106}0.0629	^{112}0.0024 N$^{0.200}$ ^{48}
93	RANKONE-001	^{130}0.0149	^{123}0.0191	^{63}0.0221	^{61}0.0257	^{54}0.0299	^{75}0.0006 N$^{0.236}$ ^{72}	^{151}0.0200	^{141}0.0221				^{119}0.0046 N$^{0.110}$ ^{18}
94	RANKONE-003	^{119}0.0113	^{113}0.0146	^{61}0.0168	^{59}0.0197	^{52}0.0232	^{69}0.0005 N$^{0.242}$ ^{75}	^{138}0.0155	^{133}0.0194			^{93}0.0304	^{94}0.0007 N$^{0.229}$ ^{67}
95	RANKONE-004	^{148}0.0243	^{134}0.0315				^{72}0.0005 N$^{0.285}$ ^{94}	^{168}0.0326	^{167}0.0415	^{79}0.0483			^{99}0.0011 N$^{0.255}$ ^{84}
96	RANKONE-005	^{79}0.0054	^{78}0.0069	^{46}0.0083	^{44}0.0099	^{43}0.0119	^{44}0.0001 N$^{0.269}$ ^{83}	^{93}0.0075	^{97}0.0094	^{59}0.0110	^{60}0.0132	^{77}0.0156	^{69}0.0003 N$^{0.251}$ ^{82}
97	RANKONE-007	^{59}0.0044	^{54}0.0048	^{34}0.0052	^{30}0.0057	^{26}0.0064	^{81}0.0008 N$^{0.129}$ ^{37}	^{34}0.0028	^{33}0.0034	^{25}0.0038	^{25}0.0045	^{31}0.0053	^{51}0.0002 N$^{0.211}$ ^{58}
98	REALNETWORKS-000	^{161}0.0334	^{142}0.0440	^{68}0.0524			^{77}0.0007 N$^{0.292}$ ^{98}	^{163}0.0306	^{166}0.0402				^{92}0.0006 N$^{0.298}$ ^{118}
99	REALNETWORKS-002	^{146}0.0238	^{136}0.0318				^{62}0.0004 N$^{0.315}$ ^{110}	^{161}0.0299	^{160}0.0393	^{78}0.0470	^{77}0.0562	^{105}0.0580	^{103}0.0013 N$^{0.236}$ ^{72}
100	REALNETWORKS-003	^{137}0.0166	^{128}0.0216				^{60}0.0003 N$^{0.290}$ ^{96}	^{144}0.0183	^{145}0.0242	^{74}0.0291	^{73}0.0352	^{101}0.0423	^{86}0.0004 N$^{0.287}$ ^{107}
101	REALNETWORKS-004	^{129}0.0146	^{122}0.0188				^{59}0.0003 N$^{0.281}$ ^{90}	^{141}0.0175	^{143}0.0236	^{73}0.0284	^{72}0.0347	^{98}0.0416	^{81}0.0003 N$^{0.295}$ ^{113}
102	REMARKAI-000	^{57}0.0042	^{51}0.0047				^{85}0.0009 N$^{0.118}$ ^{33}	^{33}0.0027	^{34}0.0034	^{26}0.0040	^{26}0.0048	^{32}0.0058	^{24}0.0001 N$^{0.260}$ ^{88}
103	REMARKAI-002	^{64}0.0045	^{70}0.0060				^{22}0.0001 N$^{0.322}$ ^{117}	^{83}0.0062	^{87}0.0081	^{57}0.0098	^{58}0.0121		^{32}0.0001 N$^{0.298}$ ^{117}
104	SCANOVATE-000	^{216}0.7782	^{177}0.7786	^{82}0.7787	^{76}0.7787	^{56}0.7787	^{128}0.7766 N$^{0.000}$ ^{3}	^{58}0.0038	^{59}0.0050	^{42}0.0059	^{42}0.0073	^{43}0.0073	^{52}0.0002 N$^{0.235}$ ^{71}
105	SENSETIME-000	^{13}0.0015	^{12}0.0016				^{64}0.0004 N$^{0.104}$ ^{29}	^{25}0.0022	^{21}0.0023	^{17}0.0026	^{14}0.0028	^{16}0.0032	^{82}0.0003 N$^{0.135}$ ^{28}
106	SENSETIME-001	^{12}0.0015	^{11}0.0016				^{65}0.0004 N$^{0.100}$ ^{26}	^{24}0.0022	^{22}0.0023	^{16}0.0025	^{15}0.0029	^{21}0.0037	^{57}0.0002 N$^{0.177}$ ^{42}
107	SENSETIME-002	^{122}0.0120	^{107}0.0120	^{56}0.0121	^{49}0.0122	^{45}0.0123	^{117}0.0107 N$^{0.008}$ ^{6}	^{131}0.0136	^{119}0.0137	^{66}0.0137	^{62}0.0138	^{71}0.0139	^{127}0.0124 N$^{0.007}$ ^{2}
108	SENSETIME-003	^{32}0.0030	^{24}0.0030	^{15}0.0031	^{12}0.0031	^{10}0.0032	^{104}0.0022 N$^{0.022}$ ^{8}	^{2}0.0010	^{1}0.0010	^{1}0.0010	^{1}0.0011	^{1}0.0012	^{77}0.0003 N$^{0.085}$ ^{13}
109	SHAMAN-003	^{177}0.0805	^{154}0.0966	^{75}0.1088			^{111}0.0059 N$^{0.195}$ ^{58}	^{190}0.1050	^{190}0.1243				^{123}0.0090 N$^{0.184}$ ^{45}
110	SHAMAN-007	^{154}0.0286	^{132}0.0307				^{116}0.0104 N$^{0.076}$ ^{19}	^{175}0.0371	^{163}0.0396	^{77}0.0416	^{76}0.0443	^{103}0.0473	^{126}0.0122 N$^{0.083}$ ^{12}
111	SIAT-001	^{204}0.2636	^{167}0.2637	^{78}0.2638			^{126}0.2618 N$^{0.001}$ ^{4}	^{17}0.0017	^{11}0.0018			^{9}0.0027	^{44}0.0001 N$^{0.178}$ ^{43}
112	SMILART-004	^{218}0.8188	^{178}0.9530				^{123}0.0893 N$^{0.166}$ ^{43}	^{236}0.9174	^{234}0.9648	^{88}0.9908			^{137}0.4696 N$^{0.050}$ ^{7}
113	SYNESIS-003	^{183}0.1130	^{159}0.1347				^{115}0.0087 N$^{0.191}$ ^{54}	^{203}0.1456	^{203}0.1700	^{83}0.1876	^{80}0.2088	^{109}0.2317	^{128}0.0177 N$^{0.158}$ ^{36}
114	SYNESIS-003						-	^{140}0.0161	^{125}0.0162	^{69}0.0163	^{66}0.0165	^{89}0.0254	^{113}0.0027 N$^{0.127}$ ^{25}
115	TECH5-001	^{73}0.0049	^{65}0.0055				^{83}0.0008 N$^{0.137}$ ^{39}	^{45}0.0032	^{45}0.0040	^{33}0.0047	^{33}0.0057	^{42}0.0071	^{23}0.0001 N$^{0.271}$ ^{98}
116	TEVIAN-004	^{81}0.0056	^{81}0.0078	^{50}0.0095			^{19}0.0001 N$^{0.345}$ ^{123}	^{104}0.0085	^{106}0.0113				^{40}0.0001 N$^{0.306}$ ^{123}
117	TEVIAN-005	^{54}0.0039	^{61}0.0052				^{24}0.0001 N$^{0.305}$ ^{106}	^{80}0.0056	^{79}0.0073	^{53}0.0084	^{55}0.0105	^{69}0.0130	^{37}0.0001 N$^{0.283}$ ^{105}
118	TIGER-000	^{163}0.0361	^{144}0.0478	^{70}0.0562	^{67}0.0675		^{86}0.0009 N$^{0.279}$ ^{88}	^{179}0.0472	^{180}0.0616				^{97}0.0010 N$^{0.289}$ ^{110}
119	TIGER-002	^{34}0.0032	^{43}0.0042				^{21}0.0001 N$^{0.299}$ ^{105}	^{62}0.0044	^{64}0.0056	^{45}0.0068	^{48}0.0086	^{59}0.0105	^{21}0.0001 N$^{0.299}$ ^{119}
120	TONGYITRANS-001	^{105}0.0092	^{103}0.0110	^{58}0.0124	^{54}0.0144		^{76}0.0007 N$^{0.197}$ ^{59}	^{76}0.0054	^{75}0.0069				^{43}0.0001 N$^{0.269}$ ^{92}
121	TOSHIBA-000	^{25}0.0023	^{25}0.0031				^{16}0.0000 N$^{0.298}$ ^{103}	^{51}0.0035	^{50}0.0045	^{38}0.0052	^{35}0.0061	^{75}0.0154	^{4}0.0000 N$^{0.449}$ ^{134}
122	VD-000	^{208}0.3580	^{172}0.4301	^{79}0.4774	^{74}0.5279		^{121}0.0354 N$^{0.174}$ ^{48}	^{229}0.4058	^{228}0.4737				^{130}0.0423 N$^{0.169}$ ^{38}
123	VD-001	^{142}0.0180	^{129}0.0218				^{91}0.0012 N$^{0.204}$ ^{62}	^{154}0.0230	^{150}0.0276	^{75}0.0315	^{74}0.0363	^{100}0.0418	^{104}0.0015 N$^{0.204}$ ^{53}
124	VIGILANTSOLUTIONS-003	^{165}0.0407	^{148}0.0545	^{71}0.0651	^{66}0.0651		^{105}0.0023 N$^{0.220}$ ^{68}	^{184}0.0535	^{183}0.0694				^{100}0.0012 N$^{0.283}$ ^{104}
125	VISIONLABS-003	^{41}0.0035	^{56}0.0049	^{41}0.0074	^{51}0.0128		^{4}0.0000 N$^{0.576}$ ^{127}	^{71}0.0051	^{74}0.0068				^{15}0.0001 N$^{0.323}$ ^{128}
126	VISIONLABS-005	^{11}0.0014	^{13}0.0017	^{10}0.0019	^{10}0.0026	^{13}0.0039	^{5}0.0000 N$^{0.345}$ ^{122}	^{21}0.0020	^{23}0.0024			^{30}0.0051	^{8}0.0000 N$^{0.332}$ ^{131}
127	VISIONLABS-006	^{10}0.0012	^{10}0.0014				^{47}0.0002 N$^{0.140}$ ^{40}	^{16}0.0016	^{13}0.0018	^{11}0.0022	^{13}0.0028	^{24}0.0041	^{7}0.0000 N$^{0.314}$ ^{125}
128	VISIONLABS-007	^{9}0.0012	^{9}0.0014	^{6}0.0015	^{6}0.0018	^{6}0.0021	^{30}0.0001 N$^{0.189}$ ^{52}	^{14}0.0016	^{10}0.0018	^{8}0.0020	^{8}0.0023	^{19}0.0034	^{14}0.0001 N$^{0.248}$ ^{80}
129	VISIONLABS-008	^{49}0.0038	^{38}0.0039				^{106}0.0025 N$^{0.032}$ ^{10}	^{19}0.0019	^{18}0.0020	^{10}0.0021	^{10}0.0025	^{13}0.0030	^{55}0.0002 N$^{0.169}$ ^{37}
130	VOCORD-003	^{74}0.0050	^{74}0.0064	^{44}0.0077	^{41}0.0094		^{36}0.0001 N$^{0.279}$ ^{89}	^{70}0.0049	^{68}0.0062				^{38}0.0001 N$^{0.268}$ ^{91}
131	VOCORD-005	^{68}0.0046	^{64}0.0055				^{61}0.0003 N$^{0.193}$ ^{55}	^{82}0.0060	^{78}0.0070	^{51}0.0082	^{53}0.0097	^{63}0.0117	^{68}0.0003 N$^{0.232}$ ^{70}
132	YISHENG-001	^{131}0.0152	^{127}0.0205	^{65}0.0245	^{63}0.0295		^{85}0.0003 N$^{0.297}$ ^{102}	^{152}0.0203	^{149}0.0265				^{87}0.0004 N$^{0.293}$ ^{112}
133	YITU-000	^{45}0.0037	^{47}0.0044	^{33}0.0050	^{32}0.0058	^{29}0.0068	^{50}0.0002 N$^{0.212}$ ^{66}	^{60}0.0040	^{56}0.0047				^{76}0.0003 N$^{0.195}$ ^{47}
134	YITU-001	^{44}0.0036	^{44}0.0043	^{30}0.0048	^{29}0.0056	^{28}0.0066	^{51}0.0002 N$^{0.206}$ ^{63}	^{59}0.0039	^{52}0.0045				^{84}0.0004 N$^{0.177}$ ^{41}
135	YITU-002	^{7}0.0010	^{5}0.0012	^{5}0.0014	^{5}0.0016	^{5}0.0020	^{15}0.0000 N$^{0.233}$ ^{71}	^{13}0.0016	^{14}0.0018			^{12}0.0029	^{25}0.0001 N$^{0.217}$ ^{59}
136	YITU-004	^{1}0.0007	^{1}0.0008	^{1}0.0010	^{2}0.0012	^{3}0.0016	^{11}0.0000 N$^{0.254}$ ^{79}	^{3}0.0011	^{3}0.0013	^{4}0.0015	^{4}0.0017	^{28}0.0047	^{3}0.0000 N$^{0.438}$ ^{133}
137	YITU-005	^{15}0.0016	^{14}0.0017	^{9}0.0018	^{8}0.0020	^{7}0.0022	^{66}0.0004 N$^{0.104}$ ^{28}	^{28}0.0022	^{20}0.0023	^{14}0.0025	^{11}0.0027	^{15}0.0031	^{91}0.0005 N$^{0.113}$ ^{21}

Table 12: **Investigation-mode: Effect of N on FNIR at rank 1** *For five enrollment population sizes, N, with T = 0 and FPIR = 1. The left five columns apply for consolidated enrollment of a variable number of lifetime images from each subject. The right five columns apply for enrollment of one recent image. Missing entries usually apply because another algorithm from the same developer was run instead. Some developers are missing because less accurate algorithms were not run on galleries with $N > 1\,600\,000$. Throughout blue superscripts indicate the rank of the algorithm for that column, and yellow highlighting indicates the most accurate value. Caution: The Power-low models are mostly intended to draw attention to the kind of behavior, not as a model to be used for prediction.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES NOT AT RANK 50		ENROL LIFETIME						ENROL MOST RECENT					
FNIR(N, T= 0, R =50)		DATASET: FRVT 2018						DATASET: FRVT 2018					
#	ALGORITHM	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	aN^b	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	aN^b
1	3DIVI-003	^{155}0.0100	^{142}0.0148	^{71}0.0189	^{67}0.0238		^{34}0.0001 N$^{0.389}$ ^{122}	^{169}0.0133	^{173}0.0191				^{28}0.0001 N$^{0.399}$ ^{130}
2	3DIVI-005	^{78}0.0028	^{86}0.0035				^{51}0.0001 N$^{0.249}$ ^{87}	^{118}0.0040	^{112}0.0049	^{61}0.0057	^{61}0.0068	^{84}0.0081	^{52}0.0002 N$^{0.240}$ ^{92}
3	ALCHERA-000	^{142}0.0071	^{124}0.0074	^{63}0.0077	^{60}0.0098		^{84}0.0011 N$^{0.136}$ ^{62}	^{163}0.0101	^{154}0.0105				^{125}0.0058 N$^{0.041}$ ^{16}
4	ALCHERA-003	^{80}0.0028	^{98}0.0038				^{23}0.0000 N$^{0.317}$ ^{103}	^{95}0.0027	^{92}0.0032	^{52}0.0035	^{53}0.0042	^{66}0.0048	^{56}0.0002 N$^{0.199}$ ^{81}
5	ALLGOVISION-000	^{138}0.0066	^{121}0.0069				^{110}0.0030 N$^{0.059}$ ^{38}	^{142}0.0063	^{133}0.0067	^{66}0.0071	^{64}0.0075	^{83}0.0081	^{112}0.0020 N$^{0.086}$ ^{38}
6	ANKE-000	^{62}0.0021	^{69}0.0027				^{42}0.0001 N$^{0.255}$ ^{90}	^{104}0.0032	^{104}0.0040	^{58}0.0046	^{57}0.0056	^{75}0.0066	^{45}0.0001 N$^{0.247}$ ^{95}
7	ANKE-002	^{105}0.0035	^{91}0.0036				^{101}0.0026 N$^{0.024}$ ^{23}	^{44}0.0016	^{42}0.0017	^{25}0.0017	^{21}0.0018	^{23}0.0019	^{89}0.0006 N$^{0.067}$ ^{30}
8	AWARE-003	^{111}0.0036	^{111}0.0047	^{59}0.0058	^{58}0.0073		^{32}0.0001 N$^{0.316}$ ^{101}	^{132}0.0055	^{140}0.0075			^{101}0.0143	^{33}0.0001 N$^{0.325}$ ^{118}
9	AWARE-005	^{114}0.0038	^{113}0.0049				^{48}0.0001 N$^{0.284}$ ^{97}	^{140}0.0062	^{147}0.0082	^{73}0.0101	^{72}0.0128	^{85}0.0089	^{94}0.0007 N$^{0.169}$ ^{71}
10	AYONIX-000	^{207}0.1720	^{172}0.2139	^{79}0.2464	^{75}0.2847		^{119}0.0085 N$^{0.226}$ ^{83}	^{230}0.1946	^{228}0.2381				^{130}0.0102 N$^{0.221}$ ^{86}
11	AYONIX-002	^{197}0.0643	^{162}0.0870				^{78}0.0008 N$^{0.330}$ ^{106}	^{222}0.0950	^{222}0.1274	^{86}0.1524	^{82}0.1828	^{110}0.2150	^{116}0.0023 N$^{0.279}$ ^{105}
12	CAMVI-003	^{163}0.0139	^{153}0.0364	^{75}0.0524	^{73}0.1787		^{3}0.0000 N$^{1.088}$ ^{128}	^{180}0.0196	^{195}0.0517				^{2}0.0000 N$^{1.059}$ ^{136}
13	CAMVI-004	^{148}0.0077	^{151}0.0321				^{1}0.0000 N$^{1.559}$ ^{130}	^{167}0.0117	^{192}0.0464	^{82}0.0715	^{83}0.2361	^{111}0.2364	^{1}0.0000 N$^{1.071}$ ^{137}
14	COGENT-000	^{51}0.0017	^{53}0.0021	^{29}0.0024	^{29}0.0028	^{41}0.0042	^{20}0.0000 N$^{0.283}$ ^{96}	^{76}0.0021	^{76}0.0024			^{89}0.0095	^{4}0.0000 N$^{0.539}$ ^{135}
15	COGENT-002	^{16}0.0009	^{17}0.0010	^{15}0.0011	^{15}0.0013	^{13}0.0014	^{45}0.0001 N$^{0.180}$ ^{73}	^{38}0.0014	^{35}0.0015	^{22}0.0017	^{26}0.0019	^{31}0.0021	^{57}0.0002 N$^{0.144}$ ^{64}
16	COGENT-003	^{29}0.0011	^{29}0.0013	^{19}0.0015	^{19}0.0017	^{16}0.0020	^{40}0.0001 N$^{0.209}$ ^{79}	^{41}0.0015	^{45}0.0017	^{34}0.0018	^{33}0.0020	^{37}0.0022	^{62}0.0002 N$^{0.143}$ ^{62}
17	COGNITEC-001	^{60}0.0021	^{63}0.0025	^{39}0.0029	^{42}0.0033	^{40}0.0040	^{52}0.0001 N$^{0.221}$ ^{82}	^{100}0.0030	^{98}0.0034			^{70}0.0054	^{54}0.0002 N$^{0.209}$ ^{83}
18	COGNITEC-002	^{47}0.0017	^{43}0.0018	^{23}0.0019	^{22}0.0022	^{18}0.0024	^{62}0.0003 N$^{0.130}$ ^{61}	^{86}0.0024	^{82}0.0026	^{47}0.0028	^{47}0.0030	^{52}0.0034	^{83}0.0005 N$^{0.117}$ ^{54}
19	COGNITEC-003	^{59}0.0020	^{54}0.0022	^{28}0.0023	^{25}0.0025	^{22}0.0028	^{69}0.0005 N$^{0.109}$ ^{54}	^{97}0.0028	^{89}0.0030	^{49}0.0032	^{49}0.0035	^{57}0.0037	^{97}0.0008 N$^{0.097}$ ^{44}
20	CYBERLINK-000	^{117}0.0039	^{101}0.0040				^{100}0.0025 N$^{0.034}$ ^{30}	^{72}0.0021	^{67}0.0022	^{42}0.0023	^{42}0.0025	^{46}0.0027	^{86}0.0006 N$^{0.092}$ ^{42}
21	CYBERLINK-001	^{101}0.0034	^{88}0.0035				^{103}0.0026 N$^{0.020}$ ^{19}	^{48}0.0016	^{49}0.0017	^{31}0.0018	^{29}0.0020	^{35}0.0022	^{77}0.0004 N$^{0.109}$ ^{49}
22	DAHUA-001	^{56}0.0019	^{51}0.0021				^{73}0.0005 N$^{0.102}$ ^{53}	^{94}0.0027	^{84}0.0029	^{48}0.0031	^{48}0.0034	^{59}0.0038	^{84}0.0005 N$^{0.121}$ ^{57}
23	DAHUA-002	^{92}0.0033	^{82}0.0033	^{48}0.0033	^{44}0.0034	^{31}0.0034	^{104}0.0028 N$^{0.011}$ ^{12}	^{33}0.0013	^{26}0.0013	^{15}0.0014	^{14}0.0014	^{14}0.0015	^{91}0.0007 N$^{0.043}$ ^{18}
24	DEEPSEA-001	^{88}0.0032	^{81}0.0033				^{98}0.0023 N$^{0.024}$ ^{24}	^{28}0.0012	^{27}0.0014	^{18}0.0015	^{18}0.0017	^{26}0.0020	^{50}0.0001 N$^{0.157}$ ^{69}
25	DERMALOG-004	^{168}0.0184	^{148}0.0269	^{73}0.0338	^{70}0.0424		^{55}0.0001 N$^{0.374}$ ^{118}	^{185}0.0240	^{188}0.0343				^{46}0.0001 N$^{0.390}$ ^{128}
26	DERMALOG-005	^{137}0.0065	^{131}0.0091				^{29}0.0000 N$^{0.365}$ ^{116}	^{160}0.0094	^{160}0.0122	^{78}0.0171	^{76}0.0254	^{106}0.0406	^{6}0.0000 N$^{0.505}$ ^{133}
27	DERMALOG-006	^{125}0.0045	^{107}0.0046				^{114}0.0034 N$^{0.020}$ ^{20}	^{141}0.0062	^{131}0.0063	^{63}0.0064	^{60}0.0065	^{76}0.0068	^{122}0.0043 N$^{0.028}$ ^{13}
28	DERMALOG-007						-	^{129}0.0051	^{120}0.0054	^{60}0.0056		^{73}0.0063	^{114}0.0020 N$^{0.070}$ ^{31}
29	EYEDEA-003	^{158}0.0110	^{144}0.0157	^{72}0.0206	^{68}0.0249		^{46}0.0001 N$^{0.370}$ ^{117}	^{175}0.0150	^{174}0.0211				^{43}0.0001 N$^{0.372}$ ^{125}
30	F8-001	^{215}0.5353	^{176}0.5354				^{127}0.5348 N$^{0.000}$ ^{4}	^{161}0.0098	^{152}0.0099	^{72}0.0099	^{70}0.0099	^{91}0.0099	^{129}0.0093 N$^{0.004}$ ^{3}
31	GLORY-001	^{187}0.0412	^{156}0.0486	^{76}0.0536	^{71}0.0596		^{115}0.0046 N$^{0.165}$ ^{67}	^{209}0.0579	^{206}0.0673				^{128}0.0064 N$^{0.165}$ ^{70}
32	GORILLA-002	^{64}0.0021	^{73}0.0028				^{21}0.0000 N$^{0.297}$ ^{98}	^{103}0.0032	^{106}0.0041	^{59}0.0049	^{59}0.0062	^{82}0.0080	^{22}0.0000 N$^{0.315}$ ^{113}
33	GORILLA-004	^{100}0.0034	^{90}0.0035	^{52}0.0038	^{49}0.0040	^{44}0.0043	^{83}0.0011 N$^{0.085}$ ^{48}	^{43}0.0015	^{50}0.0018	^{40}0.0021	^{41}0.0025	^{49}0.0029	^{34}0.0001 N$^{0.222}$ ^{88}
34	HIK-002	^{151}0.0082	^{130}0.0089	^{64}0.0095	^{61}0.0103	^{53}0.0115	^{91}0.0018 N$^{0.114}$ ^{55}	^{143}0.0063	^{134}0.0069				^{115}0.0020 N$^{0.087}$ ^{39}
35	HIK-004	^{68}0.0022	^{68}0.0027	^{42}0.0031	^{46}0.0037	^{45}0.0046	^{41}0.0001 N$^{0.257}$ ^{92}	^{89}0.0024	^{85}0.0030			^{68}0.0052	^{31}0.0001 N$^{0.263}$ ^{101}
36	HIK-005	^{14}0.0008	^{18}0.0010	^{14}0.0011	^{14}0.0013		^{31}0.0001 N$^{0.207}$ ^{78}	^{23}0.0012	^{31}0.0015	^{20}0.0016	^{25}0.0019	^{34}0.0022	^{37}0.0001 N$^{0.202}$ ^{82}
37	IDEMIA-000	^{37}0.0013	^{39}0.0016	^{24}0.0020	^{23}0.0023	^{23}0.0028	^{24}0.0000 N$^{0.257}$ ^{93}	^{68}0.0020	^{77}0.0025			^{63}0.0041	^{32}0.0001 N$^{0.249}$ ^{96}
38	IDEMIA-001	^{46}0.0016	^{50}0.0021	^{37}0.0026	^{38}0.0033	^{43}0.0043	^{11}0.0000 N$^{0.340}$ ^{108}	^{87}0.0024	^{94}0.0032			^{74}0.0064	^{13}0.0000 N$^{0.335}$ ^{119}
39	IDEMIA-002	^{81}0.0028	^{93}0.0036	^{54}0.0045	^{54}0.0055	^{50}0.0070	^{26}0.0000 N$^{0.309}$ ^{100}	^{109}0.0035	^{107}0.0043				^{53}0.0002 N$^{0.225}$ ^{89}
40	IDEMIA-004	^{34}0.0012	^{34}0.0014	^{21}0.0017	^{21}0.0020	^{19}0.0025	^{27}0.0000 N$^{0.243}$ ^{85}	^{64}0.0018	^{61}0.0021	^{45}0.0025	^{46}0.0030	^{56}0.0036	^{30}0.0001 N$^{0.241}$ ^{93}
41	IDEMIA-005	^{42}0.0015	^{47}0.0020	^{26}0.0023	^{33}0.0030	^{37}0.0039	^{14}0.0000 N$^{0.325}$ ^{104}	^{79}0.0022	^{87}0.0030	^{53}0.0036	^{55}0.0044	^{71}0.0055	^{20}0.0000 N$^{0.300}$ ^{110}
42	IDEMIA-006	^{55}0.0019	^{61}0.0025	^{41}0.0031	^{48}0.0040	^{46}0.0051	^{13}0.0000 N$^{0.346}$ ^{112}	^{96}0.0028	^{101}0.0037	^{57}0.0046	^{58}0.0059	^{80}0.0076	^{15}0.0000 N$^{0.341}$ ^{121}
43	IDEMIA-007	^{87}0.0031	^{77}0.0032	^{44}0.0032	^{41}0.0033	^{32}0.0034	^{95}0.0021 N$^{0.030}$ ^{28}	^{14}0.0011	^{14}0.0012	^{10}0.0012	^{12}0.0014	^{15}0.0015	^{66}0.0002 N$^{0.110}$ ^{51}
44	IIT-001						-	^{71}0.0021	^{63}0.0021	^{39}0.0021	^{37}0.0021	^{32}0.0021	^{113}0.0020 N$^{0.005}$ ^{4}
45	IMAGUS-002	^{183}0.0345	^{157}0.0507	^{77}0.0638	^{72}0.0800		^{61}0.0002 N$^{0.377}$ ^{119}	^{201}0.0442	^{201}0.0632				^{65}0.0002 N$^{0.390}$ ^{127}
46	IMPERIAL-000	^{107}0.0036	^{92}0.0036	^{51}0.0037	^{45}0.0037	^{36}0.0037	^{106}0.0029 N$^{0.016}$ ^{17}	^{51}0.0016	^{44}0.0017	^{26}0.0017	^{20}0.0018	^{20}0.0018	^{101}0.0009 N$^{0.041}$ ^{17}
47	INCODE-001	^{74}0.0025	^{76}0.0032	^{70}0.0166	^{69}0.0322		^{2}0.0000 N$^{1.242}$ ^{129}	^{110}0.0035	^{108}0.0043				^{58}0.0002 N$^{0.215}$ ^{84}
48	INCODE-003	^{45}0.0015	^{46}0.0020				^{25}0.0000 N$^{0.266}$ ^{94}	^{88}0.0024	^{90}0.0031	^{55}0.0036	^{56}0.0046	^{72}0.0056	^{24}0.0001 N$^{0.285}$ ^{107}
49	INCODE-004	^{108}0.0036	^{94}0.0036				^{111}0.0031 N$^{0.012}$ ^{13}	^{60}0.0018	^{53}0.0019	^{36}0.0020	^{36}0.0021	^{36}0.0022	^{88}0.0006 N$^{0.077}$ ^{35}
50	INNOVATRICS-004	^{48}0.0017	^{45}0.0019				^{63}0.0003 N$^{0.129}$ ^{59}	^{91}0.0026	^{93}0.0032	^{51}0.0035	^{50}0.0035	^{54}0.0035	^{92}0.0007 N$^{0.100}$ ^{46}
51	INNOVATRICS-005						-	^{36}0.0013	^{30}0.0014	^{19}0.0016	^{17}0.0017	^{19}0.0017	^{79}0.0004 N$^{0.085}$ ^{36}
52	INTSYSMSU-000	^{202}0.0962	^{164}0.1024				^{124}0.0388 N$^{0.068}$ ^{42}	^{224}0.1098	^{220}0.1163	^{85}0.1206	^{81}0.1252	^{109}0.1296	^{135}0.0519 N$^{0.056}$ ^{24}
53	ISYSTEMS-000	^{123}0.0044	^{109}0.0047	^{56}0.0050	^{53}0.0052	^{49}0.0056	^{88}0.0015 N$^{0.080}$ ^{46}	^{135}0.0059	^{130}0.0063				^{118}0.0026 N$^{0.063}$ ^{27}
54	ISYSTEMS-001	^{124}0.0045	^{110}0.0047	^{55}0.0049	^{52}0.0052	^{48}0.0056	^{89}0.0015 N$^{0.079}$ ^{43}	^{136}0.0059	^{129}0.0063				^{119}0.0027 N$^{0.059}$ ^{25}
55	ISYSTEMS-002	^{72}0.0024	^{65}0.0025	^{38}0.0027			^{80}0.0010 N$^{0.063}$ ^{39}	^{106}0.0033	^{99}0.0034			^{61}0.0041	^{108}0.0012 N$^{0.074}$ ^{32}
56	ISYSTEMS-003	^{71}0.0024	^{60}0.0025	^{32}0.0025	^{26}0.0026	^{21}0.0028	^{87}0.0012 N$^{0.050}$ ^{33}	^{102}0.0031	^{95}0.0033	^{50}0.0034	^{51}0.0035	^{58}0.0037	^{110}0.0013 N$^{0.063}$ ^{28}
57	KEDACOM-001	^{152}0.0093	^{132}0.0094				^{120}0.0089 N$^{0.004}$ ^{8}	^{146}0.0071	^{136}0.0072	^{67}0.0072	^{62}0.0073	^{77}0.0073	^{127}0.0063 N$^{0.009}$ ^{5}
58	KNERON-000						-	^{124}0.0048	^{123}0.0059	^{65}0.0067	^{67}0.0079	^{87}0.0093	^{64}0.0002 N$^{0.226}$ ^{90}
59	LOOKMAN-003	^{144}0.0072	^{123}0.0073				^{116}0.0057 N$^{0.017}$ ^{18}	^{149}0.0072	^{139}0.0074	^{69}0.0075	^{65}0.0076	^{81}0.0077	^{124}0.0054 N$^{0.022}$ ^{12}
60	LOOKMAN-005	^{153}0.0094	^{133}0.0094				^{118}0.0084 N$^{0.008}$ ^{10}	^{147}0.0072	^{137}0.0072	^{68}0.0073	^{63}0.0073	^{78}0.0074	^{126}0.0060 N$^{0.013}$ ^{8}
61	MEGVII-000	^{27}0.0011	^{42}0.0018	^{27}0.0023	^{34}0.0030	^{39}0.0040	^{5}0.0000 N$^{0.439}$ ^{125}	^{26}0.0012	^{38}0.0016			^{50}0.0031	^{5}0.0000 N$^{0.317}$ ^{114}
62	MEGVII-001						-	^{153}0.0077	^{146}0.0080	^{70}0.0082	^{69}0.0086	^{86}0.0089	^{121}0.0040 N$^{0.048}$ ^{20}
63	MICROFOCUS-003	^{209}0.2045	^{174}0.2622	^{81}0.3015			^{117}0.0070 N$^{0.253}$ ^{89}	^{232}0.2498	^{230}0.3095				^{131}0.0110 N$^{0.234}$ ^{91}
64	MICROFOCUS-005	^{204}0.1037	^{168}0.1419				^{81}0.0011 N$^{0.342}$ ^{111}	^{227}0.1300	^{226}0.1724	^{87}0.2046	^{84}0.2425	^{112}0.2810	^{120}0.0040 N$^{0.263}$ ^{100}
65	MICROSOFT-000	^{9}0.0007	^{11}0.0009	^{11}0.0010	^{11}0.0011	^{10}0.0012	^{44}0.0001 N$^{0.170}$ ^{69}	^{16}0.0011	^{24}0.0013			^{21}0.0019	^{44}0.0001 N$^{0.176}$ ^{73}
66	MICROSOFT-001	^{10}0.0007	^{10}0.0009	^{10}0.0010	^{10}0.0011	^{11}0.0012	^{43}0.0001 N$^{0.172}$ ^{70}	^{13}0.0011	^{18}0.0013				^{39}0.0001 N$^{0.190}$ ^{78}
67	MICROSOFT-002	^{11}0.0008	^{12}0.0009	^{9}0.0010	^{12}0.0011	^{12}0.0013	^{38}0.0001 N$^{0.187}$ ^{75}	^{15}0.0011	^{23}0.0013				^{36}0.0001 N$^{0.198}$ ^{80}
68	MICROSOFT-004	^{1}0.0004	^{1}0.0004	^{1}0.0004	^{1}0.0005	^{1}0.0005	^{33}0.0001 N$^{0.143}$ ^{64}	^{1}0.0006	^{1}0.0006			^{2}0.0009	^{38}0.0001 N$^{0.144}$ ^{63}
69	MICROSOFT-005	^{3}0.0004	^{3}0.0004	^{3}0.0005	^{2}0.0005	^{2}0.0006	^{36}0.0001 N$^{0.139}$ ^{63}	^{3}0.0006	^{3}0.0006	^{1}0.0007	^{1}0.0008	^{3}0.0009	^{40}0.0001 N$^{0.136}$ ^{60}
70	MICROSOFT-006	^{4}0.0004	^{2}0.0004	^{2}0.0005	^{3}0.0006	^{3}0.0006	^{19}0.0000 N$^{0.173}$ ^{71}	^{4}0.0006	^{4}0.0007	^{2}0.0007	^{3}0.0009	^{6}0.0010	^{23}0.0000 N$^{0.184}$ ^{77}
71	NEC-000	^{58}0.0020	^{72}0.0027	^{49}0.0034	^{51}0.0043	^{47}0.0056	^{12}0.0000 N$^{0.356}$ ^{115}	^{99}0.0029	^{103}0.0038			^{79}0.0074	^{19}0.0000 N$^{0.320}$ ^{116}
72	NEC-002	^{12}0.0008	^{9}0.0008	^{7}0.0008	^{6}0.0008	^{6}0.0009	^{72}0.0005 N$^{0.036}$ ^{31}	^{5}0.0008	^{5}0.0008	^{3}0.0008	^{2}0.0008	^{1}0.0008	^{80}0.0005 N$^{0.038}$ ^{15}

Table 13: **Investigation-mode: Effect of N on FNIR at rank 50** *For five enrollment population sizes, N, with T = 0 and FPIR = 1. The left five columns apply for consolidated enrollment of a variable number of lifetime images from each subject. The right five columns apply for enrollment of one recent image. Missing entries usually apply because another algorithm from the same developer was run instead. Some developers are missing because less accurate algorithms were not run on galleries with $N > 1\,600\,000$. Throughout blue superscripts indicate the rank of the algorithm for that column, and yellow highlighting indicates the most accurate value. Caution: The Power-low models are mostly intended to draw attention to the kind of behavior, not as a model to be used for prediction.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES NOT AT RANK 50		ENROL LIFETIME						ENROL MOST RECENT					
FNIR(N, T= 0, R =50)		DATASET: FRVT 2018						DATASET: FRVT 2018					
#	ALGORITHM	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	aN^b	N=0.64M	N=1.6M	N=3.0M	N=6.0M	N=12.0M	aN^b
73	NEC-003	^{25}0.0010	^{20}0.0010	^{12}0.0010	^{9}0.0011	^{8}0.0011	^{77}0.0008 N$^{0.021}$ ^{21}	^{20}0.0012	^{13}0.0012	^{8}0.0012	^{7}0.0012	^{9}0.0012	^{100}0.0009 N$^{0.019}$ ^{10}
74	NEUROTECHNOLOGY-004	^{49}0.0017	^{49}0.0021	^{31}0.0024	^{30}0.0028	^{27}0.0032	^{50}0.0001 N$^{0.214}$ ^{80}	^{77}0.0022	^{78}0.0025			^{53}0.0034	^{71}0.0003 N$^{0.151}$ ^{65}
75	NEUROTECHNOLOGY-005	^{40}0.0014	^{38}0.0016	^{20}0.0016	^{20}0.0018	^{17}0.0020	^{64}0.0003 N$^{0.116}$ ^{57}	^{74}0.0021	^{70}0.0023	^{43}0.0024	^{43}0.0025	^{47}0.0028	^{87}0.0006 N$^{0.092}$ ^{43}
76	NEUROTECHNOLOGY-007	^{115}0.0038	^{224}1.0000	^{53}0.0040	^{50}0.0041	^{42}0.0042	^{130}118.4579 N$^{-0.617}$ ^{1}	^{69}0.0020	^{65}0.0022	^{41}0.0023	^{39}0.0024	^{41}0.0026	^{93}0.0007 N$^{0.076}$ ^{33}
77	NEWLAND-002						-	^{182}0.0211	^{179}0.0263	^{79}0.0307	^{78}0.0366		^{98}0.0008 N$^{0.247}$ ^{94}
78	NOBLIS-002	^{185}0.0363	^{158}0.0516				^{60}0.0002 N$^{0.386}$ ^{121}	^{198}0.0377	^{192}0.0535	^{81}0.0657	^{79}0.0915		^{59}0.0002 N$^{0.390}$ ^{126}
79	NTECHLAB-000	^{32}0.0012	^{35}0.0015	^{22}0.0019	^{24}0.0024		^{9}0.0000 N$^{0.335}$ ^{107}	^{54}0.0017	^{62}0.0021			^{60}0.0039	^{16}0.0000 N$^{0.295}$ ^{109}
80	NTECHLAB-001	^{33}0.0012	^{40}0.0017	^{25}0.0021	^{28}0.0028	^{35}0.0037	^{6}0.0000 N$^{0.382}$ ^{120}	^{63}0.0018	^{72}0.0023				^{18}0.0000 N$^{0.285}$ ^{108}
81	NTECHLAB-004	^{13}0.0008	^{13}0.0009	^{13}0.0011	^{13}0.0012	^{15}0.0015	^{22}0.0000 N$^{0.220}$ ^{81}	^{18}0.0011	^{25}0.0013				^{42}0.0001 N$^{0.183}$ ^{76}
82	NTECHLAB-005	^{8}0.0006	^{8}0.0008				^{16}0.0000 N$^{0.255}$ ^{91}	^{7}0.0008	^{11}0.0011	^{9}0.0012	^{16}0.0015	^{22}0.0019	^{9}0.0000 N$^{0.283}$ ^{106}
83	NTECHLAB-006	^{6}0.0006	^{7}0.0007	^{6}0.0008	^{7}0.0010	^{9}0.0012	^{15}0.0000 N$^{0.251}$ ^{88}	^{6}0.0008	^{7}0.0009	^{7}0.0011	^{8}0.0013	^{18}0.0016	^{12}0.0000 N$^{0.253}$ ^{97}
84	NTECHLAB-007	^{86}0.0031	^{78}0.0032	^{46}0.0033	^{43}0.0034	^{33}0.0035	^{94}0.0020 N$^{0.033}$ ^{29}	^{17}0.0011	^{15}0.0012	^{12}0.0013	^{13}0.0014	^{16}0.0015	^{67}0.0003 N$^{0.109}$ ^{50}
85	NTECHLAB-008	^{84}0.0031	^{75}0.0031	^{43}0.0031	^{37}0.0032	^{28}0.0032	^{99}0.0025 N$^{0.016}$ ^{16}	^{11}0.0010	^{10}0.0010	^{6}0.0011	^{6}0.0011	^{8}0.0012	^{78}0.0004 N$^{0.065}$ ^{29}
86	PARAVISION-003	^{31}0.0012	^{28}0.0012	^{17}0.0013	^{16}0.0014		^{67}0.0004 N$^{0.079}$ ^{44}	^{50}0.0016	^{46}0.0017	^{33}0.0018	^{30}0.0020	^{30}0.0021	^{81}0.0005 N$^{0.089}$ ^{40}
87	PARAVISION-004	^{89}0.0032	^{80}0.0033	^{47}0.0033	^{40}0.0033	^{30}0.0033	^{105}0.0029 N$^{0.009}$ ^{11}	^{31}0.0013	^{21}0.0013	^{13}0.0013	^{10}0.0013	^{12}0.0014	^{104}0.0010 N$^{0.020}$ ^{11}
88	PARAVISION-005	^{90}0.0032	^{79}0.0032	^{45}0.0033	^{39}0.0033	^{29}0.0033	^{109}0.0030 N$^{0.007}$ ^{9}	^{35}0.0013	^{22}0.0013	^{14}0.0013	^{11}0.0013	^{11}0.0014	^{105}0.0011 N$^{0.015}$ ^{9}
89	PIXELALL-002	^{122}0.0043	^{106}0.0045				^{96}0.0021 N$^{0.053}$ ^{36}	^{56}0.0017	^{57}0.0019	^{38}0.0021	^{40}0.0024	^{44}0.0027	^{61}0.0002 N$^{0.154}$ ^{68}
90	PIXELALL-003	^{112}0.0037	^{97}0.0037				^{102}0.0026 N$^{0.027}$ ^{26}	^{37}0.0014	^{29}0.0014	^{16}0.0014	^{15}0.0015	^{17}0.0016	^{96}0.0007 N$^{0.045}$ ^{19}
91	QUANTASOFT-001	^{220}0.9843	^{180}0.9843				^{129}0.9843 N$^{-0.000}$ ^{2}	^{225}0.1116	^{219}0.1116	^{84}0.1116		^{108}0.1116	^{136}0.1116 N$^{-0.000}$ ^{1}
92	RANKONE-000	^{141}0.0070	^{135}0.0097	^{66}0.0117	^{65}0.0143	^{55}0.0173	^{54}0.0001 N$^{0.306}$ ^{99}	^{164}0.0101	^{162}0.0133			^{103}0.0226	^{68}0.0003 N$^{0.273}$ ^{103}
93	RANKONE-001	^{116}0.0038	^{114}0.0052	^{61}0.0064	^{59}0.0079	^{52}0.0097	^{35}0.0001 N$^{0.317}$ ^{102}	^{130}0.0052	^{124}0.0059				^{90}0.0007 N$^{0.153}$ ^{67}
94	RANKONE-003	^{97}0.0034	^{103}0.0043	^{57}0.0052	^{55}0.0063	^{51}0.0075	^{47}0.0001 N$^{0.276}$ ^{95}	^{125}0.0048	^{127}0.0060			^{93}0.0102	^{51}0.0002 N$^{0.255}$ ^{99}
95	RANKONE-004	^{131}0.0055	^{125}0.0076				^{30}0.0000 N$^{0.352}$ ^{114}	^{148}0.0072	^{153}0.0102	^{74}0.0126			^{25}0.0001 N$^{0.364}$ ^{124}
96	RANKONE-005	^{52}0.0018	^{55}0.0022	^{35}0.0026	^{36}0.0031	^{34}0.0036	^{39}0.0001 N$^{0.248}$ ^{86}	^{93}0.0026	^{91}0.0032	^{54}0.0036	^{54}0.0043	^{67}0.0050	^{48}0.0001 N$^{0.221}$ ^{87}
97	RANKONE-007	^{99}0.0034	^{89}0.0035	^{50}0.0036	^{47}0.0038	^{38}0.0040	^{90}0.0017 N$^{0.052}$ ^{35}	^{42}0.0015	^{41}0.0017	^{29}0.0018	^{27}0.0019	^{33}0.0021	^{70}0.0003 N$^{0.123}$ ^{58}
98	REALNETWORKS-000	^{133}0.0057	^{128}0.0081	^{65}0.0106			^{17}0.0000 N$^{0.398}$ ^{123}	^{134}0.0056	^{143}0.0077				^{27}0.0001 N$^{0.339}$ ^{120}
99	REALNETWORKS-002	^{118}0.0040	^{118}0.0060				^{8}0.0000 N$^{0.431}$ ^{124}	^{131}0.0054	^{141}0.0076	^{71}0.0097	^{71}0.0126	^{99}0.0132	^{35}0.0001 N$^{0.320}$ ^{117}
100	REALNETWORKS-003	^{132}0.0056	^{120}0.0067				^{68}0.0004 N$^{0.195}$ ^{76}	^{120}0.0041	^{117}0.0054	^{64}0.0064	^{68}0.0080	^{92}0.0101	^{29}0.0001 N$^{0.307}$ ^{111}
101	REALNETWORKS-004	^{128}0.0052	^{117}0.0058				^{79}0.0009 N$^{0.128}$ ^{58}	^{116}0.0040	^{115}0.0050	^{62}0.0061	^{66}0.0078	^{90}0.0099	^{26}0.0001 N$^{0.315}$ ^{112}
102	REMARKAI-000	^{94}0.0033	^{83}0.0034				^{97}0.0023 N$^{0.029}$ ^{27}	^{40}0.0014	^{36}0.0015	^{21}0.0016	^{19}0.0018	^{27}0.0020	^{73}0.0003 N$^{0.108}$ ^{48}
103	REMARKAI-002	^{30}0.0012	^{33}0.0014				^{28}0.0000 N$^{0.241}$ ^{84}	^{59}0.0018	^{59}0.0021	^{44}0.0024	^{45}0.0028		^{41}0.0001 N$^{0.216}$ ^{85}
104	SCANOVATE-000	^{217}0.7780	^{177}0.7780	^{82}0.7780	^{76}0.7780	^{56}0.7780	^{128}0.7777 N$^{0.000}$ ^{3}	^{39}0.0014	^{37}0.0015	^{24}0.0017	^{34}0.0020	^{28}0.0020	^{60}0.0002 N$^{0.142}$ ^{61}
105	SENSETIME-000	^{28}0.0011	^{27}0.0012				^{70}0.0005 N$^{0.063}$ ^{40}	^{52}0.0016	^{47}0.0017	^{30}0.0018	^{23}0.0018	^{25}0.0020	^{95}0.0007 N$^{0.060}$ ^{26}
106	SENSETIME-001	^{26}0.0010	^{24}0.0011				^{76}0.0007 N$^{0.027}$ ^{25}	^{49}0.0016	^{40}0.0016	^{23}0.0017	^{22}0.0018	^{40}0.0024	^{69}0.0003 N$^{0.125}$ ^{59}
107	SENSETIME-002	^{161}0.0120	^{141}0.0120	^{67}0.0120	^{63}0.0120	^{54}0.0120	^{121}0.0119 N$^{0.000}$ ^{6}	^{172}0.0136	^{163}0.0136	^{75}0.0136	^{73}0.0136	^{100}0.0136	^{132}0.0135 N$^{0.001}$ ^{2}
108	SENSETIME-003	^{83}0.0030	^{74}0.0030	^{40}0.0030	^{35}0.0030	^{24}0.0030	^{107}0.0029 N$^{0.002}$ ^{7}	^{9}0.0009	^{8}0.0009	^{5}0.0009	^{5}0.0010	^{5}0.0010	^{99}0.0008 N$^{0.013}$ ^{7}
109	SHAMAN-003	^{181}0.0341	^{154}0.0401	^{74}0.0449			^{113}0.0031 N$^{0.178}$ ^{72}	^{202}0.0443	^{196}0.0518				^{123}0.0044 N$^{0.172}$ ^{72}
110	SHAMAN-007	^{176}0.0240	^{147}0.0245				^{123}0.0180 N$^{0.022}$ ^{22}	^{195}0.0308	^{184}0.0314	^{80}0.0319	^{77}0.0326	^{105}0.0337	^{133}0.0207 N$^{0.029}$ ^{14}
111	SIAT-001	^{213}0.2634	^{175}0.2634	^{80}0.2634			^{126}0.2626 N$^{0.000}$ ^{5}	^{12}0.0010	^{12}0.0011			^{10}0.0013	^{74}0.0003 N$^{0.085}$ ^{37}
112	SMILART-004	^{218}0.8160	^{179}0.9521				^{125}0.0858 N$^{0.168}$ ^{68}	^{237}0.9157	^{235}0.9638	^{88}0.9905			^{137}0.4623 N$^{0.051}$ ^{23}
113	SYNESIS-003	^{194}0.0579	^{159}0.0629				^{122}0.0172 N$^{0.091}$ ^{50}	^{215}0.0828	^{210}0.0869	^{83}0.0920	^{80}0.0998	^{107}0.1104	^{134}0.0218 N$^{0.098}$ ^{45}
114	SYNESIS-003						-	^{176}0.0160	^{170}0.0160	^{77}0.0160	^{75}0.0160	^{104}0.0245	^{102}0.0009 N$^{0.192}$ ^{79}
115	TECH5-001	^{96}0.0034	^{87}0.0035				^{93}0.0020 N$^{0.039}$ ^{32}	^{45}0.0016	^{43}0.0017	^{32}0.0018	^{28}0.0020	^{38}0.0023	^{72}0.0003 N$^{0.119}$ ^{55}
116	TEVIAN-004	^{54}0.0018	^{48}0.0021	^{30}0.0024			^{57}0.0001 N$^{0.185}$ ^{74}	^{90}0.0025	^{86}0.0030				^{63}0.0002 N$^{0.181}$ ^{75}
117	TEVIAN-005	^{38}0.0014	^{37}0.0016				^{58}0.0002 N$^{0.163}$ ^{66}	^{67}0.0020	^{69}0.0023	^{46}0.0025	^{44}0.0028	^{51}0.0034	^{55}0.0002 N$^{0.178}$ ^{74}
118	TIGER-000	^{134}0.0059	^{134}0.0095	^{68}0.0124	^{66}0.0162		^{10}0.0000 N$^{0.449}$ ^{126}	^{156}0.0080	^{158}0.0120				^{11}0.0000 N$^{0.446}$ ^{131}
119	TIGER-002	^{17}0.0009	^{25}0.0011				^{37}0.0001 N$^{0.202}$ ^{77}	^{30}0.0013	^{34}0.0015	^{28}0.0018	^{35}0.0021	^{43}0.0027	^{21}0.0000 N$^{0.253}$ ^{98}
120	TONGYITRANS-001	^{130}0.0054	^{116}0.0057	^{60}0.0059	^{56}0.0064		^{92}0.0018 N$^{0.080}$ ^{45}	^{83}0.0023	^{80}0.0026				^{82}0.0005 N$^{0.116}$ ^{53}
121	TOSHIBA-000	^{21}0.0009	^{23}0.0011				^{56}0.0001 N$^{0.143}$ ^{65}	^{47}0.0016	^{51}0.0018	^{35}0.0019	^{38}0.0021	^{95}0.0105	^{3}0.0000 N$^{0.539}$ ^{134}
122	VD-000	^{203}0.1003	^{167}0.1419	^{78}0.1749	^{74}0.2144		^{82}0.0011 N$^{0.341}$ ^{110}	^{226}0.1226	^{225}0.1678				^{109}0.0013 N$^{0.342}$ ^{122}
123	VD-001	^{154}0.0095	^{136}0.0102				^{108}0.0030 N$^{0.087}$ ^{49}	^{168}0.0120	^{161}0.0130	^{76}0.0140	^{74}0.0154	^{102}0.0170	^{117}0.0024 N$^{0.120}$ ^{56}
124	VIGILANTSOLUTIONS-003	^{140}0.0069	^{137}0.0107	^{69}0.0140	^{64}0.0140		^{49}0.0001 N$^{0.329}$ ^{105}	^{159}0.0092	^{165}0.0140				^{10}0.0000 N$^{0.458}$ ^{132}
125	VISIONLABS-003	^{82}0.0029	^{102}0.0041	^{62}0.0065	^{62}0.0117		^{4}0.0000 N$^{0.624}$ ^{127}	^{117}0.0040	^{121}0.0055				^{17}0.0000 N$^{0.353}$ ^{123}
126	VISIONLABS-005	^{19}0.0009	^{15}0.0010	^{16}0.0011	^{18}0.0015	^{20}0.0026	^{7}0.0000 N$^{0.347}$ ^{113}	^{25}0.0012	^{20}0.0013			^{48}0.0029	^{7}0.0000 N$^{0.318}$ ^{115}
127	VISIONLABS-006	^{22}0.0009	^{16}0.0010				^{71}0.0005 N$^{0.051}$ ^{34}	^{22}0.0012	^{19}0.0013	^{17}0.0015	^{24}0.0019	^{45}0.0027	^{14}0.0000 N$^{0.275}$ ^{104}
128	VISIONLABS-007	^{18}0.0009	^{14}0.0009	^{8}0.0010	^{8}0.0010	^{7}0.0011	^{65}0.0004 N$^{0.066}$ ^{41}	^{21}0.0012	^{16}0.0012	^{11}0.0013	^{9}0.0013	^{24}0.0020	^{49}0.0001 N$^{0.152}$ ^{66}
129	VISIONLABS-008	^{109}0.0036	^{95}0.0036				^{112}0.0031 N$^{0.012}$ ^{14}	^{53}0.0016	^{48}0.0017	^{27}0.0017	^{31}0.0020	^{39}0.0023	^{76}0.0003 N$^{0.114}$ ^{52}
130	VOCORD-003	^{65}0.0021	^{57}0.0023	^{33}0.0026	^{32}0.0028		^{66}0.0004 N$^{0.130}$ ^{60}	^{73}0.0021	^{71}0.0023				^{85}0.0005 N$^{0.100}$ ^{47}
131	VOCORD-005	^{75}0.0025	^{70}0.0027				^{86}0.0012 N$^{0.057}$ ^{37}	^{107}0.0033	^{100}0.0035	^{56}0.0037	^{52}0.0040	^{64}0.0043	^{103}0.0010 N$^{0.090}$ ^{41}
132	YISHENG-001	^{91}0.0033	^{105}0.0045	^{58}0.0055	^{57}0.0070		^{18}0.0000 N$^{0.340}$ ^{109}	^{123}0.0047	^{125}0.0059				^{47}0.0001 N$^{0.267}$ ^{102}
133	YITU-000	^{70}0.0023	^{59}0.0024	^{36}0.0026	^{31}0.0028	^{26}0.0031	^{75}0.0006 N$^{0.099}$ ^{51}	^{81}0.0023	^{74}0.0024				^{109}0.0012 N$^{0.049}$ ^{21}
134	YITU-001	^{69}0.0023	^{58}0.0024	^{34}0.0026	^{27}0.0028	^{25}0.0031	^{74}0.0006 N$^{0.100}$ ^{52}	^{80}0.0023	^{73}0.0024				^{106}0.0012 N$^{0.049}$ ^{22}
135	YITU-002	^{7}0.0006	^{6}0.0006	^{5}0.0007	^{5}0.0007	^{4}0.0008	^{59}0.0002 N$^{0.082}$ ^{47}	^{10}0.0009	^{9}0.0010			^{7}0.0012	^{75}0.0003 N$^{0.077}$ ^{34}
136	YITU-004	^{5}0.0006	^{5}0.0006	^{4}0.0006	^{4}0.0006	^{5}0.0008	^{53}0.0001 N$^{0.115}$ ^{56}	^{8}0.0008	^{6}0.0009	^{4}0.0009	^{4}0.0009	^{55}0.0036	^{5}0.0000 N$^{0.395}$ ^{129}
137	YITU-005	^{39}0.0014	^{32}0.0014	^{18}0.0014	^{17}0.0015	^{14}0.0015	^{85}0.0012 N$^{0.016}$ ^{15}	^{66}0.0020	^{58}0.0020	^{37}0.0020	^{32}0.0020	^{29}0.0020	^{111}0.0017 N$^{0.012}$ ^{6}

Table 14: **Investigation-mode: Effect of N on FNIR at rank 50** *For five enrollment population sizes, N, with T = 0 and FPIR = 1. The left five columns apply for consolidated enrollment of a variable number of lifetime images from each subject. The right five columns apply for enrollment of one recent image. Missing entries usually apply because another algorithm from the same developer was run instead. Some developers are missing because less accurate algorithms were not run on galleries with $N > 1\,600\,000$. Throughout blue superscripts indicate the rank of the algorithm for that column, and yellow highlighting indicates the most accurate value. Caution: The Power-low models are mostly intended to draw attention to the kind of behavior, not as a model to be used for prediction.*

MISSES OUTSIDE RANK R		RESOURCE USAGE		ENROLL LIFETIME CONSOLIDATED = 1.6M				ENROL MOST RECENT, N = 1.6M			
FNIR(N, T=0, R)		TEMPLATE		FRVT 2018 MUGSHOTS							
#	ALGORITHM	BYTES	MSEC	R=1	R=10	R=50	WORK-10	R=1	R=10	R=50	WORK-10
1	3DIVI-000	^{221}4096	^{101}426				^{236}10.000	^{153}0.0318	^{147}0.0130	^{144}0.0080	^{152}1.166
2	3DIVI-001	^{232}4224	^{105}428				^{225}10.000	^{154}0.0349	^{163}0.0187	^{168}0.0155	^{158}1.210
3	3DIVI-002	^{55}528	^{103}428				^{213}10.000	^{159}0.0379	^{167}0.0216	^{172}0.0186	^{164}1.235
4	3DIVI-003	^{48}512	^{148}625	^{150}0.0641	^{145}0.0266	^{142}0.0148	^{148}1.342	^{187}0.0833	^{180}0.0349	^{173}0.0191	^{183}1.447
5	3DIVI-004	^{211}4096	^{149}628	^{110}0.0130	^{102}0.0053	^{84}0.0034	^{103}1.067	^{128}0.0175	^{118}0.0075	^{110}0.0049	^{123}1.092
6	3DIVI-005	^{219}4096	^{159}653	^{111}0.0130	^{101}0.0053	^{86}0.0035	^{102}1.067	^{129}0.0176	^{116}0.0074	^{112}0.0049	^{125}1.092
7	3DIVI-006	^{54}528	^{158}653	^{120}0.0183	^{131}0.0123	^{139}0.0114	^{128}1.124	^{144}0.0240	^{155}0.0160	^{167}0.0148	^{150}1.162
8	ALCHERA-000	^{124}2048	^{48}263	^{106}0.0119	^{117}0.0083	^{124}0.0074	^{111}1.083	^{124}0.0161	^{143}0.0117	^{154}0.0105	^{135}1.116
9	ALCHERA-001	^{134}2048	^{5}66	^{179}0.9824	^{179}0.9647	^{178}0.9458	^{179}9.748	^{235}0.9869	^{235}0.9735	^{234}0.9590	^{235}9.811
10	ALCHERA-002	^{150}2048	^{16}115	^{151}0.0910	^{153}0.0465	^{150}0.0289	^{152}1.549	^{188}0.0949	^{185}0.0443	^{175}0.0254	^{187}1.544
11	ALCHERA-003	^{147}2048	^{134}548	^{116}0.0156	^{105}0.0066	^{98}0.0038	^{112}1.084	^{101}0.0104	^{91}0.0045	^{92}0.0032	^{93}1.055
12	ALLGOVISION-000	^{170}2048	^{100}425	^{99}0.0102	^{112}0.0076	^{121}0.0069	^{108}1.075	^{108}0.0114	^{121}0.0078	^{133}0.0067	^{114}1.079
13	ANKE-000	^{195}2072	^{107}431	^{92}0.0097	^{85}0.0042	^{69}0.0027	^{88}1.052	^{117}0.0132	^{105}0.0060	^{104}0.0040	^{109}1.072
14	ANKE-001	^{194}2072	^{108}433	^{94}0.0097	^{86}0.0042	^{71}0.0027	^{89}1.052	^{118}0.0132	^{107}0.0061	^{105}0.0040	^{110}1.073
15	ANKE-002	^{186}2056	^{153}641	^{48}0.0044	^{77}0.0037	^{91}0.0036	^{62}1.035	^{29}0.0028	^{31}0.0018	^{42}0.0017	^{29}1.019
16	AWARE-000	^{111}1564	^{160}653				^{229}10.000	^{179}0.0614	^{183}0.0396	^{187}0.0335	^{181}1.416
17	AWARE-001	^{110}1564	^{156}651				^{218}10.000	^{176}0.0562	^{177}0.0329	^{180}0.0264	^{178}1.359
18	AWARE-002	^{197}2076	^{233}912				^{219}10.000	^{177}0.0575	^{182}0.0379	^{186}0.0327	^{180}1.393
19	AWARE-003	^{196}2076	^{190}716	^{126}0.0205	^{115}0.0083	^{111}0.0047	^{123}1.107	^{151}0.0306	^{145}0.0127	^{140}0.0075	^{151}1.163
20	AWARE-004	^{2}92	^{186}712	^{146}0.0526	^{141}0.0208	^{138}0.0110	^{142}1.272	^{182}0.0679	^{172}0.0274	^{166}0.0145	^{176}1.354
21	AWARE-005	^{206}3100	^{213}827	^{125}0.0205	^{118}0.0083	^{113}0.0049	^{122}1.107	^{152}0.0311	^{148}0.0134	^{147}0.0082	^{153}1.167
22	AWARE-006	^{3}124	^{206}818	^{147}0.0535	^{142}0.0221	^{140}0.0119	^{144}1.283	^{184}0.0697	^{175}0.0288	^{169}0.0158	^{179}1.371
23	AYONIX-000	^{90}1036	^{1}10	^{173}0.4647	^{173}0.3059	^{172}0.2139	^{173}4.266	^{227}0.4505	^{228}0.3176	^{228}0.2381	^{228}4.288
24	AYONIX-001	^{91}1036	^{3}12	^{169}0.3361	^{167}0.1758	^{165}0.1040	^{168}3.071	^{223}0.3414	^{222}0.1977	^{221}0.1274	^{222}3.226
25	AYONIX-002	^{86}1036	^{2}11	^{166}0.2603	^{164}0.1392	^{162}0.0870	^{165}2.617	^{222}0.3414	^{223}0.1977	^{222}0.1274	^{223}3.226
26	CAMVI-001	^{71}1024	^{25}177				^{187}10.000	^{215}0.2247	^{209}0.1220	^{209}0.0833	^{212}2.399
27	CAMVI-002	^{80}1024	^{201}774				^{207}10.000	^{195}0.1269	^{195}0.0659	^{194}0.0478	^{194}1.760
28	CAMVI-003	^{82}1024	^{184}707	^{139}0.0365	^{149}0.0364	^{153}0.0364	^{146}1.328	^{175}0.0520	^{187}0.0517	^{195}0.0517	^{185}1.466
29	CAMVI-004	^{78}1024	^{192}718	^{137}0.0324	^{147}0.0321	^{151}0.0321	^{145}1.290	^{172}0.0468	^{186}0.0465	^{192}0.0464	^{182}1.419
30	CAMVI-005	^{75}1024	^{199}769	^{143}0.0456	^{151}0.0453	^{155}0.0453	^{150}1.408	^{181}0.0652	^{193}0.0648	^{204}0.0647	^{188}1.584
31	COGENT-000	^{52}525	^{135}551	^{101}0.0102	^{58}0.0031	^{53}0.0021	^{97}1.059	^{103}0.0105	^{135}0.0095	^{76}0.0024	^{121}1.088
32	COGENT-001	^{51}525	^{136}552	^{100}0.0102	^{57}0.0031	^{52}0.0021	^{98}1.059	^{102}0.0105	^{134}0.0095	^{75}0.0024	^{120}1.088
33	COGENT-002	^{93}1043	^{240}987	^{19}0.0024	^{21}0.0014	^{17}0.0010	^{18}1.015	^{38}0.0036	^{37}0.0020	^{35}0.0015	^{36}1.021
34	COGENT-003	^{92}1043	^{239}960	^{30}0.0034	^{33}0.0019	^{29}0.0013	^{31}1.021	^{40}0.0038	^{44}0.0021	^{45}0.0017	^{43}1.023
35	COGNITEC-000	^{180}2052	^{24}176	^{121}0.0186	^{114}0.0080	^{108}0.0047	^{117}1.100	^{147}0.0252	^{142}0.0107	^{132}0.0065	^{145}1.136
36	COGNITEC-001	^{175}2052	^{32}202	^{86}0.0086	^{72}0.0036	^{63}0.0025	^{83}1.045	^{109}0.0117	^{98}0.0051	^{98}0.0034	^{99}1.062
37	COGNITEC-002	^{183}2052	^{39}227	^{40}0.0040	^{37}0.0022	^{43}0.0018	^{35}1.025	^{65}0.0057	^{70}0.0032	^{82}0.0026	^{67}1.035
38	COGNITEC-003	^{173}2052	^{60}297	^{49}0.0045	^{43}0.0026	^{54}0.0022	^{40}1.028	^{69}0.0062	^{79}0.0036	^{89}0.0030	^{74}1.039
39	CYBERLINK-000	^{177}2052	^{178}699	^{62}0.0053	^{90}0.0043	^{101}0.0040	^{77}1.041	^{44}0.0040	^{59}0.0026	^{67}0.0022	^{54}1.027
40	CYBERLINK-001	^{184}2052	^{109}433	^{52}0.0047	^{76}0.0037	^{88}0.0035	^{68}1.036	^{35}0.0035	^{42}0.0021	^{49}0.0017	^{38}1.022
41	DAHUA-000	^{166}2048	^{80}378	^{77}0.0068	^{92}0.0044	^{100}0.0039	^{82}1.045	^{95}0.0093	^{106}0.0061	^{118}0.0054	^{100}1.062
42	DAHUA-001	^{154}2048	^{76}371	^{53}0.0048	^{41}0.0026	^{51}0.0021	^{42}1.028	^{73}0.0067	^{77}0.0036	^{84}0.0029	^{75}1.040
43	DAHUA-002	^{165}2048	^{179}699	^{34}0.0037	^{69}0.0034	^{82}0.0033	^{51}1.031	^{15}0.0018	^{19}0.0014	^{26}0.0013	^{17}1.014
44	DEEPGLINT-001	^{216}4096	^{177}696	^{160}0.1422	^{165}0.1421	^{169}0.1421	^{163}2.279				^{237}10.000
45	DEEPSEA-001	^{142}2048	^{203}780	^{60}0.0051	^{71}0.0036	^{81}0.0033	^{63}1.036	^{49}0.0043	^{29}0.0018	^{27}0.0014	^{39}1.022
46	DERMALOG-000	^{6}128	^{72}344				^{204}10.000	^{196}0.1286	^{192}0.0629	^{190}0.0375	^{193}1.758
47	DERMALOG-001	^{8}128	^{23}171				^{237}10.000	^{199}0.1541	^{197}0.0777	^{193}0.0476	^{198}1.924
48	DERMALOG-002	^{26}256	^{73}344				^{209}10.000	^{197}0.1355	^{194}0.0657	^{191}0.0391	^{196}1.797
49	DERMALOG-003	^{9}128	^{35}211	^{155}0.0967	^{154}0.0467	^{149}0.0272	^{154}1.564	^{193}0.1259	^{191}0.0603	^{189}0.0347	^{192}1.731
50	DERMALOG-004	^{4}128	^{33}208	^{153}0.0958	^{152}0.0464	^{148}0.0269	^{153}1.559	^{192}0.1251	^{190}0.0598	^{188}0.0343	^{191}1.727
51	DERMALOG-005	^{7}128	^{125}532	^{104}0.0110	^{122}0.0093	^{131}0.0091	^{114}1.088	^{123}0.0149	^{144}0.0125	^{160}0.0122	^{136}1.118
52	DERMALOG-006	^{18}256	^{119}514	^{67}0.0058	^{96}0.0047	^{107}0.0046	^{84}1.045	^{86}0.0081	^{108}0.0066	^{131}0.0063	^{102}1.063
53	DERMALOG-007	^{5}128	^{94}413				^{203}10.000	^{94}0.0092	^{104}0.0060	^{120}0.0054	^{101}1.062
54	EYEDEA-000	^{231}4152	^{99}424				^{185}10.000	^{220}0.2981	^{220}0.1577	^{213}0.0951	^{220}2.845
55	EYEDEA-001	^{89}1036	^{64}311				^{220}10.000	^{208}0.1960	^{205}0.1030	^{200}0.0625	^{207}2.206
56	EYEDEA-002	^{87}1036	^{106}429				^{194}10.000	^{209}0.1979	^{207}0.1049	^{205}0.0648	^{208}2.226
57	EYEDEA-003	^{88}1036	^{81}385	^{149}0.0610	^{146}0.0275	^{144}0.0157	^{147}1.340	^{186}0.0800	^{181}0.0362	^{174}0.0211	^{184}1.448
58	F8-001	^{160}2048	^{222}851	^{175}0.5362	^{176}0.5355	^{176}0.5354	^{176}5.821	^{114}0.0120	^{140}0.0102	^{152}0.0099	^{128}1.096
59	GLORY-000	^{38}418	^{18}160	^{158}0.1332	^{160}0.0932	^{161}0.0734	^{158}1.962	^{204}0.1781	^{211}0.1266	^{215}0.1007	^{209}2.298
60	GLORY-001	^{114}1726	^{90}405	^{152}0.0929	^{156}0.0627	^{156}0.0486	^{156}1.653	^{194}0.1268	^{198}0.0869	^{206}0.0673	^{197}1.903
61	GORILLA-000	^{239}8300	^{102}427				^{206}10.000				^{236}10.000
62	GORILLA-001	^{200}2156	^{21}169	^{141}0.0411	^{136}0.0154	^{127}0.0079	^{137}1.208	^{178}0.0603	^{168}0.0230	^{156}0.0117	^{171}1.309
63	GORILLA-002	^{96}1132	^{70}341	^{112}0.0134	^{99}0.0049	^{73}0.0028	^{101}1.066	^{135}0.0197	^{111}0.0070	^{106}0.0041	^{127}1.096
64	GORILLA-003	^{199}2156	^{142}563	^{130}0.0242	^{109}0.0073	^{96}0.0037	^{124}1.107	^{156}0.0361	^{141}0.0106	^{119}0.0054	^{149}1.158
65	GORILLA-004	^{201}2192	^{84}395	^{75}0.0066	^{83}0.0041	^{90}0.0035	^{80}1.043	^{70}0.0063	^{61}0.0026	^{50}0.0018	^{64}1.033
66	HBINNO-000	^{50}520	^{49}265				^{196}10.000	^{219}0.2726	^{217}0.1500	^{214}0.0956	^{219}2.724
67	HIK-000	^{116}1808	^{229}875				^{182}10.000	^{140}0.0210	^{153}0.0152	^{164}0.0139	^{147}1.152
68	HIK-001	^{118}1808	^{209}820				^{233}10.000	^{121}0.0147	^{126}0.0086	^{135}0.0070	^{126}1.093
69	HIK-002	^{117}1808	^{207}820	^{119}0.0182	^{127}0.0109	^{130}0.0089	^{126}1.117	^{120}0.0147	^{125}0.0085	^{134}0.0069	^{124}1.092
70	HIK-003	^{100}1408	^{150}633	^{102}0.0105	^{89}0.0043	^{67}0.0026	^{93}1.055	^{110}0.0117	^{95}0.0048	^{88}0.0030	^{98}1.061
71	HIK-004	^{97}1152	^{117}510	^{97}0.0101	^{84}0.0041	^{68}0.0027	^{91}1.053	^{107}0.0113	^{94}0.0047	^{85}0.0030	^{97}1.060
72	HIK-005	^{99}1408	^{147}619	^{26}0.0032	^{22}0.0014	^{18}0.0010	^{26}1.017	^{53}0.0046	^{38}0.0020	^{31}0.0015	^{49}1.025

Table 15: **Rank-based accuracy for the FRVT 2018 mugshot sets**. *In columns 3 and 4 are template size and template generation duration. Thereafter values are rank-based FNIR with T = 0 and FPIR = 1. This is appropriate to investigational uses but not those with higher volumes where candidates from all searches would need review. Columns 5 - 9 show FRVT 2018 accuracy for various ranks for galleries unenrolled with all lifetime images. Column 10 is a workload statistic, a small value shows an algorithm front-loads mates into the first 10 candidates. The last four columns gives analogous results for enrollment only of the most recent image - see Figure 7. Throughout, blue superscripts indicate the rank of the algorithm for that column, and the best value is highlighted in yellow.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES OUTSIDE RANK R		RESOURCE USAGE		ENROLL LIFETIME CONSOLIDATED = 1.6M				ENROL MOST RECENT, N = 1.6M			
FNIR(N, T=0, R)		TEMPLATE		FRVT 2018 MUGSHOTS							
#	ALGORITHM	BYTES	MSEC	R=1	R=10	R=50	WORK-10	R=1	R=10	R=50	WORK-10
73	HIK-006	^{101}1408	^{144}610	^{27}0.0032	^{23}0.0014	^{19}0.0010	^{25}1.017	^{54}0.0046	^{40}0.0020	^{32}0.0015	^{50}1.025
74	IDEMIA-000	^{36}364	^{95}416	^{69}0.0059	^{40}0.0025	^{39}0.0016	^{52}1.031	^{89}0.0088	^{82}0.0038	^{77}0.0025	^{85}1.046
75	IDEMIA-001	^{37}364	^{98}417	^{72}0.0062	^{46}0.0027	^{50}0.0021	^{55}1.032	^{91}0.0090	^{86}0.0040	^{94}0.0032	^{87}1.049
76	IDEMIA-002	^{35}364	^{97}417	^{91}0.0096	^{94}0.0045	^{93}0.0036	^{90}1.053	^{100}0.0100	^{97}0.0050	^{107}0.0043	^{95}1.058
77	IDEMIA-003	^{56}528	^{171}689	^{59}0.0051	^{47}0.0027	^{44}0.0019	^{46}1.030	^{77}0.0069	^{84}0.0039	^{83}0.0027	^{79}1.043
78	IDEMIA-004	^{53}528	^{168}669	^{55}0.0049	^{36}0.0022	^{34}0.0014	^{36}1.026	^{72}0.0066	^{71}0.0032	^{61}0.0021	^{70}1.038
79	IDEMIA-005	^{34}352	^{78}374	^{68}0.0059	^{39}0.0025	^{47}0.0020	^{50}1.031	^{85}0.0081	^{80}0.0036	^{87}0.0030	^{81}1.044
80	IDEMIA-006	^{33}352	^{77}373	^{76}0.0067	^{53}0.0029	^{61}0.0025	^{66}1.036	^{98}0.0096	^{89}0.0042	^{101}0.0037	^{89}1.052
81	IDEMIA-007	^{67}860	^{205}807	^{41}0.0041	^{68}0.0034	^{77}0.0032	^{53}1.032	^{26}0.0026	^{17}0.0014	^{14}0.0012	^{19}1.015
82	IIT-001	^{151}2048	^{120}524				^{221}10.000	^{32}0.0033	^{53}0.0023	^{63}0.0021	^{46}1.024
83	IMAGUS-000	^{49}512	^{5}43				^{235}10.000	^{221}0.3035	^{221}0.1728	^{217}0.1112	^{221}2.958
84	IMAGUS-002	^{42}512	^{9}76	^{162}0.1830	^{159}0.0877	^{157}0.0507	^{161}2.067	^{213}0.2203	^{208}0.1090	^{201}0.0632	^{210}2.308
85	IMAGUS-003	^{47}512	^{7}57	^{168}0.3006	^{166}0.1732	^{166}0.1121	^{167}2.949	^{224}0.3559	^{224}0.2132	^{223}0.1397	^{224}3.363
86	IMPERIAL-000	^{141}2048	^{162}654	^{42}0.0041	^{75}0.0037	^{92}0.0036	^{61}1.034	^{25}0.0024	^{30}0.0018	^{44}0.0017	^{25}1.018
87	INCODE-000	^{76}1024	^{29}190	^{140}0.0373	^{137}0.0155	^{129}0.0086	^{136}1.198	^{174}0.0489	^{164}0.0204	^{157}0.0117	^{167}1.262
88	INCODE-001	^{144}2048	^{173}690	^{109}0.0128	^{98}0.0049	^{76}0.0032	^{100}1.065	^{126}0.0166	^{110}0.0067	^{108}0.0043	^{116}1.086
89	INCODE-002	^{136}2048	^{57}291	^{105}0.0117	^{91}0.0044	^{66}0.0026	^{96}1.058	^{130}0.0178	^{112}0.0070	^{109}0.0043	^{122}1.092
90	INCODE-003	^{130}2048	^{181}704	^{88}0.0086	^{63}0.0032	^{46}0.0020	^{78}1.042	^{116}0.0129	^{99}0.0051	^{90}0.0031	^{104}1.066
91	INCODE-004	^{145}2048	^{116}508	^{57}0.0049	^{79}0.0038	^{94}0.0036	^{70}1.037	^{36}0.0035	^{46}0.0021	^{53}0.0019	^{41}1.023
92	INNOVATRICS-000	^{60}530	^{112}455				^{222}10.000	^{162}0.0395	^{158}0.0164	^{151}0.0098	^{160}1.211
93	INNOVATRICS-001	^{58}530	^{66}316				^{217}10.000	^{161}0.0395	^{157}0.0164	^{150}0.0098	^{159}1.211
94	INNOVATRICS-002	^{59}530	^{46}255	^{145}0.0496	^{148}0.0351	^{152}0.0323	^{149}1.352	^{171}0.0451	^{176}0.0322	^{181}0.0297	^{175}1.321
95	INNOVATRICS-003	^{57}530	^{45}255	^{131}0.0298	^{126}0.0103	^{115}0.0053	^{131}1.144	^{148}0.0263	^{133}0.0095	^{116}0.0053	^{142}1.129
96	INNOVATRICS-004	^{94}1076	^{92}406	^{80}0.0078	^{52}0.0029	^{45}0.0019	^{74}1.039	^{115}0.0123	^{96}0.0050	^{93}0.0032	^{103}1.064
97	INNOVATRICS-005	^{61}538	^{220}842				^{192}10.000	^{24}0.0024	^{24}0.0017	^{30}0.0014	^{23}1.017
98	INTSYSMSU-000	^{140}2048	^{170}675	^{157}0.1291	^{162}0.1126	^{164}0.1024	^{160}2.067	^{198}0.1457	^{212}0.1272	^{220}0.1163	^{206}2.203
99	ISYSTEMS-000	^{162}2048	^{38}222	^{85}0.0082	^{104}0.0054	^{109}0.0047	^{95}1.055	^{105}0.0110	^{114}0.0073	^{130}0.0063	^{111}1.075
100	ISYSTEMS-001	^{73}1024	^{37}222	^{84}0.0082	^{103}0.0054	^{110}0.0047	^{94}1.055	^{104}0.0110	^{113}0.0072	^{129}0.0063	^{112}1.075
101	ISYSTEMS-002	^{157}2048	^{67}316	^{46}0.0044	^{51}0.0029	^{65}0.0025	^{45}1.030	^{71}0.0064	^{85}0.0039	^{99}0.0034	^{78}1.041
102	ISYSTEMS-003	^{126}2048	^{223}856	^{35}0.0037	^{45}0.0027	^{60}0.0025	^{37}1.027	^{61}0.0052	^{81}0.0036	^{95}0.0033	^{69}1.037
103	KEDACOM-001	^{31}292	^{129}537	^{95}0.0099	^{124}0.0095	^{132}0.0094	^{113}1.086	^{81}0.0077	^{115}0.0073	^{136}0.0072	^{105}1.067
104	KNERON-000	^{131}2048	^{124}530				^{199}10.000	^{66}0.0059	^{103}0.0059	^{123}0.0059	^{90}1.053
105	LOOKMAN-003	^{30}292	^{71}342	^{87}0.0086	^{111}0.0076	^{123}0.0073	^{106}1.071	^{90}0.0088	^{120}0.0076	^{139}0.0074	^{107}1.071
106	LOOKMAN-004	^{63}548	^{68}325	^{89}0.0088	^{110}0.0075	^{122}0.0072	^{107}1.071	^{92}0.0091	^{119}0.0076	^{138}0.0073	^{108}1.072
107	LOOKMAN-005	^{62}548	^{118}514	^{98}0.0102	^{125}0.0096	^{133}0.0094	^{115}1.088	^{84}0.0080	^{117}0.0074	^{137}0.0072	^{106}1.068
108	MEGVII-000	^{132}2048	^{204}794	^{93}0.0097	^{67}0.0034	^{42}0.0018	^{85}1.047	^{80}0.0073	^{60}0.0026	^{38}0.0016	^{68}1.036
109	MEGVII-001	^{212}4096	^{157}652				^{190}10.000	^{111}0.0118	^{127}0.0087	^{146}0.0080	^{117}1.086
110	MEGVII-002	^{217}4096	^{164}656				^{210}10.000	^{112}0.0118	^{129}0.0088	^{145}0.0080	^{118}1.087
111	MICROFOCUS-000	^{21}256	^{121}525				^{201}10.000	^{231}0.5961	^{231}0.4237	^{231}0.3138	^{231}5.385
112	MICROFOCUS-001	^{27}256	^{122}527				^{214}10.000	^{232}0.5961	^{232}0.4239	^{232}0.3142	^{232}5.385
113	MICROFOCUS-002	^{25}256	^{123}529				^{208}10.000	^{233}0.6262	^{233}0.4863	^{233}0.4080	^{233}5.828
114	MICROFOCUS-003	^{24}256	^{52}269	^{176}0.5387	^{175}0.3649	^{174}0.2622	^{175}4.847	^{230}0.5942	^{230}0.4204	^{230}0.3095	^{230}5.361
115	MICROFOCUS-004	^{23}256	^{53}270	^{174}0.5189	^{174}0.3482	^{173}0.2488	^{174}4.686	^{229}0.5763	^{229}0.4026	^{229}0.2957	^{229}5.199
116	MICROFOCUS-005	^{19}256	^{51}266	^{170}0.3699	^{169}0.2182	^{168}0.1419	^{170}3.435	^{225}0.4242	^{225}0.2606	^{226}0.1724	^{225}3.861
117	MICROFOCUS-006	^{20}256	^{50}265	^{171}0.3729	^{170}0.2195	^{170}0.1439	^{171}3.450	^{226}0.4268	^{226}0.2623	^{227}0.1746	^{226}3.880
118	MICROSOFT-000	^{41}512	^{56}283	^{20}0.0025	^{14}0.0011	^{11}0.0009	^{16}1.014	^{41}0.0038	^{27}0.0017	^{24}0.0013	^{34}1.021
119	MICROSOFT-001	^{83}1024	^{74}349	^{18}0.0024	^{12}0.0011	^{10}0.0009	^{15}1.013	^{37}0.0035	^{25}0.0017	^{18}0.0013	^{31}1.020
120	MICROSOFT-002	^{72}1024	^{137}555	^{22}0.0028	^{17}0.0012	^{12}0.0009	^{20}1.015	^{43}0.0040	^{36}0.0019	^{23}0.0013	^{40}1.023
121	MICROSOFT-003	^{81}1024	^{89}404	^{4}0.0011	^{3}0.0005	^{4}0.0004	^{3}1.006	^{7}0.0016	^{4}0.0009	^{2}0.0006	^{5}1.009
122	MICROSOFT-004	^{137}2048	^{200}773	^{2}0.0010	^{1}0.0005	^{1}0.0004	^{1}1.006	^{5}0.0015	^{1}0.0008	^{1}0.0006	^{4}1.009
123	MICROSOFT-005	^{79}1024	^{169}673	^{7}0.0013	^{2}0.0005	^{3}0.0004	^{4}1.007	^{16}0.0019	^{2}0.0008	^{3}0.0006	^{6}1.010
124	MICROSOFT-006	^{77}1024	^{175}695	^{8}0.0013	^{4}0.0006	^{2}0.0004	^{3}1.007	^{17}0.0020	^{6}0.0010	^{4}0.0007	^{7}1.011
125	NEC-000	^{205}2592	^{10}82	^{108}0.0124	^{97}0.0049	^{72}0.0027	^{99}1.064	^{127}0.0170	^{109}0.0066	^{103}0.0038	^{119}1.087
126	NEC-001	^{204}2592	^{11}88	^{117}0.0160	^{121}0.0090	^{126}0.0076	^{116}1.099	^{139}0.0209	^{146}0.0128	^{155}0.0113	^{144}1.135
127	NEC-002	^{112}1616	^{161}653	^{3}0.0010	^{7}0.0008	^{9}0.0008	^{7}1.008	^{2}0.0010	^{3}0.0008	^{3}0.0008	^{1}1.008
128	NEC-003	^{113}1712	^{172}690	^{6}0.0012	^{10}0.0011	^{20}0.0010	^{9}1.010	^{4}0.0014	^{10}0.0012	^{13}0.0012	^{8}1.011
129	NEUROTECHNOLOGY-000	^{234}5214	^{180}702				^{205}10.000	^{173}0.0471	^{165}0.0204	^{159}0.0121	^{166}1.255
130	NEUROTECHNOLOGY-001	^{236}5214	^{166}661				^{232}10.000	^{170}0.0441	^{161}0.0172	^{149}0.0091	^{163}1.227
131	NEUROTECHNOLOGY-002	^{235}5214	^{165}658				^{230}10.000	^{169}0.0440	^{160}0.0171	^{148}0.0090	^{162}1.226
132	NEUROTECHNOLOGY-003	^{156}2048	^{133}547	^{124}0.0196	^{116}0.0083	^{112}0.0048	^{120}1.105	^{142}0.0225	^{138}0.0100	^{122}0.0057	^{140}1.125
133	NEUROTECHNOLOGY-004	^{163}2048	^{132}543	^{63}0.0055	^{54}0.0030	^{49}0.0021	^{59}1.034	^{62}0.0056	^{74}0.0032	^{78}0.0025	^{66}1.035
134	NEUROTECHNOLOGY-005	^{22}256	^{93}412	^{39}0.0039	^{34}0.0021	^{38}0.0016	^{33}1.023	^{48}0.0043	^{62}0.0027	^{70}0.0023	^{56}1.028
135	NEUROTECHNOLOGY-006	^{16}256	^{198}746	^{115}0.0151	^{95}0.0046	^{62}0.0025	^{104}1.068	^{131}0.0180	^{102}0.0059	^{96}0.0033	^{115}1.083
136	NEUROTECHNOLOGY-007	^{29}256	^{22}169	^{224}1.0000	^{224}1.0000	^{224}1.0000	^{224}10.000	^{42}0.0039	^{57}0.0025	^{65}0.0022	^{51}1.026
137	NEWLAND-002	^{129}2048	^{226}868				^{188}10.000	^{185}0.0786	^{184}0.0397	^{179}0.0263	^{186}1.468
138	NOBLIS-001	^{161}2048	^{34}211	^{164}0.2046	^{163}0.1290	^{163}0.0947	^{164}2.387	^{217}0.2492	^{219}0.1542	^{218}0.1112	^{217}2.679
139	NOBLIS-002	^{237}6144	^{126}535	^{161}0.1562	^{158}0.0832	^{158}0.0516	^{159}1.964	^{205}0.1794	^{199}0.0903	^{197}0.0535	^{201}2.077
140	NTECHLAB-000	^{233}4442	^{195}730	^{79}0.0075	^{44}0.0026	^{35}0.0015	^{67}1.036	^{96}0.0094	^{75}0.0035	^{62}0.0021	^{84}1.046
141	NTECHLAB-001	^{115}1736	^{91}405	^{90}0.0095	^{59}0.0031	^{40}0.0017	^{81}1.044	^{113}0.0119	^{88}0.0042	^{72}0.0023	^{94}1.057
142	NTECHLAB-003	^{208}3484	^{215}831	^{58}0.0050	^{32}0.0018	^{26}0.0011	^{34}1.023	^{67}0.0062	^{54}0.0023	^{39}0.0016	^{63}1.030
143	NTECHLAB-004	^{209}3484	^{234}929	^{37}0.0038	^{20}0.0013	^{13}0.0009	^{30}1.018	^{58}0.0048	^{34}0.0019	^{25}0.0013	^{47}1.024
144	NTECHLAB-005	^{121}1940	^{191}717	^{36}0.0038	^{18}0.0013	^{8}0.0008	^{27}1.017	^{55}0.0047	^{26}0.0017	^{11}0.0011	^{42}1.023

Table 16: **Rank-based accuracy for the FRVT 2018 mugshot sets**. *In columns 3 and 4 are template size and template generation duration. Thereafter values are rank-based FNIR with T = 0 and FPIR = 1. This is appropriate to investigational uses but not those with higher volumes where candidates from all searches would need review. Columns 5 - 9 show FRVT 2018 accuracy for various ranks for galleries unenrolled with all lifetime images. Column 10 is a workload statistic, a small value shows an algorithm front-loads mates into the first 10 candidates. The last four columns gives analogous results for enrollment only of the most recent image - see Figure 7. Throughout, blue superscripts indicate the rank of the algorithm for that column, and the best value is highlighted in yellow.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES OUTSIDE RANK R		RESOURCE USAGE		ENROLL LIFETIME CONSOLIDATED = 1.6M				ENROL MOST RECENT, N = 1.6M			
FNIR(N, T=0, R)		TEMPLATE		FRVT 2018 MUGSHOTS							
#	ALGORITHM	BYTES	MSEC	R=1	R=10	R=50	WORK-10	R=1	R=10	R=50	WORK-10
145	NTECHLAB-006	^{122}1940	^{219}841	^{28}0.0033	^{11}0.0011	^{7}0.0007	^{19}1.015	^{47}0.0041	^{20}0.0015	^{7}0.0009	^{30}1.019
146	NTECHLAB-007	^{207}3348	^{217}834	^{45}0.0043	^{70}0.0034	^{78}0.0032	^{56}1.033	^{27}0.0027	^{18}0.0014	^{15}0.0012	^{21}1.016
147	NTECHLAB-008	^{98}1300	^{141}562	^{33}0.0037	^{62}0.0032	^{75}0.0031	^{47}1.030	^{9}0.0017	^{9}0.0012	^{10}0.0010	^{9}1.012
148	PARAVISION-000	^{138}2048	^{111}438	^{118}0.0165	^{134}0.0152	^{143}0.0149	^{130}1.140	^{132}0.0188	^{159}0.0167	^{171}0.0164	^{148}1.156
149	PARAVISION-001	^{128}2048	^{143}590	^{21}0.0026	^{28}0.0015	^{30}0.0013	^{23}1.017	^{39}0.0038	^{47}0.0022	^{54}0.0019	^{44}1.023
150	PARAVISION-002	^{159}2048	^{79}377	^{23}0.0028	^{30}0.0016	^{31}0.0014	^{28}1.018	^{46}0.0040	^{51}0.0022	^{55}0.0019	^{48}1.025
151	PARAVISION-003	^{123}2048	^{196}735	^{17}0.0022	^{26}0.0015	^{28}0.0012	^{21}1.015	^{31}0.0031	^{41}0.0020	^{46}0.0017	^{33}1.021
152	PARAVISION-004	^{214}4096	^{194}720	^{32}0.0035	^{63}0.0033	^{80}0.0033	^{49}1.030	^{8}0.0016	^{13}0.0013	^{21}0.0013	^{12}1.013
153	PARAVISION-005	^{215}4096	^{224}858	^{31}0.0034	^{64}0.0033	^{79}0.0032	^{48}1.030	^{6}0.0015	^{14}0.0013	^{22}0.0013	^{11}1.013
154	PIXELALL-002	^{203}2560	^{31}198	^{82}0.0080	^{100}0.0052	^{106}0.0045	^{92}1.054	^{51}0.0045	^{58}0.0025	^{57}0.0019	^{57}1.028
155	PIXELALL-003	^{202}2560	^{193}719	^{50}0.0047	^{81}0.0039	^{97}0.0037	^{71}1.037	^{19}0.0021	^{22}0.0015	^{29}0.0014	^{18}1.015
156	QUANTASOFT-001	^{139}2048	^{85}396	^{180}0.9857	^{180}0.9848	^{180}0.9843	^{180}9.866	^{212}0.2177	^{215}0.1468	^{219}0.1116	^{216}2.539
157	RANKONE-000	^{15}228	^{6}50	^{135}0.0316	^{135}0.0153	^{135}0.0097	^{135}1.185	^{168}0.0429	^{166}0.0212	^{162}0.0133	^{165}1.252
158	RANKONE-001	^{32}324	^{17}136	^{123}0.0191	^{120}0.0086	^{114}0.0052	^{121}1.106	^{141}0.0221	^{136}0.0097	^{124}0.0059	^{138}1.121
159	RANKONE-002	^{12}133	^{14}113	^{114}0.0146	^{108}0.0069	^{104}0.0043	^{110}1.083	^{134}0.0194	^{132}0.0093	^{128}0.0060	^{133}1.111
160	RANKONE-003	^{10}133	^{15}114	^{113}0.0146	^{107}0.0069	^{103}0.0043	^{109}1.083	^{133}0.0194	^{131}0.0093	^{127}0.0060	^{132}1.111
161	RANKONE-004	^{1}85	^{4}36	^{134}0.0315	^{133}0.0132	^{125}0.0076	^{134}1.168	^{167}0.0415	^{162}0.0177	^{153}0.0102	^{161}1.225
162	RANKONE-005	^{11}133	^{12}94	^{78}0.0069	^{66}0.0033	^{55}0.0022	^{73}1.039	^{97}0.0094	^{92}0.0046	^{91}0.0032	^{91}1.054
163	RANKONE-006	^{14}165	^{47}261	^{71}0.0061	^{88}0.0043	^{99}0.0038	^{79}1.043	^{60}0.0050	^{63}0.0027	^{60}0.0021	^{62}1.030
164	RANKONE-007	^{13}165	^{55}278	^{54}0.0048	^{78}0.0038	^{89}0.0035	^{69}1.037	^{33}0.0034	^{43}0.0021	^{41}0.0017	^{37}1.022
165	REALNETWORKS-000	^{222}4100	^{43}244	^{142}0.0440	^{138}0.0161	^{128}0.0081	^{138}1.219	^{166}0.0402	^{152}0.0149	^{143}0.0077	^{157}1.201
166	REALNETWORKS-001	^{223}4104	^{42}243	^{138}0.0326	^{129}0.0117	^{119}0.0060	^{133}1.161	^{165}0.0402	^{151}0.0149	^{142}0.0077	^{156}1.201
167	REALNETWORKS-002	^{226}4104	^{44}245	^{136}0.0318	^{128}0.0114	^{118}0.0060	^{132}1.157	^{160}0.0393	^{150}0.0142	^{141}0.0076	^{155}1.195
168	REALNETWORKS-003	^{119}1848	^{26}178	^{128}0.0216	^{123}0.0094	^{120}0.0067	^{127}1.117	^{145}0.0242	^{130}0.0090	^{117}0.0054	^{137}1.120
169	REALNETWORKS-004	^{120}1848	^{27}185	^{122}0.0188	^{119}0.0085	^{117}0.0058	^{119}1.103	^{143}0.0236	^{128}0.0087	^{115}0.0050	^{134}1.116
170	REMARKAI-000	^{155}2048	^{146}615	^{73}0.0063	^{42}0.0026	^{41}0.0017	^{54}1.032	^{88}0.0086	^{78}0.0036	^{29}0.0025	^{82}1.045
171	REMARKAI-000	^{167}2048	^{174}691	^{51}0.0047	^{73}0.0036	^{83}0.0034	^{63}1.036	^{34}0.0034	^{32}0.0019	^{36}0.0015	^{32}1.020
172	REMARKAI-002	^{164}2048	^{110}434	^{70}0.0060	^{38}0.0023	^{33}0.0014	^{44}1.029	^{87}0.0081	^{69}0.0031	^{59}0.0021	^{77}1.041
173	SCANOVATE-000	^{169}2048	^{187}712	^{177}0.7786	^{177}0.7781	^{177}0.7780	^{177}8.004	^{59}0.0050	^{49}0.0022	^{37}0.0015	^{53}1.026
174	SENSETIME-000	^{225}4104	^{189}715	^{12}0.0016	^{19}0.0013	^{27}0.0012	^{14}1.013	^{21}0.0023	^{35}0.0019	^{47}0.0017	^{27}1.018
175	SENSETIME-001	^{224}4104	^{163}656	^{11}0.0016	^{16}0.0012	^{24}0.0011	^{12}1.012	^{22}0.0023	^{33}0.0019	^{40}0.0016	^{26}1.018
176	SENSETIME-002	^{185}2056	^{155}650	^{107}0.0120	^{130}0.0120	^{141}0.0120	^{125}1.108	^{119}0.0137	^{149}0.0136	^{163}0.0136	^{139}1.122
177	SENSETIME-003	^{187}2056	^{238}940	^{24}0.0030	^{55}0.0030	^{74}0.0030	^{39}1.027	^{1}0.0010	^{7}0.0010	^{8}0.0009	^{2}1.009
178	SHAMAN-000	^{213}4096	^{130}538				^{193}10.000	^{201}0.1685	^{201}0.0958	^{207}0.0679	^{200}2.071
179	SHAMAN-001	^{220}4096	^{138}557				^{227}10.000	^{202}0.1696	^{200}0.0925	^{202}0.0642	^{199}2.056
180	SHAMAN-002	^{238}8192	^{139}557				^{231}10.000	^{218}0.2600	^{218}0.1517	^{216}0.1034	^{218}2.691
181	SHAMAN-003	^{135}2048	^{182}704	^{154}0.0966	^{155}0.0548	^{154}0.0401	^{155}1.611	^{190}0.1243	^{196}0.0708	^{196}0.0518	^{195}1.789
182	SHAMAN-004	^{149}2048	^{154}642	^{163}0.1865	^{161}0.1012	^{160}0.0672	^{162}2.161	^{214}0.2221	^{210}0.1241	^{208}0.0825	^{213}2.411
183	SHAMAN-006	^{168}2048	^{183}706	^{133}0.0309	^{144}0.0259	^{146}0.0245	^{141}1.246	^{164}0.0398	^{179}0.0332	^{185}0.0315	^{174}1.316
184	SHAMAN-007	^{127}2048	^{185}709	^{132}0.0307	^{143}0.0259	^{147}0.0245	^{139}1.245	^{163}0.0396	^{178}0.0331	^{184}0.0314	^{172}1.315
185	SIAT-000	^{95}1096	^{75}358				^{234}10.000	^{82}0.0079	^{67}0.0031	^{56}0.0019	^{76}1.040
186	SIAT-001	^{174}2052	^{221}842	^{167}0.2637	^{172}0.2635	^{175}0.2634	^{169}3.372	^{11}0.0018	^{11}0.0013	^{12}0.0011	^{13}1.013
187	SIAT-002	^{179}2052	^{231}906	^{165}0.2127	^{168}0.2124	^{171}0.2123	^{166}2.912	^{12}0.0018	^{15}0.0013	^{17}0.0012	^{15}1.013
188	SMILART-000	^{84}1024	^{20}168				^{228}10.000	^{206}0.1910	^{204}0.1021	^{203}0.0642	^{204}2.183
189	SMILART-001	^{74}1024	^{167}662				^{197}10.000	^{211}0.2167	^{213}0.1277	^{211}0.0908	^{214}2.415
190	SMILART-002	^{70}1024	^{140}560				^{186}10.000	^{207}0.1924	^{203}0.0995	^{199}0.0612	^{203}2.175
191	SMILART-004	^{43}512	^{19}167	^{178}0.9530	^{178}0.9523	^{179}0.9521	^{178}9.572	^{234}0.9648	^{234}0.9640	^{235}0.9638	^{234}9.678
192	SMILART-005	^{143}2048	^{115}464				^{212}10.000				^{238}10.000
193	SYNESIS-000	^{40}512	^{41}237				^{183}10.000	^{200}0.1599	^{216}0.1491	^{224}0.1487	^{211}2.360
194	SYNESIS-003	^{218}4096	^{13}103	^{159}0.1347	^{157}0.0788	^{159}0.0629	^{157}1.865	^{203}0.1700	^{206}0.1047	^{210}0.0869	^{202}2.120
195	SYNESIS-003	^{146}2048	^{36}215				^{215}10.000	^{125}0.0162	^{154}0.0160	^{170}0.0160	^{146}1.144
196	TECH5-001	^{102}1536	^{230}898	^{65}0.0055	^{80}0.0038	^{87}0.0035	^{72}1.039	^{45}0.0040	^{45}0.0021	^{43}0.0017	^{45}1.024
197	TEVIAN-000	^{125}2048	^{83}394				^{184}10.000	^{137}0.0203	^{123}0.0080	^{113}0.0049	^{130}1.103
198	TEVIAN-001	^{171}2048	^{88}398				^{240}10.000	^{138}0.0203	^{124}0.0080	^{114}0.0049	^{131}1.103
199	TEVIAN-002	^{133}2048	^{86}397				^{200}10.000	^{136}0.0202	^{122}0.0079	^{111}0.0049	^{129}1.102
200	TEVIAN-003	^{148}2048	^{63}300	^{96}0.0100	^{82}0.0040	^{64}0.0025	^{87}1.051	^{122}0.0147	^{101}0.0059	^{102}0.0037	^{113}1.075
201	TEVIAN-004	^{158}2048	^{61}299	^{81}0.0078	^{60}0.0032	^{48}0.0021	^{76}1.040	^{106}0.0113	^{93}0.0047	^{86}0.0030	^{96}1.058
202	TEVIAN-005	^{152}2048	^{96}416	^{61}0.0052	^{35}0.0022	^{37}0.0016	^{38}1.027	^{79}0.0073	^{68}0.0031	^{69}0.0023	^{73}1.038
203	TIGER-000	^{181}2052	^{104}428	^{144}0.0478	^{139}0.0183	^{134}0.0095	^{140}1.245	^{180}0.0616	^{169}0.0236	^{158}0.0120	^{173}1.315
204	TIGER-001	^{182}2052	^{87}398				^{226}10.000				^{239}10.000
205	TIGER-002	^{178}2052	^{114}464	^{43}0.0042	^{31}0.0017	^{25}0.0011	^{32}1.022	^{64}0.0056	^{56}0.0024	^{34}0.0015	^{60}1.030
206	TIGER-003	^{172}2052	^{113}464				^{189}10.000	^{63}0.0056	^{55}0.0024	^{33}0.0015	^{61}1.030
207	TONGYITRANS-000	^{192}2070	^{30}190	^{66}0.0057	^{50}0.0028	^{56}0.0023	^{57}1.033	^{76}0.0069	^{73}0.0032	^{81}0.0026	^{71}1.038
208	TONGYITRANS-001	^{190}2070	^{28}189	^{103}0.0110	^{106}0.0066	^{116}0.0057	^{105}1.071	^{75}0.0069	^{72}0.0032	^{80}0.0026	^{72}1.038
209	TOSHIBA-000	^{109}1548	^{235}930	^{25}0.0031	^{24}0.0014	^{23}0.0011	^{24}1.017	^{50}0.0045	^{50}0.0022	^{51}0.0018	^{52}1.026
210	TOSHIBA-001	^{189}2060	^{237}931	^{29}0.0033	^{25}0.0014	^{22}0.0010	^{29}1.018	^{57}0.0048	^{52}0.0023	^{52}0.0018	^{55}1.027
211	VD-000	^{83}1028	^{69}337	^{172}0.4301	^{171}0.2331	^{167}0.1419	^{172}3.701	^{228}0.4737	^{227}0.2695	^{225}0.1678	^{227}4.058
212	VD-001	^{176}2052	^{176}695	^{129}0.0218	^{132}0.0126	^{136}0.0102	^{129}1.137	^{150}0.0276	^{156}0.0162	^{161}0.0130	^{154}1.174
213	VIGILANTSOLUTIONS-000	^{104}1544	^{211}823				^{198}10.000	^{189}0.1230	^{188}0.0552	^{183}0.0305	^{189}1.690
214	VIGILANTSOLUTIONS-001	^{188}2056	^{197}739				^{239}10.000	^{210}0.2017	^{202}0.0980	^{198}0.0561	^{205}2.189
215	VIGILANTSOLUTIONS-002	^{106}1544	^{208}820				^{211}10.000	^{216}0.2366	^{214}0.1369	^{212}0.0917	^{215}2.535
216	VIGILANTSOLUTIONS-003	^{108}1544	^{216}832	^{148}0.0545	^{140}0.0207	^{137}0.0107	^{143}1.277	^{183}0.0694	^{170}0.0262	^{165}0.0140	^{177}1.355

Table 17: **Rank-based accuracy for the FRVT 2018 mugshot sets**. *In columns 3 and 4 are template size and template generation duration. Thereafter values are rank-based FNIR with T = 0 and FPIR = 1. This is appropriate to investigational uses but not those with higher volumes where candidates from all searches would need review. Columns 5 - 9 show FRVT 2018 accuracy for various ranks for galleries unenrolled with all lifetime images. Column 10 is a workload statistic, a small value shows an algorithm front-loads mates into the first 10 candidates. The last four columns gives analogous results for enrollment only of the most recent image - see Figure 7. Throughout, blue superscripts indicate the rank of the algorithm for that column, and the best value is highlighted in yellow.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES OUTSIDE RANK R		RESOURCE USAGE		ENROLL LIFETIME CONSOLIDATED = 1.6M				ENROL MOST RECENT, N = 1.6M			
FNIR(N, T=0, R)		TEMPLATE		FRVT 2018 MUGSHOTS							
#	ALGORITHM	BYTES	MSEC	R=1	R=10	R=50	WORK-10	R=1	R=10	R=50	WORK-10
217	VIGILANTSOLUTIONS-004	^{103}1544	^{214}830	^{156}0.0990	^{150}0.0431	^{145}0.0235	^{151}1.546	^{191}0.1249	^{189}0.0557	^{182}0.0305	^{190}1.699
218	VIGILANTSOLUTIONS-005	^{105}1544	^{202}778				^{202}10.000	^{93}0.0092	^{76}0.0036	^{66}0.0022	^{83}1.046
219	VIGILANTSOLUTIONS-006	^{107}1544	^{218}834				^{216}10.000	^{99}0.0099	^{83}0.0038	^{68}0.0022	^{88}1.049
220	VISIONLABS-003	^{17}256	^{40}228	^{56}0.0049	^{87}0.0043	^{102}0.0041	^{75}1.040	^{74}0.0068	^{100}0.0058	^{121}0.0055	^{92}1.054
221	VISIONLABS-004	^{28}256	^{65}315	^{15}0.0019	^{15}0.0012	^{21}0.0010	^{13}1.012	^{28}0.0027	^{23}0.0016	^{28}0.0014	^{24}1.017
222	VISIONLABS-005	^{39}512	^{62}300	^{13}0.0017	^{13}0.0011	^{15}0.0010	^{11}1.011	^{23}0.0024	^{21}0.0015	^{20}0.0013	^{20}1.016
223	VISIONLABS-006	^{45}512	^{58}292	^{10}0.0014	^{9}0.0010	^{16}0.0010	^{10}1.010	^{13}0.0018	^{16}0.0014	^{19}0.0013	^{16}1.014
224	VISIONLABS-007	^{44}512	^{59}293	^{9}0.0014	^{8}0.0010	^{14}0.0009	^{8}1.010	^{10}0.0018	^{12}0.0013	^{16}0.0012	^{14}1.013
225	VISIONLABS-008	^{46}512	^{54}277	^{38}0.0039	^{74}0.0037	^{95}0.0036	^{58}1.033	^{18}0.0020	^{28}0.0018	^{48}0.0017	^{22}1.017
226	VOCORD-000	^{65}608	^{128}536				^{191}10.000	^{158}0.0378	^{174}0.0282	^{178}0.0261	^{170}1.279
227	VOCORD-001	^{64}608	^{127}536				^{181}10.000	^{157}0.0377	^{173}0.0281	^{177}0.0259	^{169}1.277
228	VOCORD-002	^{153}2048	^{152}635				^{223}10.000	^{155}0.0357	^{171}0.0274	^{176}0.0257	^{168}1.268
229	VOCORD-003	^{69}896	^{188}714	^{74}0.0064	^{56}0.0031	^{57}0.0023	^{64}1.036	^{68}0.0062	^{66}0.0030	^{71}0.0023	^{65}1.035
230	VOCORD-004	^{68}896	^{131}538	^{83}0.0082	^{93}0.0044	^{85}0.0034	^{86}1.049	^{83}0.0079	^{90}0.0043	^{97}0.0034	^{86}1.048
231	VOCORD-005	^{66}768	^{210}822	^{64}0.0055	^{61}0.0032	^{70}0.0027	^{60}1.034	^{78}0.0070	^{87}0.0041	^{100}0.0035	^{80}1.044
232	VOCORD-006	^{240}10240	^{212}825				^{238}10.000	^{240}1.0000	^{240}1.0000	^{236}1.0000	^{240}10.000
233	YISHENG-000	^{198}2108	^{145}615				^{195}10.000	^{146}0.0243	^{137}0.0099	^{126}0.0060	^{141}1.127
234	YISHENG-001	^{210}3704	^{82}387	^{127}0.0205	^{113}0.0077	^{105}0.0045	^{118}1.102	^{149}0.0265	^{137}0.0102	^{125}0.0059	^{143}1.134
235	YITU-000	^{228}4136	^{151}633	^{47}0.0044	^{49}0.0028	^{59}0.0024	^{43}1.029	^{56}0.0047	^{65}0.0027	^{74}0.0024	^{59}1.029
236	YITU-001	^{227}4136	^{236}930	^{44}0.0043	^{48}0.0027	^{58}0.0024	^{41}1.028	^{52}0.0045	^{64}0.0027	^{73}0.0024	^{58}1.029
237	YITU-002	^{230}4138	^{227}870	^{5}0.0012	^{6}0.0007	^{6}0.0006	^{6}1.007	^{14}0.0018	^{8}0.0011	^{9}0.0010	^{10}1.012
238	YITU-003	^{229}4138	^{228}871	^{16}0.0021	^{29}0.0016	^{36}0.0015	^{22}1.015	^{30}0.0029	^{48}0.0022	^{64}0.0021	^{35}1.021
239	YITU-004	^{193}2070	^{232}910	^{1}0.0008	^{5}0.0006	^{5}0.0006	^{2}1.006	^{3}0.0013	^{5}0.0009	^{6}0.0009	^{3}1.009
240	YITU-005	^{191}2070	^{225}861	^{14}0.0017	^{27}0.0015	^{32}0.0014	^{17}1.014	^{20}0.0023	^{39}0.0020	^{58}0.0020	^{28}1.019

Table 18: **Rank-based accuracy for the FRVT 2018 mugshot sets**. *In columns 3 and 4 are template size and template generation duration. Thereafter values are rank-based FNIR with T = 0 and FPIR = 1. This is appropriate to investigational uses but not those with higher volumes where candidates from all searches would need review. Columns 5 - 9 show FRVT 2018 accuracy for various ranks for galleries unenrolled with all lifetime images. Column 10 is a workload statistic, a small value shows an algorithm front-loads mates into the first 10 candidates. The last four columns gives analogous results for enrollment only of the most recent image - see Figure 7. Throughout, blue superscripts indicate the rank of the algorithm for that column, and the best value is highlighted in yellow.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES BELOW THRESHOLD, T		ENROL MOST RECENT MUGSHOT, N = 1.6M								
FNIR(N, T > 0, R > L)		DATASET: FRVT 2018 MUGSHOTS			DATASET: WEBCAM PROBES			DATASET: PROFILE PROBES		
#	ALGORITHM	FPIR=0.001	FPIR=0.01	FPIR=0.1	FPIR=0.001	FPIR=0.01	FPIR=0.1	FPIR=0.001	FPIR=0.01	FPIR=0.1
1	3DIVI-000	^{160}0.254	^{169}0.158	^{170}0.083	^{144}0.425	^{146}0.302	^{145}0.180			
2	3DIVI-001	^{159}0.254	^{170}0.158	^{171}0.084						
3	3DIVI-002	^{156}0.253	^{171}0.161	^{172}0.086						
4	3DIVI-003	^{181}0.400	^{187}0.282	^{187}0.166	^{160}0.626	^{163}0.497	^{159}0.343			
5	3DIVI-004	^{139}0.169	^{142}0.093	^{134}0.045	^{135}0.343	^{137}0.237	^{139}0.138			
6	3DIVI-005	^{136}0.166	^{141}0.093	^{135}0.045	^{133}0.339	^{136}0.234	^{138}0.137	^{81}0.996	^{83}0.990	^{98}0.974
7	3DIVI-006	^{138}0.168	^{144}0.096	^{143}0.048	^{134}0.342	^{138}0.238	^{140}0.142			
8	ALCHERA-000	^{126}0.138	^{127}0.070	^{124}0.032	^{101}0.216	^{104}0.146	^{107}0.087	^{98}0.999	^{116}0.996	^{105}0.979
9	ALCHERA-001	^{233}0.999	^{234}0.999	^{235}0.995	^{202}1.000	^{202}1.000	^{192}1.000			
10	ALCHERA-002	^{190}0.486	^{190}0.302	^{189}0.182	^{157}0.591	^{157}0.442	^{156}0.295	^{122}1.000	^{136}0.999	^{144}0.997
11	ALCHERA-003	^{129}0.155	^{128}0.070	^{117}0.028	^{108}0.239	^{109}0.152	^{102}0.081	^{111}0.999	^{121}0.997	^{94}0.969
12	ALLGOVISION-000	^{100}0.088	^{106}0.045	^{106}0.021	^{89}0.166	^{94}0.106	^{91}0.062	^{55}0.990	^{68}0.982	^{87}0.962
13	ANKE-000	^{114}0.117	^{121}0.063	^{121}0.030	^{103}0.220	^{107}0.151	^{110}0.088	^{65}0.994	^{81}0.990	^{118}0.982
14	ANKE-001	^{120}0.119	^{122}0.063	^{120}0.030	^{102}0.220	^{108}0.151	^{109}0.088	^{69}0.994	^{92}0.992	^{126}0.984
15	ANKE-002	^{31}0.032	^{29}0.014	^{28}0.006	^{24}0.079	^{23}0.050	^{26}0.028	^{21}0.948	^{20}0.795	^{27}0.657
16	AWARE-000	^{228}0.983	^{161}0.126	^{168}0.082	^{172}0.817	^{140}0.253	^{144}0.178	^{152}1.000	^{131}0.998	^{114}0.981
17	AWARE-001	^{229}0.996	^{160}0.124	^{167}0.078				^{147}1.000	^{138}0.999	^{112}0.980
18	AWARE-002	^{226}0.977	^{157}0.117	^{165}0.076				^{148}1.000	^{124}0.998	^{109}0.980
19	AWARE-003	^{124}0.128	^{133}0.082	^{142}0.048	^{126}0.298	^{129}0.204	^{137}0.132	^{46}0.984	^{61}0.977	^{90}0.965
20	AWARE-004	^{161}0.269	^{174}0.175	^{179}0.104	^{152}0.509	^{154}0.375	^{154}0.253	^{125}1.000	^{137}0.999	^{107}0.979
21	AWARE-005	^{174}0.364	^{136}0.085	^{140}0.048	^{112}0.253	^{112}0.163	^{115}0.099	^{129}1.000	^{139}0.999	^{146}0.998
22	AWARE-006	^{162}0.276	^{175}0.175	^{181}0.106	^{140}0.398	^{144}0.283	^{146}0.188	^{119}0.999	^{134}0.999	^{143}0.996
23	AYONIX-000	^{214}0.811	^{222}0.724	^{225}0.597	^{182}0.939	^{184}0.892	^{186}0.802	^{91}0.998	^{113}0.995	^{138}0.991
24	AYONIX-001	^{217}0.824	^{220}0.701	^{223}0.525	^{177}0.920	^{180}0.845	^{182}0.703	^{117}0.999	^{118}0.996	^{123}0.984
25	AYONIX-002	^{216}0.824	^{221}0.702	^{222}0.525	^{178}0.920	^{179}0.845	^{181}0.702	^{114}0.999	^{117}0.996	^{122}0.984
26	CAMVI-001	^{207}0.684	^{213}0.548	^{213}0.373	^{169}0.770	^{174}0.648	^{175}0.488	^{64}0.994	^{71}0.984	^{85}0.961
27	CAMVI-002	^{194}0.536	^{199}0.400	^{196}0.240				^{50}0.989	^{53}0.973	^{63}0.931
28	CAMVI-003	^{83}0.071	^{116}0.058	^{150}0.053	^{66}0.132	^{95}0.108	^{113}0.094	^{26}0.970	^{35}0.940	^{56}0.914
29	CAMVI-004	^{84}0.072	^{113}0.054	^{139}0.048	^{68}0.136	^{82}0.100	^{103}0.083	^{112}0.999	^{125}0.998	^{59}0.915
30	CAMVI-005	^{105}0.099	^{132}0.076	^{158}0.067	^{97}0.179	^{101}0.132	^{124}0.110	^{120}1.000	^{132}0.998	^{55}0.904
31	COGENT-000	^{64}0.053	^{77}0.029	^{93}0.018	^{71}0.140	^{86}0.100	^{98}0.069	^{75}0.995	^{90}0.991	^{125}0.984
32	COGENT-001	^{63}0.053	^{76}0.029	^{92}0.018	^{70}0.140	^{85}0.100	^{97}0.069	^{74}0.995	^{89}0.991	^{124}0.984
33	COGENT-002	^{47}0.044	^{36}0.017	^{34}0.007	^{39}0.098	^{41}0.063	^{44}0.036	^{86}0.998	^{97}0.994	^{128}0.986
34	COGENT-003	^{50}0.046	^{33}0.016	^{33}0.007	^{35}0.095	^{39}0.061	^{47}0.037	^{90}0.998	^{111}0.995	^{132}0.988
35	COGNITEC-000	^{133}0.161	^{143}0.095	^{146}0.050	^{127}0.303	^{127}0.200	^{127}0.115	^{58}0.992	^{47}0.971	^{76}0.953
36	COGNITEC-001	^{107}0.102	^{110}0.053	^{111}0.024	^{106}0.230	^{103}0.135	^{99}0.071	^{185}1.000	^{42}0.965	^{71}0.947
37	COGNITEC-002	^{65}0.053	^{67}0.025	^{62}0.011	^{96}0.178	^{89}0.101	^{77}0.050	^{132}1.000	^{39}0.956	^{69}0.941
38	COGNITEC-003	^{62}0.053	^{69}0.025	^{67}0.011	^{87}0.162	^{83}0.100	^{75}0.050	^{133}1.000	^{36}0.946	^{61}0.924
39	CYBERLINK-000	^{71}0.056	^{58}0.023	^{46}0.009	^{53}0.116	^{53}0.070	^{51}0.038	^{78}0.995	^{67}0.981	^{54}0.900
40	CYBERLINK-001	^{66}0.054	^{56}0.022	^{44}0.008	^{48}0.109	^{48}0.067	^{41}0.036	^{73}0.995	^{70}0.984	^{66}0.934
41	DAHUA-000	^{94}0.086	^{102}0.045	^{100}0.020	^{67}0.135	^{70}0.083	^{68}0.046			
42	DAHUA-001	^{86}0.073	^{88}0.037	^{83}0.016	^{61}0.122	^{62}0.075	^{60}0.042	^{39}0.980	^{32}0.933	^{36}0.790
43	DAHUA-002	^{12}0.015	^{10}0.006	^{7}0.003	^{11}0.046	^{11}0.029	^{11}0.017	^{6}0.638	^{9}0.522	^{10}0.394
44	DEEPGLINT-001				^{210}1.000	^{210}1.000	^{211}1.000	^{202}1.000	^{203}1.000	^{204}1.000
45	DEEPSEA-001	^{49}0.046	^{53}0.022	^{49}0.009	^{41}0.101	^{35}0.059	^{31}0.031	^{47}0.985	^{54}0.973	^{70}0.942
46	DERMALOG-000	^{189}0.486	^{194}0.362	^{195}0.231	^{164}0.657	^{169}0.528	^{164}0.362	^{77}0.995	^{84}0.991	^{104}0.978
47	DERMALOG-001	^{192}0.527	^{200}0.403	^{200}0.266				^{56}0.990	^{69}0.983	^{88}0.964
48	DERMALOG-002	^{191}0.502	^{196}0.376	^{197}0.242				^{52}0.990	^{65}0.981	^{84}0.960
49	DERMALOG-003	^{188}0.482	^{193}0.360	^{193}0.229	^{162}0.655	^{168}0.526	^{163}0.361			
50	DERMALOG-004	^{187}0.480	^{192}0.358	^{192}0.228	^{163}0.657	^{166}0.526	^{162}0.359	^{79}0.995	^{91}0.991	^{111}0.980
51	DERMALOG-005	^{99}0.088	^{95}0.043	^{107}0.022	^{78}0.154	^{80}0.096	^{84}0.057	^{54}0.990	^{38}0.950	^{39}0.816
52	DERMALOG-006	^{60}0.052	^{71}0.026	^{70}0.012	^{43}0.105	^{46}0.067	^{54}0.039	^{40}0.981	^{33}0.933	^{35}0.758
53	DERMALOG-007	^{95}0.086	^{93}0.040	^{91}0.017	^{76}0.152	^{77}0.093	^{79}0.051			
54	EYEDEA-000	^{215}0.812	^{219}0.679	^{219}0.483	^{176}0.914	^{177}0.783	^{178}0.619	^{84}0.998	^{87}0.991	^{106}0.979
55	EYEDEA-001	^{202}0.630	^{204}0.479	^{208}0.333				^{105}0.999	^{101}0.994	^{103}0.978
56	EYEDEA-002	^{212}0.794	^{206}0.488	^{209}0.336				^{115}0.999	^{115}0.996	^{108}0.980
57	EYEDEA-003	^{178}0.388	^{185}0.265	^{185}0.157	^{154}0.543	^{156}0.404	^{155}0.264	^{70}0.994	^{80}0.990	^{113}0.981
58	F8-001	^{134}0.166	^{86}0.036	^{89}0.017				^{97}0.998	^{114}0.995	^{68}0.935
59	GLORY-000	^{175}0.367	^{189}0.295	^{194}0.231	^{155}0.547	^{160}0.470	^{169}0.390	^{72}0.995	^{95}0.993	^{139}0.991
60	GLORY-001	^{167}0.305	^{182}0.236	^{188}0.177	^{153}0.537	^{158}0.448	^{160}0.352	^{62}0.993	^{86}0.991	^{134}0.989
61	GORILLA-000									
62	GORILLA-001	^{182}0.406	^{183}0.246	^{182}0.133	^{147}0.453	^{148}0.314	^{148}0.191	^{138}1.000	^{152}1.000	^{140}0.993
63	GORILLA-002	^{142}0.188	^{149}0.106	^{141}0.048	^{119}0.268	^{118}0.170	^{112}0.093	^{149}1.000	^{96}0.993	^{58}0.915
64	GORILLA-003	^{169}0.318	^{168}0.157	^{159}0.071	^{146}0.434	^{139}0.247	^{135}0.131	^{170}1.000	^{147}1.000	^{110}0.980
65	GORILLA-004	^{103}0.089	^{96}0.043	^{90}0.017	^{85}0.160	^{87}0.101	^{82}0.053	^{22}0.959	^{27}0.903	^{37}0.796
66	HBINNO-000	^{211}0.765	^{217}0.631	^{218}0.457				^{134}1.000	^{144}1.000	^{148}0.998
67	HIK-000	^{113}0.112	^{126}0.068	^{128}0.037	^{79}0.155	^{91}0.103	^{90}0.061	^{41}0.981	^{48}0.971	^{73}0.949
68	HIK-001	^{118}0.118	^{124}0.065	^{123}0.032				^{53}0.990	^{66}0.981	^{86}0.961
69	HIK-002	^{119}0.119	^{125}0.065	^{122}0.032				^{59}0.992	^{72}0.985	^{92}0.966
70	HIK-003	^{108}0.103	^{115}0.057	^{118}0.028	^{81}0.158	^{92}0.105	^{89}0.061	^{25}0.969	^{30}0.925	^{42}0.835
71	HIK-004	^{104}0.099	^{112}0.054	^{115}0.027	^{77}0.153	^{88}0.101	^{85}0.059	^{31}0.976	^{37}0.947	^{48}0.879
72	HIK-005	^{43}0.044	^{41}0.019	^{51}0.009	^{23}0.077	^{22}0.048	^{28}0.028	^{118}0.999	^{127}0.998	^{41}0.831

Table 19: **Threshold-based accuracy**. *Values are FNIR(N, T, L) with N = 1.6 million with thresholds set to produce FPIR = 0.001, 0.01, and 0.1 in non-mate searches. Columns 3-5 apply to FRVT-2018 mugshots: Columns 6-8 show the corresponding FNIR values for webcam images searched against the FRVT-2018 mugshot gallery. Finally, the three rightmost columns show FNIR for profile view images searched against the FRVT-2018 frontal gallery. Throughout blue superscripts indicate the rank of the algorithm for that column. Caution: The Power-low models are mostly intended to draw attention to the kind of behavior, not as a model to be used for prediction.*

MISSES BELOW THRESHOLD, T		ENROL MOST RECENT MUGSHOT, N = 1.6M								
FNIR(N, T> 0, R >L)		DATASET: FRVT 2018 MUGSHOTS			DATASET: WEBCAM PROBES			DATASET: PROFILE PROBES		
#	ALGORITHM	FPIR=0.001	FPIR=0.01	FPIR=0.1	FPIR=0.001	FPIR=0.01	FPIR=0.1	FPIR=0.001	FPIR=0.01	FPIR=0.1
73	HIK-006	^{51}0.047	^{44}0.020	^{50}0.009	^{26}0.086	^{26}0.052	^{29}0.029	^{151}1.000	^{140}0.999	^{40}0.819
74	IDEMIA-000	^{112}0.111	^{118}0.059	^{114}0.027	^{109}0.240	^{110}0.156	^{106}0.085	^{51}0.990	^{73}0.986	^{100}0.976
75	IDEMIA-001	^{59}0.051	^{75}0.029	^{80}0.015				^{28}0.971	^{41}0.964	^{79}0.955
76	IDEMIA-002	^{61}0.052	^{78}0.029	^{85}0.016				^{27}0.970	^{43}0.965	^{74}0.952
77	IDEMIA-003	^{52}0.047	^{49}0.021	^{63}0.011	^{88}0.165	^{65}0.079	^{78}0.050		^{223}1.000	^{142}0.996
78	IDEMIA-004	^{37}0.037	^{48}0.021	^{68}0.011	^{57}0.118	^{64}0.079	^{76}0.050	^{30}0.973	^{44}0.968	^{82}0.960
79	IDEMIA-005	^{45}0.044	^{70}0.026	^{76}0.014	^{75}0.150	^{90}0.102	^{96}0.065	^{35}0.978	^{52}0.973	^{93}0.967
80	IDEMIA-006	^{42}0.043	^{68}0.025	^{79}0.015	^{105}0.226	^{111}0.161	^{123}0.108	^{42}0.982	^{64}0.980	^{101}0.976
81	IDEMIA-007	^{15}0.018	^{15}0.008	^{21}0.004	^{15}0.055	^{14}0.033	^{14}0.021	^{194}1.000	^{195}1.000	^{196}1.000
82	IIT-001	^{33}0.034	^{34}0.016	^{32}0.006	^{141}0.403	^{155}0.382	^{165}0.367			
83	IMAGUS-000	^{209}0.734	^{216}0.607	^{217}0.452	^{174}0.872	^{176}0.779	^{179}0.635	^{126}1.000	^{142}1.000	^{149}0.999
84	IMAGUS-002	^{210}0.749	^{214}0.564	^{214}0.375	^{171}0.816	^{173}0.645	^{173}0.460	^{141}1.000	^{148}1.000	^{153}0.999
85	IMAGUS-003	^{213}0.807	^{218}0.669	^{221}0.511	^{175}0.909	^{178}0.809	^{180}0.667	^{135}1.000	^{145}1.000	^{152}0.999
86	IMPERIAL-000	^{25}0.026	^{19}0.009	^{22}0.004	^{19}0.068	^{18}0.041	^{18}0.024	^{101}0.999	^{102}0.995	^{12}0.441
87	INCODE-000	^{168}0.310	^{179}0.199	^{178}0.104	^{143}0.420	^{147}0.304	^{147}0.191	^{94}0.998	^{99}0.994	^{121}0.984
88	INCODE-001	^{148}0.212	^{150}0.112	^{137}0.047	^{123}0.296	^{125}0.198	^{125}0.110	^{143}1.000	^{143}1.000	^{51}0.885
89	INCODE-002	^{141}0.184	^{147}0.100	^{133}0.044	^{120}0.269	^{120}0.176	^{116}0.100	^{63}0.993	^{60}0.976	^{60}0.918
90	INCODE-003	^{137}0.167	^{134}0.084	^{127}0.034	^{116}0.264	^{114}0.164	^{108}0.087	^{116}0.999	^{119}0.996	^{53}0.899
91	INCODE-004	^{68}0.054	^{61}0.023	^{45}0.008	^{60}0.120	^{54}0.070	^{45}0.036	^{71}0.995	^{31}0.929	^{24}0.630
92	INNOVATRICS-000	^{158}0.253	^{173}0.163	^{174}0.087	^{136}0.361	^{141}0.258	^{143}0.159	^{44}0.983	^{59}0.975	^{78}0.953
93	INNOVATRICS-001	^{157}0.253	^{172}0.163	^{173}0.087				^{43}0.983	^{58}0.975	^{77}0.953
94	INNOVATRICS-002	^{154}0.234	^{167}0.139	^{166}0.077	^{128}0.310	^{131}0.209	^{131}0.126	^{146}1.000	^{141}0.999	^{117}0.982
95	INNOVATRICS-003	^{150}0.221	^{163}0.132	^{157}0.065	^{124}0.297	^{128}0.203	^{128}0.116	^{123}1.000	^{130}0.998	^{65}0.933
96	INNOVATRICS-004	^{125}0.132	^{131}0.074	^{126}0.033	^{104}0.222	^{105}0.149	^{105}0.085	^{38}0.980	^{50}0.973	^{81}0.957
97	INNOVATRICS-005	^{32}0.034	^{30}0.014	^{26}0.005						
98	INTSYSMSU-000	^{231}0.998	^{232}0.990	^{232}0.921	^{189}1.000	^{189}0.998	^{50}0.038	^{124}1.000	^{126}0.998	^{31}0.705
99	ISYSTEMS-000	^{101}0.089	^{100}0.044	^{104}0.021	^{93}0.173	^{96}0.110	^{94}0.065	^{61}0.993	^{79}0.989	^{116}0.981
100	ISYSTEMS-001	^{97}0.088	^{99}0.044	^{103}0.020				^{60}0.993	^{78}0.989	^{115}0.981
101	ISYSTEMS-002	^{89}0.078	^{83}0.032	^{72}0.013	^{62}0.126	^{67}0.080	^{70}0.046	^{83}0.998	^{94}0.993	^{89}0.965
102	ISYSTEMS-003	^{75}0.059	^{65}0.024	^{59}0.010	^{46}0.107	^{50}0.068	^{52}0.039	^{128}1.000	^{123}0.997	^{75}0.953
103	KEDACOM-001	^{22}0.023	^{28}0.013	^{53}0.009	^{21}0.072	^{28}0.054	^{61}0.042	^{49}0.986	^{55}0.973	^{96}0.972
104	KNERON-000		^{85}0.033	^{74}0.013						
105	LOOKMAN-003	^{44}0.044	^{66}0.025	^{77}0.014	^{50}0.112	^{68}0.082	^{83}0.057			
106	LOOKMAN-004	^{48}0.045	^{63}0.024	^{73}0.013	^{45}0.105	^{60}0.075	^{81}0.052	^{32}0.977	^{56}0.974	^{97}0.972
107	LOOKMAN-005	^{30}0.030	^{35}0.017	^{61}0.011	^{25}0.086	^{42}0.063	^{69}0.046	^{34}0.978	^{51}0.973	^{95}0.971
108	MEGVII-000	^{111}0.106	^{114}0.055	^{110}0.023	^{52}0.116	^{47}0.067	^{37}0.034			
109	MEGVII-001	^{80}0.072	^{87}0.037	^{98}0.019	^{38}0.097	^{37}0.061	^{35}0.033			
110	MEGVII-002	^{88}0.077	^{89}0.037	^{97}0.019	^{37}0.096	^{34}0.059	^{34}0.033	^{96}0.998	^{26}0.872	^{26}0.644
111	MICROFOCUS-000	^{222}0.933	^{227}0.867	^{229}0.748	^{188}0.985	^{187}0.950	^{189}0.877			
112	MICROFOCUS-001	^{223}0.933	^{228}0.867	^{230}0.748						
113	MICROFOCUS-002	^{224}0.934	^{229}0.869	^{231}0.758						
114	MICROFOCUS-003	^{221}0.931	^{226}0.866	^{228}0.747	^{187}0.979	^{186}0.948	^{188}0.876			
115	MICROFOCUS-004	^{232}0.999	^{235}0.999	^{234}0.994	^{185}0.975	^{185}0.940	^{187}0.862			
116	MICROFOCUS-005	^{218}0.835	^{224}0.736	^{224}0.587	^{180}0.928	^{182}0.865	^{185}0.748			
117	MICROFOCUS-006	^{227}0.978	^{230}0.963	^{226}0.640	^{179}0.923	^{181}0.858	^{184}0.739			
118	MICROSOFT-000	^{39}0.041	^{40}0.019	^{39}0.008	^{51}0.115	^{55}0.071	^{55}0.040			
119	MICROSOFT-001	^{40}0.042	^{42}0.020	^{43}0.008						
120	MICROSOFT-002	^{54}0.047	^{60}0.023	^{57}0.010						
121	MICROSOFT-003	^{29}0.028	^{26}0.012	^{20}0.004	^{31}0.091	^{32}0.056	^{27}0.028			
122	MICROSOFT-004	^{26}0.026	^{24}0.011	^{16}0.004	^{27}0.087	^{27}0.053	^{24}0.026			
123	MICROSOFT-005	^{24}0.026	^{23}0.010	^{17}0.004	^{20}0.070	^{19}0.041	^{13}0.021	^{5}0.587	^{5}0.354	^{6}0.222
124	MICROSOFT-006	^{8}0.012	^{9}0.006	^{12}0.003	^{8}0.037	^{9}0.024	^{7}0.016	^{1}0.386	^{2}0.281	^{3}0.198
125	NEC-000	^{90}0.079	^{107}0.047	^{116}0.027	^{72}0.140	^{75}0.093	^{86}0.059	^{36}0.979	^{46}0.969	^{80}0.956
126	NEC-001	^{110}0.106	^{120}0.060	^{125}0.033	^{99}0.197	^{102}0.133	^{104}0.083	^{48}0.986	^{49}0.972	^{83}0.960
127	NEC-002	^{3}0.003	^{2}0.002	^{2}0.001	^{3}0.020	^{3}0.013	^{2}0.010	^{113}0.999	^{105}0.995	^{14}0.474
128	NEC-003	^{2}0.002	^{3}0.002	^{3}0.002	^{2}0.017	^{2}0.013	^{3}0.011	^{12}0.824	^{10}0.628	^{13}0.450
129	NEUROTECHNOLOGY-000	^{164}0.293	^{178}0.194	^{180}0.105	^{148}0.465	^{149}0.317	^{150}0.196	^{104}0.999	^{112}0.995	^{99}0.974
130	NEUROTECHNOLOGY-001	^{165}0.296	^{177}0.193	^{176}0.103				^{87}0.998	^{107}0.995	^{133}0.989
131	NEUROTECHNOLOGY-002	^{166}0.297	^{176}0.193	^{177}0.103				^{85}0.998	^{110}0.995	^{135}0.989
132	NEUROTECHNOLOGY-003	^{204}0.636	^{146}0.099	^{145}0.050	^{118}0.266	^{113}0.164	^{111}0.088	^{225}1.000	^{225}1.000	^{225}1.000
133	NEUROTECHNOLOGY-004	^{79}0.063	^{73}0.028	^{69}0.012	^{54}0.117	^{56}0.073	^{56}0.040	^{67}0.994	^{82}0.990	^{127}0.984
134	NEUROTECHNOLOGY-005	^{69}0.054	^{55}0.022	^{52}0.009	^{64}0.130	^{59}0.074	^{62}0.042	^{89}0.998	^{77}0.989	^{91}0.965
135	NEUROTECHNOLOGY-006	^{155}0.249	^{158}0.121	^{144}0.049	^{142}0.418	^{130}0.206	^{118}0.103			
136	NEUROTECHNOLOGY-007	^{78}0.062	^{52}0.021	^{42}0.008	^{92}0.173	^{49}0.068	^{48}0.038	^{131}1.000	^{122}0.997	^{102}0.977
137	NEWLAND-002	^{184}0.438	^{188}0.294	^{184}0.155	^{149}0.466	^{151}0.335	^{152}0.213	^{106}0.999	^{129}0.998	^{129}0.986
138	NOBLIS-001	^{234}1.000	^{233}0.991	^{215}0.418	^{235}1.000	^{235}1.000	^{191}1.000	^{153}1.000	^{157}1.000	^{158}1.000
139	NOBLIS-002	^{230}0.997	^{208}0.488	^{204}0.307	^{198}1.000	^{198}1.000	^{177}0.565	^{140}1.000	^{153}1.000	^{156}1.000
140	NTECHLAB-000	^{91}0.080	^{103}0.045	^{101}0.020	^{86}0.162	^{93}0.105	^{88}0.061	^{18}0.900	^{24}0.826	^{32}0.720
141	NTECHLAB-001	^{106}0.100	^{111}0.053	^{112}0.025				^{19}0.909	^{25}0.842	^{34}0.734
142	NTECHLAB-003	^{67}0.054	^{74}0.028	^{71}0.013	^{55}0.118	^{61}0.075	^{63}0.043	^{14}0.837	^{19}0.752	^{22}0.628
143	NTECHLAB-004	^{38}0.041	^{50}0.021	^{55}0.009	^{44}0.105	^{45}0.065	^{43}0.036	^{13}0.833	^{17}0.746	^{23}0.629
144	NTECHLAB-005	^{41}0.042	^{51}0.021	^{56}0.009	^{42}0.102	^{43}0.063	^{39}0.034	^{11}0.771	^{13}0.661	^{19}0.516

Table 20: **Threshold-based accuracy**. *Values are FNIR(N, T, L) with N = 1.6 million with thresholds set to produce FPIR = 0.001, 0.01, and 0.1 in non-mate searches. Columns 3-5 apply to FRVT-2018 mugshots: Columns 6-8 show the corresponding FNIR values for webcam images searched against the FRVT-2018 mugshot gallery. Finally, the three rightmost columns show FNIR for profile view images searched against the FRVT-2018 frontal gallery. Throughout blue superscripts indicate the rank of the algorithm for that column. Caution: The Power-low models are mostly intended to draw attention to the kind of behavior, not as a model to be used for prediction.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES BELOW THRESHOLD, T		ENROL MOST RECENT MUGSHOT, N = 1.6M								
FNIR(N, T > 0, R > L)		DATASET: FRVT 2018 MUGSHOTS			DATASET: WEBCAM PROBES			DATASET: PROFILE PROBES		
#	ALGORITHM	FPIR=0.001	FPIR=0.01	FPIR=0.1	FPIR=0.001	FPIR=0.01	FPIR=0.1	FPIR=0.001	FPIR=0.01	FPIR=0.1
145	NTECHLAB-006	^{35}0.037	^{38}0.018	^{41}0.008	^{33}0.094	^{33}0.059	^{32}0.032	^{10}0.754	^{11}0.635	^{15}0.490
146	NTECHLAB-007	^{23}0.026	^{27}0.012	^{27}0.005	^{18}0.067	^{17}0.041	^{17}0.023	^{9}0.750	^{12}0.642	^{17}0.498
147	NTECHLAB-008	^{10}0.014	^{11}0.007	^{13}0.003	^{10}0.045	^{12}0.029	^{9}0.017	^{4}0.529	^{6}0.391	^{7}0.252
148	PARAVISION-000	^{102}0.089	^{105}0.045	^{113}0.025	^{90}0.170	^{84}0.100	^{87}0.060	^{109}0.999	^{120}0.997	^{30}0.702
149	PARAVISION-001	^{56}0.049	^{46}0.020	^{37}0.008	^{63}0.128	^{58}0.074	^{53}0.039	^{99}0.999	^{98}0.994	^{21}0.530
150	PARAVISION-002	^{57}0.050	^{57}0.022	^{47}0.009	^{58}0.119	^{63}0.076	^{57}0.041	^{45}0.983	^{18}0.748	^{16}0.495
151	PARAVISION-003	^{34}0.035	^{32}0.016	^{30}0.006	^{36}0.096	^{36}0.060	^{36}0.034	^{68}0.994	^{14}0.733	^{11}0.395
152	PARAVISION-004	^{7}0.010	^{6}0.004	^{6}0.002	^{9}0.038	^{8}0.024	^{6}0.015	^{139}1.000	^{22}0.797	^{2}0.170
153	PARAVISION-005	^{4}0.004	^{4}0.002	^{4}0.002	^{4}0.024	^{4}0.016	^{5}0.012	^{37}0.980	^{1}0.181	^{1}0.109
154	PIXELALL-002	^{109}0.105	^{79}0.030	^{65}0.011	^{138}0.388	^{69}0.083	^{63}0.044	^{144}1.000	^{149}1.000	^{145}0.997
155	PIXELALL-003	^{19}0.022	^{17}0.009	^{15}0.003	^{22}0.073	^{21}0.043	^{19}0.024	^{121}1.000	^{128}0.998	^{33}0.720
156	QUANTASOFT-001	^{205}0.639	^{210}0.493	^{207}0.333						
157	RANKONE-000	^{149}0.217	^{162}0.127	^{162}0.075	^{139}0.391	^{145}0.291	^{149}0.195			
158	RANKONE-001	^{135}0.166	^{135}0.084	^{131}0.040						
159	RANKONE-002	^{117}0.118	^{130}0.071	^{130}0.039	^{114}0.261	^{124}0.190	^{130}0.126			
160	RANKONE-003	^{116}0.118	^{129}0.071	^{129}0.039	^{113}0.255	^{122}0.187	^{129}0.122			
161	RANKONE-004	^{143}0.193	^{159}0.124	^{160}0.074	^{145}0.426	^{150}0.324	^{153}0.221			
162	RANKONE-005	^{76}0.059	^{84}0.033	^{94}0.018	^{94}0.173	^{98}0.119	^{101}0.074	^{92}0.998	^{100}0.994	^{136}0.990
163	RANKONE-006	^{36}0.037	^{43}0.020	^{58}0.010				^{33}0.977	^{34}0.937	^{47}0.870
164	RANKONE-007	^{21}0.022	^{25}0.011	^{29}0.006	^{34}0.095	^{38}0.061	^{42}0.036	^{24}0.967	^{29}0.924	^{44}0.850
165	REALNETWORKS-000	^{153}0.234	^{166}0.138	^{164}0.075	^{131}0.319	^{133}0.209	^{133}0.129			
166	REALNETWORKS-001	^{152}0.234	^{165}0.138	^{163}0.075	^{130}0.319	^{132}0.209	^{132}0.129			
167	REALNETWORKS-002	^{151}0.231	^{164}0.137	^{161}0.074	^{129}0.315	^{134}0.209	^{134}0.129			
168	REALNETWORKS-003	^{132}0.159	^{138}0.090	^{138}0.048	^{117}0.266	^{119}0.172	^{117}0.102	^{95}0.998	^{74}0.987	^{57}0.914
169	REALNETWORKS-004	^{131}0.158	^{137}0.090	^{136}0.047	^{115}0.263	^{116}0.169	^{114}0.099	^{110}0.999	^{93}0.992	^{67}0.935
170	REMARKAI-000	^{123}0.128	^{119}0.059	^{109}0.022	^{100}0.203	^{100}0.123	^{93}0.064			
171	REMARKAI-000	^{70}0.055	^{59}0.023	^{40}0.008	^{59}0.120	^{52}0.070	^{46}0.037	^{108}0.999	^{104}0.995	^{49}0.880
172	REMARKAI-002	^{122}0.124	^{117}0.059	^{108}0.022	^{98}0.196	^{99}0.122	^{92}0.063	^{87}0.991	^{63}0.980	^{64}0.932
173	SCANOVATE-000	^{82}0.067	^{80}0.030	^{64}0.011	^{111}0.240	^{106}0.150	^{100}0.073	^{17}0.893	^{23}0.803	^{29}0.683
174	SENSETIME-000	^{17}0.021	^{18}0.009	^{23}0.004	^{16}0.063	^{16}0.040	^{20}0.025	^{205}1.000	^{75}0.988	^{46}0.869
175	SENSETIME-001	^{20}0.022	^{20}0.010	^{25}0.005	^{17}0.064	^{20}0.041	^{22}0.025			
176	SENSETIME-002	^{11}0.015	^{31}0.014	^{78}0.014	^{6}0.028	^{7}0.023	^{16}0.021	^{66}0.994	^{62}0.979	^{43}0.842
177	SENSETIME-003	^{1}0.002	^{1}0.001	^{1}0.001	^{1}0.012	^{1}0.009	^{1}0.007	^{2}0.477	^{3}0.311	^{5}0.212
178	SHAMAN-000	^{186}0.473	^{195}0.368	^{199}0.257	^{159}0.621	^{164}0.507	^{167}0.375			
179	SHAMAN-001	^{193}0.530	^{201}0.405	^{202}0.272						
180	SHAMAN-002	^{208}0.699	^{215}0.581	^{216}0.423						
181	SHAMAN-003	^{185}0.451	^{191}0.347	^{191}0.223	^{158}0.597	^{161}0.472	^{157}0.317			
182	SHAMAN-004	^{199}0.615	^{207}0.488	^{211}0.342	^{168}0.754	^{172}0.639	^{174}0.480			
183	SHAMAN-006	^{127}0.141	^{140}0.092	^{154}0.058	^{107}0.237	^{115}0.168	^{122}0.108	^{29}0.972	^{40}0.960	^{62}0.931
184	SHAMAN-007	^{128}0.141	^{139}0.092	^{153}0.057	^{110}0.240	^{117}0.169	^{120}0.107			
185	SIAT-000	^{98}0.088	^{101}0.044	^{96}0.019	^{47}0.107	^{44}0.064	^{40}0.035			
186	SIAT-001	^{13}0.018	^{12}0.007	^{11}0.003	^{137}0.365	^{152}0.348	^{158}0.337			
187	SIAT-002	^{18}0.022	^{13}0.007	^{9}0.003	^{150}0.478	^{159}0.460	^{172}0.451			
188	SMILART-000	^{200}0.619	^{205}0.485	^{205}0.320						
189	SMILART-001	^{206}0.640	^{212}0.504	^{210}0.341						
190	SMILART-002	^{201}0.628	^{209}0.491	^{206}0.323						
191	SMILART-004	^{225}0.968	^{231}0.965	^{233}0.964	^{186}0.976	^{188}0.973	^{190}0.973			
192	SMILART-005									
193	SYNESIS-000	^{197}0.552	^{197}0.376	^{190}0.211	^{167}0.734	^{171}0.598	^{171}0.431			
194	SYNESIS-003	^{198}0.582	^{203}0.443	^{203}0.292	^{161}0.646	^{165}0.524	^{166}0.372			
195	SYNESIS-003	^{80}0.065	^{81}0.032	^{84}0.016						
196	TECH5-001	^{72}0.057	^{37}0.018	^{35}0.008	^{181}0.935	^{31}0.055	^{25}0.027	^{154}1.000	^{146}1.000	^{150}0.999
197	TEVIAN-000	^{145}0.200	^{152}0.112	^{148}0.052	^{132}0.331	^{135}0.227	^{136}0.132			
198	TEVIAN-001	^{146}0.200	^{153}0.112	^{149}0.052						
199	TEVIAN-002	^{144}0.200	^{151}0.112	^{147}0.052						
200	TEVIAN-003	^{140}0.177	^{145}0.096	^{132}0.041	^{125}0.298	^{126}0.198	^{126}0.113			
201	TEVIAN-004	^{115}0.117	^{123}0.063	^{119}0.028	^{95}0.176	^{97}0.115	^{95}0.065			
202	TEVIAN-005	^{96}0.087	^{104}0.045	^{99}0.019	^{73}0.144	^{72}0.089	^{74}0.049	^{23}0.962	^{21}0.796	^{25}0.634
203	TIGER-000	^{180}0.390	^{184}0.261	^{183}0.140	^{151}0.500	^{153}0.366	^{151}0.211			
204	TIGER-001				^{156}0.580	^{162}0.487	^{170}0.396			
205	TIGER-002	^{93}0.086	^{92}0.039	^{82}0.015	^{83}0.158	^{79}0.095	^{73}0.048	^{103}0.999	^{57}0.975	^{28}0.678
206	TIGER-003	^{92}0.086	^{91}0.039	^{81}0.015	^{82}0.158	^{78}0.095	^{72}0.048			
207	TONGYITRANS-000	^{87}0.074	^{90}0.038	^{86}0.016	^{49}0.112	^{51}0.069	^{49}0.038			
208	TONGYITRANS-001	^{81}0.066	^{82}0.032	^{75}0.014	^{40}0.101	^{40}0.062	^{38}0.034			
209	TOSHIBA-000	^{77}0.062	^{72}0.027	^{60}0.011	^{56}0.118	^{57}0.074	^{59}0.041	^{76}0.995	^{76}0.988	^{72}0.949
210	TOSHIBA-001	^{74}0.058	^{39}0.019	^{38}0.008	^{32}0.092	^{29}0.054	^{33}0.032			
211	VD-000	^{220}0.917	^{225}0.827	^{227}0.668	^{183}0.946	^{183}0.871	^{183}0.725			
212	VD-001	^{147}0.201	^{156}0.116	^{152}0.056	^{121}0.281	^{125}0.188	^{119}0.106			
213	VIGILANTSOLUTIONS-000	^{195}0.537	^{198}0.393	^{198}0.245	^{166}0.695	^{170}0.557	^{168}0.389	^{88}0.998	^{103}0.995	^{137}0.990
214	VIGILANTSOLUTIONS-001	^{203}0.636	^{211}0.501	^{212}0.347				^{127}1.000	^{133}0.998	^{141}0.995
215	VIGILANTSOLUTIONS-002	^{219}0.876	^{223}0.730	^{220}0.488				^{102}0.999	^{108}0.995	^{131}0.987
216	VIGILANTSOLUTIONS-003	^{183}0.408	^{186}0.282	^{186}0.161	^{165}0.660	^{167}0.526	^{161}0.356	^{100}0.999	^{106}0.995	^{130}0.986

Table 21: **Threshold-based accuracy**. *Values are FNIR(N, T, L) with N = 1.6 million with thresholds set to produce FPIR = 0.001, 0.01, and 0.1 in non-mate searches. Columns 3-5 apply to FRVT-2018 mugshots: Columns 6-8 show the corresponding FNIR values for webcam images searched against the FRVT-2018 mugshot gallery. Finally, the three rightmost columns show FNIR for profile view images searched against the FRVT-2018 frontal gallery. Throughout blue superscripts indicate the rank of the algorithm for that column. Caution: The Power-low models are mostly intended to draw attention to the kind of behavior, not as a model to be used for prediction.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES BELOW THRESHOLD, T		ENROL MOST RECENT MUGSHOT, N = 1.6M								
FNIR(N, T> 0, R >L)		DATASET: FRVT 2018 MUGSHOTS			DATASET: WEBCAM PROBES			DATASET: PROFILE PROBES		
#	ALGORITHM	FPIR=0.001	FPIR=0.01	FPIR=0.1	FPIR=0.001	FPIR=0.01	FPIR=0.1	FPIR=0.001	FPIR=0.01	FPIR=0.1
217	VIGILANTSOLUTIONS-004	^{196}0.549	^{202}0.422	^{201}0.266	^{173}0.817	^{175}0.709	^{176}0.523	^{80}0.996	^{88}0.991	^{120}0.984
218	VIGILANTSOLUTIONS-005	^{179}0.388	^{94}0.043	^{102}0.020				^{142}1.000	^{154}1.000	^{151}0.999
219	VIGILANTSOLUTIONS-006	^{172}0.353	^{97}0.043	^{105}0.021				^{145}1.000	^{155}1.000	^{147}0.998
220	VISIONLABS-003	^{55}0.048	^{62}0.023	^{66}0.011	^{69}0.137	^{73}0.091	^{80}0.051	^{107}0.999	^{109}0.995	^{38}0.811
221	VISIONLABS-004	^{73}0.058	^{64}0.024	^{36}0.008	^{84}0.159	^{81}0.097	^{66}0.045	^{16}0.890	^{16}0.742	^{20}0.525
222	VISIONLABS-005	^{58}0.050	^{45}0.020	^{31}0.006	^{74}0.147	^{71}0.087	^{58}0.041	^{15}0.888	^{15}0.736	^{18}0.514
223	VISIONLABS-006	^{28}0.027	^{22}0.010	^{19}0.004	^{30}0.090	^{25}0.051	^{23}0.025	^{7}0.672	^{8}0.511	^{9}0.328
224	VISIONLABS-007	^{27}0.027	^{21}0.010	^{18}0.004	^{29}0.090	^{24}0.051	^{21}0.025	^{8}0.672	^{7}0.511	^{8}0.328
225	VISIONLABS-008	^{9}0.013	^{8}0.006	^{8}0.003	^{13}0.051	^{13}0.032	^{12}0.019	^{3}0.481	^{4}0.317	^{4}0.203
226	VOCORD-000	^{177}0.381	^{155}0.114	^{156}0.060	^{122}0.285	^{121}0.181	^{121}0.108	^{137}1.000	^{151}1.000	^{155}1.000
227	VOCORD-001	^{163}0.291	^{154}0.113	^{155}0.060				^{136}1.000	^{150}1.000	^{154}1.000
228	VOCORD-002	^{170}0.336	^{148}0.105	^{151}0.055				^{150}1.000	^{156}1.000	^{157}1.000
229	VOCORD-003	^{121}0.122	^{108}0.048	^{88}0.017	^{80}0.155	^{76}0.093	^{71}0.048	^{93}0.998	^{85}0.991	^{52}0.891
230	VOCORD-004	^{173}0.355	^{109}0.051	^{95}0.019	^{91}0.173	^{74}0.093	^{67}0.046	^{130}1.000	^{135}0.999	^{119}0.982
231	VOCORD-005	^{130}0.158	^{98}0.044	^{87}0.017	^{65}0.130	^{66}0.080	^{64}0.043	^{82}0.997	^{45}0.968	^{45}0.865
232	VOCORD-006	^{240}1.000	^{240}1.000	^{240}1.000	^{237}1.000	^{237}1.000	^{237}1.000	^{236}1.000	^{236}1.000	^{236}1.000
233	YISHENG-000	^{176}0.378	^{181}0.206	^{169}0.083	^{184}0.974	^{143}0.275	^{142}0.146			
234	YISHENG-001	^{171}0.346	^{180}0.206	^{175}0.087	^{170}0.808	^{142}0.269	^{141}0.144			
235	YITU-000	^{53}0.047	^{54}0.022	^{54}0.009	^{28}0.090	^{30}0.054	^{30}0.030			
236	YITU-001	^{46}0.044	^{47}0.021	^{48}0.009						
237	YITU-002	^{14}0.018	^{14}0.008	^{14}0.003	^{12}0.049	^{10}0.028	^{8}0.016			
238	YITU-003	^{16}0.019	^{16}0.009	^{24}0.004	^{14}0.052	^{15}0.033	^{15}0.021			
239	YITU-004	^{5}0.010	^{5}0.004	^{5}0.002	^{5}0.027	^{5}0.017	^{4}0.011	^{20}0.936	^{28}0.913	^{50}0.880
240	YITU-005	^{6}0.010	^{7}0.005	^{10}0.003	^{7}0.032	^{6}0.023	^{10}0.017			

Table 22: **Threshold-based accuracy**. *Values are FNIR(N, T, L) with N = 1.6 million with thresholds set to produce FPIR = 0.001, 0.01, and 0.1 in non-mate searches. Columns 3-5 apply to FRVT-2018 mugshots: Columns 6-8 show the corresponding FNIR values for webcam images searched against the FRVT-2018 mugshot gallery. Finally, the three rightmost columns show FNIR for profile view images searched against the FRVT-2018 frontal gallery. Throughout blue superscripts indicate the rank of the algorithm for that column. Caution: The Power-low models are mostly intended to draw attention to the kind of behavior, not as a model to be used for prediction.*

		INVESTIGATION MODE				IDENTIFICATION MODE				FAILURE TO EXTRACT			
		RANK ONE MISS RATE, FNIR(N, 0, 1)				HIGH T → FPIR = 0.01, FNIR(N, T, L)				FEATURES			
		N=1.6M	N=1.6M	N=1.6M	N=1.1M	N=1.6M	N=1.6M	N=1.6M	N=1.1M	N=1.6M	N=1.6M	N=1.6M	N=1.1M
#	ALGORITHM	FRVT-18	WEBCAM	PROFILE	WILD	FRVT-18	WEBCAM	PROFILE	WILD+	FRVT-18	WEBCAM	PROFILE	WILD
1	3DIVI-000	^{153}0.032	^{142}0.086		^{59}0.071	^{169}0.158	^{146}0.302		^{63}0.095	0.003	0.007		0.013
2	3DIVI-001	^{154}0.035			^{62}0.074	^{170}0.158			^{64}0.095	0.003			0.013
3	3DIVI-002	^{159}0.038			^{64}0.076	^{171}0.161			^{65}0.096	0.003			0.013
4	3DIVI-003	^{187}0.083	^{160}0.206		^{81}0.094	^{187}0.282	^{163}0.497		^{85}0.136	0.002	0.005		0.009
5	3DIVI-004	^{128}0.018	^{127}0.062			^{142}0.093	^{137}0.237			0.002	0.005		
6	3DIVI-005	^{129}0.018	^{126}0.062	^{88}0.930	^{32}0.052	^{141}0.093	^{136}0.234	^{83}0.990	^{42}0.069	0.002	0.005	0.442	0.004
7	3DIVI-006	^{144}0.024	^{136}0.074		^{38}0.060	^{144}0.096	^{138}0.238		^{45}0.072	0.002	0.005		0.004
8	ALCHERA-000	^{124}0.016	^{113}0.047	^{79}0.870	^{77}0.092	^{127}0.070	^{104}0.146	^{116}0.996	^{55}0.089	0.006	0.014	0.328	0.030
9	ALCHERA-001	^{235}0.987	^{196}1.000			^{234}0.999	^{202}1.000			0.006	0.013	0.324	
10	ALCHERA-002	^{188}0.095	^{157}0.166	^{112}0.954	^{84}0.098	^{190}0.302	^{157}0.442	^{136}0.999	^{84}0.135	0.001	0.002	0.106	0.012
11	ALCHERA-003	^{101}0.010	^{90}0.035	^{51}0.741	^{46}0.064	^{128}0.070	^{109}0.152	^{121}0.997	^{40}0.067	0.001	0.002	0.106	0.012
12	ALLGOVISION-000	^{108}0.011	^{86}0.033	^{81}0.894		^{106}0.045	^{94}0.106	^{68}0.982		0.002	0.003	0.122	
13	ANKE-000	^{117}0.013	^{95}0.038	^{92}0.931	^{112}0.289	^{121}0.063	^{107}0.151	^{81}0.990		0.000	0.001	0.080	0.001
14	ANKE-001	^{118}0.013	^{94}0.038	^{105}0.946	^{111}0.284	^{122}0.063	^{108}0.151	^{92}0.992		0.000	0.001	0.080	0.001
15	ANKE-002	^{29}0.003	^{26}0.016	^{30}0.522		^{29}0.014	^{23}0.050	^{20}0.795		0.001	0.001	0.049	
16	AWARE-000	^{179}0.061	^{153}0.138	^{146}0.978	^{125}0.588	^{161}0.126	^{140}0.253	^{131}0.998	^{123}0.587	0.006	0.054	0.829	0.143
17	AWARE-001	^{176}0.056		^{145}0.977	^{124}0.580	^{160}0.124		^{138}0.999	^{121}0.580	0.006		0.829	0.143
18	AWARE-002	^{177}0.057		^{144}0.977		^{157}0.117		^{124}0.998		0.006		0.829	0.143
19	AWARE-003	^{151}0.031	^{143}0.090	^{130}0.966	^{122}0.503	^{133}0.082	^{129}0.204	^{61}0.977	^{118}0.505	0.004	0.003	0.874	0.014
20	AWARE-004	^{182}0.068	^{159}0.176	^{143}0.976		^{174}0.175	^{154}0.375	^{137}0.999		0.003	0.003	0.776	
21	AWARE-005	^{152}0.031	^{129}0.067	^{147}0.978	^{123}0.509	^{136}0.085	^{112}0.163	^{139}0.999	^{119}0.508	0.001	0.002	0.189	0.002
22	AWARE-006	^{184}0.070	^{152}0.128	^{150}0.983		^{175}0.175	^{144}0.283	^{134}0.999		0.001	0.002	0.189	
23	AYONIX-000	^{227}0.450	^{189}0.685	^{161}0.996	^{120}0.400	^{222}0.724	^{184}0.892	^{113}0.995	^{122}0.586	0.010	0.031	0.939	0.068
24	AYONIX-001	^{223}0.341	^{184}0.527	^{156}0.993	^{117}0.334	^{220}0.701	^{180}0.845	^{118}0.996	^{120}0.555	0.010	0.031	0.939	0.066
25	AYONIX-002	^{222}0.341	^{185}0.527	^{155}0.993		^{221}0.702	^{179}0.845	^{117}0.996		0.010	0.031	0.939	
26	CAMVI-001	^{215}0.225	^{174}0.337	^{110}0.953	^{96}0.148	^{213}0.548	^{174}0.648	^{71}0.984	^{95}0.196	0.005	0.009	0.598	0.058
27	CAMVI-002	^{195}0.127		^{83}0.915	^{91}0.130	^{199}0.400		^{53}0.973	^{90}0.157	0.005		0.598	0.058
28	CAMVI-003	^{175}0.052	^{144}0.090	^{82}0.911	^{94}0.139	^{116}0.058	^{95}0.108	^{35}0.940	^{77}0.130	0.006	0.013	0.675	0.074
29	CAMVI-004	^{172}0.047	^{138}0.077	^{53}0.744	^{136}1.000	^{113}0.054	^{82}0.100	^{125}0.998	^{134}1.000	0.000	0.000	0.000	0.000
30	CAMVI-005	^{181}0.065	^{148}0.103	^{54}0.746	^{163}1.000	^{132}0.076	^{101}0.132	^{132}0.998	^{162}1.000	0.000	0.000	0.000	0.001
31	COGENT-000	^{103}0.010	^{111}0.046	^{127}0.965	^{78}0.093	^{77}0.029	^{86}0.100	^{90}0.991	^{72}0.110	0.000	0.000	0.000	0.000
32	COGENT-001	^{102}0.010	^{110}0.046	^{126}0.965		^{76}0.029	^{85}0.100	^{89}0.991		0.000	0.000	0.000	
33	COGENT-002	^{38}0.004	^{46}0.020	^{86}0.925	^{21}0.045	^{36}0.017	^{41}0.063	^{97}0.994	^{23}0.051	0.000	0.000	0.000	0.000
34	COGENT-003	^{40}0.004	^{53}0.021	^{103}0.939	^{33}0.053	^{33}0.016	^{39}0.061	^{111}0.995	^{32}0.063	0.000	0.000	0.000	0.000
35	COGNITEC-000	^{147}0.025	^{122}0.059	^{122}0.964		^{143}0.095	^{127}0.200	^{47}0.971		0.003	0.002	0.924	
36	COGNITEC-001	^{109}0.012	^{88}0.034	^{116}0.958	^{61}0.074	^{110}0.053	^{103}0.135	^{42}0.965	^{46}0.072	0.003	0.002	0.924	0.025
37	COGNITEC-002	^{65}0.006	^{73}0.025	^{107}0.949	^{50}0.065	^{67}0.025	^{89}0.101	^{39}0.956	^{28}0.061	0.003	0.002	0.924	0.021
38	COGNITEC-003	^{69}0.006	^{72}0.025	^{91}0.930	^{29}0.051	^{69}0.025	^{83}0.100	^{36}0.946	^{19}0.049	0.004	0.002	0.878	0.012
39	CYBERLINK-000	^{44}0.004	^{45}0.020	^{49}0.717		^{58}0.023	^{53}0.070	^{67}0.981		0.001	0.001	0.063	
40	CYBERLINK-001	^{35}0.004	^{35}0.018	^{50}0.731		^{56}0.022	^{48}0.067	^{70}0.984		0.000	0.000	0.040	
41	DAHUA-000	^{95}0.009	^{75}0.026			^{102}0.045	^{70}0.083			0.004	0.003		
42	DAHUA-001	^{73}0.007	^{67}0.024	^{48}0.703	^{4}0.038	^{88}0.037	^{62}0.075	^{32}0.933	^{8}0.043	0.002	0.002	0.346	0.001
43	DAHUA-002	^{15}0.002	^{11}0.012	^{12}0.304		^{10}0.006	^{11}0.029	^{9}0.522		0.001	0.000	0.099	
44	DEEPGLINT-001		^{194}0.909	^{63}0.796			^{210}1.000	^{203}1.000		0.000	0.000	0.038	
45	DEEPSEA-001	^{49}0.004	^{24}0.016	^{71}0.814		^{53}0.022	^{35}0.059	^{54}0.973		0.000	0.001	0.047	
46	DERMALOG-000	^{196}0.129	^{164}0.218	^{90}0.930	^{63}0.075	^{194}0.362	^{169}0.528	^{84}0.991	^{69}0.104	0.003	0.002	0.133	0.020
47	DERMALOG-001	^{199}0.154		^{104}0.941	^{75}0.089	^{200}0.403		^{69}0.983	^{81}0.131	0.003		0.133	0.020
48	DERMALOG-002	^{197}0.135		^{93}0.933	^{66}0.076	^{196}0.376		^{65}0.981	^{70}0.105	0.003		0.133	0.020
49	DERMALOG-003	^{193}0.126	^{163}0.217			^{193}0.360	^{168}0.526			0.002	0.002	0.103	
50	DERMALOG-004	^{192}0.125	^{162}0.215	^{89}0.930	^{53}0.066	^{192}0.358	^{166}0.526	^{91}0.991	^{61}0.095	0.001	0.002	0.107	0.013
51	DERMALOG-005	^{123}0.015	^{93}0.037	^{47}0.701	^{52}0.066	^{95}0.043	^{80}0.096	^{38}0.950	^{38}0.066	0.001	0.002	0.102	0.013
52	DERMALOG-006	^{86}0.008	^{71}0.024	^{40}0.619	^{35}0.056	^{71}0.026	^{46}0.067	^{33}0.933	^{26}0.054	0.003	0.006	0.181	0.014
53	DERMALOG-007	^{94}0.009	^{76}0.027			^{93}0.040	^{77}0.093			0.001	0.002	0.102	
54	EYEDEA-000	^{220}0.298	^{179}0.443	^{141}0.974	^{92}0.131	^{219}0.679	^{177}0.783	^{87}0.991	^{103}0.249	0.001	0.003	0.161	0.008
55	EYEDEA-001	^{208}0.196		^{98}0.937	^{60}0.072	^{204}0.479		^{101}0.994	^{80}0.131	0.001		0.161	0.008
56	EYEDEA-002	^{209}0.198		^{94}0.934	^{57}0.070	^{206}0.488		^{115}0.996	^{78}0.130	0.000		0.079	0.005
57	EYEDEA-003	^{186}0.080	^{155}0.148	^{120}0.960	^{48}0.064	^{185}0.265	^{156}0.404	^{80}0.990	^{56}0.091	0.001	0.003	0.161	0.008
58	F8-001	^{114}0.012		^{44}0.669		^{86}0.036		^{114}0.995		0.004	1.000	0.158	
59	GLORY-000	^{204}0.178	^{171}0.320	^{159}0.994		^{189}0.295	^{160}0.470	^{95}0.993		0.011	0.013	0.985	
60	GLORY-001	^{194}0.127	^{168}0.267	^{154}0.992	^{114}0.315	^{182}0.236	^{158}0.448	^{86}0.991	^{110}0.353	0.011	0.013	0.988	0.114
61	GORILLA-000				^{133}0.994				^{131}0.994	0.001		0.069	0.008
62	GORILLA-001	^{178}0.060	^{145}0.095	^{97}0.936	^{37}0.057	^{183}0.246	^{148}0.314	^{152}1.000	^{48}0.076	0.001	0.001	0.069	0.007
63	GORILLA-002	^{135}0.020	^{107}0.044	^{55}0.753	^{19}0.045	^{149}0.106	^{118}0.170	^{96}0.993	^{20}0.049	0.001	0.001	0.069	0.006
64	GORILLA-003	^{156}0.036	^{132}0.070	^{72}0.821	^{56}0.069	^{168}0.157	^{139}0.247	^{147}1.000	^{51}0.080	0.001	0.001	0.069	0.007
65	GORILLA-004	^{70}0.006	^{68}0.024	^{46}0.697		^{96}0.043	^{87}0.101	^{27}0.903		0.000	0.001	0.042	
66	HBINNO-000	^{219}0.273		^{153}0.990	^{118}0.335	^{217}0.631		^{144}1.000	^{112}0.411	0.007		0.288	0.151
67	HIK-000	^{140}0.021	^{85}0.033	^{114}0.957	^{97}0.153	^{126}0.068	^{91}0.103	^{48}0.971	^{89}0.155	0.010	0.004	0.896	0.027
68	HIK-001	^{121}0.015		^{109}0.952	^{101}0.162	^{124}0.065		^{66}0.981	^{92}0.166	0.003		0.791	0.013
69	HIK-002	^{120}0.015		^{77}0.857	^{83}0.094	^{125}0.065		^{72}0.985	^{68}0.103	0.001		0.058	0.008
70	HIK-003	^{110}0.012	^{78}0.027	^{45}0.689		^{115}0.057	^{92}0.105	^{30}0.925		0.000	0.000	0.048	
71	HIK-004	^{107}0.011	^{77}0.027	^{52}0.743	^{42}0.062	^{112}0.054	^{88}0.101	^{37}0.947	^{47}0.075	0.000	0.000	0.048	0.008
72	HIK-005	^{53}0.005	^{28}0.017	^{33}0.535		^{41}0.019	^{22}0.048	^{127}0.998		0.000	0.000	0.000	0.001

Table 23: **Miss rates by dataset:** *At left, rank 1 miss rates relevant to investigations; at right, with threshold set to target FPIR = 0.01 for higher volume, low prior, uses. +For the WILD set, FPIR = 0.1 Yellow indicates most accurate algorithm. Throughout blue superscripts indicate the rank of the algorithm for that column.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

		INVESTIGATION MODE				IDENTIFICATION MODE				FAILURE TO EXTRACT			
		RANK ONE MISS RATE, FNIR(N, 0, 1)				HIGH T → FPIR = 0.01, FNIR(N, T, L)				FEATURES			
		N=1.6M	N=1.6M	N=1.6M	N=1.1M	N=1.6M	N=1.6M	N=1.6M	N=1.1M	N=1.6M	N=1.6M	N=1.6M	N=1.1M
#	ALGORITHM	FRVT-18	WEBCAM	PROFILE	WILD	FRVT-18	WEBCAM	PROFILE	WILD^{+}	FRVT-18	WEBCAM	PROFILE	WILD
73	HIK-006	^{54}0.005	^{27}0.017	^{34}0.535	^{135}1.000	^{44}0.020	^{26}0.052	^{140}0.999	^{133}1.000	0.000	0.000	0.000	0.001
74	IDEMIA-000	^{89}0.009	^{89}0.034	^{95}0.935	^{104}0.166	^{118}0.059	^{110}0.156	^{73}0.986	^{109}0.288	0.003	0.000	0.172	0.002
75	IDEMIA-001	^{91}0.009		^{99}0.937	^{99}0.157	^{75}0.029		^{41}0.964	^{97}0.205	0.003		0.172	0.002
76	IDEMIA-002	^{100}0.010		^{113}0.956	^{107}0.198	^{78}0.029		^{43}0.965	^{100}0.242	0.005		0.906	0.031
77	IDEMIA-003	^{77}0.007	^{87}0.034	^{115}0.958		^{49}0.021	^{65}0.079	^{223}1.000		0.000	0.000	0.041	
78	IDEMIA-004	^{72}0.007	^{84}0.032	^{106}0.947	^{27}0.051	^{48}0.021	^{64}0.079	^{44}0.968	^{35}0.064	0.000	0.000	0.041	0.003
79	IDEMIA-005	^{85}0.008	^{100}0.039	^{111}0.954	^{16}0.044	^{70}0.026	^{90}0.102	^{52}0.973	^{27}0.055	0.000	0.000	0.041	0.000
80	IDEMIA-006	^{98}0.010	^{134}0.072	^{133}0.969	^{31}0.052	^{68}0.025	^{111}0.161	^{64}0.980	^{39}0.067	0.000	0.000	0.041	0.000
81	IDEMIA-007	^{26}0.003	^{21}0.015	^{198}1.000		^{15}0.008	^{14}0.033	^{195}1.000		0.000	0.000	0.040	
82	IIT-001	^{32}0.003	^{176}0.359			^{34}0.016	^{155}0.382			0.001	0.005	0.051	
83	IMAGUS-000	^{221}0.304	^{181}0.482	^{160}0.994	^{109}0.222	^{216}0.607	^{176}0.779	^{142}1.000	^{109}0.311	0.009	0.013	0.727	0.049
84	IMAGUS-002	^{213}0.220	^{169}0.301	^{152}0.988	^{98}0.154	^{214}0.564	^{173}0.645	^{148}1.000	^{105}0.252	0.004	0.008	0.550	0.023
85	IMAGUS-003	^{224}0.356	^{182}0.513	^{157}0.993		^{218}0.669	^{178}0.809	^{145}1.000		0.004	0.008	0.550	
86	IMPERIAL-000	^{25}0.002	^{18}0.015	^{11}0.280		^{19}0.009	^{18}0.041	^{102}0.995		0.000	0.000	0.000	
87	INCODE-000	^{174}0.049	^{147}0.100	^{108}0.951		^{179}0.199	^{147}0.304	^{99}0.994		0.001	0.004	0.173	
88	INCODE-001	^{126}0.017	^{112}0.046	^{56}0.762	^{30}0.052	^{150}0.112	^{125}0.198	^{143}1.000	^{30}0.062	0.001	0.004	0.173	0.009
89	INCODE-002	^{130}0.018	^{114}0.048	^{73}0.843	^{8}0.039	^{147}0.100	^{120}0.176	^{60}0.976	^{13}0.045	0.000	0.001	0.066	0.001
90	INCODE-003	^{116}0.013	^{102}0.040	^{57}0.764	^{10}0.039	^{134}0.084	^{114}0.164	^{119}0.996	^{12}0.044	0.000	0.001	0.066	0.001
91	INCODE-004	^{36}0.004	^{33}0.017	^{25}0.475		^{61}0.023	^{54}0.070	^{31}0.929		0.000	0.001	0.066	
92	INNOVATRICS-000	^{162}0.040	^{137}0.076	^{124}0.964	^{105}0.188	^{173}0.163	^{141}0.258	^{59}0.975	^{101}0.245	0.002	0.008	0.592	0.093
93	INNOVATRICS-001	^{161}0.040		^{123}0.964	^{106}0.193	^{172}0.163		^{58}0.975	^{99}0.221	0.002		0.592	0.093
94	INNOVATRICS-002	^{171}0.045	^{135}0.074	^{76}0.853		^{167}0.139	^{131}0.209	^{141}0.999		0.000	0.001	0.046	
95	INNOVATRICS-003	^{148}0.026	^{117}0.055	^{75}0.845	^{58}0.071	^{163}0.132	^{128}0.203	^{130}0.998	^{52}0.081	0.000	0.001	0.046	0.007
96	INNOVATRICS-004	^{115}0.012	^{103}0.040	^{117}0.958	^{55}0.067	^{131}0.074	^{105}0.149	^{50}0.973	^{43}0.071	0.000	0.001	0.046	0.013
97	INNOVATRICS-005	^{24}0.002				^{30}0.014				0.000	0.001	0.041	
98	INTSYSMSU-000	^{198}0.146	^{66}0.023	^{36}0.562		^{232}0.990	^{189}0.998	^{126}0.998		0.000	0.000	0.050	
99	ISYSTEMS-000	^{105}0.011	^{99}0.038	^{135}0.969	^{103}0.163	^{100}0.044	^{96}0.110	^{79}0.989	^{94}0.169	0.003	0.013	0.529	0.065
100	ISYSTEMS-001	^{104}0.011		^{134}0.969	^{102}0.162	^{99}0.044		^{78}0.989	^{93}0.169	0.003		0.529	0.065
101	ISYSTEMS-002	^{71}0.006	^{74}0.026	^{74}0.844	^{24}0.049	^{83}0.032	^{67}0.080	^{94}0.993	^{22}0.051	0.002	0.002	0.142	0.009
102	ISYSTEMS-003	^{61}0.005	^{63}0.023	^{60}0.791	^{15}0.043	^{65}0.024	^{50}0.068	^{123}0.997	^{10}0.044	0.002	0.002	0.142	0.003
103	KEDACOM-001	^{81}0.008	^{91}0.036	^{138}0.972		^{28}0.013	^{28}0.054	^{55}0.973		0.000	0.000	0.000	
104	KNERON-000	^{66}0.006				^{85}0.033				0.000	0.000	0.000	
105	LOOKMAN-003	^{90}0.009	^{98}0.038		^{206}1.000	^{66}0.025	^{68}0.082			0.000	0.000		0.000
106	LOOKMAN-004	^{92}0.009	^{101}0.039	^{140}0.973	^{209}1.000	^{63}0.024	^{60}0.075	^{56}0.974		0.000	0.000	0.000	0.000
107	LOOKMAN-005	^{84}0.008	^{92}0.036	^{139}0.972		^{35}0.017	^{42}0.063	^{51}0.973		0.000	0.000	0.000	
108	MEGVII-000	^{80}0.007	^{31}0.017		^{41}0.061	^{114}0.055	^{47}0.067		^{60}0.094	0.000	0.000		0.005
109	MEGVII-001	^{111}0.012	^{32}0.017			^{87}0.037	^{37}0.061			0.002	0.000		
110	MEGVII-002	^{112}0.012	^{34}0.017	^{23}0.450		^{89}0.037	^{34}0.059	^{26}0.872		0.002	0.000	0.033	
111	MICROFOCUS-000	^{231}0.596	^{193}0.782		^{115}0.316	^{227}0.867	^{187}0.950		^{115}0.434	0.005	0.030		0.065
112	MICROFOCUS-001	^{232}0.596			^{116}0.316	^{228}0.867			^{116}0.434	0.005			0.065
113	MICROFOCUS-002	^{233}0.626			^{119}0.342	^{229}0.869			^{117}0.447	0.005			0.065
114	MICROFOCUS-003	^{230}0.594	^{192}0.781		^{110}0.279	^{226}0.866	^{186}0.948		^{113}0.412	0.001	0.005		0.014
115	MICROFOCUS-004	^{229}0.576	^{191}0.758			^{235}0.999	^{185}0.940			0.001	0.005		
116	MICROFOCUS-005	^{225}0.424	^{188}0.601		^{100}0.158	^{224}0.736	^{182}0.865		^{106}0.261	0.001	0.005		0.011
117	MICROFOCUS-006	^{226}0.427	^{187}0.583		^{95}0.146	^{230}0.963	^{181}0.858		^{102}0.246	0.001	0.005		0.011
118	MICROSOFT-000	^{41}0.004	^{49}0.021		^{49}0.065	^{40}0.019	^{55}0.071		^{37}0.065	0.000	0.001		0.019
119	MICROSOFT-001	^{37}0.004			^{44}0.062	^{42}0.020			^{29}0.061	0.000			0.019
120	MICROSOFT-002	^{43}0.004			^{45}0.063	^{60}0.023			^{34}0.063	0.000			0.019
121	MICROSOFT-003	^{7}0.002	^{13}0.012			^{26}0.012	^{32}0.056			0.000	0.001		
122	MICROSOFT-004	^{5}0.001	^{12}0.012		^{9}0.039	^{24}0.011	^{27}0.053		^{9}0.043	0.000	0.001		0.004
123	MICROSOFT-005	^{16}0.002	^{9}0.011	^{4}0.144	^{2}0.033	^{23}0.010	^{19}0.041	^{5}0.354	^{4}0.041	0.000	0.001	0.049	0.000
124	MICROSOFT-006	^{17}0.002	^{10}0.011	^{6}0.150		^{9}0.006	^{9}0.024	^{2}0.281		0.000	0.001	0.049	
125	NEC-000	^{127}0.017	^{105}0.041	^{119}0.959	^{134}0.999	^{107}0.047	^{75}0.093	^{46}0.969	^{132}0.999	0.001	0.002	0.890	0.064
126	NEC-001	^{139}0.021	^{118}0.056	^{132}0.967		^{120}0.060	^{102}0.133	^{49}0.972		0.005	0.003	0.934	
127	NEC-002	^{2}0.001	^{3}0.009	^{20}0.363	^{80}0.093	^{2}0.002	^{3}0.013	^{105}0.995	^{71}0.107	0.000	0.001	0.041	0.025
128	NEC-003	^{4}0.001	^{6}0.010	^{19}0.352	^{74}0.088	^{3}0.002	^{2}0.013	^{10}0.628	^{58}0.092	0.000	0.001	0.041	0.025
129	NEUROTECHNOLOGY-000	^{173}0.047	^{149}0.104	^{137}0.972	^{137}1.000	^{178}0.194	^{149}0.317	^{112}0.995	^{135}1.000	0.004	0.022	0.822	0.091
130	NEUROTECHNOLOGY-001	^{170}0.044		^{129}0.966	^{130}0.954	^{177}0.193		^{107}0.995	^{128}0.953	0.001		0.281	0.028
131	NEUROTECHNOLOGY-002	^{169}0.044		^{128}0.966	^{131}0.983	^{176}0.193		^{110}0.995	^{129}0.983	0.001		0.233	0.028
132	NEUROTECHNOLOGY-003	^{142}0.022	^{106}0.042	^{121}0.961		^{146}0.099	^{113}0.164	^{225}1.000		0.000	0.001	0.131	
133	NEUROTECHNOLOGY-004	^{62}0.006	^{44}0.020	^{136}0.970	^{76}0.090	^{73}0.028	^{56}0.073	^{82}0.990	^{74}0.122	0.000	0.001	0.131	0.007
134	NEUROTECHNOLOGY-005	^{48}0.004	^{70}0.024	^{80}0.893	^{121}0.408	^{55}0.022	^{59}0.074	^{77}0.989	^{114}0.415	0.000	0.000	0.030	0.000
135	NEUROTECHNOLOGY-006	^{131}0.018	^{109}0.045	^{39}0.606	^{25}0.050	^{158}0.121	^{130}0.206		^{36}0.065	0.000	0.000		0.001
136	NEUROTECHNOLOGY-007	^{42}0.004	^{52}0.021	^{64}0.796		^{52}0.021	^{49}0.068	^{122}0.997		0.001	0.001	0.041	
137	NEWLAND-002	^{185}0.079	^{150}0.117	^{96}0.936		^{188}0.294	^{151}0.335	^{129}0.998		0.007	0.012	0.200	
138	NOBLIS-001	^{217}0.249	^{183}0.522	^{158}0.993	^{127}0.734	^{233}0.991	^{235}1.000	^{157}1.000	^{124}0.744	0.000	0.000	0.000	0.000
139	NOBLIS-002	^{205}0.179	^{178}0.392	^{149}0.982		^{208}0.488	^{198}1.000	^{133}1.000		0.000	0.000	0.000	
140	NTECHLAB-000	^{96}0.009	^{83}0.031	^{38}0.595	^{12}0.041	^{103}0.045	^{93}0.105	^{24}0.826	^{7}0.043	0.000	0.001	0.043	0.005
141	NTECHLAB-001	^{113}0.012		^{41}0.630	^{20}0.045	^{111}0.053		^{25}0.842	^{21}0.049	0.000		0.043	0.005
142	NTECHLAB-003	^{67}0.006	^{60}0.023	^{26}0.504		^{74}0.028	^{61}0.075	^{19}0.752		0.000	0.000	0.040	
143	NTECHLAB-004	^{58}0.005	^{40}0.019	^{27}0.506	^{14}0.043	^{50}0.021	^{45}0.065	^{17}0.746	^{18}0.048	0.000	0.000	0.040	0.003
144	NTECHLAB-005	^{55}0.005	^{36}0.018	^{21}0.367	^{7}0.038	^{51}0.021	^{43}0.063	^{13}0.661	^{6}0.042	0.000	0.000	0.040	0.000

Table 24: **Miss rates by dataset:** *At left, rank 1 miss rates relevant to investigations; at right, with threshold set to target FPIR = 0.01 for higher volume, low prior, uses.* $^{+}$*For the WILD set, FPIR = 0.1 Yellow indicates most accurate algorithm. Throughout blue superscripts indicate the rank of the algorithm for that column.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

		INVESTIGATION MODE				IDENTIFICATION MODE				FAILURE TO EXTRACT			
		RANK ONE MISS RATE, FNIR(N, 0, 1)				HIGH T → FPIR = 0.01, FNIR(N, T, L)				FEATURES			
		N=1.6M	N=1.6M	N=1.6M	N=1.1M	N=1.6M	N=1.6M	N=1.6M	N=1.1M	N=1.6M	N=1.6M	N=1.6M	N=1.1M
#	ALGORITHM	FRVT-18	WEBCAM	PROFILE	WILD	FRVT-18	WEBCAM	PROFILE	WILD^{+}	FRVT-18	WEBCAM	PROFILE	WILD
145	NTECHLAB-006	^{47}0.004	^{30}0.017	^{18}0.347	^{6}0.038	^{38}0.018	^{33}0.059	^{11}0.635	^{5}0.042	0.000	0.000	0.040	0.000
146	NTECHLAB-007	^{27}0.003	^{14}0.012	^{13}0.326		^{27}0.012	^{17}0.041	^{12}0.642		0.000	0.000	0.042	
147	NTECHLAB-008	^{9}0.002	^{4}0.010	^{7}0.157		^{11}0.007	^{12}0.029	^{6}0.391		0.000	0.000	0.044	
148	PARAVISION-000	^{132}0.019	^{97}0.038	^{32}0.534		^{105}0.045	^{84}0.100	^{120}0.997		0.000	0.000	0.000	
149	PARAVISION-001	^{39}0.004	^{47}0.020	^{14}0.329	^{129}0.928	^{46}0.020	^{58}0.074	^{98}0.994	^{127}0.927	0.000	0.000	0.000	0.000
150	PARAVISION-002	^{46}0.004	^{55}0.022	^{16}0.335	^{113}0.302	^{57}0.022	^{63}0.076	^{18}0.748	^{108}0.308	0.000	0.000	0.032	0.001
151	PARAVISION-003	^{31}0.003	^{41}0.019	^{10}0.252	^{5}0.038	^{32}0.016	^{36}0.060	^{14}0.733	^{11}0.044	0.000	0.000	0.032	0.001
152	PARAVISION-004	^{8}0.002	^{8}0.010	^{2}0.104		^{6}0.004	^{8}0.024	^{22}0.797		0.000	0.000	0.032	
153	PARAVISION-005	^{6}0.002	^{5}0.010	^{1}0.079		^{4}0.002	^{4}0.016	^{1}0.181		0.000	0.000	0.038	
154	PIXELALL-002	^{51}0.005	^{57}0.022	^{69}0.810		^{79}0.030	^{69}0.083	^{149}1.000		0.000	0.000	0.000	
155	PIXELALL-003	^{19}0.002	^{16}0.014	^{29}0.515		^{17}0.009	^{21}0.043	^{128}0.998		0.000	0.000	0.000	
156	QUANTASOFT-001	^{212}0.218	^{190}0.727		^{126}0.620	^{210}0.493			^{125}0.760	0.000	0.000		0.000
157	RANKONE-000	^{168}0.043	^{151}0.117		^{89}0.114	^{162}0.127	^{145}0.291		^{91}0.161	0.000	0.000		0.000
158	RANKONE-001	^{141}0.022			^{68}0.077	^{135}0.084			^{67}0.102	0.000			0.000
159	RANKONE-002	^{134}0.019	^{133}0.071			^{130}0.071	^{124}0.190			0.000	0.000		
160	RANKONE-003	^{133}0.019	^{130}0.068		^{69}0.078	^{129}0.071	^{122}0.187		^{62}0.095	0.000	0.000		0.000
161	RANKONE-004	^{167}0.041	^{154}0.141		^{82}0.094	^{159}0.124	^{150}0.324		^{75}0.126	0.000	0.000		0.000
162	RANKONE-005	^{97}0.009	^{104}0.041	^{151}0.986	^{39}0.061	^{84}0.033	^{98}0.119	^{100}0.994	^{41}0.068	0.000	0.000	0.489	0.000
163	RANKONE-006	^{60}0.005		^{66}0.797		^{43}0.020		^{34}0.937		0.002		0.167	
164	RANKONE-007	^{33}0.003	^{39}0.019	^{62}0.796		^{25}0.011	^{38}0.061	^{29}0.924		0.001	0.001	0.102	
165	REALNETWORKS-000	^{166}0.040	^{141}0.078		^{65}0.076	^{166}0.138	^{133}0.209		^{53}0.084	0.001	0.000		0.004
166	REALNETWORKS-001	^{165}0.040	^{140}0.078			^{165}0.138	^{132}0.209			0.001	0.000		
167	REALNETWORKS-002	^{160}0.039	^{139}0.078		^{132}0.992	^{164}0.137	^{134}0.209		^{130}0.992	0.001	0.000		0.000
168	REALNETWORKS-003	^{145}0.024	^{125}0.062	^{59}0.771		^{138}0.090	^{119}0.172	^{74}0.987		0.001	0.000	0.009	
169	REALNETWORKS-004	^{143}0.024	^{121}0.059	^{65}0.797		^{137}0.090	^{116}0.169	^{93}0.992		0.001	0.000	0.009	
170	REMARKAI-000	^{88}0.009	^{82}0.030			^{119}0.059	^{100}0.123			0.000	0.001		
171	REMARKAI-000	^{34}0.003	^{37}0.018	^{43}0.660		^{59}0.023	^{52}0.070	^{104}0.995		0.000	0.000	0.000	
172	REMARKAI-002	^{87}0.008	^{80}0.029	^{67}0.802	^{23}0.046	^{117}0.059	^{99}0.122	^{63}0.980	^{25}0.052	0.000	0.001	0.017	0.000
173	SCANOVATE-000	^{59}0.005	^{108}0.045	^{35}0.560		^{80}0.030	^{106}0.150	^{23}0.803		0.000	0.001	0.057	
174	SENSETIME-000	^{21}0.002	^{23}0.016	^{31}0.528		^{18}0.009	^{16}0.040	^{75}0.988		0.004	0.000	0.042	0.000
175	SENSETIME-001	^{22}0.002	^{22}0.016		^{3}0.038	^{20}0.010	^{20}0.041		^{1}-0.796	0.004	0.000		0.000
176	SENSETIME-002	^{119}0.014	^{42}0.020	^{22}0.384		^{31}0.014	^{7}0.023	^{62}0.979		0.009	0.000	0.040	
177	SENSETIME-003	^{1}0.001	^{1}0.007	^{5}0.150		^{1}0.001	^{1}0.009	^{3}0.311		0.000	0.000	0.041	
178	SHAMAN-000	^{201}0.168	^{167}0.262		^{90}0.115	^{195}0.368	^{164}0.507		^{86}0.146	0.020	0.011		0.043
179	SHAMAN-001	^{202}0.170			^{88}0.113	^{201}0.405			^{88}0.153	0.020			0.043
180	SHAMAN-002	^{218}0.260			^{93}0.132	^{215}0.581			^{96}0.201	0.020			0.043
181	SHAMAN-003	^{190}0.124	^{158}0.172		^{86}0.109	^{191}0.347	^{161}0.472		^{82}0.132	0.020	0.011		0.043
182	SHAMAN-004	^{214}0.222	^{170}0.319			^{207}0.488	^{172}0.639			0.020	0.011		
183	SHAMAN-006	^{164}0.040	^{120}0.058	^{102}0.938		^{140}0.092	^{115}0.168	^{40}0.960		0.020	0.011	0.869	
184	SHAMAN-007	^{163}0.040	^{119}0.057		^{70}0.078	^{139}0.092	^{117}0.169		^{50}0.079	0.020	0.010		0.029
185	SIAT-000	^{82}0.008	^{51}0.021		^{71}0.078	^{101}0.044	^{44}0.064		^{104}0.250	0.000	0.000		0.008
186	SIAT-001	^{11}0.002	^{173}0.333		^{11}0.040	^{12}0.007	^{152}0.348		^{3}0.041	0.000	0.000		0.003
187	SIAT-002	^{12}0.002	^{180}0.446			^{13}0.007	^{159}0.460			0.000	0.000		
188	SMILART-000	^{206}0.191	^{172}0.325		^{225}1.000	^{205}0.485			^{225}1.000	0.008			0.121
189	SMILART-001	^{211}0.217			^{158}1.000	^{212}0.504			^{157}1.000	0.021			0.006
190	SMILART-002	^{207}0.192			^{146}1.000	^{209}0.491			^{145}1.000	0.000			0.048
191	SMILART-004	^{234}0.965	^{195}0.974		^{128}0.834	^{231}0.965	^{188}0.973		^{126}0.833	0.011	0.013		0.039
192	SMILART-005									0.011	0.013		
193	SYNESIS-000	^{200}0.160	^{177}0.361			^{197}0.376	^{171}0.598			0.002	0.009		0.081
194	SYNESIS-003	^{203}0.170	^{163}0.235			^{203}0.443	^{165}0.524			0.006	0.015		0.042
195	SYNESIS-003	^{125}0.016	^{64}0.023			^{81}0.032				0.000	0.001	0.063	
196	TECH5-001	^{45}0.004	^{29}0.017	^{37}0.584		^{37}0.018	^{31}0.055	^{146}1.000		0.000	0.000	0.006	
197	TEVIAN-000	^{137}0.020	^{128}0.066		^{34}0.054	^{152}0.112	^{135}0.227		^{44}0.072	0.002	0.005		0.007
198	TEVIAN-001	^{138}0.020			^{43}0.062	^{153}0.112			^{49}0.078	0.002			0.007
199	TEVIAN-002	^{136}0.020			^{79}0.093	^{151}0.112			^{73}0.118	0.002			0.008
200	TEVIAN-003	^{122}0.015	^{115}0.052			^{145}0.096	^{126}0.198			0.001	0.002		
201	TEVIAN-004	^{106}0.011	^{96}0.038		^{26}0.050	^{123}0.063	^{97}0.115		^{33}0.063	0.001	0.002		0.005
202	TEVIAN-005	^{79}0.007	^{79}0.028	^{24}0.467		^{104}0.045	^{72}0.089	^{21}0.796		0.001	0.002	0.116	
203	TIGER-000	^{180}0.062	^{146}0.095		^{212}1.000	^{184}0.261	^{153}0.366		^{211}1.000	0.000	0.000		0.005
204	TIGER-001		^{175}0.351				^{162}0.487			0.000	0.000		
205	TIGER-002	^{64}0.006	^{62}0.023	^{28}0.514		^{92}0.039	^{79}0.095	^{57}0.975		0.000	0.000	0.056	
206	TIGER-003	^{63}0.006	^{61}0.023			^{91}0.039	^{78}0.095			0.000	0.000		
207	TONGYITRANS-000	^{76}0.007	^{59}0.022			^{90}0.038	^{51}0.069			0.003	0.001		
208	TONGYITRANS-001	^{75}0.007	^{58}0.022		^{87}0.112	^{82}0.032	^{40}0.062		^{83}0.134	0.003	0.001		0.009
209	TOSHIBA-000	^{50}0.004	^{54}0.022	^{58}0.766		^{72}0.027	^{57}0.074	^{76}0.988		0.000	0.000	0.070	0.002
210	TOSHIBA-001	^{57}0.005	^{56}0.022			^{39}0.019	^{29}0.054			0.000	0.000		
211	VD-000	^{228}0.474	^{186}0.551		^{108}0.217	^{225}0.827	^{183}0.871		^{111}0.362	0.011	0.013		0.026
212	VD-001	^{150}0.028	^{116}0.053			^{156}0.116	^{123}0.188			0.005	0.001		0.017
213	VIGILANTSOLUTIONS-000	^{189}0.123	^{161}0.212	^{148}0.980	^{67}0.076	^{198}0.393	^{170}0.557	^{103}0.995	^{87}0.152	0.000	0.001	0.127	0.003
214	VIGILANTSOLUTIONS-001	^{210}0.202		^{142}0.975	^{85}0.103	^{211}0.501		^{133}0.998	^{98}0.209	0.000		0.127	0.003
215	VIGILANTSOLUTIONS-002	^{216}0.237		^{131}0.966	^{47}0.064	^{223}0.730		^{108}0.995	^{76}0.129	0.000		0.127	0.003
216	VIGILANTSOLUTIONS-003	^{183}0.069	^{156}0.151	^{118}0.958	^{51}0.065	^{186}0.282	^{167}0.526	^{106}0.995	^{79}0.131	0.000	0.001	0.127	0.003

Table 25: **Miss rates by dataset:** *At left, rank 1 miss rates relevant to investigations; at right, with threshold set to target FPIR = 0.01 for higher volume, low prior, uses.* $^{+}$*For the WILD set, FPIR = 0.1 Yellow indicates most accurate algorithm. Throughout blue superscripts indicate the rank of the algorithm for that column.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

		INVESTIGATION MODE				IDENTIFICATION MODE				FAILURE TO EXTRACT			
		RANK ONE MISS RATE, FNIR(N, 0, 1)				HIGH T → FPIR = 0.01, FNIR(N, T, L)				FEATURES			
		N=1.6M	N=1.6M	N=1.6M	N=1.1M	N=1.6M	N=1.6M	N=1.6M	N=1.1M	N=1.6M	N=1.6M	N=1.6M	N=1.1M
#	ALGORITHM	FRVT-18	WEBCAM	PROFILE	WILD	FRVT-18	WEBCAM	PROFILE	WILD+	FRVT-18	WEBCAM	PROFILE	WILD
217	VIGILANTSOLUTIONS-004	[191]0.125	[166]0.244	[125]0.965		[202]0.422	[175]0.709	[88]0.991		0.000	0.001	0.127	
218	VIGILANTSOLUTIONS-005	[93]0.009		[84]0.920		[94]0.043		[154]1.000		0.000	0.001	0.127	
219	VIGILANTSOLUTIONS-006	[99]0.010		[85]0.921		[97]0.043		[155]1.000		0.000	0.001	0.127	
220	VISIONLABS-003	[74]0.007	[81]0.030	[42]0.640	[28]0.051	[62]0.023	[73]0.091	[109]0.995	[15]0.046	0.002	0.003	0.181	0.014
221	VISIONLABS-004	[28]0.003	[43]0.020	[17]0.343		[64]0.024	[81]0.097	[16]0.742		0.001	0.001	0.046	
222	VISIONLABS-005	[23]0.002	[38]0.019	[15]0.334	[13]0.043	[45]0.020	[71]0.087	[15]0.736	[16]0.046	0.001	0.001	0.046	0.006
223	VISIONLABS-006	[13]0.002	[20]0.015	[9]0.211		[22]0.010	[25]0.051	[8]0.511		0.001	0.001	0.051	
224	VISIONLABS-007	[10]0.002	[19]0.015	[8]0.211	[1]0.033	[21]0.010	[24]0.051	[7]0.511	[2]0.035	0.001	0.001	0.051	0.001
225	VISIONLABS-008	[18]0.002	[15]0.014	[3]0.141		[8]0.006	[13]0.032	[4]0.317		0.001	0.000	0.075	
226	VOCORD-000	[158]0.038	[151]0.068	[101]0.937		[155]0.114	[121]0.181	[151]1.000		0.015	0.025	0.164	0.019
227	VOCORD-001	[157]0.038		[100]0.937		[154]0.113		[150]1.000		0.015		0.192	0.018
228	VOCORD-002	[155]0.036		[87]0.929		[148]0.105		[156]1.000		0.015		0.194	0.015
229	VOCORD-003	[68]0.006	[69]0.024	[68]0.804	[36]0.057	[108]0.048	[76]0.093	[85]0.991	[31]0.062	0.001	0.011	0.425	0.006
230	VOCORD-004	[83]0.008	[50]0.021	[61]0.792		[109]0.051	[74]0.093	[135]0.999		0.000	0.000	0.000	
231	VOCORD-005	[78]0.007	[65]0.023	[70]0.812	[17]0.044	[98]0.044	[66]0.080	[45]0.968	[14]0.045	0.001	0.009	0.554	0.003
232	VOCORD-006	[240]1.000	[237]1.000	[236]1.000		[240]1.000	[237]1.000	[236]1.000		0.001	0.009	0.554	
233	YISHENG-000	[146]0.024	[123]0.060		[54]0.067	[181]0.206	[143]0.275		[66]0.100	0.002	0.005		0.014
234	YISHENG-001	[149]0.027	[124]0.060		[40]0.061	[180]0.206	[142]0.269		[54]0.087	0.002	0.005		0.014
235	YITU-000	[56]0.005	[48]0.020		[73]0.086	[54]0.022	[30]0.054		[59]0.094	0.003	0.001		0.026
236	YITU-001	[52]0.005			[72]0.086	[47]0.021			[57]0.092	0.003			0.026
237	YITU-002	[14]0.002	[7]0.010		[22]0.046	[14]0.008	[10]0.028		[24]0.051	0.000	0.000		0.000
238	YITU-003	[30]0.003	[25]0.016			[16]0.009	[15]0.033			0.003	0.001		
239	YITU-004	[3]0.001	[2]0.008	[78]0.866	[18]0.044	[5]0.004	[5]0.017	[28]0.913	[17]0.047	0.000	0.000	0.000	0.006
240	YITU-005	[20]0.002	[17]0.014			[7]0.005	[6]0.023			0.003	0.001		

Table 26: **Miss rates by dataset:** *At left, rank 1 miss rates relevant to investigations; at right, with threshold set to target FPIR = 0.01 for higher volume, low prior, uses. +For the WILD set, FPIR = 0.1 Yellow indicates most accurate algorithm. Throughout blue superscripts indicate the rank of the algorithm for that column.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES OUTSIDE RANK R		MUGSHOT SEARCHES, N = 1.6M IDENTITIES							
		INVESTIGATION MODE, T = 0				IDENTIFICATION MODE, T > 0 FOR FPIR = 0.001			
FNIR(N, T, R)		PROPORTION MATED SEARCHES				PROPORTION MATED SEARCHES			
		WITHOUT THE MATE AT RANK 1		WITH NO MATE AT RANK 1	WITH K-TH MATE NOT IN TOP K	WITH THE MATE BELOW THRESHOLD		WITHOUT ANY MATE ABOVE THRESH	WITHOUT ALL MATES ABOVE THRESH
GALLERY		RECENT	CONSOLIDATED	UNCONSOLIDATED		RECENT	CONSOLIDATED	UNCONSOLIDATED	
1	3DIVI-5	^{80}0.0176	^{69}0.0130	^{74}0.0133	^{76}0.0449	^{83}0.1664	^{73}0.1334	^{86}0.1339	^{91}0.3186
2	3DIVI-6	^{85}0.0240	^{72}0.0183	^{79}0.0172	^{75}0.0410	^{85}0.1681	^{74}0.1339	^{87}0.1350	^{90}0.3160
3	ALCHERA-2	^{99}0.0949	^{85}0.0910	^{93}0.0734	^{94}0.1876	^{98}0.4864	^{86}0.3719	^{105}0.4418	^{108}0.6820
4	ALLGOVISION-000	^{70}0.0114	^{65}0.0106	^{71}0.0105	^{64}0.0233	^{68}0.0881	^{61}0.0736	^{70}0.0736	^{76}0.1995
5	ANKE-0	^{76}0.0132	^{61}0.0097	^{68}0.0100	^{73}0.0338	^{72}0.1169	^{64}0.0982	^{76}0.0989	^{84}0.2558
6	ANKE-002	^{14}0.0028	^{36}0.0048	^{36}0.0048	^{21}0.0087	^{24}0.0318	^{24}0.0278	^{27}0.0278	^{40}0.0901
7	ANKE-1	^{77}0.0132	^{62}0.0097	^{69}0.0101	^{72}0.0337	^{73}0.1192	^{65}0.0995	^{79}0.1001	^{85}0.2581
8	AWARE-5	^{89}0.0311	^{74}0.0205	^{83}0.0230	^{87}0.0740	^{95}0.3643	^{85}0.2895	^{102}0.3777	^{106}0.6534
9	AWARE-6	^{97}0.0697	^{84}0.0535	^{90}0.0538	^{92}0.1551	^{92}0.2756	^{82}0.2383	^{99}0.2465	^{103}0.5140
10	AYONIX-1	^{106}0.3414	^{92}0.3361	^{98}0.2841	^{99}0.4764	^{102}0.8243	^{92}0.8533	^{110}0.7935	^{111}0.9037
11	AYONIX-2	^{105}0.3414	^{91}0.2603	^{99}0.2841	^{98}0.4763	^{101}0.8242	^{90}0.8038	^{109}0.7933	^{110}0.9036
12	CAMVI-4	^{95}0.0468	^{82}0.0324	^{89}0.0469	^{77}0.0475	^{58}0.0716	^{49}0.0501	^{65}0.0661	^{47}0.1105
13	CAMVI-5	^{96}0.0652	^{83}0.0456	^{92}0.0633	^{84}0.0638	^{70}0.0995	^{60}0.0724	^{73}0.0922	^{65}0.1513
14	COGENT-0							^{82}0.1046	^{8}0.0004
15	COGENT-1							^{81}0.1046	^{7}0.0004
16	COGENT-2	^{18}0.0036	^{12}0.0024	^{12}0.0027	^{20}0.0086	^{36}0.0444	^{25}0.0296	^{41}0.0391	^{52}0.1275
17	COGENT-3	^{20}0.0038	^{19}0.0034	^{13}0.0029	^{22}0.0091	^{39}0.0463	^{35}0.0337	^{49}0.0450	^{64}0.1448
18	COGNITEC-2	^{41}0.0057	^{28}0.0040	^{30}0.0043	^{46}0.0145	^{44}0.0531	^{40}0.0396	^{44}0.0400	^{57}0.1342
19	COGNITEC-3	^{45}0.0062	^{33}0.0045	^{37}0.0048	^{47}0.0148	^{43}0.0526	^{39}0.0393	^{43}0.0397	^{56}0.1322
20	CYBERLINK-000	^{21}0.0040	^{45}0.0056	^{46}0.0056	^{37}0.0116	^{48}0.0565	^{46}0.0427	^{52}0.0467	^{63}0.1415
21	CYBERLINK-001	^{17}0.0035	^{39}0.0051	^{41}0.0053	^{33}0.0111	^{45}0.0536	^{42}0.0396	^{53}0.0468	^{62}0.1415
22	DAHUA-0	^{64}0.0093	^{53}0.0068	^{58}0.0072	^{60}0.0204	^{64}0.0861	^{55}0.0621	^{66}0.0691	^{75}0.1967
23	DAHUA-002	^{7}0.0018	^{27}0.0040	^{26}0.0040	^{15}0.0063	^{9}0.0151	^{10}0.0130	^{10}0.0139	^{25}0.0481
24	DAHUA-1	^{49}0.0067	^{35}0.0048	^{39}0.0052	^{52}0.0173	^{60}0.0727	^{50}0.0518	^{61}0.0577	^{72}0.1738
25	DEEPGLINT-001		^{88}0.1425	^{102}0.9269	^{102}0.9243		^{78}0.1432	^{125}1.0000	^{125}1.0000
26	DEEPSEA-001	^{26}0.0043	^{43}0.0055	^{48}0.0059	^{50}0.0157	^{38}0.0462	^{34}0.0325	^{40}0.0390	^{51}0.1263
27	DERMALOG-007	^{63}0.0092				^{65}0.0863			
28	DERMALOG-5	^{78}0.0149	^{66}0.0110	^{76}0.0139	^{69}0.0254	^{67}0.0880	^{56}0.0646	^{71}0.0767	^{80}0.2072
29	DERMALOG-6	^{56}0.0081	^{46}0.0058	^{50}0.0061	^{38}0.0119	^{42}0.0517	^{38}0.0380	^{46}0.0416	^{53}0.1280
30	EVERAI-0							^{107}0.5477	^{2}0.0001
31	EVERAI-2	^{22}0.0040	^{13}0.0028	^{15}0.0032	^{25}0.0099	^{41}0.0501	^{37}0.0367	^{45}0.0410	^{55}0.1312
32	EVERAI-3	^{15}0.0031	^{11}0.0022	^{11}0.0024	^{18}0.0073	^{26}0.0351	^{23}0.0254	^{28}0.0285	^{42}0.0978
33	EVERAI-PARAVISION-004	^{4}0.0016	^{24}0.0039	^{23}0.0039	^{11}0.0050	^{7}0.0101	^{8}0.0100	^{7}0.0107	^{22}0.0345
34	F8-001	^{73}0.0120	^{95}0.5364	^{72}0.0115	^{56}0.0181	^{82}0.1658	^{88}0.5949	^{94}0.1559	^{96}0.3507
35	GORILLA-004	^{46}0.0063	^{55}0.0070	^{60}0.0075	^{62}0.0216	^{69}0.0892	^{57}0.0656	^{69}0.0718	^{77}0.2013
36	GORILLA-2	^{84}0.0197	^{70}0.0134	^{78}0.0153	^{83}0.0570	^{87}0.1880	^{76}0.1376	^{92}0.1537	^{97}0.3589
37	GORILLA-3	^{90}0.0361	^{77}0.0242	^{85}0.0283	^{90}0.1032	^{93}0.3175	^{84}0.2706	^{100}0.3043	^{104}0.5786
38	HIK-4							^{85}0.1258	^{5}0.0004
39	HIK-5	^{29}0.0046	^{15}0.0032	^{21}0.0037	^{43}0.0140	^{33}0.0436	^{27}0.0304	^{38}0.0364	^{49}0.1228
40	HIK-6	^{30}0.0046	^{16}0.0032	^{20}0.0037	^{42}0.0140	^{40}0.0469	^{33}0.0321	^{42}0.0392	^{54}0.1310
41	IDEMIA-007	^{13}0.0026	^{31}0.0044	^{34}0.0045	^{23}0.0093	^{13}0.0181	^{13}0.0155	^{12}0.0160	^{28}0.0567
42	IDEMIA-3							^{32}0.0324	^{14}0.0007
43	IDEMIA-4							^{31}0.0324	^{13}0.0007
44	IDEMIA-5	^{53}0.0081	^{47}0.0059	^{52}0.0064	^{59}0.0192	^{35}0.0440	^{31}0.0315	^{37}0.0348	^{48}0.1125
45	IDEMIA-6	^{66}0.0096	^{52}0.0067	^{61}0.0076	^{58}0.0188	^{32}0.0433	^{29}0.0312	^{34}0.0342	^{44}0.1032
46	IIT-001	^{16}0.0033				^{28}0.0366			
47	IMPERIAL-000	^{35}0.0051	^{32}0.0044	^{33}0.0045	^{19}0.0076	^{23}0.0285	^{20}0.0218	^{24}0.0244	^{39}0.0802
48	INCODE-004	^{44}0.0062	^{42}0.0052	^{42}0.0054	^{35}0.0113	^{46}0.0538	^{43}0.0408	^{50}0.0457	^{59}0.1395
49	INCODE-2	^{81}0.0178	^{67}0.0117	^{75}0.0137	^{78}0.0480	^{86}0.1839	^{75}0.1357	^{91}0.1507	^{95}0.3500
50	INCODE-3	^{75}0.0129	^{59}0.0086	^{70}0.0103	^{74}0.0368	^{84}0.1672	^{72}0.1222	^{89}0.1388	^{93}0.3290
51		^{36}0.0051				^{27}0.0366			
52	INNOVATRICS-4	^{74}0.0123	^{56}0.0078	^{63}0.0081	^{71}0.0293	^{76}0.1317	^{62}0.0925	^{74}0.0927	^{83}0.2479
53	INTSYSMSU-000	^{100}0.1480	^{86}0.1294	^{94}0.1074	^{91}0.1458	^{107}0.9984	^{97}0.9981	^{117}0.9976	^{116}0.9987
54	ISYSTEMS-3	^{37}0.0052	^{21}0.0037	^{27}0.0041	^{29}0.0106	^{51}0.0590	^{41}0.0396	^{55}0.0500	^{66}0.1519
55	KEDACOM-001	^{68}0.0104	^{63}0.0102	^{64}0.0085	^{28}0.0105	^{18}0.0253	^{22}0.0228	^{18}0.0198	^{26}0.0545
56		^{58}0.0086							
57	LOOKMAN-005	^{69}0.0107	^{64}0.0105	^{65}0.0088	^{36}0.0114	^{25}0.0327	^{30}0.0314	^{26}0.0255	^{35}0.0738
58	LOOKMAN-3	^{60}0.0088	^{58}0.0086	^{56}0.0067	^{30}0.0109	^{34}0.0437	^{45}0.0421	^{33}0.0338	^{43}0.1015
59	LOOKMAN-4	^{61}0.0091	^{60}0.0088	^{57}0.0072	^{41}0.0134	^{37}0.0446	^{44}0.0413	^{35}0.0346	^{45}0.1086
60	MEGVII-1	^{71}0.0118		^{66}0.0096	^{63}0.0231	^{59}0.0722		^{62}0.0577	^{71}0.1688
61	MEGVII-2	^{72}0.0118		^{67}0.0097	^{66}0.0236	^{61}0.0772		^{64}0.0623	^{73}0.1810
62	MICROFOCUS-5	^{107}0.4242	^{93}0.3699	^{100}0.3701	^{100}0.5522	^{103}0.8354	^{94}0.9835	^{111}0.8139	^{112}0.9189
63	MICROFOCUS-6	^{108}0.4268	^{94}0.3729	^{101}0.3732	^{101}0.5566	^{105}0.9779	^{91}0.8191	^{112}0.8195	^{113}0.9215
64	MICROSOFT-4							^{25}0.0245	^{10}0.0006
65	MICROSOFT-5	^{8}0.0019	^{4}0.0013	^{6}0.0015	^{14}0.0062	^{19}0.0256	^{15}0.0169	^{16}0.0193	^{36}0.0755
66	MICROSOFT-6	^{9}0.0020	^{5}0.0013	^{7}0.0015	^{13}0.0060	^{8}0.0120	^{7}0.0079	^{22}0.0213	^{37}0.0772
67	NEC-0							^{108}0.6921	^{4}0.0003
68	NEC-2	^{1}0.0010	^{2}0.0010	^{1}0.0008	^{1}0.0019	^{2}0.0026	^{2}0.0021	^{1}0.0021	^{18}0.0086
69	NEC-3	^{3}0.0014	^{3}0.0012	^{2}0.0010	^{2}0.0019	^{1}0.0024	^{1}0.0020	^{2}0.0022	^{17}0.0080
70	NEUROTECHNOLOGY-007	^{47}0.0066	^{116}1.0000	^{43}0.0054	^{32}0.0110	^{55}0.0648	^{116}1.0000	^{59}0.0551	^{69}0.1614
71	NEUROTECHNOLOGY-4							^{28}0.1000	^{6}0.0004
72	NEUROTECHNOLOGY-5	^{25}0.0043	^{25}0.0039	^{14}0.0032	^{24}0.0094	^{47}0.0538	^{52}0.0522	^{47}0.0438	^{58}0.1364
73	NEUROTECHNOLOGY-6	^{82}0.0180	^{71}0.0151	^{77}0.0142	^{80}0.0534	^{91}0.2494	^{83}0.2659	^{98}0.2125	^{102}0.4458
74	NEWLAND-2	^{98}0.0786		^{91}0.0599	^{93}0.1562	^{97}0.4385		^{103}0.3790	^{105}0.6252

Table 27: **Comparing enrollment styles for the FRVT 2018 mugshot sets**. *Consolidated refers to enrollment of all lifetime images in one template Unconsolidated refers to enrollment of those images separately under different identifiers. Columns 3 - 6 values are FNIR at rank 1 and with* T *= 0. Columns 7 - 10 values are high threshold FNIR. Throughout, blue superscripts indicate the rank of the algorithm for that column, and the best three values are highlighted in yellow and green.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

MISSES OUTSIDE RANK R		MUGSHOT SEARCHES, N = 1.6M IDENTITIES							
		INVESTIGATION MODE, T = 0				IDENTIFICATION MODE, T > 0 FOR FPIR = 0.001			
FNIR(N, T, R)		PROPORTION MATED SEARCHES				PROPORTION MATED SEARCHES			
GALLERY		WITHOUT THE MATE AT RANK 1		WITH NO MATE AT RANK 1	WITH K-TH MATE NOT IN TOP K	WITH THE MATE BELOW THRESHOLD		WITHOUT ANY MATE ABOVE THRESH	WITHOUT ALL MATES ABOVE THRESH
		RECENT	CONSOLIDATED	UNCONSOLIDATED		RECENT	CONSOLIDATED	UNCONSOLIDATED	
75	NOBLIS-1	^{104}0.2492	^{90}0.2046	^{96}0.2032	^{96}0.3631	^{108}0.9996	^{98}0.9998	^{118}0.9994	^{118}0.9997
76	NOBLIS-2	^{102}0.1794	^{89}0.1562	^{97}0.2517	^{97}0.3944	^{106}0.9973	^{96}0.9959	^{116}0.9967	^{117}0.9987
77	NTECHLAB-007	^{38}0.0053	^{34}0.0047	^{35}0.0047	^{27}0.0103	^{22}0.0282	^{21}0.0223	^{23}0.0223	^{38}0.0776
78	NTECHLAB-008	^{27}0.0044	^{26}0.0040	^{25}0.0040	^{17}0.0073	^{11}0.0171	^{12}0.0151	^{11}0.0151	^{27}0.0554
79	NTECHLAB-3							^{51}0.0480	^{15}0.0007
80	NTECHLAB-4							^{39}0.0386	^{12}0.0007
81	NTECHLAB-5	^{32}0.0047	^{23}0.0038	^{24}0.0039	^{55}0.0179	^{31}0.0424	^{36}0.0344	^{36}0.0347	^{50}0.1235
82	NTECHLAB-6	^{23}0.0041	^{17}0.0033	^{17}0.0034	^{49}0.0154	^{29}0.0367	^{26}0.0298	^{29}0.0301	^{46}0.1088
83	PARAVISION-005	^{24}0.0042	^{22}0.0038	^{22}0.0038	^{10}0.0046	^{4}0.0068	^{4}0.0056	^{4}0.0060	^{19}0.0158
84	PIXELALL-002	^{51}0.0072	^{57}0.0084	^{49}0.0060	^{44}0.0142	^{71}0.1076	^{71}0.1206	^{75}0.0949	^{82}0.2475
85	PIXELALL-003	^{34}0.0048	^{37}0.0050	^{28}0.0042	^{16}0.0067	^{16}0.0244	^{32}0.0320	^{21}0.0202	^{32}0.0658
86	QUANTASOFT-1	^{103}0.2177	^{98}0.9857	^{103}0.9426	^{103}0.9502	^{100}0.6387	^{95}0.9915	^{113}0.9640	^{115}0.9801
87	RANKONE-006	^{54}0.0077	^{51}0.0065	^{54}0.0065	^{48}0.0149	^{30}0.0397	^{28}0.0310	^{30}0.0310	^{41}0.0967
88	RANKONE-007	^{42}0.0060	^{40}0.0052	^{40}0.0052	^{26}0.0101	^{17}0.0248	^{19}0.0194	^{17}0.0194	^{30}0.0622
89	RANKONE-3							^{101}0.3144	^{3}0.0002
90	RANKONE-4	^{94}0.0415	^{80}0.0315	^{88}0.0318	^{89}0.0945	^{88}0.1929	^{79}0.1539	^{93}0.1545	^{98}0.3590
91	RANKONE-5	^{65}0.0094	^{54}0.0069	^{59}0.0072	^{67}0.0237	^{52}0.0592	^{47}0.0443	^{48}0.0447	^{61}0.1404
92	REALNETWORKS-003	^{89}0.0268	^{76}0.0220	^{82}0.0224	^{86}0.0722	^{81}0.1617	^{77}0.1405	^{90}0.1415	^{94}0.3368
93	REALNETWORKS-004	^{86}0.0262	^{73}0.0192	^{81}0.0222	^{85}0.0713	^{80}0.1604	^{70}0.1179	^{88}0.1360	^{92}0.3288
94	REALNETWORKS-2	^{91}0.0393	^{81}0.0318	^{84}0.0268	^{88}0.0903	^{90}0.2314	^{81}0.2037	^{97}0.1775	^{101}0.3949
95	REMARKAI-0	^{59}0.0086	^{50}0.0063	^{55}0.0065	^{68}0.0238	^{75}0.1278	^{66}0.1016	^{80}0.1020	^{89}0.2671
96	REMARKAI-000	^{43}0.0060	^{38}0.0051	^{38}0.0051	^{34}0.0111	^{49}0.0577	^{48}0.0461	^{51}0.0461	^{60}0.1399
97	REMARKAI-2	^{57}0.0081	^{49}0.0060	^{51}0.0062	^{65}0.0235	^{74}0.1239	^{63}0.0982	^{77}0.0991	^{86}0.2615
98	SCANOVATE-000	^{53}0.0076	^{96}0.7787	^{53}0.0064	^{51}0.0159	^{57}0.0692	^{89}0.7902	^{60}0.0551	^{68}0.1599
99	SENSETIME-0	^{11}0.0023	^{9}0.0016	^{9}0.0018	^{4}0.0037	^{14}0.0208	^{14}0.0161	^{13}0.0168	^{29}0.0603
100	SENSETIME-002	^{79}0.0163	^{68}0.0124	^{73}0.0124	^{40}0.0127	^{12}0.0174	^{11}0.0134	^{9}0.0134	^{20}0.0160
101	SENSETIME-003	^{19}0.0036	^{20}0.0034	^{18}0.0034	^{5}0.0039	^{3}0.0045	^{3}0.0040	^{3}0.0041	^{16}0.0078
102	SENSETIME-1	^{12}0.0023	^{8}0.0016	^{8}0.0018	^{8}0.0041	^{15}0.0219	^{16}0.0172	^{15}0.0177	^{31}0.0628
103	SHAMAN-6	^{93}0.0398	^{79}0.0309	^{87}0.0312	^{81}0.0542	^{77}0.1409	^{68}0.1106	^{83}0.1109	^{88}0.2629
104	SHAMAN-7	^{92}0.0396	^{78}0.0307	^{86}0.0310	^{79}0.0529	^{78}0.1413	^{69}0.1109	^{84}0.1112	^{87}0.2624
105	SIAT-1							^{114}0.9663	^{1}0.0001
106	SMILART-4	^{109}0.9648	^{97}0.9530	^{104}0.9722	^{104}0.9738	^{104}0.9682	^{93}0.9569	^{115}0.9740	^{114}0.9781
107	SYNESIS-003	^{83}0.0188				^{56}0.0677			
108	SYNESIS-3	^{101}0.1700	^{87}0.1347	^{95}0.1350	^{95}0.2571	^{99}0.5821	^{87}0.5294	^{106}0.5295	^{109}0.7459
109	TECH5-001	^{48}0.0066	^{48}0.0059	^{45}0.0056	^{45}0.0144	^{53}0.0599	^{54}0.0590	^{58}0.0537	^{70}0.1641
110	TEVIAN-5	^{52}0.0073	^{41}0.0052	^{47}0.0058	^{61}0.0213	^{66}0.0873	^{58}0.0663	^{72}0.0770	^{81}0.2079
111	TIGER-2	^{40}0.0056	^{30}0.0042	^{32}0.0044	^{54}0.0177	^{63}0.0861	^{59}0.0690	^{67}0.0698	^{79}0.2016
112	TIGER-3	^{39}0.0056		^{31}0.0044	^{53}0.0177	^{62}0.0861		^{68}0.0698	^{78}0.2015
113	TOSHIBA-0	^{28}0.0045	^{14}0.0031	^{16}0.0033	^{31}0.0110	^{54}0.0620	^{51}0.0519	^{57}0.0529	^{67}0.1599
114	TOSHIBA-1	^{33}0.0048	^{18}0.0033	^{19}0.0035	^{39}0.0120	^{50}0.0580	^{53}0.0552	^{63}0.0585	^{74}0.1819
115	VD-1	^{88}0.0276	^{75}0.0218	^{80}0.0221	^{82}0.0560	^{89}0.2015	^{80}0.1650	^{95}0.1658	^{99}0.3657
116	VIGILANTSOLUTIONS-5	^{62}0.0092				^{96}0.3880			
117	VIGILANTSOLUTIONS-6	^{67}0.0099		^{62}0.0077	^{70}0.0258	^{94}0.3534		^{104}0.4155	^{107}0.6577
118	VISIONLABS-008	^{31}0.0046	^{29}0.0042	^{29}0.0043	^{12}0.0055	^{10}0.0157	^{9}0.0117	^{8}0.0129	^{24}0.0424
119	VISIONLABS-5							^{56}0.0501	^{9}0.0006
120	VISIONLABS-6	^{6}0.0018	^{7}0.0014	^{5}0.0015	^{7}0.0040	^{21}0.0267	^{18}0.0182	^{20}0.0201	^{34}0.0737
121	VISIONLABS-7	^{5}0.0018	^{6}0.0014	^{4}0.0014	^{6}0.0039	^{20}0.0266	^{17}0.0182	^{19}0.0201	^{33}0.0737
122	VOCORD-5	^{50}0.0070	^{44}0.0055	^{44}0.0054	^{57}0.0182	^{79}0.1577	^{67}0.1043	^{96}0.1717	^{100}0.3775
123	YITU-2							^{14}0.0173	^{11}0.0006
124	YITU-4	^{2}0.0013	^{1}0.0008	^{3}0.0012	^{3}0.0033	^{5}0.0096	^{5}0.0070	^{5}0.0080	^{21}0.0337
125	YITU-5	^{10}0.0023	^{10}0.0017	^{10}0.0020	^{9}0.0041	^{6}0.0101	^{6}0.0072	^{6}0.0088	^{23}0.0350

Table 28: **Comparing enrollment styles for the FRVT 2018 mugshot sets**. *Consolidated refers to enrollment of all lifetime images in one template Unconsolidated refers to enrollment of those images separately under different identifiers. Columns 3 - 6 values are FNIR at rank 1 and with* T *= 0. Columns 7 - 10 values are high threshold FNIR. Throughout, blue superscripts indicate the rank of the algorithm for that column, and the best three values are highlighted in yellow and green.*

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 18: **[Mugshot Dataset] Error rate reductions in 2018**. *For each* FRVT*2018 participant, the plot shows accuracy gains between Phase 1 (Feb 2018), Phase 2 (Jun 2018) and Phase 3 (Nov 2018) according to two metrics: rank one miss rate, FNIR(N, 1, 0), and high threshold, FNIR(N, L, T), with T set to achieve FPIR = 0.003. The text "Red=" gives the best reduction multiplier for the given metric on the recent enrollment strategy - a smaller value is better.*

Figure 19: **[FRVT-2018 Mugshot Ageing Dataset] Contrast of ageing and population size dependency.** *The Figure shows, at left, the dependence FNIR(N) for the FRVT-2018, as tabulated in Table 11. At right, is FNIR(N = 3 000 000, ΔT) from Figure 61. Ageing miss rates are computed over all searches binned by number of years between search and initial enrollment. In all cases, FPIR = 0.01.*

Figure 20: **[Twins Dataset] High scores from twins.** *The Figure shows native similarity scores from searches into a dataset of N = 640 000 background mugshot images plus 104 portrait images, one from each of one of a pair of twins. Two distributions of scores are plotted for each of monozygotic (identical) and dizygotic (fraternal) twins. The first distribution ("AA") shows the mate score from Twin A against their own enrollment. The second ("AB") shows scores from searches of Twin B against the Twin A enrollment: As these are non-mate scores they should be below the various thresholds shown as horizontal lines. That they usually are not is an indication that twins produce very high non-mate scores. Note in theory half of dizygotic (fraternal) twins are different sex. In the sample used here some fraternal twins are correctly rejected.*

Appendices

Appendix A Accuracy on large-population FRVT 2018 mugshots

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 21: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. number of enrolled subjects**. *The figure shows false negative identification rates, FNIR(N, R), across various gallery sizes and ranks 1, 10 and 50. The threshold is set to zero, so this metric rewards even weak scoring rank 1 mates. This also means FPIR = 1, so any search without an enrolled mate will return non-mated candidates. For clarity, results are sorted and reported into tiers spanning multiple pages, the tiering criteria being rank 1 hit rate on a gallery size of 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 22: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. number of enrolled subjects**. *The figure shows false negative identification rates, FNIR(N, R), across various gallery sizes and ranks 1, 10 and 50. The threshold is set to zero, so this metric rewards even weak scoring rank 1 mates. This also means FPIR = 1, so any search without an enrolled mate will return non-mated candidates. For clarity, results are sorted and reported into tiers spanning multiple pages, the tiering criteria being rank 1 hit rate on a gallery size of 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 23: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. number of enrolled subjects**. *The figure shows false negative identification rates, FNIR(N, R), across various gallery sizes and ranks 1, 10 and 50. The threshold is set to zero, so this metric rewards even weak scoring rank 1 mates. This also means FPIR = 1, so any search without an enrolled mate will return non-mated candidates. For clarity, results are sorted and reported into tiers spanning multiple pages, the tiering criteria being rank 1 hit rate on a gallery size of 640 000.*

Figure 24: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. number of enrolled subjects**. *The figure shows false negative identification rates, FNIR(N, R), across various gallery sizes and ranks 1, 10 and 50. The threshold is set to zero, so this metric rewards even weak scoring rank 1 mates. This also means FPIR = 1, so any search without an enrolled mate will return non-mated candidates. For clarity, results are sorted and reported into tiers spanning multiple pages, the tiering criteria being rank 1 hit rate on a gallery size of 640 000.*

Figure 25: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. number of enrolled subjects**. *The figure shows false negative identification rates, FNIR(N, R), across various gallery sizes and ranks 1, 10 and 50. The threshold is set to zero, so this metric rewards even weak scoring rank 1 mates. This also means FPIR = 1, so any search without an enrolled mate will return non-mated candidates. For clarity, results are sorted and reported into tiers spanning multiple pages, the tiering criteria being rank 1 hit rate on a gallery size of 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 26: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. number of enrolled subjects**. *The figure shows false negative identification rates, FNIR(N, R), across various gallery sizes and ranks 1, 10 and 50. The threshold is set to zero, so this metric rewards even weak scoring rank 1 mates. This also means FPIR = 1, so any search without an enrolled mate will return non-mated candidates. For clarity, results are sorted and reported into tiers spanning multiple pages, the tiering criteria being rank 1 hit rate on a gallery size of 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 27: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. number of enrolled subjects**. *The figure shows false negative identification rates, FNIR(N, R), across various gallery sizes and ranks 1, 10 and 50. The threshold is set to zero, so this metric rewards even weak scoring rank 1 mates. This also means FPIR = 1, so any search without an enrolled mate will return non-mated candidates. For clarity, results are sorted and reported into tiers spanning multiple pages, the tiering criteria being rank 1 hit rate on a gallery size of 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 28: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. number of enrolled subjects**. *The figure shows false negative identification rates, FNIR(N, R), across various gallery sizes and ranks 1, 10 and 50. The threshold is set to zero, so this metric rewards even weak scoring rank 1 mates. This also means FPIR = 1, so any search without an enrolled mate will return non-mated candidates. For clarity, results are sorted and reported into tiers spanning multiple pages, the tiering criteria being rank 1 hit rate on a gallery size of 640 000.*

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

2020/03/20 13:39:41

FNIR(N, R, T) = False neg. identification rate
FPIR(N, T) = False pos. identification rate
N = Num. enrolled subjects
R = Num. candidates examined
T = Threshold
T = 0 → Investigation
T > 0 → Identification

Figure 29: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. rank**. *The figure shows false negative identification rates (FNIR) for ranks up to 50. This metric is appropriate to investigational applications where human reviewers will adjudicate sorted candidate lists. Note that with threshold set to zero, FPIR = 1, i.e. any search without an enrolled mate will return non-mated candidates. Results are sorted and reported into tiers for clarity, with the tiering criteria being rank 1 hit rate on a gallery size of N = 640 000 subjects.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 30: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. rank**. *The figure shows false negative identification rates (FNIR) for ranks up to 50. This metric is appropriate to investigational applications where human reviewers will adjudicate sorted candidate lists. Note that with threshold set to zero, FPIR = 1, i.e. any search without an enrolled mate will return non-mated candidates. Results are sorted and reported into tiers for clarity, with the tiering criteria being rank 1 hit rate on a gallery size of N = 640 000 subjects.*

Figure 31: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. rank**. *The figure shows false negative identification rates (FNIR) for ranks up to 50. This metric is appropriate to investigational applications where human reviewers will adjudicate sorted candidate lists. Note that with threshold set to zero, FPIR = 1, i.e. any search without an enrolled mate will return non-mated candidates. Results are sorted and reported into tiers for clarity, with the tiering criteria being rank 1 hit rate on a gallery size of N = 640 000 subjects.*

Figure 32: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. rank**. *The figure shows false negative identification rates (FNIR) for ranks up to 50. This metric is appropriate to investigational applications where human reviewers will adjudicate sorted candidate lists. Note that with threshold set to zero, FPIR = 1, i.e. any search without an enrolled mate will return non-mated candidates. Results are sorted and reported into tiers for clarity, with the tiering criteria being rank 1 hit rate on a gallery size of N = 640 000 subjects.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 33: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. rank**. *The figure shows false negative identification rates (FNIR) for ranks up to 50. This metric is appropriate to investigational applications where human reviewers will adjudicate sorted candidate lists. Note that with threshold set to zero, FPIR = 1, i.e. any search without an enrolled mate will return non-mated candidates. Results are sorted and reported into tiers for clarity, with the tiering criteria being rank 1 hit rate on a gallery size of N = 640 000 subjects.*

Figure 34: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. rank**. *The figure shows false negative identification rates (FNIR) for ranks up to 50. This metric is appropriate to investigational applications where human reviewers will adjudicate sorted candidate lists. Note that with threshold set to zero, FPIR = 1, i.e. any search without an enrolled mate will return non-mated candidates. Results are sorted and reported into tiers for clarity, with the tiering criteria being rank 1 hit rate on a gallery size of N = 640 000 subjects.*

Figure 35: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. rank**. *The figure shows false negative identification rates (FNIR) for ranks up to 50. This metric is appropriate to investigational applications where human reviewers will adjudicate sorted candidate lists. Note that with threshold set to zero, FPIR = 1, i.e. any search without an enrolled mate will return non-mated candidates. Results are sorted and reported into tiers for clarity, with the tiering criteria being rank 1 hit rate on a gallery size of N = 640 000 subjects.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 36: **[FRVT-2018 Mugshot Dataset] Rank-based identification miss rates vs. rank**. *The figure shows false negative identification rates (FNIR) for ranks up to 50. This metric is appropriate to investigational applications where human reviewers will adjudicate sorted candidate lists. Note that with threshold set to zero, FPIR = 1, i.e. any search without an enrolled mate will return non-mated candidates. Results are sorted and reported into tiers for clarity, with the tiering criteria being rank 1 hit rate on a gallery size of N = 640 000 subjects.*

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

FNIR(N, R, T) = False neg. identification rate N = Num. enrolled subjects T = Threshold T = 0 → Investigation
FPIR(N, T) = False pos. identification rate R = Num. candidates examined T > 0 → Identification

Figure 37: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 38: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

Figure 39: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

Figure 40: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

Figure 41: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 42: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 43: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 44: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

Figure 45: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 46: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 47: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

Figure 48: **[FRVT-2018 Mugshot Dataset] Threshold-based identification miss rates vs. number of enrolled subjects**. *The figure shows FNIR(N, T) across various gallery sizes when the threshold is set to achieve the given FPIRs. The rank criterion is irrelevant at high thresholds as mates are always at rank 1. The results are computed from the trials listed in rows 1-10 of Table 1. Less accurate algorithms were not run on large N, so results are missing. For clarity, results are sorted and reported into tiers spanning multiple pages. The tiering criteria is complicated: First paging by FNIR(N_b, 1, 0), then sorting by median FNIR(N_b, T), N_b = 640 000.*

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 49: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

Figure 50: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 51: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 52: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 53: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

2020/03/20 13:39:41

FNIR(N, R, T) = False neg. identification rate
FPIR(N, T) = False pos. identification rate
N = Num. enrolled subjects
R = Num. candidates examined
T = Threshold
T = 0 → Investigation
T > 0 → Identification

Figure 54: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 55: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 56: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 57: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 58: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 59: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 60: **[FRVT-2018 Mugshot Dataset] Identification miss rates vs. false positive rates**. *The figure shows miss rates FNIR(N, L, T) as a function of FPIR(N, T), with N ranging from 640 000 to 12 000 000 as noted in rows 1-10 of Table 1. These error tradeoff characteristics are useful for applications where a threshold must be elevated to limit false positives, such as when human reviewer labor is not matched to the volume of searches. Dark lines join points of equal threshold: If horizontal, FPIR(T) rises with N, and mate scores are independent of N. Other algorithms adjust scores in an attempt to make FPIR independent of N.*

Appendix B Effect of time-lapse: Accuracy after face ageing

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 61: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 62: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 63: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 64: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 65: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 66: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 67: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 68: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 69: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 70: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 71: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 72: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 73: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 74: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. rank by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment.*

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 75: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. FPIR by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment. FPIR is computed from the same FRVT 2018 non-mates noted in row 3 of Table 1 with N = 3 000 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 76: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. FPIR by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment. FPIR is computed from the same FRVT 2018 non-mates noted in row 3 of Table 1 with N = 3 000 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 77: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. FPIR by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment. FPIR is computed from the same FRVT 2018 non-mates noted in row 3 of Table 1 with N = 3 000 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 78: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. FPIR by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment. FPIR is computed from the same FRVT 2018 non-mates noted in row 3 of Table 1 with N = 3 000 000.*

Figure 79: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. FPIR by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment. FPIR is computed from the same FRVT 2018 non-mates noted in row 3 of Table 1 with N = 3 000 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 80: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. FPIR by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment. FPIR is computed from the same FRVT 2018 non-mates noted in row 3 of Table 1 with N = 3 000 000.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 81: **[FRVT-2018 Mugshot Ageing Dataset] Identification miss rates vs. FPIR by time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Miss rates are computed over all searches noted in row 17 of Table 1 and binned by number of years between search and initial enrollment. FPIR is computed from the same FRVT 2018 non-mates noted in row 3 of Table 1 with N = 3 000 000.*

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 82: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

Figure 83: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 84: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 85: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

Figure 86: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

Figure 87: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 88: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

Figure 89: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 90: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 91: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

2020/03/20 13:39:41

FNIR(N, R, T) = False neg. identification rate
FPIR(N, T) = False pos. identification rate
N = Num. enrolled subjects
R = Num. candidates examined
T = Threshold
T = 0 → Investigation
T > 0 → Identification

Figure 92: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 93: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 94: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 95: **[FRVT-2018 Mugshot Ageing Dataset] Native mate scores vs. time-elapsed**. *The oldest image of each individual is enrolled. Thereafter, all more recent images are searched. Mated score distributions are computed over all searches noted in row 17 of Table 1 binned by number of years between search and initial enrollment.*

Appendix C Effect of enrolling multiple images

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 96: **[FRVT-2018 Mugshot Dataset] Effect of enrolling multiple images for each identity**. *The plot shows an identification miss rates vs. false positive rates, at seven operating thresholds. The enrolled population size is fixed. The images are enrolled with lifetime-consolidation - see section 2.2.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 97: **[FRVT-2018 Mugshot Dataset] Effect of enrolling multiple images for each identity**. *The plot shows an identification miss rates vs. false positive rates, at seven operating thresholds. The enrolled population size is fixed. The images are enrolled with lifetime-consolidation - see section 2.2.*

Figure 98: **[FRVT-2018 Mugshot Dataset] Effect of enrolling multiple images for each identity**. *The plot shows an identification miss rates vs. false positive rates, at seven operating thresholds. The enrolled population size is fixed. The images are enrolled with lifetime-consolidation - see section 2.2.*

Figure 99: **[FRVT-2018 Mugshot Dataset] Effect of enrolling multiple images for each identity**. *The plot shows an identification miss rates vs. false positive rates, at seven operating thresholds. The enrolled population size is fixed. The images are enrolled with lifetime-consolidation - see section 2.2.*

FNIR(N, R, T) = False neg. identification rate
FPIR(N, T) = False pos. identification rate
N = Num. enrolled subjects
R = Num. candidates examined
T = Threshold
T = 0 → Investigation
T > 0 → Identification

Figure 100: **[FRVT-2018 Mugshot Dataset] Effect of enrolling multiple images for each identity**. *The plot shows an identification miss rates vs. false positive rates, at seven operating thresholds. The enrolled population size is fixed. The images are enrolled with lifetime-consolidation - see section 2.2.*

Figure 101: **[FRVT-2018 Mugshot Dataset] Effect of enrolling multiple images for each identity**. *The plot shows an identification miss rates vs. false positive rates, at seven operating thresholds. The enrolled population size is fixed. The images are enrolled with lifetime-consolidation - see section 2.2.*

Appendix D Accuracy with poor quality webcam images

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 102: **[Webcam Dataset] Identification miss rates vs. rank**. *The results apply to cross-domain recognition in which webcams are searched against enrolled mugshots. The FNIR values are higher than those for mugshot-mugshot identification due to low image resolution, lighting and less constrained subject pose in webcam images - see Figure 4.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 103: **[Webcam Dataset] Identification miss rates vs. rank**. *The results apply to cross-domain recognition in which webcams are searched against enrolled mugshots. The FNIR values are higher than those for mugshot-mugshot identification due to low image resolution, lighting and less constrained subject pose in webcam images - see Figure 4.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 104: **[Webcam Dataset] Identification miss rates vs. rank**. *The results apply to cross-domain recognition in which webcams are searched against enrolled mugshots. The FNIR values are higher than those for mugshot-mugshot identification due to low image resolution, lighting and less constrained subject pose in webcam images - see Figure 4.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 105: **[Webcam Dataset] Identification miss rates vs. rank**. *The results apply to cross-domain recognition in which webcams are searched against enrolled mugshots. The FNIR values are higher than those for mugshot-mugshot identification due to low image resolution, lighting and less constrained subject pose in webcam images - see Figure 4.*

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 106: **[Webcam Dataset] Identification miss rates vs. false positive rates**. *The results apply to cross-domain recognition in which webcams are searched against enrolled mugshots. The FNIR values are higher than those for mugshot-mugshot identification due to low image resolution, lighting and less constrained subject pose in webcam images - see Figure 4.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 107: **[Webcam Dataset] Identification miss rates vs. false positive rates**. *The results apply to cross-domain recognition in which webcams are searched against enrolled mugshots. The FNIR values are higher than those for mugshot-mugshot identification due to low image resolution, lighting and less constrained subject pose in webcam images - see Figure 4.*

Figure 108: **[Webcam Dataset] Identification miss rates vs. false positive rates**. *The results apply to cross-domain recognition in which webcams are searched against enrolled mugshots. The FNIR values are higher than those for mugshot-mugshot identification due to low image resolution, lighting and less constrained subject pose in webcam images - see Figure 4.*

Appendix E Accuracy for profile-view to frontal recognition

Figures 109 - 111 gives accuracy results for searching 100 000 mated and 100 000 non-mated profile-view images against the same FRVT 2018 frontal enrollment dataset, N = 1 600 000, used in the main mugshot trials. This experiment corresponds to row-13 of Table 1. An example of profile-view image is given in Figure 5.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 109: **[Mugshot and profile-view dataset] Rank-based accuracy**. *For some of the more accurate Phase 3 algorithms the figure plots error tradeoff characteristics for frontal and profile-view searches into an enrolled set of N = 1 600 000 frontal images. Note that some algorithms fail on profile-view images with FNIR → 1 - this evaluation did not ask developers to provide profile-view capability. Some algorithms, on the other hand, give FNIR approaching that for frontal-view searches using c. 2010 algorithms. The best result is that 91% of profile-view searches yield the correct mate at rank 1, and better than 94% in the top-50 candidates.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 110: **[Mugshot and profile-view dataset] Threshold-based accuracy**. *For some of the more accurate Phase 3 algorithms the figure plots error tradeoff characteristics for frontal and profile-view searches into an enrolled set of N = 1 600 000 frontal images. Note that some algorithms fail on profile-view images with FNIR → 1 - this evaluation did not ask developers to provide profile-view capability. Some algorithms, on the other hand, give FNIR approaching that for frontal-view searches using c. 2010 algorithms.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 111: **[Mugshot and profile-view dataset] Speed-accuracy tradeoff**. *For some of the more accurate Phase 3 algorithms the figure plots error tradeoff characteristics for frontal and profile-view searches into an enrolled set of N = 1 600 000 frontal images. Some algorithms fail on profile-view images with FNIR → 1 - this evaluation did not ask developers to provide profile-view capability. Some algorithms, on the other hand, give FNIR approaching that for frontal-view searches using c. 2010 algorithms. Blue lines connect points of equal threshold from which it is evident that some algorithms would give markedly higher false positive outcomes if profile-view images were searched in a system configured for frontal searches. This would be a vulnerability in an access control system.*

Appendix F Search duration

As in and prior tests, this section documents search speeds spanning three orders of magnitude. In applications where search volumes are high enough, this will have implications for hardware requirements especially for large N or when search duration is appreciably larger than the time it takes to prepare a template from the search image(s). Further, given very large (and growing) operational databases, the scalability of algorithms is important. It has been reported previously [7] that search duration can scale sublinearly with enrolled population size N. Further there has been considerable recent research on indexing, exact [12] and approximate nearest neighbor search [1,12] and fast-search [13,15].

Figure 112 charts the search duration measurements presented earlier in Tables 2 - 5.

- ▷ Most algorithms scale linearly. For those in that category, there is a wide range in speed with search durations ranging from 82 milliseconds for a 12 million gallery (for NEC-3) to more than 40 seconds (for Yitu-3, Toshiba-2) and even higher for less accurate algorithms.
- ▷ Some developers (Camvi, Dermalog, EverAI, Innovatrics, and Visionlabs) provide algorithms whose template search durations grow logarithmically i.e. approximately $T(N) = a \log N$ with the constant a varying between implementations. In the figure this model is fit using the point $T(1) = 0$, and $T(640\,000)$. This very sublinear behaviour affords extremely fast search times in very large galleries. One caveat for the sublinear algorithms is that the fast-search data structures require considerable computation time - on the order of hours - for N in the millions, and this scales mildy super-linearly, i.e. $O(N^b), b > 1$. There are exceptions: the Camvi algorithms take minutes; and Innvovatrics' scale sublinearly.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

2020/03/20	FNIR(N, R, T) =	False neg. identification rate	N = Num. enrolled subjects	T = Threshold	$T = 0 \rightarrow$ Investigation
13:39:41	FPIR(N, T) =	False pos. identification rate	R = Num. candidates examined		$T > 0 \rightarrow$ Identification

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 112: **[Mugshot Dataset] Search duration vs. enrolled population size**. *In red are the actual point durations measured on a single c. 2016 core. The blue shows linear growth from $N = 640\,000$. The green line shows logathmic growth from that point to $N = 1\,600\,000$. Note the sublinear growth from algorithms from Camvi, Dermalog, EverAI, Innovatrics, and Visionlabs. The tiger_1 algorithm is also sublinear, but inaccurate and inoperable at $N \geq 3000000$. This capability sometimes comes at the additional expense of converting a linear gallery data structure into whatever fast-search data structure is used. Note that search times are sometimes dominated by the template generation times shown in Table 15.*

Figure 113: **[Mugshot Dataset] Search duration vs. enrolled population size**. *In red are the actual point durations measured on a single c. 2016 core. The blue shows linear growth from $N = 640\,000$. The green line shows logathmic growth from that point to $N = 1\,600\,000$. Note the sublinear growth from algorithms from Camvi, Dermalog, EverAI, Innovatrics, and Visionlabs. The tiger_1 algorithm is also sublinear, but inaccurate and inoperable at $N \geq 3000000$. This capability sometimes comes at the additional expense of converting a linear gallery data structure into whatever fast-search data structure is used. Note that search times are sometimes dominated by the template generation times shown in Table 15.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

2020/03/20 13:39:41

FNIR(N, R, T) = False neg. identification rate
FPIR(N, T) = False pos. identification rate
N = Num. enrolled subjects
R = Num. candidates examined
T = Threshold
T = 0 → Investigation
T > 0 → Identification

Figure 114: **[Mugshot Dataset] Search duration vs. enrolled population size**. *In red are the actual point durations measured on a single c. 2016 core. The blue shows linear growth from $N = 640\,000$. The green line shows logathmic growth from that point to $N = 1\,600\,000$. Note the sublinear growth from algorithms from Camvi, Dermalog, EverAI, Innovatrics, and Visionlabs. The tiger_1 algorithm is also sublinear, but inaccurate and inoperable at $N \geq 3000000$. This capability sometimes comes at the additional expense of converting a linear gallery data structure into whatever fast-search data structure is used. Note that search times are sometimes dominated by the template generation times shown in Table 15.*

Figure 115: **[Mugshot Dataset] Search duration vs. enrolled population size**. *In red are the actual point durations measured on a single c. 2016 core. The blue shows linear growth from $N = 640\,000$. The green line shows logathmic growth from that point to $N = 1\,600\,000$. Note the sublinear growth from algorithms from Camvi, Dermalog, EverAI, Innovatrics, and Visionlabs. The tiger_1 algorithm is also sublinear, but inaccurate and inoperable at $N \geq 3000000$. This capability sometimes comes at the additional expense of converting a linear gallery data structure into whatever fast-search data structure is used. Note that search times are sometimes dominated by the template generation times shown in Table 15.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 116: **[Mugshot Dataset] Search duration vs. enrolled population size**. *In red are the actual point durations measured on a single c. 2016 core. The blue shows linear growth from $N = 640\,000$. The green line shows logathmic growth from that point to $N = 1\,600\,000$. Note the sublinear growth from algorithms from Camvi, Dermalog, EverAI, Innovatrics, and Visionlabs. The tiger_1 algorithm is also sublinear, but inaccurate and inoperable at $N \geq 3000000$. This capability sometimes comes at the additional expense of converting a linear gallery data structure into whatever fast-search data structure is used. Note that search times are sometimes dominated by the template generation times shown in Table 15.*

Appendix G Gallery Insertion Timing

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

Figure 117: **[Mugshot Dataset] Gallery insertion duration vs. enrolled population size**. *This chart plots the time it takes to insert a single template into a finalized gallery, illustrated over increasing gallery sizes. For reference, search times on finalized galleries of corresponding sizes are plotted right underneath. Gallery insertion time plots were generated on algorithms that 1) successfully implemented gallery insertion with no errors and 2) that were run on galleries with N up to* 12 000 000. *Generally, only the more accurate algorithms were run on galleries with N up to* 12 000 000.

Figure 118: **[Mugshot Dataset] Gallery insertion duration vs. enrolled population size**. *This chart plots the time it takes to insert a single template into a finalized gallery, illustrated over increasing gallery sizes. For reference, search times on finalized galleries of corresponding sizes are plotted right underneath. Gallery insertion time plots were generated on algorithms that 1) successfully implemented gallery insertion with no errors and 2) that were run on galleries with N up to* 12 000 000. *Generally, only the more accurate algorithms were run on galleries with N up to* 12 000 000.

Figure 119: **[Mugshot Dataset] Gallery insertion duration vs. enrolled population size**. *This chart plots the time it takes to insert a single template into a finalized gallery, illustrated over increasing gallery sizes. For reference, search times on finalized galleries of corresponding sizes are plotted right underneath. Gallery insertion time plots were generated on algorithms that 1) successfully implemented gallery insertion with no errors and 2) that were run on galleries with N up to* 12 000 000. *Generally, only the more accurate algorithms were run on galleries with N up to* 12 000 000.

Figure 120: **[Mugshot Dataset] Gallery insertion duration vs. enrolled population size**. *This chart plots the time it takes to insert a single template into a finalized gallery, illustrated over increasing gallery sizes. For reference, search times on finalized galleries of corresponding sizes are plotted right underneath. Gallery insertion time plots were generated on algorithms that 1) successfully implemented gallery insertion with no errors and 2) that were run on galleries with N up to* 12 000 000*. Generally, only the more accurate algorithms were run on galleries with N up to* 12 000 000*.*

References

[1] Artem Babenko and Victor Lempitsky. Efficient indexing of billion-scale datasets of deep descriptors. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2016.

[2] Blumstein, Cohen, Roth, and Visher, editors. *Random parameter stochastic models of criminal careers*. National Academy of Sciences Press, 1986.

[3] Thomas P. Bonczar and Lauren E. Glaze. Probation and parole in the united statesm 2007, statistical tables. Technical report, Bureau of Justice Statistics, December 2008.

[4] White D., Kemp R. I., Jenkins R., Matheson M, and Burton A. M. Passport officers errors in face matching. *PLoS ONE*, 9(8), 2014. e103510. doi:10.1371/journal. pone.0103510.

[5] P. Grother, G. W. Quinn, and P. J. Phillips. Evaluation of 2d still-image face recognition algorithms. NIST Interagency Report 7709, National Institute of Standards and Technology, 8 2010. http://face.nist.gov/mbe as MBE2010 FRVT2010.

[6] P. J. Grother, R. J. Micheals, and P. J. Phillips. Performance metrics for the frvt 2002 evaluation. In *Proceedings of Audio and Video Based Person Authentication Conference (AVBPA)*, June 2003.

[7] Patrick Grother and Mei Ngan. Interagency report 8009, performance of face identification algorithms. *Face Recognition Vendor Test (FRVT)*, May 2014.

[8] Patrick Grother, George Quinn, and Mei Ngan. Face in video evaluation (five) face recognition of non-cooperative subjects. Interagency Report 8173, National Institute of Standards and Technology, March 2017. https://doi.org/10.6028/NIST.IR.8173.

[9] Patrick Grother, George W. Quinn, and Mei Ngan. Face recognition vendor test - still face image and video concept, evaluation plan and api. Technical report, National Institute of Standards and Technology, 7 2013. http://biometrics.nist.gov/cs_links/face/frvt/frvt2012/NIST_FRVT2012_api_Aug15.pdf.

[10] K. He, X. Zhang, S. Ren, and J. Sun. Deep residual learning for image recognition. In *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 770–778, June 2016.

[11] Gary B. Huang, Manu Ramesh, Tamara Berg, and Erik Learned-Miller. Labeled faces in the wild: A database for studying face recognition in unconstrained environments. Technical Report 07-49, University of Massachusetts, Amherst, October 2007.

[12] Masato Ishii, Hitoshi Imaoka, and Atsushi Sato. Fast k-nearest neighbor search for face identification using bounds of residual score. In *2017 12th IEEE International Conference on Automatic Face & Gesture Recognition (FG 2017)*, pages 194–199, Los Alamitos, CA, USA, May 2017. IEEE Computer Society.

[13] Jeff Johnson, Matthijs Douze, and Hervé Jégou. Billion-scale similarity search with gpus. *CoRR*, abs/1702.08734, 2017.

[14] Ira Kemelmacher-Shlizerman, Steven M. Seitz, Daniel Miller, and Evan Brossard. The megaface benchmark: 1 million faces for recognition at scale. *CoRR*, abs/1512.00596, 2015.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271

[15] Yury A. Malkov and D. A. Yashunin. Efficient and robust approximate nearest neighbor search using hierarchical navigable small world graphs. *CoRR*, abs/1603.09320, 2016.

[16] Joyce A. Martin, Brady E. Hamilton, Michelle J.K. Osterman, Anne K. Driscoll, , and Patrick Drake. National vital statistics reports. Technical Report 8, Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System, Division of Vital Statistics, November 2018.

[17] O. M. Parkhi, A. Vedaldi, and A. Zisserman. Deep face recognition. In *British Machine Vision Conference*, 2015.

[18] P. Jonathon Phillips, Amy N. Yates, Ying Hu, Carina A. Hahn, Eilidh Noyes, Kelsey Jackson, Jacqueline G. Cavazos, Géraldine Jeckeln, Rajeev Ranjan, Swami Sankaranarayanan, Jun-Cheng Chen, Carlos D. Castillo, Rama Chellappa, David White, and Alice J. O'Toole. Face recognition accuracy of forensic examiners, superrecognizers, and face recognition algorithms. *Proceedings of the National Academy of Sciences*, 115(24):6171–6176, 2018.

[19] Florian Schroff, Dmitry Kalenichenko, and James Philbin. Facenet: A unified embedding for face recognition and clustering. *CoRR*, abs/1503.03832, 2015.

[20] Jeroen Smits and Christiaan Monden. Twinning across the developing world. *PLOS ONE*, 6(9):1–5, 09 2011.

[21] Yaniv Taigman, Ming Yang, Marc'Aurelio Ranzato, and Lior Wolf. Deepface: Closing the gap to human-level performance in face verification. In *Proceedings of the 2014 IEEE Conference on Computer Vision and Pattern Recognition*, CVPR '14, pages 1701–1708, Washington, DC, USA, 2014. IEEE Computer Society.

[22] A. Towler, R. I. Kemp, and D White. *Unfamiliar face matching systems in applied settings*. Nova Science, 2017.

[23] Working Group 3. Ed. M. Werner. *ISO/IEC 19794-5 Information Technology - Biometric Data Interchange Formats - Part 5: Face image data*. JTC1 :: SC37, 2 edition, 2011. http://webstore.ansi.org.

[24] David White, James D. Dunn, Alexandra C. Schmid, and Richard I. Kemp. Error rates in users of automatic face recognition software. *PLoS ONE*, 10:1–14, October 2015.

[25] Bradford Wing and R. Michael McCabe. Special publication 500-271: American national standard for information systems data format for the interchange of fingerprint, facial, and other biometric information part 1. Technical report, NIST, September 2015. ANSI/NIST ITL 1-2015.

[26] Andreas Wolf. Portrait quality - (reference facial images for mrtd). Technical report, ICAO, April 2018.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8271