NIST Interagency Report
NISTIR 8525 - DRAFT REVISION

Face Analysis Technology Evaluation: Age Estimation and Verification

Kayee Hanaoka
Mei Ngan
Joyce Yang
George W. Quinn
Austin Hom
Patrick Grother

This publication is available free of charge from:
https://doi.org/10.6028/NIST.IR.8525

NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY
U.S. DEPARTMENT OF COMMERCE

NIST Interagency Report
NISTIR 8525 - DRAFT REVISION

Face Analysis Technology Evaluation: Age Estimation and Verification

Kayee Hanaoka
Mei Ngan
Joyce Yang
George W. Quinn
Austin Hom
Patrick Grother
Information Access Division
Information Technology Laboratory

This publication is available free of charge from:
https://doi.org/10.6028/NIST.IR.8525

NIST IR May 2024
INCLUDES UPDATES AS OF 2026-11-06



U.S. Department of Commerce
Howard Lutnick , Secretary

National Institute of Standards and Technology
Arvind Raman, Under Secretary of Commerce for Standards and Technology and NIST Director

Disclaimer

Certain entities, equipment, or materials may be identified in this document in order to describe an experimental procedure or concept adequately. Such identification is not intended to imply recommendation or endorsement by the National Institute of Standards and Technology, nor is it intended to imply that the entities, materials, or equipment are necessarily the best available for the purpose.

NIST Technical Series Policies
Copyright, Fair Use, and Licensing Statements
NIST Technical Series Publication Identifier Syntax

Publication History
Approved by the NIST Editorial Review Board on 2024-05-24

How to cite this NIST Technical Series Publication:
Kayee Hanaoka, Mei Ngan, Joyce Yang, George W. Quinn, Austin Hom, Patrick Grother (2024) Face Analysis Technology Evaluation: Age Estimation and Verification . (National Institute of Standards and Technology, Gaithersburg, MD), NISTIR 8525. https://doi.org/10.6028/NIST.IR.8525

Contact Information
frvt@nist.gov

NISTIR 8525
May 2024

Abstract

The report documents technical performance of prototype age estimation algorithms submitted to the Age Estimation and Verification (AEV) track of the Face Analysis Technology Evaluation (FATE) executed by the National Institute of Standards and Technology (NIST).

Acknowledgements

The authors are grateful to the Federal Bureau of Investigation (FBI) and the Department of Homeland Security (DHS) Office of Biometrics Identity Management (OBIM) for their support of this work. Additionally we are indebted to DHS Customs and Border Protection, DHS Citizenship and Immigration, and the FBI for allowing use of photographs in this FATE evaluation. Finally, the authors are grateful to colleagues in the NIST Biometrics Research Laboratory for excellent infrastructure supporting this evaluation.

Other Related Reports

Results from the Face Recognition Technology Evaluation (FRTE) and Face Analysis Technology Evaluation (FATE) activities appear in the series of NIST Interagency Reports tabulated below. From 1999 to May 2024, FRTE and FATE were collectively known as FRVT.

DATE	PROG.	NISTIR	TITLE
2011-08-11	FRTE	7709	Report on the Evaluation of 2D Still-Image Face Recognition Algorithms
2014-03-20	FATE	7995	Performance of Automated Age Estimation Algorithms
2015-04-20	FATE	8052	Performance of Automated Gender Classification Algorithms
2014-05-21	FRTE	8009	Performance of Face Identification Algorithms
2017-03-07	FRTE	8173	FIVE - Face In Video Evaluation: Face Recognition of Non-Cooperative Subjects
2017-11-23	FRTE	8197	FRPC - The 2017 IARPA Face Recognition Prize Challenge
2020-01-03	FRTE	Draft	Part 1: Verification
2019-09-11	FRTE	8271	Part 2: Identification
2019-12-11	FRTE	8280	Part 3: Demographic Effects
2020-03-04	FATE	8292	Part 4: MORPH - Performance of Automated Face Morph Detection
2020-03-06	FATE	Draft	Part 5: Face Image Quality Assessment
2020-07-24	FRTE	8311	Part 6A: Face Recognition Accuracy with Face Masks using Pre-COVID-19 Algorithms
2022-01-20	FRTE	8331	Part 6B: Face Recognition Accuracy with Face Masks using Post-COVID-19 Algorithms
2022-07-13	FRTE	8381	Part 7: Identification for Paperless Travel and Immigration
2022-09-30	FRTE	8429	Part 8: Summarizing Demographic Differentials
2022-09-30	FRTE	8439	Part 9A: Face Recognition Verification Accuracy on Distinguishing Twins
2023-09-20	FATE	8491	Part 10: Performance of Passive Software-based Presentation Attack Detection (PAD) Algorithms
2023-09-20	FATE	8485	Part 11: Face Image Quality Vector Assessment: Specific Image Defect Detection
2024-05-29	FATE	8525	Part 12: Face Analysis Technology Evaluation: Age Estimation and Verification
2025-08-18	FATE	8584	Part 4B: Considerations for Implementing Morph Detection in Operations
2025-09-25	FRTE	500-343	Face Recognition Technology Evaluation (FRTE): Preparation of Compact Face Images for 2D Barcodes

Details appear on pages linked from https://www.nist.gov/programs-projects/face-projects.

Key words

Face Analysis Technology Evaluation; FATE; AEV; Age estimation; Age Verification; Age Assurance

Release notes

2026-11-06: The AEV track of the FATE remains open.

- ▷ This document is the twenty-fourth update to NIST Interagency Report 8525. It contains results for three developer: Innovatrics, Paravision, and Shufti.

2026-09-30: The AEV track of the FATE remains open.

- ▷ This document is the twenty-third update to NIST Interagency Report 8525. It contains results for five developers: Idemia, Intellicheck, Rigr AI, Yoti, and Youverse.

2026-09-13: The AEV track of the FATE remains open.

- ▷ This document is the twenty-second update to NIST Interagency Report 8525. It contains results for four developers: Incode, Innovatrics, ROC, and Regula.

2026-07-31: The AEV track of the FATE remains open.

- ▷ This document is the twenty-first update to NIST Interagency Report 8525. It contains results for two developers: Ayonix, and ioNetworks Inc.

2026-07-10: The AEV track of the FATE remains open.

- ▷ This document is the twentieth update to NIST Interagency Report 8525. It contains results for three developers: Daon, Facehawk Ltd, and Bynn Intelligence Inc.

2026-06-11: The AEV track of the FATE remains open.

- ▷ This document is the nineteenth update to NIST Interagency Report 8525. It contains results for one developer: Paravision.

2026-05-12: The AEV track of the FATE remains open.

- ▷ This document is the eighteenth update to NIST Interagency Report 8525. It contains results for two developers: Cognitec Systems GmbH, and Innovatrics.

2026-04-29: The AEV track of the FATE remains open.

- ▷ This document is the seventeenth update to NIST Interagency Report 8525. It contains results for one developers: Onfido.

2026-04-01: The AEV track of the FATE remains open.

- ▷ This document is the sixteenth update to NIST Interagency Report 8525.
- ▷ The weights used in the ineffectiveness formula eq. 14 were calculated incorrectly. The old formula

$$p_i = \alpha \exp(\mathrm{L} - i - 1) / \exp(\mathrm{L} - 1)$$

has been replaced with

$$p_i = \alpha \exp(i - \mathrm{L} + 1)$$

. The old formula yielded higher weights for 13 year olds than for 17 years olds. The corrected weights reverse that such that equation 14 *ineffectivenes* increases over the values published 2024 to 2026-03. The algorithm rankings change minimally, however.

2026-02-13: The AEV track of the FATE remains open.

- ▷ This document is the fifteenth update to NIST Interagency Report 8525. It contains results for two developers: ROC, and Shufti.

2026-01-23: The AEV track of the FATE remains open.

- ▷ This document is the fourteenth update to NIST Interagency Report 8525. It contains results for two developers: Yoti, and Privately.

2025-12-18: The AEV track of the FATE remains open.

- ▷ This document is the thirteenth update to NIST Interagency Report 8525. It contains results for two developers: Innovatrics, and Daon.

2025-08-28: The AEV track of the FATE remains open.

- ▷ This document is the twelfth update to NIST Interagency Report 8525. It contains results for three developers: Cyberlink Corp, Regula Forensics, and Youverse.

2025-07-21: The AEV track of the FATE remains open.

- ▷ This document is the eleventh update to NIST Interagency Report 8525. It contains results for four developers: Cognitec Systems GmbH, Idemia, Innovatrics, and Yoti.

2025-05-21: The AEV track of the FATE remains open.

- ▷ This document is the tenth update to NIST Interagency Report 8525. It contains results for one developers: Incode Technologies Inc.

2025-05-14: The AEV track of the FATE remains open.

- ▷ This document is the ninth update to NIST Interagency Report 8525. It contains results for two developers: Czech Technical University in Prague, and Daon.

2025-04-11: The AEV track of the FATE remains open.

- ▷ This document is the eighth update to NIST Interagency Report 8525. It contains results for three developers: Hangzhuo AIlu Network Information Technology, Nominder, and Ondato UAB.
- ▷ The FATE AEV homepage includes age estimation noise results from the frontal video frames and the yaw variation video frames.

2025-02-28: The AEV track of the FATE remains open.

- ▷ This document is the seventh update to NIST Interagency Report 8525. It contains results for one developers: Innovatrics.
- ▷ The FATE AEV homepage includes age estimation noise results from the frontal video frames and the yaw variation video frames.

2025-01-28: The AEV track of the FATE remains open.

- ▷ This document is the sixth update to NIST Interagency Report 8525. It contains results for one developers: Dermalog.

2024-12-20: The AEV track of the FATE remains open.

- ▷ This document is the fifth update to NIST Interagency Report 8525. It contains results for three developers: Nominder, Ondato UAB, and Viante.AI.

2024-11-08: The AEV track of the FATE remains open.

- ▷ This document is the fourth update to NIST Interagency Report 8525. It contains results for two developers: ROC and Czech Technical University in Prague.

2024-10-07: The AEV track of the FATE remains open.

- ▷ This document is the third update to NIST Interagency Report 8525. It contains results for two developers: Yoti and the Brno University of Technology.
- ▷ The FATE AEV homepage has been revamped to include MAE by demographic group and MAE by image type.

2024-09-16: The AEV track of the FATE remains open.

- ▷ This document is the second update to NIST Interagency Report 8525. It contains results for two new developers: Idemia and Jumio.

2024-08-23: The AEV track of the FATE remains open.

- ▷ This document is the first update to NIST Interagency Report 8525. It contains results for two new developers: Nominder and the Czech Technical University in Prague.
- ▷ The document also includes results for algorithms for one returning developer: Neurotechnology.

Table of Contents

Executive Summary . . . 1
Technical Summary . . . 2
1. Introduction . . . 16
1.1. Role of AEV Technology . . . 16
1.2. Age Estimation is Not Face Recognition . . . 16
1.3. Scope . . . 17
1.4. The Technical Challenge . . . 17
2. Performance Metrics . . . 23
2.1. Mean Absolute Error . . . 23
2.2. Median Absolute Error . . . 23
2.3. Standard deviation . . . 23
2.4. Accuracy . . . 24
2.5. Inequities Across Demographic Groups . . . 24
2.6. Age Verification . . . 24
2.7. Challenge-T . . . 25
2.7.1. False Positive Rate . . . 25
2.7.2. False Negative Rate . . . 25
2.7.3. Ineffectiveness . . . 25
2.7.4. Inconvenience . . . 26
2.8. Variance in age estimates from frontal images . . . 27
2.9. Variance in age estimates with head yaw . . . 27
3. Datasets . . . 28
3.1. Visa Images . . . 28
3.2. Mugshot Images . . . 28
3.3. Application Images . . . 29
3.4. Border Crossing Images . . . 29
3.5. Kalina Everyday . . . 30
3.6. Frontal videos . . . 30
3.7. Yaw variation videos . . . 30
4. Algorithms . . . 30
5. Results . . . 34
5.1. Age Estimation Improvements Since 2014 . . . 34
5.2. Comparing Algorithms . . . 38

5.3. Challenge Age Analysis . . . 42
5.3.1. Age Verification vs. Age Estimation . . . 51
5.4. Demographic Analysis . . . 52
5.4.1. Fitzpatrick Skin Type . . . 53
5.4.2. Empirical results . . . 58
5.5. Children . . . 120
5.6. Image Quality . . . 128
5.6.1. Effect of Eyeglasses . . . 137
5.7. Age Estimation given a prior image of known age . . . 145
6. References . . . 147
Appendix A. Detailed Algorithm Results . . . 148
A.1. Age Estimation Performance by Age . . . 148
A.2. Age Estimation Performance Across Demographics . . . 240
A.3. Challenge Age . . . 424
A.4. Age Verification . . . 486

List of Tables

Table 1. Overall Accuracy . . . 2
Table 2. False positive rate (FPR) for Challenge-25,28,31 . . . 6
Table 3. Challenge-25 FPR for Application images . . . 8
Table 4. Challenge-28 FPR for Application images . . . 9
Table 5. Challenge-25 FPR men aged 17, Application images . . . 10
Table 6. Challenge-25 FPR men aged 17, Application images . . . 12
Table 7. Application images, ineffectiveness . . . 13
Table 8. Application images, inconvenience. . . . 14
Table 9. Datasets . . . 28
Table 10.Participant information . . . 31
Table 11.Algorithm resource requirements . . . 32
Table 12.2014 study MAE . . . 35
Table 13.MAE by sex, dataset . . . 38
Table 14.False positive rates (FPR) age 14 to 17 estimated over 25 . . . 42
Table 15.False positive rate (FPR) age 14 to 20 estimated 28 or more . . . 45
Table 16.Challenge Age . . . 49
Table 17.False positive rates (FPR) age 14 to 17 estimated over 25 AE vs AV . . . 51
Table 18.Challenge-25 FPR, Application images . . . 54
Table 19.AE Performance in Children . . . 120
Table 20.AE Performance in Children . . . 120
Table 21.AE Performance in Children . . . 121
Table 22.AE Performance in Children . . . 122
Table 23.AE Performance in Children . . . 122
Table 24.AE Performance in Children . . . 123
Table 25.AE Performance in Children . . . 124

Table 26.AE Performance in Children 124
Table 27.AE Performance in Children 125
Table 28.AE Performance in Children 126
Table 29.AE Performance in Children 126
Table 30.Age Estimation Performance by Age 149
Table 31.Age Estimation Performance by Age 151
Table 32.Age Estimation Performance by Age 154
Table 33.Age Estimation Performance by Age 156
Table 34.Age Estimation Performance by Age 159
Table 35.Age Estimation Performance by Age 162
Table 36.Age Estimation Performance by Age 164
Table 37.Age Estimation Performance by Age 167
Table 38.Age Estimation Performance by Age 169
Table 39.Age Estimation Performance by Age 172
Table 40.Age Estimation Performance by Age 175
Table 41.Mean raw error by demographic, Application images, ayonix-001 241
Table 42.Mean raw error by demographic, Application images, bynn-000 242
Table 43.Mean raw error by demographic, Application images, cognitec-000 243
Table 44.Mean raw error by demographic, Application images, cognitec-001 244
Table 45.Mean raw error by demographic, Application images, cvut-001 245
Table 46.Mean raw error by demographic, Application images, cvut-002 246
Table 47.Mean raw error by demographic, Application images, cvut-003 247
Table 48.Mean raw error by demographic, Application images, cyberlink-000 248
Table 49.Mean raw error by demographic, Application images, cyberlink-001 249
Table 50.Mean raw error by demographic, Application images, daon-000 250
Table 51.Mean raw error by demographic, Application images, daon-001 251
Table 52.Mean raw error by demographic, Application images, daon-002 252
Table 53.Mean raw error by demographic, Application images, dermalog-001 253
Table 54.Mean raw error by demographic, Application images, dermalog-002 254
Table 55.Mean raw error by demographic, Application images, dermalog-003 255
Table 56.Mean raw error by demographic, Application images, facehawk-001 256
Table 57.Mean raw error by demographic, Application images, hzailu-001 257
Table 58.Mean raw error by demographic, Application images, idemia-001 258
Table 59.Mean raw error by demographic, Application images, idemia-002 259
Table 60.Mean raw error by demographic, Application images, idemia-003 260
Table 61.Mean raw error by demographic, Application images, inbut-000 261
Table 62.Mean raw error by demographic, Application images, incode-000 262
Table 63.Mean raw error by demographic, Application images, incode-001 263
Table 64.Mean raw error by demographic, Application images, incode-002 264
Table 65.Mean raw error by demographic, Application images, innovatrics-000 265
Table 66.Mean raw error by demographic, Application images, innovatrics-001 266
Table 67.Mean raw error by demographic, Application images, innovatrics-002 267
Table 68.Mean raw error by demographic, Application images, innovatrics-003 268
Table 69.Mean raw error by demographic, Application images, innovatrics-004 269
Table 70.Mean raw error by demographic, Application images, intellicheck-000 270
Table 71.Mean raw error by demographic, Application images, ionetworks-000 271
Table 72.Mean raw error by demographic, Application images, jumio-000 272
Table 73.Mean raw error by demographic, Application images, neurotechnology-000 273
Table 74.Mean raw error by demographic, Application images, neurotechnology-001 274
Table 75.Mean raw error by demographic, Application images, neurotechnology-003 275
Table 76.Mean raw error by demographic, Application images, nominder-000 276

Table 77.Mean raw error by demographic, Application images, nominder-001 277
Table 78.Mean raw error by demographic, Application images, ondato-000 278
Table 79.Mean raw error by demographic, Application images, ondato-001 279
Table 80.Mean raw error by demographic, Application images, onfido-000 280
Table 81.Mean raw error by demographic, Application images, paravision-000 281
Table 82.Mean raw error by demographic, Application images, paravision-001 282
Table 83.Mean raw error by demographic, Application images, privately-000 283
Table 84.Mean raw error by demographic, Application images, regula-000 284
Table 85.Mean raw error by demographic, Application images, rigrai-000 285
Table 86.Mean raw error by demographic, Application images, roc-000 286
Table 87.Mean raw error by demographic, Application images, roc-001 287
Table 88.Mean raw error by demographic, Application images, roc-002 288
Table 89.Mean raw error by demographic, Application images, roc-003 289
Table 90.Mean raw error by demographic, Application images, shufti-000 290
Table 91.Mean raw error by demographic, Application images, shufti-001 291
Table 92.Mean raw error by demographic, Application images, tsight-000 292
Table 93.Mean raw error by demographic, Application images, unissey-001 293
Table 94.Mean raw error by demographic, Application images, viante-000 294
Table 95.Mean raw error by demographic, Application images, yoti-001 295
Table 96.Mean raw error by demographic, Application images, yoti-002 296
Table 97.Mean raw error by demographic, Application images, yoti-003 297
Table 98.Mean raw error by demographic, Application images, yoti-004 298
Table 99.Mean raw error by demographic, Application images, yoti-005 299
Table 100Mean raw error by demographic, Application images, youverse-000 300
Table 101Mean raw error by demographic, Application images, youverse-001 301
Table 102Mean absolute error by demographic, Application images, ayonix-001 302
Table 103Mean absolute error by demographic, Application images, bynn-000 303
Table 104Mean absolute error by demographic, Application images, cognitec-000 304
Table 105Mean absolute error by demographic, Application images, cognitec-001 305
Table 106Mean absolute error by demographic, Application images, cvut-001 306
Table 107Mean absolute error by demographic, Application images, cvut-002 307
Table 108Mean absolute error by demographic, Application images, cvut-003 308
Table 109Mean absolute error by demographic, Application images, cyberlink-000 309
Table 110Mean absolute error by demographic, Application images, cyberlink-001 310
Table 111Mean absolute error by demographic, Application images, daon-000 311
Table 112Mean absolute error by demographic, Application images, daon-001 312
Table 113Mean absolute error by demographic, Application images, daon-002 313
Table 114Mean absolute error by demographic, Application images, dermalog-001 314
Table 115Mean absolute error by demographic, Application images, dermalog-002 315
Table 116Mean absolute error by demographic, Application images, dermalog-003 316
Table 117Mean absolute error by demographic, Application images, facehawk-001 317
Table 118Mean absolute error by demographic, Application images, hzailu-001 318
Table 119Mean absolute error by demographic, Application images, idemia-001 319
Table 120Mean absolute error by demographic, Application images, idemia-002 320
Table 121Mean absolute error by demographic, Application images, idemia-003 321
Table 122Mean absolute error by demographic, Application images, inbut-000 322
Table 123Mean absolute error by demographic, Application images, incode-000 323
Table 124Mean absolute error by demographic, Application images, incode-001 324
Table 125Mean absolute error by demographic, Application images, incode-002 325
Table 126Mean absolute error by demographic, Application images, innovatrics-000 326
Table 127Mean absolute error by demographic, Application images, innovatrics-001 327

Table 128 Mean absolute error by demographic, Application images, innovatrics-002 328
Table 129 Mean absolute error by demographic, Application images, innovatrics-003 329
Table 130 Mean absolute error by demographic, Application images, innovatrics-004 330
Table 131 Mean absolute error by demographic, Application images, intellicheck-000 331
Table 132 Mean absolute error by demographic, Application images, ionetworks-000 332
Table 133 Mean absolute error by demographic, Application images, jumio-000 333
Table 134 Mean absolute error by demographic, Application images, neurotechnology-000 . 334
Table 135 Mean absolute error by demographic, Application images, neurotechnology-001 . 335
Table 136 Mean absolute error by demographic, Application images, neurotechnology-003 . 336
Table 137 Mean absolute error by demographic, Application images, nominder-000 337
Table 138 Mean absolute error by demographic, Application images, nominder-001 338
Table 139 Mean absolute error by demographic, Application images, ondato-000 339
Table 140 Mean absolute error by demographic, Application images, ondato-001 340
Table 141 Mean absolute error by demographic, Application images, onfido-000 341
Table 142 Mean absolute error by demographic, Application images, paravision-000 342
Table 143 Mean absolute error by demographic, Application images, paravision-001 343
Table 144 Mean absolute error by demographic, Application images, privately-000 344
Table 145 Mean absolute error by demographic, Application images, regula-000 345
Table 146 Mean absolute error by demographic, Application images, rigrai-000 346
Table 147 Mean absolute error by demographic, Application images, roc-000 347
Table 148 Mean absolute error by demographic, Application images, roc-001 348
Table 149 Mean absolute error by demographic, Application images, roc-002 349
Table 150 Mean absolute error by demographic, Application images, roc-003 350
Table 151 Mean absolute error by demographic, Application images, shufti-000 351
Table 152 Mean absolute error by demographic, Application images, shufti-001 352
Table 153 Mean absolute error by demographic, Application images, tsight-000 353
Table 154 Mean absolute error by demographic, Application images, unissey-001 354
Table 155 Mean absolute error by demographic, Application images, viante-000 355
Table 156 Mean absolute error by demographic, Application images, yoti-001 356
Table 157 Mean absolute error by demographic, Application images, yoti-002 357
Table 158 Mean absolute error by demographic, Application images, yoti-003 358
Table 159 Mean absolute error by demographic, Application images, yoti-004 359
Table 160 Mean absolute error by demographic, Application images, yoti-005 360
Table 161 Mean absolute error by demographic, Application images, youverse-000 361
Table 162 Mean absolute error by demographic, Application images, youverse-001 362
Table 163 Challenge-25 accept rate, Application images, ayonix-001 425
Table 164 Challenge-25 accept rate, Border images, ayonix-001 425
Table 165 Challenge-25 accept rate, Application images, bynn-000 426
Table 166 Challenge-25 accept rate, Border images, bynn-000 426
Table 167 Challenge-25 accept rate, Application images, cognitec-000 427
Table 168 Challenge-25 accept rate, Border images, cognitec-000 427
Table 169 Challenge-25 accept rate, Application images, cognitec-001 428
Table 170 Challenge-25 accept rate, Border images, cognitec-001 428
Table 171 Challenge-25 accept rate, Application images, cvut-001 429
Table 172 Challenge-25 accept rate, Border images, cvut-001 429
Table 173 Challenge-25 accept rate, Application images, cvut-002 430
Table 174 Challenge-25 accept rate, Border images, cvut-002 430
Table 175 Challenge-25 accept rate, Application images, cvut-003 431
Table 176 Challenge-25 accept rate, Border images, cvut-003 431
Table 177 Challenge-25 accept rate, Application images, cyberlink-000 432
Table 178 Challenge-25 accept rate, Border images, cyberlink-000 432

Table 179Challenge-25 accept rate, Application images, cyberlink-001 433
Table 180Challenge-25 accept rate, Border images, cyberlink-001 433
Table 181Challenge-25 accept rate, Application images, daon-000 434
Table 182Challenge-25 accept rate, Border images, daon-000 434
Table 183Challenge-25 accept rate, Application images, daon-001 435
Table 184Challenge-25 accept rate, Border images, daon-001 435
Table 185Challenge-25 accept rate, Application images, daon-002 436
Table 186Challenge-25 accept rate, Border images, daon-002 436
Table 187Challenge-25 accept rate, Application images, dermalog-001 437
Table 188Challenge-25 accept rate, Border images, dermalog-001 437
Table 189Challenge-25 accept rate, Application images, dermalog-002 438
Table 190Challenge-25 accept rate, Border images, dermalog-002 438
Table 191Challenge-25 accept rate, Application images, dermalog-003 439
Table 192Challenge-25 accept rate, Border images, dermalog-003 439
Table 193Challenge-25 accept rate, Application images, facehawk-001 440
Table 194Challenge-25 accept rate, Border images, facehawk-001 440
Table 195Challenge-25 accept rate, Application images, hzailu-001 441
Table 196Challenge-25 accept rate, Border images, hzailu-001 441
Table 197Challenge-25 accept rate, Application images, idemia-001 442
Table 198Challenge-25 accept rate, Border images, idemia-001 442
Table 199Challenge-25 accept rate, Application images, idemia-002 443
Table 200Challenge-25 accept rate, Border images, idemia-002 443
Table 201Challenge-25 accept rate, Application images, idemia-003 444
Table 202Challenge-25 accept rate, Border images, idemia-003 444
Table 203Challenge-25 accept rate, Application images, inbut-000 445
Table 204Challenge-25 accept rate, Border images, inbut-000 445
Table 205Challenge-25 accept rate, Application images, incode-000 446
Table 206Challenge-25 accept rate, Border images, incode-000 446
Table 207Challenge-25 accept rate, Application images, incode-001 447
Table 208Challenge-25 accept rate, Border images, incode-001 447
Table 209Challenge-25 accept rate, Application images, incode-002 448
Table 210Challenge-25 accept rate, Border images, incode-002 448
Table 211Challenge-25 accept rate, Application images, innovatrics-000 449
Table 212Challenge-25 accept rate, Border images, innovatrics-000 449
Table 213Challenge-25 accept rate, Application images, innovatrics-001 450
Table 214Challenge-25 accept rate, Border images, innovatrics-001 450
Table 215Challenge-25 accept rate, Application images, innovatrics-002 451
Table 216Challenge-25 accept rate, Border images, innovatrics-002 451
Table 217Challenge-25 accept rate, Application images, innovatrics-003 452
Table 218Challenge-25 accept rate, Border images, innovatrics-003 452
Table 219Challenge-25 accept rate, Application images, innovatrics-004 453
Table 220Challenge-25 accept rate, Border images, innovatrics-004 453
Table 221Challenge-25 accept rate, Application images, intellicheck-000 454
Table 222Challenge-25 accept rate, Border images, intellicheck-000 454
Table 223Challenge-25 accept rate, Application images, ionetworks-000 455
Table 224Challenge-25 accept rate, Border images, ionetworks-000 455
Table 225Challenge-25 accept rate, Application images, jumio-000 456
Table 226Challenge-25 accept rate, Border images, jumio-000 456
Table 227Challenge-25 accept rate, Application images, neurotechnology-000 457
Table 228Challenge-25 accept rate, Border images, neurotechnology-000 457
Table 229Challenge-25 accept rate, Application images, neurotechnology-001 458

Table 230Challenge-25 accept rate, Border images, neurotechnology-001 458
Table 231Challenge-25 accept rate, Application images, neurotechnology-003 459
Table 232Challenge-25 accept rate, Border images, neurotechnology-003 459
Table 233Challenge-25 accept rate, Application images, nominder-000 460
Table 234Challenge-25 accept rate, Border images, nominder-000 460
Table 235Challenge-25 accept rate, Application images, nominder-001 461
Table 236Challenge-25 accept rate, Border images, nominder-001 461
Table 237Challenge-25 accept rate, Application images, ondato-000 462
Table 238Challenge-25 accept rate, Border images, ondato-000 462
Table 239Challenge-25 accept rate, Application images, ondato-001 463
Table 240Challenge-25 accept rate, Border images, ondato-001 463
Table 241Challenge-25 accept rate, Application images, onfido-000 464
Table 242Challenge-25 accept rate, Border images, onfido-000 464
Table 243Challenge-25 accept rate, Application images, paravision-000 465
Table 244Challenge-25 accept rate, Border images, paravision-000 465
Table 245Challenge-25 accept rate, Application images, paravision-001 466
Table 246Challenge-25 accept rate, Border images, paravision-001 466
Table 247Challenge-25 accept rate, Application images, privately-000 467
Table 248Challenge-25 accept rate, Border images, privately-000 467
Table 249Challenge-25 accept rate, Application images, regula-000 468
Table 250Challenge-25 accept rate, Border images, regula-000 468
Table 251Challenge-25 accept rate, Application images, rigrai-000 469
Table 252Challenge-25 accept rate, Border images, rigrai-000 469
Table 253Challenge-25 accept rate, Application images, roc-000 470
Table 254Challenge-25 accept rate, Border images, roc-000 470
Table 255Challenge-25 accept rate, Application images, roc-001 471
Table 256Challenge-25 accept rate, Border images, roc-001 471
Table 257Challenge-25 accept rate, Application images, roc-002 472
Table 258Challenge-25 accept rate, Border images, roc-002 472
Table 259Challenge-25 accept rate, Application images, roc-003 473
Table 260Challenge-25 accept rate, Border images, roc-003 473
Table 261Challenge-25 accept rate, Application images, shufti-000 474
Table 262Challenge-25 accept rate, Border images, shufti-000 474
Table 263Challenge-25 accept rate, Application images, shufti-001 475
Table 264Challenge-25 accept rate, Border images, shufti-001 475
Table 265Challenge-25 accept rate, Application images, tsight-000 476
Table 266Challenge-25 accept rate, Border images, tsight-000 476
Table 267Challenge-25 accept rate, Application images, unissey-001 477
Table 268Challenge-25 accept rate, Border images, unissey-001 477
Table 269Challenge-25 accept rate, Application images, viante-000 478
Table 270Challenge-25 accept rate, Border images, viante-000 478
Table 271Challenge-25 accept rate, Application images, yoti-001 479
Table 272Challenge-25 accept rate, Border images, yoti-001 479
Table 273Challenge-25 accept rate, Application images, yoti-002 480
Table 274Challenge-25 accept rate, Border images, yoti-002 480
Table 275Challenge-25 accept rate, Application images, yoti-003 481
Table 276Challenge-25 accept rate, Border images, yoti-003 481
Table 277Challenge-25 accept rate, Application images, yoti-004 482
Table 278Challenge-25 accept rate, Border images, yoti-004 482
Table 279Challenge-25 accept rate, Application images, yoti-005 483
Table 280Challenge-25 accept rate, Border images, yoti-005 483

Table 281 Challenge-25 accept rate, Application images, youverse-000 484
Table 282 Challenge-25 accept rate, Border images, youverse-000 484
Table 283 Challenge-25 accept rate, Application images, youverse-001 485
Table 284 Challenge-25 accept rate, Border images, youverse-001 485

List of Figures

Fig. 1. Longitudinal variation 18
Fig. 2. Short term variation images 19
Fig. 3. Short term variation plots 22
Fig. 4. Examples of mugshot images used in the evaluation. Image source: NIST Special Database 32: Multiple Encounter Deceased Subjects (MEDS). 28
Fig. 5. The figure gives simulated samples of application type image used in the evaluation. Image sources: Authors. 29
Fig. 6. The figure gives simulated samples of border type images used in the evaluation. The ages are 18yr 4mo, 41yr 3mo, and 52yr 2mo. Image sources: Author (right) and NIST Special Database 32 the Multiple Encounter Deceased Subjects dataset. 30
Fig. 7. Cumulative accuracy vs. Absolute age estimation error 35
Fig. 8. Age estimation comparison with 2014 algorithms 37
Fig. 9. Challenge-T plot, Application images, age 17 48
Fig. 10. Challenge-T plot, Mugshot images, age 17 49
Fig. 11. Countries and regions used in quantifying demographic dependence on race. The fine-grained or local ethnicities shown at left are not available to us. The rightmost grouping is possible but not useful. 53
Fig. 12. Best and worst AE demographic groups ayonix-001 58
Fig. 13. Best and worst AE demographic groups ayonix-001 59
Fig. 14. Best and worst AE demographic groups bynn-000 59
Fig. 15. Best and worst AE demographic groups bynn-000 60
Fig. 16. Best and worst AE demographic groups cognitec-000 60
Fig. 17. Best and worst AE demographic groups cognitec-000 61
Fig. 18. Best and worst AE demographic groups cognitec-001 61
Fig. 19. Best and worst AE demographic groups cognitec-001 62
Fig. 20. Best and worst AE demographic groups cvut-001 62
Fig. 21. Best and worst AE demographic groups cvut-001 63
Fig. 22. Best and worst AE demographic groups cvut-002 63
Fig. 23. Best and worst AE demographic groups cvut-002 64
Fig. 24. Best and worst AE demographic groups cvut-003 64
Fig. 25. Best and worst AE demographic groups cvut-003 65
Fig. 26. Best and worst AE demographic groups cyberlink-000 65
Fig. 27. Best and worst AE demographic groups cyberlink-000 66
Fig. 28. Best and worst AE demographic groups cyberlink-001 66
Fig. 29. Best and worst AE demographic groups cyberlink-001 67
Fig. 30. Best and worst AE demographic groups daon-000 67
Fig. 31. Best and worst AE demographic groups daon-000 68
Fig. 32. Best and worst AE demographic groups daon-001 68
Fig. 33. Best and worst AE demographic groups daon-001 69
Fig. 34. Best and worst AE demographic groups daon-002 69
Fig. 35. Best and worst AE demographic groups daon-002 70
Fig. 36. Best and worst AE demographic groups dermalog-001 70
Fig. 37. Best and worst AE demographic groups dermalog-001 71

Fig. 38. Best and worst AE demographic groups dermalog-002 71
Fig. 39. Best and worst AE demographic groups dermalog-002 72
Fig. 40. Best and worst AE demographic groups dermalog-003 72
Fig. 41. Best and worst AE demographic groups dermalog-003 73
Fig. 42. Best and worst AE demographic groups facehawk-001 73
Fig. 43. Best and worst AE demographic groups facehawk-001 74
Fig. 44. Best and worst AE demographic groups hzailu-001 74
Fig. 45. Best and worst AE demographic groups hzailu-001 75
Fig. 46. Best and worst AE demographic groups idemia-001 75
Fig. 47. Best and worst AE demographic groups idemia-001 76
Fig. 48. Best and worst AE demographic groups idemia-002 76
Fig. 49. Best and worst AE demographic groups idemia-002 77
Fig. 50. Best and worst AE demographic groups idemia-003 77
Fig. 51. Best and worst AE demographic groups idemia-003 78
Fig. 52. Best and worst AE demographic groups inbut-000 78
Fig. 53. Best and worst AE demographic groups inbut-000 79
Fig. 54. Best and worst AE demographic groups incode-000 79
Fig. 55. Best and worst AE demographic groups incode-000 80
Fig. 56. Best and worst AE demographic groups incode-001 80
Fig. 57. Best and worst AE demographic groups incode-001 81
Fig. 58. Best and worst AE demographic groups incode-002 81
Fig. 59. Best and worst AE demographic groups incode-002 82
Fig. 60. Best and worst AE demographic groups innovatrics-000 82
Fig. 61. Best and worst AE demographic groups innovatrics-000 83
Fig. 62. Best and worst AE demographic groups innovatrics-001 83
Fig. 63. Best and worst AE demographic groups innovatrics-001 84
Fig. 64. Best and worst AE demographic groups innovatrics-002 84
Fig. 65. Best and worst AE demographic groups innovatrics-002 85
Fig. 66. Best and worst AE demographic groups innovatrics-003 85
Fig. 67. Best and worst AE demographic groups innovatrics-003 86
Fig. 68. Best and worst AE demographic groups innovatrics-004 86
Fig. 69. Best and worst AE demographic groups innovatrics-004 87
Fig. 70. Best and worst AE demographic groups intellicheck-000 87
Fig. 71. Best and worst AE demographic groups intellicheck-000 88
Fig. 72. Best and worst AE demographic groups ionetworks-000 88
Fig. 73. Best and worst AE demographic groups ionetworks-000 89
Fig. 74. Best and worst AE demographic groups jumio-000 89
Fig. 75. Best and worst AE demographic groups jumio-000 90
Fig. 76. Best and worst AE demographic groups neurotechnology-000 90
Fig. 77. Best and worst AE demographic groups neurotechnology-000 91
Fig. 78. Best and worst AE demographic groups neurotechnology-001 91
Fig. 79. Best and worst AE demographic groups neurotechnology-001 92
Fig. 80. Best and worst AE demographic groups neurotechnology-003 92
Fig. 81. Best and worst AE demographic groups neurotechnology-003 93
Fig. 82. Best and worst AE demographic groups nominder-000 93
Fig. 83. Best and worst AE demographic groups nominder-000 94
Fig. 84. Best and worst AE demographic groups nominder-001 94
Fig. 85. Best and worst AE demographic groups nominder-001 95
Fig. 86. Best and worst AE demographic groups ondato-000 95
Fig. 87. Best and worst AE demographic groups ondato-000 96
Fig. 88. Best and worst AE demographic groups ondato-001 96

Fig. 89. Best and worst AE demographic groups ondato-001 . . . 97
Fig. 90. Best and worst AE demographic groups onfido-000 . . . 97
Fig. 91. Best and worst AE demographic groups onfido-000 . . . 98
Fig. 92. Best and worst AE demographic groups paravision-000 . . . 98
Fig. 93. Best and worst AE demographic groups paravision-000 . . . 99
Fig. 94. Best and worst AE demographic groups paravision-001 . . . 99
Fig. 95. Best and worst AE demographic groups paravision-001 . . . 100
Fig. 96. Best and worst AE demographic groups privately-000 . . . 100
Fig. 97. Best and worst AE demographic groups privately-000 . . . 101
Fig. 98. Best and worst AE demographic groups regula-000 . . . 101
Fig. 99. Best and worst AE demographic groups regula-000 . . . 102
Fig. 100. Best and worst AE demographic groups rigrai-000 . . . 102
Fig. 101. Best and worst AE demographic groups rigrai-000 . . . 103
Fig. 102. Best and worst AE demographic groups roc-000 . . . 103
Fig. 103. Best and worst AE demographic groups roc-000 . . . 104
Fig. 104. Best and worst AE demographic groups roc-001 . . . 104
Fig. 105. Best and worst AE demographic groups roc-001 . . . 105
Fig. 106. Best and worst AE demographic groups roc-002 . . . 105
Fig. 107. Best and worst AE demographic groups roc-002 . . . 106
Fig. 108. Best and worst AE demographic groups roc-003 . . . 106
Fig. 109. Best and worst AE demographic groups roc-003 . . . 107
Fig. 110. Best and worst AE demographic groups shufti-000 . . . 107
Fig. 111. Best and worst AE demographic groups shufti-000 . . . 108
Fig. 112. Best and worst AE demographic groups shufti-001 . . . 108
Fig. 113. Best and worst AE demographic groups shufti-001 . . . 109
Fig. 114. Best and worst AE demographic groups tsight-000 . . . 109
Fig. 115. Best and worst AE demographic groups tsight-000 . . . 110
Fig. 116. Best and worst AE demographic groups unissey-001 . . . 110
Fig. 117. Best and worst AE demographic groups unissey-001 . . . 111
Fig. 118. Best and worst AE demographic groups viante-000 . . . 111
Fig. 119. Best and worst AE demographic groups viante-000 . . . 112
Fig. 120. Best and worst AE demographic groups yoti-001 . . . 112
Fig. 121. Best and worst AE demographic groups yoti-001 . . . 113
Fig. 122. Best and worst AE demographic groups yoti-002 . . . 113
Fig. 123. Best and worst AE demographic groups yoti-002 . . . 114
Fig. 124. Best and worst AE demographic groups yoti-003 . . . 114
Fig. 125. Best and worst AE demographic groups yoti-003 . . . 115
Fig. 126. Best and worst AE demographic groups yoti-004 . . . 115
Fig. 127. Best and worst AE demographic groups yoti-004 . . . 116
Fig. 128. Best and worst AE demographic groups yoti-005 . . . 116
Fig. 129. Best and worst AE demographic groups yoti-005 . . . 117
Fig. 130. Best and worst AE demographic groups youverse-000 . . . 117
Fig. 131. Best and worst AE demographic groups youverse-000 . . . 118
Fig. 132. Best and worst AE demographic groups youverse-001 . . . 118
Fig. 133. Best and worst AE demographic groups youverse-001 . . . 119
Fig. 134. Effect of reduced capture constraints . . . 136
Fig. 135. Mean raw age estimation error for border crossing subjects for whom we have images with and without eyeglasses. . . . 140
Fig. 136. Difference in age estimation error for border crossing subjects with and without eyeglasses. . . . 144
Fig. 137. MAE of both estimateAge fucntions . . . 146

Fig. 138. Visa heatmap known age vs estimate age . . . 179
Fig. 139. Visa heatmap known age vs estimate age . . . 180
Fig. 140. Visa heatmap known age vs estimate age . . . 181
Fig. 141. Visa heatmap known age vs estimate age . . . 182
Fig. 142. Visa heatmap known age vs estimate age . . . 183
Fig. 143. Visa heatmap known age vs estimate age . . . 184
Fig. 144. Visa heatmap known age vs estimate age . . . 185
Fig. 145. Visa heatmap known age vs estimate age . . . 186
Fig. 146. Visa heatmap known age vs estimate age . . . 187
Fig. 147. Visa heatmap known age vs estimate age . . . 188
Fig. 148. Visa heatmap known age vs estimate age . . . 189
Fig. 149. Visa heatmap known age vs estimate age . . . 190
Fig. 150. Visa heatmap known age vs estimate age . . . 191
Fig. 151. Visa heatmap known age vs estimate age . . . 192
Fig. 152. Visa heatmap known age vs estimate age . . . 193
Fig. 153. Visa heatmap known age vs estimate age . . . 194
Fig. 154. Visa heatmap known age vs estimate age . . . 195
Fig. 155. Visa heatmap known age vs estimate age . . . 196
Fig. 156. Visa heatmap known age vs estimate age . . . 197
Fig. 157. Visa heatmap known age vs estimate age . . . 198
Fig. 158. Visa heatmap known age vs estimate age . . . 199
Fig. 159. Visa heatmap known age vs estimate age . . . 200
Fig. 160. Visa heatmap known age vs estimate age . . . 201
Fig. 161. Visa heatmap known age vs estimate age . . . 202
Fig. 162. Visa heatmap known age vs estimate age . . . 203
Fig. 163. Visa heatmap known age vs estimate age . . . 204
Fig. 164. Visa heatmap known age vs estimate age . . . 205
Fig. 165. Visa heatmap known age vs estimate age . . . 206
Fig. 166. Visa heatmap known age vs estimate age . . . 207
Fig. 167. Visa heatmap known age vs estimate age . . . 208
Fig. 168. Visa heatmap known age vs estimate age . . . 209
Fig. 169. Visa heatmap known age vs estimate age . . . 210
Fig. 170. Visa heatmap known age vs estimate age . . . 211
Fig. 171. Visa heatmap known age vs estimate age . . . 212
Fig. 172. Visa heatmap known age vs estimate age . . . 213
Fig. 173. Visa heatmap known age vs estimate age . . . 214
Fig. 174. Visa heatmap known age vs estimate age . . . 215
Fig. 175. Visa heatmap known age vs estimate age . . . 216
Fig. 176. Visa heatmap known age vs estimate age . . . 217
Fig. 177. Visa heatmap known age vs estimate age . . . 218
Fig. 178. Visa heatmap known age vs estimate age . . . 219
Fig. 179. Visa heatmap known age vs estimate age . . . 220
Fig. 180. Visa heatmap known age vs estimate age . . . 221
Fig. 181. Visa heatmap known age vs estimate age . . . 222
Fig. 182. Visa heatmap known age vs estimate age . . . 223
Fig. 183. Visa heatmap known age vs estimate age . . . 224
Fig. 184. Visa heatmap known age vs estimate age . . . 225
Fig. 185. Visa heatmap known age vs estimate age . . . 226
Fig. 186. Visa heatmap known age vs estimate age . . . 227
Fig. 187. Visa heatmap known age vs estimate age . . . 228
Fig. 188. Visa heatmap known age vs estimate age . . . 229

Fig. 189. Visa heatmap known age vs estimate age . . . 230
Fig. 190. Visa heatmap known age vs estimate age . . . 231
Fig. 191. Visa heatmap known age vs estimate age . . . 232
Fig. 192. Visa heatmap known age vs estimate age . . . 233
Fig. 193. Visa heatmap known age vs estimate age . . . 234
Fig. 194. Visa heatmap known age vs estimate age . . . 235
Fig. 195. Visa heatmap known age vs estimate age . . . 236
Fig. 196. Visa heatmap known age vs estimate age . . . 237
Fig. 197. Visa heatmap known age vs estimate age . . . 238
Fig. 198. Visa heatmap known age vs estimate age . . . 239
Fig. 199. demographic heatmap known age vs estimate age . . . 363
Fig. 200. demographic heatmap known age vs estimate age . . . 364
Fig. 201. demographic heatmap known age vs estimate age . . . 365
Fig. 202. demographic heatmap known age vs estimate age . . . 366
Fig. 203. demographic heatmap known age vs estimate age . . . 367
Fig. 204. demographic heatmap known age vs estimate age . . . 368
Fig. 205. demographic heatmap known age vs estimate age . . . 369
Fig. 206. demographic heatmap known age vs estimate age . . . 370
Fig. 207. demographic heatmap known age vs estimate age . . . 371
Fig. 208. demographic heatmap known age vs estimate age . . . 372
Fig. 209. demographic heatmap known age vs estimate age . . . 373
Fig. 210. demographic heatmap known age vs estimate age . . . 374
Fig. 211. demographic heatmap known age vs estimate age . . . 375
Fig. 212. demographic heatmap known age vs estimate age . . . 376
Fig. 213. demographic heatmap known age vs estimate age . . . 377
Fig. 214. demographic heatmap known age vs estimate age . . . 378
Fig. 215. demographic heatmap known age vs estimate age . . . 379
Fig. 216. demographic heatmap known age vs estimate age . . . 380
Fig. 217. demographic heatmap known age vs estimate age . . . 381
Fig. 218. demographic heatmap known age vs estimate age . . . 382
Fig. 219. demographic heatmap known age vs estimate age . . . 383
Fig. 220. demographic heatmap known age vs estimate age . . . 384
Fig. 221. demographic heatmap known age vs estimate age . . . 385
Fig. 222. demographic heatmap known age vs estimate age . . . 386
Fig. 223. demographic heatmap known age vs estimate age . . . 387
Fig. 224. demographic heatmap known age vs estimate age . . . 388
Fig. 225. demographic heatmap known age vs estimate age . . . 389
Fig. 226. demographic heatmap known age vs estimate age . . . 390
Fig. 227. demographic heatmap known age vs estimate age . . . 391
Fig. 228. demographic heatmap known age vs estimate age . . . 392
Fig. 229. demographic heatmap known age vs estimate age . . . 393
Fig. 230. demographic heatmap known age vs estimate age . . . 394
Fig. 231. demographic heatmap known age vs estimate age . . . 395
Fig. 232. demographic heatmap known age vs estimate age . . . 396
Fig. 233. demographic heatmap known age vs estimate age . . . 397
Fig. 234. demographic heatmap known age vs estimate age . . . 398
Fig. 235. demographic heatmap known age vs estimate age . . . 399
Fig. 236. demographic heatmap known age vs estimate age . . . 400
Fig. 237. demographic heatmap known age vs estimate age . . . 401
Fig. 238. demographic heatmap known age vs estimate age . . . 402
Fig. 239. demographic heatmap known age vs estimate age . . . 403

Fig. 240. demographic heatmap known age vs estimate age . . . 404
Fig. 241. demographic heatmap known age vs estimate age . . . 405
Fig. 242. demographic heatmap known age vs estimate age . . . 406
Fig. 243. demographic heatmap known age vs estimate age . . . 407
Fig. 244. demographic heatmap known age vs estimate age . . . 408
Fig. 245. demographic heatmap known age vs estimate age . . . 409
Fig. 246. demographic heatmap known age vs estimate age . . . 410
Fig. 247. demographic heatmap known age vs estimate age . . . 411
Fig. 248. demographic heatmap known age vs estimate age . . . 412
Fig. 249. demographic heatmap known age vs estimate age . . . 413
Fig. 250. demographic heatmap known age vs estimate age . . . 414
Fig. 251. demographic heatmap known age vs estimate age . . . 415
Fig. 252. demographic heatmap known age vs estimate age . . . 416
Fig. 253. demographic heatmap known age vs estimate age . . . 417
Fig. 254. demographic heatmap known age vs estimate age . . . 418
Fig. 255. demographic heatmap known age vs estimate age . . . 419
Fig. 256. demographic heatmap known age vs estimate age . . . 420
Fig. 257. demographic heatmap known age vs estimate age . . . 421
Fig. 258. demographic heatmap known age vs estimate age . . . 422
Fig. 259. demographic heatmap known age vs estimate age . . . 423
Fig. 260. Verification Accuracy at Age 18:: ayonix-001 . . . 486
Fig. 261. Verification Accuracy at Age 18:: bynn-000 . . . 487
Fig. 262. Verification Accuracy at Age 18:: cognitec-000 . . . 488
Fig. 263. Verification Accuracy at Age 18:: cognitec-001 . . . 489
Fig. 264. Verification Accuracy at Age 18:: cvut-003 . . . 490
Fig. 265. Verification Accuracy at Age 18:: cyberlink-001 . . . 491
Fig. 266. Verification Accuracy at Age 18:: davisdesigns-000 . . . 492
Fig. 267. Verification Accuracy at Age 18:: dermalog-003 . . . 493
Fig. 268. Verification Accuracy at Age 18:: facehawk-001 . . . 494
Fig. 269. Verification Accuracy at Age 18:: idemia-002 . . . 495
Fig. 270. Verification Accuracy at Age 18:: idemia-003 . . . 496
Fig. 271. Verification Accuracy at Age 18:: incode-002 . . . 497
Fig. 272. Verification Accuracy at Age 18:: innovatrics-001 . . . 498
Fig. 273. Verification Accuracy at Age 18:: innovatrics-002 . . . 499
Fig. 274. Verification Accuracy at Age 18:: innovatrics-003 . . . 500
Fig. 275. Verification Accuracy at Age 18:: intellicheck-000 . . . 501
Fig. 276. Verification Accuracy at Age 18:: neurotechnology-003 . . . 502
Fig. 277. Verification Accuracy at Age 18:: onfido-000 . . . 503
Fig. 278. Verification Accuracy at Age 18:: rigrai-000 . . . 504
Fig. 279. Verification Accuracy at Age 18:: roc-002 . . . 505
Fig. 280. Verification Accuracy at Age 18:: roc-003 . . . 506
Fig. 281. Verification Accuracy at Age 18:: shufti-000 . . . 507
Fig. 282. Verification Accuracy at Age 18:: yoti-003 . . . 508
Fig. 283. Verification Accuracy at Age 18:: yoti-004 . . . 509
Fig. 284. Verification Accuracy at Age 18:: yoti-005 . . . 510
Fig. 285. Verification Accuracy at Age 18:: youverse-000 . . . 511
Fig. 286. Verification Accuracy at Age 18:: youverse-001 . . . 512

Executive Summary

Motivation

Age assurance is the subject of recent legislation both inside and outside the United States. This has driven the need for age assurance methods to support applications such as verification that a person is above age 18, 21, or other key ages (e.g., for sale of alcohol or online access). While the mechanism for estimating age may not be specified in legislation, software-based face analysis is one potential approach supported by ubiquitous inexpensive cameras. Age estimation can operate statelessly with no requirement for persistent storage of a photo or biometric data derived from it.

Overview

Age assurance applications can employ either an age verification (AV) algorithm that produces a yes/no guess at whether someone is above an age threshold, or an age estimation (AE) algorithm that emits a numeric age estimate that can be compared with the age threshold i.e. AV can be implemented with AE, or it can be computed without explicit AE.

This report quantifies the capability of six software-based AE and AV prototypes applied to around eleven million photos drawn from four operational repositories: immigration visas, arrest mugshots, border crossings, and immigration office photos. The report includes statements of age estimation (AE) accuracy globally and across demographic groups. It uses AE with thresholds to measure performance in age verification tasks and also reports the dependence on image quality. The report excludes performance measured in interactive sessions, in which a person can cooperatively present and re-present to a camera. It does not measure accuracy effects related to disguises, cosmetics, or other presentation attacks. It does not address policy nor recommend AV thresholds as these differ across applications and jurisdictions.

Audience

This report is of primary utility to actual and prospective deployers of the technology faced with selection of particular AE implementations. It is additionally intended to inform policymakers interested in assessing absolute capability and whether that is sufficient for particular use-cases. The report will be useful to developers in exposing factor affecting performance and in documenting capability relative to other prototypes. This report is a snapshot; the AEV benchmark remain opens for new and returning developers as a means to track technological gains.

Results

Age estimation accuracy has improved since we first measured it in 2014 - see NISTIR 7995. However, for both age estimation (e.g., MAE) and metrics appropriate to "challenge" that require alternative means of age assurance if age is not above some limit, accuracy is strongly influenced by algorithm, sex, image quality, region-of-birth, age itself, and interactions between those factors. There is no uniformly superior algorithm, and algorithm rankings differ across those factors. Accuracy also depends on the metric: age estimation error vs. challenge-25-like false positive rates. Given variation across demographic groups, we anticipate developers improving capability over time. Future FATE AEV reports will address online safety applications (for 13-16 year olds), report on new datasets, and include extended analyses. Detailed results follow in the Technical Summary.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Technical Summary

Algorithms: FATE AEV is an ongoing technology evaluation of age estimation implementations. This report is a snapshot of results documenting the application of six commercially-developed age estimation algorithms to four archived datasets. The algorithms are prototypes - so not necessarily available as mature integrable products. See sec. 4.

Datasets: We used four large operational sets of photographs. The sets are accompanied by subject metadata including age and, in some cases, sex and country-of-birth information. The four datasets are domestic *mugshots* collected in the United States after arrest, *application* photographs taken in immigration offices from a global population, *visa* photographs collected in consular offices in Mexico, and *border* crossing photographs of travelers entering the United States. See sec. 3.

Accuracy gains since 2014: This report includes results for a dataset used in our 2014 evaluation of age estimation algorithms. With a decade of research and development, and significant advances in deep neural network technology, we see five of six algorithms outperform the most accurate algorithm submitted to NIST in 2014. Using a common *visa* database, best mean absolute error (MAE) has reduced from 4.3 to 3.1 years. See sec. 5.1.

Age estimation accuracy: The AEV program aims to measure age estimation accuracy, and to quantify gains over time. This is done by running empirical trials using large datasets. Table 1 shows standard statements of age estimation error for all algorithms on the 18-24 subset of the four databases.

Notable from the table is that the main summary measure of how close age estimates are to ground truth - mean absolute error (MAE) - varies between algorithms operating on any one dataset, and between datasets using any one algorithm. This is a function of algorithm sensitivities to image quality and demographics, as discussed below. Within one dataset, aggregate MAE hides variation across sex and ethnicity. Moreover, MAE also does not specifically quantify how many age estimates are large overestimates, so it is not an appropriate metric for age verification (AV) tasks. See metrics in sec. 2.

Table 1. *Mean, median and standard deviation of absolute error (MAE, MDAE, SD) and failure to process rate (FTP) for subjects between the age 18 to 24 year old. Num. Img shows how many images processed sucessfully by the algorithm. Lower values are better.*

Algorithm	Dataset	Num. Img	MAE	MDAE	SD	FTP
ayonix-001	Mugshot	376867	2.8	2.1	2.5	0.000
ayonix-001	Border	236272	4.0	3.1	3.3	0.000
ayonix-001	Application	111938	3.5	2.9	2.9	0.000
ayonix-001	Visa	857774	3.1	2.4	2.6	0.000
bynn-000	Mugshot	376824	2.9	2.5	2.3	0.000
bynn-000	Border	235999	3.9	3.3	2.9	0.001
bynn-000	Application	111937	3.3	2.8	2.7	0.000
bynn-000	Visa	857755	3.6	3.1	2.7	0.000
cognitec-000	Mugshot	376773	2.4	1.8	2.1	0.000
cognitec-000	Border	236052	3.1	2.4	2.6	0.001
cognitec-000	Application	111937	2.5	2.0	2.2	0.000
cognitec-000	Visa	857763	2.6	2.1	2.1	0.000
cognitec-001	Mugshot	376773	2.1	1.6	2.0	0.000
cognitec-001	Border	236052	2.8	2.2	2.4	0.001
cognitec-001	Application	111937	2.5	2.0	2.2	0.000
cognitec-001	Visa	857763	2.8	2.3	2.2	0.000
cvut-001	Mugshot	368979	3.5	3.0	3.1	0.021
cvut-001	Border	235829	3.3	2.5	3.5	0.002
cvut-001	Application	111938	3.2	2.5	2.8	0.000
cvut-001	Visa	857761	4.5	3.7	3.7	0.000
cvut-002	Mugshot	368982	2.4	2.0	2.3	0.021
cvut-002	Border	236216	3.6	3.1	2.8	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 1. *Mean, median and standard deviation of absolute error (MAE, MDAE, SD) and failure to process rate (FTP) for subjects between the age 18 to 24 year old. Num. Img shows how many images processed sucessfully by the algorithm. Lower values are better. (continued)*

Algorithm	Dataset	Num. Img	MAE	MDAE	SD	FTP
cvut-002	Application	111938	2.5	2.0	2.4	0.000
cvut-002	Visa	857761	3.4	2.8	2.6	0.000
cvut-003	Mugshot	368895	2.7	2.2	2.4	0.021
cvut-003	Border	236216	3.4	3.0	2.6	0.000
cvut-003	Application	111938	2.4	1.8	2.2	0.000
cvut-003	Visa	856824	4.6	4.2	2.9	0.001
cyberlink-000	Mugshot	376849	3.6	3.0	2.9	0.000
cyberlink-000	Border	236227	3.2	2.7	2.7	0.000
cyberlink-000	Application	111938	3.5	3.1	2.7	0.000
cyberlink-000	Visa	857764	3.8	3.4	2.7	0.000
cyberlink-001	Mugshot	376849	2.8	2.0	2.4	0.000
cyberlink-001	Border	236227	2.8	2.3	2.3	0.000
cyberlink-001	Application	111938	2.6	2.0	2.3	0.000
cyberlink-001	Visa	857765	3.3	2.8	2.5	0.000
daon-000	Mugshot	376841	4.3	3.7	3.3	0.000
daon-000	Border	236231	4.8	4.2	3.6	0.000
daon-000	Application	111938	4.1	3.4	3.2	0.000
daon-000	Visa	857763	4.7	4.3	3.1	0.000
daon-001	Mugshot	376835	3.5	3.0	2.8	0.000
daon-001	Border	236220	4.2	3.8	3.1	0.000
daon-001	Application	111938	3.7	3.1	2.9	0.000
daon-001	Visa	857764	4.3	4.1	2.7	0.000
daon-002	Mugshot	376835	2.5	1.9	2.2	0.000
daon-002	Border	236220	2.9	2.4	2.4	0.000
daon-002	Application	111938	2.7	2.2	2.3	0.000
daon-002	Visa	857764	2.7	2.1	2.2	0.000
dermalog-001	Mugshot	376560	3.8	3.0	3.2	0.001
dermalog-001	Border	236251	5.1	4.6	3.6	0.000
dermalog-001	Application	111938	3.3	2.6	2.8	0.000
dermalog-001	Visa	857766	4.7	4.2	3.2	0.000
dermalog-002	Mugshot	376560	3.9	3.0	3.4	0.001
dermalog-002	Border	236251	5.1	4.4	3.8	0.000
dermalog-002	Application	111938	3.6	2.9	2.9	0.000
dermalog-002	Visa	857766	4.4	3.8	3.3	0.000
dermalog-003	Mugshot	376626	2.4	2.0	2.6	0.001
dermalog-003	Border	236261	3.3	2.4	3.2	0.000
dermalog-003	Application	111938	2.2	1.6	2.2	0.000
dermalog-003	Visa	857765	2.6	1.8	2.5	0.000
facehawk-001	Mugshot	374319	7.4	6.5	4.7	0.007
facehawk-001	Border	236160	8.9	8.5	4.9	0.000
facehawk-001	Application	111689	6.5	5.8	4.2	0.002
facehawk-001	Visa	663485	7.0	6.5	3.9	0.227
hzailu-001	Mugshot	376699	7.5	7.0	4.4	0.000
hzailu-001	Border	236236	5.7	5.1	3.9	0.000
hzailu-001	Application	111938	5.9	5.5	3.8	0.000
hzailu-001	Visa	857763	7.8	7.6	3.9	0.000
idemia-001	Mugshot	376850	2.1	1.7	1.9	0.000
idemia-001	Border	236232	2.5	2.0	2.1	0.000
idemia-001	Application	111938	2.6	2.1	2.3	0.000
idemia-001	Visa	857764	2.8	2.3	2.2	0.000
idemia-002	Mugshot	376850	2.4	1.9	2.1	0.000
idemia-002	Border	236232	2.7	2.2	2.2	0.000
idemia-002	Application	111938	2.6	2.1	2.3	0.000
idemia-002	Visa	857764	3.5	2.9	2.7	0.000
idemia-003	Mugshot	376855	1.8	1.4	1.6	0.000
idemia-003	Border	236240	2.5	2.1	2.0	0.000
idemia-003	Application	111938	2.4	1.9	2.1	0.000
idemia-003	Visa	857766	2.4	1.9	2.0	0.000
inbut-000	Mugshot	376822	2.8	1.9	2.7	0.000
inbut-000	Border	236224	3.2	2.8	2.5	0.000
inbut-000	Application	111938	3.7	2.9	3.3	0.000
inbut-000	Visa	857764	10.5	10.9	4.2	0.000
incode-000	Mugshot	376710	2.7	2.2	2.5	0.000
incode-000	Border	236181	4.5	3.6	3.9	0.000
incode-000	Application	111938	3.0	2.4	2.5	0.000
incode-000	Visa	857762	3.5	2.9	2.7	0.000
incode-001	Mugshot	376606	2.5	1.9	2.5	0.001
incode-001	Border	236171	3.9	2.9	3.7	0.000
incode-001	Application	111936	3.1	2.4	2.7	0.000
incode-001	Visa	857759	3.7	2.9	3.1	0.000
incode-002	Mugshot	376606	2.1	1.7	2.0	0.001

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 1. *Mean, median and standard deviation of absolute error (MAE, MDAE, SD) and failure to process rate (FTP) for subjects between the age 18 to 24 year old. Num. Img shows how many images processed sucessfully by the algorithm. Lower values are better. (continued)*

Algorithm	Dataset	Num. Img	MAE	MDAE	SD	FTP
incode-002	Border	236171	3.0	2.3	2.7	0.000
incode-002	Application	111936	2.6	2.1	2.2	0.000
incode-002	Visa	857759	2.6	2.1	2.2	0.000
innovatrics-000	Mugshot	376794	2.0	1.5	1.8	0.000
innovatrics-000	Border	236171	2.5	2.1	2.1	0.000
innovatrics-000	Application	111938	2.5	2.0	2.2	0.000
innovatrics-000	Visa	857764	3.2	2.9	2.3	0.000
innovatrics-001	Mugshot	376794	1.9	1.5	1.8	0.000
innovatrics-001	Border	236171	2.4	1.9	2.1	0.000
innovatrics-001	Application	111938	2.3	1.8	2.1	0.000
innovatrics-001	Visa	857764	3.0	2.6	2.2	0.000
innovatrics-002	Mugshot	376823	2.3	1.8	2.0	0.000
innovatrics-002	Border	236208	2.7	2.3	2.2	0.000
innovatrics-002	Application	111938	2.8	2.2	2.3	0.000
innovatrics-002	Visa	857765	3.2	2.6	2.4	0.000
innovatrics-003	Mugshot	376823	2.0	1.6	1.8	0.000
innovatrics-003	Border	236208	2.5	2.0	2.1	0.000
innovatrics-003	Application	111938	2.3	1.8	2.1	0.000
innovatrics-003	Visa	857765	3.1	2.6	2.4	0.000
innovatrics-004	Mugshot	376823	2.3	1.9	1.9	0.000
innovatrics-004	Border	236208	3.2	2.8	2.4	0.000
innovatrics-004	Application	111938	2.6	2.1	2.2	0.000
innovatrics-004	Visa	857765	3.0	2.4	2.5	0.000
intellicheck-000	Mugshot	376867	3.4	2.6	3.4	0.000
intellicheck-000	Border	236272	5.1	5.2	2.6	0.000
intellicheck-000	Application	111938	4.2	3.9	3.4	0.000
intellicheck-000	Visa	857774	3.9	3.4	3.1	0.000
ionetworks-000	Mugshot	376867	3.9	3.4	2.9	0.000
ionetworks-000	Border	236272	2.7	2.1	2.3	0.000
ionetworks-000	Application	111938	3.2	2.6	2.6	0.000
ionetworks-000	Visa	857774	3.6	3.1	2.6	0.000
jumio-000	Mugshot	376344	2.9	2.2	2.8	0.001
jumio-000	Border	226033	5.6	4.5	4.6	0.043
jumio-000	Application	111759	3.4	2.7	2.9	0.002
jumio-000	Visa	835881	4.3	3.9	3.0	0.026
neurotechnology-000	Mugshot	376764	3.6	3.0	3.0	0.000
neurotechnology-000	Border	236169	3.4	2.8	2.8	0.000
neurotechnology-000	Application	111938	3.7	3.1	2.9	0.000
neurotechnology-000	Visa	857764	3.2	2.5	2.7	0.000
neurotechnology-001	Mugshot	376726	2.9	2.0	2.7	0.000
neurotechnology-001	Border	236107	3.2	2.6	2.7	0.001
neurotechnology-001	Application	111938	3.2	2.6	2.6	0.000
neurotechnology-001	Visa	857762	3.1	2.5	2.6	0.000
neurotechnology-003	Mugshot	376834	3.2	2.5	2.7	0.000
neurotechnology-003	Border	236218	3.3	2.6	2.8	0.000
neurotechnology-003	Application	111937	4.0	3.5	2.9	0.000
neurotechnology-003	Visa	857759	5.1	4.8	3.1	0.000
nominder-000	Mugshot	376720	2.8	2.2	2.5	0.000
nominder-000	Border	236203	3.2	2.7	2.6	0.000
nominder-000	Application	111938	3.1	2.5	2.6	0.000
nominder-000	Visa	857765	3.5	2.9	2.7	0.000
nominder-001	Mugshot	376683	2.3	1.7	2.1	0.000
nominder-001	Border	236204	2.6	2.1	2.3	0.000
nominder-001	Application	111938	2.4	1.9	2.2	0.000
nominder-001	Visa	857765	3.7	3.0	2.9	0.000
ondato-000	Mugshot	376835	2.8	2.2	2.6	0.000
ondato-000	Border	236209	2.8	2.3	2.4	0.000
ondato-000	Application	111938	3.1	2.4	2.7	0.000
ondato-000	Visa	857764	3.1	2.6	2.5	0.000
ondato-001	Mugshot	376835	2.7	2.1	2.5	0.000
ondato-001	Border	236209	2.7	2.2	2.4	0.000
ondato-001	Application	111938	2.9	2.3	2.5	0.000
ondato-001	Visa	857764	3.2	2.7	2.4	0.000
onfido-000	Mugshot	376850	2.7	2.0	2.6	0.000
onfido-000	Border	236212	4.1	3.3	3.3	0.000
onfido-000	Application	111938	3.8	3.3	2.8	0.000
onfido-000	Visa	857764	3.2	2.7	2.5	0.000
paravision-000	Mugshot	376728	3.9	3.7	2.6	0.000
paravision-000	Border	236202	5.5	5.5	2.9	0.000
paravision-000	Application	18659	2.9	2.3	2.4	0.000
paravision-000	Visa	857764	6.6	6.7	2.4	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 1. *Mean, median and standard deviation of absolute error (MAE, MDAE, SD) and failure to process rate (FTP) for subjects between the age 18 to 24 year old. Num. Img shows how many images processed sucessfully by the algorithm. Lower values are better. (continued)*

Algorithm	Dataset	Num. Img	MAE	MDAE	SD	FTP
paravision-001	Mugshot	376728	2.7	2.3	2.2	0.000
paravision-001	Border	236202	2.6	2.2	2.1	0.000
paravision-001	Application	111938	2.9	2.4	2.5	0.000
paravision-001	Visa	857764	2.9	2.5	2.1	0.000
privately-000	Mugshot	376867	2.9	2.3	2.5	0.000
privately-000	Border	236272	3.9	3.3	3.1	0.000
privately-000	Application	111938	2.9	2.3	2.5	0.000
privately-000	Visa	857774	3.4	2.8	2.6	0.000
regula-000	Mugshot	376840	2.0	1.5	1.9	0.000
regula-000	Border	236175	2.6	2.0	2.3	0.000
regula-000	Application	111938	2.2	1.7	2.1	0.000
regula-000	Visa	857764	2.6	2.1	2.2	0.000
rigrai-000	Mugshot	375889	2.8	2.2	2.2	0.003
rigrai-000	Border	236157	3.2	2.6	2.7	0.000
rigrai-000	Application	111938	3.0	2.4	2.4	0.000
rigrai-000	Visa	857764	3.4	2.9	2.6	0.000
roc-000	Mugshot	376809	2.3	1.7	2.3	0.000
roc-000	Border	236191	4.0	3.4	3.1	0.000
roc-000	Application	111938	3.5	2.9	2.8	0.000
roc-000	Visa	857764	3.7	2.8	3.1	0.000
roc-001	Mugshot	376818	2.2	1.6	2.1	0.000
roc-001	Border	236198	3.5	3.1	2.6	0.000
roc-001	Application	111938	3.2	2.8	2.6	0.000
roc-001	Visa	857764	3.9	3.5	2.8	0.000
roc-002	Mugshot	376850	1.8	1.4	1.6	0.000
roc-002	Border	236199	3.2	2.7	2.5	0.000
roc-002	Application	111938	2.5	2.0	2.2	0.000
roc-002	Visa	857764	2.4	1.9	2.0	0.000
roc-003	Mugshot	376850	1.7	1.3	1.6	0.000
roc-003	Border	236199	2.8	2.3	2.3	0.000
roc-003	Application	111938	2.3	1.8	2.1	0.000
roc-003	Visa	857764	2.3	1.8	1.9	0.000
shufti-000	Mugshot	376392	3.1	2.2	3.0	0.001
shufti-000	Border	234897	4.2	3.2	3.8	0.006
shufti-000	Application	111932	4.0	3.2	3.4	0.000
shufti-000	Visa	857762	3.5	2.7	3.0	0.000
shufti-001	Mugshot	376867	3.0	2.1	3.0	0.000
shufti-001	Border	236272	3.6	2.6	3.3	0.000
shufti-001	Application	111938	3.2	2.4	2.9	0.000
shufti-001	Visa	857774	4.0	3.1	3.4	0.000
tsight-000	Mugshot	376783	3.5	3.0	2.5	0.000
tsight-000	Border	236248	2.9	2.4	2.4	0.000
tsight-000	Application	111938	2.9	2.4	2.4	0.000
tsight-000	Visa	857766	4.1	3.8	2.5	0.000
unissey-001	Mugshot	376776	3.5	3.0	3.1	0.000
unissey-001	Border	236182	3.4	3.0	2.8	0.000
unissey-001	Application	111938	4.0	3.5	3.1	0.000
unissey-001	Visa	857764	4.1	3.6	3.0	0.000
viante-000	Mugshot	376674	4.8	5.0	2.7	0.001
viante-000	Border	236210	4.1	3.8	2.8	0.000
viante-000	Application	111938	5.0	4.7	2.7	0.000
viante-000	Visa	857759	6.2	6.1	3.1	0.000
yoti-001	Mugshot	376274	2.7	2.1	2.5	0.002
yoti-001	Border	235988	5.1	4.5	3.8	0.001
yoti-001	Application	111936	4.1	3.4	3.3	0.000
yoti-001	Visa	857713	3.8	3.1	3.0	0.000
yoti-002	Mugshot	376867	2.5	2.1	2.2	0.000
yoti-002	Border	236272	4.4	4.0	3.1	0.000
yoti-002	Application	111938	3.5	2.9	2.7	0.000
yoti-002	Visa	857774	3.1	2.6	2.4	0.000
yoti-003	Mugshot	376867	2.4	1.9	2.1	0.000
yoti-003	Border	236272	4.3	3.8	3.1	0.000
yoti-003	Application	111938	3.3	2.7	2.7	0.000
yoti-003	Visa	857774	3.1	2.6	2.4	0.000
yoti-004	Mugshot	376867	1.9	1.5	1.8	0.000
yoti-004	Border	236272	3.8	3.3	2.8	0.000
yoti-004	Application	111938	2.6	2.1	2.3	0.000
yoti-004	Visa	857774	2.5	2.1	2.0	0.000
yoti-005	Mugshot	376867	1.9	1.5	1.8	0.000
yoti-005	Border	236272	3.7	3.2	2.8	0.000
yoti-005	Application	111938	2.6	2.1	2.3	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 1. *Mean, median and standard deviation of absolute error (MAE, MDAE, SD) and failure to process rate (FTP) for subjects between the age 18 to 24 year old. Num. Img shows how many images processed sucessfully by the algorithm. Lower values are better. (continued)*

Algorithm	Dataset	Num. Img	MAE	MDAE	SD	FTP
yoti-005	Visa	857774	2.5	2.1	2.0	0.000
youverse-000	Mugshot	376691	3.3	2.4	3.0	0.000
youverse-000	Border	236217	4.7	4.0	3.6	0.000
youverse-000	Application	111938	3.1	2.5	2.6	0.000
youverse-000	Visa	857689	3.1	2.5	2.5	0.000
youverse-001	Mugshot	376790	2.9	2.2	2.6	0.000
youverse-001	Border	236213	3.8	3.3	2.8	0.000
youverse-001	Application	111938	3.1	2.5	2.5	0.000
youverse-001	Visa	857764	3.0	2.4	2.4	0.000

Impact of image quality: Table 1 shows mugshots are easiest for three of six algorithms using the MAE metric, and border crossing photos are the hardest for four of six algorithms. Mugshots and application photos are collected with standardized photographic setups. The border photos are collected with a webcam and exhibit more variation in head orientation away from frontal, and lower contrast. On such images, algorithms perform less well than on office-collected application photos of the same people (i.e. the same demographics). We have not conducted a detailed cause-and-effect analysis to relate age estimation error to explicit measurements of standardized quality metrics such as sharpness, exposure and head orientation. The datasets are detailed in 3. See sec. 5.6.

Impact of eyeglasses: Eyeglasses have an effect on age estimation error. Four of six algorithms show higher age estimation error (over-estimation or under-estimation) in both male and female when wearing glasses vs. not wearing glasses. See sec. 5.6.1.

Age verification accuracy: For restricted-age applications such as alcohol purchase, a Challenge-T policy accepts people with age estimated at or above T but requires additional age assurance checks on anyone assessed to have age below T. Table 2 shows false positive rates (FPR) for people below a legal limit (18 in the first four columns, and 21 in the second four columns) but who are estimated to be at or above the challenge age T. FPR, which should be low, decreases with higher Challenge-T values. The use of higher T values will cause more people at or above legal age to be subject to additional age assurance. The tables show that for four of six algorithms, FPR is markedly lower in men than women, the opposite is true for another, and parity is almost achieved for one more.

Table 2. *For Application images, false positive rates (FPR) for 14-17 year olds, 14-20 years olds, at challenge ages, 25, 28 and 31. Values are lower the better.*

Algorithm	Male 14-17 T=25	Female 14-17 T=25	Male 14-17 T=28	Female 14-17 T=28	Male 14-20 T=28	Female 14-20 T=28	Male 14-20 T=31	Female 14-20 T=31
ayonix-001	0.017	0.063	0.006	0.023	0.013	0.041	0.005	0.016
bynn-000	0.012	0.020	0.002	0.004	0.016	0.019	0.005	0.006
cognitec-000	0.005	0.014	0.001	0.003	0.007	0.013	0.002	0.004
cognitec-001	0.004	0.012	0.001	0.003	0.007	0.013	0.002	0.003
cvut-001	0.039	0.100	0.006	0.025	0.029	0.052	0.006	0.018
cvut-002	0.011	0.032	0.002	0.005	0.012	0.015	0.004	0.005
cvut-003	0.008	0.029	0.002	0.005	0.009	0.017	0.003	0.006
cyberlink-000	0.054	0.091	0.012	0.020	0.051	0.050	0.008	0.011
cyberlink-001	0.013	0.023	0.002	0.005	0.014	0.016	0.003	0.005
daon-000	0.094	0.067	0.027	0.024	0.066	0.048	0.020	0.017
daon-001	0.045	0.034	0.009	0.011	0.037	0.030	0.010	0.010

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

daon-002	0.007	0.011	0.002	0.003	0.011	0.012	0.003	0.003
dermalog-001	0.051	0.112	0.012	0.036	0.034	0.069	0.010	0.021
dermalog-002	0.034	0.167	0.009	0.037	0.031	0.081	0.010	0.020
dermalog-003	0.003	0.012	0.001	0.004	0.006	0.012	0.004	0.005
facehawk-001	0.271	0.370	0.215	0.308	0.287	0.350	0.017	0.031
hzailu-001	0.341	0.361	0.127	0.154	0.246	0.247	0.091	0.080
idemia-001	0.004	0.012	0.002	0.003	0.009	0.012	0.003	0.003
idemia-002	0.002	0.009	0.002	0.003	0.006	0.012	0.002	0.003
idemia-003	0.002	0.005	0.001	0.001	0.005	0.006	0.002	0.002
inbut-000	0.100	0.114	0.055	0.050	0.072	0.075	0.034	0.030
incode-000	0.006	0.033	0.002	0.010	0.008	0.027	0.002	0.008
incode-001	0.006	0.034	0.002	0.010	0.011	0.038	0.004	0.010
incode-002	0.003	0.019	0.001	0.003	0.006	0.014	0.002	0.003
innovatrics-000	0.007	0.030	0.002	0.005	0.008	0.015	0.002	0.004
innovatrics-001	0.005	0.024	0.001	0.004	0.007	0.013	0.002	0.003
innovatrics-002	0.008	0.034	0.002	0.006	0.010	0.020	0.003	0.006
innovatrics-003	0.002	0.013	0.001	0.003	0.005	0.013	0.002	0.004
innovatrics-004	0.002	0.011	0.001	0.003	0.005	0.012	0.002	0.004
intellicheck-000	0.007	0.018	0.004	0.012	0.018	0.024	0.011	0.017
ionetworks-000	0.022	0.049	0.005	0.011	0.027	0.035	0.006	0.010
jumio-000	0.021	0.088	0.009	0.026	0.019	0.067	0.007	0.020
neurotechnology-000	0.248	0.178	0.062	0.035	0.101	0.057	0.028	0.014
neurotechnology-001	0.157	0.125	0.019	0.014	0.040	0.027	0.011	0.007
neurotechnology-003	0.066	0.070	0.012	0.018	0.071	0.054	0.012	0.013
nominder-000	0.020	0.041	0.004	0.012	0.025	0.031	0.007	0.009
nominder-001	0.007	0.021	0.002	0.004	0.009	0.015	0.003	0.004
ondato-000	0.027	0.073	0.006	0.018	0.022	0.040	0.006	0.011
ondato-001	0.014	0.051	0.003	0.010	0.012	0.030	0.004	0.007
onfido-000	0.011	0.092	0.003	0.020	0.014	0.068	0.004	0.016
paravision-000	0.007	0.000	0.002	0.000	0.009	0.014	0.002	0.003
paravision-001	0.004	0.007	0.001	0.003	0.010	0.012	0.003	0.004
privately-000	0.014	0.065	0.003	0.012	0.008	0.029	0.002	0.006
regula-000	0.003	0.012	0.001	0.003	0.005	0.012	0.002	0.004
rigrai-000	0.006	0.013	0.001	0.003	0.008	0.010	0.002	0.003
roc-000	0.041	0.073	0.006	0.016	0.030	0.049	0.006	0.011
roc-001	0.013	0.040	0.002	0.006	0.015	0.030	0.004	0.007
roc-002	0.006	0.016	0.002	0.003	0.008	0.014	0.002	0.003
roc-003	0.005	0.012	0.002	0.002	0.007	0.010	0.002	0.002
shufti-000	0.029	0.067	0.009	0.022	0.044	0.066	0.015	0.023
shufti-001	0.009	0.061	0.003	0.019	0.013	0.056	0.005	0.019
tsight-000	0.037	0.044	0.005	0.010	0.026	0.026	0.005	0.007
unissey-001	0.107	0.127	0.031	0.038	0.091	0.092	0.018	0.019
viante-000	0.138	0.253	0.023	0.049	0.111	0.123	0.017	0.020
yoti-001	0.012	0.090	0.003	0.032	0.017	0.093	0.004	0.033
yoti-002	0.009	0.063	0.002	0.014	0.010	0.046	0.003	0.011
yoti-003	0.008	0.056	0.003	0.014	0.011	0.046	0.004	0.011
yoti-004	0.005	0.026	0.001	0.004	0.006	0.017	0.002	0.004
yoti-005	0.004	0.024	0.001	0.004	0.006	0.018	0.002	0.004
youverse-000	0.026	0.051	0.008	0.015	0.030	0.031	0.008	0.009
youverse-001	0.015	0.018	0.004	0.005	0.022	0.019	0.006	0.006

Table 2 uses two samples sets (14-17 and 14-20), but these subsets are imbalanced by age and sex per the characteristic demographics of the operational population the set was drawn from. Imbalance matters, because 14 year olds have markedly lower FPR than do those aged 17: Table 3 shows that Challenge-25 false positive rates increase by an order-of-magnitude as subjects age from 14 through 20 - for example for the roc-000 algorithm FPR at age 20 (0.295) is almost fifteen times larger than at age 14 (0.02). The implication of imbalance in a set is that a test that employs that set without

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

taking any steps to correct for that imbalance, will yield unpresentative results - see the discussion in 2.7.3. A test of an operational system should typically proceed with operationally representative numbers of $14, 15, \ldots$ year old males and females.

Table 3. *For Application images, false positive rates for Challenge-25 by actual age. The FPR values are averages of 12 FPR estimates from two sexes and six regions-of-birth. Lower values are the better.*

	Actual Age						
Algorithm	**14**	**15**	**16**	**17**	**18**	**19**	**20**
ayonix-001	0.022	0.028	0.040	0.067	0.072	0.106	0.144
bynn-000	0.006	0.011	0.020	0.045	0.063	0.118	0.170
cognitec-000	0.003	0.009	0.016	0.027	0.044	0.078	0.125
cognitec-001	0.003	0.006	0.011	0.022	0.037	0.075	0.117
cvut-001	0.055	0.075	0.106	0.148	0.173	0.241	0.304
cvut-002	0.013	0.018	0.035	0.064	0.083	0.136	0.197
cvut-003	0.013	0.018	0.030	0.051	0.068	0.111	0.162
cyberlink-000	0.041	0.059	0.096	0.149	0.199	0.281	0.375
cyberlink-001	0.006	0.013	0.026	0.047	0.067	0.120	0.183
daon-000	0.031	0.059	0.096	0.143	0.168	0.234	0.299
daon-001	0.014	0.024	0.045	0.087	0.114	0.178	0.257
daon-002	0.001	0.006	0.016	0.030	0.045	0.085	0.144
dermalog-001	0.039	0.060	0.097	0.134	0.151	0.226	0.284
dermalog-002	0.046	0.074	0.106	0.152	0.189	0.251	0.322
dermalog-003	0.003	0.004	0.014	0.017	0.021	0.036	0.055
facehawk-001	0.281	0.327	0.381	0.420	0.438	0.456	0.487
hzailu-001	0.246	0.336	0.444	0.522	0.590	0.663	0.717
idemia-001	0.001	0.007	0.012	0.024	0.040	0.078	0.132
idemia-002	0.001	0.005	0.008	0.019	0.030	0.057	0.102
idemia-003	0.000	0.002	0.005	0.012	0.015	0.039	0.067
inbut-000	0.092	0.123	0.159	0.200	0.202	0.288	0.371
incode-000	0.008	0.012	0.031	0.047	0.062	0.112	0.171
incode-001	0.006	0.012	0.029	0.053	0.078	0.140	0.214
incode-002	0.002	0.006	0.019	0.030	0.048	0.091	0.142
innovatrics-000	0.008	0.014	0.028	0.055	0.074	0.130	0.193
innovatrics-001	0.007	0.012	0.025	0.048	0.065	0.114	0.168
innovatrics-002	0.010	0.017	0.038	0.069	0.090	0.155	0.219
innovatrics-003	0.001	0.006	0.011	0.021	0.030	0.064	0.101
innovatrics-004	0.000	0.005	0.010	0.019	0.028	0.058	0.093
intellicheck-000	0.007	0.010	0.013	0.022	0.031	0.049	0.065
ionetworks-000	0.014	0.034	0.056	0.100	0.145	0.222	0.299
jumio-000	0.037	0.052	0.079	0.115	0.147	0.219	0.303
neurotechnology-000	0.200	0.231	0.293	0.353	0.380	0.426	0.465
neurotechnology-001	0.058	0.090	0.120	0.169	0.201	0.243	0.302
neurotechnology-003	0.028	0.051	0.103	0.172	0.256	0.349	0.458
nominder-000	0.017	0.025	0.041	0.073	0.101	0.161	0.227
nominder-001	0.004	0.008	0.023	0.042	0.060	0.099	0.150
ondato-000	0.029	0.044	0.068	0.108	0.129	0.200	0.273
ondato-001	0.015	0.029	0.047	0.078	0.107	0.169	0.248
onfido-000	0.016	0.029	0.062	0.107	0.151	0.240	0.340
paravision-000	0.001	0.002	0.006	0.012	0.025	0.054	0.104
paravision-001	0.001	0.003	0.008	0.017	0.032	0.068	0.128
privately-000	0.014	0.026	0.047	0.061	0.077	0.110	0.160
regula-000	0.001	0.004	0.012	0.024	0.040	0.076	0.120
rigrai-000	0.002	0.007	0.011	0.027	0.041	0.074	0.113
roc-000	0.020	0.037	0.063	0.103	0.138	0.216	0.295
roc-001	0.004	0.017	0.031	0.068	0.104	0.187	0.277
roc-002	0.002	0.005	0.015	0.027	0.040	0.084	0.140
roc-003	0.001	0.004	0.012	0.022	0.038	0.081	0.134
shufti-000	0.021	0.036	0.062	0.103	0.140	0.242	0.337
shufti-001	0.018	0.030	0.048	0.074	0.104	0.169	0.240

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

tsight-000	0.023	0.034	0.068	0.109	0.150	0.209	0.279
unissey-001	0.047	0.082	0.128	0.191	0.252	0.332	0.424
viante-000	0.091	0.148	0.260	0.373	0.452	0.579	0.690
yoti-001	0.018	0.033	0.068	0.110	0.155	0.236	0.327
yoti-002	0.012	0.021	0.046	0.072	0.098	0.173	0.246
yoti-003	0.010	0.017	0.039	0.067	0.087	0.159	0.242
yoti-004	0.003	0.008	0.018	0.037	0.053	0.105	0.164
yoti-005	0.002	0.008	0.016	0.034	0.050	0.101	0.156
youverse-000	0.021	0.040	0.057	0.096	0.130	0.175	0.231
youverse-001	0.006	0.011	0.020	0.045	0.075	0.121	0.182

Table 4. *For Application images, false positive rates for Challenge-28 by actual age. The FPR values are averages of 12 FPR estimates from two sexes and six regions-of-birth. Lower values are the better.*

	Actual Age						
Algorithm	**14**	**15**	**16**	**17**	**18**	**19**	**20**
ayonix-001	0.008	0.011	0.013	0.021	0.023	0.034	0.059
bynn-000	0.001	0.002	0.006	0.008	0.018	0.034	0.059
cognitec-000	0.000	0.002	0.004	0.006	0.011	0.022	0.032
cognitec-001	0.001	0.002	0.004	0.004	0.008	0.019	0.031
cvut-001	0.012	0.017	0.028	0.042	0.056	0.091	0.124
cvut-002	0.001	0.003	0.007	0.011	0.016	0.029	0.050
cvut-003	0.002	0.003	0.007	0.009	0.015	0.031	0.048
cyberlink-000	0.006	0.013	0.024	0.043	0.052	0.088	0.136
cyberlink-001	0.000	0.002	0.006	0.011	0.014	0.031	0.048
daon-000	0.012	0.020	0.031	0.052	0.060	0.091	0.127
daon-001	0.003	0.007	0.014	0.027	0.039	0.060	0.097
daon-002	0.000	0.002	0.005	0.006	0.011	0.025	0.044
dermalog-001	0.011	0.018	0.028	0.041	0.047	0.077	0.107
dermalog-002	0.010	0.018	0.027	0.041	0.052	0.078	0.113
dermalog-003	0.000	0.002	0.005	0.006	0.008	0.016	0.029
facehawk-001	0.224	0.264	0.317	0.353	0.364	0.389	0.417
hzailu-001	0.103	0.141	0.205	0.263	0.320	0.380	0.445
idemia-001	0.000	0.001	0.005	0.007	0.009	0.021	0.039
idemia-002	0.000	0.001	0.004	0.007	0.009	0.018	0.033
idemia-003	0.000	0.000	0.002	0.003	0.004	0.012	0.021
inbut-000	0.046	0.062	0.082	0.095	0.091	0.124	0.150
incode-000	0.002	0.004	0.012	0.015	0.019	0.037	0.052
incode-001	0.002	0.005	0.010	0.017	0.024	0.046	0.072
incode-002	0.001	0.002	0.004	0.007	0.009	0.022	0.036
innovatrics-000	0.001	0.002	0.006	0.010	0.014	0.027	0.044
innovatrics-001	0.000	0.002	0.005	0.009	0.011	0.024	0.038
innovatrics-002	0.001	0.005	0.008	0.014	0.019	0.038	0.059
innovatrics-003	0.000	0.002	0.004	0.006	0.009	0.019	0.031
innovatrics-004	0.000	0.002	0.004	0.006	0.008	0.018	0.030
intellicheck-000	0.003	0.006	0.008	0.015	0.021	0.035	0.047
ionetworks-000	0.003	0.009	0.014	0.026	0.041	0.068	0.099
jumio-000	0.013	0.018	0.028	0.042	0.050	0.082	0.113
neurotechnology-000	0.058	0.071	0.094	0.123	0.138	0.162	0.191
neurotechnology-001	0.008	0.012	0.019	0.027	0.030	0.040	0.065
neurotechnology-003	0.004	0.011	0.025	0.043	0.070	0.120	0.173
nominder-000	0.003	0.008	0.013	0.024	0.030	0.054	0.085
nominder-001	0.000	0.002	0.005	0.010	0.014	0.026	0.042
ondato-000	0.006	0.013	0.019	0.030	0.037	0.062	0.093
ondato-001	0.003	0.006	0.010	0.018	0.021	0.043	0.068
onfido-000	0.002	0.007	0.014	0.027	0.033	0.069	0.107
paravision-000	0.000	0.001	0.003	0.004	0.006	0.015	0.028
paravision-001	0.000	0.001	0.003	0.007	0.009	0.023	0.040
privately-000	0.003	0.004	0.011	0.012	0.015	0.022	0.041

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

regula-000	0.000	0.001	0.004	0.005	0.008	0.019	0.031
rigrai-000	0.001	0.002	0.004	0.006	0.009	0.017	0.030
roc-000	0.003	0.008	0.014	0.023	0.037	0.066	0.100
roc-001	0.000	0.003	0.008	0.013	0.021	0.043	0.074
roc-002	0.001	0.002	0.003	0.006	0.008	0.020	0.036
roc-003	0.000	0.001	0.003	0.006	0.007	0.017	0.031
shufti-000	0.006	0.012	0.019	0.035	0.054	0.094	0.140
shufti-001	0.004	0.009	0.015	0.026	0.034	0.062	0.096
tsight-000	0.003	0.009	0.017	0.023	0.038	0.056	0.088
unissey-001	0.012	0.024	0.046	0.064	0.090	0.139	0.194
viante-000	0.017	0.028	0.053	0.095	0.132	0.206	0.281
yoti-001	0.007	0.012	0.025	0.040	0.054	0.093	0.124
yoti-002	0.002	0.005	0.013	0.018	0.022	0.046	0.072
yoti-003	0.002	0.005	0.011	0.019	0.024	0.047	0.073
yoti-004	0.000	0.002	0.003	0.007	0.010	0.021	0.037
yoti-005	0.000	0.002	0.003	0.007	0.010	0.021	0.038
youverse-000	0.008	0.013	0.021	0.029	0.047	0.058	0.088
youverse-001	0.002	0.003	0.006	0.013	0.022	0.042	0.062

Table 4 shows the effect of increasing the challenge age to 28. FPR reduces universally (necessarily). Note that in both tables the large variation down the columns, showing that some algorithms are markedly better than others.

In the main results section, we include results for all ages and all thresholds. We also include results for other datasets, where FPR is increased with lower quality photos. See sec. 5.3.

Age verification accuracy vs age estimation: Our API includes age verification function which allow developers to implement a dedicated classifier indicating whether the subject is above an age limit. All algorithms show that age-verification classifier do not perform better when comparing to a regression-like estimator. See sec. 5.3.1

Demographics - Region of birth: In addition to age, we report performance for six regions-of-birth: E. Africa, W. Africa, E. Europe, S. Asia, S. E. Asia, and E. Asia. This forms a proxy for ethnicity, as explained in section 5.4. We do not attempt to recover skin tone information from images, because this is problematic for technical reasons and, more importantly, because face processing algorithms should be expected to be sensitive to skin tone *and* many other phenotypes present in a face such as square jaws, prominent eye brows, high cheekbones, aquiline noses etc.

Table 5. *For Application images, Challenge-25 FPR for men aged 17 by region of birth. Gini summarizes variability of the six FPR values to its right; lower values are better.*

Algorithm	Gini	E Africa	E Asia	E Europe	S Asia	S E Asia	W Africa
ayonix-001	0.40	0.06 ± 0.02	0.028 ± 0.008	0.006 ± 0.006	0.019 ± 0.008	0.03 ± 0.01	0.05 ± 0.02
bynn-000	0.42	0.02 ± 0.01	0.029 ± 0.008	0.003 ± 0.003	0.03 ± 0.01	0.03 ± 0.02	0.08 ± 0.03
cognitec-000	0.53	0.006 ± 0.006	0.010 ± 0.004	0.000 ± 0.000	0.014 ± 0.007	0.02 ± 0.01	0.04 ± 0.02
cognitec-001	0.41	0.006 ± 0.006	0.009 ± 0.004	0.003 ± 0.003	0.010 ± 0.006	0.011 ± 0.008	0.03 ± 0.02
cvut-001	0.50	0.17 ± 0.04	0.05 ± 0.01	0.03 ± 0.01	0.07 ± 0.02	0.05 ± 0.02	0.27 ± 0.05
cvut-002	0.59	0.05 ± 0.02	0.006 ± 0.003	0.008 ± 0.008	0.04 ± 0.01	0.01 ± 0.01	0.11 ± 0.04
cvut-003	0.65	0.03 ± 0.02	0.004 ± 0.003	0.003 ± 0.003	0.03 ± 0.01	0.006 ± 0.006	0.08 ± 0.03
cyberlink-000	0.30	0.20 ± 0.04	0.09 ± 0.01	0.04 ± 0.02	0.12 ± 0.02	0.11 ± 0.03	0.19 ± 0.04
cyberlink-001	0.22	0.04 ± 0.02	0.020 ± 0.006	0.02 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.05 ± 0.02
daon-000	0.27	0.23 ± 0.04	0.17 ± 0.02	0.03 ± 0.01	0.19 ± 0.02	0.16 ± 0.04	0.13 ± 0.04
daon-001	0.25	0.13 ± 0.04	0.10 ± 0.01	0.008 ± 0.008	0.09 ± 0.02	0.10 ± 0.03	0.11 ± 0.04
daon-002	0.53	0.04 ± 0.02	0.013 ± 0.005	0.000 ± 0.000	0.011 ± 0.006	0.02 ± 0.01	0.05 ± 0.02
dermalog-001	0.21	0.10 ± 0.03	0.07 ± 0.01	0.04 ± 0.02	0.12 ± 0.02	0.10 ± 0.03	0.09 ± 0.03

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

dermalog-002	0.14	0.07 ± 0.03	0.05 ± 0.01	0.06 ± 0.02	0.09 ± 0.02	0.08 ± 0.03	0.05 ± 0.02
dermalog-003	0.48	0.006 ± 0.006	0.004 ± 0.003	0.003 ± 0.003	0.004 ± 0.003	0.006 ± 0.006	0.02 ± 0.02
facehawk-001	0.23	0.48 ± 0.05	0.13 ± 0.01	0.47 ± 0.05	0.56 ± 0.03	0.28 ± 0.04	0.49 ± 0.06
hzailu-001	0.15	0.55 ± 0.05	0.34 ± 0.02	0.44 ± 0.05	0.68 ± 0.03	0.53 ± 0.05	0.67 ± 0.05
idemia-001	0.58	0.01 ± 0.01	0.007 ± 0.004	0.000 ± 0.000	0.009 ± 0.005	0.006 ± 0.006	0.04 ± 0.02
idemia-002	0.75	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.006 ± 0.004	0.006 ± 0.006	0.03 ± 0.02
idemia-003	0.63	0.006 ± 0.006	0.003 ± 0.002	0.000 ± 0.000	0.005 ± 0.004	0.006 ± 0.006	0.03 ± 0.02
inbut-000	0.28	0.30 ± 0.05	0.10 ± 0.01	0.12 ± 0.03	0.13 ± 0.02	0.13 ± 0.03	0.27 ± 0.05
incode-000	0.49	0.02 ± 0.01	0.006 ± 0.004	0.003 ± 0.003	0.017 ± 0.007	0.01 ± 0.01	0.05 ± 0.02
incode-001	0.47	0.02 ± 0.01	0.011 ± 0.004	0.000 ± 0.000	0.011 ± 0.006	0.02 ± 0.01	0.04 ± 0.02
incode-002	0.50	0.012 ± 0.009	0.005 ± 0.003	0.000 ± 0.000	0.010 ± 0.006	0.006 ± 0.006	0.02 ± 0.02
innovatrics-000	0.68	0.03 ± 0.01	0.006 ± 0.004	0.000 ± 0.000	0.020 ± 0.008	0.003 ± 0.003	0.07 ± 0.03
innovatrics-001	0.72	0.02 ± 0.01	0.004 ± 0.003	0.000 ± 0.000	0.012 ± 0.006	0.003 ± 0.003	0.06 ± 0.02
innovatrics-002	0.67	0.05 ± 0.02	0.008 ± 0.004	0.003 ± 0.003	0.021 ± 0.009	0.003 ± 0.003	0.09 ± 0.03
innovatrics-003	0.74	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.007 ± 0.004	0.003 ± 0.003	0.02 ± 0.02
innovatrics-004	0.74	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.007 ± 0.004	0.003 ± 0.003	0.02 ± 0.02
intellicheck-000	0.39	0.01 ± 0.01	0.010 ± 0.004	0.000 ± 0.000	0.017 ± 0.007	0.011 ± 0.008	0.03 ± 0.02
ionetworks-000	0.48	0.13 ± 0.04	0.023 ± 0.007	0.01 ± 0.01	0.09 ± 0.02	0.02 ± 0.01	0.13 ± 0.03
jumio-000	0.44	0.04 ± 0.02	0.019 ± 0.006	0.11 ± 0.03	0.017 ± 0.008	0.03 ± 0.02	0.06 ± 0.03
neurotechnology-000	0.45	0.76 ± 0.05	0.36 ± 0.03	0.06 ± 0.02	0.20 ± 0.02	0.28 ± 0.04	0.84 ± 0.05
neurotechnology-001	0.38	0.12 ± 0.03	0.37 ± 0.02	0.06 ± 0.02	0.20 ± 0.03	0.26 ± 0.04	0.10 ± 0.03
neurotechnology-003	0.40	0.27 ± 0.05	0.07 ± 0.01	0.03 ± 0.02	0.21 ± 0.02	0.13 ± 0.03	0.30 ± 0.05
nominder-000	0.41	0.04 ± 0.02	0.05 ± 0.01	0.008 ± 0.008	0.04 ± 0.01	0.03 ± 0.01	0.10 ± 0.03
nominder-001	0.34	0.01 ± 0.01	0.016 ± 0.006	0.008 ± 0.008	0.016 ± 0.007	0.03 ± 0.01	0.04 ± 0.02
ondato-000	0.44	0.10 ± 0.03	0.045 ± 0.010	0.011 ± 0.008	0.05 ± 0.01	0.05 ± 0.02	0.16 ± 0.04
ondato-001	0.46	0.06 ± 0.02	0.018 ± 0.006	0.006 ± 0.006	0.024 ± 0.008	0.04 ± 0.02	0.09 ± 0.03
onfido-000	0.33	0.02 ± 0.01	0.026 ± 0.008	0.003 ± 0.003	0.025 ± 0.009	0.04 ± 0.02	0.04 ± 0.02
paravision-000	0.64	0.003 ± 0.003	0.008 ± 0.004	0.003 ± 0.003	0.007 ± 0.005	0.006 ± 0.006	0.05 ± 0.02
paravision-001	0.57	0.006 ± 0.006	0.004 ± 0.003	0.006 ± 0.006	0.010 ± 0.006	0.006 ± 0.006	0.05 ± 0.02
privately-000	0.36	0.01 ± 0.01	0.037 ± 0.009	0.003 ± 0.003	0.015 ± 0.006	0.03 ± 0.01	0.03 ± 0.02
regula-000	0.66	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.007 ± 0.005	0.011 ± 0.008	0.03 ± 0.02
rigrai-000	0.56	0.009 ± 0.009	0.008 ± 0.004	0.000 ± 0.000	0.022 ± 0.008	0.02 ± 0.01	0.05 ± 0.02
roc-000	0.36	0.07 ± 0.03	0.12 ± 0.02	0.000 ± 0.000	0.04 ± 0.01	0.11 ± 0.03	0.11 ± 0.03
roc-001	0.45	0.05 ± 0.02	0.042 ± 0.010	0.003 ± 0.003	0.019 ± 0.008	0.03 ± 0.02	0.08 ± 0.03
roc-002	0.50	0.012 ± 0.009	0.014 ± 0.005	0.000 ± 0.000	0.010 ± 0.006	0.02 ± 0.01	0.04 ± 0.02
roc-003	0.68	0.006 ± 0.006	0.011 ± 0.005	0.000 ± 0.000	0.008 ± 0.005	0.006 ± 0.006	0.05 ± 0.02
shufti-000	0.31	0.11 ± 0.03	0.05 ± 0.01	0.02 ± 0.01	0.05 ± 0.01	0.06 ± 0.02	0.09 ± 0.03
shufti-001	0.46	0.009 ± 0.009	0.010 ± 0.004	0.008 ± 0.008	0.023 ± 0.009	0.008 ± 0.008	0.05 ± 0.02
tsight-000	0.55	0.13 ± 0.04	0.044 ± 0.010	0.006 ± 0.006	0.10 ± 0.02	0.04 ± 0.02	0.28 ± 0.05
unissey-001	0.28	0.20 ± 0.04	0.26 ± 0.02	0.04 ± 0.02	0.15 ± 0.02	0.23 ± 0.04	0.14 ± 0.03
viante-000	0.30	0.43 ± 0.05	0.25 ± 0.02	0.02 ± 0.01	0.35 ± 0.03	0.37 ± 0.05	0.47 ± 0.05
yoti-001	0.48	0.02 ± 0.01	0.036 ± 0.009	0.003 ± 0.003	0.021 ± 0.008	0.02 ± 0.01	0.08 ± 0.03
yoti-002	0.38	0.012 ± 0.009	0.028 ± 0.007	0.006 ± 0.006	0.018 ± 0.007	0.011 ± 0.008	0.04 ± 0.02
yoti-003	0.39	0.012 ± 0.009	0.020 ± 0.007	0.006 ± 0.006	0.016 ± 0.008	0.03 ± 0.02	0.04 ± 0.02
yoti-004	0.38	0.012 ± 0.009	0.011 ± 0.005	0.003 ± 0.003	0.011 ± 0.006	0.011 ± 0.008	0.03 ± 0.02
yoti-005	0.50	0.003 ± 0.003	0.009 ± 0.004	0.003 ± 0.003	0.011 ± 0.006	0.008 ± 0.008	0.03 ± 0.02
youverse-000	0.50	0.12 ± 0.03	0.021 ± 0.007	0.03 ± 0.02	0.07 ± 0.01	0.02 ± 0.01	0.17 ± 0.04
youverse-001	0.34	0.04 ± 0.02	0.022 ± 0.007	0.02 ± 0.01	0.06 ± 0.01	0.02 ± 0.01	0.07 ± 0.03

Table 5 shows false positive rates for a Challenge-25 policy for 17 year old males. The lowest FPR values are in East Europeans though this varies for women and for men of other ages; the highest values occur in various other regions. See sec. 5.4

Demographics - Sex: Another obvious demographic variable is sex. Table 6 shows false positive rates, again for just 17 year olds, but with both sexes and three regions-of-birth. The main observation is generally higher FPR in women than men, but with exceptions for some algorithms operating on some ethnicities. The MAE values are also generally higher in women.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 6. *For Application images, Challenge-25 FPR for subjects aged 17 by sex and region of birth. Lower values are the better.*

Algorithm	Gini	Female E Africa	Female E Asia	Female E Europe	Male E Africa	Male E Asia	Male E Europe
ayonix-001	0.60	0.11 ± 0.03	0.14 ± 0.02	0.003 ± 0.003	0.06 ± 0.02	0.028 ± 0.008	0.006 ± 0.006
bynn-000	0.36	0.05 ± 0.02	0.021 ± 0.007	0.05 ± 0.02	0.02 ± 0.01	0.029 ± 0.008	0.003 ± 0.003
cognitec-000	0.74	0.08 ± 0.03	0.015 ± 0.005	0.006 ± 0.006	0.006 ± 0.006	0.010 ± 0.004	0.000 ± 0.000
cognitec-001	0.66	0.05 ± 0.02	0.018 ± 0.007	0.003 ± 0.003	0.006 ± 0.006	0.009 ± 0.004	0.003 ± 0.003
cvut-001	0.61	0.46 ± 0.05	0.12 ± 0.02	0.04 ± 0.02	0.17 ± 0.04	0.05 ± 0.01	0.03 ± 0.01
cvut-002	0.65	0.17 ± 0.04	0.024 ± 0.007	0.03 ± 0.02	0.05 ± 0.02	0.006 ± 0.003	0.008 ± 0.008
cvut-003	0.70	0.15 ± 0.04	0.022 ± 0.007	0.02 ± 0.01	0.03 ± 0.02	0.004 ± 0.003	0.003 ± 0.003
cyberlink-000	0.41	0.28 ± 0.05	0.14 ± 0.02	0.06 ± 0.02	0.20 ± 0.04	0.09 ± 0.01	0.04 ± 0.02
cyberlink-001	0.38	0.10 ± 0.03	0.034 ± 0.009	0.03 ± 0.02	0.04 ± 0.02	0.020 ± 0.006	0.02 ± 0.01
daon-000	0.42	0.21 ± 0.04	0.10 ± 0.02	0.03 ± 0.02	0.23 ± 0.04	0.17 ± 0.02	0.03 ± 0.01
daon-001	0.46	0.14 ± 0.03	0.06 ± 0.01	0.02 ± 0.01	0.13 ± 0.04	0.10 ± 0.01	0.008 ± 0.008
daon-002	0.68	0.08 ± 0.03	0.013 ± 0.005	0.003 ± 0.003	0.04 ± 0.02	0.013 ± 0.005	0.000 ± 0.000
dermalog-001	0.41	0.13 ± 0.04	0.14 ± 0.02	0.31 ± 0.04	0.10 ± 0.03	0.07 ± 0.01	0.04 ± 0.02
dermalog-002	0.45	0.11 ± 0.03	0.29 ± 0.02	0.31 ± 0.05	0.07 ± 0.03	0.05 ± 0.01	0.06 ± 0.02
dermalog-003	0.60	0.04 ± 0.02	0.010 ± 0.005	0.03 ± 0.02	0.006 ± 0.006	0.004 ± 0.003	0.003 ± 0.003
facehawk-001	0.29	0.41 ± 0.05	0.23 ± 0.02	0.66 ± 0.05	0.48 ± 0.05	0.13 ± 0.01	0.47 ± 0.05
hzailu-001	0.15	0.39 ± 0.05	0.40 ± 0.03	0.66 ± 0.05	0.55 ± 0.05	0.34 ± 0.02	0.44 ± 0.05
idemia-001	0.59	0.04 ± 0.02	0.023 ± 0.007	0.003 ± 0.003	0.01 ± 0.01	0.007 ± 0.004	0.000 ± 0.000
idemia-002	0.65	0.03 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000
idemia-003	0.71	0.02 ± 0.01	0.008 ± 0.004	0.000 ± 0.000	0.006 ± 0.006	0.003 ± 0.002	0.000 ± 0.000
inbut-000	0.37	0.39 ± 0.05	0.08 ± 0.01	0.22 ± 0.04	0.30 ± 0.05	0.10 ± 0.01	0.12 ± 0.03
incode-000	0.59	0.11 ± 0.03	0.05 ± 0.01	0.07 ± 0.03	0.02 ± 0.01	0.006 ± 0.004	0.003 ± 0.003
incode-001	0.55	0.11 ± 0.03	0.07 ± 0.01	0.06 ± 0.02	0.02 ± 0.01	0.011 ± 0.004	0.000 ± 0.000
incode-002	0.65	0.08 ± 0.03	0.031 ± 0.008	0.03 ± 0.01	0.012 ± 0.009	0.005 ± 0.003	0.000 ± 0.000
innovatrics-000	0.80	0.20 ± 0.04	0.020 ± 0.007	0.01 ± 0.01	0.03 ± 0.01	0.006 ± 0.004	0.000 ± 0.000
innovatrics-001	0.81	0.17 ± 0.04	0.014 ± 0.005	0.02 ± 0.01	0.02 ± 0.01	0.004 ± 0.003	0.000 ± 0.000
innovatrics-002	0.71	0.22 ± 0.04	0.024 ± 0.007	0.04 ± 0.02	0.05 ± 0.02	0.008 ± 0.004	0.003 ± 0.003
innovatrics-003	0.72	0.05 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000
innovatrics-004	0.71	0.05 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000
intellicheck-000	0.54	0.04 ± 0.02	0.028 ± 0.009	0.006 ± 0.006	0.01 ± 0.01	0.010 ± 0.004	0.000 ± 0.000
ionetworks-000	0.59	0.24 ± 0.04	0.04 ± 0.01	0.05 ± 0.02	0.13 ± 0.04	0.023 ± 0.007	0.01 ± 0.01
jumio-000	0.45	0.25 ± 0.05	0.10 ± 0.01	0.16 ± 0.04	0.04 ± 0.02	0.019 ± 0.006	0.11 ± 0.03
neurotechnology-000	0.46	0.39 ± 0.05	0.24 ± 0.02	0.12 ± 0.03	0.76 ± 0.05	0.36 ± 0.03	0.06 ± 0.02
neurotechnology-001	0.41	0.08 ± 0.03	0.26 ± 0.02	0.14 ± 0.03	0.12 ± 0.03	0.37 ± 0.02	0.06 ± 0.02
neurotechnology-003	0.43	0.22 ± 0.04	0.06 ± 0.01	0.19 ± 0.04	0.27 ± 0.05	0.07 ± 0.01	0.03 ± 0.02
nominder-000	0.44	0.14 ± 0.03	0.06 ± 0.01	0.04 ± 0.02	0.04 ± 0.02	0.05 ± 0.01	0.008 ± 0.008
nominder-001	0.48	0.08 ± 0.03	0.024 ± 0.007	0.03 ± 0.01	0.01 ± 0.01	0.016 ± 0.006	0.008 ± 0.008
ondato-000	0.50	0.23 ± 0.04	0.11 ± 0.02	0.05 ± 0.02	0.10 ± 0.03	0.045 ± 0.010	0.011 ± 0.008
ondato-001	0.55	0.16 ± 0.04	0.07 ± 0.01	0.04 ± 0.02	0.06 ± 0.02	0.018 ± 0.006	0.006 ± 0.006
onfido-000	0.56	0.19 ± 0.04	0.16 ± 0.02	0.13 ± 0.03	0.02 ± 0.01	0.026 ± 0.008	0.003 ± 0.003
paravision-000	0.35	0.011 ± 0.008	0.013 ± 0.005	0.006 ± 0.006	0.003 ± 0.003	0.008 ± 0.004	0.003 ± 0.003
paravision-001	0.51	0.04 ± 0.02	0.009 ± 0.004	0.01 ± 0.01	0.006 ± 0.006	0.004 ± 0.003	0.006 ± 0.006
privately-000	0.54	0.08 ± 0.03	0.14 ± 0.02	0.07 ± 0.03	0.01 ± 0.01	0.037 ± 0.009	0.003 ± 0.003
regula-000	0.76	0.07 ± 0.02	0.013 ± 0.006	0.02 ± 0.01	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000
rigrai-000	0.56	0.05 ± 0.02	0.014 ± 0.005	0.011 ± 0.008	0.009 ± 0.009	0.008 ± 0.004	0.000 ± 0.000
roc-000	0.50	0.18 ± 0.04	0.17 ± 0.02	0.02 ± 0.01	0.07 ± 0.03	0.12 ± 0.02	0.000 ± 0.000
roc-001	0.59	0.14 ± 0.04	0.10 ± 0.02	0.003 ± 0.003	0.05 ± 0.02	0.042 ± 0.010	0.003 ± 0.003
roc-002	0.55	0.05 ± 0.02	0.040 ± 0.010	0.008 ± 0.008	0.012 ± 0.009	0.014 ± 0.005	0.000 ± 0.000
roc-003	0.71	0.05 ± 0.02	0.034 ± 0.009	0.000 ± 0.000	0.006 ± 0.006	0.011 ± 0.005	0.000 ± 0.000
shufti-000	0.41	0.21 ± 0.04	0.09 ± 0.01	0.14 ± 0.03	0.11 ± 0.03	0.05 ± 0.01	0.02 ± 0.01
shufti-001	0.64	0.19 ± 0.04	0.07 ± 0.01	0.19 ± 0.04	0.009 ± 0.009	0.010 ± 0.004	0.008 ± 0.008
tsight-000	0.54	0.18 ± 0.04	0.035 ± 0.009	0.04 ± 0.02	0.13 ± 0.04	0.044 ± 0.010	0.006 ± 0.006
unissey-001	0.25	0.17 ± 0.04	0.26 ± 0.02	0.19 ± 0.04	0.20 ± 0.04	0.26 ± 0.02	0.04 ± 0.02
viante-000	0.45	0.60 ± 0.05	0.33 ± 0.03	0.12 ± 0.04	0.43 ± 0.05	0.25 ± 0.02	0.02 ± 0.01
yoti-001	0.53	0.18 ± 0.04	0.14 ± 0.02	0.19 ± 0.04	0.02 ± 0.01	0.036 ± 0.009	0.003 ± 0.003
yoti-002	0.52	0.10 ± 0.03	0.12 ± 0.02	0.06 ± 0.02	0.012 ± 0.009	0.028 ± 0.007	0.006 ± 0.006
yoti-003	0.56	0.11 ± 0.03	0.12 ± 0.02	0.05 ± 0.02	0.012 ± 0.009	0.020 ± 0.007	0.006 ± 0.006

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

yoti-004	0.54	0.06 ± 0.02	0.05 ± 0.01	0.011 ± 0.008	0.012 ± 0.009	0.011 ± 0.005	0.003 ± 0.003
yoti-005	0.60	0.05 ± 0.02	0.05 ± 0.01	0.01 ± 0.01	0.003 ± 0.003	0.009 ± 0.004	0.003 ± 0.003
youverse-000	0.45	0.18 ± 0.04	0.037 ± 0.009	0.13 ± 0.03	0.12 ± 0.03	0.021 ± 0.007	0.03 ± 0.02
youverse-001	0.27	0.04 ± 0.02	0.022 ± 0.007	0.06 ± 0.02	0.04 ± 0.02	0.022 ± 0.007	0.02 ± 0.01

Weighted Challenge-25 metrics: In a Challenge-T application, the false positive rate varies by age and demographics. We therefore introduce an aggregated measure of ineffectiveness, which is a population- and risk-weighted average of FPR. The population weights quantify the age pyramid; the risk weights express how likely it is for a person of each age to attempt to use an AV system. The formula is presented and discussed in section 2.7.3; it is included not as a definitive model, rather to illustrate what an analyst might consider. For an 18 year legal limit application, Table 7 shows weighted Challenge-T FPR, aggregating both sexes and six regions-of-birth with equal weights, and $13, \ldots, 17$ year olds with weights that de-emphasize the younger ages.

Table 7. *For Application images in an L = 18 age restriction application,* **ineffectiveness** *for four Challenge-T thresholds i.e. a population weighted aggregate of FPR. Lower values are better.*

Algorithm	T=22	T=25	T=28	T=31
ayonix-001	0.152 ± 0.029	0.056 ± 0.016	0.018 ± 0.008	0.007 ± 0.005
bynn-000	0.130 ± 0.028	0.035 ± 0.014	0.007 ± 0.005	0.002 ± 0.002
cognitec-000	0.096 ± 0.024	0.022 ± 0.010	0.005 ± 0.004	0.002 ± 0.002
cognitec-001	0.080 ± 0.021	0.018 ± 0.009	0.004 ± 0.003	0.001 ± 0.001
cvut-001	0.265 ± 0.036	0.128 ± 0.026	0.036 ± 0.012	0.012 ± 0.006
cvut-002	0.159 ± 0.030	0.051 ± 0.017	0.009 ± 0.006	0.003 ± 0.002
cvut-003	0.127 ± 0.027	0.042 ± 0.015	0.008 ± 0.005	0.002 ± 0.002
cyberlink-000	0.514 ± 0.043	0.125 ± 0.027	0.035 ± 0.014	0.006 ± 0.004
cyberlink-001	0.195 ± 0.033	0.038 ± 0.015	0.009 ± 0.006	0.002 ± 0.002
daon-000	0.286 ± 0.037	0.121 ± 0.026	0.043 ± 0.016	0.015 ± 0.008
daon-001	0.211 ± 0.033	0.069 ± 0.020	0.022 ± 0.010	0.007 ± 0.005
daon-002	0.088 ± 0.022	0.023 ± 0.010	0.005 ± 0.004	0.002 ± 0.002
dermalog-001	0.358 ± 0.040	0.116 ± 0.025	0.035 ± 0.014	0.010 ± 0.006
dermalog-002	0.357 ± 0.038	0.131 ± 0.026	0.034 ± 0.014	0.010 ± 0.007
dermalog-003	0.124 ± 0.026	0.015 ± 0.008	0.005 ± 0.004	0.003 ± 0.002
facehawk-001	0.432 ± 0.041	0.398 ± 0.041	0.332 ± 0.040	0.035 ± 0.015
hzailu-001	0.711 ± 0.039	0.478 ± 0.043	0.234 ± 0.036	0.084 ± 0.023
idemia-001	0.096 ± 0.023	0.019 ± 0.009	0.006 ± 0.004	0.002 ± 0.002
idemia-002	0.064 ± 0.020	0.014 ± 0.008	0.005 ± 0.004	0.001 ± 0.001
idemia-003	0.032 ± 0.013	0.009 ± 0.006	0.003 ± 0.002	0.001 ± 0.001
inbut-000	0.366 ± 0.040	0.180 ± 0.033	0.087 ± 0.024	0.041 ± 0.017
incode-000	0.095 ± 0.022	0.039 ± 0.015	0.013 ± 0.007	0.004 ± 0.003
incode-001	0.119 ± 0.025	0.042 ± 0.014	0.014 ± 0.008	0.004 ± 0.003
incode-002	0.091 ± 0.022	0.024 ± 0.011	0.006 ± 0.004	0.002 ± 0.002
innovatrics-000	0.195 ± 0.030	0.044 ± 0.014	0.008 ± 0.005	0.002 ± 0.002
innovatrics-001	0.182 ± 0.029	0.038 ± 0.012	0.007 ± 0.004	0.002 ± 0.002
innovatrics-002	0.183 ± 0.028	0.055 ± 0.015	0.011 ± 0.006	0.003 ± 0.003
innovatrics-003	0.078 ± 0.021	0.016 ± 0.008	0.005 ± 0.004	0.002 ± 0.002
innovatrics-004	0.056 ± 0.017	0.015 ± 0.008	0.005 ± 0.004	0.002 ± 0.002
intellicheck-000	0.031 ± 0.013	0.018 ± 0.010	0.012 ± 0.007	0.008 ± 0.006
ionetworks-000	0.297 ± 0.036	0.081 ± 0.020	0.021 ± 0.009	0.006 ± 0.004
jumio-000	0.269 ± 0.036	0.099 ± 0.024	0.035 ± 0.014	0.014 ± 0.008
neurotechnology-000	0.615 ± 0.036	0.323 ± 0.035	0.109 ± 0.022	0.031 ± 0.012
neurotechnology-001	0.481 ± 0.042	0.147 ± 0.027	0.023 ± 0.012	0.011 ± 0.007
neurotechnology-003	0.390 ± 0.041	0.141 ± 0.029	0.035 ± 0.014	0.007 ± 0.005
nominder-000	0.269 ± 0.037	0.059 ± 0.018	0.019 ± 0.009	0.006 ± 0.004
nominder-001	0.185 ± 0.031	0.033 ± 0.013	0.008 ± 0.005	0.003 ± 0.003
ondato-000	0.277 ± 0.037	0.090 ± 0.023	0.025 ± 0.011	0.008 ± 0.005
ondato-001	0.253 ± 0.035	0.064 ± 0.019	0.014 ± 0.008	0.004 ± 0.003

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

onfido-000	0.282 ± 0.034	0.087 ± 0.020	0.021 ± 0.009	0.006 ± 0.005
paravision-000	0.025 ± 0.011	0.009 ± 0.006	0.003 ± 0.003	0.002 ± 0.002
paravision-001	0.078 ± 0.021	0.013 ± 0.008	0.005 ± 0.004	0.002 ± 0.002
privately-000	0.190 ± 0.031	0.053 ± 0.016	0.011 ± 0.007	0.003 ± 0.002
regula-000	0.082 ± 0.021	0.018 ± 0.009	0.004 ± 0.004	0.001 ± 0.001
rigrai-000	0.077 ± 0.021	0.021 ± 0.010	0.005 ± 0.004	0.001 ± 0.001
roc-000	0.288 ± 0.035	0.085 ± 0.021	0.019 ± 0.009	0.005 ± 0.004
roc-001	0.239 ± 0.033	0.053 ± 0.016	0.011 ± 0.006	0.004 ± 0.003
roc-002	0.089 ± 0.021	0.022 ± 0.011	0.005 ± 0.004	0.002 ± 0.002
roc-003	0.100 ± 0.022	0.017 ± 0.009	0.005 ± 0.004	0.001 ± 0.001
shufti-000	0.231 ± 0.035	0.085 ± 0.022	0.028 ± 0.013	0.009 ± 0.007
shufti-001	0.207 ± 0.032	0.062 ± 0.018	0.021 ± 0.010	0.009 ± 0.006
tsight-000	0.374 ± 0.040	0.090 ± 0.022	0.020 ± 0.009	0.005 ± 0.004
unissey-001	0.270 ± 0.037	0.162 ± 0.030	0.054 ± 0.018	0.013 ± 0.008
viante-000	0.692 ± 0.036	0.318 ± 0.037	0.077 ± 0.019	0.009 ± 0.006
yoti-001	0.189 ± 0.030	0.090 ± 0.021	0.033 ± 0.012	0.011 ± 0.007
yoti-002	0.144 ± 0.026	0.059 ± 0.017	0.015 ± 0.008	0.005 ± 0.004
yoti-003	0.145 ± 0.027	0.054 ± 0.016	0.016 ± 0.008	0.004 ± 0.004
yoti-004	0.149 ± 0.027	0.029 ± 0.012	0.005 ± 0.004	0.002 ± 0.002
yoti-005	0.133 ± 0.025	0.026 ± 0.011	0.005 ± 0.004	0.002 ± 0.002
youverse-000	0.213 ± 0.034	0.079 ± 0.022	0.025 ± 0.012	0.008 ± 0.006
youverse-001	0.121 ± 0.027	0.035 ± 0.014	0.010 ± 0.006	0.004 ± 0.003

We additionally quantify inconvenience experienced by persons above the legal age limit whose age verification are delayed by a failed Challenge-T attempt. The aggregated measure is again a weighted average this time of false negative rates (FNR). The formula is presented and discussed in section 2.7.4. Table 8 shows Challenge-T FNR computed over all ages $18, \ldots, 71$ with equal weights representing uniform likelihood that adults would engage with the system.

Table 8. *For Application images in an L = 18 age restriction application,* **inconvenience** *for four Challenge-T thresholds i.e. a population weighted aggregate of FNR. Lower values are better.*

Algorithm	T=22	T=25	T=28	T=31
ayonix-001	0.118 ± 0.008	0.188 ± 0.009	0.260 ± 0.009	0.322 ± 0.010
bynn-000	0.079 ± 0.006	0.138 ± 0.007	0.201 ± 0.008	0.261 ± 0.008
cognitec-000	0.077 ± 0.005	0.139 ± 0.006	0.202 ± 0.006	0.264 ± 0.007
cognitec-001	0.076 ± 0.005	0.136 ± 0.006	0.197 ± 0.006	0.260 ± 0.006
cvut-001	0.069 ± 0.006	0.119 ± 0.007	0.188 ± 0.008	0.267 ± 0.009
cvut-002	0.077 ± 0.007	0.138 ± 0.008	0.227 ± 0.009	0.282 ± 0.009
cvut-003	0.077 ± 0.005	0.143 ± 0.006	0.222 ± 0.007	0.275 ± 0.007
cyberlink-000	0.019 ± 0.003	0.090 ± 0.006	0.156 ± 0.007	0.254 ± 0.008
cyberlink-001	0.057 ± 0.005	0.128 ± 0.006	0.203 ± 0.007	0.272 ± 0.007
daon-000	0.068 ± 0.006	0.121 ± 0.007	0.185 ± 0.008	0.249 ± 0.009
daon-001	0.065 ± 0.005	0.116 ± 0.006	0.176 ± 0.007	0.237 ± 0.007
daon-002	0.075 ± 0.005	0.128 ± 0.005	0.187 ± 0.006	0.250 ± 0.006
dermalog-001	0.051 ± 0.006	0.122 ± 0.008	0.193 ± 0.008	0.257 ± 0.009
dermalog-002	0.056 ± 0.006	0.125 ± 0.009	0.210 ± 0.010	0.288 ± 0.010
dermalog-003	0.072 ± 0.006	0.209 ± 0.008	0.238 ± 0.008	0.282 ± 0.008
facehawk-001	0.283 ± 0.025	0.308 ± 0.026	0.352 ± 0.027	0.636 ± 0.026
hzailu-001	0.022 ± 0.004	0.048 ± 0.006	0.107 ± 0.009	0.196 ± 0.010
idemia-001	0.073 ± 0.005	0.130 ± 0.005	0.190 ± 0.006	0.250 ± 0.006
idemia-002	0.085 ± 0.005	0.140 ± 0.006	0.194 ± 0.006	0.251 ± 0.006
idemia-003	0.094 ± 0.005	0.149 ± 0.005	0.205 ± 0.005	0.260 ± 0.005
inbut-000	0.033 ± 0.003	0.077 ± 0.005	0.142 ± 0.006	0.213 ± 0.007
incode-000	0.075 ± 0.005	0.120 ± 0.006	0.184 ± 0.006	0.247 ± 0.006
incode-001	0.060 ± 0.004	0.100 ± 0.005	0.153 ± 0.005	0.210 ± 0.006
incode-002	0.065 ± 0.004	0.117 ± 0.005	0.186 ± 0.006	0.264 ± 0.006

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

innovatrics-000	0.048 ± 0.004	0.113 ± 0.005	0.190 ± 0.006	0.263 ± 0.006
innovatrics-001	0.052 ± 0.004	0.121 ± 0.005	0.197 ± 0.006	0.273 ± 0.006
innovatrics-002	0.055 ± 0.004	0.111 ± 0.005	0.185 ± 0.006	0.254 ± 0.006
innovatrics-003	0.076 ± 0.005	0.137 ± 0.006	0.196 ± 0.006	0.259 ± 0.006
innovatrics-004	0.089 ± 0.005	0.141 ± 0.006	0.196 ± 0.006	0.257 ± 0.006
intellicheck-000	0.294 ± 0.015	0.314 ± 0.015	0.329 ± 0.015	0.345 ± 0.015
ionetworks-000	0.039 ± 0.004	0.100 ± 0.006	0.175 ± 0.007	0.249 ± 0.007
jumio-000	0.040 ± 0.004	0.089 ± 0.005	0.149 ± 0.006	0.214 ± 0.006
neurotechnology-000	0.040 ± 0.005	0.107 ± 0.007	0.209 ± 0.009	0.308 ± 0.010
neurotechnology-001	0.047 ± 0.005	0.140 ± 0.009	0.263 ± 0.010	0.343 ± 0.011
neurotechnology-003	0.027 ± 0.003	0.074 ± 0.005	0.142 ± 0.006	0.227 ± 0.007
nominder-000	0.049 ± 0.005	0.120 ± 0.006	0.182 ± 0.007	0.248 ± 0.007
nominder-001	0.056 ± 0.004	0.129 ± 0.006	0.198 ± 0.006	0.263 ± 0.007
ondato-000	0.044 ± 0.004	0.102 ± 0.006	0.174 ± 0.007	0.241 ± 0.007
ondato-001	0.043 ± 0.004	0.103 ± 0.006	0.177 ± 0.006	0.247 ± 0.007
onfido-000	0.030 ± 0.003	0.076 ± 0.005	0.138 ± 0.005	0.201 ± 0.006
paravision-000	0.124 ± 0.006	0.149 ± 0.006	0.193 ± 0.006	0.248 ± 0.006
paravision-001	0.072 ± 0.005	0.125 ± 0.005	0.173 ± 0.006	0.230 ± 0.006
privately-000	0.081 ± 0.006	0.165 ± 0.008	0.254 ± 0.009	0.331 ± 0.009
regula-000	0.069 ± 0.004	0.126 ± 0.005	0.190 ± 0.005	0.255 ± 0.006
rigrai-000	0.097 ± 0.007	0.157 ± 0.007	0.228 ± 0.007	0.290 ± 0.008
roc-000	0.049 ± 0.004	0.099 ± 0.005	0.157 ± 0.006	0.221 ± 0.007
roc-001	0.039 ± 0.003	0.088 ± 0.005	0.151 ± 0.005	0.216 ± 0.005
roc-002	0.068 ± 0.004	0.119 ± 0.005	0.181 ± 0.005	0.248 ± 0.006
roc-003	0.058 ± 0.004	0.115 ± 0.005	0.182 ± 0.005	0.252 ± 0.005
shufti-000	0.042 ± 0.004	0.083 ± 0.006	0.132 ± 0.006	0.187 ± 0.007
shufti-001	0.049 ± 0.004	0.102 ± 0.006	0.155 ± 0.006	0.210 ± 0.006
tsight-000	0.036 ± 0.004	0.110 ± 0.006	0.192 ± 0.007	0.269 ± 0.007
unissey-001	0.061 ± 0.006	0.091 ± 0.007	0.155 ± 0.008	0.246 ± 0.009
viante-000	0.006 ± 0.001	0.036 ± 0.004	0.105 ± 0.005	0.188 ± 0.006
yoti-001	0.047 ± 0.004	0.082 ± 0.005	0.137 ± 0.006	0.199 ± 0.006
yoti-002	0.056 ± 0.004	0.093 ± 0.005	0.156 ± 0.006	0.222 ± 0.006
yoti-003	0.053 ± 0.004	0.092 ± 0.005	0.152 ± 0.005	0.216 ± 0.006
yoti-004	0.048 ± 0.004	0.108 ± 0.005	0.181 ± 0.005	0.244 ± 0.006
yoti-005	0.052 ± 0.004	0.110 ± 0.005	0.179 ± 0.005	0.247 ± 0.006
youverse-000	0.079 ± 0.006	0.144 ± 0.008	0.227 ± 0.009	0.312 ± 0.010
youverse-001	0.084 ± 0.006	0.142 ± 0.007	0.203 ± 0.008	0.268 ± 0.008

The two tables show the expected tradeoff between protecting young people and inconveniencing older subjects.

Children: We use a set of visa photos collected in one country, Mexico, to quantify age estimation accuracy in children between age 0 to 17. Accuracy is higher than in an adult population: For the most accurate algorithm mean absolute error in children under age 1 is 0.34 years (i.e. about four months) versus 3.5 years for a thirty year old. See sec. 5.5.

Future work: The FATE AEV evaluation remains open, so we will continue to evaluate and report on newly submitted prototypes. In future reports we will: evaluate performance of implementations that can exploit having a prior known-age reference photo of a subject (see our API); consider whether video clips afford improved accuracy over still photographs; and extend demographic and quality analyses.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

1. Introduction

1.1. Role of AEV Technology

Age assurance (AA) systems are fielded to support validation of a person's eligibility to access age-restricted online content or physical world products or spaces. As the Future of Privacy Forum shows, an AA system may employ various methods depending on the purpose. These include human checks of a government-issued identification document, possession of a credit card or payment credential only issued to people of the required age, biometric verification against a photograph collected during a prior session in which age was verified, accessing high integrity age data from a trusted device, and use of face analysis to estimate age or verify age is above (or below) the limit.

This report is concerned only with evaluation of AE technologies used in an age verification process. It is intended to generically support applications including:

1. Verification that a person is above 18, 21 or other key ages, e.g. for sale of alcohol.
2. Verification that a person is below a certain age, e.g. entrance to a teen chat room.
3. Producing population age statistics for people visiting certain locations, e.g. movie theaters.
4. Digital advertising where a display might show an age-tailored advertisement.
5. Checks that a passport application photo is recent (not collected 10 years previously).
6. Age estimation for refugees, asylum seekers, and other undocumented individuals.

Age assurance is mandated in various jurisdictions for various purposes. In the United States, the Children's Online Privacy Protection Act (COPPA) of 1998[1], requires the Federal Trade Commission to prescribe regulations to protect the privacy of personal information collected from and about children on the internet, to provide greater parental control over the collection and use of that information, and for other purposes. Within the States, Arkansas[2], Mississippi[3], Montana[4], Louisiana[5], Utah[6], Virginia[7], and Texas[8] have passed age verification laws to require social media, adult websites, harmful to minors to use a reasonable age verification methods to verify the user's age eligibility.

There are new and emerging technical standards in this area. IEEE Standard 2089-2021 provides best practice for designing digital services that impact directly or indirectly on children[9]. ISO/IEC 27566 is a (recently renumbered) multipart standard for age assurance: Part 1 provides a framework including vocabulary; Part 2 guides architecture and interoperability; Part 3 concerns benchmarking and analysis.

1.2. Age Estimation is Not Face Recognition

We distinguish facial age estimation (AE) from face recognition (FR). AE analyses one face to produce an estimate of age. FR is concerned with *who* is in an image. The two techniques employ different algorithmic machinery for these two purposes: AE is trained on photos accompanied by known-age values; FR is trained on pairs of photographs with identity labels. AE typically proceeds with *one* photograph or video - the image is passed to an algorithm which emits an age estimate, and the photo can be deleted. FR, on the other hand, compares identity information extracted from *two*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

photos with the goal of determining if they are from the same person. The first sample is stored in a passport, or phone, or database. The second sample is collected for verification or identification. The Oxford English Dictionary is explicit in noting the "previous encounter". The utility of FR is in binding a new photograph to an older one and its informative metadata, for example, that a person is allowed to enter a facility, or had previously applied for a passport under the same (or different) name, or had previously been deported from a country.

1.3. Scope

NIST published Interagency Report 7995 Performance of Automated Age Estimation Algorithms in 2014. The report showed that the most accurate algorithm can estimate the age of a person within five years of their actual age 67% of the time[10]. With the increase in human-computer interaction and as the motivation of needs to use age estimation systems continues to grow, NIST revamped the age estimation study. We restructured and launched the Face Analysis Technology Evaluation - Age Estimation and Verification track. This is an ongoing evaluation to benchmark software-based facial age estimation algorithms.

This evaluation is not a certification program nor an evaluation of a full age verification process. It does not evaluate mechanisms for detecting active attacks on AV systems. It does not establish minimum accuracy criteria, because different applications have different requirements.

1.4. The Technical Challenge

An AE algorithm is tasked with mapping pixel values in an image to an estimate of the subject's age. The output estimate will generally be different to the actual age, and this estimate error should be low and bounded. An AE algorithm should tolerate at least four classes of variation. First are **photography-related** factors such as illumination, exposure, focus, and distortion. Second are **subject presentation** variations such as facial hair, eye glasses, dry vs. moisturized skin, and cosmetics. Third there are more **slowly varying** facial archetypes such as sun-damaged skin, creases, and jowls. Fourth there are **phenotypic** properties which includes skin tone but extends to a multitude of characteristics such as high cheek bones, bushy eye brows, dark eye brows, thin lips, square jaws, flat faces, and aquiline noses. This latter category are often properties of demographic groups associated with sex and ethnicity. Further more, should age estimation accuracy be constant across age, should it work as well in the old as the young? Ideally, yes, but operationally this is less important as many applications are focused on groups of people around a certain age, and algorithms could be tailored for that.

Figure 1 demonstrates some of the difficulty of the AE task. The figure shows the result of applying AE algorithms to self-portraits collected by artist Noah Kalina as part of his Everyday project. The images, collected daily since 2000, can seen via that link.

The figure reveals considerable **daily variance** in the age estimates. The daily increase should be 1/365 but the standard deviation of the absolute error is much larger - above 2 years in the best case. Why this occurs would require detailed developer investigation. Given the use of one camera model for the period 2009-2015 (age 27-34) and an impressively consistent two-arm frontal-selfie presentation to that camera, the sources of short-term variation are clothing, hair arrangement, ambient illumination which varies with the room, and sensor noise, none of which should affect

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

estimated age. In the longer-run the subject does adopt a heavier beard, but that too is elective not essentially part of ageing.


The figure also shows **systematic error** for all six algorithms: They overestimate Kalina's age, with very few photographs ever giving an underestimate. The blue line $y = x$ represents perfect estimation; the green line represents best fit linear regression. The separation of those lines is around five years, and this often persists for the entire interval. Why this occurs is not known, but could be investigated by developers who should have access to the photographs. An incorrect birthdate would yield consistent error, but date of birth has been reported. The images have good quality, so either some aspect of the subject's appearance induces overestimation, or the algorithms are sensitive to information beyond the facial region. This concept - that some people look young, or old, for their age - is common in human experience, but whether Deep Neural Network (DNN) based algorithms can acquire information from photographs that humans cannot, or at least do not, is not clear.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



Fig. 1. *This figure shows age estimates plotted against ground truth age for six algorithms applied to 1991 photographs of the artist Noah Kalina taken daily throughout 2001, then between January and June in the years 2009 - 2015, then again throughout 2023. Note NIST purchased only photos for the first six months of each calendar year - the subject was born 1980-07-04. The inset values are standard deviation (SD) quantifying "noise", mean absolute error (MAE) quantifying accuracy, and mean sequential day difference (MDD) which would ideally be 1/365. The lower blue line gives ground truth age. The upper line gives least squares best fit.*


This kind of variation is evident in the very short term also. Figure 3 shows the results of applying AE algorithms to sequential frames in a 60 second video. The frames have size 1080x1920 and were extracted from an MP4 video captured by one of the authors using his mobile phone. The figure shows considerable inter-frame estimated age variation even in frames 0-180 and 900-1100 where the subject was largely motionless. In subsequent frames the subject talks, then smiles and frowns, and these induce larger variance. Age estimates tend to be higher with thick-rimmed glasses in the first half of the video, than without glasses in the second half.




a) Neutral b) Talking c) Smiling d) Frowning

e) Glasses Off f) Smiling g) Talking h) Frowning

Fig. 2. Image frames from a 60 second video when subject's facial expression changes, causing large variance.



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



Fig. 3. *This figure shows the variation of age estimates for six algorithms applied to 1688 frames of Patrick Grother (figure 2) extracted from a 60 second video captured using an Android phone. The blue line is the ground truth age.*

Discussion: Face recognition (FR) algorithms have become highly insensitive to nuisance variables such as pose, illumination and expression. This has been achieved over time using diverse in-the-wild datasets, and more recently data augmentation (synthetically changing images to diversify appearance while maintaining identity). FR algorithms are tasked with extracting features related to a person's fixed identity; AE algorithms, on the other hand, are estimating a variable quantity, age. Whether AE can become insensitive to nuisance variables is not clear, and may actually be unnecessary. What is needed, at least in those applications involving determination that a person is younger or older than some limit, is to put bounds on AE measurement "noise" - i.e. to ensure that

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

errors are inside some limit. In those Challenge-T applications, the appropriate task is to limit false positives.

2. Performance Metrics

This section details performance measures for age estimation algorithms. The metrics are statistics estimated by applying an AE algorithm to N images for which we have a known age, a_k, to get an estimated age, $\hat{a}_k$. Unless stated otherwise, these are based on the absolute error

$$\varepsilon_k = |\hat{a}_k - a_k| \tag{1}$$

2.1. Mean Absolute Error

Mean Absolute Error (MAE) is defined as the mean difference between the actual and estimated ages:

$$\text{MAE} = \frac{1}{N}\sum_{k=1}^{N} \varepsilon_k \tag{2}$$

This serves as our primary accuracy measure. We do not use mean squared error (MSE) root mean squared error (RMS) as the $(x)^2$ nature greatly magnifies large magnitude errors. In applications where large under- or over-estimations have impact, these metrics may be preferable.

2.2. Median Absolute Error

Median Absolute Error (MDAE) is defined as the median of the absolute error values, ε_k. The median is a robust statistic meaning that it is insensitive to outliers. Given N ordered error values,

$$\text{MDAE} = \begin{cases} \varepsilon_{(N+1)/2}, & \text{if N is odd} \\ (\varepsilon_{N/2} + \varepsilon_{N/2+1})/2 & \text{if N is even} \end{cases} \tag{3}$$

Outliers can exist in datasets due to several reasons: First is that some people might look naturally young or prematurely very old; Second is that medical (e.g. botox) or surgical (e.g. tuck) interventions are specifically intended at reducing apparent age; Third is that ground truth age could be incorrect due to key-data-entry typos or similar clerical errors; and Fourth is that ground truth age can be faulty either due to lack of birth certificates in poor countries, or due to intentional deception.

2.3. Standard deviation

The **Standard Deviation (SD)** is used to quantify variation around the mean. It has been adopted in the AEV industry as a supplement MAE[1].

$$\text{SD} = \frac{1}{N-1}\sum_{k=1}^{N} (\varepsilon_k - \text{MAE})^2 \tag{4}$$

This statistic only quantifies variation around the mean, so an algorithm could have low SD yet be systematically underestimating or overestimating age, i.e. large MAE. For this reason we consider SD as a secondary performance indicator.

[1] Yoti, Age Esimation White Paper (December 2023), 15

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

2.4. Accuracy

Overall **Accuracy (ACC)** is defined as the proportion of test images for which the absolute error is below a threshold, T,

$$\mathrm{ACC}(T) = 1 - \frac{1}{N}\sum_{k=1}^{N} H(\varepsilon_k - T) \tag{5}$$

where $H(x)$ is the step function

$$H(x) = \begin{cases} 0, & \text{if } x < 0 \\ 1, & \text{if } x \geq 0 \end{cases} \tag{6}$$

2.5. Inequities Across Demographic Groups

The **Gini coefficient**[2] has long been used in Economics to quantify earnings or wealth inequality across a population. Here we adopt it to express variability in accuracy across M demographic groups. This has been done for biometric error rates, particularly in ISO/IEC 19795-10:2024.

$$G = \frac{\sum_{i=1}^{M}\sum_{j=1}^{M} \left|x_i - x_j\right|}{2M(M-1)\mu}, \tag{7}$$

where μ is the arithmetic mean of x. This can be applied to MAE, MDAE or any other statistic.

2.6. Age Verification

The FATE API includes an optional *verifyAge* function that accepts an image and an age threshold, and requires the implementation under test to return a confidence score, with larger values indicating that the subject is indeed above the legal age threshold.

We apply the function to images drawn from two groups, those below and those above a legal age, say 18:

- ▷ **Under 18s**. Given N images of underage people, we obtain the k-th confidence score, c_k, and compute a false positive rate (FPR) as the fraction for which the algorithm gives confidence higher than a threshold T.

$$\mathrm{FPR}(T) = \frac{1}{N}\sum_{k=1}^{N} H(c_k - T) \tag{8}$$

The reported FPR is actually a weighted sum over subjects who are 17, 16, 15 and 14. The weights come from equation (16), expressing the higher prior likelihood that a 17-year old would attempt to defeat an age verification system than would someone younger - see discussion in section 2.7.3.

$$\mathrm{FPR}(T) = \frac{\sum_{i=14}^{17} p_i \mathrm{FPR}_i(T)}{\sum_{i=14}^{17} p_i} \tag{9}$$

where $\mathrm{FPR}_i(T)$ is computed over N_i images.

[2] See https://mathworld.wolfram.com/GiniCoefficient.html.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

▷ **Over 18s** The corresponding false negative rate (FNR) is computed as an equally weighted sum of subjects who are truly above the legal age yet who are assigned low confidence of being so:

$$\mathrm{FNR}(T) = \frac{1}{30-18+1} \sum_{i=18}^{30} \mathrm{FNR}_i(T) \tag{10}$$

where FNR_i is the FNR estimates for just people of age i:

$$\mathrm{FNR}_i(T) = 1 - \frac{1}{N_i} \sum_{k=1}^{N_i} H(c_k - T) \tag{11}$$

This represents a population of users who are uniformly aged 18 to 30.

2.7. Challenge-T

A main application of AEV systems is in verifying that a person is above a certain legally mandated age. For example, for alcohol purchases, this age is 21 years in most United States jurisdictions. Recognizing AEV algorithms naturally have age estimation errors, systems are typically configured to require another form of age verification if the estimated age is below a challenge age, T. The value of T depends on the legal restiction age, L, and the accuracy of the age estimator. For L = 18, T = 25 is common. For L = 21, a higher value of T would be required to achieve the same accuracy.

For an evaluation of AE algorithms we seek figures of merit for the effectivess at the stated objective and for convenience for the legal population.

2.7.1. False Positive Rate

In Challenge-T applications, a false positive occurs if the true age is less than the legal age limit, L, and the estimated age is greater than or equal to the challenge age, T. The false positive rate is estimated over a set of N samples for which $a_k < L$.

$$\mathrm{FPR} = \frac{1}{N} \sum_i H(\hat{a}_k - T) \tag{12}$$

2.7.2. False Negative Rate

In Challenge-T applications, a false negative occurs when someone above the legal age is estimated to have age below the challenge age, T. The false negative rate is estimated over a set of N samples for which $a_k \geq L$.

$$\mathrm{FNR} = 1 - \frac{1}{N} \sum_i H(\hat{a}_k - T) \tag{13}$$

2.7.3. Ineffectiveness

The **Ineffectiveness** quantifies how well the system prevents people below the legal age limit (L) from accessing the prohibited service or item. We define it in terms of how often it allows under-age persons to go unchalleneged:

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

$$\text{INEFFECTIVENESS}(T) = \frac{\sum_{i=0}^{\text{L}-1} w_i \, p_i \, \text{FPR}_i}{\sum_{i=0}^{\text{L}-1} w_i \, p_i} \tag{14}$$

where w_i is the proportion of the population who have age i, p_i is the likelihood that a person of age i would even try to defeat the system, and FPR_i is an empirical false positive rate for persons of age i. The denominator normalizes so that ineffectiveness represents a false positive rate residing on $[0,1]$. FPR_i is estimated as the proportion of N_i individuals whose age is estimated at or above T

$$\text{FPR}_i(T) = \frac{1}{N_i} \sum_{k=1}^{N_i} H(a_k - T) \tag{15}$$

The weights w_i should be estimated by an analyst from demographic tables. The probabilities p_i might be estimated via empiricial observation or via social modelling. For the purpose of this report we assume an exponential model for this prior probability.

$$p_i = \alpha \exp(i - \text{L} + 1) \tag{16}$$

For example, with L = 18 and $\alpha = 0.6$ the formula says that 60% of 17-year olds would try ($p_{17} = 0.6$) but only 1.1% of 13 year olds would ($p_{13} = 0.011$). This may be pessimistic for 17 year olds in many societies but for our purpose - comparison of AEV algorithms - we do not refine this further. To do so would require some sociological study. The model is ad hoc and certainly imprecise in real operations but is used here to illustrate what a local policy analyst should adapt or replace in real operations.

Note that if false positive rates vary across sex or ethnicity, the weights could be adapted for specific populations, for example it may be known that p_i for women is less than that for men. In that case equation 14 could include doubly subscripted variables (p_{is}, FPR_{is}, etc., with s denoting sex).

2.7.4. Inconvenience

We additionally need a metric that quantifies how well the system does not inconvenience people above the legal age L. Inconvenience occurs when they are challenged and estimated to have age below T.

$$\text{INCONVENIENCE}(T) = \frac{\sum_{i=\text{L}}^{\text{MA}} w_i \, p_i \, \text{FNR}_i}{\sum_{i=\text{L}}^{\text{MA}} w_i \, p_i} \tag{17}$$

where T is the challenge age, MA is the maximum age of persons in the population, w_i is the proportion of the population who have age i, p_i is the likelihood that a person of age i would use the system at all, and FNR_i is an empirical false negative rate for persons of age i. This is estimated as the proportion of N_i individuals whose age is estimated below T.

This formulation treats everyone at or above the legal age equally. One might argue that those of, or older than, the legal age but younger than the challange age should expect to be inconvenienced and that this should be discounted in the equation. We reject this, maintaining the existence of a challenge policy is needed because the age estimation technology is imperfect.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

2.8. Variance in age estimates from frontal images

Given the fully frontal, minimal activity, face videos described in 3.6 we quantify noise in the age estimates as follows.

For the i-th video, the algorithm under test is applied to each of the $j = 1 \ldots n_i$ frames producing age estimates x_{ij} or a non-zero return code, r_{ij} indicating failure to compute or elective refusal to compute. For each video we compute an overall age estimate as the arithmetic mean,

$$\alpha_i = \frac{\sum_j^{n_i} x_{ij} \delta_{0 r_{ij}}}{\sum_j^{n_i} \delta_{0 r_{ij}}} \tag{18}$$

where the Kronecker δ assigns zero weight to failed estimations. We then produce an overall noise statistic as the mean absolute error computed over all frames of all videos. The videos have the same length to within about 0.2%.

$$\eta = \sum_i \sum_j^{n_i} \left| x_{ij} - \alpha_i \right| \tag{19}$$

These values are tabulated on the variability tab of the AEV results page.

2.9. Variance in age estimates with head yaw

Given the right-left head pose variation videos described in 3.7 we quantify angular dependence as described below using head pose yaw estimates produced by a leading algorithm submitted to the FATE Quality track.

For the i-th video, the age estimation algorithm is applied to each of the n_i frames producing age estimates x_{ij} or a non-zero return code, r_{ij} indicating failure, or elective refusal, to compute.

Using head yaw estimates ϕ_{ij} for each frame, we compute an overall age estimate as the mean over frontal frames - those for which $\phi_{ij} > 6\,\text{deg}$.

$$\alpha_i = \frac{\sum_j^{n_i} x_{ij} \delta_{0 r_{ij}} \left(1 - H(|\phi_{ij}| - 6)\right)}{\sum_j^{n_i} \delta_{0 r_{ij}} \left(1 - H(|\phi_{ij}| - 6)\right)} \tag{20}$$

where the Kronecker δ assigns zero weight to failed estimations, and the Heaviside function $H(x)$ is 1 for $x \geq 0$ and 0 otherwise.

We then recover an overall yaw sensitivity statistic u via simple linear regression.

$$|x_{ij} - \alpha_i| = u \sin |\phi_{ij}| + \varepsilon_{ij} \tag{21}$$

where the sine is used to discount variations at small yaw angles. As $sin(\pi/2) = 1$ the coefficient u can be interpreted as the increase in age estimation error for 90 degrees of head rotation, smaller values connoting less pose sensitivity. This interpretation is limited because the the videos have yaw

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

variations rarely extending beyond 60 degrees. The u values are tabulated on the variability tab of the AEV results page.

3. Datasets

Table 9 shows the number of photographs and people in the datasets used in this report.

Name	Visa	Mugshots	Application	Border	Kalina Everyday
Section	3.1	3.2	3.3	3.4	3.5
DOB Precision	YYYY-MM-DD	YYYY	YYYY-MM-DD	YYYY-MM-DD	YYYY-MM-DD
Age Precision	YYYY-MM-DD	YYYY	YYYY-MM-DD	YYYY-MM-DD	YYYY-MM-DD
Age Range	0-99	17-99	14-98	14-91	20-21, 28-34, 42-43
Num. Images	6 249 294	1 482 667	1 054 704	2 715 230	1 991
Num. People	5 738 091	1 482 667	802 332	632 520	1
Purpose	Exact repeat of 2014 study	AE accuracy on standard photos	Challenge-T and demographics	Effect of of quality	Longitudinal demonstration

Table 9. *Properties of the datasets.*

3.1. Visa Images

These images were used in the NIST 2014 Performance of Automated Age Estimation Algorithms[10] study. The images are of size 252x300 pixels. The mean interocular distance(IOD) is 69 pixels. The images are of subjects who applied for visas in United States consular facilities in Mexico. Many of the images are live capture. A minority of the images are photographs of paper photographs. When these images are passed to the algorithm, they are labeled with type "iso".



Fig. 4. *Examples of mugshot images used in the evaluation. Image source: NIST Special Database 32: Multiple Encounter Deceased Subjects (MEDS).*

3.2. Mugshot Images

The images are collected in the United States in routine post-arrest booking processes. While the images are accompanied by one of five race labels specified in an EBTS standard[3] we don't use them as they are unreliable. These images have reasonable compliance with the ANSI/NIST ITL 1-2011 Type 10 standard's subject acquisition profiles levels 10-20 for frontal images[11]. As shown in

[3]This standard is published by the Criminal Justice Information Services (CJIS) Division of the Federal Bureau of Investigation in the United States Department of Justice. It defines data records for transactions that (law enforcement) agencies can make with the FBI. Version 10.0.7 of the standard was published on December 5, 2016. See https://www.fbibiospecs.cjis.gov.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Figure 4 the images are of visually good quality, mostly sharp and well exposed per the standardized photographic equipment specified for their capture. The most common departure from standard requirements is the presence of mild pose variations around frontal. The images vary in size, with many being 480x600 pixels. They are JPEG compressed to produce filesizes of between 18 and 36 kilobytes. When these images are provided as input into the algorithm, they are labeled with the type "mugshot".

3.3. Application Images

The images are collected in an attended interview in immigration offices in the United States. The dataset is from a global population born in more than 100 countries, but for this study we use only those images from 34 countries grouped into six regions - see 5.4. The images are collected using dedicated capture equipment and lighting. They have a uniform, usually white background. As shown in Figure 5, the images have geometry in good conformance with the ISO/IEC19794-5 Full Frontal image type, pose is closely frontal, and eyeglasses are absent. The images, of size 300x300 pixels, are smaller than normally indicated by ISO. When these images are passed to an algorithm, they are labeled with the type "iso".




Fig. 5. *The figure gives simulated samples of application type image used in the evaluation. Image sources: Authors.*

3.4. Border Crossing Images

These images are taken with a webcam oriented by an immigration officer toward a cooperating subject - see the examples in Figure 6. The images are captured under time constraints, so roll, pitch and yaw often depart from frontal presentation, not exceeding ± 45 degrees. Images sometimes have moderate contrast because the background can be bright. This can lead to an under-exposed face. Resolution is limited by the use of inexpensive cameras, compression, and resizing to 240 x 300 pixels. The images have mean interocular distance of 38 pixels. We excluded images for which a leading face recognition engine found more than one face (typically from someone standing in the background). When these images are passed to an algorithm, they are labeled with the type "wild".

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



Fig. 6. *The figure gives simulated samples of border type images used in the evaluation. The ages are 18yr 4mo, 41yr 3mo, and 52yr 2mo. Image sources: Author (right) and NIST Special Database 32 the Multiple Encounter Deceased Subjects dataset.*

3.5. Kalina Everyday

The artist Noah Kalina has collected a self portrait every day since 2000. NIST purchased twelve months of photos for the years 2001 and 2023, and photos from January to June for each year 2009, 2010, 2011, 2012, 2013, 2014, and 2015. The images are attractive for longitudinal studies of age estimation (and face recognition), because they are collected with a fixed two-handed selfie technique. They therefore exhibit very little difference in head orientation, distance to camera, and margin around the head. The main sources of day-to-day variation are hairstyle and illumination. Also, the artist appears in various locations, so the backgrounds differ. All photos from 2001 have size 640x480, and all other years are 2816x2112. When these images are provided as input into the algorithm, they are labeled with the type "mugshot".

3.6. Frontal videos

This dataset is comprised of frames extracted from close-up, fully-frontal, high quality videos of people looking at a camera. The subjects are not asked to do anything. While they occasionally blink, swallow, purse their lips, or move their head slightly, they are largely motionless.

The are 482 indviduals. Each video has a 30 second duration. The video frame rate is 30 frames per second. Age estimation is done on each frame independently.

3.7. Yaw variation videos

This dataset is comprised of frames extracted from close-up high quality videos of people who are initially looking forward toward a camera and who then move their heads rightward, back to frontal, and then leftwards, and then back to frontal where they remain for more than 10 seconds. Subjects occasionally blink, swallow, or purse their lips. The maximum head rotation varies by subject but extends to from 30 degrees to 60 degrees.

The are 29 videos, one per indvidual. Each video has a 30 second duration. The video frame rate is 30 frames per second. Age estimation is done on each frame independently.

4. Algorithms

The FATE activity is open to participation worldwide, and the test will evaluate submissions on an ongoing basis. There is no charge to participate. The requirements to submit algorithms to NIST

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

are described in the FATE Age Estimation And Verification Application Programming Interface (API)[12] document. Participants provide their submissions in the form of libraries compiled on a specific Linux kernel, which are linked against NIST's test harness to produce executables. NIST provides a validation package to participants to ensure that NIST's execution of submitted libraries produces the expected output on NIST's test machines.

Table 10. *Participant location, organization name, algorithm name, and submission date.*

	Location	Developer Name	Algorithm	Submission Date
1	JP	Ayonix	ayonix-001	2026-07-23
2	US	Bynn Intelligence Inc	bynn-000	2026-06-17
3	DE	Cognitec Systems GmbH	cognitec-000	2025-07-11
4	DE	Cognitec Systems GmbH	cognitec-001	2026-04-30
5	CZ	Czech Technical University in Prague	cvut-001	2024-06-14
6	CZ	Czech Technical University in Prague	cvut-002	2024-11-04
7	CZ	Czech Technical University in Prague	cvut-003	2025-05-06
8	TW	Cyberlink Corp	cyberlink-000	2025-03-11
9	TW	Cyberlink Corp	cyberlink-001	2025-07-30
10	IE	Daon	daon-000	2025-05-08
11	IE	Daon	daon-001	2025-11-19
12	IE	Daon	daon-002	2026-06-12
13	DE	Dermalog	dermalog-001	2023-11-02
14	DE	Dermalog	dermalog-002	2025-01-13
15	DE	Dermalog	dermalog-003	2026-05-13
16	GB	Facehawk Ltd	facehawk-001	2026-06-15
17	CN	Hangzhuo AIlu Network Information Technology	hzailu-001	2025-03-28
18	FR	Idemia	idemia-001	2024-08-26
19	FR	Idemia	idemia-002	2025-06-23
20	FR	Idemia	idemia-003	2026-09-11
21	CZ	Brno University of Technology-FIT DCGM	inbut-000	2024-09-11
22	US	Incode Technologies Inc	incode-000	2023-09-05
23	US	Incode Technologies Inc	incode-001	2025-03-28
24	US	Incode Technologies Inc	incode-002	2026-08-03
25	SK	Innovatrics	innovatrics-000	2025-02-05
26	SK	Innovatrics	innovatrics-001	2025-06-05
27	SK	Innovatrics	innovatrics-002	2025-10-27
28	SK	Innovatrics	innovatrics-003	2026-05-06
29	SK	Innovatrics	innovatrics-004	2026-10-07
30	US	Intellicheck	intellicheck-000	2026-09-10
31	TW	ioNetworks Inc	ionetworks-000	2026-07-02
32	US	Jumio	jumio-000	2024-08-30
33	LT	Neurotechnology	neurotechnology-000	2023-10-17
34	LT	Neurotechnology	neurotechnology-001	2024-07-19
35	LT	Neurotechnology	neurotechnology-003	2026-08-26
36	LT	Nominder	nominder-000	2024-07-22
37	LT	Nominder	nominder-001	2024-11-25
38	GB	Ondato UAB	ondato-000	2024-11-08
39	GB	Ondato UAB	ondato-001	2025-03-07
40	UK	Onfido	onfido-000	2026-04-10
41	US	Paravision	paravision-000	2026-06-04
42	US	Paravision	paravision-001	2026-10-26
43	AU	Privately SA	privately-000	2026-01-14
44	US	Regula Forensics	regula-000	2025-07-23
45	IE	Rigr AI	rigrai-000	2026-09-10
46	US	ROC	roc-000	2023-11-03
47	US	ROC	roc-001	2024-10-29
48	US	ROC	roc-002	2026-02-06
49	US	ROC	roc-003	2026-08-17

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 10. *Participant location, organization name, algorithm name, and submission date. (continued)*

	Location	Developer Name	Algorithm	Submission Date
50	GB	Shufti	shufti-000	2026-01-26
51	GB	Shufti	shufti-001	2026-10-01
52	AE	TrueSight Laboratories Tech LLC	tsight-000	2026-08-24
53	FR	Unissey	unissey-001	2023-09-19
54	AE	Viante.AI	viante-000	2024-11-25
55	GB	Yoti	yoti-001	2023-09-19
56	GB	Yoti	yoti-002	2024-09-17
57	GB	Yoti	yoti-003	2025-07-08
58	GB	Yoti	yoti-004	2026-01-07
59	GB	Yoti	yoti-005	2026-09-21
60	PT	Youverse	youverse-000	2025-07-30
61	PT	Youverse	youverse-001	2026-09-22

This report documents the results of algorithms submitted to FATE AEV for testing. Table 10 lists the algorithms that were tested.

Table 11. *Algorithm resources: The size of the algorithm (the models + the libraries); the median duration (in milliseconds) for AE function calls. Timing was conducted over 1000 function invocations with an input image of 640x480 pixels.*

Algorithm	MB		Millisecs		
	Config	Lib	Estimate Age (One Media)	Verify Age (One Media)	Integer Age Estimates
ayonix-001	137.73	164.64	404.83	398.09	No
bynn-000	184.02	123.79	1015.12	1028.63	No
cognitec-000	137.93	25.92	292.11	293.47	No
cognitec-001	192.53	26.15	428.12	436.21	No
cvut-001	2886.72	958.17	813.03	828.61	Yes
cvut-002	353.46	943.60	812.03	812.11	Yes
cvut-003	353.48	944.11	823.00	815.05	No
cyberlink-000	117.50	130.30	419.67	404.31	No
cyberlink-001	266.37	130.34	675.39	689.25	No
daon-000	115.02	65.12	362.26	-	No
daon-001	565.14	65.20	1395.44	-	No
daon-002	928.59	65.20	1404.62	-	No
dermalog-001	0.00	187.52	26.70	30.86	Yes
dermalog-002	0.00	168.32	27.41	31.32	Yes
dermalog-003	0.00	202.18	47.20	-	Yes
facehawk-001	38.99	35.03	392.96	389.27	No
hzailu-001	185.49	280.69	100.55	106.88	Yes
idemia-001	481.48	118.64	646.44	642.18	No
idemia-002	1444.45	64.44	632.31	644.35	No
idemia-003	420.88	67.80	1130.58	1130.10	No
inbut-000	0.00	791.00	711.81	708.56	No
incode-000	457.10	40.46	235.54	242.18	No
incode-001	910.32	40.46	868.99	872.13	No
incode-002	463.29	103.17	1090.43	1086.19	No
innovatrics-000	0.00	2491.85	975.28	966.19	No
innovatrics-001	0.00	2474.18	981.35	979.77	No
innovatrics-002	0.00	2367.96	1128.20	1133.49	No
innovatrics-003	0.00	1969.19	1040.40	1029.98	No
innovatrics-004	0.00	1965.01	1052.19	1058.37	No
intellicheck-000	106.72	63.97	146.35	144.79	No
ionetworks-000	338.09	242.75	557.89	-	No
jumio-000	0.00	626.68	256.02	251.88	No
neurotechnology-000	113.42	95.91	153.18	156.60	Yes

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 11. *Algorithm resources: The size of the algorithm (the models + the libraries); the median duration (in milliseconds) for AE function calls. Timing was conducted over 1000 function invocations with an input image of 640x480 pixels. (continued)*

Algorithm	MB		Millisecs		
	Config	Lib	Estimate Age (One Media)	Verify Age (One Media)	Integer Age Estimates
neurotechnology-001	53.42	119.96	96.70	101.57	Yes
neurotechnology-003	198.20	119.88	1782.01	1802.60	No
nominder-000	64.81	111.53	193.62	191.53	No
nominder-001	118.72	111.54	249.76	254.01	No
ondato-000	196.65	33.20	578.83	570.83	No
ondato-001	196.65	33.20	562.06	564.68	No
onfido-000	1089.96	246.97	2174.97	2172.45	No
paravision-000	1251.52	258.83	1452.75	-	No
paravision-001	1257.72	254.07	959.11	-	No
privately-000	293.60	27.33	63.59	-	No
regula-000	273.34	37.84	822.56	-	No
rigrai-000	296.48	51.00	883.60	886.10	No
roc-000	0.00	473.82	134.15	134.08	No
roc-001	0.00	565.40	683.73	689.05	No
roc-002	0.00	737.29	1036.74	1037.68	No
roc-003	0.00	644.78	953.51	954.73	No
shufti-000	194.02	52.54	612.70	616.65	No
shufti-001	884.36	75.32	1439.17	-	No
tsight-000	31.45	141.84	176.22	-	No
unissey-001	0.00	952.42	113.34	117.91	Yes
viante-000	1224.51	16.15	1184.30	1183.37	Yes
yoti-001	226.95	428.53	267.86	257.46	No
yoti-002	243.55	427.93	377.59	379.94	No
yoti-003	810.14	934.89	734.52	724.69	No
yoti-004	810.14	1028.74	1093.71	1044.49	No
yoti-005	808.77	509.61	960.16	963.97	No
youverse-000	84.39	315.24	311.41	308.26	No
youverse-001	225.87	324.32	640.89	640.54	No

Table 11 gives technical information about the algorithms. Column two shows the size of static read-only data provided with the algorithms. FATE AEV is a black-box evaluation, so we don't know and don't inquire as to what this data is. It typically includes small configuration files and much larger deep neural network (DNN) model files for face detection and age estimation. Some developers (e.g. roc) include such data in the libraries contained in the "lib" directory whose size is noted in column three. The fourth and fifth columns note execution duration for a call to the age estimation function and age verification funcion, that accepts in-memory image data and produced an estimated age value, and true/false decision. The timing is measured by calling high-resolution C++ std::chrono timers immdiately before and after the function call. Timing is measured over 1000 images of size 640x480 pixels. Duration is measured on one core of a server-class Intel chip running in a machine that is otherwise idle. The final column notes whether age estimates are continuous (fractional parts of a year) or discrete (integer number of years).

Integer age estimates will imply increased MAE for those datasets where fractional actual age information is available.

Note the duration varies by an order of magnitude; the total size of the config and lib directory varies by about a factor of five - which may have relevance to the use of these algorithms on embedded or low-powered devices.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

5. Results

The following subsections address accuracy gains since 2014, comparative accuracy, Challenge-T performance, demographics, and the effect of quality.

5.1. Age Estimation Improvements Since 2014

We measure algorithmic accuracy gains since 2014 by running the 2024 algorithms on the exact dataset used in 2014[4]. This set consists of 6.2 million *Visa* images with about 5.7 million people collected in Mexico with ages spanning 0 to 100.

Figure 7 shows the proportion of images estimated to have error less than the number of years given on the horizontal axis. The 2014 algorithms are shown with dotted lines, recent entries with solid lines. Table 12 shows the top-performing algorithm on this dataset, Incode-000, has a reduction of 1.19 years in mean absolute error (MAE) compared to the leader from 2014, Cognitec-001. Three other performance variables improve also. Only one algorithm is inferior.

Figure 8 shows the same gain in MAE and the proportion of images whose age estimate is better than the best 2014 algorithm. That proportion is never larger than 61%. This result implies a degree of randomness - an improved algorithm doesn't always give better estimates.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

[4]See NIST Interagency Report 7995.




Fig. 7. *This plot shows the accuracy of the 2024 algorithms compared against two top-performing 2014 algorithms. The lines plot cumulative accuracy at absolute age estimation error levels. Results were generated with the* 6 172 425 *images of the Mexican visa population.*

Table 12. *Age estimation error statistics for the 2024 algorithms and the two most accurate algorithms from 2014 (in red). The values are mean and median absolute error (MAE, MDAE), standard deviation of the abs. error (SD), and mean error (ME). Dataset is the Mexican visa sample. MAE, MDAE, SD values are lower the better. ME values closer to zero the better, positive values are overestimate and negative values are underestimate.*

Algorithm	MAE	MDAE	ME	SD
roc-003	2.32	1.72	0.45	2.15
idemia-003	2.44	1.83	0.84	2.21
regula-000	2.58	1.88	1.18	2.39
roc-002	2.55	1.91	1.07	2.31
yoti-004	2.66	1.98	1.06	2.44
incode-002	2.64	2.00	1.36	2.37

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 12. *Age estimation error statistics for the 2024 algorithms and the two most accurate algorithms from 2014 (in red). The values are mean and median absolute error (MAE, MDAE), standard deviation of the abs. error (SD), and mean error (ME). Dataset is the Mexican visa sample. MAE, MDAE, SD values are lower the better. ME values closer to zero the better, positive values are overestimate and negative values are underestimate. (continued)*

Algorithm	MAE	MDAE	ME	SD
cognitec-001	2.74	2.02	1.07	2.54
daon-002	2.74	2.02	1.37	2.46
yoti-005	2.71	2.02	1.21	2.48
cognitec-000	2.70	2.04	0.39	2.42
idemia-001	2.70	2.07	1.23	2.37
innovatrics-004	2.85	2.14	1.20	2.55
yoti-002	2.99	2.19	1.43	2.79
yoti-003	2.96	2.20	1.63	2.75
innovatrics-003	2.83	2.23	1.41	2.43
paravision-001	2.98	2.29	1.54	2.58
innovatrics-002	2.97	2.30	1.02	2.59
rigrai-000	3.39	2.31	0.58	3.35
incode-000	3.08	2.33	1.48	2.74
innovatrics-001	2.89	2.35	1.07	2.40
idemia-002	3.09	2.36	2.04	2.67
innovatrics-000	2.90	2.36	1.12	2.39
yoti-001	3.30	2.46	1.74	2.95
cvut-002	3.19	2.53	1.05	2.72
ionetworks-000	3.20	2.53	0.93	2.63
cvut-003	3.37	2.64	1.70	2.89
dermalog-003	3.57	2.64	1.22	3.19
bynn-000	3.53	2.65	0.43	3.10
privately-000	3.65	2.67	-0.16	3.37
ondato-001	3.28	2.68	1.17	2.64
nominder-001	3.36	2.71	1.65	2.79
nominder-000	3.41	2.75	1.26	2.83
incode-001	3.43	2.76	2.64	2.89
tsight-000	3.38	2.80	1.92	2.63
ondato-000	3.46	2.84	1.06	2.82
daon-001	3.54	2.93	2.22	2.78
neurotechnology-003	3.69	2.95	2.08	2.91
cvut-001	4.18	3.00	0.01	5.08
unissey-001	3.87	3.00	0.87	3.35
shufti-000	3.98	3.02	1.95	4.57
ayonix-001	4.05	3.07	-0.88	3.58
roc-000	3.81	3.12	2.64	3.05
youverse-001	3.62	3.12	0.96	2.74
paravision-000	4.46	3.17	-1.22	4.12
dermalog-001	4.01	3.21	2.46	3.29
cognitec2013Oct-001	4.27	3.25	0.30	3.86
cyberlink-001	3.81	3.35	1.45	2.81
onfido-000	3.97	3.38	3.30	3.14
viante-000	4.17	3.39	3.20	3.29
dermalog-002	4.29	3.42	2.27	3.55
daon-000	4.15	3.49	2.12	3.21
neurotechnology-000	4.54	3.52	-0.19	3.96
neurotechnology-001	4.65	3.69	-0.09	3.98
jumio-000	4.98	3.77	3.61	5.05
cyberlink-000	4.40	3.78	2.77	3.31
nec2013Oct-002	5.32	4.19	0.31	4.61
roc-001	4.55	4.27	4.00	2.88
shufti-001	5.66	4.30	4.22	5.14
youverse-000	6.27	4.77	-2.20	5.61
hzailu-001	5.79	4.91	4.13	4.35
intellicheck-000	6.91	5.06	-0.32	6.35

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 12. *Age estimation error statistics for the 2024 algorithms and the two most accurate algorithms from 2014 (in red). The values are mean and median absolute error (MAE, MDAE), standard deviation of the abs. error (SD), and mean error (ME). Dataset is the Mexican visa sample. MAE, MDAE, SD values are lower the better. ME values closer to zero the better, positive values are overestimate and negative values are underestimate. (continued)*

Algorithm	MAE	MDAE	ME	SD
inbut-000	6.49	5.55	5.82	5.03
facehawk-001	10.07	6.74	-5.49	10.28




Fig. 8. *For 2024 algorithms, the right panel shows the fraction of images that have better accuracy estimates than the best-performing algorithm in our 2014 report (Cognitec-001 submitted to NIST 2013-10). The left panel shows the mean reduction in absolute age estimation error - negative values show worse performance now than in 2014. These results were generated over a consensus set of 6 166 298 images for which all algorithms returned an age estimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

5.2. Comparing Algorithms

The prior section gives a ranking of algorithms on one dataset. We consider here three different datasets. Table 13 summarizes the mean age absolute error (MAE) for men and women, in three age groups, and in three datasets.

The table also includes the failure-to-process rate (FTP). FTP is uniformly very low, meaning the algorithms are able to process almost all photographs. Some algorithms may include a quality filter to electively decline to process images that the algorithm considers not suitable for AE. Low FTP is likely a product of face detection algorithms today that have very low false negative rates on cooperative datasets such as these. Note also it is a characteristic of deep neural networks to operate on *any* array of input pixels regardless of their semantic content.

Table 13. *By sex, mean absolute error (MAE), and failure to process proportion (FTP) for three age bands. Lower values are better.*

			Ages 18-30		Ages 31-50		Ages 51-80	
			Female	Male	Female	Male	Female	Male
Algorithm	**Dataset**	**FTP**	**MAE**	**MAE**	**MAE**	**MAE**	**MAE**	**MAE**
ayonix-001	Mugshot	0.000	4.0	2.8	5.6	4.3	8.2	6.1
ayonix-001	Application	0.000	4.5	3.7	6.3	5.4	9.9	7.2
ayonix-001	Border	0.000	4.8	3.5	7.3	5.8	12.7	8.1
bynn-000	Mugshot	0.000	3.8	3.0	4.7	3.7	5.6	4.9
bynn-000	Application	0.000	4.0	3.2	4.8	3.7	5.8	5.3
bynn-000	Border	0.003	4.8	3.9	6.6	4.7	7.5	5.4
cognitec-000	Mugshot	0.000	2.8	2.4	3.4	2.9	4.3	3.9
cognitec-000	Application	0.000	3.0	2.6	3.6	3.1	4.0	4.1
cognitec-000	Border	0.002	3.2	3.3	4.0	3.0	5.8	5.3
cognitec-001	Mugshot	0.000	2.7	2.2	3.5	3.1	3.9	3.6
cognitec-001	Application	0.000	3.0	2.5	3.6	3.2	4.0	4.0
cognitec-001	Border	0.002	3.1	2.8	3.9	3.2	4.5	4.3
cvut-001	Mugshot	0.022	4.0	3.4	5.1	4.5	6.2	5.4
cvut-001	Application	0.000	3.6	3.2	6.1	4.2	6.9	7.0
cvut-001	Border	0.002	3.8	3.4	7.8	6.1	7.4	7.5
cvut-002	Mugshot	0.022	2.9	2.6	4.3	3.6	5.1	4.9
cvut-002	Application	0.000	3.4	2.9	6.0	4.6	6.5	5.9
cvut-002	Border	0.001	3.3	3.2	4.5	3.8	6.1	5.8
cvut-003	Mugshot	0.022	3.1	2.6	3.9	3.3	4.8	4.6
cvut-003	Application	0.000	3.1	2.7	5.0	4.0	5.8	5.3
cvut-003	Border	0.001	3.1	2.9	4.4	3.8	5.8	5.5
cyberlink-000	Mugshot	0.000	3.4	3.5	4.4	3.8	5.4	4.8
cyberlink-000	Application	0.000	3.1	3.3	4.8	3.6	5.1	4.8
cyberlink-000	Border	0.000	3.4	3.2	5.8	4.2	5.8	5.5
cyberlink-001	Mugshot	0.000	3.1	2.8	4.1	3.5	5.0	4.1
cyberlink-001	Application	0.000	3.0	2.8	5.0	3.4	5.4	5.1
cyberlink-001	Border	0.000	3.6	2.9	7.0	4.4	7.4	6.6
daon-000	Mugshot	0.000	4.1	4.2	4.7	3.9	5.1	4.3
daon-000	Application	0.000	4.3	3.8	5.0	3.8	5.3	4.5
daon-000	Border	0.000	5.0	4.4	6.5	4.2	8.3	5.7
daon-001	Mugshot	0.000	3.6	3.5	4.0	3.4	4.2	4.0
daon-001	Application	0.000	3.8	3.5	4.1	3.2	4.2	3.7
daon-001	Border	0.001	4.4	3.7	5.3	3.6	6.7	4.8
daon-002	Mugshot	0.000	2.9	2.5	3.5	3.0	4.0	4.0
daon-002	Application	0.000	3.1	2.6	3.6	2.9	3.6	3.5
daon-002	Border	0.001	3.5	2.7	4.4	3.2	4.9	4.1
dermalog-001	Mugshot	0.001	4.4	3.6	4.7	4.3	5.2	4.7
dermalog-001	Application	0.000	3.6	3.1	4.5	4.3	5.6	4.8
dermalog-001	Border	0.000	4.3	4.3	4.1	3.9	5.4	4.5

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 13. *By sex, mean absolute error (MAE), and failure to process proportion (FTP) for three age bands. Lower values are better. (continued)*

			Ages 18-30		Ages 31-50		Ages 51-80	
			Female	Male	Female	Male	Female	Male
Algorithm	**Dataset**	**FTP**	**MAE**	**MAE**	**MAE**	**MAE**	**MAE**	**MAE**
dermalog-002	Mugshot	0.001	4.8	3.7	5.5	4.3	5.8	5.6
dermalog-002	Application	0.000	3.7	3.3	5.2	5.2	6.2	6.6
dermalog-002	Border	0.000	4.4	4.5	5.2	4.8	6.3	5.6
dermalog-003	Mugshot	0.001	3.7	2.9	5.3	4.1	5.3	5.0
dermalog-003	Application	0.000	3.4	3.0	5.2	4.5	5.6	5.3
dermalog-003	Border	0.000	3.9	3.5	4.9	4.3	5.4	4.9
facehawk-001	Mugshot	0.008	8.4	6.2	14.1	10.8	20.4	18.6
facehawk-001	Application	0.003	6.8	5.9	15.0	12.5	27.9	22.5
facehawk-001	Border	0.001	10.2	9.3	19.6	16.8	32.8	25.9
hzailu-001	Mugshot	0.000	6.5	7.0	6.1	5.4	7.1	6.5
hzailu-001	Application	0.000	4.4	5.2	5.3	4.5	6.9	5.8
hzailu-001	Border	0.000	4.3	5.2	5.6	4.7	7.4	6.4
idemia-001	Mugshot	0.000	2.5	2.2	3.1	2.8	3.8	3.3
idemia-001	Application	0.000	2.9	2.7	3.5	2.8	4.0	3.6
idemia-001	Border	0.000	3.1	2.7	3.9	3.0	4.5	3.9
idemia-002	Mugshot	0.000	3.3	2.2	3.3	2.8	3.3	3.4
idemia-002	Application	0.000	3.2	2.6	3.4	2.9	3.6	3.6
idemia-002	Border	0.000	3.5	2.7	3.8	3.1	3.9	3.9
idemia-003	Mugshot	0.000	2.2	1.9	2.7	2.5	3.2	3.0
idemia-003	Application	0.000	3.1	2.4	3.3	2.7	3.4	3.2
idemia-003	Border	0.000	3.3	2.6	3.6	2.9	3.8	3.6
inbut-000	Mugshot	0.000	2.9	2.9	3.4	3.1	4.5	3.8
inbut-000	Application	0.000	3.2	3.6	3.4	3.4	4.0	3.5
inbut-000	Border	0.000	2.9	2.9	5.2	3.9	6.1	4.7
incode-000	Mugshot	0.000	3.6	2.6	3.5	3.1	3.7	3.9
incode-000	Application	0.000	3.3	2.7	3.5	3.2	3.5	3.6
incode-000	Border	0.001	4.8	4.3	4.5	4.1	4.8	4.3
incode-001	Mugshot	0.001	3.5	2.4	3.2	2.9	3.1	3.4
incode-001	Application	0.000	3.4	2.9	3.2	3.1	3.1	3.1
incode-001	Border	0.001	4.3	4.2	4.5	4.1	4.0	3.6
incode-002	Mugshot	0.001	2.8	2.0	3.0	2.8	3.1	3.2
incode-002	Application	0.000	2.7	2.3	3.3	2.9	3.3	3.1
incode-002	Border	0.001	3.8	2.9	4.8	3.6	4.4	3.8
innovatrics-000	Mugshot	0.000	2.4	2.0	3.2	2.8	4.8	3.9
innovatrics-000	Application	0.000	2.6	2.4	3.9	3.2	5.0	4.1
innovatrics-000	Border	0.001	2.8	2.5	4.9	3.6	6.0	4.9
innovatrics-001	Mugshot	0.000	2.4	2.0	3.3	2.9	4.8	3.8
innovatrics-001	Application	0.000	2.5	2.3	4.4	3.4	4.8	4.0
innovatrics-001	Border	0.001	2.9	2.5	5.2	3.8	5.5	4.6
innovatrics-002	Mugshot	0.000	2.7	2.3	3.5	3.1	5.2	4.3
innovatrics-002	Application	0.000	2.8	2.7	4.2	3.4	4.7	3.9
innovatrics-002	Border	0.001	3.5	2.8	5.6	3.9	5.6	4.6
innovatrics-003	Mugshot	0.000	2.8	2.3	3.2	3.1	4.1	3.8
innovatrics-003	Application	0.000	2.8	2.4	3.7	3.2	3.9	3.5
innovatrics-003	Border	0.001	3.1	2.5	4.7	3.6	4.7	4.0
innovatrics-004	Mugshot	0.000	3.1	2.5	3.3	3.1	3.7	3.7
innovatrics-004	Application	0.000	3.0	2.6	3.5	3.1	3.6	3.4
innovatrics-004	Border	0.001	4.2	3.1	4.5	3.4	4.1	3.8
intellicheck-000	Mugshot	0.000	5.8	4.7	10.2	7.9	8.1	7.1
intellicheck-000	Application	0.000	7.7	6.7	12.4	10.8	6.7	6.6
intellicheck-000	Border	0.000	8.9	8.7	19.1	19.2	23.9	19.6
ionetworks-000	Mugshot	0.000	3.6	3.8	3.8	3.5	5.0	4.5
ionetworks-000	Application	0.000	3.0	3.1	4.2	3.5	5.4	4.7
ionetworks-000	Border	0.000	3.0	2.7	5.0	4.0	6.2	5.3

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 13. *By sex, mean absolute error (MAE), and failure to process proportion (FTP) for three age bands. Lower values are better. (continued)*

			Ages 18-30		Ages 31-50		Ages 51-80	
			Female	Male	Female	Male	Female	Male
Algorithm	**Dataset**	**FTP**	**MAE**	**MAE**	**MAE**	**MAE**	**MAE**	**MAE**
jumio-000	Mugshot	0.002	4.2	2.5	3.3	3.0	3.7	3.7
jumio-000	Application	0.002	3.6	2.8	3.2	3.0	3.7	3.5
jumio-000	Border	0.048	4.9	4.0	4.1	3.7	7.0	5.9
neurotechnology-000	Mugshot	0.000	3.7	3.4	5.8	4.6	6.8	5.5
neurotechnology-000	Application	0.000	3.8	3.4	7.9	5.7	9.0	7.1
neurotechnology-000	Border	0.001	4.3	3.4	8.9	6.3	10.6	7.5
neurotechnology-001	Mugshot	0.000	3.4	3.0	6.3	5.0	6.9	5.5
neurotechnology-001	Application	0.000	3.8	3.2	8.0	5.9	9.0	7.1
neurotechnology-001	Border	0.002	4.3	3.3	9.0	6.4	10.6	7.5
neurotechnology-003	Mugshot	0.000	3.5	3.1	3.7	3.3	4.9	4.3
neurotechnology-003	Application	0.000	3.2	3.8	4.4	3.3	6.6	5.8
neurotechnology-003	Border	0.001	3.3	3.3	4.7	3.4	6.2	5.6
nominder-000	Mugshot	0.000	3.2	2.9	3.7	3.4	4.6	4.0
nominder-000	Application	0.000	3.1	3.2	4.5	3.4	5.8	4.7
nominder-000	Border	0.001	3.3	3.1	5.3	4.1	6.9	5.9
nominder-001	Mugshot	0.001	2.7	2.2	3.2	2.8	4.0	3.4
nominder-001	Application	0.000	2.8	2.6	4.3	3.3	4.9	4.4
nominder-001	Border	0.001	3.2	2.8	5.6	4.0	6.5	5.8
ondato-000	Mugshot	0.000	3.4	2.8	3.8	3.5	4.1	3.7
ondato-000	Application	0.000	3.1	3.0	4.1	3.5	4.1	3.7
ondato-000	Border	0.001	3.5	3.0	7.2	4.8	8.9	6.7
ondato-001	Mugshot	0.000	3.4	2.6	3.5	3.3	4.1	3.8
ondato-001	Application	0.000	2.9	2.6	3.7	3.2	4.3	3.8
ondato-001	Border	0.001	3.4	2.8	7.0	4.7	8.2	6.6
onfido-000	Mugshot	0.000	3.8	2.4	3.5	3.1	3.3	3.5
onfido-000	Application	0.000	3.8	3.1	3.3	3.1	3.1	3.1
onfido-000	Border	0.001	4.0	3.5	3.8	3.3	3.5	3.2
paravision-000	Mugshot	0.000	5.4	3.5	4.7	3.2	4.0	3.8
paravision-000	Application	0.000	3.3	3.0	3.1	2.8	2.9	2.9
paravision-000	Border	0.001	6.7	4.2	5.0	3.3	4.2	3.9
paravision-001	Mugshot	0.000	3.2	2.6	3.7	3.2	3.9	3.9
paravision-001	Application	0.000	3.3	3.0	3.5	3.2	3.5	3.6
paravision-001	Border	0.001	3.1	2.6	4.1	3.5	4.1	3.7
privately-000	Mugshot	0.000	3.9	2.8	6.1	4.9	8.0	6.1
privately-000	Application	0.000	3.5	3.0	5.9	5.7	7.5	7.0
privately-000	Border	0.000	4.0	3.5	6.2	5.3	7.9	6.6
regula-000	Mugshot	0.000	2.9	2.0	3.4	3.2	3.5	3.7
regula-000	Application	0.000	2.6	2.3	3.1	3.0	3.2	3.2
regula-000	Border	0.001	3.1	2.6	3.8	3.7	4.0	3.9
rigrai-000	Mugshot	0.003	3.3	2.6	5.1	3.6	6.3	4.9
rigrai-000	Application	0.000	3.6	2.9	5.6	3.6	5.5	4.3
rigrai-000	Border	0.001	4.6	3.2	7.8	4.1	7.4	5.7
roc-000	Mugshot	0.000	3.0	2.5	3.9	3.2	4.4	3.8
roc-000	Application	0.000	3.6	3.4	3.8	3.2	4.2	3.9
roc-000	Border	0.001	3.9	3.8	4.2	3.4	4.8	4.3
roc-001	Mugshot	0.000	2.6	2.3	3.3	3.0	3.6	3.4
roc-001	Application	0.000	3.1	2.9	3.1	3.0	3.4	3.4
roc-001	Border	0.001	3.3	3.2	3.2	3.0	3.7	3.5
roc-002	Mugshot	0.000	2.4	2.0	3.2	2.9	3.7	3.7
roc-002	Application	0.000	2.7	2.4	3.1	2.8	3.5	3.5
roc-002	Border	0.001	3.1	2.9	3.1	2.8	3.7	3.5
roc-003	Mugshot	0.000	2.2	1.9	3.0	2.7	3.5	3.2
roc-003	Application	0.000	2.4	2.2	3.0	2.7	3.6	3.4
roc-003	Border	0.001	2.8	2.5	3.1	2.8	3.8	3.6

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 13. *By sex, mean absolute error (MAE), and failure to process proportion (FTP) for three age bands. Lower values are better. (continued)*

			Ages 18-30		Ages 31-50		Ages 51-80	
			Female	Male	Female	Male	Female	Male
Algorithm	**Dataset**	**FTP**	**MAE**	**MAE**	**MAE**	**MAE**	**MAE**	**MAE**
shufti-000	Mugshot	0.002	4.2	2.9	4.0	3.5	4.1	3.9
shufti-000	Application	0.000	4.1	4.3	3.8	3.8	4.5	4.0
shufti-000	Border	0.009	4.8	4.2	5.5	4.1	7.6	5.2
shufti-001	Mugshot	0.000	4.4	3.0	3.9	3.4	4.2	4.2
shufti-001	Application	0.000	3.6	3.0	3.2	3.0	4.1	4.3
shufti-001	Border	0.000	3.9	3.5	3.9	3.4	6.5	5.9
tsight-000	Mugshot	0.000	3.3	3.1	3.5	3.2	4.7	4.5
tsight-000	Application	0.000	2.9	2.9	4.7	3.5	5.9	5.7
tsight-000	Border	0.000	2.9	2.9	4.9	3.6	6.0	6.1
unissey-001	Mugshot	0.000	4.3	3.6	6.3	4.8	6.0	5.3
unissey-001	Application	0.000	3.9	3.7	5.0	4.2	6.1	5.8
unissey-001	Border	0.001	4.1	3.4	7.1	5.8	8.4	7.2
viante-000	Mugshot	0.001	4.0	4.4	3.8	3.8	4.0	3.5
viante-000	Application	0.000	3.5	4.3	3.3	3.4	3.7	3.4
viante-000	Border	0.001	3.1	3.5	3.8	3.3	5.2	4.1
yoti-001	Mugshot	0.002	3.8	2.4	3.9	3.4	3.7	3.7
yoti-001	Application	0.000	4.7	3.2	3.8	3.2	3.8	3.5
yoti-001	Border	0.003	5.2	4.1	4.8	4.0	5.1	4.2
yoti-002	Mugshot	0.000	3.2	2.4	3.5	3.1	3.6	3.6
yoti-002	Application	0.000	3.5	2.8	3.1	2.9	3.7	3.3
yoti-002	Border	0.000	4.1	3.5	4.2	3.7	4.4	3.8
yoti-003	Mugshot	0.000	3.1	2.3	3.4	3.1	3.4	3.5
yoti-003	Application	0.000	3.4	2.8	3.0	2.9	3.3	3.2
yoti-003	Border	0.000	3.9	3.5	3.7	3.3	4.4	3.8
yoti-004	Mugshot	0.000	2.6	1.9	3.4	3.1	3.4	3.5
yoti-004	Application	0.000	2.7	2.3	2.9	2.8	3.4	3.1
yoti-004	Border	0.000	3.5	3.0	3.9	3.4	4.8	3.8
yoti-005	Mugshot	0.000	2.6	1.9	3.5	3.1	3.4	3.5
yoti-005	Application	0.000	2.7	2.3	3.0	2.8	3.4	3.2
yoti-005	Border	0.000	3.5	3.0	4.0	3.5	4.7	3.8
youverse-000	Mugshot	0.001	3.8	3.3	5.8	4.8	9.6	9.2
youverse-000	Application	0.000	3.7	3.3	7.3	4.8	12.3	9.7
youverse-000	Border	0.001	5.1	4.6	9.2	5.6	16.0	11.0
youverse-001	Mugshot	0.000	3.5	3.0	4.2	3.4	5.1	4.5
youverse-001	Application	0.000	3.8	3.2	5.4	3.7	5.9	5.2
youverse-001	Border	0.001	5.3	3.8	7.6	4.5	8.8	6.8

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

The table shows MAE trending higher with age group, reflecting wider variation in the amount of ageing evidence in human faces. This effect is much larger in some algorithms, perhaps reflecting commercial focus on AE estimation in younger subjects, and is absent for one algorithm (yoti-001) operating on women. MAE is often highest in the lower quality *Border* image dataset, and lowest in the *Application* photos. There are exceptions and these observations are overlaid by a higher MAE in women than in men that applies to all algorithms, all datasets and both age groups. The lowest MAE values are 2.4 and 2.5 years from yoti-001 and roc-000 operating on *Mugshot* photos of men, age 18-30. The incode-001 algorithm achieves 2.7 years on *Application* photos.

5.3. Challenge Age Analysis

A primary application of AEV technology is in preventing underage subjects from accessing alcohol, cigarettes, and adult content. Given some legal restriction age L[5], AE is applied with a threshold age T, which is necessarily larger than L, with a supplemental challenge process being applied to anyone whose age estimate is below T. The difference $T - L$ is sometimes termed the buffer size. For $L = 18$ a seven year buffer is conventional, so $T = 25$ is typical. A false positive occurs if a person of age below L is estimated to have age at or above T. A false negative occurs if a person of age at or above L is estimated to have age below T. This is formalized in section 2. Smaller T values are desirable, because they imply lower false negative rates (FNR). Smaller T values are sustainable only if false positive rates (FPR) remain low enough to meet some policy-driven criterion.

To mimic a Challenge-25 application, Table 14 shows FPR for persons aged 14-17 who are estimated to have age at or above 25. The sample is from the global traveler population. Likewise Table 15 shows FPR for persons aged 14-20 who are estimated to have age at or above 28. The *Mugshot* entries are estimated from persons aged 18-20.

Table 14. *False positive rate (FPR) and mean absolute error (MAE) for persons 14-17 estimated at 25 or more. Border photos have inferior quality to the application photos. Lower values are better.*

		Male		Female	
Algorithm	**Data**	**FPR**	**MAE**	**FPR**	**MAE**
ayonix-001	Border	0.061	3.7	0.109	4.9
ayonix-001	Application	0.017	2.6	0.063	3.8
bynn-000	Border	0.021	1.9	0.040	2.8
bynn-000	Application	0.012	1.9	0.020	2.2
cognitec-000	Border	0.051	3.4	0.050	3.3
cognitec-000	Application	0.005	1.9	0.014	2.2
cognitec-001	Border	0.014	3.0	0.029	3.0
cognitec-001	Application	0.004	1.6	0.012	2.1
cvut-001	Border	0.043	3.2	0.117	4.4
cvut-001	Application	0.039	2.8	0.100	3.7
cvut-002	Border	0.077	4.2	0.131	5.1
cvut-002	Application	0.011	2.4	0.032	3.3
cvut-003	Border	0.049	3.8	0.115	4.9
cvut-003	Application	0.008	2.3	0.029	3.4
cyberlink-000	Border	0.081	3.8	0.106	4.2
cyberlink-000	Application	0.054	4.2	0.091	5.2
cyberlink-001	Border	0.031	2.9	0.027	3.0
cyberlink-001	Application	0.013	3.1	0.023	3.7
daon-000	Border	0.202	5.4	0.110	4.3
daon-000	Application	0.094	4.3	0.067	3.5
daon-001	Border	0.115	4.1	0.077	3.3
daon-001	Application	0.045	3.3	0.034	3.0
daon-002	Border	0.017	2.2	0.023	2.3
daon-002	Application	0.007	1.9	0.011	2.0
dermalog-001	Border	0.166	4.3	0.283	5.9
dermalog-001	Application	0.051	3.6	0.112	4.7
dermalog-002	Border	0.190	5.1	0.344	6.8
dermalog-002	Application	0.034	3.2	0.167	5.2
dermalog-003	Border	0.047	3.0	0.093	4.4
dermalog-003	Application	0.003	1.9	0.012	3.1
facehawk-001	Border	0.127	6.7	0.149	6.7

[5]For example, L = 18 for alcohol and cigarettes in the United Kingdom, and L = 21 in most jurisdictions in the United States.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 14. *False positive rate (FPR) and mean absolute error (MAE) for persons 14-17 estimated at 25 or more. Border photos have inferior quality to the application photos. Lower values are better. (continued)*

		Male		Female	
Algorithm	**Data**	**FPR**	**MAE**	**FPR**	**MAE**
facehawk-001	Application	0.271	6.1	0.370	7.3
hzailu-001	Border	0.423	7.6	0.393	7.3
hzailu-001	Application	0.341	6.9	0.361	6.9
idemia-001	Border	0.008	2.0	0.015	2.4
idemia-001	Application	0.004	2.0	0.012	2.5
idemia-002	Border	0.005	1.7	0.013	2.1
idemia-002	Application	0.002	1.7	0.009	1.9
idemia-003	Border	0.005	1.3	0.008	1.7
idemia-003	Application	0.002	1.2	0.005	1.6
inbut-000	Border	0.062	3.4	0.090	4.3
inbut-000	Application	0.100	4.1	0.114	4.6
incode-000	Border	0.065	2.9	0.177	4.8
incode-000	Application	0.006	1.8	0.033	2.6
incode-001	Border	0.046	3.2	0.134	4.8
incode-001	Application	0.006	1.8	0.034	3.0
incode-002	Border	0.010	2.1	0.035	3.0
incode-002	Application	0.003	1.5	0.019	2.5
innovatrics-000	Border	0.017	2.5	0.039	3.4
innovatrics-000	Application	0.007	2.5	0.030	3.5
innovatrics-001	Border	0.013	2.5	0.032	3.1
innovatrics-001	Application	0.005	2.4	0.024	3.4
innovatrics-002	Border	0.009	1.4	0.018	2.0
innovatrics-002	Application	0.008	1.6	0.034	2.7
innovatrics-003	Border	0.005	1.9	0.018	2.4
innovatrics-003	Application	0.002	1.7	0.013	2.2
innovatrics-004	Border	0.003	1.5	0.008	2.0
innovatrics-004	Application	0.002	1.2	0.011	1.8
intellicheck-000	Border	0.002	1.5	0.003	1.8
intellicheck-000	Application	0.007	2.0	0.018	2.5
ionetworks-000	Border	0.020	3.3	0.045	4.0
ionetworks-000	Application	0.022	3.3	0.049	4.0
jumio-000	Border	0.229	7.0	0.429	9.4
jumio-000	Application	0.021	3.0	0.088	4.8
neurotechnology-000	Border	0.182	5.7	0.128	4.7
neurotechnology-000	Application	0.248	6.3	0.178	5.4
neurotechnology-001	Border	0.148	5.4	0.103	4.5
neurotechnology-001	Application	0.157	5.6	0.125	4.9
neurotechnology-003	Border	0.037	3.4	0.073	4.1
neurotechnology-003	Application	0.066	4.0	0.070	4.2
nominder-000	Border	0.075	4.5	0.074	4.2
nominder-000	Application	0.020	2.7	0.041	3.6
nominder-001	Border	0.026	3.7	0.036	3.8
nominder-001	Application	0.007	2.8	0.021	3.9
ondato-000	Border	0.056	3.7	0.060	4.0
ondato-000	Application	0.027	2.9	0.073	4.6
ondato-001	Border	0.040	3.4	0.046	3.8
ondato-001	Application	0.014	3.0	0.051	4.5
onfido-000	Border	0.046	2.9	0.162	5.0
onfido-000	Application	0.011	2.3	0.092	4.7
paravision-000	Border	0.004	2.1	0.006	2.5
paravision-000	Application	0.007	1.4	0.000	1.6
paravision-001	Border	0.005	1.7	0.010	2.0
paravision-001	Application	0.004	1.4	0.007	1.7
privately-000	Border	0.091	4.0	0.137	4.8
privately-000	Application	0.014	2.9	0.065	3.7
regula-000	Border	0.011	1.9	0.039	2.9

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 14. *False positive rate (FPR) and mean absolute error (MAE) for persons 14-17 estimated at 25 or more. Border photos have inferior quality to the application photos. Lower values are better. (continued)*

		Male		Female	
Algorithm	**Data**	**FPR**	**MAE**	**FPR**	**MAE**
regula-000	Application	0.003	1.5	0.012	2.4
rigrai-000	Border	0.022	2.0	0.025	2.4
rigrai-000	Application	0.006	1.5	0.013	2.2
roc-000	Border	0.089	4.9	0.144	5.3
roc-000	Application	0.041	4.2	0.073	4.6
roc-001	Border	0.029	4.1	0.062	4.5
roc-001	Application	0.013	3.6	0.040	4.4
roc-002	Border	0.024	3.3	0.047	3.6
roc-002	Application	0.006	2.2	0.016	2.8
roc-003	Border	0.015	2.9	0.033	3.4
roc-003	Application	0.005	2.2	0.012	2.9
shufti-000	Border	0.062	3.5	0.085	4.2
shufti-000	Application	0.029	3.0	0.067	4.1
shufti-001	Border	0.029	3.6	0.138	5.6
shufti-001	Application	0.009	2.4	0.061	4.3
tsight-000	Border	0.052	4.9	0.062	4.7
tsight-000	Application	0.037	4.3	0.044	4.2
unissey-001	Border	0.080	3.1	0.106	3.5
unissey-001	Application	0.107	3.4	0.127	3.7
viante-000	Border	0.113	3.8	0.216	5.1
viante-000	Application	0.138	4.9	0.253	6.2
yoti-001	Border	0.103	3.4	0.196	5.0
yoti-001	Application	0.012	1.7	0.090	3.4
yoti-002	Border	0.067	2.7	0.196	4.8
yoti-002	Application	0.009	1.7	0.063	3.2
yoti-003	Border	0.077	3.0	0.197	5.0
yoti-003	Application	0.008	1.6	0.056	3.1
yoti-004	Border	0.052	3.0	0.166	4.9
yoti-004	Application	0.005	1.7	0.026	3.2
yoti-005	Border	0.046	2.8	0.157	4.7
yoti-005	Application	0.004	1.6	0.024	3.1
youverse-000	Border	0.248	5.7	0.143	4.5
youverse-000	Application	0.026	2.6	0.051	3.3
youverse-001	Border	0.044	2.6	0.040	2.4
youverse-001	Application	0.015	2.5	0.018	2.2

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 15. *False positive rate (FPR) and mean absolute error (MAE) for persons 14-20 estimated at 28 or more. Border photos have inferior quality to the mugshot and application photos. The mugshots are from people 18-20. Lower values are better.*

		Male		Female	
Algorithm	**Data**	**FPR**	**MAE**	**FPR**	**MAE**
ayonix-001	Mugshot	0.018	2.5	0.039	3.5
ayonix-001	Border	0.036	3.4	0.066	4.7
ayonix-001	Application	0.013	2.5	0.041	3.9
bynn-000	Mugshot	0.009	2.1	0.023	3.0
bynn-000	Border	0.022	2.6	0.027	3.3
bynn-000	Application	0.016	2.5	0.019	2.9
cognitec-000	Mugshot	0.009	2.2	0.020	2.8
cognitec-000	Border	0.041	3.4	0.032	3.1
cognitec-000	Application	0.007	2.0	0.013	2.4
cognitec-001	Mugshot	0.005	1.9	0.013	2.5
cognitec-001	Border	0.017	2.8	0.023	2.8
cognitec-001	Application	0.007	1.8	0.013	2.3
cvut-001	Mugshot	0.045	3.4	0.070	3.4
cvut-001	Border	0.019	3.2	0.042	4.1
cvut-001	Application	0.029	2.8	0.052	3.4
cvut-002	Mugshot	0.012	2.3	0.021	2.6
cvut-002	Border	0.060	4.2	0.078	4.5
cvut-002	Application	0.012	2.3	0.015	2.7
cvut-003	Mugshot	0.011	2.6	0.034	3.6
cvut-003	Border	0.026	3.8	0.047	4.4
cvut-003	Application	0.009	2.3	0.017	2.8
cyberlink-000	Mugshot	0.053	3.8	0.074	4.1
cyberlink-000	Border	0.055	3.7	0.040	3.7
cyberlink-000	Application	0.051	4.2	0.050	4.6
cyberlink-001	Mugshot	0.018	2.7	0.032	3.1
cyberlink-001	Border	0.025	2.8	0.017	2.6
cyberlink-001	Application	0.014	2.9	0.016	3.1
daon-000	Mugshot	0.083	4.4	0.078	4.1
daon-000	Border	0.136	5.3	0.072	4.5
daon-000	Application	0.066	4.2	0.048	3.8
daon-001	Mugshot	0.038	3.5	0.052	3.4
daon-001	Border	0.076	4.3	0.054	3.8
daon-001	Application	0.037	3.5	0.030	3.4
daon-002	Mugshot	0.010	2.2	0.015	2.4
daon-002	Border	0.017	2.4	0.019	2.6
daon-002	Application	0.011	2.1	0.012	2.3
dermalog-001	Mugshot	0.069	3.7	0.123	4.5
dermalog-001	Border	0.147	4.8	0.211	5.9
dermalog-001	Application	0.034	3.4	0.069	4.2
dermalog-002	Mugshot	0.067	3.5	0.144	5.2
dermalog-002	Border	0.146	5.1	0.222	6.4
dermalog-002	Application	0.031	3.1	0.081	5.0
dermalog-003	Mugshot	0.014	2.1	0.035	3.0
dermalog-003	Border	0.038	3.1	0.067	4.2
dermalog-003	Application	0.006	2.0	0.012	2.8
facehawk-001	Mugshot	0.476	7.7	0.405	8.2
facehawk-001	Border	0.142	7.6	0.155	7.5
facehawk-001	Application	0.287	6.1	0.350	7.1
hzailu-001	Mugshot	0.406	7.9	0.403	7.9
hzailu-001	Border	0.269	7.2	0.240	6.6
hzailu-001	Application	0.246	6.9	0.247	6.6
idemia-001	Mugshot	0.004	1.9	0.009	2.7
idemia-001	Border	0.011	2.1	0.011	2.4
idemia-001	Application	0.009	2.2	0.012	2.6
idemia-002	Mugshot	0.004	2.0	0.033	3.2
idemia-002	Border	0.007	1.8	0.014	2.5

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 15. *False positive rate (FPR) and mean absolute error (MAE) for persons 14-20 estimated at 28 or more. Border photos have inferior quality to the mugshot and application photos. The mugshots are from people 18-20. Lower values are better. (continued)*

		Male		Female	
Algorithm	**Data**	**FPR**	**MAE**	**FPR**	**MAE**
idemia-002	Application	0.006	1.8	0.012	2.4
idemia-003	Mugshot	0.003	1.3	0.005	1.8
idemia-003	Border	0.007	1.6	0.008	2.0
idemia-003	Application	0.005	1.6	0.006	2.0
inbut-000	Mugshot	0.041	2.7	0.044	3.3
inbut-000	Border	0.031	3.6	0.038	3.8
inbut-000	Application	0.072	3.8	0.075	4.2
incode-000	Mugshot	0.010	1.9	0.048	3.1
incode-000	Border	0.061	3.1	0.138	4.8
incode-000	Application	0.008	2.0	0.027	2.9
incode-001	Mugshot	0.009	1.6	0.055	3.4
incode-001	Border	0.052	3.0	0.110	4.3
incode-001	Application	0.011	1.9	0.038	3.1
incode-002	Mugshot	0.004	1.6	0.017	2.9
incode-002	Border	0.012	2.0	0.024	3.1
incode-002	Application	0.006	1.8	0.014	2.8
innovatrics-000	Mugshot	0.005	1.8	0.011	2.9
innovatrics-000	Border	0.013	2.6	0.017	3.0
innovatrics-000	Application	0.008	2.4	0.015	3.1
innovatrics-001	Mugshot	0.004	1.8	0.010	2.8
innovatrics-001	Border	0.010	2.4	0.014	2.7
innovatrics-001	Application	0.007	2.3	0.013	3.0
innovatrics-002	Mugshot	0.006	1.7	0.018	2.7
innovatrics-002	Border	0.011	1.9	0.013	2.3
innovatrics-002	Application	0.010	2.1	0.020	2.8
innovatrics-003	Mugshot	0.004	1.4	0.010	2.3
innovatrics-003	Border	0.006	2.0	0.013	2.5
innovatrics-003	Application	0.005	1.7	0.013	2.4
innovatrics-004	Mugshot	0.004	1.4	0.010	2.1
innovatrics-004	Border	0.007	1.9	0.013	2.7
innovatrics-004	Application	0.005	1.6	0.012	2.4
intellicheck-000	Mugshot	0.027	2.0	0.049	2.4
intellicheck-000	Border	0.002	2.3	0.003	2.4
intellicheck-000	Application	0.018	2.1	0.024	2.3
ionetworks-000	Mugshot	0.051	3.8	0.076	4.2
ionetworks-000	Border	0.017	3.2	0.025	3.5
ionetworks-000	Application	0.027	3.4	0.035	3.7
jumio-000	Mugshot	0.014	2.2	0.109	4.6
jumio-000	Border	0.156	6.0	0.298	8.1
jumio-000	Application	0.019	2.7	0.067	4.4
neurotechnology-000	Mugshot	0.083	4.3	0.106	4.7
neurotechnology-000	Border	0.070	4.9	0.047	4.0
neurotechnology-000	Application	0.101	5.6	0.057	4.6
neurotechnology-001	Mugshot	0.036	3.6	0.049	3.8
neurotechnology-001	Border	0.043	4.6	0.034	3.8
neurotechnology-001	Application	0.040	4.9	0.027	4.1
neurotechnology-003	Mugshot	0.025	3.0	0.055	4.0
neurotechnology-003	Border	0.037	3.3	0.053	3.7
neurotechnology-003	Application	0.071	4.4	0.054	4.2
nominder-000	Mugshot	0.019	2.5	0.038	3.2
nominder-000	Border	0.036	4.2	0.041	3.7
nominder-000	Application	0.025	3.0	0.031	3.5
nominder-001	Mugshot	0.008	2.1	0.024	3.3
nominder-001	Border	0.017	3.4	0.020	3.1
nominder-001	Application	0.009	2.6	0.015	3.3
ondato-000	Mugshot	0.018	2.4	0.054	3.6

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 15. *False positive rate (FPR) and mean absolute error (MAE) for persons 14-20 estimated at 28 or more. Border photos have inferior quality to the mugshot and application photos. The mugshots are from people 18-20. Lower values are better. (continued)*

		Male		Female	
Algorithm	**Data**	**FPR**	**MAE**	**FPR**	**MAE**
ondato-000	Border	0.031	3.4	0.023	3.3
ondato-000	Application	0.022	2.9	0.040	4.1
ondato-001	Mugshot	0.013	2.3	0.050	3.7
ondato-001	Border	0.023	3.2	0.021	3.2
ondato-001	Application	0.012	2.8	0.030	4.0
onfido-000	Mugshot	0.007	1.9	0.070	4.3
onfido-000	Border	0.041	3.2	0.124	4.9
onfido-000	Application	0.014	2.6	0.068	4.7
paravision-000	Mugshot	0.005	3.0	0.008	3.5
paravision-000	Border	0.007	3.2	0.009	4.0
paravision-000	Application	0.009	2.2	0.014	2.7
paravision-001	Mugshot	0.007	2.0	0.013	3.1
paravision-001	Border	0.007	1.8	0.011	2.2
paravision-001	Application	0.010	1.9	0.012	2.2
privately-000	Mugshot	0.011	2.6	0.035	3.7
privately-000	Border	0.056	4.0	0.062	4.5
privately-000	Application	0.008	2.6	0.029	3.7
regula-000	Mugshot	0.004	1.4	0.020	2.6
regula-000	Border	0.010	1.9	0.032	2.8
regula-000	Application	0.005	1.6	0.012	2.3
rigrai-000	Mugshot	0.009	2.3	0.012	2.7
rigrai-000	Border	0.021	2.5	0.014	2.8
rigrai-000	Application	0.008	2.0	0.010	2.7
roc-000	Mugshot	0.010	2.0	0.026	2.7
roc-000	Border	0.058	4.4	0.093	4.7
roc-000	Application	0.030	3.8	0.049	4.1
roc-001	Mugshot	0.007	1.9	0.014	2.5
roc-001	Border	0.025	3.7	0.046	4.1
roc-001	Application	0.015	3.3	0.030	4.0
roc-002	Mugshot	0.003	1.2	0.004	1.6
roc-002	Border	0.023	3.1	0.039	3.4
roc-002	Application	0.008	2.1	0.014	2.6
roc-003	Mugshot	0.003	1.3	0.003	1.6
roc-003	Border	0.012	2.8	0.025	3.2
roc-003	Application	0.007	2.2	0.010	2.6
shufti-000	Mugshot	0.019	2.4	0.099	4.2
shufti-000	Border	0.063	3.6	0.078	4.2
shufti-000	Application	0.044	3.2	0.066	3.9
shufti-001	Mugshot	0.016	2.3	0.118	4.6
shufti-001	Border	0.030	3.1	0.104	5.0
shufti-001	Application	0.013	2.3	0.056	4.0
tsight-000	Mugshot	0.030	4.0	0.048	4.0
tsight-000	Border	0.027	4.3	0.029	3.8
tsight-000	Application	0.026	4.0	0.026	3.6
unissey-001	Mugshot	0.064	2.9	0.082	3.2
unissey-001	Border	0.050	3.1	0.060	3.4
unissey-001	Application	0.091	3.7	0.092	3.8
viante-000	Mugshot	0.098	5.1	0.116	5.7
viante-000	Border	0.099	4.2	0.126	4.9
viante-000	Application	0.111	5.3	0.123	6.0
yoti-001	Mugshot	0.007	1.8	0.057	3.2
yoti-001	Border	0.081	4.0	0.168	5.4
yoti-001	Application	0.017	2.3	0.093	4.1
yoti-002	Mugshot	0.005	1.8	0.026	2.7
yoti-002	Border	0.053	3.4	0.129	5.1
yoti-002	Application	0.010	2.2	0.046	3.5

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 15. *False positive rate (FPR) and mean absolute error (MAE) for persons 14-20 estimated at 28 or more. Border photos have inferior quality to the mugshot and application photos. The mugshots are from people 18-20. Lower values are better. (continued)*

		Male		Female	
Algorithm	**Data**	**FPR**	**MAE**	**FPR**	**MAE**
yoti-003	Mugshot	0.005	1.5	0.025	2.4
yoti-003	Border	0.052	3.5	0.121	5.1
yoti-003	Application	0.011	2.0	0.046	3.4
yoti-004	Mugshot	0.004	1.5	0.011	2.3
yoti-004	Border	0.033	3.3	0.080	4.8
yoti-004	Application	0.006	1.9	0.017	3.3
yoti-005	Mugshot	0.003	1.5	0.010	2.3
yoti-005	Border	0.030	3.1	0.078	4.7
yoti-005	Application	0.006	1.8	0.018	3.2
youverse-000	Mugshot	0.051	2.9	0.071	3.8
youverse-000	Border	0.181	5.6	0.083	4.3
youverse-000	Application	0.030	2.7	0.031	3.1
youverse-001	Mugshot	0.025	2.6	0.041	2.8
youverse-001	Border	0.041	2.7	0.028	2.8
youverse-001	Application	0.022	2.7	0.019	2.4

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 9. *The proportion of 17 year olds whose age is estimated as at or above the given challenge age. The Application images are of subjects from the set of countries used in the demographics analysis.*




Fig. 10. *The proportion of 17 year olds whose age is estimated as at or above the given challenge age. The Mugshot images are of subjects from the set of countries used in the demographics analysis.*

The seven-year buffer has been adopted operationally (L = 18, T = 25). It would usually be useful, if FPR objectives can be met, to reduce the T value to give improved false negative rates. We consider this in two ways. First in Figures 9 and 10 we plot for 17 year olds FPR against challenge age, T. The curves vary by algorithm, and decline monotonically with challenge age T. We also show, in Table 16, the T value needed to achieve three particular FPR objectives, 10%, 5% and 1% for 17 year olds. The results improve for younger persons. The *Application* images are from a global population so the results are dependent on the underlying demographic-specific FPR values documented in the next section. The *Mugshot* images are from a domestic population, 72% of which are men.

While a rough model of this change is shift invariant FPR(A, T) ≈ FPR(A+k, T+k) meaning we'd expect similar FPR for Age-18-Challenge-25 as we would for Age-21-Challenge-28, it only holds approximately so empirical measurements should be preferred.

Table 16. *For Application images, challenge ages need to attain FPR below that specified, by actual age. Lower values are better*

	FPR = 0.10						**FPR = 0.05**						**FPR = 0.01**					
Algorithm	15	16	17	18	19	20	15	16	17	18	19	20	15	16	17	18	19	20
ayonix-001	22	23	24	24	25	26	24	25	26	26	27	29	29	30	31	31	32	33
bynn-000	21	22	23	24	26	27	22	24	25	26	27	28	25	26	28	29	31	33
cognitec-000	20	21	23	23	25	26	21	23	24	25	26	27	24	26	27	28	29	31
cognitec-001	20	21	22	23	24	26	21	22	24	25	26	27	24	25	27	28	29	30
cvut-001	23	25	26	26	27	28	26	26	27	28	29	30	28	30	31	31	33	34
cvut-002	22	22	23	24	26	26	22	24	25	26	27	28	26	27	28	29	30	32

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 16. *For Application images, challenge ages need to attain FPR below that specified, by actual age. Lower values are better (continued)*

	FPR = 0.10						FPR = 0.05						FPR = 0.01					
Algorithm	15	16	17	18	19	20	15	16	17	18	19	20	15	16	17	18	19	20
cvut-003	21	22	23	24	25	26	22	23	25	25	27	28	26	27	28	28	31	32
cyberlink-000	24	25	26	27	28	29	25	26	28	28	29	30	28	29	31	30	32	33
cyberlink-001	22	23	24	25	26	27	23	24	25	26	27	28	25	27	28	29	30	31
daon-000	24	25	26	27	28	29	26	27	28	29	30	31	30	31	33	33	34	36
daon-001	22	24	25	26	27	28	24	25	27	27	28	30	27	29	30	31	32	34
daon-002	20	21	22	23	25	26	21	22	24	25	26	27	24	26	27	28	29	31
dermalog-001	25	25	26	27	28	29	26	27	28	28	30	30	30	31	32	32	33	34
dermalog-002	25	26	27	27	28	29	27	27	28	29	30	30	30	30	32	32	33	34
dermalog-003	21	22	24	25	25	25	22	25	25	25	25	25	25	25	26	27	29	32
facehawk-001	29	29	29	29	29	29	29	29	29	29	29	29	NA	NA	NA	NA	NA	NA
hzailu-001	29	30	31	31	32	33	30	31	32	33	34	34	35	35	36	NA	NA	NA
idemia-001	20	22	23	24	25	26	21	23	24	25	26	27	24	25	27	28	29	31
idemia-002	19	21	22	23	24	25	20	22	23	24	25	27	23	25	26	27	29	31
idemia-003	18	19	21	22	23	24	19	20	22	23	24	26	21	23	25	26	28	29
inbut-000	25	26	27	27	28	29	28	29	30	30	31	31	34	35	35	34	36	NA
incode-000	19	21	23	24	25	27	21	23	25	26	27	28	25	28	29	29	31	32
incode-001	20	22	24	25	26	27	22	24	25	26	28	29	25	28	29	30	32	33
incode-002	20	21	23	24	25	26	21	23	24	25	26	27	24	26	27	28	29	30
innovatrics-000	22	23	24	24	26	26	23	24	25	26	27	28	25	27	28	28	29	31
innovatrics-001	21	22	24	24	25	26	23	24	25	25	26	27	25	26	27	28	29	30
innovatrics-002	21	22	24	25	26	27	23	24	25	26	27	28	25	27	28	29	30	32
innovatrics-003	20	21	22	23	25	25	21	22	24	25	26	27	24	25	27	27	29	31
innovatrics-004	19	20	22	23	24	25	20	22	23	24	26	26	23	25	26	27	29	31
intellicheck-000	19	20	20	20	21	22	20	21	21	22	24	27	25	27	31	33	36	NA
ionetworks-000	23	24	25	26	27	28	24	25	26	27	28	29	27	28	30	30	32	33
jumio-000	23	24	25	26	27	28	25	26	27	28	29	30	29	30	32	32	33	34
neurotechnology-000	27	27	28	28	29	29	28	29	30	30	30	31	32	32	33	33	33	34
neurotechnology-001	26	26	27	27	27	28	27	27	27	28	28	29	29	30	31	31	32	34
neurotechnology-003	24	25	26	27	28	29	25	26	28	29	30	31	28	30	30	31	32	33
nominder-000	23	24	25	25	26	28	24	25	26	27	28	29	27	28	30	30	32	33
nominder-001	22	23	24	24	25	26	23	24	25	25	26	27	25	26	28	28	30	31
ondato-000	23	24	25	26	27	28	25	26	27	27	28	29	28	29	30	31	32	34
ondato-001	23	24	25	25	26	27	24	25	26	27	28	29	27	28	29	29	31	32
onfido-000	23	24	26	26	28	29	25	26	27	28	29	30	28	29	31	31	32	33
paravision-000	18	19	21	23	24	25	18	20	22	24	26	26	22	22	25	27	29	30
paravision-001	19	20	22	23	24	26	20	22	23	24	26	28	23	24	26	27	30	31
privately-000	23	24	24	25	26	27	24	25	26	27	27	28	27	29	29	29	30	31
regula-000	20	21	22	23	24	25	21	22	23	24	26	27	24	25	26	28	29	30
rigrai-000	19	21	22	23	25	26	21	22	24	25	26	27	24	25	27	28	29	31
roc-000	24	25	26	26	27	28	25	26	27	28	29	30	28	29	30	31	32	33
roc-001	22	24	25	26	27	28	24	25	26	27	28	29	26	27	28	29	31	33
roc-002	21	22	23	24	25	26	22	23	24	25	26	28	24	26	27	28	29	31
roc-003	21	22	23	24	25	26	22	23	24	25	26	27	24	25	27	27	29	30
shufti-000	23	24	25	26	28	29	24	26	27	28	30	31	29	30	32	33	35	36
shufti-001	22	23	24	25	27	28	24	25	26	27	28	30	28	29	31	31	33	34
tsight-000	23	24	25	26	27	27	24	25	26	27	28	29	27	28	30	30	31	32
unissey-001	25	26	27	28	29	30	26	28	29	30	30	31	30	31	32	32	33	35
viante-000	26	27	28	29	29	30	27	28	29	30	31	31	30	30	31	32	33	34
yoti-001	21	24	26	27	28	29	24	26	28	28	30	31	29	30	32	33	35	36
yoti-002	21	23	25	26	27	28	23	25	26	27	28	29	27	29	30	30	32	33
yoti-003	21	23	24	25	27	28	23	25	26	27	28	29	27	28	30	30	32	33
yoti-004	21	23	24	25	26	26	23	24	25	26	27	28	25	26	28	28	30	31
yoti-005	21	22	24	24	25	26	22	24	25	25	27	28	25	26	28	28	29	31
youverse-000	22	23	25	25	26	27	24	25	26	27	28	29	28	29	30	31	32	33
youverse-001	21	22	23	24	26	27	22	23	25	26	27	29	25	27	29	30	31	33

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

5.3.1. Age Verification vs. Age Estimation

Our API includes an age estimation function returning a continuous valued age *and* an age verification function returning a boolean value indicating whether the subject is above an age limit. This latter function is included to allow developers to build and submit a dedicated classifier for particular age thresholds.

Table 17 shows that five developers implemented the function by simply calling the general purpose age estimation function and return TRUE if the age is at or above the input threshold. One developer, Unissey, implemented the age verification function returning true if the age is above (not at-or-above) the challenge age; this matters because their AE algorithm only returns integer age estimates. So that the FPR value shown for their AV function is actually that for challenge-26 not challenge-25.

In conclusion, we do not have any evidence (yet) that an age-verification classifier can outperform a regression-like estimator on the same task.

Table 17. *Compare false positive rate (FPR) for AE and AV for persons 14-17 estimated at 25 or more. Border photos have inferior quality to the application photos. Lower values are better.*

		AE-FPR		AV-FPR	
Algorithm	**Data**	**Male**	**Female**	**Male**	**Female**
cvut-001	Border	0.043	0.117	0.043	0.117
cvut-001	Application	0.039	0.100	0.038	0.099
cvut-002	Border	0.077	0.131	0.077	0.131
cvut-002	Application	0.011	0.032	0.011	0.032
cyberlink-000	Border	0.081	0.106	0.081	0.106
cyberlink-000	Application	0.054	0.091	0.054	0.091
dermalog-001	Border	0.166	0.283	0.166	0.283
dermalog-001	Application	0.051	0.112	0.051	0.112
dermalog-002	Border	0.190	0.344	0.190	0.344
dermalog-002	Application	0.034	0.167	0.034	0.167
hzailu-001	Border	0.423	0.393	0.323	0.305
hzailu-001	Application	0.341	0.361	0.259	0.282
idemia-001	Border	0.008	0.015	0.008	0.015
idemia-001	Application	0.004	0.012	0.004	0.012
inbut-000	Border	0.062	0.090	0.062	0.090
inbut-000	Application	0.100	0.114	0.100	0.113
incode-000	Border	0.065	0.177	0.065	0.177
incode-000	Application	0.006	0.033	0.006	0.033
incode-001	Border	0.046	0.134	0.046	0.133
incode-001	Application	0.006	0.034	0.006	0.034
innovatrics-000	Border	0.017	0.039	0.016	0.039
innovatrics-000	Application	0.007	0.030	0.007	0.029
jumio-000	Border	0.229	0.429	0.229	0.428
jumio-000	Application	0.021	0.088	0.021	0.088
neurotechnology-000	Border	0.182	0.128	0.182	0.128
neurotechnology-000	Application	0.248	0.178	0.248	0.178
neurotechnology-001	Border	0.148	0.103	0.148	0.103
neurotechnology-001	Application	0.157	0.125	0.157	0.125
nominder-000	Border	0.075	0.074	0.074	0.074
nominder-000	Application	0.020	0.041	0.019	0.041
nominder-001	Border	0.026	0.036	0.026	0.036
nominder-001	Application	0.007	0.021	0.007	0.021
ondato-000	Border	0.056	0.060	0.055	0.060
ondato-000	Application	0.027	0.073	0.027	0.073
ondato-001	Border	0.040	0.046	0.040	0.046
ondato-001	Application	0.014	0.051	0.014	0.051

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 17. *Compare false positive rate (FPR) for AE and AV for persons 14-17 estimated at 25 or more. Border photos have inferior quality to the application photos. Lower values are better. (continued)*

		AE-FPR		AV-FPR	
Algorithm	**Data**	**Male**	**Female**	**Male**	**Female**
roc-000	Border	0.089	0.144	0.089	0.144
roc-000	Application	0.041	0.073	0.041	0.073
roc-001	Border	0.029	0.062	0.029	0.062
roc-001	Application	0.013	0.040	0.013	0.039
unissey-001	Border	0.080	0.106	0.044	0.060
unissey-001	Application	0.107	0.127	0.061	0.074
viante-000	Border	0.113	0.216	0.080	0.160
viante-000	Application	0.138	0.253	0.083	0.163
yoti-001	Border	0.103	0.196	0.103	0.196
yoti-001	Application	0.012	0.090	0.012	0.089
yoti-002	Border	0.067	0.196	0.067	0.196
yoti-002	Application	0.009	0.063	0.009	0.063

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

5.4. Demographic Analysis

The demographic analysis of race in this report is enabled by using country-of-birth as a proxy for ethnicity. We employ only those countries for which birth is a more or less reliable indication of ethnicity as discussed below. To increase sample sizes, and reduce the verbosity and complexity of our results tables, we group countries into regions as follows:

- ▷ **East Africa:** Ethiopia, Kenya, Somalia, Sudan, Tanzania
- ▷ **West Africa:** Nigeria, Liberia, Sierra Leone, Benin, Ghana, Mali, Senegal, Togo
- ▷ **East Europe:** Poland, Ukraine, Russia, Hungary, Romania, Czechia
- ▷ **East Asia:** Korea, China, Japan, Taiwan
- ▷ **South East Asia:** Cambodia, Indonesia, Malaysia, Thailand, Vietnam
- ▷ **South Asia:** Afghanistan, India, Myanmar, Nepal, Pakistan, Bangladesh

Our use of proxy is imperfect in two ways. First, it ignores local ethnic variations: As discussed in Figure 11 our country labels are a lower "resolution" indication of ethnicity than the local ethnicities shown for Nigeria and Vietnam as examples. Our metadata does not include local information, only country-of-birth. Our region labels are, in-turn, an even lower resolution indication of ethnicity. If we find that age estimation accuracy shows region-of-birth dependence, then it would suggest country-level analysis is warranted. Second, some part of a population will have trans-national ancestry. This is probably not problematic if that proportion is low relative to inter-country variability in AEV accuracy. For this reason, we ignore countries where there has been considerable transcontinental immigration, such as the United Kingdom, France, and the United States.

Country-of-birth information has obvious operational relevance to deployment. But a higher goal would be to understand the effect of phenotypes which are a large set of features evident in a face such as high cheek bones, aquiline nose, prominent eye brows, and skin tone. Skin tone, which is just one of those phenotypes, is sometimes considered synonymous with race, has been shown to be related to recognition false negative rates due to photography difficulties. However, for many face recognition algorithms, false positive rates vary with country-of-birth independent of skin tone e.g.,




Fig. 11. *Countries and regions used in quantifying demographic dependence on race. The fine-grained or local ethnicities shown at left are not available to us. The rightmost grouping is possible but not useful.*

they are higher in West Africa *and* China. This is considered to be an effect of under-representation of certain ethnicities in the algorithm training data.

5.4.1. Fitzpatrick Skin Type

We do not use the Fitzpatrick skin type (FST)[13]. It was designed as dermatological statement of photosensitivity (sun-burn) but in recent years has been appropriated by AI researchers as a ready means of quantifying racial sensitivity of algorithms. This is far from sufficient and problematic for three reasons. First, Fitzpatrick types are not an accurate measure of skin pigmentation[14]. Second, FST was orginally to be determined by a dermatological examination - recovery from a digital image is imprecise because the spectrum of the illuminant is usually unknown, and the settings of the camera and display device matter[15]. Finally, and most importantly, skin tone is but one phenotype accessible by AI algorithms extracting information from photographs of skin [16]. Deep neural networks for age estimation and other operations should be expected to find information that minimizes the cost function specified by the staff training the algorithm. A researcher would want to know whether hard tissue (e.g. high cheek bones, square jaws, aquiline noses) and soft tissue phenotypes (lips, eyelids, freckles) impact the cost function. For a summary of the issues see this presentation [17], and note slide 14 which shows intra-person variability of skin color in photographs.

We did not attempt to recover FST from our test photographs.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 18. *For Application images, Challenge-25 FPR, by region of birth and sex. The final columns indicate the groups that give the highest and lowest FPR and the Gini summary of variability. Gini is computed over the 12 FPR values to its left; lower values are better.*

Algorithm	Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
ayonix-001	16	0.06 ± 0.02	0.09 ± 0.02	0.005 ± 0.005	0.05 ± 0.01	0.08 ± 0.03	0.09 ± 0.03	0.05 ± 0.02	0.018 ± 0.006	0.012 ± 0.009	0.007 ± 0.004	0.011 ± 0.008	0.005 ± 0.005	E Asia F	W Africa M	0.50
ayonix-001	17	0.11 ± 0.03	0.14 ± 0.02	0.003 ± 0.003	0.05 ± 0.01	0.12 ± 0.03	0.18 ± 0.05	0.06 ± 0.02	0.028 ± 0.008	0.006 ± 0.006	0.019 ± 0.008	0.03 ± 0.01	0.05 ± 0.02	W Africa F	E Europe F	0.51
ayonix-001	18	0.11 ± 0.02	0.14 ± 0.01	0.012 ± 0.009	0.06 ± 0.01	0.10 ± 0.02	0.20 ± 0.04	0.09 ± 0.02	0.025 ± 0.006	0.005 ± 0.005	0.029 ± 0.008	0.022 ± 0.010	0.07 ± 0.02	W Africa F	E Europe M	0.47
bynn-000	16	0.03 ± 0.01	0.013 ± 0.005	0.02 ± 0.01	0.015 ± 0.008	0.02 ± 0.01	0.07 ± 0.03	0.02 ± 0.01	0.012 ± 0.005	0.006 ± 0.006	0.013 ± 0.007	0.011 ± 0.008	0.01 ± 0.01	W Africa F	E Europe M	0.36
bynn-000	17	0.05 ± 0.02	0.021 ± 0.007	0.05 ± 0.02	0.04 ± 0.01	0.04 ± 0.02	0.15 ± 0.03	0.02 ± 0.01	0.029 ± 0.008	0.003 ± 0.003	0.03 ± 0.01	0.03 ± 0.02	0.08 ± 0.03	W Africa F	E Europe M	0.41
bynn-000	18	0.10 ± 0.02	0.032 ± 0.007	0.04 ± 0.02	0.07 ± 0.01	0.06 ± 0.02	0.14 ± 0.03	0.07 ± 0.02	0.043 ± 0.008	0.009 ± 0.007	0.05 ± 0.01	0.04 ± 0.01	0.11 ± 0.03	W Africa F	E Europe M	0.33
cognitec-000	16	0.05 ± 0.02	0.008 ± 0.005	0.000 ± 0.000	0.005 ± 0.004	0.01 ± 0.01	0.06 ± 0.03	0.02 ± 0.01	0.002 ± 0.002	0.003 ± 0.003	0.003 ± 0.003	0.003 ± 0.003	0.01 ± 0.01	W Africa F	E Europe F	0.66
cognitec-000	17	0.08 ± 0.03	0.015 ± 0.005	0.006 ± 0.006	0.025 ± 0.009	0.02 ± 0.01	0.09 ± 0.03	0.006 ± 0.006	0.010 ± 0.004	0.000 ± 0.000	0.014 ± 0.007	0.02 ± 0.01	0.04 ± 0.02	W Africa F	E Europe M	0.55
cognitec-000	18	0.11 ± 0.02	0.027 ± 0.007	0.02 ± 0.01	0.030 ± 0.008	0.04 ± 0.01	0.14 ± 0.03	0.04 ± 0.01	0.018 ± 0.005	0.004 ± 0.004	0.029 ± 0.008	0.03 ± 0.01	0.05 ± 0.02	W Africa F	E Europe M	0.45
cognitec-001	16	0.04 ± 0.02	0.008 ± 0.005	0.000 ± 0.000	0.006 ± 0.005	0.008 ± 0.008	0.04 ± 0.02	0.02 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.004 ± 0.003	0.006 ± 0.006	0.005 ± 0.005	W Africa F	E Europe F	0.60
cognitec-001	17	0.05 ± 0.02	0.018 ± 0.007	0.003 ± 0.003	0.017 ± 0.008	0.02 ± 0.01	0.09 ± 0.03	0.006 ± 0.006	0.009 ± 0.004	0.003 ± 0.003	0.010 ± 0.006	0.011 ± 0.008	0.03 ± 0.02	W Africa F	E Europe F	0.56
cognitec-001	18	0.08 ± 0.02	0.030 ± 0.007	0.012 ± 0.009	0.041 ± 0.009	0.04 ± 0.01	0.12 ± 0.03	0.02 ± 0.01	0.017 ± 0.005	0.000 ± 0.000	0.027 ± 0.007	0.03 ± 0.01	0.04 ± 0.02	W Africa F	E Europe M	0.43
cvut-001	16	0.38 ± 0.04	0.08 ± 0.02	0.03 ± 0.02	0.07 ± 0.02	0.06 ± 0.02	0.29 ± 0.05	0.11 ± 0.03	0.024 ± 0.007	0.009 ± 0.009	0.03 ± 0.01	0.01 ± 0.01	0.16 ± 0.05	E Africa F	E Europe M	0.58
cvut-001	17	0.46 ± 0.05	0.12 ± 0.02	0.04 ± 0.02	0.11 ± 0.02	0.07 ± 0.03	0.34 ± 0.05	0.17 ± 0.04	0.05 ± 0.01	0.03 ± 0.01	0.07 ± 0.02	0.05 ± 0.02	0.27 ± 0.05	E Africa F	E Europe M	0.50
cvut-001	18	0.50 ± 0.04	0.13 ± 0.01	0.05 ± 0.02	0.14 ± 0.02	0.09 ± 0.02	0.37 ± 0.04	0.25 ± 0.04	0.056 ± 0.009	0.06 ± 0.02	0.10 ± 0.01	0.03 ± 0.01	0.28 ± 0.05	E Africa F	S E Asia M	0.47
cvut-002	16	0.12 ± 0.03	0.015 ± 0.006	0.02 ± 0.01	0.019 ± 0.009	0.02 ± 0.01	0.14 ± 0.04	0.04 ± 0.02	0.003 ± 0.002	0.009 ± 0.009	0.013 ± 0.007	0.003 ± 0.003	0.03 ± 0.02	W Africa F	E Asia M	0.62
cvut-002	17	0.17 ± 0.04	0.024 ± 0.007	0.03 ± 0.02	0.05 ± 0.01	0.04 ± 0.02	0.22 ± 0.05	0.05 ± 0.02	0.006 ± 0.003	0.008 ± 0.008	0.04 ± 0.01	0.01 ± 0.01	0.11 ± 0.04	W Africa F	E Asia M	0.55
cvut-002	18	0.19 ± 0.03	0.028 ± 0.007	0.05 ± 0.02	0.08 ± 0.01	0.04 ± 0.01	0.25 ± 0.04	0.09 ± 0.02	0.014 ± 0.005	0.02 ± 0.01	0.07 ± 0.01	0.008 ± 0.006	0.15 ± 0.03	W Africa F	S E Asia M	0.52
cvut-003	16	0.10 ± 0.03	0.011 ± 0.005	0.02 ± 0.01	0.011 ± 0.006	0.02 ± 0.01	0.15 ± 0.04	0.04 ± 0.02	0.001 ± 0.001	0.003 ± 0.003	0.006 ± 0.004	0.000 ± 0.000	0.02 ± 0.01	W Africa F	S E Asia M	0.70
cvut-003	17	0.15 ± 0.04	0.022 ± 0.007	0.02 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.20 ± 0.04	0.03 ± 0.02	0.004 ± 0.003	0.003 ± 0.003	0.03 ± 0.01	0.006 ± 0.006	0.08 ± 0.03	W Africa F	E Europe M	0.60
cvut-003	18	0.14 ± 0.03	0.026 ± 0.007	0.03 ± 0.01	0.053 ± 0.010	0.04 ± 0.01	0.25 ± 0.04	0.10 ± 0.02	0.011 ± 0.004	0.015 ± 0.009	0.030 ± 0.008	0.006 ± 0.006	0.12 ± 0.03	W Africa F	S E Asia M	0.56
cyberlink-000	16	0.18 ± 0.04	0.10 ± 0.02	0.05 ± 0.02	0.08 ± 0.02	0.10 ± 0.03	0.22 ± 0.05	0.14 ± 0.03	0.033 ± 0.009	0.01 ± 0.01	0.05 ± 0.01	0.08 ± 0.03	0.09 ± 0.04	W Africa F	E Europe M	0.36
cyberlink-000	17	0.28 ± 0.05	0.14 ± 0.02	0.06 ± 0.02	0.12 ± 0.02	0.17 ± 0.04	0.28 ± 0.05	0.20 ± 0.04	0.09 ± 0.01	0.04 ± 0.02	0.12 ± 0.02	0.11 ± 0.03	0.19 ± 0.04	W Africa F	E Europe M	0.30
cyberlink-000	18	0.26 ± 0.03	0.20 ± 0.02	0.11 ± 0.02	0.15 ± 0.02	0.22 ± 0.03	0.32 ± 0.04	0.31 ± 0.04	0.13 ± 0.01	0.06 ± 0.02	0.18 ± 0.02	0.21 ± 0.03	0.24 ± 0.04	W Africa F	E Europe M	0.23
cyberlink-001	16	0.05 ± 0.02	0.021 ± 0.008	0.02 ± 0.01	0.022 ± 0.009	0.03 ± 0.01	0.08 ± 0.03	0.04 ± 0.02	0.010 ± 0.005	0.009 ± 0.009	0.015 ± 0.008	0.011 ± 0.008	0.02 ± 0.02	W Africa F	E Europe M	0.39
cyberlink-001	17	0.10 ± 0.03	0.034 ± 0.009	0.03 ± 0.02	0.03 ± 0.01	0.05 ± 0.02	0.12 ± 0.03	0.04 ± 0.02	0.020 ± 0.006	0.02 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.05 ± 0.02	W Africa F	E Europe M	0.34
cyberlink-001	18	0.12 ± 0.03	0.054 ± 0.010	0.04 ± 0.01	0.06 ± 0.01	0.06 ± 0.02	0.14 ± 0.03	0.09 ± 0.02	0.041 ± 0.008	0.02 ± 0.01	0.06 ± 0.01	0.04 ± 0.01	0.09 ± 0.03	W Africa F	E Europe M	0.30
daon-000	16	0.12 ± 0.03	0.08 ± 0.01	0.01 ± 0.01	0.06 ± 0.02	0.08 ± 0.03	0.16 ± 0.04	0.15 ± 0.03	0.12 ± 0.02	0.03 ± 0.01	0.12 ± 0.02	0.13 ± 0.03	0.07 ± 0.03	W Africa F	E Europe F	0.29
daon-000	17	0.21 ± 0.04	0.10 ± 0.02	0.03 ± 0.02	0.09 ± 0.02	0.13 ± 0.03	0.25 ± 0.05	0.23 ± 0.04	0.17 ± 0.02	0.03 ± 0.01	0.19 ± 0.02	0.16 ± 0.04	0.13 ± 0.04	W Africa F	E Europe M	0.30
daon-000	18	0.18 ± 0.03	0.11 ± 0.01	0.04 ± 0.02	0.09 ± 0.01	0.11 ± 0.02	0.27 ± 0.04	0.31 ± 0.04	0.19 ± 0.02	0.05 ± 0.02	0.26 ± 0.02	0.19 ± 0.03	0.23 ± 0.04	E Africa M	E Europe F	0.31
daon-001	16	0.07 ± 0.02	0.033 ± 0.009	0.008 ± 0.008	0.023 ± 0.009	0.03 ± 0.02	0.11 ± 0.03	0.07 ± 0.02	0.07 ± 0.01	0.003 ± 0.003	0.04 ± 0.01	0.04 ± 0.02	0.03 ± 0.02	W Africa F	E Europe M	0.39
daon-001	17	0.14 ± 0.03	0.06 ± 0.01	0.02 ± 0.01	0.04 ± 0.01	0.06 ± 0.02	0.18 ± 0.04	0.13 ± 0.04	0.10 ± 0.01	0.008 ± 0.008	0.09 ± 0.02	0.10 ± 0.03	0.11 ± 0.04	W Africa F	E Europe M	0.35
daon-001	18	0.12 ± 0.03	0.08 ± 0.01	0.03 ± 0.01	0.05 ± 0.01	0.06 ± 0.02	0.23 ± 0.04	0.21 ± 0.03	0.12 ± 0.01	0.03 ± 0.01	0.17 ± 0.02	0.11 ± 0.02	0.15 ± 0.03	W Africa F	E Europe F	0.34
daon-002	16	0.05 ± 0.02	0.010 ± 0.005	0.003 ± 0.003	0.003 ± 0.003	0.01 ± 0.01	0.06 ± 0.03	0.03 ± 0.01	0.005 ± 0.003	0.003 ± 0.003	0.001 ± 0.001	0.006 ± 0.006	0.009 ± 0.009	W Africa F	S Asia M	0.63
daon-002	17	0.08 ± 0.03	0.013 ± 0.005	0.003 ± 0.003	0.008 ± 0.005	0.01 ± 0.01	0.11 ± 0.03	0.04 ± 0.02	0.013 ± 0.005	0.000 ± 0.000	0.011 ± 0.006	0.02 ± 0.01	0.05 ± 0.02	W Africa F	E Europe M	0.59
daon-002	18	0.08 ± 0.02	0.024 ± 0.007	0.007 ± 0.005	0.017 ± 0.006	0.03 ± 0.01	0.15 ± 0.03	0.08 ± 0.02	0.022 ± 0.006	0.007 ± 0.005	0.029 ± 0.008	0.018 ± 0.010	0.08 ± 0.02	W Africa F	E Europe F	0.50
dermalog-001	16	0.10 ± 0.03	0.10 ± 0.02	0.21 ± 0.04	0.16 ± 0.02	0.16 ± 0.04	0.06 ± 0.03	0.05 ± 0.02	0.05 ± 0.01	0.04 ± 0.02	0.10 ± 0.02	0.08 ± 0.02	0.04 ± 0.02	E Europe F	W Africa M	0.32
dermalog-001	17	0.13 ± 0.04	0.14 ± 0.02	0.31 ± 0.04	0.24 ± 0.03	0.20 ± 0.04	0.07 ± 0.03	0.10 ± 0.03	0.07 ± 0.01	0.04 ± 0.02	0.12 ± 0.02	0.10 ± 0.03	0.09 ± 0.03	E Europe F	E Europe M	0.33
dermalog-001	18	0.13 ± 0.03	0.16 ± 0.01	0.27 ± 0.04	0.25 ± 0.02	0.20 ± 0.03	0.12 ± 0.03	0.13 ± 0.03	0.07 ± 0.01	0.05 ± 0.02	0.18 ± 0.02	0.10 ± 0.02	0.14 ± 0.03	E Europe F	E Europe M	0.26
dermalog-002	16	0.07 ± 0.02	0.23 ± 0.02	0.24 ± 0.04	0.19 ± 0.03	0.21 ± 0.04	0.10 ± 0.03	0.04 ± 0.02	0.038 ± 0.009	0.04 ± 0.02	0.03 ± 0.01	0.04 ± 0.02	0.03 ± 0.02	E Europe F	W Africa M	0.45
dermalog-002	17	0.11 ± 0.03	0.29 ± 0.02	0.31 ± 0.05	0.26 ± 0.03	0.30 ± 0.05	0.14 ± 0.03	0.07 ± 0.03	0.05 ± 0.01	0.06 ± 0.02	0.09 ± 0.02	0.08 ± 0.03	0.05 ± 0.02	E Europe F	W Africa M	0.39
dermalog-002	18	0.13 ± 0.03	0.35 ± 0.02	0.39 ± 0.04	0.29 ± 0.02	0.32 ± 0.03	0.14 ± 0.03	0.12 ± 0.03	0.08 ± 0.01	0.11 ± 0.03	0.13 ± 0.02	0.11 ± 0.02	0.11 ± 0.03	E Europe F	E Asia M	0.33
dermalog-003	16	0.03 ± 0.02	0.006 ± 0.004	0.02 ± 0.01	0.015 ± 0.008	0.02 ± 0.01	0.05 ± 0.02	0.01 ± 0.01	0.000 ± 0.000	0.006 ± 0.006	0.004 ± 0.003	0.003 ± 0.003	0.000 ± 0.000	W Africa F	E Asia M	0.57
dermalog-003	17	0.04 ± 0.02	0.010 ± 0.005	0.03 ± 0.02	0.025 ± 0.009	0.02 ± 0.01	0.03 ± 0.02	0.006 ± 0.006	0.004 ± 0.003	0.003 ± 0.003	0.004 ± 0.003	0.006 ± 0.006	0.02 ± 0.02	E Africa F	E Europe M	0.47
dermalog-003	18	0.05 ± 0.02	0.012 ± 0.004	0.03 ± 0.01	0.021 ± 0.006	0.020 ± 0.009	0.07 ± 0.02	0.02 ± 0.01	0.005 ± 0.003	0.004 ± 0.004	0.008 ± 0.004	0.003 ± 0.003	0.012 ± 0.010	W Africa F	S E Asia M	0.51
facehawk-001	16	0.39 ± 0.05	0.21 ± 0.02	0.60 ± 0.05	0.63 ± 0.03	0.32 ± 0.05	0.32 ± 0.06	0.46 ± 0.05	0.12 ± 0.02	0.47 ± 0.05	0.49 ± 0.03	0.19 ± 0.04	0.38 ± 0.06	S Asia F	E Asia M	0.25
facehawk-001	17	0.41 ± 0.05	0.23 ± 0.02	0.66 ± 0.05	0.65 ± 0.03	0.33 ± 0.05	0.34 ± 0.05	0.48 ± 0.05	0.13 ± 0.01	0.47 ± 0.05	0.56 ± 0.03	0.28 ± 0.04	0.49 ± 0.06	E Europe F	E Asia M	0.23
facehawk-001	18	0.43 ± 0.04	0.25 ± 0.02	0.65 ± 0.04	0.69 ± 0.02	0.34 ± 0.03	0.34 ± 0.04	0.56 ± 0.04	0.15 ± 0.01	0.51 ± 0.04	0.59 ± 0.02	0.25 ± 0.03	0.50 ± 0.05	S Asia F	E Asia M	0.24
hzailu-001	16	0.33 ± 0.05	0.33 ± 0.02	0.56 ± 0.05	0.43 ± 0.03	0.43 ± 0.04	0.52 ± 0.06	0.51 ± 0.05	0.25 ± 0.02	0.38 ± 0.05	0.58 ± 0.03	0.46 ± 0.05	0.56 ± 0.06	S Asia M	E Asia M	0.14
hzailu-001	17	0.39 ± 0.05	0.40 ± 0.03	0.66 ± 0.05	0.51 ± 0.03	0.48 ± 0.05	0.61 ± 0.05	0.55 ± 0.05	0.34 ± 0.02	0.44 ± 0.05	0.68 ± 0.03	0.53 ± 0.05	0.67 ± 0.05	S Asia M	E Asia M	0.13
hzailu-001	18	0.46 ± 0.04	0.47 ± 0.02	0.73 ± 0.04	0.55 ± 0.02	0.51 ± 0.03	0.63 ± 0.04	0.70 ± 0.04	0.40 ± 0.02	0.55 ± 0.04	0.77 ± 0.02	0.57 ± 0.04	0.74 ± 0.04	S Asia M	E Asia M	0.12
idemia-001	16	0.02 ± 0.01	0.007 ± 0.004	0.000 ± 0.000	0.004 ± 0.004	0.03 ± 0.02	0.05 ± 0.03	0.02 ± 0.01	0.002 ± 0.002	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe F	0.67
idemia-001	17	0.04 ± 0.02	0.023 ± 0.007	0.003 ± 0.003	0.021 ± 0.009	0.05 ± 0.02	0.09 ± 0.03	0.01 ± 0.01	0.007 ± 0.004	0.000 ± 0.000	0.009 ± 0.005	0.006 ± 0.006	0.04 ± 0.02	W Africa F	E Europe M	0.55
idemia-001	18	0.08 ± 0.02	0.030 ± 0.008	0.014 ± 0.009	0.031 ± 0.008	0.04 ± 0.01	0.11 ± 0.03	0.04 ± 0.02	0.019 ± 0.006	0.000 ± 0.000	0.031 ± 0.008	0.022 ± 0.010	0.06 ± 0.02	W Africa F	E Europe M	0.42
idemia-002	16	0.03 ± 0.02	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.004	0.01 ± 0.01	0.03 ± 0.02	0.01 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Europe F	0.71

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

idemia-002	17	0.03 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.018 ± 0.008	0.02 ± 0.01	0.07 ± 0.03	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.006 ± 0.004	0.006 ± 0.006	0.03 ± 0.02	W Africa F	E Africa M	0.55
idemia-002	18	0.07 ± 0.02	0.015 ± 0.005	0.04 ± 0.02	0.025 ± 0.007	0.03 ± 0.01	0.09 ± 0.03	0.02 ± 0.01	0.012 ± 0.004	0.000 ± 0.000	0.012 ± 0.005	0.011 ± 0.007	0.03 ± 0.01	W Africa F	E Europe M	0.48
idemia-003	16	0.01 ± 0.01	0.003 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.005 ± 0.005	0.02 ± 0.02	0.02 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Europe F	0.75
idemia-003	17	0.02 ± 0.01	0.008 ± 0.004	0.000 ± 0.000	0.007 ± 0.005	0.01 ± 0.01	0.04 ± 0.02	0.006 ± 0.006	0.003 ± 0.002	0.000 ± 0.000	0.005 ± 0.004	0.006 ± 0.006	0.03 ± 0.02	W Africa F	E Europe F	0.59
idemia-003	18	0.04 ± 0.02	0.008 ± 0.003	0.005 ± 0.005	0.006 ± 0.004	0.012 ± 0.007	0.05 ± 0.02	0.013 ± 0.009	0.005 ± 0.003	0.000 ± 0.000	0.011 ± 0.005	0.006 ± 0.004	0.03 ± 0.01	W Africa F	E Europe M	0.53
inbut-000	16	0.26 ± 0.04	0.06 ± 0.01	0.19 ± 0.04	0.09 ± 0.02	0.09 ± 0.03	0.35 ± 0.06	0.23 ± 0.05	0.07 ± 0.01	0.12 ± 0.03	0.11 ± 0.02	0.12 ± 0.03	0.22 ± 0.05	W Africa F	E Asia F	0.33
inbut-000	17	0.39 ± 0.05	0.08 ± 0.01	0.22 ± 0.04	0.16 ± 0.02	0.11 ± 0.03	0.40 ± 0.05	0.30 ± 0.05	0.10 ± 0.01	0.12 ± 0.03	0.13 ± 0.02	0.13 ± 0.03	0.27 ± 0.05	W Africa F	E Asia F	0.32
inbut-000	18	0.40 ± 0.04	0.10 ± 0.01	0.23 ± 0.03	0.15 ± 0.02	0.11 ± 0.02	0.45 ± 0.04	0.27 ± 0.03	0.10 ± 0.01	0.15 ± 0.03	0.14 ± 0.02	0.08 ± 0.02	0.24 ± 0.04	W Africa F	S E Asia M	0.33
incode-000	16	0.08 ± 0.03	0.026 ± 0.009	0.04 ± 0.02	0.03 ± 0.01	0.05 ± 0.02	0.09 ± 0.03	0.03 ± 0.02	0.002 ± 0.002	0.006 ± 0.006	0.004 ± 0.003	0.006 ± 0.006	0.01 ± 0.01	W Africa F	E Asia M	0.52
incode-000	17	0.11 ± 0.03	0.05 ± 0.01	0.07 ± 0.03	0.06 ± 0.02	0.06 ± 0.02	0.11 ± 0.03	0.02 ± 0.01	0.006 ± 0.004	0.003 ± 0.003	0.017 ± 0.007	0.01 ± 0.01	0.05 ± 0.02	E Africa F	E Europe M	0.46
incode-000	18	0.15 ± 0.03	0.07 ± 0.01	0.08 ± 0.02	0.08 ± 0.01	0.09 ± 0.02	0.13 ± 0.03	0.04 ± 0.01	0.013 ± 0.004	0.013 ± 0.009	0.023 ± 0.006	0.015 ± 0.008	0.06 ± 0.02	E Africa F	E Europe M	0.42
incode-001	16	0.07 ± 0.02	0.023 ± 0.008	0.04 ± 0.02	0.03 ± 0.01	0.06 ± 0.02	0.08 ± 0.03	0.02 ± 0.01	0.005 ± 0.003	0.003 ± 0.003	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	S E Asia M	0.57
incode-001	17	0.11 ± 0.03	0.07 ± 0.01	0.06 ± 0.02	0.06 ± 0.02	0.06 ± 0.02	0.16 ± 0.03	0.02 ± 0.01	0.011 ± 0.004	0.000 ± 0.000	0.011 ± 0.006	0.02 ± 0.01	0.04 ± 0.02	W Africa F	E Europe M	0.49
incode-001	18	0.13 ± 0.03	0.10 ± 0.01	0.08 ± 0.02	0.10 ± 0.01	0.15 ± 0.02	0.19 ± 0.04	0.04 ± 0.01	0.022 ± 0.006	0.009 ± 0.007	0.025 ± 0.008	0.03 ± 0.01	0.06 ± 0.02	W Africa F	E Europe M	0.43
incode-002	16	0.06 ± 0.02	0.016 ± 0.006	0.04 ± 0.02	0.010 ± 0.006	0.03 ± 0.02	0.05 ± 0.02	0.02 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	E Africa F	S E Asia M	0.60
incode-002	17	0.08 ± 0.03	0.031 ± 0.008	0.03 ± 0.01	0.03 ± 0.01	0.04 ± 0.02	0.08 ± 0.03	0.012 ± 0.009	0.005 ± 0.003	0.000 ± 0.000	0.010 ± 0.006	0.006 ± 0.006	0.02 ± 0.02	E Africa F	E Europe M	0.53
incode-002	18	0.09 ± 0.02	0.056 ± 0.010	0.03 ± 0.01	0.07 ± 0.01	0.08 ± 0.02	0.12 ± 0.03	0.02 ± 0.01	0.012 ± 0.004	0.005 ± 0.005	0.019 ± 0.006	0.011 ± 0.007	0.05 ± 0.02	W Africa F	E Europe M	0.46
innovatrics-000	16	0.11 ± 0.03	0.015 ± 0.006	0.005 ± 0.005	0.015 ± 0.008	0.02 ± 0.01	0.12 ± 0.04	0.03 ± 0.02	0.001 ± 0.001	0.003 ± 0.003	0.006 ± 0.004	0.000 ± 0.000	0.02 ± 0.01	W Africa F	S E Asia M	0.70
innovatrics-000	17	0.20 ± 0.04	0.020 ± 0.007	0.01 ± 0.01	0.07 ± 0.02	0.01 ± 0.01	0.22 ± 0.05	0.03 ± 0.01	0.006 ± 0.004	0.000 ± 0.000	0.020 ± 0.008	0.003 ± 0.003	0.07 ± 0.03	W Africa F	E Europe M	0.68
innovatrics-000	18	0.23 ± 0.03	0.029 ± 0.007	0.02 ± 0.01	0.08 ± 0.01	0.03 ± 0.01	0.25 ± 0.04	0.07 ± 0.02	0.015 ± 0.005	0.011 ± 0.007	0.043 ± 0.009	0.010 ± 0.007	0.10 ± 0.03	W Africa F	S E Asia M	0.58
innovatrics-001	16	0.09 ± 0.03	0.008 ± 0.005	0.005 ± 0.005	0.011 ± 0.006	0.005 ± 0.005	0.13 ± 0.03	0.03 ± 0.02	0.000 ± 0.000	0.003 ± 0.003	0.006 ± 0.004	0.000 ± 0.000	0.01 ± 0.01	W Africa F	E Asia M	0.75
innovatrics-001	17	0.17 ± 0.04	0.014 ± 0.005	0.02 ± 0.01	0.04 ± 0.01	0.01 ± 0.01	0.22 ± 0.04	0.02 ± 0.01	0.004 ± 0.003	0.000 ± 0.000	0.012 ± 0.006	0.003 ± 0.003	0.06 ± 0.02	W Africa F	E Europe M	0.71
innovatrics-001	18	0.20 ± 0.03	0.024 ± 0.006	0.02 ± 0.01	0.051 ± 0.009	0.020 ± 0.009	0.25 ± 0.04	0.06 ± 0.02	0.011 ± 0.004	0.007 ± 0.005	0.026 ± 0.007	0.006 ± 0.004	0.11 ± 0.03	W Africa F	S E Asia M	0.63
innovatrics-002	16	0.15 ± 0.03	0.011 ± 0.005	0.01 ± 0.01	0.018 ± 0.009	0.010 ± 0.008	0.18 ± 0.05	0.03 ± 0.02	0.001 ± 0.001	0.003 ± 0.003	0.006 ± 0.004	0.003 ± 0.003	0.03 ± 0.02	W Africa F	E Asia M	0.73
innovatrics-002	17	0.22 ± 0.04	0.024 ± 0.007	0.04 ± 0.02	0.05 ± 0.01	0.02 ± 0.01	0.31 ± 0.05	0.05 ± 0.02	0.008 ± 0.004	0.003 ± 0.003	0.021 ± 0.009	0.003 ± 0.003	0.09 ± 0.03	W Africa F	S E Asia M	0.68
innovatrics-002	18	0.26 ± 0.03	0.032 ± 0.007	0.03 ± 0.01	0.07 ± 0.01	0.04 ± 0.01	0.33 ± 0.04	0.09 ± 0.02	0.018 ± 0.005	0.015 ± 0.009	0.044 ± 0.009	0.010 ± 0.006	0.13 ± 0.03	W Africa F	S E Asia M	0.59
innovatrics-003	16	0.03 ± 0.02	0.011 ± 0.005	0.011 ± 0.008	0.011 ± 0.006	0.008 ± 0.008	0.04 ± 0.02	0.008 ± 0.008	0.000 ± 0.000	0.003 ± 0.003	0.003 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Asia M	0.57
innovatrics-003	17	0.05 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.04 ± 0.01	0.005 ± 0.005	0.07 ± 0.03	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.007 ± 0.004	0.003 ± 0.003	0.02 ± 0.02	W Africa F	E Africa M	0.61
innovatrics-003	18	0.06 ± 0.02	0.030 ± 0.007	0.03 ± 0.01	0.05 ± 0.01	0.021 ± 0.008	0.10 ± 0.03	0.002 ± 0.002	0.012 ± 0.004	0.005 ± 0.005	0.015 ± 0.005	0.007 ± 0.006	0.03 ± 0.01	W Africa F	E Africa M	0.51
innovatrics-004	16	0.03 ± 0.02	0.011 ± 0.005	0.011 ± 0.008	0.009 ± 0.005	0.008 ± 0.008	0.04 ± 0.02	0.008 ± 0.008	0.000 ± 0.000	0.003 ± 0.003	0.003 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Asia M	0.58
innovatrics-004	17	0.05 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.03 ± 0.01	0.005 ± 0.005	0.06 ± 0.03	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.007 ± 0.004	0.003 ± 0.003	0.02 ± 0.02	W Africa F	E Africa M	0.60
innovatrics-004	18	0.06 ± 0.02	0.029 ± 0.007	0.03 ± 0.01	0.046 ± 0.010	0.022 ± 0.009	0.09 ± 0.02	0.002 ± 0.002	0.012 ± 0.004	0.002 ± 0.002	0.011 ± 0.005	0.008 ± 0.006	0.03 ± 0.01	W Africa F	E Europe M	0.51
intellicheck-000	16	0.005 ± 0.005	0.026 ± 0.008	0.000 ± 0.000	0.013 ± 0.006	0.02 ± 0.01	0.05 ± 0.02	0.011 ± 0.008	0.007 ± 0.003	0.000 ± 0.000	0.009 ± 0.006	0.003 ± 0.003	0.02 ± 0.02	W Africa F	E Europe F	0.56
intellicheck-000	17	0.04 ± 0.02	0.028 ± 0.009	0.006 ± 0.006	0.03 ± 0.01	0.03 ± 0.02	0.05 ± 0.02	0.01 ± 0.01	0.010 ± 0.004	0.000 ± 0.000	0.017 ± 0.007	0.011 ± 0.008	0.03 ± 0.02	W Africa F	E Europe M	0.40
intellicheck-000	18	0.04 ± 0.02	0.033 ± 0.008	0.011 ± 0.007	0.036 ± 0.009	0.03 ± 0.01	0.08 ± 0.02	0.03 ± 0.01	0.015 ± 0.005	0.000 ± 0.000	0.032 ± 0.008	0.02 ± 0.01	0.05 ± 0.02	W Africa F	E Europe M	0.35
ionetworks-000	16	0.15 ± 0.03	0.026 ± 0.009	0.01 ± 0.01	0.05 ± 0.01	0.03 ± 0.02	0.24 ± 0.05	0.07 ± 0.02	0.007 ± 0.004	0.003 ± 0.003	0.03 ± 0.01	0.008 ± 0.008	0.06 ± 0.03	W Africa F	E Europe M	0.62
ionetworks-000	17	0.24 ± 0.04	0.04 ± 0.01	0.05 ± 0.02	0.07 ± 0.02	0.03 ± 0.02	0.35 ± 0.05	0.13 ± 0.04	0.023 ± 0.007	0.01 ± 0.01	0.09 ± 0.02	0.02 ± 0.01	0.13 ± 0.03	W Africa F	E Europe M	0.53
ionetworks-000	18	0.26 ± 0.03	0.06 ± 0.01	0.05 ± 0.02	0.12 ± 0.01	0.07 ± 0.02	0.37 ± 0.04	0.25 ± 0.04	0.034 ± 0.007	0.04 ± 0.02	0.18 ± 0.02	0.04 ± 0.01	0.26 ± 0.04	W Africa F	E Asia M	0.45
jumio-000	16	0.18 ± 0.04	0.06 ± 0.01	0.11 ± 0.03	0.10 ± 0.02	0.12 ± 0.03	0.22 ± 0.05	0.04 ± 0.02	0.009 ± 0.005	0.08 ± 0.03	0.006 ± 0.004	0.011 ± 0.008	0.02 ± 0.01	W Africa F	S Asia M	0.50
jumio-000	17	0.25 ± 0.05	0.10 ± 0.01	0.16 ± 0.04	0.16 ± 0.02	0.15 ± 0.03	0.29 ± 0.05	0.04 ± 0.02	0.019 ± 0.006	0.11 ± 0.03	0.017 ± 0.008	0.03 ± 0.02	0.06 ± 0.03	W Africa F	S Asia M	0.45
jumio-000	18	0.28 ± 0.04	0.15 ± 0.01	0.18 ± 0.03	0.18 ± 0.02	0.20 ± 0.03	0.37 ± 0.04	0.07 ± 0.02	0.039 ± 0.008	0.13 ± 0.03	0.041 ± 0.009	0.03 ± 0.01	0.10 ± 0.03	W Africa F	S E Asia M	0.40
neurotechnology-000	16	0.31 ± 0.05	0.20 ± 0.02	0.08 ± 0.03	0.10 ± 0.02	0.16 ± 0.03	0.59 ± 0.06	0.66 ± 0.05	0.29 ± 0.02	0.03 ± 0.01	0.14 ± 0.02	0.19 ± 0.04	0.76 ± 0.05	W Africa M	E Europe M	0.47
neurotechnology-000	17	0.39 ± 0.05	0.24 ± 0.02	0.12 ± 0.03	0.13 ± 0.02	0.21 ± 0.04	0.64 ± 0.05	0.76 ± 0.05	0.36 ± 0.03	0.06 ± 0.02	0.20 ± 0.02	0.28 ± 0.04	0.84 ± 0.05	W Africa M	E Europe M	0.41
neurotechnology-000	18	0.40 ± 0.04	0.26 ± 0.02	0.13 ± 0.03	0.14 ± 0.02	0.23 ± 0.03	0.66 ± 0.04	0.77 ± 0.04	0.41 ± 0.02	0.10 ± 0.03	0.27 ± 0.02	0.34 ± 0.03	0.85 ± 0.03	W Africa M	E Europe M	0.38
neurotechnology-001	16	0.07 ± 0.02	0.21 ± 0.02	0.08 ± 0.03	0.10 ± 0.02	0.17 ± 0.04	0.06 ± 0.03	0.05 ± 0.02	0.30 ± 0.02	0.03 ± 0.01	0.12 ± 0.02	0.21 ± 0.04	0.03 ± 0.02	E Asia M	E Europe M	0.41
neurotechnology-001	17	0.08 ± 0.03	0.26 ± 0.02	0.14 ± 0.03	0.13 ± 0.02	0.23 ± 0.04	0.09 ± 0.03	0.12 ± 0.03	0.37 ± 0.02	0.06 ± 0.02	0.20 ± 0.03	0.26 ± 0.04	0.10 ± 0.03	E Asia M	E Europe M	0.32
neurotechnology-001	18	0.12 ± 0.02	0.26 ± 0.02	0.13 ± 0.03	0.14 ± 0.02	0.23 ± 0.03	0.11 ± 0.03	0.16 ± 0.03	0.41 ± 0.02	0.10 ± 0.02	0.25 ± 0.02	0.35 ± 0.04	0.15 ± 0.03	E Asia M	E Europe M	0.28
neurotechnology-003	16	0.12 ± 0.03	0.026 ± 0.009	0.09 ± 0.03	0.11 ± 0.02	0.05 ± 0.02	0.23 ± 0.05	0.18 ± 0.04	0.035 ± 0.009	0.02 ± 0.01	0.13 ± 0.02	0.05 ± 0.02	0.19 ± 0.05	W Africa F	E Europe M	0.40
neurotechnology-003	17	0.22 ± 0.04	0.06 ± 0.01	0.19 ± 0.04	0.17 ± 0.02	0.11 ± 0.03	0.32 ± 0.05	0.27 ± 0.05	0.07 ± 0.01	0.03 ± 0.02	0.21 ± 0.02	0.13 ± 0.03	0.30 ± 0.05	W Africa F	E Europe M	0.33
neurotechnology-003	18	0.23 ± 0.03	0.09 ± 0.01	0.27 ± 0.04	0.25 ± 0.02	0.13 ± 0.02	0.37 ± 0.04	0.43 ± 0.04	0.13 ± 0.01	0.14 ± 0.03	0.38 ± 0.02	0.20 ± 0.03	0.45 ± 0.05	W Africa M	E Asia F	0.29
nominder-000	16	0.08 ± 0.03	0.028 ± 0.009	0.01 ± 0.01	0.03 ± 0.01	0.05 ± 0.02	0.18 ± 0.04	0.03 ± 0.01	0.026 ± 0.008	0.009 ± 0.009	0.013 ± 0.007	0.01 ± 0.01	0.02 ± 0.02	W Africa F	E Europe M	0.52
nominder-000	17	0.14 ± 0.03	0.06 ± 0.01	0.04 ± 0.02	0.04 ± 0.01	0.06 ± 0.02	0.27 ± 0.05	0.04 ± 0.02	0.05 ± 0.01	0.008 ± 0.008	0.04 ± 0.01	0.03 ± 0.01	0.10 ± 0.03	W Africa F	E Europe M	0.47
nominder-000	18	0.17 ± 0.03	0.10 ± 0.01	0.05 ± 0.02	0.05 ± 0.01	0.07 ± 0.02	0.31 ± 0.04	0.09 ± 0.02	0.07 ± 0.01	0.03 ± 0.01	0.08 ± 0.01	0.06 ± 0.02	0.12 ± 0.03	W Africa F	E Europe M	0.37
nominder-001	16	0.04 ± 0.02	0.015 ± 0.006	0.02 ± 0.01	0.010 ± 0.006	0.03 ± 0.02	0.12 ± 0.04	0.01 ± 0.01	0.009 ± 0.005	0.003 ± 0.003	0.004 ± 0.003	0.008 ± 0.008	0.005 ± 0.005	W Africa F	E Europe M	0.61
nominder-001	17	0.08 ± 0.03	0.024 ± 0.007	0.03 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.18 ± 0.04	0.01 ± 0.01	0.016 ± 0.006	0.008 ± 0.008	0.016 ± 0.007	0.03 ± 0.01	0.04 ± 0.02	W Africa F	E Europe M	0.51
nominder-001	18	0.10 ± 0.02	0.033 ± 0.008	0.04 ± 0.02	0.033 ± 0.009	0.05 ± 0.01	0.24 ± 0.04	0.04 ± 0.02	0.039 ± 0.008	0.016 ± 0.009	0.031 ± 0.008	0.03 ± 0.01	0.07 ± 0.02	W Africa F	E Europe M	0.43
ondato-000	16	0.14 ± 0.03	0.06 ± 0.01	0.05 ± 0.02	0.05 ± 0.01	0.08 ± 0.03	0.23 ± 0.05	0.07 ± 0.02	0.026 ± 0.007	0.009 ± 0.009	0.017 ± 0.008	0.03 ± 0.01	0.05 ± 0.03	W Africa F	E Europe M	0.47
ondato-000	17	0.23 ± 0.04	0.11 ± 0.02	0.05 ± 0.02	0.10 ± 0.02	0.10 ± 0.03	0.30 ± 0.05	0.10 ± 0.03	0.045 ± 0.010	0.011 ± 0.008	0.05 ± 0.01	0.05 ± 0.02	0.16 ± 0.04	W Africa F	E Europe M	0.43
ondato-000	18	0.24 ± 0.03	0.14 ± 0.01	0.07 ± 0.02	0.12 ± 0.01	0.13 ± 0.02	0.34 ± 0.04	0.14 ± 0.03	0.06 ± 0.01	0.02 ± 0.01	0.07 ± 0.01	0.06 ± 0.02	0.16 ± 0.03	W Africa F	E Europe M	0.38
ondato-001	16	0.10 ± 0.03	0.04 ± 0.01	0.04 ± 0.02	0.05 ± 0.01	0.05 ± 0.02	0.16 ± 0.05	0.05 ± 0.02	0.014 ± 0.005	0.003 ± 0.003	0.007 ± 0.004	0.008 ± 0.008	0.04 ± 0.02	W Africa F	E Europe M	0.50
ondato-001	17	0.16 ± 0.04	0.07 ± 0.01	0.04 ± 0.02	0.10 ± 0.02	0.11 ± 0.03	0.22 ± 0.04	0.06 ± 0.02	0.018 ± 0.006	0.006 ± 0.006	0.024 ± 0.008	0.04 ± 0.02	0.09 ± 0.03	W Africa F	E Europe M	0.46

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

ondato-001	18	0.20 ± 0.03	0.12 ± 0.01	0.07 ± 0.02	0.12 ± 0.01	0.14 ± 0.02	0.26 ± 0.04	0.11 ± 0.03	0.036 ± 0.007	0.013 ± 0.009	0.05 ± 0.01	0.04 ± 0.01	0.12 ± 0.03	W Africa F	E Europe M	0.39
onfido-000	16	0.11 ± 0.03	0.10 ± 0.02	0.08 ± 0.03	0.10 ± 0.02	0.15 ± 0.04	0.15 ± 0.04	0.02 ± 0.01	0.011 ± 0.005	0.003 ± 0.003	0.008 ± 0.006	0.011 ± 0.008	0.009 ± 0.009	S E Asia F	E Europe M	0.53
onfido-000	17	0.19 ± 0.04	0.16 ± 0.02	0.13 ± 0.03	0.21 ± 0.03	0.21 ± 0.04	0.23 ± 0.05	0.02 ± 0.01	0.026 ± 0.008	0.003 ± 0.003	0.025 ± 0.009	0.04 ± 0.02	0.04 ± 0.02	W Africa F	E Europe M	0.48
onfido-000	18	0.23 ± 0.03	0.24 ± 0.02	0.16 ± 0.03	0.28 ± 0.02	0.32 ± 0.03	0.28 ± 0.04	0.05 ± 0.02	0.053 ± 0.009	0.007 ± 0.005	0.06 ± 0.01	0.06 ± 0.02	0.07 ± 0.02	S E Asia F	E Europe M	0.43
paravision-000	16	0.003 ± 0.003	0.002 ± 0.002	0.005 ± 0.005	0.001 ± 0.001	0.008 ± 0.008	0.02 ± 0.02	0.02 ± 0.01	0.002 ± 0.002	0.006 ± 0.006	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	S E Asia M	0.54
paravision-000	17	0.011 ± 0.008	0.013 ± 0.005	0.006 ± 0.006	0.013 ± 0.007	0.01 ± 0.01	0.02 ± 0.01	0.003 ± 0.003	0.008 ± 0.004	0.003 ± 0.003	0.007 ± 0.005	0.006 ± 0.006	0.05 ± 0.02	W Africa M	E Europe M	0.45
paravision-000	18	0.04 ± 0.01	0.023 ± 0.006	0.007 ± 0.005	0.018 ± 0.006	0.03 ± 0.01	0.04 ± 0.02	0.017 ± 0.009	0.015 ± 0.004	0.011 ± 0.007	0.022 ± 0.006	0.013 ± 0.008	0.06 ± 0.02	W Africa M	E Europe F	0.35
paravision-001	16	0.01 ± 0.01	0.002 ± 0.002	0.008 ± 0.008	0.003 ± 0.003	0.003 ± 0.003	0.04 ± 0.02	0.011 ± 0.008	0.001 ± 0.001	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	S E Asia M	0.66
paravision-001	17	0.04 ± 0.02	0.009 ± 0.004	0.01 ± 0.01	0.017 ± 0.008	0.011 ± 0.008	0.04 ± 0.02	0.006 ± 0.006	0.004 ± 0.003	0.006 ± 0.006	0.010 ± 0.006	0.006 ± 0.006	0.05 ± 0.02	W Africa M	E Asia M	0.48
paravision-001	18	0.05 ± 0.02	0.011 ± 0.004	0.02 ± 0.01	0.027 ± 0.007	0.024 ± 0.009	0.09 ± 0.02	0.02 ± 0.01	0.009 ± 0.004	0.015 ± 0.009	0.041 ± 0.009	0.007 ± 0.006	0.07 ± 0.02	W Africa F	S E Asia M	0.44
privately-000	16	0.06 ± 0.02	0.11 ± 0.02	0.03 ± 0.02	0.06 ± 0.01	0.13 ± 0.03	0.08 ± 0.03	0.02 ± 0.01	0.026 ± 0.008	0.01 ± 0.01	0.006 ± 0.004	0.03 ± 0.01	0.005 ± 0.005	S E Asia F	W Africa M	0.49
privately-000	17	0.08 ± 0.03	0.14 ± 0.02	0.07 ± 0.03	0.08 ± 0.02	0.12 ± 0.03	0.11 ± 0.03	0.01 ± 0.01	0.037 ± 0.009	0.003 ± 0.003	0.015 ± 0.006	0.03 ± 0.01	0.03 ± 0.02	E Asia F	E Europe M	0.46
privately-000	18	0.10 ± 0.02	0.19 ± 0.02	0.08 ± 0.02	0.10 ± 0.01	0.18 ± 0.02	0.11 ± 0.03	0.05 ± 0.02	0.043 ± 0.008	0.007 ± 0.005	0.010 ± 0.004	0.03 ± 0.01	0.03 ± 0.01	E Asia F	E Europe M	0.45
regula-000	16	0.03 ± 0.02	0.003 ± 0.002	0.003 ± 0.003	0.004 ± 0.004	0.02 ± 0.01	0.05 ± 0.02	0.02 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.002 ± 0.002	0.003 ± 0.003	0.009 ± 0.009	W Africa F	E Asia M	0.62
regula-000	17	0.07 ± 0.02	0.013 ± 0.006	0.02 ± 0.01	0.03 ± 0.01	0.02 ± 0.01	0.09 ± 0.03	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.007 ± 0.005	0.011 ± 0.008	0.03 ± 0.02	W Africa F	E Europe M	0.59
regula-000	18	0.10 ± 0.02	0.015 ± 0.005	0.03 ± 0.01	0.034 ± 0.009	0.04 ± 0.01	0.14 ± 0.03	0.015 ± 0.009	0.009 ± 0.004	0.002 ± 0.002	0.014 ± 0.006	0.011 ± 0.007	0.06 ± 0.02	W Africa F	E Europe M	0.56
rigrai-000	16	0.03 ± 0.02	0.010 ± 0.005	0.005 ± 0.005	0.015 ± 0.008	0.010 ± 0.008	0.02 ± 0.02	0.01 ± 0.01	0.003 ± 0.002	0.003 ± 0.003	0.006 ± 0.004	0.006 ± 0.006	0.01 ± 0.01	E Africa F	E Asia M	0.40
rigrai-000	17	0.05 ± 0.02	0.014 ± 0.005	0.011 ± 0.008	0.03 ± 0.01	0.02 ± 0.01	0.09 ± 0.03	0.009 ± 0.009	0.008 ± 0.004	0.000 ± 0.000	0.022 ± 0.008	0.02 ± 0.01	0.05 ± 0.02	W Africa F	E Europe M	0.51
rigrai-000	18	0.06 ± 0.02	0.022 ± 0.006	0.04 ± 0.02	0.052 ± 0.010	0.03 ± 0.01	0.13 ± 0.03	0.019 ± 0.009	0.012 ± 0.004	0.013 ± 0.009	0.039 ± 0.009	0.022 ± 0.010	0.05 ± 0.02	W Africa F	E Asia M	0.40
roc-000	16	0.11 ± 0.03	0.14 ± 0.02	0.005 ± 0.005	0.03 ± 0.01	0.11 ± 0.03	0.14 ± 0.04	0.05 ± 0.02	0.06 ± 0.01	0.003 ± 0.003	0.018 ± 0.008	0.05 ± 0.02	0.05 ± 0.03	W Africa F	E Europe M	0.45
roc-000	17	0.18 ± 0.04	0.17 ± 0.02	0.02 ± 0.01	0.07 ± 0.01	0.13 ± 0.03	0.22 ± 0.04	0.07 ± 0.03	0.12 ± 0.02	0.000 ± 0.000	0.04 ± 0.01	0.11 ± 0.03	0.11 ± 0.03	W Africa F	E Europe M	0.38
roc-000	18	0.19 ± 0.03	0.22 ± 0.02	0.05 ± 0.02	0.07 ± 0.01	0.20 ± 0.03	0.26 ± 0.04	0.13 ± 0.03	0.17 ± 0.01	0.007 ± 0.005	0.07 ± 0.01	0.14 ± 0.03	0.15 ± 0.03	W Africa F	E Europe M	0.33
roc-001	16	0.09 ± 0.03	0.04 ± 0.01	0.000 ± 0.000	0.023 ± 0.009	0.05 ± 0.02	0.09 ± 0.03	0.03 ± 0.02	0.014 ± 0.006	0.003 ± 0.003	0.004 ± 0.003	0.01 ± 0.01	0.01 ± 0.01	E Africa F	E Europe F	0.57
roc-001	17	0.14 ± 0.04	0.10 ± 0.02	0.003 ± 0.003	0.07 ± 0.02	0.10 ± 0.03	0.18 ± 0.04	0.05 ± 0.02	0.042 ± 0.010	0.003 ± 0.003	0.019 ± 0.008	0.03 ± 0.02	0.08 ± 0.03	W Africa F	E Europe F	0.47
roc-001	18	0.19 ± 0.03	0.15 ± 0.01	0.02 ± 0.01	0.10 ± 0.01	0.14 ± 0.02	0.23 ± 0.04	0.09 ± 0.02	0.09 ± 0.01	0.002 ± 0.002	0.045 ± 0.009	0.06 ± 0.02	0.13 ± 0.03	W Africa F	E Europe M	0.39
roc-002	16	0.03 ± 0.02	0.019 ± 0.007	0.000 ± 0.000	0.005 ± 0.004	0.04 ± 0.02	0.04 ± 0.02	0.02 ± 0.01	0.004 ± 0.003	0.003 ± 0.003	0.002 ± 0.002	0.008 ± 0.008	0.005 ± 0.005	W Africa F	E Europe F	0.57
roc-002	17	0.05 ± 0.02	0.040 ± 0.010	0.008 ± 0.008	0.025 ± 0.009	0.06 ± 0.02	0.05 ± 0.02	0.012 ± 0.009	0.014 ± 0.005	0.000 ± 0.000	0.010 ± 0.006	0.02 ± 0.01	0.04 ± 0.02	S E Asia F	E Europe M	0.42
roc-002	18	0.08 ± 0.02	0.07 ± 0.01	0.007 ± 0.005	0.030 ± 0.009	0.07 ± 0.02	0.06 ± 0.02	0.03 ± 0.01	0.037 ± 0.007	0.002 ± 0.002	0.023 ± 0.007	0.02 ± 0.01	0.05 ± 0.02	E Africa F	E Europe M	0.39
roc-003	16	0.03 ± 0.02	0.012 ± 0.005	0.000 ± 0.000	0.004 ± 0.004	0.03 ± 0.02	0.03 ± 0.02	0.02 ± 0.01	0.003 ± 0.003	0.003 ± 0.003	0.001 ± 0.001	0.003 ± 0.003	0.009 ± 0.009	W Africa F	E Europe F	0.56
roc-003	17	0.05 ± 0.02	0.034 ± 0.009	0.000 ± 0.000	0.013 ± 0.007	0.04 ± 0.02	0.05 ± 0.02	0.006 ± 0.006	0.011 ± 0.005	0.000 ± 0.000	0.008 ± 0.005	0.006 ± 0.006	0.05 ± 0.02	W Africa M	E Europe F	0.54
roc-003	18	0.08 ± 0.02	0.053 ± 0.009	0.005 ± 0.005	0.025 ± 0.006	0.05 ± 0.01	0.07 ± 0.02	0.03 ± 0.01	0.026 ± 0.006	0.000 ± 0.000	0.019 ± 0.006	0.017 ± 0.008	0.07 ± 0.02	E Africa F	E Europe M	0.43
shufti-000	16	0.13 ± 0.03	0.05 ± 0.01	0.11 ± 0.03	0.06 ± 0.02	0.07 ± 0.02	0.12 ± 0.04	0.10 ± 0.03	0.027 ± 0.007	0.02 ± 0.01	0.022 ± 0.009	0.02 ± 0.01	0.03 ± 0.02	E Africa F	E Europe M	0.38
shufti-000	17	0.21 ± 0.04	0.09 ± 0.01	0.14 ± 0.03	0.14 ± 0.02	0.11 ± 0.03	0.17 ± 0.04	0.11 ± 0.03	0.05 ± 0.01	0.02 ± 0.01	0.05 ± 0.01	0.06 ± 0.02	0.09 ± 0.03	E Africa F	E Europe M	0.32
shufti-000	18	0.24 ± 0.03	0.14 ± 0.01	0.17 ± 0.03	0.18 ± 0.02	0.15 ± 0.02	0.20 ± 0.04	0.16 ± 0.03	0.09 ± 0.01	0.03 ± 0.01	0.12 ± 0.01	0.09 ± 0.02	0.11 ± 0.03	E Africa F	E Europe M	0.22
shufti-001	16	0.13 ± 0.03	0.04 ± 0.01	0.13 ± 0.03	0.08 ± 0.02	0.09 ± 0.03	0.04 ± 0.02	0.03 ± 0.02	0.004 ± 0.003	0.003 ± 0.003	0.006 ± 0.004	0.008 ± 0.008	0.02 ± 0.01	E Africa F	E Europe M	0.56
shufti-001	17	0.19 ± 0.04	0.07 ± 0.01	0.19 ± 0.04	0.11 ± 0.02	0.12 ± 0.03	0.10 ± 0.03	0.009 ± 0.009	0.010 ± 0.004	0.008 ± 0.008	0.023 ± 0.009	0.008 ± 0.008	0.05 ± 0.02	E Europe F	S E Asia M	0.53
shufti-001	18	0.21 ± 0.03	0.10 ± 0.01	0.22 ± 0.03	0.17 ± 0.02	0.15 ± 0.02	0.15 ± 0.03	0.06 ± 0.02	0.018 ± 0.005	0.03 ± 0.01	0.048 ± 0.009	0.028 ± 0.010	0.07 ± 0.02	E Europe F	E Asia M	0.41
tsight-000	16	0.13 ± 0.03	0.022 ± 0.008	0.03 ± 0.02	0.03 ± 0.01	0.02 ± 0.01	0.25 ± 0.05	0.09 ± 0.03	0.028 ± 0.008	0.009 ± 0.009	0.04 ± 0.01	0.03 ± 0.02	0.14 ± 0.05	W Africa F	E Europe M	0.54
tsight-000	17	0.18 ± 0.04	0.035 ± 0.009	0.04 ± 0.02	0.06 ± 0.02	0.04 ± 0.02	0.35 ± 0.05	0.13 ± 0.04	0.044 ± 0.010	0.006 ± 0.006	0.10 ± 0.02	0.04 ± 0.02	0.28 ± 0.05	W Africa F	E Europe M	0.53
tsight-000	18	0.25 ± 0.04	0.049 ± 0.010	0.04 ± 0.02	0.08 ± 0.01	0.05 ± 0.01	0.42 ± 0.05	0.22 ± 0.04	0.067 ± 0.010	0.02 ± 0.01	0.17 ± 0.02	0.07 ± 0.02	0.35 ± 0.05	W Africa F	E Europe M	0.49
unissey-001	16	0.12 ± 0.03	0.19 ± 0.02	0.10 ± 0.03	0.10 ± 0.02	0.16 ± 0.03	0.19 ± 0.05	0.11 ± 0.03	0.17 ± 0.02	0.05 ± 0.02	0.10 ± 0.02	0.17 ± 0.04	0.08 ± 0.04	E Asia F	E Europe M	0.21
unissey-001	17	0.17 ± 0.04	0.26 ± 0.02	0.19 ± 0.04	0.15 ± 0.02	0.21 ± 0.04	0.29 ± 0.05	0.20 ± 0.04	0.26 ± 0.02	0.04 ± 0.02	0.15 ± 0.02	0.23 ± 0.04	0.14 ± 0.03	W Africa F	E Europe M	0.20
unissey-001	18	0.22 ± 0.03	0.32 ± 0.02	0.22 ± 0.03	0.18 ± 0.02	0.24 ± 0.03	0.32 ± 0.04	0.27 ± 0.04	0.32 ± 0.02	0.12 ± 0.03	0.26 ± 0.02	0.28 ± 0.03	0.25 ± 0.04	E Asia F	E Europe M	0.14
viante-000	16	0.49 ± 0.04	0.21 ± 0.02	0.03 ± 0.02	0.41 ± 0.03	0.39 ± 0.05	0.43 ± 0.06	0.28 ± 0.05	0.14 ± 0.02	0.01 ± 0.01	0.21 ± 0.03	0.23 ± 0.04	0.28 ± 0.06	E Africa F	E Europe M	0.34
viante-000	17	0.60 ± 0.05	0.33 ± 0.03	0.12 ± 0.04	0.51 ± 0.03	0.46 ± 0.05	0.57 ± 0.05	0.43 ± 0.05	0.25 ± 0.02	0.02 ± 0.01	0.35 ± 0.03	0.37 ± 0.05	0.47 ± 0.05	E Africa F	E Europe M	0.27
viante-000	18	0.65 ± 0.04	0.42 ± 0.02	0.18 ± 0.03	0.56 ± 0.02	0.56 ± 0.03	0.61 ± 0.04	0.54 ± 0.04	0.36 ± 0.02	0.06 ± 0.02	0.48 ± 0.02	0.47 ± 0.04	0.55 ± 0.05	E Africa F	E Europe M	0.21
yoti-001	16	0.13 ± 0.03	0.08 ± 0.01	0.11 ± 0.03	0.12 ± 0.02	0.15 ± 0.03	0.17 ± 0.04	0.02 ± 0.01	0.010 ± 0.005	0.003 ± 0.003	0.006 ± 0.004	0.003 ± 0.003	0.02 ± 0.02	W Africa F	S E Asia M	0.54
yoti-001	17	0.18 ± 0.04	0.14 ± 0.02	0.19 ± 0.04	0.21 ± 0.02	0.18 ± 0.04	0.24 ± 0.05	0.02 ± 0.01	0.036 ± 0.009	0.003 ± 0.003	0.021 ± 0.008	0.02 ± 0.01	0.08 ± 0.03	W Africa F	E Europe M	0.46
yoti-001	18	0.23 ± 0.04	0.19 ± 0.02	0.26 ± 0.04	0.25 ± 0.02	0.26 ± 0.03	0.32 ± 0.04	0.07 ± 0.02	0.059 ± 0.009	0.03 ± 0.01	0.043 ± 0.009	0.04 ± 0.01	0.10 ± 0.03	W Africa F	E Europe M	0.40
yoti-002	16	0.07 ± 0.02	0.07 ± 0.01	0.04 ± 0.02	0.07 ± 0.02	0.13 ± 0.03	0.11 ± 0.04	0.02 ± 0.01	0.011 ± 0.005	0.003 ± 0.003	0.008 ± 0.006	0.01 ± 0.01	0.009 ± 0.009	S E Asia F	E Europe M	0.54
yoti-002	17	0.10 ± 0.03	0.12 ± 0.02	0.06 ± 0.02	0.14 ± 0.02	0.16 ± 0.04	0.18 ± 0.04	0.012 ± 0.009	0.028 ± 0.007	0.006 ± 0.006	0.018 ± 0.007	0.011 ± 0.008	0.04 ± 0.02	W Africa F	E Europe M	0.51
yoti-002	18	0.12 ± 0.02	0.16 ± 0.02	0.09 ± 0.02	0.18 ± 0.02	0.22 ± 0.03	0.19 ± 0.03	0.04 ± 0.02	0.043 ± 0.008	0.005 ± 0.005	0.043 ± 0.009	0.03 ± 0.01	0.07 ± 0.02	S E Asia F	E Europe M	0.43
yoti-003	16	0.07 ± 0.02	0.06 ± 0.01	0.04 ± 0.02	0.04 ± 0.01	0.10 ± 0.03	0.10 ± 0.03	0.02 ± 0.01	0.010 ± 0.005	0.003 ± 0.003	0.003 ± 0.003	0.008 ± 0.008	0.009 ± 0.009	W Africa F	E Europe M	0.54
yoti-003	17	0.11 ± 0.03	0.12 ± 0.02	0.05 ± 0.02	0.12 ± 0.02	0.14 ± 0.03	0.14 ± 0.04	0.012 ± 0.009	0.020 ± 0.007	0.006 ± 0.006	0.016 ± 0.008	0.03 ± 0.02	0.04 ± 0.02	W Africa F	E Europe M	0.46
yoti-003	18	0.14 ± 0.03	0.15 ± 0.02	0.05 ± 0.02	0.14 ± 0.02	0.19 ± 0.03	0.16 ± 0.03	0.03 ± 0.01	0.041 ± 0.007	0.005 ± 0.005	0.037 ± 0.009	0.03 ± 0.01	0.06 ± 0.02	S E Asia F	E Europe M	0.42
yoti-004	16	0.04 ± 0.02	0.031 ± 0.009	0.011 ± 0.008	0.022 ± 0.009	0.05 ± 0.02	0.03 ± 0.02	0.01 ± 0.01	0.003 ± 0.002	0.003 ± 0.003	0.003 ± 0.003	0.003 ± 0.003	0.000 ± 0.000	S E Asia F	W Africa M	0.57
yoti-004	17	0.06 ± 0.02	0.05 ± 0.01	0.011 ± 0.008	0.06 ± 0.02	0.09 ± 0.03	0.09 ± 0.03	0.012 ± 0.009	0.011 ± 0.005	0.003 ± 0.003	0.011 ± 0.006	0.011 ± 0.008	0.03 ± 0.02	W Africa F	E Europe M	0.50
yoti-004	18	0.08 ± 0.02	0.09 ± 0.01	0.02 ± 0.01	0.08 ± 0.01	0.12 ± 0.02	0.12 ± 0.03	0.02 ± 0.01	0.014 ± 0.004	0.000 ± 0.000	0.022 ± 0.006	0.013 ± 0.008	0.04 ± 0.02	S E Asia F	E Europe M	0.48
yoti-005	16	0.03 ± 0.02	0.031 ± 0.009	0.011 ± 0.008	0.018 ± 0.009	0.04 ± 0.02	0.03 ± 0.02	0.01 ± 0.01	0.002 ± 0.002	0.003 ± 0.003	0.003 ± 0.003	0.003 ± 0.003	0.005 ± 0.005	S E Asia F	E Asia M	0.51
yoti-005	17	0.05 ± 0.02	0.05 ± 0.01	0.01 ± 0.01	0.06 ± 0.01	0.08 ± 0.03	0.09 ± 0.03	0.003 ± 0.003	0.009 ± 0.004	0.003 ± 0.003	0.011 ± 0.006	0.008 ± 0.008	0.03 ± 0.02	W Africa F	E Europe M	0.52
yoti-005	18	0.08 ± 0.02	0.08 ± 0.01	0.02 ± 0.01	0.08 ± 0.01	0.11 ± 0.02	0.11 ± 0.03	0.02 ± 0.01	0.014 ± 0.004	0.000 ± 0.000	0.020 ± 0.006	0.013 ± 0.007	0.04 ± 0.02	S E Asia F	E Europe M	0.47

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

youverse-000	16	0.13 ± 0.03	0.015 ± 0.006	0.07 ± 0.02	0.06 ± 0.02	0.02 ± 0.01	0.13 ± 0.04	0.07 ± 0.02	0.009 ± 0.004	0.02 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.09 ± 0.03	E Africa F	E Asia M	0.44
youverse-000	17	0.18 ± 0.04	0.037 ± 0.009	0.13 ± 0.03	0.09 ± 0.02	0.04 ± 0.02	0.24 ± 0.04	0.12 ± 0.03	0.021 ± 0.007	0.03 ± 0.02	0.07 ± 0.01	0.02 ± 0.01	0.17 ± 0.04	W Africa F	S E Asia M	0.44
youverse-000	18	0.20 ± 0.04	0.046 ± 0.009	0.16 ± 0.03	0.13 ± 0.02	0.05 ± 0.01	0.24 ± 0.04	0.22 ± 0.04	0.031 ± 0.007	0.08 ± 0.02	0.11 ± 0.02	0.04 ± 0.01	0.25 ± 0.04	W Africa M	E Asia M	0.37
youverse-001	16	0.02 ± 0.01	0.009 ± 0.005	0.02 ± 0.01	0.015 ± 0.008	0.010 ± 0.008	0.08 ± 0.03	0.03 ± 0.01	0.009 ± 0.005	0.012 ± 0.009	0.018 ± 0.008	0.003 ± 0.003	0.02 ± 0.02	W Africa F	S E Asia M	0.43
youverse-001	17	0.04 ± 0.02	0.022 ± 0.007	0.06 ± 0.02	0.05 ± 0.01	0.02 ± 0.01	0.11 ± 0.03	0.04 ± 0.02	0.022 ± 0.007	0.02 ± 0.01	0.06 ± 0.01	0.02 ± 0.01	0.07 ± 0.03	W Africa F	S E Asia F	0.34
youverse-001	18	0.08 ± 0.02	0.029 ± 0.007	0.06 ± 0.02	0.07 ± 0.01	0.03 ± 0.01	0.16 ± 0.03	0.11 ± 0.02	0.028 ± 0.007	0.07 ± 0.02	0.13 ± 0.02	0.03 ± 0.01	0.11 ± 0.03	W Africa F	E Asia M	0.34

5.4.2. Empirical results

Using sex and region-of-birth metadata, Table 18 shows dependence of Challenge-25 false positive rates on twelve demographic groups. The images are higher quality office application portraits. Expanded information is given in Appendix A.3 which includes Tables 171 to 272 showing Challenge-25 false positive rates for ages 14-34, both sexes, six regions of birth and all algorithms.

Each tabulated data point is computed from hundreds or thousands of images. For 17 year olds, the largest group is East Asian men with 1563 images and the smallest group is 316 West African men. For 18 year olds those numbers rise to 2269 and 420. The uncertainty estimates reflect this; they are computed by bootstrapping 1000 times and computing the interval that gives 95% coverage of the FPR values i.e. quantile (0.025,0.975).

For 16-18 year olds, general accuracy trends are few but we see FPR varies substantially with algorithm, sex, and region of birth. Generally, FPR is higher in women, but the degree is quite strongly algorithm dependent, and for unissey-001 men usually have higher FPR. We expect performance variations to be algorithm-specific, because 1) AI-based models are widely held to underperform on demographic groups that are under-represented in the training data and 2) algorithms are usually trained on image sets curated or owned by the developer.

Figures 24- 129 give one summary of those tables by showing the groups that have worst- and best-case overall mean error for all true age values from 14 to 45. Figures are included for *Application* and *Border* images, both on one page. The figures include both positive and negative errors, positive corresponding to overestimation of age by an algorithm, and negative stating underestimation. A smaller magnitude of error is better. The images are application-type images.




Fig. 12. *For algorithm ayonix-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 13. *For algorithm ayonix-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 14. *For algorithm bynn-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 15. *For algorithm bynn-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 16. *For algorithm cognitec-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 17. *For algorithm cognitec-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 18. *For algorithm cognitec-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 19. *For algorithm cognitec-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 20. *For algorithm cvut-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 21. *For algorithm cvut-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 22. *For algorithm cvut-002 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 23. *For algorithm cvut-002 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 24. *For algorithm cvut-003 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 25. *For algorithm cvut-003 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 26. *For algorithm cyberlink-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 27. *For algorithm cyberlink-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 28. *For algorithm cyberlink-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 29. *For algorithm cyberlink-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 30. *For algorithm daon-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 31. *For algorithm daon-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 32. *For algorithm daon-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 33. *For algorithm daon-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 34. *For algorithm daon-002 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 35. *For algorithm daon-002 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 36. *For algorithm dermalog-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 37. *For algorithm dermalog-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 38. *For algorithm dermalog-002 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 39. *For algorithm dermalog-002 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 40. *For algorithm dermalog-003 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 41. *For algorithm dermalog-003 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 42. *For algorithm facehawk-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 43. *For algorithm facehawk-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 44. *For algorithm hzailu-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 45. *For algorithm hzailu-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 46. *For algorithm idemia-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 47. *For algorithm idemia-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 48. *For algorithm idemia-002 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 49. *For algorithm idemia-002 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 50. *For algorithm idemia-003 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 51. *For algorithm idemia-003 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 52. *For algorithm inbut-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 53. *For algorithm inbut-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 54. *For algorithm incode-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 55. *For algorithm incode-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 56. *For algorithm incode-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 57. *For algorithm incode-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 58. *For algorithm incode-002 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 59. *For algorithm incode-002 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 60. *For algorithm innovatrics-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 61. *For algorithm innovatrics-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 62. *For algorithm innovatrics-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 63. *For algorithm innovatrics-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 64. *For algorithm innovatrics-002 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 65. *For algorithm innovatrics-002 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 66. *For algorithm innovatrics-003 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 67. *For algorithm innovatrics-003 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 68. *For algorithm innovatrics-004 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 69. *For algorithm innovatrics-004 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 70. *For algorithm intellicheck-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 71. *For algorithm intellicheck-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 72. *For algorithm ionetworks-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 73. *For algorithm ionetworks-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 74. *For algorithm jumio-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 75. *For algorithm jumio-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 76. *For algorithm neurotechnology-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 77. *For algorithm neurotechnology-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 78. *For algorithm neurotechnology-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 79. *For algorithm neurotechnology-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 80. *For algorithm neurotechnology-003 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 81. *For algorithm neurotechnology-003 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 82. *For algorithm nominder-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 83. *For algorithm nominder-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 84. *For algorithm nominder-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 85. *For algorithm nominder-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 86. *For algorithm ondato-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 87. *For algorithm ondato-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 88. *For algorithm ondato-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 89. *For algorithm ondato-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 90. *For algorithm onfido-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 91. *For algorithm onfido-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 92. *For algorithm paravision-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 93. *For algorithm paravision-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 94. *For algorithm paravision-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 95. *For algorithm paravision-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 96. *For algorithm privately-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 97. *For algorithm privately-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 98. *For algorithm regula-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 99. *For algorithm regula-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 100. *For algorithm rigrai-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 101. *For algorithm rigrai-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 102. *For algorithm roc-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 103. *For algorithm roc-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 104. *For algorithm roc-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 105. *For algorithm roc-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 106. *For algorithm roc-002 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 107. *For algorithm roc-002 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 108. *For algorithm roc-003 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 109. *For algorithm roc-003 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 110. *For algorithm shufti-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 111. *For algorithm shufti-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 112. *For algorithm shufti-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 113. *For algorithm shufti-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 114. *For algorithm tsight-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 115. *For algorithm tsight-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 116. *For algorithm unissey-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 117. *For algorithm unissey-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 118. *For algorithm viante-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 119. *For algorithm viante-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 120. *For algorithm yoti-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 121. *For algorithm yoti-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 122. *For algorithm yoti-002 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 123. *For algorithm yoti-002 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 124. *For algorithm yoti-003 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 125. *For algorithm yoti-003 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 126. *For algorithm yoti-004 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 127. *For algorithm yoti-004 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 128. *For algorithm yoti-005 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 129. *For algorithm yoti-005 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 130. *For algorithm youverse-000 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 131. *For algorithm youverse-000 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*




Fig. 132. *For algorithm youverse-001 applied to Application photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 133. *For algorithm youverse-001 applied to Border photos, the bar chart shows which demographic groups have the highest and lowest mean age estimation error, by age. Values closer to zero are better. Positive values are overestimate and negative values are underestimate.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

5.5. Children

Table 19. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		ayonix-001			**bynn-000**			**cognitec-000**			**cognitec-001**			**cvut-001**			**cvut-002**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.358	2.27	0	0.088	1.95	0.002	0.688	0.87	0	0.986	0.32	0	0.868	0.58	0	0.915	0.53	0
1	94475	0.315	2.11	0	0.416	1.46	0.000	0.598	0.98	0	0.943	0.45	0	0.610	0.95	0	0.767	0.78	0
2	82596	0.303	2.27	0	0.398	1.63	0.000	0.516	1.11	0	0.792	0.66	0	0.543	1.18	0	0.438	1.13	0
3	82473	0.298	2.28	0	0.327	1.95	0.000	0.484	1.19	0	0.667	0.83	0	0.499	1.41	0	0.595	1.16	0
4	84055	0.304	2.18	0	0.310	2.15	0.000	0.503	1.16	0	0.717	0.77	0	0.397	1.62	0	0.437	1.32	0
5	92521	0.310	2.10	0	0.294	2.25	0.000	0.523	1.14	0	0.755	0.74	0	0.335	1.71	0	0.474	1.45	0
6	91639	0.314	2.15	0	0.251	2.33	0.000	0.521	1.18	0	0.658	0.91	0	0.416	1.78	0	0.423	1.71	0
7	89993	0.347	2.24	0	0.242	2.25	0.000	0.478	1.30	0	0.541	1.14	0	0.382	2.01	0	0.259	2.14	0
8	89428	0.392	2.34	0	0.258	2.10	0.000	0.471	1.34	0	0.477	1.30	0	0.252	2.26	0	0.170	2.38	0
9	89644	0.343	2.58	0	0.270	1.87	0.000	0.480	1.35	0	0.459	1.36	0	0.300	2.36	0	0.215	2.43	0
10	98337	0.268	2.85	0	0.305	1.59	0.000	0.475	1.40	0	0.465	1.39	0	0.212	2.38	0	0.156	2.43	0
11	97415	0.233	3.13	0	0.412	1.33	0.000	0.439	1.53	0	0.474	1.44	0	0.233	2.41	0	0.207	2.48	0
12	94326	0.195	3.42	0	0.560	1.14	0.000	0.390	1.74	0	0.458	1.56	0	0.258	2.53	0	0.220	2.60	0
13	94047	0.173	3.68	0	0.589	1.17	0.000	0.331	2.01	0	0.402	1.77	0	0.202	2.86	0	0.172	2.75	0
14	96915	0.153	3.85	0	0.521	1.38	0.000	0.296	2.23	0	0.347	1.93	0	0.240	3.34	0	0.092	2.85	0
15	97599	0.142	3.90	0	0.457	1.72	0.000	0.280	2.38	0	0.323	2.06	0	0.209	3.94	0	0.293	2.99	0
16	96388	0.145	3.79	0	0.384	2.09	0.000	0.273	2.47	0	0.310	2.18	0	0.133	4.36	0	0.270	3.27	0
17	99462	0.161	3.55	0	0.270	2.49	0.000	0.268	2.48	0	0.299	2.29	0	0.139	4.53	0	0.176	3.46	0

Table 20. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		cvut-003			**cyberlink-000**			**cyberlink-001**			**daon-000**			**daon-001**			**daon-002**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.975	0.41	0.001	0.039	5.54	0	0.160	3.45	0	0.004	4.70	0	0.008	3.49	0	0.855	0.55	0
1	94475	0.788	0.70	0.001	0.086	4.36	0	0.181	2.80	0	0.070	3.94	0	0.047	2.94	0	0.387	1.27	0
2	82596	0.505	1.04	0.001	0.073	4.78	0	0.109	3.68	0	0.106	3.75	0	0.089	2.78	0	0.287	1.45	0
3	82473	0.585	1.08	0.001	0.096	5.08	0	0.079	4.22	0	0.113	3.53	0	0.149	2.52	0	0.340	1.40	0
4	84055	0.509	1.17	0.001	0.149	5.25	0	0.069	4.51	0	0.132	3.19	0	0.220	2.17	0	0.458	1.22	0
5	92521	0.510	1.29	0.001	0.154	5.53	0	0.066	4.67	0	0.165	2.85	0	0.289	1.88	0	0.546	1.12	0
6	91639	0.473	1.46	0.001	0.112	5.96	0	0.057	4.85	0	0.183	2.68	0	0.326	1.72	0	0.552	1.12	0
7	89993	0.335	1.78	0.001	0.071	6.54	0	0.043	5.10	0	0.166	2.69	0	0.333	1.62	0	0.495	1.15	0
8	89428	0.245	1.94	0.001	0.061	6.46	0	0.050	5.03	0	0.191	2.46	0	0.410	1.41	0	0.520	1.07	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 20. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample. (continued)*

		cvut-003			**cyberlink-000**			**cyberlink-001**			**daon-000**			**daon-001**			**daon-002**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
9	89644	0.302	1.92	0.001	0.037	6.18	0	0.056	4.87	0	0.239	2.25	0	0.505	1.25	0	0.645	0.89	0
10	98337	0.292	1.91	0.001	0.020	5.80	0	0.050	4.70	0	0.305	2.11	0	0.550	1.21	0	0.683	0.85	0
11	97415	0.309	2.02	0.001	0.016	5.42	0	0.041	4.54	0	0.361	2.21	0	0.509	1.41	0	0.604	1.00	0
12	94326	0.328	2.24	0.001	0.028	5.11	0	0.035	4.41	0	0.350	2.66	0	0.411	1.86	0	0.507	1.23	0
13	94047	0.260	2.65	0.001	0.022	4.95	0	0.030	4.38	0	0.273	3.48	0	0.276	2.65	0	0.418	1.54	0
14	96915	0.186	3.11	0.001	0.011	4.84	0	0.033	4.34	0	0.177	4.35	0	0.189	3.50	0	0.344	1.85	0
15	97599	0.254	3.60	0.001	0.021	4.78	0	0.037	4.29	0	0.108	5.01	0	0.136	4.20	0	0.293	2.12	0
16	96388	0.238	4.11	0.001	0.040	4.63	0	0.054	4.13	0	0.084	5.27	0	0.104	4.58	0	0.278	2.28	0
17	99462	0.145	4.50	0.001	0.064	4.43	0	0.077	3.89	0	0.078	5.26	0	0.091	4.69	0	0.289	2.31	0

Table 21. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		dermalog-001			**dermalog-002**			**dermalog-003**			**facehawk-001**			**hzailu-001**			**idemia-001**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.183	2.05	0.001	0.047	3.00	0.001	0.153	2.11	0	0.686	1.59	0.413	0.397	1.85	0	0.759	1.00	0
1	94475	0.298	1.84	0.000	0.085	2.97	0.000	0.222	1.96	0	0.473	2.02	0.212	0.294	2.17	0	0.437	1.35	0
2	82596	0.400	1.89	0.000	0.123	2.97	0.000	0.243	1.78	0	0.087	2.43	0.174	0.215	2.68	0	0.366	1.49	0
3	82473	0.395	2.12	0.000	0.175	2.80	0.000	0.270	1.45	0	0.067	2.55	0.187	0.183	3.08	0	0.419	1.35	0
4	84055	0.353	2.37	0.000	0.223	2.62	0.000	0.681	1.25	0	0.531	2.58	0.206	0.176	3.30	0	0.549	1.09	0
5	92521	0.266	2.64	0.000	0.268	2.49	0.000	0.515	1.59	0	0.458	2.98	0.222	0.174	3.42	0	0.639	0.94	0
6	91639	0.174	2.98	0.000	0.273	2.59	0.000	0.244	1.95	0	0.095	3.53	0.233	0.164	3.74	0	0.635	0.94	0
7	89993	0.108	3.34	0.000	0.243	2.91	0.000	0.278	1.94	0	0.059	3.51	0.235	0.126	4.36	0	0.556	1.06	0
8	89428	0.116	3.27	0.000	0.255	2.94	0.000	0.313	1.79	0	0.076	3.38	0.237	0.130	4.56	0	0.482	1.22	0
9	89644	0.123	3.10	0.000	0.280	2.96	0.000	0.357	1.58	0	0.589	3.06	0.224	0.138	4.77	0	0.430	1.36	0
10	98337	0.168	2.84	0.000	0.298	3.00	0.000	0.398	1.40	0	0.617	3.26	0.208	0.147	5.04	0	0.392	1.50	0
11	97415	0.233	2.65	0.000	0.292	3.09	0.000	0.577	1.36	0	0.078	4.15	0.193	0.144	5.59	0	0.377	1.61	0
12	94326	0.290	2.60	0.000	0.259	3.28	0.000	0.495	1.58	0	0.042	5.23	0.188	0.122	6.44	0	0.369	1.72	0
13	94047	0.324	2.87	0.000	0.209	3.66	0.000	0.294	1.95	0	0.033	6.37	0.197	0.088	7.61	0	0.354	1.87	0
14	96915	0.274	3.43	0.000	0.164	4.10	0.000	0.411	2.22	0	0.028	7.16	0.207	0.055	8.66	0	0.331	2.06	0
15	97599	0.208	4.06	0.000	0.128	4.45	0.000	0.297	2.61	0	0.028	7.72	0.213	0.034	9.38	0	0.302	2.28	0
16	96388	0.158	4.50	0.000	0.111	4.60	0.000	0.170	2.83	0	0.092	7.87	0.215	0.022	9.59	0	0.274	2.46	0
17	99462	0.122	4.69	0.000	0.113	4.58	0.000	0.239	2.76	0	0.167	7.70	0.221	0.017	9.45	0	0.263	2.52	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 22. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		idemia-002			**idemia-003**			**inbut-000**			**incode-000**			**incode-001**			**incode-002**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.572	1.27	0	0.894	0.58	0	0.974	0.38	0	0.983	0.34	0	0.983	0.32	0.001	0.980	0.44	0.001
1	94475	0.379	1.59	0	0.544	1.07	0	0.700	0.85	0	0.895	0.63	0	0.905	0.57	0.000	0.857	0.56	0.000
2	82596	0.289	1.83	0	0.418	1.29	0	0.381	1.41	0	0.614	0.92	0	0.735	0.77	0.000	0.703	0.80	0.000
3	82473	0.280	1.78	0	0.499	1.12	0	0.300	1.55	0	0.538	1.10	0	0.762	0.75	0.000	0.687	0.83	0.000
4	84055	0.359	1.56	0	0.678	0.83	0	0.353	1.45	0	0.492	1.24	0	0.720	0.83	0.000	0.697	0.81	0.000
5	92521	0.461	1.34	0	0.698	0.81	0	0.470	1.35	0	0.478	1.34	0	0.576	1.07	0.000	0.662	0.87	0.000
6	91639	0.526	1.23	0	0.566	1.02	0	0.487	1.41	0	0.489	1.36	0	0.497	1.27	0.000	0.634	0.91	0.000
7	89993	0.527	1.22	0	0.449	1.27	0	0.415	1.71	0	0.508	1.27	0	0.484	1.38	0.000	0.611	0.98	0.000
8	89428	0.477	1.30	0	0.406	1.43	0	0.342	2.13	0	0.449	1.42	0	0.413	1.77	0.000	0.570	1.10	0.000
9	89644	0.440	1.34	0	0.418	1.45	0	0.280	2.68	0	0.406	1.56	0	0.348	2.29	0.000	0.527	1.26	0.000
10	98337	0.455	1.33	0	0.455	1.36	0	0.225	3.54	0	0.373	1.71	0	0.296	2.84	0.000	0.478	1.50	0.000
11	97415	0.471	1.36	0	0.488	1.28	0	0.182	4.94	0	0.351	1.87	0	0.251	3.36	0.000	0.416	1.86	0.000
12	94326	0.462	1.46	0	0.516	1.23	0	0.129	6.83	0	0.399	2.03	0	0.218	3.73	0.000	0.381	2.26	0.000
13	94047	0.425	1.71	0	0.506	1.28	0	0.073	8.89	0	0.345	2.31	0	0.146	3.90	0.000	0.307	2.66	0.000
14	96915	0.358	2.07	0	0.473	1.37	0	0.032	10.41	0	0.220	2.58	0	0.068	3.81	0.000	0.184	2.95	0.000
15	97599	0.301	2.47	0	0.455	1.46	0	0.014	11.34	0	0.171	2.71	0	0.031	3.52	0.000	0.103	2.97	0.000
16	96388	0.255	2.80	0	0.447	1.56	0	0.011	11.74	0	0.207	2.73	0	0.019	3.18	0.000	0.081	2.78	0.000
17	99462	0.227	2.98	0	0.430	1.65	0	0.014	11.74	0	0.303	2.69	0	0.141	2.87	0.000	0.157	2.49	0.000

Table 23. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		innovatrics-000			**innovatrics-001**			**innovatrics-002**			**innovatrics-003**			**innovatrics-004**			**intellicheck-000**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.920	0.74	0	0.989	0.36	0	0.963	0.41	0	0.993	0.30	0	0.993	0.30	0	0.008	2.16	0
1	94475	0.713	0.79	0	0.823	0.61	0	0.759	0.74	0	0.858	0.58	0	0.858	0.58	0	0.236	1.62	0
2	82596	0.415	1.31	0	0.522	1.12	0	0.512	1.18	0	0.550	1.08	0	0.551	1.08	0	0.335	1.54	0
3	82473	0.324	1.48	0	0.382	1.34	0	0.345	1.48	0	0.390	1.33	0	0.390	1.33	0	0.389	1.53	0
4	84055	0.357	1.41	0	0.425	1.29	0	0.340	1.48	0	0.417	1.30	0	0.417	1.30	0	0.490	1.44	0
5	92521	0.451	1.32	0	0.501	1.24	0	0.420	1.41	0	0.497	1.25	0	0.497	1.25	0	0.531	1.48	0
6	91639	0.483	1.36	0	0.492	1.35	0	0.444	1.49	0	0.491	1.35	0	0.491	1.35	0	0.456	1.62	0
7	89993	0.404	1.62	0	0.402	1.64	0	0.360	1.77	0	0.391	1.60	0	0.391	1.60	0	0.350	1.73	0
8	89428	0.329	1.86	0	0.317	1.91	0	0.281	1.98	0	0.313	1.78	0	0.313	1.76	0	0.292	1.90	0
9	89644	0.290	2.03	0	0.276	2.09	0	0.252	2.05	0	0.286	1.79	0	0.287	1.74	0	0.339	1.93	0
10	98337	0.268	2.19	0	0.262	2.26	0	0.256	2.02	0	0.292	1.70	0	0.303	1.57	0	0.412	1.96	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 23. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample. (continued)*

		innovatrics-000			**innovatrics-001**			**innovatrics-002**			**innovatrics-003**			**innovatrics-004**			**intellicheck-000**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
11	97415	0.250	2.45	0	0.241	2.55	0	0.260	2.01	0	0.318	1.63	0	0.356	1.31	0	0.381	2.22	0
12	94326	0.210	2.79	0	0.189	2.93	0	0.235	1.99	0	0.358	1.71	0	0.593	0.98	0	0.266	2.63	0
13	94047	0.151	3.16	0	0.124	3.32	0	0.226	1.96	0	0.360	2.06	0	0.778	0.79	0	0.183	2.93	0
14	96915	0.102	3.42	0	0.077	3.56	0	0.321	1.91	0	0.247	2.53	0	0.648	1.12	0	0.141	2.96	0
15	97599	0.082	3.54	0	0.059	3.65	0	0.425	1.95	0	0.176	2.87	0	0.445	1.50	0	0.139	2.70	0
16	96388	0.084	3.55	0	0.067	3.59	0	0.445	2.10	0	0.170	3.00	0	0.380	1.80	0	0.211	2.28	0
17	99462	0.112	3.48	0	0.104	3.44	0	0.368	2.35	0	0.194	2.99	0	0.335	2.01	0	0.443	1.84	0

Table 24. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		ionetworks-000			**jumio-000**			**neuro-000**			**neuro-001**			**neuro-003**			**nominder-000**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.248	1.68	0	0.000	18.43	0.018	0.469	1.23	0	0.429	1.87	0	0.000	2.62	0	0.906	0.68	0
1	94475	0.146	1.82	0	0.000	15.25	0.009	0.582	1.11	0	0.508	1.82	0	0.000	2.02	0	0.644	1.07	0
2	82596	0.136	1.69	0	0.000	13.27	0.011	0.559	1.25	0	0.498	1.80	0	0.105	1.69	0	0.321	1.80	0
3	82473	0.346	1.37	0	0.001	10.99	0.011	0.467	1.50	0	0.425	1.95	0	0.302	1.46	0	0.221	1.90	0
4	84055	0.555	1.16	0	0.006	9.37	0.015	0.412	1.64	0	0.376	2.09	0	0.479	1.30	0	0.268	1.75	0
5	92521	0.526	1.34	0	0.020	8.06	0.021	0.389	1.76	0	0.352	2.22	0	0.508	1.35	0	0.496	1.74	0
6	91639	0.405	1.69	0	0.044	7.29	0.028	0.365	1.96	0	0.325	2.49	0	0.433	1.57	0	0.408	2.12	0
7	89993	0.309	2.06	0	0.077	6.84	0.038	0.329	2.39	0	0.293	3.00	0	0.341	1.81	0	0.202	2.69	0
8	89428	0.293	2.17	0	0.095	6.83	0.032	0.302	2.83	0	0.269	3.42	0	0.279	1.97	0	0.149	2.91	0
9	89644	0.311	2.14	0	0.100	7.00	0.028	0.261	3.25	0	0.232	3.79	0	0.276	2.03	0	0.128	2.94	0
10	98337	0.321	2.09	0	0.085	7.10	0.030	0.206	3.68	0	0.183	4.15	0	0.302	2.15	0	0.117	2.91	0
11	97415	0.286	2.16	0	0.063	7.04	0.032	0.165	4.16	0	0.142	4.56	0	0.316	2.46	0	0.122	2.84	0
12	94326	0.226	2.41	0	0.043	6.68	0.038	0.122	4.68	0	0.105	4.99	0	0.261	3.04	0	0.137	2.78	0
13	94047	0.205	2.77	0	0.032	6.13	0.041	0.084	5.17	0	0.071	5.37	0	0.168	3.77	0	0.182	2.82	0
14	96915	0.182	3.15	0	0.024	5.62	0.041	0.051	5.34	0	0.044	5.46	0	0.097	4.33	0	0.233	2.91	0
15	97599	0.150	3.48	0	0.022	5.24	0.039	0.035	5.29	0	0.030	5.36	0	0.059	4.74	0	0.236	3.11	0
16	96388	0.137	3.68	0	0.026	4.94	0.035	0.035	4.96	0	0.031	5.01	0	0.048	4.92	0	0.217	3.28	0
17	99462	0.138	3.72	0	0.072	4.62	0.033	0.047	4.46	0	0.043	4.50	0	0.059	4.94	0	0.207	3.36	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 25. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		nominder-001			**ondato-000**			**ondato-001**			**onfido-000**			**paravision-000**			**paravision-001**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.915	0.66	0	0.328	2.29	0	0.281	1.66	0	0.000	11.77	0	0.590	1.11	0	0.317	1.60	0
1	94475	0.661	1.04	0	0.439	1.68	0	0.275	1.76	0	0.000	8.29	0	0.215	2.14	0	0.181	2.37	0
2	82596	0.294	1.87	0	0.340	2.13	0	0.193	2.04	0	0.000	7.40	0	0.070	2.71	0	0.114	2.64	0
3	82473	0.195	1.89	0	0.281	2.52	0	0.216	2.18	0	0.002	6.64	0	0.042	2.55	0	0.112	2.39	0
4	84055	0.272	1.57	0	0.251	2.77	0	0.272	2.22	0	0.008	6.09	0	0.085	2.03	0	0.184	1.93	0
5	92521	0.616	1.38	0	0.234	2.94	0	0.279	2.34	0	0.019	5.63	0	0.294	1.47	0	0.356	1.48	0
6	91639	0.533	1.65	0	0.198	3.25	0	0.245	2.53	0	0.030	5.15	0	0.642	0.91	0	0.576	1.06	0
7	89993	0.294	2.08	0	0.157	3.65	0	0.204	2.82	0	0.046	4.55	0	0.804	0.64	0	0.668	0.88	0
8	89428	0.248	2.46	0	0.138	3.88	0	0.192	3.01	0	0.045	4.34	0	0.698	0.79	0	0.584	1.00	0
9	89644	0.220	2.72	0	0.126	4.00	0	0.193	3.14	0	0.043	4.18	0	0.567	0.97	0	0.555	1.08	0
10	98337	0.195	2.96	0	0.119	3.99	0	0.190	3.23	0	0.051	3.98	0	0.506	1.11	0	0.554	1.21	0
11	97415	0.180	3.22	0	0.110	3.97	0	0.170	3.40	0	0.072	3.76	0	0.488	1.23	0	0.466	1.52	0
12	94326	0.164	3.54	0	0.096	3.85	0	0.140	3.55	0	0.098	3.53	0	0.438	1.33	0	0.308	1.91	0
13	94047	0.145	3.92	0	0.082	3.70	0	0.108	3.63	0	0.105	3.31	0	0.447	1.36	0	0.254	2.16	0
14	96915	0.114	4.17	0	0.085	3.50	0	0.089	3.60	0	0.101	3.10	0	0.394	1.47	0	0.327	2.12	0
15	97599	0.079	4.31	0	0.118	3.36	0	0.096	3.52	0	0.124	2.95	0	0.157	1.87	0	0.375	2.02	0
16	96388	0.066	4.28	0	0.173	3.25	0	0.120	3.44	0	0.193	2.86	0	0.019	2.53	0	0.397	2.05	0
17	99462	0.084	4.12	0	0.217	3.16	0	0.160	3.32	0	0.261	2.81	0	0.002	3.31	0	0.361	2.19	0

Table 26. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		privately-000			**regula-000**			**rigrai-000**			**roc-000**			**roc-001**			**roc-002**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.352	1.40	0	0.413	1.28	0	0.957	0.51	0	0.270	2.28	0	0.000	7.75	0	0.859	0.61	0
1	94475	0.497	1.30	0	0.934	0.46	0	0.874	0.52	0	0.326	1.80	0	0.000	7.52	0	0.872	0.56	0
2	82596	0.421	1.81	0	0.862	0.56	0	0.583	0.92	0	0.335	1.78	0	0.000	7.17	0	0.780	0.69	0
3	82473	0.265	2.25	0	0.796	0.66	0	0.675	0.86	0	0.342	1.75	0	0.000	6.87	0	0.696	0.83	0
4	84055	0.155	2.28	0	0.776	0.68	0	0.733	0.79	0	0.370	1.64	0	0.001	6.58	0	0.649	0.91	0
5	92521	0.183	2.05	0	0.737	0.74	0	0.647	0.92	0	0.396	1.59	0	0.001	6.32	0	0.610	1.00	0
6	91639	0.319	1.74	0	0.670	0.85	0	0.573	1.02	0	0.412	1.60	0	0.001	5.92	0	0.577	1.08	0
7	89993	0.449	1.52	0	0.622	0.91	0	0.609	0.96	0	0.416	1.66	0	0.002	5.22	0	0.563	1.10	0
8	89428	0.483	1.48	0	0.593	0.97	0	0.598	0.97	0	0.375	1.88	0	0.002	5.04	0	0.507	1.22	0
9	89644	0.486	1.52	0	0.595	1.00	0	0.639	0.93	0	0.312	2.19	0	0.002	4.81	0	0.477	1.30	0
10	98337	0.452	1.64	0	0.575	1.06	0	0.613	0.99	0	0.243	2.64	0	0.003	4.59	0	0.439	1.43	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 26. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample. (continued)*

		privately-000			**regula-000**			**rigrai-000**			**roc-000**			**roc-001**			**roc-002**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
11	97415	0.394	1.84	0	0.514	1.23	0	0.477	1.20	0	0.185	3.18	0	0.004	4.39	0	0.394	1.60	0
12	94326	0.369	2.00	0	0.437	1.46	0	0.402	1.37	0	0.124	3.76	0	0.005	4.18	0	0.340	1.78	0
13	94047	0.380	2.18	0	0.370	1.73	0	0.412	1.41	0	0.072	4.18	0	0.007	4.00	0	0.279	1.92	0
14	96915	0.368	2.41	0	0.314	1.98	0	0.494	1.35	0	0.037	4.20	0	0.009	3.81	0	0.256	1.93	0
15	97599	0.272	2.76	0	0.291	2.13	0	0.566	1.40	0	0.019	4.00	0	0.016	3.63	0	0.290	1.82	0
16	96388	0.194	3.05	0	0.289	2.21	0	0.472	1.68	0	0.023	3.65	0	0.044	3.47	0	0.386	1.65	0
17	99462	0.180	3.16	0	0.323	2.20	0	0.290	2.10	0	0.104	3.29	0	0.129	3.35	0	0.478	1.53	0

Table 27. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		roc-003			**shufti-000**			**shufti-001**			**tsight-000**			**unissey-001**			**viante-000**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.770	0.73	0	0.013	3.01	0.001	0.000	22.22	0	0.468	1.30	0	0.962	0.60	0	0.687	0.82	0
1	94475	0.837	0.62	0	0.014	3.06	0.000	0.000	18.54	0	0.372	1.48	0	0.229	1.31	0	0.461	1.16	0
2	82596	0.771	0.71	0	0.019	3.17	0.000	0.000	16.70	0	0.248	1.80	0	0.414	1.32	0	0.445	1.38	0
3	82473	0.727	0.79	0	0.044	3.11	0.000	0.000	15.18	0	0.208	1.88	0	0.577	1.24	0	0.248	1.66	0
4	84055	0.689	0.85	0	0.109	2.88	0.000	0.000	13.87	0	0.266	1.75	0	0.477	1.36	0	0.247	1.65	0
5	92521	0.641	0.94	0	0.218	2.60	0.000	0.000	12.64	0	0.343	1.64	0	0.502	1.60	0	0.352	1.68	0
6	91639	0.602	1.00	0	0.331	2.49	0.000	0.000	11.26	0	0.370	1.65	0	0.332	2.02	0	0.365	1.93	0
7	89993	0.589	1.00	0	0.343	2.61	0.000	0.000	9.55	0	0.362	1.79	0	0.214	2.49	0	0.252	2.43	0
8	89428	0.578	1.02	0	0.323	2.76	0.000	0.000	8.34	0	0.357	1.95	0	0.251	2.71	0	0.161	2.57	0
9	89644	0.598	0.99	0	0.270	2.94	0.000	0.000	7.27	0	0.341	2.15	0	0.226	2.81	0	0.106	2.35	0
10	98337	0.586	1.03	0	0.217	3.04	0.000	0.000	6.27	0	0.302	2.49	0	0.162	2.80	0	0.083	1.97	0
11	97415	0.538	1.17	0	0.166	3.19	0.000	0.000	5.41	0	0.243	2.99	0	0.107	2.79	0	0.266	1.62	0
12	94326	0.460	1.40	0	0.127	3.26	0.000	0.001	4.70	0	0.170	3.69	0	0.261	2.81	0	0.453	1.70	0
13	94047	0.374	1.67	0	0.105	3.28	0.000	0.021	4.21	0	0.104	4.54	0	0.198	3.07	0	0.493	2.57	0
14	96915	0.315	1.86	0	0.114	3.22	0.000	0.051	3.85	0	0.054	5.19	0	0.222	3.36	0	0.294	3.99	0
15	97599	0.301	1.94	0	0.115	3.11	0.000	0.063	3.63	0	0.027	5.51	0	0.200	3.67	0	0.164	5.38	0
16	96388	0.319	1.94	0	0.165	3.00	0.000	0.130	3.46	0	0.017	5.48	0	0.152	3.86	0	0.100	6.19	0
17	99462	0.345	1.91	0	0.283	2.85	0.000	0.192	3.33	0	0.015	5.23	0	0.166	3.85	0	0.052	6.54	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 28. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		yoti-001			**yoti-002**			**yoti-003**			**yoti-004**			**yoti-005**			**youverse-000**		
Age	Num. Images	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP	Acc(1)	MAE	FTP
0	133387	0.418	1.39	0.012	0.690	1.11	0	0.859	1.42	0	0.812	1.14	0	0.845	1.01	0	0.211	3.31	0.026
1	94475	0.396	1.46	0.005	0.759	0.96	0	0.729	1.27	0	0.633	1.09	0	0.633	1.07	0	0.131	3.88	0.006
2	82596	0.303	1.73	0.004	0.509	1.26	0	0.473	1.45	0	0.488	1.23	0	0.446	1.32	0	0.085	4.64	0.003
3	82473	0.249	1.82	0.003	0.392	1.45	0	0.345	1.56	0	0.445	1.28	0	0.363	1.46	0	0.063	5.04	0.003
4	84055	0.289	1.67	0.003	0.382	1.41	0	0.372	1.42	0	0.493	1.18	0	0.386	1.39	0	0.054	5.31	0.002
5	92521	0.367	1.51	0.002	0.477	1.28	0	0.495	1.22	0	0.566	1.08	0	0.463	1.26	0	0.050	5.47	0.002
6	91639	0.475	1.34	0.002	0.545	1.22	0	0.577	1.14	0	0.584	1.09	0	0.521	1.21	0	0.041	5.75	0.001
7	89993	0.529	1.30	0.001	0.520	1.34	0	0.546	1.28	0	0.522	1.26	0	0.494	1.33	0	0.030	6.18	0.001
8	89428	0.490	1.42	0.000	0.463	1.47	0	0.480	1.44	0	0.458	1.41	0	0.450	1.44	0	0.024	6.27	0.001
9	89644	0.447	1.55	0.000	0.437	1.49	0	0.429	1.55	0	0.420	1.49	0	0.414	1.50	0	0.022	6.13	0.000
10	98337	0.415	1.68	0.000	0.442	1.49	0	0.377	1.65	0	0.402	1.56	0	0.403	1.53	0	0.021	5.86	0.000
11	97415	0.391	1.80	0.000	0.450	1.49	0	0.333	1.73	0	0.385	1.65	0	0.401	1.59	0	0.017	5.53	0.000
12	94326	0.340	1.97	0.000	0.434	1.56	0	0.322	1.78	0	0.351	1.77	0	0.379	1.70	0	0.012	5.13	0.000
13	94047	0.298	2.17	0.000	0.386	1.69	0	0.359	1.77	0	0.331	1.90	0	0.357	1.82	0	0.011	4.69	0.000
14	96915	0.299	2.35	0.000	0.349	1.82	0	0.401	1.76	0	0.335	1.99	0	0.350	1.91	0	0.013	4.32	0.000
15	97599	0.294	2.61	0.000	0.359	1.94	0	0.422	1.85	0	0.347	2.11	0	0.358	2.01	0	0.034	3.99	0.000
16	96388	0.292	2.85	0.000	0.389	2.06	0	0.415	2.02	0	0.334	2.27	0	0.351	2.14	0	0.114	3.67	0.000
17	99462	0.287	3.06	0.000	0.382	2.22	0	0.377	2.23	0	0.308	2.39	0	0.340	2.24	0	0.207	3.39	0.000

Table 29. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample.*

		youverse-001		
Age	Num. Images	Acc(1)	MAE	FTP
0	133387	0.000	3.52	0
1	94475	0.002	3.58	0
2	82596	0.005	3.85	0
3	82473	0.007	3.99	0
4	84055	0.016	3.96	0
5	92521	0.041	3.88	0
6	91639	0.059	3.82	0
7	89993	0.052	3.77	0
8	89428	0.036	3.68	0
9	89644	0.032	3.48	0
10	98337	0.048	3.26	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 29. *AE error statistics in children age 0 to 17. Acc(1) is the proportion of age estimates within 1 years (higher value is better), MAE is mean absolute error (lower value is better), and FTP is the proportion of images the algorithm failed to process (lower is better). Dataset is the Mexican visa sample. (continued)*

		youverse-001		
Age	Num. Images	Acc(1)	MAE	FTP
11	97415	0.068	3.06	0
12	94326	0.075	2.88	0
13	94047	0.081	2.76	0
14	96915	0.122	2.68	0
15	97599	0.198	2.73	0
16	96388	0.239	2.78	0
17	99462	0.249	2.77	0

Table 29 shows MAE and two other performance statistics for a large dataset of *Visa* images of children. The most accurate algorithm, Incode-000, is markedly more accurate than others on babies and infants. It estimates the age of children less than 1 year old with MAE 0.34, i.e. about four months. This rises almost monotonically through 17 years. All other algorithms exhibit a similar trend.

5.6. Image Quality


Clearly age estimation accuracy will depend on the quality of the images. If the image is out of focus, or underexposed, or has some other properties that sufficiently depart from standardized portrait format, then either the age estimation algorithms will elect to not process the image, or it will emit a degraded age estimate.

We do not have the resources to conduct an exhaustive exploration of the effect of quality variables (resolution, exposure, blur, etc.) on AE error. Instead, we note that *Border* images give generally degraded age estimation metrics, relative to *Application* images. As described in section 3, the *Border* images are collected under time constraints using inexpensive webcams, with mild departures from frontal head orientation.


Given collection condition 1 (*Border*), person i of age a_{i1} and estimated age e_{i1} the age estimation error is $\varepsilon_{i1} = e_{i1} - a_{i1}$. Likewise for the second (*Application*) photo of the same person $\varepsilon_{i2} = e_{i2} - a_{i2}$. We use only those people aged 14 to 36, for which the photos are collected within two years of each other $|a_{i1} - a_{i2}| \leq 2$. Figure 134 shows the distribution of the change in age estimation error between two collection conditions, $\varepsilon_{i1} - \varepsilon_{i2}$. Positive values indicate larger error in *Border* images. Pairwise analysis gives more powerful insight than simply comparing the two error distributions. The figure breaks out this change by sex and region-of-birth. The figure includes two summary statistics: First is median change in error, D; second is the proportion of images with a decrease in error, F. For example, for dermalog-001 operating on E. African women, 24% of persons have a better age estimate using *Border* images than *Application* images, but the median change in error is 3.9 years.

The ideal form of this plot is for the violins to be wide and not tall, showing little change in AE error between imaging conditions. Neurotechnology-000, roc-000 and yoti-001 give generally smaller changes in error. We note most algorithms give worse age estimates on *Border* images, with the exception of unissey-001 which has generally lower error.


This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 134. *Distribution of the pairwise age estimation error difference for Border and Application images. Positive values indicate larger error on Border images.*


5.6.1. Effect of Eyeglasses

Figure 135 shows age estimation error results for subjects photographed with and without glasses. The photographs are a subset of the border images described in section 3.4. The population consists of 9181 subjects for whom we have paired photos - one with glasses and one without taken within three months years of each other. There are 16677 pairs. All subjects are between 14 and 36 years old.


Ground truth for presence of eyeglasses is established automatically using a Specific Image Defect Detection (SIDD) algorithm to determine the presence of glasses, setting a threshold of 0.5 on the quality component. The SIDD algorithm is chosen based on both accuracy and speed. More information regarding SIDD algorithms' performance can be found in the FATE SIDD report which is a regularly updated verion of NIST Interagency Report 8485.


Error bars are computed by bootstrapping the calculation of mean error 1000 times and taking the interval that gives 95% coverage of the mean. Note that the error bars are not a measure of the deviation of the actual error values.


The figure shows that dermalog_001 and incode_000 overestimate age of both men and women more with glasses than without. Yoti_001 does the same but only in women. The roc_000 algorithm overestimates age of both sexes without glasses more than with glasses. In contrast, neurotechnology_000 and unissey_001 have large mean age estimate error for underestimate the age of subjects wearing glasses.




This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525









This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525







This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525






Fig. 135. *Mean raw age estimation error for border crossing subjects for whom we have images with and without eyeglasses.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525


In Figure 136, the difference-in-error with and without glasses is calculated for the same images as in the previous plot, pairwise by subject. The error bars are computed by calculating mean difference-in-error 1000 times and taking the interval that gives 95% coverage of the mean. The results are consistent with those in the previous figure.




This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525





This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525





Fig. 136. *Difference in age estimation error for border crossing subjects with and without eyeglasses.*

5.7. Age Estimation given a prior image of known age

The API includes two age estimation functions: The first returns a continuous-valued age estimate from a single image; the second returns an age estimate also but is additionallly provided with a prior image and a known age for that image.

Figure 137 shows MAE computed over a subset of the Application image dataset. This subset consists of 209,450 images of individuals aged between 15 and 50. Each query image is paired with a prior image of the same person and their known age, and then processed through both age estimation function calls. Accuracy gains are evident when the points fall below the $y = x$ line e.g. for algoritms from Dermalog, Innovatrics, Jumio, Neurotechnology and Yoti. Most other algorithms give identical age estimates - which would be consistent with ignoring the known-age photo.

While this analysis serves as an existence proof that some implementations can produce better accuracy given a prior photo and age, this result is academic because most operational use-cases proceed without storage or presentation of prior images and known ages. There are instances where it could be meaningful. For example, if Alice submits a photo for a passport at time T, then re-submits a photo at time T + 10 years for passport renewal, then an age estimation algoritm could be used to check the new photo has age around 10 years larger than the old one. This would be effective at preventing people from "recycling" old photos.



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 137. *In this figure, some algorithms show an improved MAE when given a prior image of known age to the second age estimate function. The x-axis represents the MAE for the first age estimation function, which returns the age estimate of a single image. In contrast, the y-axis represents the MAE for the second age estimation function, which returns the age estimate of an image when both the prior image and the known age of the same individuali were provided.*

6. References

[1] S.2326 - children's online privacy protection act of 1998. https://www.congress.gov/bill/105th-congress/senate-bill/2326/text.

[2] Arkansas age verification bill (ar sb 296). https://www.arkleg.state.ar.us/Bills/Detail?id=SB396&ddBienniumSession=2023%2F2023R.

[3] Mississippi age verification bill (ms sb 2346). https://billstatus.ls.state.ms.us/2023/pdf/history/SB/SB2346.xml.

[4] Montana age verification bill (mt sb 544). https://laws.leg.mt.gov/legprd/LAW0210W%24BSIV.ActionQuery?P_BILL_NO1=544&P_BLTP_BILL_TYP_CD=SB&Z_ACTION=Find&P_SESS=20231.

[5] Louisiana age verification bill (la hb 77). https://legis.la.gov/legis/BillInfo.aspx?i=243916.

[6] Utah age verification bill (ut sb 152). https://le.utah.gov/~2023/bills/static/SB0152.html.

[7] Virginia age verification bill (va sb 1515). https://lis.virginia.gov/cgi-bin/legp604.exe?231+sum+SB1515.

[8] Texas age verification bill (tx hb 1181). https://capitol.texas.gov/BillLookup/History.aspx?LegSess=88R&Bill=HB1181.

[9] IEEE (2021) Age appropriate digital services framework based on the 5rights principles for children (IEEE Standards Association), IEEE Std 2089-2021 Available at https://standards.ieee.org/ieee/2089/7633/.

[10] Ngan M, Grother P (2014) Face recognition vendor test (frvt) performance of automated age estimation algorithms (NIST), NIST-IR 7995 Available at https://doi.org/10.6028/NIST.IR.7995.

[11] Wing B, McCabe RM (2015) Special pub. 500-271: Data format for the interchange of fingerprint, facial, and other biometric information part 1. (NIST), ANSI/NIST ITL 1-2015 Available at http://fingerprint.nist.gov/standard.

[12] Hanaoka K, Grother P, Ngan M (2023) Age estimation and verification (aev) application programming interface (api) v1. https://pages.nist.gov/frvt/api/https://pages.nist.gov/frvt/api/FATE_AgeEstimation_API_v1.pdf.

[13] Fitzpatrick TB (1988) The Validity and Practicality of Sun-Reactive Skin Types I Through VI. *Archives of Dermatology* 124(6):869–871. https://doi.org/10.1001/archderm.1988.01670060015008. https://jamanetwork.com/journals/jamadermatology/articlepdf/549509/archderm_124_6_008.pdf Available at https://doi.org/10.1001/archderm.1988.01670060015008

[14] Howard JJ, Sirotin YB, Tipton JL, Vemury AR (2021) Reliability and validity of image-based and self-reported skin phenotype metrics. *IEEE Transactions on Biometrics, Behavior, and Identity Science* 3(4):550–560. https://doi.org/10.1109/TBIOM.2021.3123550

[15] Groh M, Harris C, Daneshjou R, Badri O, Koochek A (2022) Towards transparency in dermatology image datasets with skin tone annotations by experts, crowds, and an algorithm. *Proc ACM Hum-Comput Interact* 6(CSCW2). https://doi.org/10.1145/3555634. Available at https://doi.org/10.1145/3555634

[16] Ware O, Dawson J, Shinohara M, Taylor S (2020) Racial limitations of Fitzpatrick skin type. *Cutis* 105:77–80.

[17] Howard JJ, Sirotin YB, Tipton JL, Vemury AR (2020) Revisiting the Fitzpatrick scale and face photo-based estimates of skin phenotypes. *Proc. International Face Performance Conference* (NIST). Available at https://mdtf.org/publications/arXiv2021-FALMs.pdf.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Appendix A. Detailed Algorithm Results

Appendix A.1. Age Estimation Performance by Age

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 30. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		ayonix-001			**bynn-000**			**cognitec-000**			**cognitec-001**			**cvut-001**			**cvut-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	0.74	2.27	0	0.91	1.95	0.002	0.99	0.87	0	1.00	0.32	0	1.00	0.58	0	1.00	0.53	0
1	94475	0.76	2.11	0	0.94	1.46	0.000	0.99	0.98	0	1.00	0.45	0	0.99	0.95	0	1.00	0.78	0
2	82596	0.72	2.27	0	0.88	1.63	0.000	0.98	1.11	0	1.00	0.66	0	0.95	1.18	0	0.98	1.13	0
3	82473	0.71	2.28	0	0.81	1.95	0.000	0.97	1.19	0	1.00	0.83	0	0.87	1.41	0	0.96	1.16	0
4	84055	0.75	2.18	0	0.74	2.15	0.000	0.97	1.16	0	0.99	0.77	0	0.88	1.62	0	0.93	1.32	0
5	92521	0.80	2.10	0	0.71	2.25	0.000	0.97	1.14	0	0.99	0.74	0	0.86	1.71	0	0.89	1.45	0
6	91639	0.81	2.15	0	0.70	2.33	0.000	0.96	1.18	0	0.98	0.91	0	0.79	1.78	0	0.80	1.71	0
7	89993	0.79	2.24	0	0.69	2.25	0.000	0.93	1.30	0	0.96	1.14	0	0.80	2.01	0	0.77	2.14	0
8	89428	0.77	2.34	0	0.73	2.10	0.000	0.92	1.34	0	0.94	1.30	0	0.67	2.26	0	0.65	2.38	0
9	89644	0.73	2.58	0	0.84	1.87	0.000	0.92	1.35	0	0.92	1.36	0	0.70	2.36	0	0.70	2.43	0
10	98337	0.69	2.85	0	0.93	1.59	0.000	0.90	1.40	0	0.91	1.39	0	0.71	2.38	0	0.72	2.43	0
11	97415	0.64	3.13	0	0.95	1.33	0.000	0.88	1.53	0	0.89	1.44	0	0.69	2.41	0	0.68	2.48	0
12	94326	0.57	3.42	0	0.95	1.14	0.000	0.84	1.74	0	0.86	1.56	0	0.72	2.53	0	0.55	2.60	0
13	94047	0.50	3.68	0	0.94	1.17	0.000	0.78	2.01	0	0.81	1.77	0	0.69	2.86	0	0.72	2.75	0
14	96915	0.45	3.85	0	0.91	1.38	0.000	0.73	2.23	0	0.79	1.93	0	0.56	3.34	0	0.67	2.85	0
15	97599	0.43	3.90	0	0.86	1.72	0.000	0.70	2.38	0	0.77	2.06	0	0.49	3.94	0	0.58	2.99	0
16	96388	0.44	3.79	0	0.79	2.09	0.000	0.67	2.47	0	0.75	2.18	0	0.40	4.36	0	0.50	3.27	0
17	99462	0.51	3.55	0	0.71	2.49	0.000	0.67	2.48	0	0.72	2.29	0	0.38	4.53	0	0.46	3.46	0
18	98765	0.53	3.44	0	0.60	2.98	0.000	0.68	2.48	0	0.68	2.49	0	0.39	4.61	0	0.45	3.59	0
19	105717	0.56	3.27	0	0.51	3.31	0.000	0.68	2.48	0	0.65	2.66	0	0.40	4.60	0	0.47	3.54	0
20	118643	0.60	3.05	0	0.47	3.47	0.000	0.68	2.49	0	0.63	2.77	0	0.40	4.52	0	0.49	3.43	0
21	124060	0.62	2.96	0	0.46	3.60	0.000	0.68	2.50	0	0.61	2.86	0	0.42	4.47	0	0.57	3.31	0
22	128864	0.63	2.93	0	0.48	3.67	0.000	0.67	2.55	0	0.59	2.93	0	0.45	4.43	0	0.58	3.25	0
23	133507	0.61	2.97	0	0.48	3.79	0.000	0.65	2.63	0	0.58	2.99	0	0.43	4.41	0	0.55	3.25	0
24	138094	0.59	3.03	0	0.48	3.89	0.000	0.64	2.73	0	0.57	3.03	0	0.42	4.38	0	0.54	3.29	0
25	139920	0.57	3.15	0	0.47	4.02	0.000	0.61	2.86	0	0.56	3.07	0	0.40	4.38	0	0.54	3.43	0
26	141741	0.55	3.28	0	0.45	4.13	0.000	0.58	2.96	0	0.56	3.06	0	0.41	4.40	0	0.54	3.52	0
27	138491	0.50	3.46	0	0.43	4.28	0.000	0.56	3.08	0	0.56	3.06	0	0.44	4.38	0	0.51	3.57	0
28	133633	0.48	3.61	0	0.40	4.42	0.000	0.54	3.16	0	0.57	3.06	0	0.46	4.32	0	0.48	3.63	0
29	129054	0.47	3.77	0	0.39	4.54	0.000	0.53	3.22	0	0.57	3.06	0	0.45	4.28	0	0.48	3.71	0
30	123437	0.45	3.87	0	0.38	4.62	0.000	0.53	3.25	0	0.58	3.06	0	0.41	4.25	0	0.46	3.78	0
31	118174	0.45	3.93	0	0.38	4.65	0.000	0.53	3.26	0	0.58	3.07	0	0.43	4.22	0	0.44	3.80	0
32	113131	0.44	3.99	0	0.38	4.68	0.000	0.53	3.26	0	0.57	3.11	0	0.48	4.20	0	0.45	3.81	0
33	109146	0.46	4.04	0	0.38	4.71	0.000	0.54	3.23	0	0.56	3.16	0	0.54	4.10	0	0.45	3.76	0
34	105908	0.46	4.05	0	0.38	4.66	0.000	0.55	3.21	0	0.55	3.26	0	0.51	3.97	0	0.48	3.69	0
35	103149	0.46	4.08	0	0.39	4.61	0.000	0.56	3.13	0	0.53	3.31	0	0.49	3.84	0	0.48	3.60	0
36	99901	0.46	4.09	0	0.40	4.53	0.000	0.56	3.10	0	0.52	3.35	0	0.55	3.90	0	0.52	3.53	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 30. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		ayonix-001			**bynn-000**			**cognitec-000**			**cognitec-001**			**cvut-001**			**cvut-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
37	97516	0.48	4.09	0	0.40	4.47	0.000	0.58	3.05	0	0.52	3.37	0	0.57	4.01	0	0.53	3.45	0
38	93939	0.47	4.13	0	0.40	4.40	0.000	0.58	3.03	0	0.51	3.39	0	0.49	4.09	0	0.52	3.41	0
39	91461	0.46	4.14	0	0.42	4.31	0.000	0.59	2.98	0	0.51	3.37	0	0.44	4.10	0	0.54	3.34	0
40	94056	0.45	4.24	0	0.43	4.24	0.000	0.58	2.98	0	0.51	3.38	0	0.47	4.14	0	0.54	3.33	0
41	90173	0.44	4.38	0	0.45	4.11	0.000	0.59	2.96	0	0.52	3.34	0	0.49	4.27	0	0.55	3.29	0
42	86423	0.41	4.57	0	0.47	4.00	0.000	0.59	2.97	0	0.53	3.32	0	0.46	4.30	0	0.53	3.24	0
43	83252	0.34	4.76	0	0.49	3.93	0.000	0.59	2.98	0	0.54	3.28	0	0.43	4.37	0	0.54	3.24	0
44	80602	0.33	4.94	0	0.49	3.92	0.000	0.59	2.99	0	0.55	3.26	0	0.45	4.47	0	0.55	3.21	0
45	77502	0.32	5.09	0	0.49	3.89	0.000	0.58	3.01	0	0.55	3.26	0	0.42	4.44	0	0.55	3.19	0
46	74182	0.31	5.24	0	0.48	3.91	0.000	0.58	3.02	0	0.56	3.25	0	0.44	4.50	0	0.55	3.15	0
47	70698	0.29	5.37	0	0.47	3.93	0.000	0.57	3.02	0	0.56	3.29	0	0.50	4.47	0	0.58	3.10	0
48	67856	0.28	5.50	0	0.46	3.95	0.000	0.57	3.02	0	0.55	3.33	0	0.50	4.46	0	0.58	3.06	0
49	65674	0.28	5.62	0	0.45	3.99	0.000	0.58	3.04	0	0.54	3.40	0	0.50	4.47	0	0.59	3.06	0
50	64896	0.29	5.61	0	0.45	3.99	0.000	0.58	3.03	0	0.52	3.49	0	0.49	4.58	0	0.58	3.06	0
51	63410	0.29	5.64	0	0.45	4.01	0.000	0.58	3.04	0	0.51	3.58	0	0.49	4.84	0	0.57	3.14	0
52	60991	0.31	5.66	0	0.45	4.05	0.000	0.57	3.07	0	0.49	3.69	0	0.41	5.12	0	0.56	3.23	0
53	59550	0.33	5.68	0	0.45	4.05	0.000	0.57	3.08	0	0.48	3.72	0	0.31	5.42	0	0.52	3.34	0
54	56895	0.34	5.64	0	0.45	4.09	0.000	0.57	3.09	0	0.47	3.77	0	0.29	5.54	0	0.52	3.42	0
55	55297	0.34	5.69	0	0.45	4.08	0.000	0.56	3.14	0	0.46	3.78	0	0.27	5.87	0	0.50	3.49	0
56	52574	0.34	5.68	0	0.45	4.09	0.000	0.56	3.16	0	0.46	3.77	0	0.30	6.09	0	0.51	3.55	0
57	49823	0.35	5.72	0	0.45	4.14	0.000	0.55	3.22	0	0.47	3.76	0	0.28	6.31	0	0.49	3.64	0
58	48570	0.34	5.79	0	0.44	4.17	0.000	0.54	3.29	0	0.48	3.74	0	0.25	6.42	0	0.48	3.75	0
59	46040	0.33	5.86	0	0.43	4.21	0.000	0.52	3.37	0	0.49	3.71	0	0.27	6.70	0	0.47	3.88	0
60	46037	0.32	5.94	0	0.43	4.25	0.000	0.51	3.45	0	0.50	3.68	0	0.28	6.88	0	0.44	4.01	0
61	43860	0.31	6.06	0	0.43	4.26	0.000	0.49	3.56	0	0.51	3.67	0	0.26	7.14	0	0.41	4.14	0
62	41407	0.29	6.21	0	0.42	4.30	0.000	0.49	3.65	0	0.51	3.66	0	0.21	7.33	0	0.40	4.26	0
63	39444	0.27	6.43	0	0.42	4.32	0.000	0.47	3.73	0	0.51	3.68	0	0.19	7.48	0	0.40	4.37	0
64	37425	0.25	6.57	0	0.42	4.33	0.000	0.46	3.86	0	0.50	3.77	0	0.21	7.68	0	0.39	4.40	0
65	34834	0.23	6.71	0	0.41	4.36	0.000	0.45	3.96	0	0.49	3.85	0	0.20	7.75	0	0.40	4.47	0
66	32020	0.22	6.87	0	0.42	4.31	0.000	0.44	4.04	0	0.47	3.88	0	0.20	7.99	0	0.41	4.52	0
67	28898	0.21	7.02	0	0.42	4.38	0.000	0.42	4.16	0	0.46	3.97	0	0.22	8.03	0	0.42	4.63	0
68	26630	0.19	7.30	0	0.41	4.46	0.000	0.40	4.35	0	0.44	4.08	0	0.16	8.17	0	0.37	4.75	0
69	24864	0.19	7.42	0	0.41	4.46	0.000	0.39	4.43	0	0.43	4.15	0	0.21	8.14	0	0.37	4.88	0
70	23407	0.19	7.54	0	0.41	4.50	0.000	0.39	4.51	0	0.42	4.21	0	0.21	8.32	0	0.35	4.98	0
71	20736	0.19	7.69	0	0.41	4.55	0.000	0.38	4.68	0	0.41	4.28	0	0.22	8.12	0	0.30	5.16	0
72	18423	0.19	7.91	0	0.41	4.61	0.000	0.37	4.79	0	0.41	4.29	0	0.27	8.14	0	0.29	5.32	0
73	16215	0.18	8.04	0	0.40	4.66	0.000	0.36	4.93	0	0.40	4.34	0	0.29	7.99	0	0.28	5.44	0
74	14848	0.19	8.13	0	0.41	4.67	0.000	0.35	4.99	0	0.41	4.28	0	0.31	7.94	0	0.29	5.48	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 30. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		ayonix-001			**bynn-000**			**cognitec-000**			**cognitec-001**			**cvut-001**			**cvut-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
75	13197	0.18	8.43	0	0.39	4.90	0.000	0.33	5.29	0	0.41	4.35	0	0.31	7.92	0	0.30	5.72	0
76	11886	0.17	8.56	0	0.39	4.95	0.000	0.32	5.43	0	0.42	4.30	0	0.28	8.00	0	0.32	5.75	0
77	10839	0.16	8.81	0	0.37	5.15	0.000	0.30	5.68	0	0.43	4.32	0	0.30	8.07	0	0.32	5.94	0
78	9361	0.14	9.24	0	0.36	5.34	0.000	0.29	5.87	0	0.44	4.32	0	0.25	8.38	0	0.30	6.00	0
79	7540	0.14	9.31	0	0.35	5.50	0.000	0.26	6.06	0	0.45	4.26	0	0.19	8.36	0	0.31	6.07	0
80	6267	0.12	9.68	0	0.32	5.82	0.000	0.26	6.28	0	0.46	4.26	0	0.20	8.25	0	0.29	6.24	0
81	5221	0.09	9.99	0	0.28	6.03	0.000	0.24	6.44	0	0.47	4.18	0	0.15	8.30	0	0.28	6.14	0
82	3962	0.08	10.34	0	0.27	6.36	0.000	0.22	6.79	0	0.45	4.42	0	0.27	8.45	0	0.31	6.25	0
83	3277	0.05	10.96	0	0.21	6.89	0.000	0.19	7.19	0	0.42	4.57	0	0.27	8.35	0	0.27	6.47	0
84	2615	0.04	11.30	0	0.17	7.25	0.000	0.18	7.45	0	0.43	4.65	0	0.27	8.32	0	0.29	6.39	0
85	2206	0.03	11.81	0	0.13	7.70	0.000	0.16	7.69	0	0.39	4.90	0	0.29	8.42	0	0.29	6.58	0
86	1831	0.01	12.41	0	0.11	8.35	0.000	0.14	8.15	0	0.33	5.34	0	0.28	8.82	0	0.31	6.66	0
87	1402	0.00	13.27	0	0.07	8.99	0.000	0.13	8.78	0	0.31	5.71	0	0.27	9.22	0	0.30	7.12	0
88	1254	0.00	13.81	0	0.04	9.68	0.000	0.09	9.24	0	0.27	6.19	0	0.10	10.37	0	0.23	7.31	0
89	907	0.00	14.41	0	0.02	10.01	0.000	0.09	9.26	0	0.23	6.35	0	0.11	10.05	0	0.23	7.31	0
90	670	0.00	15.34	0	0.01	11.10	0.000	0.06	10.30	0	0.18	7.36	0	0.09	10.44	0	0.21	8.29	0

Table 31. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		cvut-003			**cyberlink-000**			**cyberlink-001**			**daon-000**			**daon-001**			**daon-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	1.00	0.41	0.001	0.41	5.54	0	0.66	3.45	0	0.26	4.70	0	0.43	3.49	0	1.00	0.55	0
1	94475	1.00	0.70	0.001	0.47	4.36	0	0.64	2.80	0	0.35	3.94	0	0.57	2.94	0	0.99	1.27	0
2	82596	0.99	1.04	0.001	0.44	4.78	0	0.43	3.68	0	0.38	3.75	0	0.59	2.78	0	0.98	1.45	0
3	82473	0.97	1.08	0.001	0.41	5.08	0	0.35	4.22	0	0.41	3.53	0	0.65	2.52	0	0.97	1.40	0
4	84055	0.96	1.17	0.001	0.39	5.25	0	0.30	4.51	0	0.48	3.19	0	0.74	2.17	0	0.97	1.22	0
5	92521	0.92	1.29	0.001	0.34	5.53	0	0.27	4.67	0	0.56	2.85	0	0.81	1.88	0	0.96	1.12	0
6	91639	0.87	1.46	0.001	0.30	5.96	0	0.25	4.85	0	0.59	2.68	0	0.86	1.72	0	0.97	1.12	0
7	89993	0.85	1.78	0.001	0.18	6.54	0	0.21	5.10	0	0.59	2.69	0	0.90	1.62	0	0.98	1.15	0
8	89428	0.81	1.94	0.001	0.13	6.46	0	0.21	5.03	0	0.68	2.46	0	0.93	1.41	0	0.99	1.07	0
9	89644	0.83	1.92	0.001	0.11	6.18	0	0.21	4.87	0	0.77	2.25	0	0.94	1.25	0	0.99	0.89	0
10	98337	0.84	1.91	0.001	0.13	5.80	0	0.20	4.70	0	0.81	2.11	0	0.94	1.21	0	0.98	0.85	0
11	97415	0.79	2.02	0.001	0.13	5.42	0	0.21	4.54	0	0.79	2.21	0	0.90	1.41	0	0.97	1.00	0
12	94326	0.72	2.24	0.001	0.10	5.11	0	0.23	4.41	0	0.71	2.66	0	0.83	1.86	0	0.94	1.23	0
13	94047	0.71	2.65	0.001	0.14	4.95	0	0.26	4.38	0	0.58	3.48	0	0.69	2.65	0	0.88	1.54	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 31. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		cvut-003			**cyberlink-000**			**cyberlink-001**			**daon-000**			**daon-001**			**daon-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
14	96915	0.65	3.11	0.001	0.23	4.84	0	0.27	4.34	0	0.44	4.35	0	0.53	3.50	0	0.81	1.85	0
15	97599	0.53	3.60	0.001	0.26	4.78	0	0.28	4.29	0	0.33	5.01	0	0.40	4.20	0	0.75	2.12	0
16	96388	0.41	4.11	0.001	0.28	4.63	0	0.32	4.13	0	0.28	5.27	0	0.33	4.58	0	0.73	2.28	0
17	99462	0.35	4.50	0.001	0.29	4.43	0	0.39	3.89	0	0.27	5.26	0	0.31	4.69	0	0.72	2.31	0
18	98765	0.31	4.88	0.001	0.33	4.30	0	0.44	3.72	0	0.28	5.16	0	0.30	4.70	0	0.70	2.41	0
19	105717	0.30	4.93	0.001	0.38	4.15	0	0.49	3.53	0	0.29	5.07	0	0.30	4.67	0	0.68	2.51	0
20	118643	0.30	4.80	0.001	0.46	3.98	0	0.53	3.37	0	0.31	4.90	0	0.31	4.55	0	0.67	2.56	0
21	124060	0.33	4.65	0.001	0.49	3.82	0	0.55	3.26	0	0.33	4.71	0	0.34	4.39	0	0.65	2.63	0
22	128864	0.36	4.51	0.001	0.47	3.69	0	0.56	3.18	0	0.36	4.53	0	0.37	4.22	0	0.63	2.73	0
23	133507	0.36	4.36	0.001	0.44	3.60	0	0.56	3.16	0	0.39	4.41	0	0.39	4.08	0	0.61	2.82	0
24	138094	0.38	4.18	0.001	0.45	3.55	0	0.56	3.13	0	0.41	4.26	0	0.42	3.93	0	0.60	2.89	0
25	139920	0.41	4.07	0.001	0.53	3.51	0	0.55	3.13	0	0.43	4.22	0	0.44	3.85	0	0.58	2.98	0
26	141741	0.45	3.93	0.001	0.57	3.40	0	0.55	3.12	0	0.44	4.15	0	0.46	3.76	0	0.58	3.02	0
27	138491	0.48	3.81	0.001	0.54	3.29	0	0.56	3.12	0	0.45	4.14	0	0.48	3.71	0	0.57	3.09	0
28	133633	0.50	3.76	0.001	0.52	3.29	0	0.56	3.13	0	0.45	4.15	0	0.49	3.69	0	0.56	3.15	0
29	129054	0.51	3.76	0.001	0.53	3.38	0	0.56	3.15	0	0.44	4.21	0	0.49	3.71	0	0.55	3.20	0
30	123437	0.49	3.80	0.001	0.54	3.48	0	0.56	3.19	0	0.43	4.24	0	0.48	3.74	0	0.54	3.25	0
31	118174	0.47	3.87	0.001	0.51	3.55	0	0.56	3.22	0	0.43	4.28	0	0.48	3.77	0	0.54	3.28	0
32	113131	0.47	3.95	0.001	0.49	3.61	0	0.55	3.31	0	0.42	4.32	0	0.48	3.81	0	0.54	3.31	0
33	109146	0.45	4.00	0.001	0.53	3.67	0	0.53	3.38	0	0.42	4.37	0	0.47	3.86	0	0.53	3.36	0
34	105908	0.43	4.05	0.001	0.55	3.78	0	0.51	3.48	0	0.41	4.42	0	0.46	3.92	0	0.52	3.40	0
35	103149	0.40	4.04	0.001	0.52	3.89	0	0.51	3.55	0	0.41	4.44	0	0.45	3.95	0	0.52	3.42	0
36	99901	0.40	4.01	0.001	0.47	4.08	0	0.50	3.63	0	0.40	4.48	0	0.44	4.01	0	0.51	3.45	0
37	97516	0.41	3.92	0.001	0.43	4.33	0	0.49	3.67	0	0.40	4.51	0	0.44	4.03	0	0.51	3.47	0
38	93939	0.42	3.79	0.001	0.39	4.55	0	0.48	3.73	0	0.40	4.49	0	0.43	4.03	0	0.51	3.48	0
39	91461	0.46	3.60	0.001	0.33	4.71	0	0.47	3.80	0	0.40	4.47	0	0.43	4.04	0	0.51	3.49	0
40	94056	0.51	3.42	0.001	0.31	4.78	0	0.46	3.87	0	0.40	4.49	0	0.43	4.08	0	0.50	3.52	0
41	90173	0.55	3.24	0.001	0.33	4.77	0	0.45	3.92	0	0.40	4.45	0	0.43	4.05	0	0.50	3.54	0
42	86423	0.59	3.08	0.001	0.39	4.71	0	0.43	3.93	0	0.41	4.43	0	0.43	4.03	0	0.50	3.54	0
43	83252	0.59	2.98	0.001	0.43	4.66	0	0.43	3.93	0	0.41	4.40	0	0.44	4.01	0	0.50	3.57	0
44	80602	0.60	2.94	0.001	0.44	4.61	0	0.43	3.87	0	0.42	4.34	0	0.44	3.97	0	0.50	3.58	0
45	77502	0.60	2.96	0.001	0.43	4.56	0	0.45	3.79	0	0.43	4.32	0	0.45	3.94	0	0.49	3.60	0
46	74182	0.58	2.97	0.001	0.40	4.57	0	0.48	3.66	0	0.43	4.26	0	0.45	3.91	0	0.49	3.62	0
47	70698	0.57	2.97	0.001	0.37	4.57	0	0.51	3.51	0	0.43	4.23	0	0.45	3.85	0	0.49	3.64	0
48	67856	0.58	2.95	0.001	0.35	4.53	0	0.54	3.35	0	0.45	4.17	0	0.46	3.79	0	0.48	3.65	0
49	65674	0.60	2.97	0.001	0.36	4.43	0	0.56	3.24	0	0.45	4.13	0	0.47	3.74	0	0.48	3.66	0
50	64896	0.60	2.95	0.001	0.38	4.23	0	0.58	3.13	0	0.45	4.09	0	0.48	3.68	0	0.48	3.67	0
51	63410	0.58	2.99	0.001	0.42	4.01	0	0.60	3.08	0	0.46	4.08	0	0.49	3.63	0	0.48	3.66	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 31. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		cvut-003			**cyberlink-000**			**cyberlink-001**			**daon-000**			**daon-001**			**daon-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
52	60991	0.57	3.08	0.001	0.48	3.83	0	0.60	3.05	0	0.45	4.07	0	0.50	3.58	0	0.48	3.65	0
53	59550	0.56	3.20	0.001	0.55	3.71	0	0.60	3.04	0	0.45	4.05	0	0.51	3.53	0	0.49	3.62	0
54	56895	0.54	3.30	0.001	0.56	3.67	0	0.59	3.07	0	0.45	4.05	0	0.52	3.48	0	0.49	3.62	0
55	55297	0.51	3.36	0.001	0.53	3.69	0	0.58	3.15	0	0.44	4.06	0	0.52	3.45	0	0.49	3.58	0
56	52574	0.51	3.39	0.001	0.52	3.76	0	0.56	3.25	0	0.44	4.04	0	0.53	3.42	0	0.50	3.54	0
57	49823	0.51	3.44	0.001	0.47	3.91	0	0.52	3.46	0	0.44	4.07	0	0.54	3.43	0	0.51	3.52	0
58	48570	0.51	3.48	0.001	0.44	4.07	0	0.47	3.69	0	0.45	4.02	0	0.52	3.42	0	0.51	3.47	0
59	46040	0.50	3.55	0.001	0.39	4.22	0	0.44	3.94	0	0.45	4.06	0	0.51	3.47	0	0.51	3.48	0
60	46037	0.49	3.62	0.001	0.39	4.32	0	0.39	4.20	0	0.45	4.07	0	0.51	3.51	0	0.52	3.46	0
61	43860	0.48	3.65	0.001	0.44	4.37	0	0.36	4.44	0	0.46	4.06	0	0.50	3.54	0	0.52	3.43	0
62	41407	0.49	3.72	0.001	0.47	4.38	0	0.33	4.68	0	0.45	4.10	0	0.50	3.54	0	0.52	3.41	0
63	39444	0.47	3.78	0.001	0.50	4.38	0	0.33	4.87	0	0.45	4.16	0	0.50	3.53	0	0.53	3.40	0
64	37425	0.47	3.79	0.001	0.49	4.46	0	0.32	5.04	0	0.44	4.21	0	0.50	3.54	0	0.53	3.38	0
65	34834	0.46	3.87	0.001	0.47	4.70	0	0.31	5.21	0	0.43	4.27	0	0.51	3.54	0	0.53	3.37	0
66	32020	0.46	3.99	0.001	0.42	4.94	0	0.32	5.31	0	0.43	4.31	0	0.51	3.52	0	0.53	3.35	0
67	28898	0.45	4.13	0.001	0.32	5.24	0	0.32	5.44	0	0.41	4.44	0	0.50	3.58	0	0.52	3.37	0
68	26630	0.39	4.30	0.001	0.25	5.49	0	0.30	5.59	0	0.40	4.59	0	0.49	3.64	0	0.53	3.37	0
69	24864	0.37	4.45	0.001	0.23	5.54	0	0.31	5.64	0	0.39	4.65	0	0.49	3.66	0	0.53	3.33	0
70	23407	0.36	4.60	0.001	0.23	5.54	0	0.30	5.71	0	0.39	4.71	0	0.49	3.67	0	0.53	3.30	0
71	20736	0.34	4.80	0.001	0.25	5.43	0	0.30	5.77	0	0.38	4.81	0	0.48	3.71	0	0.53	3.28	0
72	18423	0.32	5.03	0.001	0.28	5.33	0	0.31	5.81	0	0.37	4.95	0	0.47	3.82	0	0.53	3.27	0
73	16215	0.30	5.18	0.001	0.31	5.14	0	0.31	5.85	0	0.36	5.02	0	0.47	3.81	0	0.54	3.22	0
74	14848	0.32	5.31	0.001	0.35	4.87	0	0.32	5.76	0	0.37	5.02	0	0.48	3.82	0	0.55	3.18	0
75	13197	0.31	5.59	0.001	0.41	4.72	0	0.32	5.89	0	0.35	5.26	0	0.46	4.00	0	0.55	3.24	0
76	11886	0.32	5.78	0.001	0.46	4.45	0	0.31	5.95	0	0.35	5.35	0	0.45	4.03	0	0.55	3.22	0
77	10839	0.28	6.17	0.002	0.52	4.16	0	0.31	5.99	0	0.35	5.47	0	0.44	4.10	0	0.55	3.29	0
78	9361	0.25	6.46	0.001	0.54	4.06	0	0.31	6.05	0	0.33	5.73	0	0.44	4.24	0	0.55	3.36	0
79	7540	0.21	6.75	0.001	0.58	3.88	0	0.30	5.97	0	0.32	5.86	0	0.43	4.30	0	0.54	3.41	0
80	6267	0.18	7.20	0.001	0.55	4.02	0	0.28	6.08	0	0.30	6.10	0	0.42	4.47	0	0.52	3.59	0
81	5221	0.12	7.48	0.000	0.48	4.08	0	0.30	5.95	0	0.29	6.29	0	0.41	4.54	0	0.49	3.72	0
82	3962	0.10	7.91	0.001	0.44	4.42	0	0.29	6.11	0	0.26	6.68	0	0.39	4.79	0	0.45	4.04	0
83	3277	0.06	8.66	0.001	0.35	4.77	0	0.30	6.12	0	0.21	7.12	0	0.35	5.03	0	0.38	4.42	0
84	2615	0.04	8.99	0.000	0.28	5.17	0	0.30	6.23	0	0.18	7.58	0	0.32	5.34	0	0.32	4.88	0
85	2206	0.02	9.66	0.001	0.24	5.57	0	0.31	6.17	0	0.15	7.97	0	0.29	5.53	0	0.24	5.24	0
86	1831	0.01	10.42	0.002	0.21	6.08	0	0.31	6.36	0	0.09	8.75	0	0.27	5.95	0	0.19	5.84	0
87	1402	0.00	11.03	0.002	0.20	6.67	0	0.30	6.69	0	0.07	9.20	0	0.23	6.41	0	0.10	6.52	0
88	1254	0.00	11.74	0.000	0.14	7.18	0	0.27	6.99	0	0.03	10.01	0	0.17	6.92	0	0.05	7.21	0
89	907	0.00	12.33	0.000	0.15	7.46	0	0.33	6.61	0	0.02	10.51	0	0.14	7.20	0	0.02	7.63	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 31. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		cvut-003			**cyberlink-000**			**cyberlink-001**			**daon-000**			**daon-001**			**daon-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
90	670	0.00	13.42	0.001	0.15	8.24	0	0.27	7.54	0	0.01	11.31	0	0.10	7.94	0	0.00	8.56	0

Table 32. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		dermalog-001			**dermalog-002**			**dermalog-003**			**facehawk-001**			**hzailu-001**			**idemia-001**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	0.90	2.05	0.001	0.60	3.00	0.001	0.82	2.11	0.000	0.75	1.59	0.413	0.83	1.85	0	0.94	1.00	0
1	94475	0.87	1.84	0.000	0.60	2.97	0.000	0.81	1.96	0.000	0.56	2.02	0.212	0.76	2.17	0	0.93	1.35	0
2	82596	0.84	1.89	0.000	0.58	2.97	0.000	0.98	1.78	0.000	0.92	2.43	0.174	0.64	2.68	0	0.93	1.49	0
3	82473	0.76	2.12	0.000	0.61	2.80	0.000	0.94	1.45	0.000	0.83	2.55	0.187	0.56	3.08	0	0.95	1.35	0
4	84055	0.69	2.37	0.000	0.66	2.62	0.000	0.87	1.25	0.000	0.67	2.58	0.206	0.52	3.30	0	0.97	1.09	0
5	92521	0.63	2.64	0.000	0.70	2.49	0.000	0.81	1.59	0.000	0.56	2.98	0.222	0.52	3.42	0	0.98	0.94	0
6	91639	0.57	2.98	0.000	0.70	2.59	0.000	0.79	1.95	0.000	0.49	3.53	0.233	0.49	3.74	0	0.98	0.94	0
7	89993	0.46	3.34	0.000	0.66	2.91	0.000	0.80	1.94	0.000	0.82	3.51	0.235	0.43	4.36	0	0.97	1.06	0
8	89428	0.50	3.27	0.000	0.67	2.94	0.000	0.82	1.79	0.000	0.69	3.38	0.237	0.43	4.56	0	0.96	1.22	0
9	89644	0.59	3.10	0.000	0.68	2.96	0.000	0.95	1.58	0.000	0.69	3.06	0.224	0.43	4.77	0	0.94	1.36	0
10	98337	0.68	2.84	0.000	0.67	3.00	0.000	0.93	1.40	0.000	0.70	3.26	0.208	0.43	5.04	0	0.91	1.50	0
11	97415	0.74	2.65	0.000	0.65	3.09	0.000	0.87	1.36	0.000	0.68	4.15	0.193	0.40	5.59	0	0.88	1.61	0
12	94326	0.74	2.60	0.000	0.61	3.28	0.000	0.90	1.58	0.000	0.62	5.23	0.188	0.33	6.44	0	0.84	1.72	0
13	94047	0.68	2.87	0.000	0.53	3.66	0.000	0.81	1.95	0.000	0.15	6.37	0.197	0.24	7.61	0	0.81	1.87	0
14	96915	0.59	3.43	0.000	0.45	4.10	0.000	0.71	2.22	0.000	0.17	7.16	0.207	0.16	8.66	0	0.77	2.06	0
15	97599	0.48	4.06	0.000	0.39	4.45	0.000	0.65	2.61	0.000	0.23	7.72	0.213	0.10	9.38	0	0.72	2.28	0
16	96388	0.41	4.50	0.000	0.36	4.60	0.000	0.54	2.83	0.000	0.23	7.87	0.215	0.07	9.59	0	0.69	2.46	0
17	99462	0.37	4.69	0.000	0.36	4.58	0.000	0.69	2.76	0.000	0.22	7.70	0.221	0.05	9.45	0	0.67	2.52	0
18	98765	0.33	4.89	0.000	0.36	4.62	0.000	0.65	2.74	0.000	0.21	7.65	0.225	0.05	9.12	0	0.63	2.73	0
19	105717	0.32	4.92	0.000	0.37	4.57	0.000	0.59	2.58	0.000	0.21	7.52	0.229	0.06	8.72	0	0.61	2.81	0
20	118643	0.34	4.81	0.000	0.39	4.49	0.000	0.55	2.49	0.000	0.15	7.31	0.229	0.06	8.34	0	0.62	2.77	0
21	124060	0.36	4.71	0.000	0.41	4.40	0.000	0.85	2.51	0.000	0.08	7.09	0.229	0.08	7.89	0	0.62	2.78	0
22	128864	0.37	4.59	0.000	0.43	4.36	0.000	0.82	2.49	0.000	0.07	6.87	0.228	0.10	7.47	0	0.61	2.80	0
23	133507	0.39	4.51	0.000	0.44	4.33	0.000	0.70	2.43	0.000	0.07	6.64	0.229	0.13	7.07	0	0.61	2.82	0
24	138094	0.41	4.42	0.000	0.44	4.31	0.000	0.63	2.75	0.000	0.09	6.38	0.225	0.17	6.66	0	0.60	2.85	0
25	139920	0.40	4.36	0.000	0.43	4.36	0.000	0.60	3.46	0.000	0.35	6.16	0.223	0.21	6.36	0	0.59	2.91	0
26	141741	0.42	4.30	0.000	0.43	4.38	0.000	0.57	4.03	0.000	0.57	5.92	0.219	0.26	6.08	0	0.59	2.93	0
27	138491	0.41	4.27	0.000	0.42	4.44	0.000	0.20	4.48	0.000	0.57	5.77	0.218	0.30	5.83	0	0.58	2.97	0
28	133633	0.43	4.27	0.000	0.41	4.51	0.000	0.23	4.80	0.000	0.56	5.70	0.216	0.34	5.66	0	0.57	3.02	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 32. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		dermalog-001			**dermalog-002**			**dermalog-003**			**facehawk-001**			**hzailu-001**			**idemia-001**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
29	129054	0.42	4.26	0.000	0.41	4.56	0.000	0.27	4.99	0.000	0.55	6.36	0.213	0.37	5.53	0	0.57	3.05	0
30	123437	0.44	4.25	0.000	0.40	4.60	0.000	0.30	5.10	0.000	0.53	7.15	0.211	0.38	5.47	0	0.56	3.10	0
31	118174	0.45	4.28	0.000	0.39	4.66	0.000	0.33	5.14	0.000	0.29	7.89	0.208	0.40	5.41	0	0.56	3.12	0
32	113131	0.46	4.32	0.000	0.39	4.73	0.000	0.35	5.17	0.000	0.05	8.60	0.203	0.39	5.47	0	0.56	3.14	0
33	109146	0.46	4.38	0.000	0.39	4.73	0.000	0.37	5.10	0.000	0.05	9.30	0.203	0.37	5.48	0	0.55	3.15	0
34	105908	0.44	4.45	0.000	0.39	4.79	0.000	0.38	5.06	0.000	0.05	9.98	0.202	0.35	5.57	0	0.55	3.20	0
35	103149	0.44	4.54	0.000	0.39	4.79	0.000	0.39	4.99	0.000	0.05	10.69	0.202	0.32	5.63	0	0.55	3.19	0
36	99901	0.41	4.65	0.000	0.38	4.86	0.000	0.39	4.94	0.000	0.06	11.21	0.203	0.30	5.73	0	0.54	3.22	0
37	97516	0.39	4.73	0.000	0.38	4.88	0.000	0.39	4.88	0.000	0.12	11.90	0.205	0.29	5.72	0	0.54	3.21	0
38	93939	0.35	4.78	0.000	0.37	4.89	0.000	0.39	4.86	0.000	0.15	12.49	0.204	0.28	5.75	0	0.55	3.21	0
39	91461	0.36	4.80	0.000	0.37	4.89	0.000	0.39	4.79	0.000	0.16	13.05	0.205	0.29	5.71	0	0.55	3.20	0
40	94056	0.33	4.89	0.000	0.37	4.92	0.000	0.38	4.79	0.000	0.16	13.51	0.211	0.29	5.71	0	0.54	3.22	0
41	90173	0.34	4.81	0.000	0.36	4.90	0.000	0.38	4.73	0.000	0.16	14.29	0.215	0.30	5.66	0	0.54	3.22	0
42	86423	0.35	4.71	0.000	0.37	4.87	0.000	0.38	4.69	0.000	0.15	15.04	0.218	0.31	5.56	0	0.54	3.21	0
43	83252	0.36	4.63	0.000	0.37	4.86	0.000	0.39	4.64	0.000	0.07	15.84	0.221	0.32	5.53	0	0.55	3.21	0
44	80602	0.39	4.51	0.000	0.37	4.83	0.000	0.39	4.60	0.000	0.02	16.62	0.226	0.33	5.48	0	0.55	3.20	0
45	77502	0.40	4.41	0.000	0.38	4.79	0.000	0.39	4.54	0.000	0.02	17.35	0.235	0.34	5.39	0	0.54	3.19	0
46	74182	0.42	4.29	0.000	0.38	4.74	0.000	0.40	4.48	0.000	0.02	18.11	0.237	0.34	5.35	0	0.54	3.19	0
47	70698	0.44	4.18	0.000	0.39	4.68	0.000	0.41	4.41	0.000	0.02	18.79	0.241	0.35	5.28	0	0.55	3.19	0
48	67856	0.43	4.13	0.000	0.39	4.63	0.000	0.41	4.33	0.000	0.03	19.49	0.243	0.36	5.22	0	0.55	3.17	0
49	65674	0.45	4.08	0.000	0.40	4.59	0.000	0.42	4.25	0.000	0.03	20.04	0.245	0.36	5.21	0	0.55	3.16	0
50	64896	0.45	4.02	0.000	0.41	4.52	0.000	0.44	4.17	0.000	0.03	20.59	0.251	0.37	5.15	0	0.55	3.16	0
51	63410	0.46	3.99	0.000	0.42	4.46	0.000	0.45	4.10	0.000	0.04	21.02	0.252	0.38	5.09	0	0.56	3.14	0
52	60991	0.46	3.94	0.000	0.43	4.46	0.000	0.45	4.05	0.000	0.04	21.30	0.256	0.38	5.08	0	0.56	3.15	0
53	59550	0.46	3.90	0.000	0.43	4.42	0.000	0.46	4.00	0.000	0.03	21.71	0.260	0.38	5.06	0	0.56	3.12	0
54	56895	0.47	3.89	0.000	0.43	4.43	0.000	0.47	3.99	0.000	0.03	21.99	0.263	0.38	5.06	0	0.57	3.14	0
55	55297	0.46	3.87	0.000	0.43	4.41	0.000	0.47	3.98	0.000	0.03	22.10	0.266	0.38	5.03	0	0.56	3.16	0
56	52574	0.48	3.83	0.000	0.43	4.43	0.000	0.47	3.98	0.000	0.03	22.10	0.265	0.39	5.01	0	0.56	3.18	0
57	49823	0.48	3.84	0.000	0.43	4.48	0.000	0.47	4.02	0.000	0.03	21.91	0.273	0.38	5.10	0	0.56	3.24	0
58	48570	0.49	3.84	0.000	0.43	4.49	0.000	0.47	4.04	0.000	0.03	21.77	0.274	0.38	5.11	0	0.55	3.28	0
59	46040	0.49	3.85	0.000	0.42	4.61	0.000	0.46	4.13	0.000	0.03	21.41	0.280	0.38	5.11	0	0.54	3.37	0
60	46037	0.47	3.90	0.000	0.41	4.68	0.000	0.46	4.23	0.000	0.04	21.14	0.279	0.37	5.21	0	0.53	3.45	0
61	43860	0.47	3.95	0.000	0.40	4.77	0.000	0.45	4.31	0.000	0.04	20.62	0.284	0.37	5.23	0	0.51	3.56	0
62	41407	0.47	4.03	0.000	0.40	4.87	0.000	0.43	4.43	0.000	0.05	20.23	0.291	0.35	5.33	0	0.50	3.61	0
63	39444	0.45	4.12	0.000	0.38	4.98	0.000	0.42	4.54	0.000	0.05	19.55	0.287	0.35	5.37	0	0.49	3.68	0
64	37425	0.43	4.17	0.000	0.36	5.11	0.000	0.40	4.66	0.000	0.07	19.12	0.296	0.35	5.38	0	0.48	3.74	0
65	34834	0.42	4.27	0.000	0.35	5.17	0.000	0.38	4.76	0.000	0.08	18.24	0.298	0.34	5.46	0	0.47	3.79	0
66	32020	0.41	4.31	0.000	0.33	5.25	0.000	0.36	4.87	0.000	0.14	17.45	0.304	0.34	5.45	0	0.47	3.83	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 32. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		dermalog-001			**dermalog-002**			**dermalog-003**			**facehawk-001**			**hzailu-001**			**idemia-001**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
67	28898	0.40	4.36	0.000	0.31	5.29	0.000	0.34	4.92	0.000	0.49	16.71	0.310	0.33	5.50	0	0.46	3.89	0
68	26630	0.37	4.44	0.000	0.30	5.33	0.000	0.33	4.98	0.000	0.50	15.92	0.310	0.32	5.54	0	0.46	3.92	0
69	24864	0.38	4.43	0.000	0.30	5.32	0.000	0.32	4.96	0.000	0.51	14.99	0.316	0.32	5.55	0	0.45	3.91	0
70	23407	0.39	4.32	0.000	0.31	5.17	0.000	0.33	4.83	0.000	0.52	15.13	0.316	0.32	5.54	0	0.46	3.88	0
71	20736	0.39	4.29	0.000	0.33	5.09	0.000	0.34	4.75	0.000	0.52	15.02	0.319	0.33	5.51	0	0.46	3.87	0
72	18423	0.43	4.22	0.000	0.36	4.94	0.000	0.37	4.60	0.000	0.46	15.34	0.322	0.33	5.52	0	0.46	3.86	0
73	16215	0.47	4.11	0.000	0.40	4.78	0.000	0.41	4.40	0.000	0.00	15.62	0.308	0.33	5.55	0	0.47	3.78	0
74	14848	0.51	3.93	0.000	0.45	4.58	0.000	0.46	4.18	0.000	0.00	16.39	0.321	0.34	5.47	0	0.47	3.72	0
75	13197	0.52	3.93	0.000	0.49	4.55	0.000	0.50	4.10	0.000	0.00	16.58	0.328	0.33	5.60	0	0.48	3.69	0
76	11886	0.56	3.86	0.000	0.53	4.39	0.000	0.55	3.87	0.000	0.00	16.96	0.332	0.34	5.52	0	0.49	3.60	0
77	10839	0.54	4.10	0.000	0.53	4.49	0.000	0.56	3.92	0.000	0.00	17.75	0.337	0.34	5.67	0	0.50	3.52	0
78	9361	0.50	4.27	0.000	0.51	4.64	0.000	0.56	3.97	0.000	0.00	17.49	0.342	0.34	5.73	0	0.52	3.46	0
79	7540	0.42	4.57	0.000	0.46	4.83	0.000	0.54	4.01	0.000	0.00	18.59	0.341	0.34	5.81	0	0.54	3.35	0
80	6267	0.35	4.98	0.000	0.40	5.27	0.000	0.47	4.36	0.000	0.00	19.76	0.340	0.33	6.04	0	0.55	3.31	0
81	5221	0.28	5.34	0.000	0.33	5.62	0.000	0.42	4.65	0.000	0.00	20.03	0.344	0.32	6.09	0	0.58	3.22	0
82	3962	0.18	5.95	0.000	0.22	6.12	0.000	0.30	5.10	0.000	0.00	21.02	0.346	0.32	6.23	0	0.57	3.29	0
83	3277	0.12	6.50	0.000	0.13	6.67	0.000	0.21	5.69	0.000	0.00	21.74	0.346	0.31	6.44	0	0.57	3.28	0
84	2615	0.06	7.19	0.000	0.07	7.40	0.000	0.14	6.25	0.000	0.00	22.10	0.335	0.27	6.87	0	0.56	3.44	0
85	2206	0.03	7.81	0.000	0.04	7.97	0.000	0.09	6.74	0.000	0.00	23.48	0.345	0.28	7.11	0	0.52	3.60	0
86	1831	0.01	8.42	0.000	0.02	8.67	0.000	0.05	7.47	0.000	0.00	24.49	0.333	0.24	7.44	0	0.48	3.95	0
87	1402	0.00	9.20	0.001	0.01	9.35	0.001	0.02	8.25	0.000	0.00	25.06	0.350	0.21	8.07	0	0.39	4.41	0
88	1254	0.00	10.04	0.000	0.00	10.32	0.000	0.01	9.07	0.001	0.00	25.65	0.356	0.17	8.59	0	0.30	5.05	0
89	907	0.00	10.57	0.000	0.00	10.72	0.000	0.01	9.42	0.000	0.00	25.48	0.351	0.14	8.79	0	0.23	5.29	0
90	670	0.00	11.48	0.000	0.00	11.81	0.000	0.01	10.54	0.000	0.00	27.65	0.343	0.09	9.81	0	0.14	6.34	0

Table 33. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		idemia-002			**idemia-003**			**inbut-000**			**incode-000**			**incode-001**			**incode-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	0.93	1.27	0	0.99	0.58	0	1.00	0.38	0	1.00	0.34	0	0.99	0.32	0.001	1.00	0.44	0.001
1	94475	0.89	1.59	0	0.98	1.07	0	0.99	0.85	0	1.00	0.63	0	0.99	0.57	0.000	1.00	0.56	0.000
2	82596	0.85	1.83	0	0.97	1.29	0	0.96	1.41	0	0.99	0.92	0	0.99	0.77	0.000	0.99	0.80	0.000
3	82473	0.87	1.78	0	0.99	1.12	0	0.95	1.55	0	0.98	1.10	0	0.99	0.75	0.000	0.99	0.83	0.000
4	84055	0.90	1.56	0	0.99	0.83	0	0.94	1.45	0	0.96	1.24	0	0.98	0.83	0.000	0.99	0.81	0.000
5	92521	0.93	1.34	0	0.99	0.81	0	0.93	1.35	0	0.93	1.34	0	0.97	1.07	0.000	0.99	0.87	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 33. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		idemia-002			**idemia-003**			**inbut-000**			**incode-000**			**incode-001**			**incode-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
6	91639	0.93	1.23	0	0.98	1.02	0	0.90	1.41	0	0.91	1.36	0	0.94	1.27	0.000	0.99	0.91	0.000
7	89993	0.93	1.22	0	0.96	1.27	0	0.84	1.71	0	0.93	1.27	0	0.92	1.38	0.000	0.98	0.98	0.000
8	89428	0.93	1.30	0	0.92	1.43	0	0.77	2.13	0	0.91	1.42	0	0.85	1.77	0.000	0.96	1.10	0.000
9	89644	0.94	1.34	0	0.91	1.45	0	0.70	2.68	0	0.89	1.56	0	0.77	2.29	0.000	0.94	1.26	0.000
10	98337	0.93	1.33	0	0.92	1.36	0	0.63	3.54	0	0.88	1.71	0	0.67	2.84	0.000	0.91	1.50	0.000
11	97415	0.92	1.36	0	0.93	1.28	0	0.52	4.94	0	0.83	1.87	0	0.55	3.36	0.000	0.83	1.86	0.000
12	94326	0.89	1.46	0	0.93	1.23	0	0.35	6.83	0	0.76	2.03	0	0.43	3.73	0.000	0.72	2.26	0.000
13	94047	0.84	1.71	0	0.92	1.28	0	0.20	8.89	0	0.68	2.31	0	0.30	3.90	0.000	0.57	2.66	0.000
14	96915	0.78	2.07	0	0.91	1.37	0	0.12	10.41	0	0.64	2.58	0	0.20	3.81	0.000	0.45	2.95	0.000
15	97599	0.70	2.47	0	0.89	1.46	0	0.08	11.34	0	0.68	2.71	0	0.40	3.52	0.000	0.51	2.97	0.000
16	96388	0.64	2.80	0	0.87	1.56	0	0.07	11.74	0	0.73	2.73	0	0.71	3.18	0.000	0.70	2.78	0.000
17	99462	0.61	2.98	0	0.85	1.65	0	0.06	11.74	0	0.70	2.69	0	0.72	2.87	0.000	0.75	2.49	0.000
18	98765	0.56	3.32	0	0.80	1.89	0	0.06	11.47	0	0.62	2.98	0	0.64	2.98	0.000	0.70	2.45	0.000
19	105717	0.53	3.48	0	0.76	2.11	0	0.05	11.24	0	0.56	3.28	0	0.58	3.25	0.000	0.67	2.49	0.000
20	118643	0.53	3.47	0	0.73	2.26	0	0.05	10.99	0	0.53	3.50	0	0.55	3.52	0.000	0.66	2.57	0.000
21	124060	0.52	3.52	0	0.70	2.40	0	0.05	10.62	0	0.49	3.63	0	0.52	3.79	0.000	0.65	2.68	0.000
22	128864	0.51	3.57	0	0.66	2.53	0	0.05	10.26	0	0.46	3.65	0	0.46	3.94	0.000	0.65	2.72	0.000
23	133507	0.50	3.60	0	0.64	2.63	0	0.06	9.91	0	0.47	3.59	0	0.43	4.01	0.000	0.62	2.71	0.000
24	138094	0.49	3.62	0	0.63	2.71	0	0.06	9.57	0	0.49	3.50	0	0.43	4.01	0.000	0.63	2.64	0.000
25	139920	0.48	3.65	0	0.61	2.79	0	0.07	9.30	0	0.51	3.44	0	0.43	3.99	0.000	0.65	2.61	0.000
26	141741	0.48	3.64	0	0.61	2.83	0	0.08	9.02	0	0.53	3.36	0	0.44	3.95	0.000	0.67	2.57	0.000
27	138491	0.49	3.64	0	0.60	2.87	0	0.09	8.75	0	0.54	3.36	0	0.44	3.91	0.000	0.67	2.58	0.000
28	133633	0.48	3.66	0	0.59	2.92	0	0.10	8.56	0	0.54	3.39	0	0.45	3.90	0.000	0.66	2.63	0.000
29	129054	0.49	3.67	0	0.59	2.95	0	0.12	8.39	0	0.53	3.44	0	0.45	3.90	0.000	0.64	2.77	0.000
30	123437	0.48	3.69	0	0.58	2.99	0	0.13	8.24	0	0.52	3.52	0	0.45	3.92	0.000	0.61	2.92	0.000
31	118174	0.48	3.70	0	0.58	2.99	0	0.14	8.07	0	0.51	3.63	0	0.44	3.97	0.000	0.58	3.09	0.000
32	113131	0.48	3.72	0	0.58	3.00	0	0.15	7.91	0	0.49	3.74	0	0.44	4.01	0.000	0.56	3.25	0.000
33	109146	0.48	3.70	0	0.58	3.00	0	0.17	7.80	0	0.46	3.84	0	0.42	4.08	0.000	0.53	3.37	0.000
34	105908	0.47	3.75	0	0.57	3.02	0	0.18	7.65	0	0.44	3.95	0	0.41	4.16	0.000	0.48	3.50	0.000
35	103149	0.47	3.74	0	0.57	3.01	0	0.19	7.46	0	0.42	4.00	0	0.40	4.22	0.000	0.46	3.59	0.000
36	99901	0.47	3.75	0	0.57	3.02	0	0.21	7.31	0	0.41	4.02	0	0.39	4.26	0.000	0.45	3.64	0.000
37	97516	0.47	3.72	0	0.58	3.01	0	0.22	7.13	0	0.41	3.99	0	0.38	4.31	0.000	0.46	3.61	0.000
38	93939	0.48	3.71	0	0.58	3.00	0	0.24	6.91	0	0.42	3.92	0	0.39	4.31	0.000	0.49	3.52	0.000
39	91461	0.48	3.69	0	0.58	3.00	0	0.25	6.74	0	0.45	3.80	0	0.39	4.30	0.000	0.52	3.41	0.000
40	94056	0.49	3.65	0	0.58	3.02	0	0.25	6.76	0	0.47	3.72	0	0.38	4.32	0.000	0.54	3.34	0.000
41	90173	0.48	3.65	0	0.57	3.03	0	0.26	6.51	0	0.49	3.62	0	0.39	4.29	0.000	0.53	3.29	0.000
42	86423	0.48	3.63	0	0.57	3.04	0	0.26	6.31	0	0.51	3.56	0	0.39	4.28	0.000	0.53	3.30	0.000
43	83252	0.49	3.62	0	0.57	3.03	0	0.27	6.15	0	0.52	3.52	0	0.40	4.25	0.000	0.53	3.31	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 33. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		idemia-002			**idemia-003**			**inbut-000**			**incode-000**			**incode-001**			**incode-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
44	80602	0.49	3.58	0	0.57	3.03	0	0.27	5.94	0	0.51	3.52	0	0.40	4.23	0.000	0.52	3.32	0.000
45	77502	0.49	3.57	0	0.57	3.01	0	0.28	5.73	0	0.51	3.54	0	0.41	4.22	0.000	0.52	3.30	0.000
46	74182	0.49	3.56	0	0.57	3.00	0	0.29	5.52	0	0.50	3.59	0	0.41	4.23	0.000	0.53	3.28	0.000
47	70698	0.49	3.55	0	0.58	2.99	0	0.30	5.35	0	0.50	3.65	0	0.41	4.24	0.000	0.54	3.26	0.000
48	67856	0.50	3.52	0	0.58	2.95	0	0.32	5.16	0	0.50	3.72	0	0.42	4.28	0.000	0.54	3.28	0.000
49	65674	0.50	3.51	0	0.59	2.93	0	0.34	4.98	0	0.51	3.79	0	0.42	4.29	0.000	0.55	3.29	0.000
50	64896	0.50	3.49	0	0.60	2.91	0	0.35	4.80	0	0.51	3.89	0	0.41	4.32	0.000	0.55	3.32	0.000
51	63410	0.51	3.47	0	0.60	2.91	0	0.37	4.66	0	0.50	4.03	0	0.40	4.36	0.000	0.54	3.40	0.000
52	60991	0.51	3.46	0	0.60	2.92	0	0.38	4.51	0	0.48	4.16	0	0.39	4.37	0.000	0.52	3.44	0.000
53	59550	0.52	3.42	0	0.60	2.92	0	0.39	4.40	0	0.44	4.28	0	0.37	4.34	0.000	0.50	3.46	0.000
54	56895	0.52	3.43	0	0.59	2.96	0	0.40	4.29	0	0.38	4.36	0	0.35	4.27	0.000	0.47	3.46	0.000
55	55297	0.53	3.41	0	0.59	2.99	0	0.41	4.17	0	0.32	4.38	0	0.35	4.15	0.000	0.45	3.41	0.000
56	52574	0.53	3.42	0	0.58	3.01	0	0.42	4.08	0	0.28	4.30	0	0.37	4.01	0.000	0.47	3.28	0.000
57	49823	0.53	3.45	0	0.57	3.07	0	0.44	3.97	0	0.31	4.10	0	0.43	3.80	0.000	0.54	3.09	0.000
58	48570	0.53	3.47	0	0.57	3.09	0	0.45	3.85	0	0.41	3.78	0	0.48	3.57	0.000	0.61	2.83	0.000
59	46040	0.52	3.53	0	0.56	3.13	0	0.47	3.80	0	0.51	3.39	0	0.52	3.39	0.000	0.66	2.57	0.000
60	46037	0.51	3.58	0	0.56	3.16	0	0.48	3.70	0	0.58	2.99	0	0.55	3.23	0.000	0.70	2.37	0.000
61	43860	0.50	3.67	0	0.55	3.20	0	0.49	3.65	0	0.64	2.70	0	0.57	3.15	0.000	0.71	2.32	0.000
62	41407	0.49	3.70	0	0.55	3.21	0	0.50	3.56	0	0.70	2.52	0	0.58	3.06	0.000	0.73	2.34	0.000
63	39444	0.48	3.77	0	0.54	3.25	0	0.52	3.50	0	0.71	2.47	0	0.59	3.05	0.000	0.72	2.43	0.000
64	37425	0.47	3.81	0	0.54	3.27	0	0.52	3.50	0	0.70	2.50	0	0.58	3.06	0.000	0.67	2.56	0.000
65	34834	0.47	3.85	0	0.53	3.32	0	0.52	3.48	0	0.66	2.57	0	0.58	3.05	0.000	0.61	2.68	0.000
66	32020	0.46	3.88	0	0.53	3.35	0	0.52	3.50	0	0.63	2.68	0	0.58	3.04	0.000	0.59	2.80	0.000
67	28898	0.46	3.94	0	0.52	3.40	0	0.50	3.55	0	0.59	2.84	0	0.57	3.08	0.000	0.56	2.98	0.000
68	26630	0.45	3.96	0	0.52	3.43	0	0.49	3.61	0	0.56	3.03	0	0.57	3.07	0.000	0.53	3.10	0.000
69	24864	0.45	3.94	0	0.52	3.43	0	0.49	3.63	0	0.53	3.17	0	0.57	3.08	0.000	0.52	3.10	0.000
70	23407	0.46	3.91	0	0.51	3.46	0	0.48	3.68	0	0.52	3.29	0	0.56	3.09	0.000	0.57	3.03	0.000
71	20736	0.45	3.89	0	0.51	3.48	0	0.48	3.74	0	0.49	3.45	0	0.56	3.11	0.000	0.63	2.95	0.000
72	18423	0.46	3.87	0	0.51	3.50	0	0.47	3.76	0	0.48	3.63	0	0.55	3.15	0.000	0.65	2.93	0.000
73	16215	0.47	3.78	0	0.51	3.50	0	0.46	3.85	0	0.46	3.78	0	0.55	3.14	0.000	0.62	2.94	0.000
74	14848	0.47	3.72	0	0.51	3.49	0	0.47	3.82	0	0.45	3.91	0	0.56	3.13	0.000	0.60	3.13	0.000
75	13197	0.48	3.65	0	0.51	3.53	0	0.46	3.97	0	0.43	4.15	0	0.55	3.18	0.000	0.52	3.65	0.000
76	11886	0.49	3.59	0	0.51	3.48	0	0.46	3.95	0	0.41	4.33	0	0.55	3.18	0.000	0.39	4.12	0.000
77	10839	0.50	3.49	0	0.51	3.50	0	0.46	3.99	0	0.37	4.61	0	0.55	3.19	0.000	0.25	4.54	0.000
78	9361	0.52	3.41	0	0.52	3.54	0	0.46	4.11	0	0.35	4.86	0	0.56	3.25	0.000	0.19	4.91	0.000
79	7540	0.55	3.26	0	0.53	3.49	0	0.46	4.21	0	0.32	5.05	0	0.54	3.28	0.000	0.21	5.07	0.000
80	6267	0.56	3.23	0	0.51	3.58	0	0.45	4.38	0	0.30	5.33	0	0.53	3.38	0.000	0.27	5.20	0.000
81	5221	0.58	3.12	0	0.52	3.56	0	0.45	4.41	0	0.26	5.63	0	0.52	3.41	0.000	0.29	5.26	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 33. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		idemia-002			idemia-003			inbut-000			incode-000			incode-001			incode-002		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
82	3962	0.58	3.16	0	0.50	3.70	0	0.42	4.63	0	0.23	5.98	0	0.51	3.58	0.000	0.30	5.41	0.000
83	3277	0.59	3.11	0	0.46	3.92	0	0.36	5.12	0	0.20	6.48	0	0.48	3.78	0.000	0.41	5.59	0.000
84	2615	0.58	3.26	0	0.46	4.07	0	0.31	5.50	0	0.18	6.80	0	0.47	3.88	0.000	0.40	5.50	0.000
85	2206	0.55	3.39	0	0.40	4.25	0	0.25	5.84	0	0.17	7.17	0	0.44	4.04	0.000	0.39	5.20	0.000
86	1831	0.51	3.74	0	0.36	4.73	0	0.18	6.41	0	0.14	7.56	0	0.42	4.30	0.000	0.41	5.00	0.000
87	1402	0.43	4.18	0	0.30	5.22	0	0.13	6.87	0	0.11	8.16	0	0.39	4.52	0.000	0.46	5.46	0.000
88	1254	0.33	4.83	0	0.25	5.71	0	0.08	7.64	0	0.09	8.59	0	0.39	4.76	0.000	0.52	5.96	0.000
89	907	0.25	5.08	0	0.20	5.96	0	0.06	7.81	0	0.06	8.85	0	0.36	4.75	0.000	0.14	5.90	0.000
90	670	0.16	6.12	0	0.15	6.99	0	0.03	8.80	0	0.02	9.77	0	0.31	5.58	0.000	0.00	7.08	0.000

Table 34. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		innovatrics-000			innovatrics-001			innovatrics-002			innovatrics-003			innovatrics-004			intellicheck-000		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	1.00	0.74	0	1.00	0.36	0	1.00	0.41	0	1.00	0.30	0	1.00	0.30	0	0.95	2.16	0
1	94475	0.99	0.79	0	1.00	0.61	0	0.99	0.74	0	1.00	0.58	0	1.00	0.58	0	0.95	1.62	0
2	82596	0.97	1.31	0	0.98	1.12	0	0.97	1.18	0	0.98	1.08	0	0.98	1.08	0	0.94	1.54	0
3	82473	0.96	1.48	0	0.97	1.34	0	0.95	1.48	0	0.97	1.33	0	0.97	1.33	0	0.91	1.53	0
4	84055	0.95	1.41	0	0.96	1.29	0	0.94	1.48	0	0.96	1.30	0	0.96	1.30	0	0.89	1.44	0
5	92521	0.94	1.32	0	0.94	1.24	0	0.92	1.41	0	0.94	1.25	0	0.94	1.25	0	0.86	1.48	0
6	91639	0.91	1.36	0	0.90	1.35	0	0.88	1.49	0	0.90	1.35	0	0.90	1.35	0	0.84	1.62	0
7	89993	0.85	1.62	0	0.85	1.64	0	0.82	1.77	0	0.86	1.60	0	0.86	1.60	0	0.86	1.73	0
8	89428	0.80	1.86	0	0.80	1.91	0	0.78	1.98	0	0.83	1.78	0	0.84	1.76	0	0.85	1.90	0
9	89644	0.77	2.03	0	0.77	2.09	0	0.77	2.05	0	0.85	1.79	0	0.87	1.74	0	0.82	1.93	0
10	98337	0.74	2.19	0	0.72	2.26	0	0.77	2.02	0	0.90	1.70	0	0.96	1.57	0	0.78	1.96	0
11	97415	0.68	2.45	0	0.64	2.55	0	0.77	2.01	0	0.91	1.63	0	0.99	1.31	0	0.72	2.22	0
12	94326	0.59	2.79	0	0.55	2.93	0	0.83	1.99	0	0.85	1.71	0	0.98	0.98	0	0.63	2.63	0
13	94047	0.51	3.16	0	0.46	3.32	0	0.85	1.96	0	0.76	2.06	0	0.96	0.79	0	0.54	2.93	0
14	96915	0.46	3.42	0	0.43	3.56	0	0.83	1.91	0	0.67	2.53	0	0.92	1.12	0	0.53	2.96	0
15	97599	0.45	3.54	0	0.42	3.65	0	0.79	1.95	0	0.61	2.87	0	0.89	1.50	0	0.67	2.70	0
16	96388	0.46	3.55	0	0.45	3.59	0	0.75	2.10	0	0.60	3.00	0	0.86	1.80	0	0.81	2.28	0
17	99462	0.47	3.48	0	0.48	3.44	0	0.71	2.35	0	0.61	2.99	0	0.79	2.01	0	0.86	1.84	0
18	98765	0.46	3.48	0	0.47	3.38	0	0.65	2.74	0	0.56	3.13	0	0.72	2.30	0	0.85	1.76	0
19	105717	0.48	3.42	0	0.50	3.26	0	0.60	2.99	0	0.53	3.17	0	0.67	2.54	0	0.82	2.22	0
20	118643	0.50	3.32	0	0.54	3.11	0	0.56	3.14	0	0.53	3.15	0	0.66	2.73	0	0.74	2.87	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 34. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		innovatrics-000			**innovatrics-001**			**innovatrics-002**			**innovatrics-003**			**innovatrics-004**			**intellicheck-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
21	124060	0.53	3.23	0	0.57	2.99	0	0.54	3.24	0	0.55	3.16	0	0.63	2.94	0	0.47	3.64	0
22	128864	0.54	3.16	0	0.59	2.91	0	0.54	3.31	0	0.56	3.15	0	0.58	3.16	0	0.23	4.43	0
23	133507	0.55	3.12	0	0.60	2.86	0	0.52	3.33	0	0.57	3.12	0	0.50	3.40	0	0.14	5.24	0
24	138094	0.56	3.09	0	0.60	2.83	0	0.50	3.36	0	0.57	3.11	0	0.46	3.63	0	0.11	5.99	0
25	139920	0.56	3.10	0	0.60	2.86	0	0.50	3.42	0	0.56	3.16	0	0.44	3.84	0	0.09	6.76	0
26	141741	0.56	3.09	0	0.60	2.87	0	0.50	3.44	0	0.54	3.20	0	0.42	3.91	0	0.09	7.49	0
27	138491	0.56	3.10	0	0.60	2.90	0	0.50	3.42	0	0.53	3.27	0	0.42	3.90	0	0.08	8.21	0
28	133633	0.55	3.12	0	0.59	2.92	0	0.50	3.39	0	0.52	3.32	0	0.43	3.87	0	0.08	8.91	0
29	129054	0.55	3.14	0	0.58	2.96	0	0.52	3.36	0	0.51	3.33	0	0.45	3.83	0	0.09	9.55	0
30	123437	0.54	3.16	0	0.57	3.01	0	0.53	3.34	0	0.51	3.34	0	0.46	3.82	0	0.09	10.15	0
31	118174	0.54	3.14	0	0.56	3.02	0	0.54	3.30	0	0.52	3.29	0	0.46	3.78	0	0.10	10.70	0
32	113131	0.54	3.11	0	0.56	3.03	0	0.55	3.30	0	0.53	3.25	0	0.47	3.77	0	0.10	11.20	0
33	109146	0.55	3.07	0	0.57	3.00	0	0.54	3.30	0	0.54	3.21	0	0.46	3.74	0	0.10	11.60	0
34	105908	0.57	3.03	0	0.58	2.96	0	0.54	3.31	0	0.54	3.16	0	0.46	3.69	0	0.10	11.96	0
35	103149	0.58	2.96	0	0.60	2.89	0	0.53	3.32	0	0.56	3.11	0	0.47	3.62	0	0.10	12.25	0
36	99901	0.59	2.91	0	0.61	2.86	0	0.52	3.33	0	0.57	3.09	0	0.48	3.58	0	0.10	12.35	0
37	97516	0.60	2.86	0	0.61	2.83	0	0.52	3.31	0	0.56	3.04	0	0.50	3.51	0	0.10	12.42	0
38	93939	0.60	2.85	0	0.60	2.86	0	0.53	3.28	0	0.56	3.03	0	0.50	3.45	0	0.10	12.42	0
39	91461	0.61	2.81	0	0.60	2.88	0	0.55	3.21	0	0.57	3.03	0	0.50	3.40	0	0.10	12.34	0
40	94056	0.61	2.81	0	0.60	2.90	0	0.56	3.18	0	0.58	3.07	0	0.50	3.40	0	0.10	12.12	0
41	90173	0.61	2.80	0	0.59	2.92	0	0.57	3.14	0	0.57	3.07	0	0.52	3.38	0	0.10	11.91	0
42	86423	0.62	2.77	0	0.59	2.95	0	0.58	3.12	0	0.57	3.09	0	0.53	3.35	0	0.11	11.72	0
43	83252	0.62	2.77	0	0.58	3.01	0	0.58	3.15	0	0.57	3.13	0	0.54	3.32	0	0.12	11.47	0
44	80602	0.62	2.77	0	0.58	3.09	0	0.57	3.19	0	0.57	3.20	0	0.54	3.30	0	0.15	11.25	0
45	77502	0.62	2.79	0	0.56	3.18	0	0.57	3.25	0	0.55	3.29	0	0.54	3.33	0	0.17	10.97	0
46	74182	0.61	2.81	0	0.54	3.28	0	0.56	3.32	0	0.54	3.38	0	0.54	3.38	0	0.19	10.86	0
47	70698	0.61	2.83	0	0.53	3.37	0	0.54	3.43	0	0.52	3.47	0	0.52	3.44	0	0.20	10.72	0
48	67856	0.61	2.84	0	0.51	3.44	0	0.52	3.55	0	0.50	3.54	0	0.51	3.46	0	0.21	10.55	0
49	65674	0.60	2.86	0	0.50	3.52	0	0.49	3.70	0	0.49	3.61	0	0.51	3.49	0	0.20	10.55	0
50	64896	0.60	2.85	0	0.49	3.57	0	0.46	3.81	0	0.49	3.63	0	0.51	3.48	0	0.19	10.44	0
51	63410	0.60	2.87	0	0.48	3.64	0	0.44	3.94	0	0.49	3.65	0	0.52	3.48	0	0.17	10.40	0
52	60991	0.60	2.88	0	0.48	3.67	0	0.42	4.00	0	0.48	3.65	0	0.51	3.48	0	0.16	10.23	0
53	59550	0.60	2.87	0	0.48	3.65	0	0.43	4.02	0	0.48	3.64	0	0.51	3.48	0	0.14	10.18	0
54	56895	0.60	2.87	0	0.48	3.62	0	0.44	4.01	0	0.49	3.61	0	0.51	3.48	0	0.14	9.98	0
55	55297	0.60	2.91	0	0.49	3.57	0	0.45	3.98	0	0.48	3.59	0	0.50	3.47	0	0.13	9.78	0
56	52574	0.60	2.91	0	0.51	3.46	0	0.47	3.95	0	0.49	3.53	0	0.50	3.44	0	0.12	9.66	0
57	49823	0.58	2.97	0	0.52	3.41	0	0.47	3.99	0	0.49	3.51	0	0.50	3.44	0	0.12	9.40	0
58	48570	0.57	3.03	0	0.54	3.29	0	0.48	3.99	0	0.50	3.40	0	0.51	3.35	0	0.12	9.17	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 34. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		innovatrics-000			**innovatrics-001**			**innovatrics-002**			**innovatrics-003**			**innovatrics-004**			**intellicheck-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
59	46040	0.56	3.11	0	0.55	3.23	0	0.46	4.06	0	0.51	3.37	0	0.52	3.33	0	0.12	8.94	0
60	46037	0.55	3.18	0	0.57	3.13	0	0.45	4.07	0	0.53	3.25	0	0.53	3.23	0	0.13	8.70	0
61	43860	0.53	3.28	0	0.58	3.09	0	0.43	4.13	0	0.54	3.16	0	0.55	3.15	0	0.13	8.48	0
62	41407	0.52	3.36	0	0.58	3.06	0	0.41	4.16	0	0.57	3.04	0	0.57	3.03	0	0.15	8.11	0
63	39444	0.50	3.47	0	0.57	3.10	0	0.41	4.17	0	0.58	2.95	0	0.58	2.94	0	0.17	7.89	0
64	37425	0.49	3.58	0	0.56	3.13	0	0.40	4.14	0	0.60	2.85	0	0.60	2.85	0	0.18	7.61	0
65	34834	0.47	3.69	0	0.55	3.21	0	0.41	4.07	0	0.62	2.78	0	0.62	2.77	0	0.20	7.32	0
66	32020	0.46	3.79	0	0.53	3.33	0	0.43	3.96	0	0.64	2.72	0	0.64	2.71	0	0.21	6.98	0
67	28898	0.44	3.95	0	0.51	3.46	0	0.46	3.82	0	0.64	2.70	0	0.64	2.70	0	0.22	6.77	0
68	26630	0.41	4.15	0	0.47	3.68	0	0.51	3.70	0	0.64	2.75	0	0.64	2.75	0	0.23	6.44	0
69	24864	0.40	4.28	0	0.45	3.84	0	0.54	3.54	0	0.63	2.79	0	0.63	2.79	0	0.25	6.10	0
70	23407	0.38	4.45	0	0.44	3.99	0	0.56	3.44	0	0.60	2.90	0	0.60	2.90	0	0.25	5.82	0
71	20736	0.36	4.63	0	0.42	4.16	0	0.57	3.39	0	0.57	3.05	0	0.57	3.05	0	0.28	5.54	0
72	18423	0.33	4.89	0	0.39	4.43	0	0.56	3.41	0	0.53	3.27	0	0.53	3.27	0	0.30	5.22	0
73	16215	0.30	5.14	0	0.37	4.64	0	0.54	3.54	0	0.49	3.49	0	0.49	3.49	0	0.33	4.94	0
74	14848	0.27	5.38	0	0.35	4.80	0	0.51	3.63	0	0.46	3.66	0	0.46	3.66	0	0.39	4.65	0
75	13197	0.23	5.82	0	0.32	5.14	0	0.46	3.89	0	0.41	4.02	0	0.41	4.02	0	0.45	4.28	0
76	11886	0.19	6.13	0	0.31	5.27	0	0.42	4.07	0	0.39	4.21	0	0.39	4.21	0	0.48	4.07	0
77	10839	0.14	6.60	0	0.28	5.55	0	0.38	4.35	0	0.36	4.50	0	0.35	4.50	0	0.50	3.91	0
78	9361	0.10	7.03	0	0.27	5.83	0	0.35	4.67	0	0.32	4.85	0	0.32	4.85	0	0.50	3.77	0
79	7540	0.07	7.46	0	0.24	6.09	0	0.32	4.89	0	0.30	5.06	0	0.30	5.06	0	0.51	3.64	0
80	6267	0.04	7.94	0	0.22	6.34	0	0.30	5.22	0	0.28	5.37	0	0.28	5.37	0	0.49	3.72	0
81	5221	0.02	8.42	0	0.20	6.57	0	0.28	5.41	0	0.25	5.62	0	0.25	5.62	0	0.48	3.68	0
82	3962	0.00	8.93	0	0.17	6.93	0	0.25	5.81	0	0.22	5.96	0	0.22	5.96	0	0.48	3.76	0
83	3277	0.00	9.54	0	0.14	7.37	0	0.21	6.31	0	0.17	6.43	0	0.17	6.44	0	0.50	3.73	0
84	2615	0.00	10.17	0	0.13	7.68	0	0.16	6.76	0	0.14	6.84	0	0.14	6.84	0	0.47	3.80	0
85	2206	0.00	10.69	0	0.11	8.01	0	0.14	7.19	0	0.11	7.14	0	0.11	7.14	0	0.49	3.91	0
86	1831	0.00	11.35	0	0.07	8.65	0	0.11	7.64	0	0.07	7.69	0	0.07	7.69	0	0.48	4.19	0
87	1402	0.00	12.13	0	0.06	9.07	0	0.07	8.21	0	0.03	8.25	0	0.03	8.25	0	0.43	4.38	0
88	1254	0.00	12.87	0	0.05	9.71	0	0.04	9.07	0	0.02	8.84	0	0.01	8.84	0	0.42	4.91	0
89	907	0.00	13.33	0	0.03	9.92	0	0.02	9.24	0	0.01	9.04	0	0.01	9.04	0	0.38	4.93	0
90	670	0.00	14.39	0	0.02	10.93	0	0.01	10.21	0	0.00	9.95	0	0.00	9.95	0	0.35	5.53	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 35. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		ionetworks-000			**jumio-000**			**neuro-000**			**neuro-001**			**neuro-003**			**nominder-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	0.95	1.68	0	0.00	18.43	0.018	0.97	1.23	0	0.85	1.87	0.000	0.98	2.62	0	0.99	0.68	0
1	94475	0.97	1.82	0	0.01	15.25	0.009	0.96	1.11	0	0.84	1.82	0.000	0.99	2.02	0	0.92	1.07	0
2	82596	0.98	1.69	0	0.02	13.27	0.011	0.92	1.25	0	0.82	1.80	0.000	0.97	1.69	0	0.84	1.80	0
3	82473	0.96	1.37	0	0.06	10.99	0.011	0.88	1.50	0	0.80	1.95	0.000	0.96	1.46	0	0.91	1.90	0
4	84055	0.94	1.16	0	0.11	9.37	0.015	0.86	1.64	0	0.79	2.09	0.000	0.93	1.30	0	0.87	1.75	0
5	92521	0.90	1.34	0	0.19	8.06	0.021	0.84	1.76	0	0.78	2.22	0.000	0.90	1.35	0	0.80	1.74	0
6	91639	0.84	1.69	0	0.26	7.29	0.028	0.82	1.96	0	0.75	2.49	0.000	0.85	1.57	0	0.71	2.12	0
7	89993	0.77	2.06	0	0.30	6.84	0.038	0.75	2.39	0	0.67	3.00	0.000	0.82	1.81	0	0.59	2.69	0
8	89428	0.74	2.17	0	0.30	6.83	0.032	0.67	2.83	0	0.60	3.42	0.000	0.81	1.97	0	0.54	2.91	0
9	89644	0.74	2.14	0	0.27	7.00	0.028	0.60	3.25	0	0.54	3.79	0.000	0.81	2.03	0	0.53	2.94	0
10	98337	0.74	2.09	0	0.23	7.10	0.030	0.53	3.68	0	0.47	4.15	0.000	0.78	2.15	0	0.57	2.91	0
11	97415	0.74	2.16	0	0.18	7.04	0.032	0.45	4.16	0	0.40	4.56	0.000	0.70	2.46	0	0.63	2.84	0
12	94326	0.72	2.41	0	0.14	6.68	0.038	0.35	4.68	0	0.31	4.99	0.000	0.58	3.04	0	0.66	2.78	0
13	94047	0.62	2.77	0	0.12	6.13	0.041	0.25	5.17	0	0.21	5.37	0.000	0.44	3.77	0	0.64	2.82	0
14	96915	0.54	3.15	0	0.13	5.62	0.041	0.18	5.34	0	0.16	5.46	0.000	0.33	4.33	0	0.61	2.91	0
15	97599	0.48	3.48	0	0.21	5.24	0.039	0.16	5.29	0	0.14	5.36	0.000	0.28	4.74	0	0.57	3.11	0
16	96388	0.45	3.68	0	0.32	4.94	0.035	0.20	4.96	0	0.19	5.01	0.000	0.28	4.92	0	0.54	3.28	0
17	99462	0.45	3.72	0	0.39	4.62	0.033	0.31	4.46	0	0.30	4.50	0.000	0.30	4.94	0	0.53	3.36	0
18	98765	0.45	3.74	0	0.37	4.73	0.032	0.44	3.93	0	0.42	3.94	0.000	0.29	5.17	0	0.51	3.46	0
19	105717	0.46	3.74	0	0.36	4.67	0.029	0.52	3.47	0	0.51	3.45	0.000	0.28	5.26	0	0.50	3.52	0
20	118643	0.48	3.66	0	0.38	4.46	0.027	0.59	3.15	0	0.58	3.11	0.000	0.28	5.18	0	0.51	3.51	0
21	124060	0.49	3.58	0	0.39	4.37	0.026	0.64	2.91	0	0.64	2.85	0.000	0.28	5.16	0	0.51	3.50	0
22	128864	0.50	3.53	0	0.40	4.23	0.023	0.65	2.88	0	0.66	2.79	0.000	0.29	5.08	0	0.51	3.49	0
23	133507	0.51	3.47	0	0.41	4.09	0.023	0.63	2.97	0	0.65	2.85	0.000	0.30	5.00	0	0.51	3.50	0
24	138094	0.51	3.41	0	0.43	3.91	0.022	0.58	3.12	0	0.61	3.00	0.000	0.31	4.87	0	0.51	3.51	0
25	139920	0.52	3.39	0	0.45	3.77	0.021	0.53	3.35	0	0.56	3.24	0.000	0.32	4.77	0	0.50	3.56	0
26	141741	0.52	3.34	0	0.47	3.61	0.019	0.49	3.60	0	0.50	3.52	0.000	0.34	4.64	0	0.50	3.57	0
27	138491	0.53	3.31	0	0.50	3.47	0.018	0.44	3.90	0	0.45	3.86	0.000	0.36	4.49	0	0.49	3.59	0
28	133633	0.53	3.28	0	0.51	3.38	0.018	0.41	4.18	0	0.40	4.20	0.000	0.37	4.38	0	0.49	3.63	0
29	129054	0.54	3.24	0	0.53	3.29	0.017	0.38	4.46	0	0.36	4.52	0.000	0.39	4.25	0	0.49	3.64	0
30	123437	0.55	3.23	0	0.54	3.24	0.015	0.36	4.71	0	0.33	4.81	0.000	0.41	4.12	0	0.50	3.67	0
31	118174	0.55	3.20	0	0.55	3.21	0.015	0.35	4.93	0	0.32	5.06	0.000	0.42	3.99	0	0.50	3.69	0
32	113131	0.55	3.19	0	0.55	3.21	0.015	0.33	5.17	0	0.31	5.32	0.000	0.44	3.87	0	0.49	3.72	0
33	109146	0.56	3.19	0	0.56	3.21	0.014	0.33	5.36	0	0.31	5.50	0.000	0.45	3.76	0	0.49	3.74	0
34	105908	0.55	3.21	0	0.55	3.26	0.015	0.32	5.52	0	0.31	5.65	0.000	0.47	3.67	0	0.48	3.78	0
35	103149	0.55	3.23	0	0.55	3.29	0.014	0.31	5.69	0	0.30	5.81	0.000	0.49	3.57	0	0.48	3.79	0
36	99901	0.54	3.26	0	0.54	3.33	0.014	0.31	5.79	0	0.31	5.89	0.000	0.50	3.49	0	0.47	3.82	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 35. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		ionetworks-000			**jumio-000**			**neuro-000**			**neuro-001**			**neuro-003**			**nominder-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
37	97516	0.54	3.29	0	0.53	3.37	0.014	0.30	5.91	0	0.30	6.00	0.000	0.51	3.39	0	0.47	3.81	0
38	93939	0.53	3.33	0	0.53	3.40	0.014	0.29	5.98	0	0.30	6.06	0.000	0.53	3.32	0	0.47	3.82	0
39	91461	0.53	3.34	0	0.52	3.41	0.013	0.30	6.00	0	0.30	6.06	0.000	0.54	3.26	0	0.48	3.82	0
40	94056	0.52	3.39	0	0.52	3.48	0.013	0.29	6.06	0	0.29	6.11	0.000	0.54	3.27	0	0.47	3.87	0
41	90173	0.52	3.40	0	0.51	3.48	0.014	0.29	6.07	0	0.29	6.10	0.000	0.54	3.23	0	0.47	3.87	0
42	86423	0.51	3.45	0	0.51	3.50	0.013	0.29	6.09	0	0.29	6.12	0.000	0.55	3.20	0	0.46	3.89	0
43	83252	0.51	3.48	0	0.51	3.51	0.013	0.30	6.04	0	0.30	6.05	0.000	0.55	3.21	0	0.45	3.92	0
44	80602	0.50	3.51	0	0.51	3.51	0.014	0.30	6.03	0	0.30	6.04	0.000	0.55	3.19	0	0.44	3.95	0
45	77502	0.50	3.53	0	0.51	3.48	0.013	0.30	5.95	0	0.30	5.95	0.000	0.55	3.18	0	0.44	3.93	0
46	74182	0.50	3.55	0	0.51	3.48	0.014	0.31	5.83	0	0.31	5.83	0.000	0.55	3.17	0	0.44	3.89	0
47	70698	0.50	3.55	0	0.51	3.45	0.014	0.32	5.72	0	0.32	5.71	0.000	0.55	3.15	0	0.46	3.81	0
48	67856	0.50	3.57	0	0.51	3.42	0.015	0.33	5.57	0	0.34	5.57	0.000	0.56	3.12	0	0.47	3.71	0
49	65674	0.50	3.57	0	0.52	3.38	0.015	0.35	5.46	0	0.35	5.44	0.000	0.56	3.12	0	0.49	3.63	0
50	64896	0.50	3.54	0	0.53	3.32	0.015	0.37	5.27	0	0.37	5.25	0.000	0.57	3.09	0	0.51	3.53	0
51	63410	0.51	3.54	0	0.54	3.26	0.015	0.39	5.13	0	0.39	5.11	0.000	0.57	3.07	0	0.53	3.46	0
52	60991	0.51	3.49	0	0.55	3.21	0.017	0.40	5.04	0	0.40	5.01	0.000	0.57	3.06	0	0.53	3.42	0
53	59550	0.52	3.48	0	0.56	3.15	0.016	0.41	4.94	0	0.41	4.91	0.000	0.58	3.05	0	0.54	3.38	0
54	56895	0.52	3.46	0	0.56	3.10	0.018	0.41	4.88	0	0.41	4.86	0.000	0.58	3.04	0	0.53	3.41	0
55	55297	0.52	3.45	0	0.57	3.09	0.018	0.41	4.80	0	0.42	4.78	0.000	0.57	3.06	0	0.53	3.42	0
56	52574	0.52	3.44	0	0.57	3.07	0.019	0.42	4.72	0	0.42	4.70	0.000	0.57	3.06	0	0.52	3.43	0
57	49823	0.51	3.48	0	0.57	3.06	0.020	0.41	4.74	0	0.41	4.72	0.000	0.56	3.12	0	0.51	3.51	0
58	48570	0.51	3.47	0	0.57	3.05	0.023	0.41	4.74	0	0.41	4.73	0.000	0.56	3.13	0	0.51	3.54	0
59	46040	0.51	3.49	0	0.57	3.08	0.023	0.41	4.78	0	0.41	4.78	0.000	0.55	3.20	0	0.51	3.61	0
60	46037	0.51	3.53	0	0.57	3.09	0.024	0.40	4.82	0	0.40	4.82	0.000	0.54	3.26	0	0.49	3.70	0
61	43860	0.50	3.56	0	0.56	3.12	0.025	0.40	4.88	0	0.40	4.88	0.000	0.53	3.32	0	0.48	3.77	0
62	41407	0.49	3.62	0	0.55	3.15	0.027	0.39	4.98	0	0.39	4.99	0.000	0.52	3.44	0	0.47	3.87	0
63	39444	0.49	3.68	0	0.55	3.23	0.028	0.38	5.20	0	0.38	5.22	0.000	0.50	3.57	0	0.45	4.02	0
64	37425	0.48	3.75	0	0.53	3.29	0.030	0.38	5.39	0	0.38	5.40	0.000	0.48	3.69	0	0.44	4.14	0
65	34834	0.46	3.84	0	0.52	3.37	0.032	0.35	5.64	0	0.35	5.66	0.000	0.46	3.86	0	0.42	4.26	0
66	32020	0.45	3.94	0	0.52	3.42	0.032	0.31	5.91	0	0.31	5.93	0.000	0.43	4.07	0	0.40	4.38	0
67	28898	0.44	4.06	0	0.51	3.53	0.036	0.26	6.39	0	0.26	6.42	0.000	0.39	4.33	0	0.39	4.57	0
68	26630	0.41	4.24	0	0.48	3.70	0.037	0.20	6.94	0	0.19	6.96	0.000	0.34	4.66	0	0.36	4.79	0
69	24864	0.40	4.37	0	0.47	3.82	0.040	0.13	7.46	0	0.13	7.48	0.000	0.30	4.93	0	0.34	4.93	0
70	23407	0.38	4.54	0	0.45	3.96	0.043	0.06	8.08	0	0.06	8.11	0.000	0.27	5.24	0	0.33	5.08	0
71	20736	0.37	4.70	0	0.43	4.13	0.042	0.01	8.66	0	0.01	8.69	0.000	0.25	5.55	0	0.31	5.26	0
72	18423	0.35	4.94	0	0.40	4.37	0.048	0.00	9.36	0	0.00	9.37	0.000	0.22	5.93	0	0.30	5.49	0
73	16215	0.33	5.11	0	0.38	4.57	0.048	0.00	9.98	0	0.00	10.00	0.000	0.20	6.25	0	0.29	5.62	0
74	14848	0.31	5.33	0	0.37	4.72	0.050	0.00	10.65	0	0.00	10.67	0.000	0.20	6.56	0	0.29	5.75	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 35. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		ionetworks-000			**jumio-000**			**neuro-000**			**neuro-001**			**neuro-003**			**nominder-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
75	13197	0.28	5.69	0	0.31	5.14	0.049	0.00	11.39	0	0.00	11.41	0.000	0.17	7.03	0	0.28	6.00	0
76	11886	0.26	5.99	0	0.28	5.46	0.055	0.00	12.02	0	0.00	12.04	0.000	0.17	7.34	0	0.28	6.14	0
77	10839	0.23	6.36	0	0.25	5.77	0.055	0.00	12.85	0	0.00	12.86	0.000	0.15	7.81	0	0.26	6.40	0
78	9361	0.19	6.73	0	0.21	6.21	0.061	0.00	13.55	0	0.00	13.57	0.000	0.14	8.26	0	0.26	6.58	0
79	7540	0.17	6.98	0	0.17	6.52	0.068	0.00	14.40	0	0.00	14.41	0.000	0.12	8.61	0	0.26	6.65	0
80	6267	0.15	7.38	0	0.14	7.03	0.066	0.00	15.18	0	0.00	15.20	0.000	0.10	9.05	0	0.25	6.90	0
81	5221	0.12	7.70	0	0.11	7.38	0.072	0.00	16.00	0	0.00	16.01	0.000	0.08	9.46	0	0.24	7.01	0
82	3962	0.09	8.14	0	0.08	7.94	0.076	0.00	16.78	0	0.00	16.80	0.000	0.06	10.04	0	0.23	7.36	0
83	3277	0.07	8.68	0	0.06	8.48	0.070	0.00	17.66	0	0.00	17.68	0.000	0.03	10.49	0	0.19	7.65	0
84	2615	0.06	9.10	0	0.04	9.03	0.081	0.00	18.45	0	0.00	18.49	0.000	0.02	10.97	0	0.16	8.02	0
85	2206	0.04	9.60	0	0.03	9.62	0.079	0.00	19.29	0	0.00	19.32	0.000	0.00	11.58	0	0.15	8.22	0
86	1831	0.03	10.20	0	0.01	10.17	0.082	0.00	20.24	0	0.00	20.25	0.000	0.00	12.26	0	0.14	8.61	0
87	1402	0.02	10.89	0	0.01	10.81	0.086	0.00	21.17	0	0.00	21.15	0.000	0.00	13.19	0	0.11	9.11	0
88	1254	0.01	11.45	0	0.01	11.54	0.093	0.00	22.10	0	0.00	22.14	0.000	0.00	13.72	0	0.11	9.40	0
89	907	0.00	11.87	0	0.01	12.06	0.097	0.00	22.86	0	0.00	22.89	0.001	0.00	14.37	0	0.10	9.57	0
90	670	0.00	12.87	0	0.00	13.01	0.099	0.00	24.05	0	0.00	24.06	0.000	0.00	15.43	0	0.09	10.64	0

Table 36. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		nominder-001			**ondato-000**			**ondato-001**			**onfido-000**			**paravision-000**			**paravision-001**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	0.99	0.66	0	0.85	2.29	0	0.93	1.66	0	0.00	11.77	0	0.97	1.11	0	0.91	1.60	0
1	94475	0.92	1.04	0	0.86	1.68	0	0.90	1.76	0	0.01	8.29	0	0.75	2.14	0	0.70	2.37	0
2	82596	0.83	1.87	0	0.77	2.13	0	0.84	2.04	0	0.03	7.40	0	0.59	2.71	0	0.60	2.64	0
3	82473	0.95	1.89	0	0.69	2.52	0	0.78	2.18	0	0.07	6.64	0	0.71	2.55	0	0.70	2.39	0
4	84055	0.92	1.57	0	0.64	2.77	0	0.74	2.22	0	0.11	6.09	0	0.90	2.03	0	0.86	1.93	0
5	92521	0.87	1.38	0	0.61	2.94	0	0.71	2.34	0	0.14	5.63	0	0.96	1.47	0	0.93	1.48	0
6	91639	0.82	1.65	0	0.55	3.25	0	0.68	2.53	0	0.17	5.15	0	0.99	0.91	0	0.97	1.06	0
7	89993	0.77	2.08	0	0.48	3.65	0	0.63	2.82	0	0.23	4.55	0	1.00	0.64	0	0.98	0.88	0
8	89428	0.70	2.46	0	0.44	3.88	0	0.60	3.01	0	0.25	4.34	0	1.00	0.79	0	0.98	1.00	0
9	89644	0.63	2.72	0	0.41	4.00	0	0.57	3.14	0	0.32	4.18	0	1.00	0.97	0	0.97	1.08	0
10	98337	0.61	2.96	0	0.39	3.99	0	0.54	3.23	0	0.40	3.98	0	0.98	1.11	0	0.92	1.21	0
11	97415	0.57	3.22	0	0.38	3.97	0	0.50	3.40	0	0.42	3.76	0	0.96	1.23	0	0.88	1.52	0
12	94326	0.51	3.54	0	0.38	3.85	0	0.45	3.55	0	0.43	3.53	0	0.93	1.33	0	0.82	1.91	0
13	94047	0.41	3.92	0	0.41	3.70	0	0.42	3.63	0	0.47	3.31	0	0.93	1.36	0	0.77	2.16	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 36. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		nominder-001			**ondato-000**			**ondato-001**			**onfido-000**			**paravision-000**			**paravision-001**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
14	96915	0.34	4.17	0	0.47	3.50	0	0.42	3.60	0	0.56	3.10	0	0.92	1.47	0	0.77	2.12	0
15	97599	0.32	4.31	0	0.52	3.36	0	0.46	3.52	0	0.61	2.95	0	0.88	1.87	0	0.78	2.02	0
16	96388	0.35	4.28	0	0.54	3.25	0	0.50	3.44	0	0.63	2.86	0	0.77	2.53	0	0.76	2.05	0
17	99462	0.40	4.12	0	0.56	3.16	0	0.53	3.32	0	0.62	2.81	0	0.35	3.31	0	0.75	2.19	0
18	98765	0.42	4.06	0	0.55	3.21	0	0.53	3.33	0	0.57	3.06	0	0.06	4.19	0	0.64	2.59	0
19	105717	0.45	3.94	0	0.56	3.21	0	0.53	3.32	0	0.55	3.21	0	0.02	5.09	0	0.57	2.84	0
20	118643	0.48	3.74	0	0.56	3.18	0	0.53	3.28	0	0.55	3.23	0	0.03	5.89	0	0.56	2.99	0
21	124060	0.51	3.62	0	0.56	3.16	0	0.54	3.24	0	0.54	3.27	0	0.05	6.66	0	0.55	3.08	0
22	128864	0.52	3.53	0	0.56	3.12	0	0.54	3.19	0	0.53	3.29	0	0.07	7.32	0	0.56	3.01	0
23	133507	0.53	3.49	0	0.57	3.09	0	0.55	3.14	0	0.53	3.30	0	0.09	7.85	0	0.57	2.94	0
24	138094	0.53	3.45	0	0.58	3.04	0	0.57	3.07	0	0.53	3.29	0	0.11	8.25	0	0.60	2.88	0
25	139920	0.52	3.46	0	0.58	3.03	0	0.57	3.04	0	0.54	3.28	0	0.13	8.47	0	0.63	2.82	0
26	141741	0.52	3.43	0	0.58	3.02	0	0.58	2.99	0	0.54	3.26	0	0.17	8.53	0	0.63	2.81	0
27	138491	0.51	3.46	0	0.58	3.04	0	0.58	2.99	0	0.55	3.25	0	0.20	8.46	0	0.63	2.82	0
28	133633	0.51	3.49	0	0.56	3.10	0	0.57	3.02	0	0.55	3.27	0	0.24	8.26	0	0.62	2.88	0
29	129054	0.51	3.53	0	0.55	3.16	0	0.57	3.05	0	0.54	3.31	0	0.28	7.95	0	0.60	2.98	0
30	123437	0.50	3.58	0	0.54	3.21	0	0.56	3.09	0	0.53	3.36	0	0.29	7.63	0	0.58	3.09	0
31	118174	0.50	3.60	0	0.54	3.28	0	0.56	3.11	0	0.52	3.42	0	0.29	7.24	0	0.56	3.19	0
32	113131	0.49	3.66	0	0.53	3.34	0	0.55	3.15	0	0.51	3.49	0	0.32	6.81	0	0.54	3.30	0
33	109146	0.48	3.70	0	0.53	3.35	0	0.56	3.15	0	0.49	3.54	0	0.35	6.38	0	0.52	3.39	0
34	105908	0.48	3.75	0	0.53	3.38	0	0.56	3.17	0	0.48	3.61	0	0.38	5.91	0	0.51	3.47	0
35	103149	0.48	3.75	0	0.53	3.43	0	0.56	3.19	0	0.48	3.66	0	0.40	5.45	0	0.50	3.52	0
36	99901	0.47	3.77	0	0.53	3.47	0	0.56	3.22	0	0.48	3.70	0	0.44	5.04	0	0.49	3.58	0
37	97516	0.48	3.76	0	0.52	3.52	0	0.56	3.25	0	0.48	3.72	0	0.46	4.73	0	0.49	3.60	0
38	93939	0.48	3.74	0	0.51	3.61	0	0.55	3.32	0	0.48	3.78	0	0.47	4.51	0	0.49	3.63	0
39	91461	0.49	3.71	0	0.50	3.66	0	0.54	3.38	0	0.47	3.82	0	0.47	4.32	0	0.49	3.64	0
40	94056	0.49	3.70	0	0.49	3.73	0	0.53	3.48	0	0.46	3.89	0	0.46	4.15	0	0.49	3.65	0
41	90173	0.49	3.67	0	0.48	3.79	0	0.51	3.57	0	0.45	3.97	0	0.47	4.05	0	0.48	3.67	0
42	86423	0.49	3.64	0	0.47	3.84	0	0.49	3.66	0	0.43	4.03	0	0.47	3.99	0	0.48	3.70	0
43	83252	0.49	3.62	0	0.46	3.90	0	0.48	3.74	0	0.41	4.07	0	0.47	3.96	0	0.47	3.75	0
44	80602	0.49	3.60	0	0.46	3.90	0	0.47	3.80	0	0.40	4.10	0	0.48	3.91	0	0.47	3.77	0
45	77502	0.50	3.54	0	0.46	3.90	0	0.46	3.83	0	0.41	4.08	0	0.49	3.89	0	0.47	3.79	0
46	74182	0.50	3.49	0	0.46	3.88	0	0.46	3.86	0	0.41	4.09	0	0.49	3.90	0	0.47	3.82	0
47	70698	0.50	3.43	0	0.46	3.86	0	0.45	3.85	0	0.42	4.07	0	0.45	3.94	0	0.46	3.86	0
48	67856	0.52	3.34	0	0.47	3.80	0	0.46	3.81	0	0.43	4.04	0	0.43	3.94	0	0.46	3.89	0
49	65674	0.54	3.24	0	0.49	3.74	0	0.46	3.77	0	0.43	4.03	0	0.44	3.97	0	0.46	3.90	0
50	64896	0.55	3.15	0	0.50	3.69	0	0.48	3.69	0	0.43	4.02	0	0.44	3.96	0	0.45	3.92	0
51	63410	0.57	3.09	0	0.50	3.66	0	0.49	3.62	0	0.43	4.02	0	0.45	3.89	0	0.45	3.93	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 36. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		nominder-001			**ondato-000**			**ondato-001**			**onfido-000**			**paravision-000**			**paravision-001**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
52	60991	0.58	3.03	0	0.51	3.61	0	0.50	3.54	0	0.42	3.98	0	0.46	3.80	0	0.45	3.92	0
53	59550	0.59	2.99	0	0.51	3.58	0	0.52	3.44	0	0.41	3.94	0	0.48	3.73	0	0.45	3.91	0
54	56895	0.59	2.99	0	0.52	3.55	0	0.54	3.36	0	0.42	3.87	0	0.49	3.67	0	0.46	3.91	0
55	55297	0.58	3.02	0	0.51	3.57	0	0.55	3.31	0	0.44	3.79	0	0.49	3.61	0	0.46	3.90	0
56	52574	0.58	3.05	0	0.50	3.56	0	0.55	3.26	0	0.46	3.69	0	0.49	3.56	0	0.46	3.88	0
57	49823	0.56	3.15	0	0.50	3.59	0	0.56	3.25	0	0.49	3.56	0	0.53	3.52	0	0.46	3.90	0
58	48570	0.55	3.19	0	0.50	3.60	0	0.56	3.25	0	0.52	3.46	0	0.55	3.47	0	0.47	3.87	0
59	46040	0.54	3.31	0	0.49	3.64	0	0.55	3.29	0	0.53	3.39	0	0.54	3.47	0	0.47	3.89	0
60	46037	0.52	3.41	0	0.49	3.68	0	0.54	3.35	0	0.53	3.36	0	0.53	3.52	0	0.47	3.92	0
61	43860	0.51	3.50	0	0.48	3.70	0	0.53	3.41	0	0.53	3.33	0	0.52	3.61	0	0.47	3.91	0
62	41407	0.50	3.61	0	0.48	3.73	0	0.51	3.52	0	0.53	3.27	0	0.51	3.70	0	0.48	3.90	0
63	39444	0.47	3.78	0	0.48	3.78	0	0.49	3.63	0	0.53	3.24	0	0.47	3.82	0	0.47	3.97	0
64	37425	0.46	3.89	0	0.47	3.84	0	0.48	3.73	0	0.53	3.19	0	0.44	3.86	0	0.46	4.03	0
65	34834	0.43	4.06	0	0.46	3.92	0	0.46	3.84	0	0.54	3.11	0	0.44	3.90	0	0.46	4.05	0
66	32020	0.43	4.13	0	0.46	3.95	0	0.45	3.94	0	0.57	2.98	0	0.43	3.94	0	0.45	4.12	0
67	28898	0.41	4.30	0	0.45	4.04	0	0.44	4.02	0	0.59	2.89	0	0.43	3.92	0	0.45	4.19	0
68	26630	0.39	4.47	0	0.44	4.16	0	0.42	4.20	0	0.62	2.77	0	0.45	3.88	0	0.44	4.24	0
69	24864	0.38	4.56	0	0.44	4.22	0	0.42	4.28	0	0.64	2.69	0	0.46	3.79	0	0.43	4.28	0
70	23407	0.37	4.64	0	0.44	4.34	0	0.41	4.41	0	0.66	2.61	0	0.48	3.71	0	0.43	4.30	0
71	20736	0.36	4.73	0	0.43	4.46	0	0.41	4.52	0	0.65	2.60	0	0.50	3.65	0	0.41	4.35	0
72	18423	0.35	4.86	0	0.42	4.69	0	0.40	4.73	0	0.65	2.66	0	0.53	3.58	0	0.42	4.33	0
73	16215	0.36	4.89	0	0.40	4.85	0	0.40	4.83	0	0.64	2.67	0	0.53	3.54	0	0.41	4.35	0
74	14848	0.37	4.87	0	0.37	5.06	0	0.39	4.95	0	0.62	2.72	0	0.52	3.50	0	0.41	4.36	0
75	13197	0.37	5.00	0	0.31	5.57	0	0.34	5.37	0	0.60	2.88	0	0.51	3.59	0	0.42	4.28	0
76	11886	0.37	5.04	0	0.25	5.95	0	0.30	5.66	0	0.58	2.96	0	0.50	3.71	0	0.41	4.29	0
77	10839	0.38	5.08	0	0.17	6.49	0	0.23	6.17	0	0.56	3.08	0	0.47	3.87	0	0.42	4.19	0
78	9361	0.37	5.23	0	0.10	7.11	0	0.16	6.72	0	0.54	3.21	0	0.45	3.92	0	0.42	4.16	0
79	7540	0.37	5.19	0	0.04	7.65	0	0.09	7.18	0	0.54	3.27	0	0.44	4.00	0	0.45	3.96	0
80	6267	0.36	5.37	0	0.01	8.31	0	0.02	7.78	0	0.52	3.39	0	0.45	4.14	0	0.44	3.98	0
81	5221	0.34	5.51	0	0.00	8.91	0	0.00	8.34	0	0.51	3.46	0	0.43	4.25	0	0.47	3.82	0
82	3962	0.33	5.69	0	0.00	9.61	0	0.00	8.98	0	0.49	3.68	0	0.39	4.41	0	0.49	3.67	0
83	3277	0.27	6.11	0	0.00	10.40	0	0.00	9.71	0	0.46	3.88	0	0.39	4.61	0	0.52	3.55	0
84	2615	0.26	6.39	0	0.00	11.06	0	0.00	10.41	0	0.44	4.10	0	0.36	4.94	0	0.52	3.59	0
85	2206	0.22	6.63	0	0.00	11.76	0	0.00	11.07	0	0.39	4.28	0	0.36	4.92	0	0.54	3.39	0
86	1831	0.20	7.06	0	0.00	12.56	0	0.00	11.87	0	0.34	4.70	0	0.34	5.22	0	0.56	3.50	0
87	1402	0.15	7.49	0	0.00	13.37	0	0.00	12.71	0	0.28	5.13	0	0.30	5.73	0	0.56	3.68	0
88	1254	0.12	8.13	0	0.00	14.28	0	0.00	13.61	0	0.20	5.73	0	0.27	6.26	0	0.52	3.92	0
89	907	0.11	8.32	0	0.00	14.92	0	0.00	14.22	0	0.13	5.97	0	0.24	6.43	0	0.49	3.97	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 36. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		nominder-001			**ondato-000**			**ondato-001**			**onfido-000**			**paravision-000**			**paravision-001**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
90	670	0.07	9.27	0	0.00	16.05	0	0.00	15.34	0	0.07	6.96	0	0.17	7.15	0	0.43	4.64	0

Table 37. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		privately-000			**regula-000**			**rigrai-000**			**roc-000**			**roc-001**			**roc-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	0.98	1.40	0	0.98	1.28	0	1.00	0.51	0	0.72	2.28	0	0.00	7.75	0	1.00	0.61	0
1	94475	0.93	1.30	0	1.00	0.46	0	1.00	0.52	0	0.83	1.80	0	0.01	7.52	0	1.00	0.56	0
2	82596	0.75	1.81	0	1.00	0.56	0	0.99	0.92	0	0.83	1.78	0	0.02	7.17	0	1.00	0.69	0
3	82473	0.67	2.25	0	1.00	0.66	0	0.99	0.86	0	0.84	1.75	0	0.02	6.87	0	0.99	0.83	0
4	84055	0.74	2.28	0	1.00	0.68	0	0.99	0.79	0	0.87	1.64	0	0.02	6.58	0	0.98	0.91	0
5	92521	0.82	2.05	0	1.00	0.74	0	0.98	0.92	0	0.88	1.59	0	0.03	6.32	0	0.97	1.00	0
6	91639	0.87	1.74	0	0.99	0.85	0	0.98	1.02	0	0.87	1.60	0	0.03	5.92	0	0.96	1.08	0
7	89993	0.90	1.52	0	0.99	0.91	0	0.99	0.96	0	0.85	1.66	0	0.05	5.22	0	0.96	1.10	0
8	89428	0.90	1.48	0	0.99	0.97	0	0.98	0.97	0	0.80	1.88	0	0.06	5.04	0	0.94	1.22	0
9	89644	0.90	1.52	0	0.98	1.00	0	0.98	0.93	0	0.73	2.19	0	0.08	4.81	0	0.93	1.30	0
10	98337	0.88	1.64	0	0.97	1.06	0	0.97	0.99	0	0.64	2.64	0	0.10	4.59	0	0.90	1.43	0
11	97415	0.85	1.84	0	0.94	1.23	0	0.96	1.20	0	0.53	3.18	0	0.13	4.39	0	0.86	1.60	0
12	94326	0.82	2.00	0	0.90	1.46	0	0.95	1.37	0	0.39	3.76	0	0.16	4.18	0	0.82	1.78	0
13	94047	0.76	2.18	0	0.84	1.73	0	0.93	1.41	0	0.26	4.18	0	0.20	4.00	0	0.81	1.92	0
14	96915	0.70	2.41	0	0.79	1.98	0	0.91	1.35	0	0.19	4.20	0	0.29	3.81	0	0.82	1.93	0
15	97599	0.65	2.76	0	0.76	2.13	0	0.88	1.40	0	0.30	4.00	0	0.42	3.63	0	0.85	1.82	0
16	96388	0.62	3.05	0	0.75	2.21	0	0.84	1.68	0	0.52	3.65	0	0.54	3.47	0	0.87	1.65	0
17	99462	0.60	3.16	0	0.75	2.20	0	0.79	2.10	0	0.62	3.29	0	0.55	3.35	0	0.87	1.53	0
18	98765	0.52	3.34	0	0.71	2.36	0	0.70	2.55	0	0.60	3.25	0	0.49	3.53	0	0.84	1.65	0
19	105717	0.50	3.37	0	0.69	2.47	0	0.58	2.90	0	0.59	3.28	0	0.46	3.69	0	0.80	1.89	0
20	118643	0.53	3.34	0	0.68	2.55	0	0.52	3.19	0	0.58	3.38	0	0.46	3.79	0	0.76	2.15	0
21	124060	0.54	3.35	0	0.66	2.64	0	0.49	3.40	0	0.55	3.60	0	0.44	3.93	0	0.70	2.41	0
22	128864	0.54	3.34	0	0.63	2.72	0	0.49	3.57	0	0.51	3.81	0	0.42	4.03	0	0.65	2.60	0
23	133507	0.53	3.38	0	0.62	2.76	0	0.47	3.74	0	0.46	3.99	0	0.41	4.13	0	0.61	2.73	0
24	138094	0.55	3.38	0	0.62	2.75	0	0.47	3.88	0	0.43	4.14	0	0.40	4.21	0	0.59	2.83	0
25	139920	0.54	3.38	0	0.62	2.74	0	0.46	4.01	0	0.41	4.28	0	0.38	4.32	0	0.59	2.88	0
26	141741	0.53	3.37	0	0.63	2.72	0	0.44	4.13	0	0.40	4.37	0	0.37	4.37	0	0.59	2.92	0
27	138491	0.54	3.42	0	0.63	2.73	0	0.43	4.21	0	0.39	4.49	0	0.36	4.44	0	0.58	2.97	0
28	133633	0.54	3.46	0	0.63	2.74	0	0.42	4.27	0	0.37	4.58	0	0.36	4.50	0	0.57	3.03	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 37. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		privately-000			**regula-000**			**rigrai-000**			**roc-000**			**roc-001**			**roc-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
29	129054	0.54	3.52	0	0.62	2.80	0	0.43	4.32	0	0.37	4.65	0	0.35	4.57	0	0.56	3.09	0
30	123437	0.53	3.53	0	0.61	2.88	0	0.45	4.32	0	0.36	4.73	0	0.34	4.60	0	0.55	3.16	0
31	118174	0.52	3.59	0	0.59	2.96	0	0.45	4.33	0	0.35	4.75	0	0.34	4.61	0	0.54	3.20	0
32	113131	0.52	3.67	0	0.58	3.04	0	0.45	4.29	0	0.35	4.77	0	0.34	4.60	0	0.54	3.21	0
33	109146	0.51	3.76	0	0.56	3.11	0	0.45	4.33	0	0.35	4.77	0	0.34	4.60	0	0.53	3.23	0
34	105908	0.49	3.88	0	0.55	3.20	0	0.44	4.36	0	0.34	4.78	0	0.34	4.63	0	0.54	3.22	0
35	103149	0.47	4.03	0	0.55	3.23	0	0.43	4.39	0	0.35	4.73	0	0.35	4.60	0	0.54	3.20	0
36	99901	0.44	4.21	0	0.54	3.28	0	0.41	4.41	0	0.35	4.73	0	0.35	4.59	0	0.55	3.18	0
37	97516	0.41	4.36	0	0.53	3.31	0	0.40	4.40	0	0.35	4.67	0	0.36	4.58	0	0.55	3.15	0
38	93939	0.38	4.53	0	0.53	3.34	0	0.41	4.37	0	0.37	4.60	0	0.36	4.56	0	0.55	3.13	0
39	91461	0.36	4.69	0	0.53	3.35	0	0.41	4.32	0	0.37	4.55	0	0.37	4.55	0	0.56	3.10	0
40	94056	0.34	4.82	0	0.52	3.41	0	0.44	4.27	0	0.38	4.50	0	0.37	4.60	0	0.56	3.11	0
41	90173	0.33	4.91	0	0.51	3.44	0	0.44	4.18	0	0.39	4.43	0	0.37	4.60	0	0.56	3.10	0
42	86423	0.32	4.95	0	0.51	3.46	0	0.44	4.14	0	0.40	4.36	0	0.37	4.61	0	0.57	3.08	0
43	83252	0.32	4.95	0	0.51	3.48	0	0.44	4.12	0	0.41	4.33	0	0.37	4.62	0	0.57	3.09	0
44	80602	0.34	4.91	0	0.50	3.49	0	0.45	4.11	0	0.41	4.30	0	0.37	4.65	0	0.57	3.10	0
45	77502	0.37	4.79	0	0.50	3.51	0	0.47	4.08	0	0.42	4.27	0	0.36	4.66	0	0.56	3.12	0
46	74182	0.41	4.64	0	0.50	3.50	0	0.46	4.05	0	0.42	4.27	0	0.36	4.67	0	0.56	3.14	0
47	70698	0.44	4.49	0	0.51	3.50	0	0.48	4.03	0	0.43	4.25	0	0.35	4.70	0	0.55	3.16	0
48	67856	0.46	4.33	0	0.51	3.49	0	0.48	4.05	0	0.43	4.25	0	0.35	4.69	0	0.56	3.15	0
49	65674	0.48	4.23	0	0.52	3.44	0	0.49	4.11	0	0.43	4.24	0	0.35	4.67	0	0.55	3.16	0
50	64896	0.49	4.16	0	0.52	3.42	0	0.48	4.18	0	0.44	4.23	0	0.35	4.63	0	0.55	3.16	0
51	63410	0.49	4.18	0	0.52	3.42	0	0.44	4.32	0	0.43	4.26	0	0.36	4.58	0	0.55	3.17	0
52	60991	0.47	4.20	0	0.52	3.40	0	0.43	4.45	0	0.43	4.24	0	0.36	4.51	0	0.56	3.18	0
53	59550	0.45	4.23	0	0.52	3.38	0	0.41	4.60	0	0.44	4.18	0	0.38	4.41	0	0.56	3.15	0
54	56895	0.45	4.29	0	0.52	3.36	0	0.39	4.72	0	0.44	4.18	0	0.39	4.32	0	0.55	3.16	0
55	55297	0.44	4.39	0	0.53	3.35	0	0.38	4.84	0	0.44	4.13	0	0.40	4.21	0	0.56	3.14	0
56	52574	0.42	4.49	0	0.53	3.31	0	0.38	4.95	0	0.44	4.08	0	0.42	4.08	0	0.56	3.13	0
57	49823	0.40	4.67	0	0.54	3.29	0	0.39	5.04	0	0.45	4.02	0	0.43	3.97	0	0.57	3.13	0
58	48570	0.38	4.83	0	0.55	3.23	0	0.38	5.14	0	0.45	3.97	0	0.45	3.82	0	0.56	3.13	0
59	46040	0.37	4.98	0	0.55	3.23	0	0.38	5.26	0	0.46	3.90	0	0.47	3.70	0	0.56	3.14	0
60	46037	0.35	5.19	0	0.55	3.21	0	0.37	5.39	0	0.46	3.85	0	0.49	3.59	0	0.55	3.19	0
61	43860	0.33	5.38	0	0.55	3.20	0	0.35	5.49	0	0.47	3.77	0	0.51	3.49	0	0.55	3.21	0
62	41407	0.32	5.54	0	0.56	3.16	0	0.35	5.60	0	0.49	3.69	0	0.53	3.35	0	0.55	3.23	0
63	39444	0.30	5.79	0	0.56	3.17	0	0.33	5.72	0	0.49	3.64	0	0.54	3.27	0	0.54	3.27	0
64	37425	0.30	5.97	0	0.55	3.16	0	0.31	5.77	0	0.50	3.59	0	0.55	3.21	0	0.54	3.30	0
65	34834	0.30	6.17	0	0.55	3.16	0	0.30	5.78	0	0.50	3.54	0	0.56	3.14	0	0.53	3.35	0
66	32020	0.31	6.33	0	0.56	3.13	0	0.29	5.80	0	0.51	3.52	0	0.57	3.10	0	0.52	3.40	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 37. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		privately-000			**regula-000**			**rigrai-000**			**roc-000**			**roc-001**			**roc-002**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
67	28898	0.31	6.59	0	0.56	3.13	0	0.30	5.83	0	0.50	3.54	0	0.56	3.14	0	0.52	3.46	0
68	26630	0.28	6.84	0	0.56	3.14	0	0.29	5.75	0	0.51	3.55	0	0.56	3.14	0	0.50	3.54	0
69	24864	0.26	7.05	0	0.56	3.14	0	0.31	5.65	0	0.50	3.56	0	0.56	3.16	0	0.50	3.59	0
70	23407	0.23	7.27	0	0.56	3.13	0	0.30	5.51	0	0.49	3.64	0	0.55	3.19	0	0.48	3.68	0
71	20736	0.19	7.59	0	0.56	3.14	0	0.31	5.40	0	0.48	3.72	0	0.54	3.27	0	0.47	3.76	0
72	18423	0.15	7.72	0	0.55	3.17	0	0.35	5.27	0	0.48	3.79	0	0.53	3.35	0	0.47	3.81	0
73	16215	0.13	7.72	0	0.55	3.19	0	0.35	5.13	0	0.45	3.97	0	0.51	3.49	0	0.45	3.93	0
74	14848	0.15	7.79	0	0.55	3.18	0	0.35	4.92	0	0.45	4.06	0	0.50	3.54	0	0.45	3.95	0
75	13197	0.16	7.85	0	0.54	3.31	0	0.35	4.75	0	0.41	4.35	0	0.48	3.73	0	0.44	4.13	0
76	11886	0.17	7.77	0	0.53	3.37	0	0.38	4.66	0	0.39	4.51	0	0.45	3.91	0	0.43	4.20	0
77	10839	0.19	7.87	0	0.52	3.45	0	0.42	4.49	0	0.36	4.84	0	0.43	4.13	0	0.41	4.39	0
78	9361	0.21	7.66	0	0.51	3.56	0	0.39	4.34	0	0.33	5.21	0	0.42	4.30	0	0.40	4.51	0
79	7540	0.23	7.48	0	0.50	3.63	0	0.40	4.09	0	0.30	5.45	0	0.40	4.41	0	0.39	4.56	0
80	6267	0.26	7.27	0	0.48	3.82	0	0.40	3.98	0	0.29	5.75	0	0.38	4.64	0	0.38	4.69	0
81	5221	0.29	7.15	0	0.47	3.83	0	0.47	3.74	0	0.25	6.09	0	0.36	4.83	0	0.38	4.75	0
82	3962	0.33	6.92	0	0.44	4.11	0	0.53	3.62	0	0.23	6.46	0	0.34	5.05	0	0.38	4.87	0
83	3277	0.36	6.88	0	0.40	4.36	0	0.53	3.38	0	0.19	7.06	0	0.31	5.34	0	0.34	5.13	0
84	2615	0.38	6.88	0	0.40	4.47	0	0.54	3.27	0	0.17	7.45	0	0.29	5.57	0	0.32	5.34	0
85	2206	0.39	6.93	0	0.37	4.69	0	0.56	3.22	0	0.14	7.88	0	0.28	5.80	0	0.31	5.41	0
86	1831	0.37	7.03	0	0.33	5.02	0	0.61	3.29	0	0.12	8.26	0	0.28	6.01	0	0.31	5.55	0
87	1402	0.33	7.58	0	0.29	5.42	0	0.59	3.53	0	0.09	9.02	0	0.24	6.45	0	0.29	5.87	0
88	1254	0.28	8.40	0	0.25	5.79	0	0.50	3.66	0	0.07	9.67	0	0.22	6.89	0	0.23	6.43	0
89	907	0.24	8.60	0	0.22	5.97	0	0.49	3.53	0	0.07	9.85	0	0.22	6.96	0	0.26	6.29	0
90	670	0.18	9.09	0	0.17	6.84	0	0.47	4.26	0	0.06	10.89	0	0.19	7.68	0	0.21	6.96	0

Table 38. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		roc-003			**shufti-000**			**shufti-001**			**tsight-000**			**unissey-001**			**viante-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	1.00	0.73	0	0.61	3.01	0.001	0.00	22.22	0	0.95	1.30	0	1.00	0.60	0	1.00	0.82	0
1	94475	1.00	0.62	0	0.58	3.06	0.000	0.00	18.54	0	0.94	1.48	0	0.99	1.31	0	0.98	1.16	0
2	82596	0.99	0.71	0	0.58	3.17	0.000	0.00	16.70	0	0.89	1.80	0	0.95	1.32	0	0.95	1.38	0
3	82473	0.99	0.79	0	0.64	3.11	0.000	0.00	15.18	0	0.87	1.88	0	0.95	1.24	0	0.94	1.66	0
4	84055	0.98	0.85	0	0.72	2.88	0.000	0.00	13.87	0	0.88	1.75	0	0.87	1.36	0	0.92	1.65	0
5	92521	0.98	0.94	0	0.77	2.60	0.000	0.00	12.64	0	0.88	1.64	0	0.85	1.60	0	0.87	1.68	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 38. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		roc-003			**shufti-000**			**shufti-001**			**tsight-000**			**unissey-001**			**viante-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
6	91639	0.97	1.00	0	0.76	2.49	0.000	0.00	11.26	0	0.87	1.65	0	0.79	2.02	0	0.76	1.93	0
7	89993	0.98	1.00	0	0.69	2.61	0.000	0.00	9.55	0	0.84	1.79	0	0.70	2.49	0	0.60	2.43	0
8	89428	0.98	1.02	0	0.64	2.76	0.000	0.00	8.34	0	0.80	1.95	0	0.59	2.71	0	0.52	2.57	0
9	89644	0.98	0.99	0	0.60	2.94	0.000	0.00	7.27	0	0.75	2.15	0	0.49	2.81	0	0.79	2.35	0
10	98337	0.97	1.03	0	0.57	3.04	0.000	0.00	6.27	0	0.69	2.49	0	0.68	2.80	0	0.93	1.97	0
11	97415	0.95	1.17	0	0.53	3.19	0.000	0.07	5.41	0	0.60	2.99	0	0.61	2.79	0	0.95	1.62	0
12	94326	0.90	1.40	0	0.53	3.26	0.000	0.23	4.70	0	0.47	3.69	0	0.67	2.81	0	0.88	1.70	0
13	94047	0.85	1.67	0	0.51	3.28	0.000	0.29	4.21	0	0.32	4.54	0	0.59	3.07	0	0.74	2.57	0
14	96915	0.82	1.86	0	0.51	3.22	0.000	0.39	3.85	0	0.20	5.19	0	0.53	3.36	0	0.55	3.99	0
15	97599	0.80	1.94	0	0.60	3.11	0.000	0.47	3.63	0	0.13	5.51	0	0.49	3.67	0	0.36	5.38	0
16	96388	0.80	1.94	0	0.65	3.00	0.000	0.52	3.46	0	0.11	5.48	0	0.49	3.86	0	0.23	6.19	0
17	99462	0.81	1.91	0	0.66	2.85	0.000	0.56	3.33	0	0.13	5.23	0	0.57	3.85	0	0.16	6.54	0
18	98765	0.78	1.99	0	0.61	3.11	0.000	0.55	3.55	0	0.18	4.93	0	0.53	3.86	0	0.12	6.86	0
19	105717	0.76	2.07	0	0.58	3.29	0.000	0.55	3.69	0	0.25	4.65	0	0.48	3.93	0	0.09	6.86	0
20	118643	0.74	2.15	0	0.58	3.38	0.000	0.55	3.78	0	0.32	4.34	0	0.44	4.03	0	0.10	6.60	0
21	124060	0.72	2.26	0	0.55	3.50	0.000	0.52	3.98	0	0.38	4.07	0	0.40	4.16	0	0.12	6.34	0
22	128864	0.70	2.35	0	0.53	3.61	0.000	0.48	4.18	0	0.43	3.85	0	0.43	4.23	0	0.16	6.07	0
23	133507	0.68	2.41	0	0.51	3.69	0.000	0.44	4.39	0	0.47	3.70	0	0.37	4.23	0	0.21	5.83	0
24	138094	0.68	2.44	0	0.50	3.75	0.000	0.41	4.53	0	0.49	3.59	0	0.37	4.15	0	0.24	5.61	0
25	139920	0.68	2.47	0	0.49	3.81	0.000	0.39	4.65	0	0.50	3.55	0	0.40	4.14	0	0.26	5.47	0
26	141741	0.68	2.48	0	0.48	3.85	0.000	0.38	4.67	0	0.51	3.53	0	0.45	4.14	0	0.28	5.35	0
27	138491	0.67	2.51	0	0.47	3.91	0.000	0.36	4.64	0	0.50	3.55	0	0.49	4.11	0	0.29	5.30	0
28	133633	0.65	2.57	0	0.46	4.00	0.000	0.34	4.63	0	0.50	3.58	0	0.46	4.10	0	0.29	5.31	0
29	129054	0.64	2.62	0	0.45	4.05	0.000	0.33	4.57	0	0.49	3.61	0	0.52	4.13	0	0.28	5.31	0
30	123437	0.63	2.70	0	0.44	4.14	0.000	0.35	4.49	0	0.48	3.63	0	0.49	4.21	0	0.27	5.32	0
31	118174	0.62	2.74	0	0.43	4.21	0.000	0.37	4.38	0	0.48	3.62	0	0.45	4.31	0	0.29	5.27	0
32	113131	0.61	2.74	0	0.42	4.25	0.000	0.40	4.23	0	0.48	3.60	0	0.40	4.43	0	0.29	5.23	0
33	109146	0.62	2.73	0	0.41	4.31	0.000	0.43	4.11	0	0.49	3.55	0	0.35	4.59	0	0.35	5.18	0
34	105908	0.62	2.72	0	0.40	4.36	0.000	0.45	4.03	0	0.49	3.52	0	0.33	4.65	0	0.36	5.16	0
35	103149	0.63	2.68	0	0.40	4.40	0.000	0.45	3.95	0	0.50	3.44	0	0.36	4.61	0	0.40	5.08	0
36	99901	0.63	2.65	0	0.40	4.42	0.000	0.45	3.91	0	0.51	3.40	0	0.40	4.50	0	0.39	5.09	0
37	97516	0.65	2.61	0	0.39	4.42	0.000	0.44	3.89	0	0.52	3.30	0	0.44	4.32	0	0.36	5.07	0
38	93939	0.65	2.58	0	0.40	4.41	0.000	0.45	3.85	0	0.54	3.21	0	0.47	4.24	0	0.34	5.05	0
39	91461	0.66	2.55	0	0.40	4.39	0.000	0.47	3.80	0	0.55	3.13	0	0.48	4.21	0	0.30	5.06	0
40	94056	0.66	2.55	0	0.40	4.39	0.000	0.47	3.78	0	0.55	3.10	0	0.52	4.22	0	0.26	5.05	0
41	90173	0.66	2.56	0	0.40	4.37	0.000	0.47	3.74	0	0.57	3.02	0	0.45	4.25	0	0.25	4.87	0
42	86423	0.66	2.56	0	0.40	4.34	0.000	0.48	3.71	0	0.58	2.96	0	0.41	4.29	0	0.28	4.62	0
43	83252	0.65	2.58	0	0.41	4.31	0.000	0.48	3.72	0	0.59	2.91	0	0.39	4.31	0	0.32	4.31	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 38. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		roc-003			**shufti-000**			**shufti-001**			**tsight-000**			**unissey-001**			**viante-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
44	80602	0.65	2.61	0	0.42	4.25	0.000	0.47	3.72	0	0.60	2.89	0	0.37	4.35	0	0.33	3.99	0
45	77502	0.64	2.63	0	0.42	4.19	0.000	0.47	3.69	0	0.60	2.88	0	0.42	4.33	0	0.43	3.67	0
46	74182	0.63	2.66	0	0.42	4.19	0.000	0.48	3.72	0	0.60	2.85	0	0.41	4.24	0	0.50	3.38	0
47	70698	0.63	2.70	0	0.43	4.16	0.000	0.49	3.75	0	0.60	2.86	0	0.44	4.13	0	0.57	3.11	0
48	67856	0.63	2.69	0	0.43	4.12	0.000	0.52	3.73	0	0.60	2.87	0	0.46	4.06	0	0.63	2.89	0
49	65674	0.62	2.71	0	0.44	4.07	0.000	0.51	3.81	0	0.60	2.90	0	0.48	4.04	0	0.63	2.76	0
50	64896	0.63	2.71	0	0.44	4.03	0.000	0.50	3.86	0	0.59	2.92	0	0.51	4.01	0	0.64	2.73	0
51	63410	0.63	2.70	0	0.45	3.96	0.000	0.47	3.96	0	0.59	2.95	0	0.47	4.04	0	0.64	2.80	0
52	60991	0.63	2.71	0	0.45	3.88	0.000	0.44	4.07	0	0.58	2.99	0	0.45	4.07	0	0.64	2.89	0
53	59550	0.63	2.71	0	0.46	3.78	0.000	0.40	4.11	0	0.58	3.04	0	0.44	4.13	0	0.60	2.97	0
54	56895	0.63	2.74	0	0.47	3.68	0.000	0.38	4.09	0	0.57	3.08	0	0.43	4.20	0	0.55	3.06	0
55	55297	0.61	2.79	0	0.47	3.57	0.000	0.40	3.98	0	0.56	3.11	0	0.42	4.29	0	0.54	3.14	0
56	52574	0.61	2.82	0	0.49	3.42	0.000	0.43	3.85	0	0.55	3.15	0	0.40	4.30	0	0.53	3.19	0
57	49823	0.59	2.88	0	0.51	3.23	0.000	0.46	3.64	0	0.54	3.19	0	0.44	4.40	0	0.52	3.21	0
58	48570	0.58	2.96	0	0.53	3.06	0.000	0.51	3.41	0	0.55	3.19	0	0.44	4.46	0	0.53	3.16	0
59	46040	0.56	3.06	0	0.57	2.86	0.000	0.55	3.25	0	0.54	3.25	0	0.44	4.52	0	0.54	3.10	0
60	46037	0.55	3.13	0	0.64	2.65	0.000	0.59	3.09	0	0.54	3.26	0	0.42	4.69	0	0.55	2.99	0
61	43860	0.53	3.24	0	0.74	2.43	0.000	0.61	2.98	0	0.54	3.27	0	0.41	4.86	0	0.64	2.86	0
62	41407	0.52	3.33	0	0.76	2.28	0.000	0.61	2.91	0	0.54	3.27	0	0.39	5.12	0	0.64	2.75	0
63	39444	0.51	3.44	0	0.74	2.28	0.000	0.60	2.92	0	0.54	3.30	0	0.30	5.35	0	0.65	2.65	0
64	37425	0.49	3.56	0	0.70	2.57	0.000	0.60	2.94	0	0.53	3.32	0	0.29	5.56	0	0.64	2.66	0
65	34834	0.48	3.65	0	0.63	3.18	0.000	0.57	3.03	0	0.53	3.38	0	0.28	5.71	0	0.65	2.76	0
66	32020	0.47	3.74	0	0.48	3.85	0.000	0.55	3.16	0	0.52	3.42	0	0.28	5.87	0	0.65	2.86	0
67	28898	0.45	3.87	0	0.25	4.61	0.000	0.52	3.33	0	0.51	3.53	0	0.26	6.07	0	0.54	3.01	0
68	26630	0.43	4.04	0	0.14	5.59	0.000	0.47	3.62	0	0.49	3.69	0	0.27	6.19	0	0.52	3.23	0
69	24864	0.42	4.14	0	0.10	6.44	0.000	0.44	3.93	0	0.47	3.85	0	0.27	6.33	0	0.49	3.46	0
70	23407	0.41	4.24	0	0.09	7.50	0.000	0.39	4.32	0	0.44	4.05	0	0.27	6.36	0	0.46	3.73	0
71	20736	0.39	4.37	0	0.08	8.59	0.000	0.34	4.75	0	0.41	4.28	0	0.27	6.42	0	0.39	4.03	0
72	18423	0.38	4.53	0	0.08	9.75	0.000	0.27	5.35	0	0.37	4.57	0	0.27	6.49	0	0.36	4.33	0
73	16215	0.36	4.67	0	0.08	11.08	0.000	0.21	5.97	0	0.33	4.83	0	0.28	6.49	0	0.31	4.60	0
74	14848	0.35	4.76	0	0.08	12.42	0.000	0.15	6.63	0	0.29	5.13	0	0.28	6.43	0	0.32	4.82	0
75	13197	0.33	5.05	0	0.08	13.73	0.000	0.09	7.44	0	0.25	5.60	0	0.28	6.53	0	0.29	5.20	0
76	11886	0.32	5.17	0	0.08	15.25	0.000	0.05	8.25	0	0.20	6.02	0	0.29	6.46	0	0.27	5.51	0
77	10839	0.29	5.40	0	0.08	16.94	0.000	0.02	9.16	0	0.17	6.48	0	0.29	6.50	0	0.25	5.99	0
78	9361	0.28	5.58	0	0.09	18.64	0.000	0.01	10.08	0	0.15	6.94	0	0.30	6.58	0	0.14	6.41	0
79	7540	0.27	5.79	0	0.10	20.50	0.000	0.00	10.95	0	0.12	7.39	0	0.32	6.46	0	0.10	6.80	0
80	6267	0.25	5.95	0	0.11	22.58	0.000	0.00	11.91	0	0.10	7.80	0	0.32	6.62	0	0.07	7.28	0
81	5221	0.23	6.13	0	0.11	25.46	0.000	0.00	12.85	0	0.09	8.22	0	0.34	6.48	0	0.00	7.75	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 38. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		roc-003			**shufti-000**			**shufti-001**			**tsight-000**			**unissey-001**			**viante-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
82	3962	0.21	6.41	0	0.10	26.77	0.000	0.00	13.85	0	0.07	8.80	0	0.34	6.56	0	0.00	8.32	0
83	3277	0.19	6.74	0	0.09	29.02	0.000	0.00	14.94	0	0.06	9.30	0	0.35	6.63	0	0.00	8.90	0
84	2615	0.18	6.91	0	0.08	31.06	0.000	0.00	16.08	0	0.05	9.82	0	0.34	6.85	0	0.00	9.55	0
85	2206	0.15	7.25	0	0.06	33.71	0.000	0.00	17.11	0	0.04	10.26	0	0.33	6.98	0	0.00	10.07	0
86	1831	0.16	7.41	0	0.02	37.96	0.000	0.00	18.13	0	0.04	10.87	0	0.29	7.18	0	0.00	10.77	0
87	1402	0.13	7.90	0	0.00	38.35	0.000	0.00	19.13	0	0.02	11.45	0	0.23	7.61	0	0.00	11.57	0
88	1254	0.09	8.40	0	0.00	39.91	0.000	0.00	20.45	0	0.03	12.03	0	0.19	8.13	0	0.00	12.34	0
89	907	0.13	8.18	0	0.00	41.86	0.000	0.00	21.59	0	0.04	12.24	0	0.15	7.91	0	0.00	12.91	0
90	670	0.08	9.21	0	0.00	44.54	0.000	0.00	23.10	0	0.02	13.21	0	0.10	8.24	0	0.00	13.99	0

Table 39. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		yoti-001			**yoti-002**			**yoti-003**			**yoti-004**			**yoti-005**			**youverse-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
0	133387	0.96	1.39	0.012	0.97	1.11	0	0.94	1.42	0	0.96	1.14	0	0.97	1.01	0	0.60	3.31	0.026
1	94475	0.93	1.46	0.005	0.98	0.96	0	0.95	1.27	0	0.98	1.09	0	0.97	1.07	0	0.42	3.88	0.006
2	82596	0.88	1.73	0.004	0.95	1.26	0	0.93	1.45	0	0.97	1.23	0	0.96	1.32	0	0.29	4.64	0.003
3	82473	0.88	1.82	0.003	0.95	1.45	0	0.94	1.56	0	0.97	1.28	0	0.95	1.46	0	0.25	5.04	0.003
4	84055	0.91	1.67	0.003	0.95	1.41	0	0.95	1.42	0	0.97	1.18	0	0.96	1.39	0	0.22	5.31	0.002
5	92521	0.92	1.51	0.002	0.95	1.28	0	0.96	1.22	0	0.97	1.08	0	0.96	1.26	0	0.20	5.47	0.002
6	91639	0.93	1.34	0.002	0.93	1.22	0	0.94	1.14	0	0.95	1.09	0	0.95	1.21	0	0.17	5.75	0.001
7	89993	0.91	1.30	0.001	0.91	1.34	0	0.90	1.28	0	0.92	1.26	0	0.91	1.33	0	0.13	6.18	0.001
8	89428	0.89	1.42	0.000	0.89	1.47	0	0.87	1.44	0	0.90	1.41	0	0.89	1.44	0	0.11	6.27	0.001
9	89644	0.86	1.55	0.000	0.88	1.49	0	0.86	1.55	0	0.89	1.49	0	0.89	1.50	0	0.10	6.13	0.000
10	98337	0.84	1.68	0.000	0.89	1.49	0	0.87	1.65	0	0.88	1.56	0	0.89	1.53	0	0.10	5.86	0.000
11	97415	0.83	1.80	0.000	0.89	1.49	0	0.86	1.73	0	0.86	1.65	0	0.87	1.59	0	0.09	5.53	0.000
12	94326	0.80	1.97	0.000	0.87	1.56	0	0.85	1.78	0	0.84	1.77	0	0.85	1.70	0	0.09	5.13	0.000
13	94047	0.77	2.17	0.000	0.85	1.69	0	0.84	1.77	0	0.81	1.90	0	0.82	1.82	0	0.14	4.69	0.000
14	96915	0.74	2.35	0.000	0.84	1.82	0	0.83	1.76	0	0.79	1.99	0	0.80	1.91	0	0.29	4.32	0.000
15	97599	0.70	2.61	0.000	0.82	1.94	0	0.82	1.85	0	0.75	2.11	0	0.78	2.01	0	0.43	3.99	0.000
16	96388	0.66	2.85	0.000	0.78	2.06	0	0.78	2.02	0	0.72	2.27	0	0.75	2.14	0	0.49	3.67	0.000
17	99462	0.62	3.06	0.000	0.75	2.22	0	0.75	2.23	0	0.69	2.39	0	0.72	2.24	0	0.52	3.39	0.000
18	98765	0.56	3.46	0.000	0.68	2.63	0	0.68	2.65	0	0.64	2.63	0	0.67	2.50	0	0.54	3.29	0.000
19	105717	0.52	3.70	0.000	0.62	2.93	0	0.61	2.94	0	0.62	2.72	0	0.65	2.62	0	0.57	3.17	0.000
20	118643	0.48	3.79	0.000	0.57	3.11	0	0.56	3.11	0	0.63	2.68	0	0.65	2.61	0	0.58	3.11	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 39. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		yoti-001			**yoti-002**			**yoti-003**			**yoti-004**			**yoti-005**			**youverse-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
21	124060	0.46	3.83	0.000	0.53	3.23	0	0.53	3.23	0	0.65	2.60	0	0.66	2.57	0	0.59	3.05	0.000
22	128864	0.45	3.85	0.000	0.51	3.29	0	0.51	3.28	0	0.67	2.49	0	0.67	2.50	0	0.60	3.02	0.000
23	133507	0.46	3.83	0.000	0.52	3.28	0	0.52	3.28	0	0.70	2.39	0	0.69	2.44	0	0.59	3.01	0.000
24	138094	0.48	3.76	0.000	0.55	3.21	0	0.54	3.24	0	0.73	2.30	0	0.70	2.38	0	0.58	3.05	0.000
25	139920	0.50	3.69	0.000	0.58	3.12	0	0.56	3.19	0	0.74	2.27	0	0.72	2.37	0	0.57	3.13	0.000
26	141741	0.52	3.61	0.000	0.61	3.03	0	0.58	3.11	0	0.73	2.29	0	0.73	2.39	0	0.55	3.22	0.000
27	138491	0.53	3.59	0.000	0.61	3.03	0	0.59	3.11	0	0.72	2.40	0	0.71	2.47	0	0.52	3.33	0.000
28	133633	0.53	3.60	0.000	0.61	3.07	0	0.59	3.14	0	0.69	2.57	0	0.68	2.62	0	0.50	3.44	0.000
29	129054	0.53	3.64	0.000	0.60	3.18	0	0.58	3.21	0	0.65	2.76	0	0.64	2.83	0	0.49	3.54	0.000
30	123437	0.51	3.70	0.000	0.57	3.32	0	0.56	3.33	0	0.60	2.96	0	0.59	3.09	0	0.48	3.65	0.000
31	118174	0.50	3.78	0.000	0.54	3.47	0	0.54	3.44	0	0.56	3.15	0	0.54	3.33	0	0.47	3.77	0.000
32	113131	0.48	3.84	0.000	0.51	3.60	0	0.51	3.56	0	0.53	3.34	0	0.49	3.54	0	0.46	3.89	0.000
33	109146	0.46	3.90	0.000	0.49	3.71	0	0.49	3.67	0	0.50	3.48	0	0.46	3.68	0	0.46	3.99	0.000
34	105908	0.45	3.94	0.000	0.47	3.81	0	0.47	3.78	0	0.48	3.59	0	0.45	3.77	0	0.45	4.12	0.000
35	103149	0.45	3.95	0.000	0.46	3.86	0	0.46	3.85	0	0.47	3.65	0	0.45	3.80	0	0.43	4.31	0.000
36	99901	0.45	3.95	0.000	0.46	3.91	0	0.45	3.90	0	0.47	3.67	0	0.45	3.79	0	0.42	4.44	0.000
37	97516	0.45	3.92	0.000	0.45	3.91	0	0.45	3.91	0	0.48	3.63	0	0.46	3.74	0	0.40	4.65	0.000
38	93939	0.46	3.86	0.000	0.45	3.93	0	0.45	3.94	0	0.48	3.60	0	0.47	3.70	0	0.37	4.90	0.000
39	91461	0.47	3.84	0.000	0.46	3.91	0	0.46	3.91	0	0.50	3.53	0	0.49	3.62	0	0.34	5.12	0.000
40	94056	0.47	3.83	0.000	0.46	3.89	0	0.45	3.92	0	0.50	3.51	0	0.49	3.61	0	0.32	5.29	0.000
41	90173	0.48	3.80	0.000	0.46	3.89	0	0.45	3.92	0	0.51	3.46	0	0.50	3.56	0	0.30	5.57	0.000
42	86423	0.48	3.80	0.000	0.46	3.88	0	0.45	3.88	0	0.52	3.41	0	0.50	3.52	0	0.27	5.87	0.000
43	83252	0.48	3.80	0.000	0.46	3.90	0	0.46	3.86	0	0.52	3.37	0	0.51	3.50	0	0.24	6.19	0.000
44	80602	0.47	3.83	0.000	0.45	3.90	0	0.45	3.85	0	0.53	3.34	0	0.50	3.47	0	0.21	6.54	0.000
45	77502	0.46	3.85	0.000	0.45	3.90	0	0.45	3.81	0	0.53	3.31	0	0.51	3.44	0	0.19	6.89	0.000
46	74182	0.46	3.86	0.000	0.45	3.88	0	0.46	3.77	0	0.53	3.28	0	0.51	3.41	0	0.17	7.26	0.000
47	70698	0.46	3.89	0.000	0.45	3.85	0	0.47	3.71	0	0.54	3.25	0	0.52	3.37	0	0.15	7.61	0.000
48	67856	0.46	3.90	0.000	0.46	3.84	0	0.48	3.66	0	0.55	3.23	0	0.53	3.34	0	0.13	8.01	0.000
49	65674	0.47	3.89	0.000	0.48	3.78	0	0.50	3.55	0	0.56	3.18	0	0.54	3.28	0	0.11	8.43	0.000
50	64896	0.47	3.90	0.000	0.49	3.75	0	0.52	3.48	0	0.56	3.15	0	0.55	3.22	0	0.10	8.84	0.000
51	63410	0.47	3.90	0.000	0.49	3.72	0	0.53	3.42	0	0.57	3.13	0	0.56	3.19	0	0.08	9.31	0.000
52	60991	0.47	3.92	0.000	0.49	3.71	0	0.54	3.40	0	0.57	3.12	0	0.56	3.17	0	0.07	9.74	0.000
53	59550	0.46	3.91	0.000	0.49	3.70	0	0.53	3.40	0	0.57	3.10	0	0.56	3.15	0	0.06	10.18	0.000
54	56895	0.45	3.93	0.000	0.48	3.71	0	0.53	3.41	0	0.57	3.10	0	0.56	3.15	0	0.05	10.64	0.000
55	55297	0.44	3.89	0.000	0.48	3.69	0	0.52	3.44	0	0.56	3.10	0	0.56	3.16	0	0.04	11.12	0.000
56	52574	0.44	3.85	0.000	0.47	3.68	0	0.51	3.46	0	0.56	3.11	0	0.55	3.17	0	0.04	11.60	0.000
57	49823	0.44	3.77	0.000	0.48	3.63	0	0.50	3.44	0	0.57	3.08	0	0.56	3.15	0	0.03	12.13	0.000
58	48570	0.46	3.64	0.000	0.49	3.56	0	0.51	3.41	0	0.57	3.06	0	0.56	3.14	0	0.03	12.64	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 39. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		yoti-001			**yoti-002**			**yoti-003**			**yoti-004**			**yoti-005**			**youverse-000**		
Age	Num. Images	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP	Acc(3)	MAE	FTP
59	46040	0.48	3.52	0.000	0.50	3.53	0	0.51	3.41	0	0.57	3.08	0	0.56	3.18	0	0.02	13.14	0.000
60	46037	0.50	3.38	0.000	0.51	3.46	0	0.52	3.37	0	0.57	3.09	0	0.56	3.20	0	0.02	13.63	0.000
61	43860	0.53	3.25	0.000	0.51	3.43	0	0.53	3.35	0	0.57	3.11	0	0.56	3.24	0	0.02	14.14	0.000
62	41407	0.57	3.07	0.000	0.53	3.32	0	0.54	3.29	0	0.57	3.13	0	0.55	3.27	0	0.01	14.70	0.000
63	39444	0.60	2.96	0.001	0.54	3.28	0	0.54	3.28	0	0.56	3.17	0	0.54	3.32	0	0.01	15.24	0.000
64	37425	0.63	2.83	0.001	0.55	3.23	0	0.55	3.27	0	0.55	3.24	0	0.53	3.39	0	0.01	15.80	0.000
65	34834	0.65	2.81	0.001	0.56	3.21	0	0.55	3.26	0	0.54	3.29	0	0.51	3.44	0	0.01	16.35	0.000
66	32020	0.65	2.82	0.001	0.56	3.16	0	0.55	3.23	0	0.53	3.35	0	0.50	3.47	0	0.01	16.96	0.000
67	28898	0.63	2.91	0.001	0.57	3.14	0	0.55	3.25	0	0.51	3.45	0	0.49	3.53	0	0.00	17.58	0.000
68	26630	0.60	3.12	0.001	0.57	3.18	0	0.54	3.30	0	0.50	3.55	0	0.49	3.56	0	0.00	18.20	0.000
69	24864	0.55	3.38	0.002	0.56	3.20	0	0.54	3.33	0	0.50	3.59	0	0.50	3.54	0	0.00	18.83	0.000
70	23407	0.49	3.69	0.002	0.55	3.26	0	0.54	3.33	0	0.49	3.63	0	0.51	3.52	0	0.00	19.45	0.000
71	20736	0.43	4.07	0.001	0.56	3.30	0	0.52	3.42	0	0.48	3.72	0	0.51	3.53	0	0.00	20.09	0.000
72	18423	0.36	4.52	0.002	0.57	3.40	0	0.51	3.52	0	0.47	3.83	0	0.52	3.57	0	0.00	20.82	0.000
73	16215	0.30	4.95	0.002	0.54	3.50	0	0.50	3.60	0	0.47	3.89	0	0.52	3.58	0	0.00	21.48	0.000
74	14848	0.24	5.42	0.002	0.51	3.69	0	0.48	3.71	0	0.46	3.94	0	0.52	3.58	0	0.00	22.08	0.000
75	13197	0.17	6.09	0.003	0.45	4.15	0	0.46	3.94	0	0.44	4.12	0	0.51	3.73	0	0.00	22.93	0.000
76	11886	0.12	6.68	0.002	0.38	4.64	0	0.44	4.04	0	0.44	4.20	0	0.49	3.82	0	0.00	23.52	0.000
77	10839	0.08	7.33	0.003	0.27	5.22	0	0.42	4.21	0	0.42	4.35	0	0.46	3.97	0	0.00	24.26	0.000
78	9361	0.04	7.97	0.004	0.08	5.90	0	0.40	4.46	0	0.41	4.51	0	0.45	4.17	0	0.00	24.95	0.000
79	7540	0.01	8.56	0.003	0.00	6.52	0	0.38	4.58	0	0.39	4.64	0	0.41	4.32	0	0.00	25.67	0.000
80	6267	0.00	9.37	0.007	0.00	7.24	0	0.36	4.79	0	0.37	4.80	0	0.39	4.52	0	0.00	26.54	0.000
81	5221	0.00	10.02	0.005	0.00	7.91	0	0.35	4.91	0	0.36	4.92	0	0.37	4.68	0	0.00	27.29	0.000
82	3962	0.00	10.72	0.007	0.00	8.74	0	0.32	5.25	0	0.33	5.23	0	0.34	5.00	0	0.00	28.08	0.000
83	3277	0.00	11.61	0.007	0.00	9.57	0	0.30	5.45	0	0.30	5.47	0	0.29	5.29	0	0.00	28.84	0.000
84	2615	0.00	12.26	0.007	0.00	10.35	0	0.29	5.71	0	0.30	5.65	0	0.30	5.51	0	0.00	29.72	0.000
85	2206	0.00	13.07	0.008	0.00	11.20	0	0.27	5.93	0	0.28	5.72	0	0.28	5.59	0	0.00	30.26	0.000
86	1831	0.00	13.86	0.011	0.00	12.17	0	0.25	6.28	0	0.28	6.08	0	0.29	5.94	0	0.00	31.21	0.000
87	1402	0.00	14.69	0.011	0.00	13.08	0	0.21	6.85	0	0.24	6.43	0	0.24	6.32	0	0.00	32.31	0.000
88	1254	0.00	15.78	0.014	0.00	14.03	0	0.18	7.36	0	0.22	6.87	0	0.24	6.70	0	0.00	33.22	0.000
89	907	0.00	16.57	0.012	0.00	14.93	0	0.15	7.46	0	0.21	6.93	0	0.22	6.84	0	0.00	33.91	0.000
90	670	0.00	17.55	0.015	0.00	16.11	0	0.09	8.43	0	0.21	7.69	0	0.21	7.53	0	0.00	34.86	0.000

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 40. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample.*

		youverse-001		
Age	Num. Images	Acc(3)	MAE	FTP
0	133387	0.37	3.52	0
1	94475	0.32	3.58	0
2	82596	0.28	3.85	0
3	82473	0.30	3.99	0
4	84055	0.31	3.96	0
5	92521	0.28	3.88	0
6	91639	0.27	3.82	0
7	89993	0.27	3.77	0
8	89428	0.32	3.68	0
9	89644	0.39	3.48	0
10	98337	0.44	3.26	0
11	97415	0.49	3.06	0
12	94326	0.58	2.88	0
13	94047	0.68	2.76	0
14	96915	0.68	2.68	0
15	97599	0.64	2.73	0
16	96388	0.62	2.78	0
17	99462	0.62	2.77	0
18	98765	0.63	2.77	0
19	105717	0.63	2.81	0
20	118643	0.61	2.86	0
21	124060	0.60	2.91	0
22	128864	0.59	3.01	0
23	133507	0.56	3.13	0
24	138094	0.54	3.24	0
25	139920	0.53	3.37	0
26	141741	0.51	3.46	0
27	138491	0.50	3.55	0
28	133633	0.49	3.64	0
29	129054	0.49	3.70	0
30	123437	0.48	3.74	0
31	118174	0.48	3.76	0
32	113131	0.48	3.78	0
33	109146	0.48	3.80	0
34	105908	0.48	3.81	0
35	103149	0.47	3.81	0
36	99901	0.47	3.83	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 40. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		youverse-001		
Age	Num. Images	Acc(3)	MAE	FTP
37	97516	0.47	3.81	0
38	93939	0.47	3.81	0
39	91461	0.48	3.78	0
40	94056	0.48	3.80	0
41	90173	0.48	3.77	0
42	86423	0.48	3.79	0
43	83252	0.47	3.79	0
44	80602	0.47	3.77	0
45	77502	0.47	3.75	0
46	74182	0.47	3.71	0
47	70698	0.47	3.68	0
48	67856	0.49	3.60	0
49	65674	0.50	3.55	0
50	64896	0.51	3.47	0
51	63410	0.53	3.38	0
52	60991	0.55	3.33	0
53	59550	0.56	3.28	0
54	56895	0.56	3.26	0
55	55297	0.56	3.26	0
56	52574	0.55	3.26	0
57	49823	0.55	3.29	0
58	48570	0.54	3.33	0
59	46040	0.53	3.37	0
60	46037	0.53	3.44	0
61	43860	0.52	3.51	0
62	41407	0.50	3.64	0
63	39444	0.48	3.81	0
64	37425	0.45	4.00	0
65	34834	0.41	4.23	0
66	32020	0.37	4.46	0
67	28898	0.33	4.76	0
68	26630	0.30	5.12	0
69	24864	0.27	5.44	0
70	23407	0.24	5.76	0
71	20736	0.22	6.11	0
72	18423	0.19	6.52	0
73	16215	0.17	6.86	0
74	14848	0.15	7.24	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 40. *AE error statistics by age, 0 to 90. Acc(3) is proportion of age estimates within 3 years (higher value is better), MAE is mean absolute error (MAE, lower is better), and the failure to process proportion (FTP, lower is better). Dataset is the Mexican visa sample. (continued)*

		youverse-001		
Age	Num. Images	Acc(3)	MAE	FTP
75	13197	0.13	7.78	0
76	11886	0.11	8.16	0
77	10839	0.09	8.71	0
78	9361	0.07	9.25	0
79	7540	0.06	9.60	0
80	6267	0.04	10.15	0
81	5221	0.02	10.57	0
82	3962	0.01	11.16	0
83	3277	0.00	11.75	0
84	2615	0.00	12.32	0
85	2206	0.00	12.81	0
86	1831	0.00	13.54	0
87	1402	0.00	14.15	0
88	1254	0.00	15.08	0
89	907	0.00	15.35	0
90	670	0.00	16.48	0

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525





Fig. 138. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 139. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




Fig. 140. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 141. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525





Fig. 142. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 143. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




Fig. 144. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 145. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 146. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 147. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 148. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525





Fig. 149. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 150. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*





Fig. 151. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 152. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




Fig. 153. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525





Fig. 154. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 155. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




Fig. 156. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 157. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 158. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 159. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525






Fig. 160. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 161. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 162. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 163. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*





Fig. 164. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 165. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




Fig. 166. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 167. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 168. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 169. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 170. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 171. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525





Fig. 172. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 173. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*






Fig. 174. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 175. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 176. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 177. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 178. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




Fig. 179. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 180. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525






Fig. 181. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 182. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 183. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




Fig. 184. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 185. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 186. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 187. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 188. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525





Fig. 189. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 190. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*





Fig. 191. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 192. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*




Fig. 193. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 194. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 195. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525






Fig. 196. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 197. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*



This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Fig. 198. *Confusion matrix showing percentage of subjects aged 8 to 36 (rows) estimated as ages 0-5 to 41 and above (columns). Red values indicate the age most frequently estimated for each actual age.*

Appendix A.2. Age Estimation Performance Across Demographics

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 41. *Mean raw error for Application-type images for algorithm ayonix-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	0.5 ± 0.4	0.8 ± 0.3	-0.9 ± 0.3	0.6 ± 0.2	0.3 ± 0.4	2.1 ± 0.6	0.5 ± 0.3	1.4 ± 0.2	-1.3 ± 0.3	1.5 ± 0.2	0.8 ± 0.3	0.6 ± 0.4	W Africa F	E Europe M
15	0.6 ± 0.5	1.0 ± 0.3	-0.9 ± 0.3	1.0 ± 0.3	0.7 ± 0.5	2.0 ± 0.6	0.8 ± 0.4	1.4 ± 0.2	-1.0 ± 0.3	1.6 ± 0.2	1.4 ± 0.3	1.3 ± 0.5	W Africa F	E Europe M
16	0.6 ± 0.5	1.2 ± 0.3	-0.7 ± 0.3	0.9 ± 0.3	1.1 ± 0.5	2.4 ± 0.6	1.8 ± 0.4	1.1 ± 0.1	-0.2 ± 0.3	1.7 ± 0.2	1.0 ± 0.3	1.4 ± 0.4	W Africa F	E Europe F
17	1.3 ± 0.5	1.3 ± 0.3	-1.0 ± 0.3	0.8 ± 0.3	0.6 ± 0.5	2.7 ± 0.5	2.3 ± 0.4	0.6 ± 0.2	-0.5 ± 0.3	1.7 ± 0.2	0.8 ± 0.3	2.0 ± 0.4	W Africa F	E Europe F
18	0.5 ± 0.4	0.5 ± 0.2	-1.6 ± 0.3	0.3 ± 0.2	-0.0 ± 0.3	1.8 ± 0.5	1.8 ± 0.3	-0.3 ± 0.1	-0.7 ± 0.2	1.1 ± 0.1	-0.3 ± 0.2	1.3 ± 0.3	W Africa F	E Europe F
19	0.6 ± 0.4	0.2 ± 0.2	-2.0 ± 0.3	0.4 ± 0.2	-0.1 ± 0.3	2.3 ± 0.5	2.1 ± 0.3	-0.6 ± 0.1	-1.0 ± 0.2	0.9 ± 0.1	-0.8 ± 0.2	1.8 ± 0.3	W Africa F	E Europe F
20	0.4 ± 0.4	0.2 ± 0.2	-2.2 ± 0.2	-0.1 ± 0.2	-0.3 ± 0.3	2.3 ± 0.4	2.2 ± 0.3	-1.3 ± 0.1	-0.9 ± 0.2	0.7 ± 0.1	-1.4 ± 0.2	2.0 ± 0.3	W Africa F	E Europe F
21	0.1 ± 0.4	-0.1 ± 0.2	-2.7 ± 0.2	-0.6 ± 0.2	-0.6 ± 0.3	1.9 ± 0.4	1.9 ± 0.3	-1.9 ± 0.1	-1.4 ± 0.2	0.0 ± 0.1	-1.8 ± 0.2	1.4 ± 0.3	E Africa M	E Europe F
22	0.1 ± 0.4	-0.4 ± 0.2	-2.7 ± 0.2	-1.1 ± 0.2	-0.7 ± 0.3	1.5 ± 0.4	2.0 ± 0.3	-2.4 ± 0.1	-1.5 ± 0.2	-0.4 ± 0.1	-2.4 ± 0.2	1.0 ± 0.3	E Africa M	E Europe F
23	-0.5 ± 0.3	-0.4 ± 0.2	-3.2 ± 0.2	-1.3 ± 0.2	-0.9 ± 0.2	0.9 ± 0.4	1.5 ± 0.3	-2.9 ± 0.1	-1.9 ± 0.2	-0.6 ± 0.1	-2.9 ± 0.2	0.6 ± 0.2	E Africa M	E Europe F
24	-0.6 ± 0.3	-0.9 ± 0.2	-3.4 ± 0.2	-1.7 ± 0.1	-1.2 ± 0.2	0.7 ± 0.4	1.1 ± 0.3	-3.2 ± 0.1	-2.0 ± 0.2	-1.1 ± 0.1	-3.5 ± 0.2	0.2 ± 0.2	E Africa M	S E Asia M
25	-1.3 ± 0.3	-0.9 ± 0.2	-3.7 ± 0.2	-2.2 ± 0.1	-1.6 ± 0.2	-0.0 ± 0.3	0.5 ± 0.3	-3.5 ± 0.2	-2.3 ± 0.2	-1.4 ± 0.1	-3.5 ± 0.2	-0.2 ± 0.2	E Africa M	E Europe F
26	-1.5 ± 0.3	-1.2 ± 0.2	-3.8 ± 0.2	-2.6 ± 0.1	-1.7 ± 0.2	-0.2 ± 0.3	0.1 ± 0.2	-3.9 ± 0.2	-2.5 ± 0.2	-1.7 ± 0.1	-3.9 ± 0.2	-0.7 ± 0.2	E Africa M	S E Asia M
27	-1.8 ± 0.3	-1.4 ± 0.2	-3.9 ± 0.2	-3.2 ± 0.1	-2.1 ± 0.2	-0.7 ± 0.3	-0.5 ± 0.2	-4.2 ± 0.2	-2.5 ± 0.2	-2.1 ± 0.1	-3.8 ± 0.2	-1.2 ± 0.2	E Africa M	E Asia M
28	-2.4 ± 0.3	-1.7 ± 0.1	-4.0 ± 0.2	-3.6 ± 0.1	-2.2 ± 0.2	-1.5 ± 0.3	-0.9 ± 0.2	-4.1 ± 0.2	-2.6 ± 0.2	-2.5 ± 0.1	-4.1 ± 0.3	-1.7 ± 0.2	E Africa M	S E Asia M
29	-2.7 ± 0.3	-1.7 ± 0.1	-4.0 ± 0.2	-4.1 ± 0.1	-2.5 ± 0.2	-1.9 ± 0.3	-1.3 ± 0.2	-4.3 ± 0.2	-2.8 ± 0.2	-2.7 ± 0.1	-4.3 ± 0.3	-2.0 ± 0.2	E Africa M	E Asia M
30	-3.2 ± 0.3	-2.0 ± 0.1	-4.1 ± 0.2	-4.4 ± 0.1	-2.7 ± 0.2	-2.6 ± 0.3	-1.7 ± 0.3	-4.4 ± 0.2	-3.0 ± 0.2	-3.0 ± 0.1	-4.3 ± 0.3	-2.6 ± 0.2	E Africa M	S Asia F
31	-3.9 ± 0.3	-2.2 ± 0.1	-4.0 ± 0.2	-5.1 ± 0.1	-3.0 ± 0.2	-3.0 ± 0.3	-2.1 ± 0.2	-4.4 ± 0.2	-2.9 ± 0.2	-3.3 ± 0.1	-4.5 ± 0.3	-3.1 ± 0.2	E Africa M	S Asia F
32	-3.8 ± 0.3	-2.2 ± 0.1	-4.1 ± 0.2	-5.3 ± 0.1	-3.3 ± 0.2	-3.3 ± 0.3	-2.4 ± 0.2	-4.2 ± 0.2	-2.9 ± 0.2	-3.5 ± 0.1	-4.3 ± 0.3	-3.5 ± 0.2	E Asia F	S Asia F
33	-4.5 ± 0.3	-2.5 ± 0.1	-4.3 ± 0.2	-5.7 ± 0.1	-3.7 ± 0.2	-3.8 ± 0.3	-2.8 ± 0.2	-4.4 ± 0.2	-2.6 ± 0.2	-3.8 ± 0.1	-4.4 ± 0.3	-4.0 ± 0.2	E Asia F	S Asia F
34	-4.8 ± 0.3	-2.7 ± 0.1	-4.3 ± 0.2	-6.0 ± 0.1	-3.8 ± 0.2	-4.4 ± 0.3	-3.2 ± 0.3	-4.2 ± 0.2	-3.0 ± 0.2	-3.9 ± 0.1	-4.3 ± 0.4	-4.3 ± 0.2	E Asia F	S Asia F
35	-5.2 ± 0.4	-3.1 ± 0.1	-4.3 ± 0.2	-6.5 ± 0.1	-4.1 ± 0.2	-4.8 ± 0.3	-3.5 ± 0.3	-4.1 ± 0.2	-2.8 ± 0.2	-4.3 ± 0.1	-4.0 ± 0.4	-4.7 ± 0.2	E Europe M	S Asia F
36	-5.6 ± 0.4	-3.3 ± 0.1	-4.1 ± 0.2	-6.8 ± 0.1	-4.2 ± 0.2	-5.2 ± 0.3	-3.9 ± 0.3	-4.0 ± 0.2	-2.9 ± 0.2	-4.4 ± 0.1	-3.9 ± 0.4	-5.2 ± 0.2	E Europe M	S Asia F
37	-5.9 ± 0.4	-3.5 ± 0.1	-4.3 ± 0.2	-7.1 ± 0.1	-4.5 ± 0.2	-5.6 ± 0.4	-3.9 ± 0.3	-3.9 ± 0.2	-3.2 ± 0.2	-4.6 ± 0.1	-4.1 ± 0.4	-5.7 ± 0.2	E Europe M	S Asia F
38	-5.9 ± 0.4	-4.0 ± 0.1	-4.2 ± 0.2	-7.3 ± 0.2	-4.6 ± 0.2	-6.1 ± 0.4	-4.3 ± 0.3	-3.9 ± 0.2	-3.2 ± 0.2	-4.9 ± 0.1	-3.6 ± 0.4	-6.1 ± 0.2	E Europe M	S Asia F
39	-6.1 ± 0.4	-4.2 ± 0.1	-4.4 ± 0.2	-7.7 ± 0.2	-4.9 ± 0.2	-6.1 ± 0.4	-4.2 ± 0.3	-3.9 ± 0.2	-3.3 ± 0.2	-4.9 ± 0.1	-3.4 ± 0.3	-6.4 ± 0.2	E Europe M	S Asia F
40	-7.0 ± 0.5	-4.5 ± 0.1	-4.3 ± 0.2	-7.9 ± 0.2	-5.4 ± 0.2	-6.9 ± 0.4	-4.4 ± 0.4	-4.0 ± 0.2	-3.4 ± 0.2	-5.1 ± 0.1	-3.3 ± 0.3	-6.9 ± 0.3	S E Asia M	S Asia F
41	-7.3 ± 0.5	-5.0 ± 0.1	-4.5 ± 0.2	-8.2 ± 0.2	-5.8 ± 0.2	-7.4 ± 0.4	-4.5 ± 0.4	-3.8 ± 0.2	-3.5 ± 0.2	-5.1 ± 0.2	-3.6 ± 0.3	-7.0 ± 0.3	E Europe M	S Asia F
42	-7.2 ± 0.5	-5.3 ± 0.1	-4.6 ± 0.2	-8.0 ± 0.2	-5.9 ± 0.2	-7.6 ± 0.5	-4.7 ± 0.4	-3.9 ± 0.2	-3.5 ± 0.2	-5.2 ± 0.2	-3.4 ± 0.3	-7.2 ± 0.3	S E Asia M	S Asia F
43	-7.2 ± 0.6	-5.7 ± 0.1	-4.8 ± 0.2	-8.5 ± 0.2	-6.4 ± 0.2	-7.9 ± 0.5	-4.6 ± 0.4	-4.0 ± 0.2	-3.8 ± 0.2	-5.2 ± 0.2	-3.3 ± 0.3	-7.8 ± 0.3	S E Asia M	S Asia F
44	-7.0 ± 0.6	-6.3 ± 0.1	-5.3 ± 0.2	-8.5 ± 0.2	-6.5 ± 0.2	-8.0 ± 0.5	-5.4 ± 0.4	-4.1 ± 0.2	-3.8 ± 0.2	-5.2 ± 0.2	-3.3 ± 0.3	-8.1 ± 0.3	S E Asia M	S Asia F
45	-8.1 ± 0.6	-6.6 ± 0.1	-5.5 ± 0.2	-8.7 ± 0.3	-7.1 ± 0.2	-8.4 ± 0.5	-5.4 ± 0.4	-4.4 ± 0.2	-4.2 ± 0.2	-5.1 ± 0.2	-3.5 ± 0.3	-8.3 ± 0.3	S E Asia M	S Asia F
46	-7.0 ± 0.8	-7.2 ± 0.1	-5.6 ± 0.2	-8.5 ± 0.3	-7.5 ± 0.2	-8.0 ± 0.5	-5.0 ± 0.5	-4.5 ± 0.2	-4.2 ± 0.3	-4.8 ± 0.2	-3.5 ± 0.3	-8.8 ± 0.3	S E Asia M	W Africa M
47	-6.5 ± 0.7	-7.5 ± 0.1	-5.9 ± 0.3	-8.7 ± 0.3	-7.9 ± 0.2	-8.4 ± 0.5	-4.8 ± 0.5	-4.7 ± 0.2	-4.3 ± 0.3	-4.7 ± 0.2	-3.6 ± 0.3	-8.5 ± 0.3	S E Asia M	S Asia F
48	-8.4 ± 0.8	-7.9 ± 0.1	-5.9 ± 0.3	-8.7 ± 0.3	-8.3 ± 0.2	-8.9 ± 0.6	-6.0 ± 0.5	-4.8 ± 0.2	-4.5 ± 0.3	-4.8 ± 0.2	-3.6 ± 0.3	-9.4 ± 0.4	S E Asia M	W Africa M
49	-7.3 ± 0.9	-8.4 ± 0.1	-6.4 ± 0.3	-8.8 ± 0.3	-8.5 ± 0.2	-9.4 ± 0.6	-5.8 ± 0.6	-5.0 ± 0.2	-4.6 ± 0.3	-4.9 ± 0.2	-3.8 ± 0.3	-9.5 ± 0.3	S E Asia M	W Africa M
50	-8.1 ± 0.9	-8.8 ± 0.1	-6.4 ± 0.3	-8.7 ± 0.3	-9.0 ± 0.2	-9.3 ± 0.6	-5.9 ± 0.6	-5.2 ± 0.2	-4.8 ± 0.3	-4.7 ± 0.3	-3.6 ± 0.3	-9.9 ± 0.4	S E Asia M	W Africa M
51	-7.3 ± 0.8	-9.2 ± 0.1	-6.7 ± 0.3	-8.7 ± 0.3	-9.4 ± 0.2	-9.4 ± 0.7	-6.4 ± 0.7	-5.4 ± 0.2	-4.7 ± 0.3	-4.7 ± 0.3	-3.7 ± 0.3	-10.0 ± 0.4	S E Asia M	W Africa M
52	-7.3 ± 0.9	-9.6 ± 0.1	-6.4 ± 0.3	-8.9 ± 0.3	-9.5 ± 0.2	-10.0 ± 0.7	-5.9 ± 0.7	-5.6 ± 0.2	-4.9 ± 0.3	-4.8 ± 0.3	-4.3 ± 0.3	-10.4 ± 0.4	S E Asia M	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 42. *Mean raw error for Application-type images for algorithm bynn-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.3 ± 0.3	0.9 ± 0.1	0.3 ± 0.2	0.7 ± 0.1	0.9 ± 0.3	2.4 ± 0.4	1.1 ± 0.2	1.6 ± 0.1	-0.0 ± 0.2	0.74 ± 0.10	0.9 ± 0.2	2.3 ± 0.3	W Africa F	E Europe M
15	0.8 ± 0.3	0.9 ± 0.1	-0.0 ± 0.2	0.8 ± 0.2	0.8 ± 0.3	2.2 ± 0.4	0.8 ± 0.3	1.5 ± 0.1	-0.2 ± 0.2	0.7 ± 0.1	1.2 ± 0.2	2.0 ± 0.3	W Africa F	E Europe M
16	0.6 ± 0.3	0.8 ± 0.2	0.0 ± 0.3	0.4 ± 0.2	0.9 ± 0.4	2.4 ± 0.5	1.2 ± 0.3	1.4 ± 0.1	-0.1 ± 0.2	0.8 ± 0.2	1.2 ± 0.3	1.9 ± 0.3	W Africa F	E Europe M
17	0.5 ± 0.4	0.7 ± 0.2	0.0 ± 0.3	0.3 ± 0.2	1.1 ± 0.4	2.2 ± 0.4	1.0 ± 0.3	1.5 ± 0.2	-0.7 ± 0.2	0.8 ± 0.2	1.3 ± 0.3	2.1 ± 0.4	W Africa F	E Europe M
18	0.3 ± 0.3	0.1 ± 0.1	-0.7 ± 0.3	0.0 ± 0.2	0.7 ± 0.3	1.8 ± 0.4	1.0 ± 0.3	0.9 ± 0.1	-0.9 ± 0.2	0.6 ± 0.1	1.0 ± 0.3	1.9 ± 0.3	W Africa M	E Europe M
19	0.5 ± 0.4	-0.0 ± 0.1	-0.7 ± 0.3	0.0 ± 0.2	0.5 ± 0.2	2.2 ± 0.4	1.9 ± 0.3	1.0 ± 0.1	-1.0 ± 0.2	0.8 ± 0.2	1.0 ± 0.3	2.2 ± 0.4	W Africa F	E Europe M
20	0.5 ± 0.4	-0.1 ± 0.2	-0.9 ± 0.3	-0.2 ± 0.2	0.3 ± 0.2	2.0 ± 0.4	2.0 ± 0.4	1.0 ± 0.1	-1.0 ± 0.3	1.2 ± 0.2	1.1 ± 0.3	2.5 ± 0.4	W Africa M	E Europe M
21	0.1 ± 0.4	-0.3 ± 0.2	-1.0 ± 0.3	-0.2 ± 0.2	0.3 ± 0.2	2.1 ± 0.4	2.4 ± 0.3	1.0 ± 0.1	-0.9 ± 0.3	1.3 ± 0.2	1.2 ± 0.3	2.5 ± 0.4	W Africa M	E Europe F
22	0.2 ± 0.4	-0.7 ± 0.1	-1.0 ± 0.2	-0.5 ± 0.2	0.0 ± 0.2	1.8 ± 0.4	2.9 ± 0.3	0.7 ± 0.1	-0.4 ± 0.3	1.3 ± 0.2	0.9 ± 0.2	2.6 ± 0.3	E Africa M	E Europe F
23	-0.1 ± 0.4	-0.9 ± 0.1	-0.9 ± 0.2	-0.5 ± 0.2	-0.1 ± 0.2	1.8 ± 0.4	2.6 ± 0.3	0.7 ± 0.1	-0.6 ± 0.3	1.3 ± 0.2	0.8 ± 0.2	2.5 ± 0.3	E Africa M	E Europe F
24	-0.1 ± 0.4	-1.3 ± 0.1	-0.7 ± 0.2	-0.6 ± 0.2	-0.4 ± 0.2	1.4 ± 0.4	2.5 ± 0.3	0.5 ± 0.1	-0.3 ± 0.2	1.5 ± 0.2	0.5 ± 0.2	2.3 ± 0.3	E Africa M	E Asia F
25	-0.4 ± 0.3	-1.5 ± 0.1	-0.7 ± 0.2	-0.9 ± 0.2	-0.6 ± 0.2	1.3 ± 0.3	2.6 ± 0.3	0.3 ± 0.1	-0.2 ± 0.2	1.4 ± 0.1	0.5 ± 0.2	2.1 ± 0.2	E Africa M	E Asia F
26	-0.2 ± 0.3	-1.9 ± 0.1	-0.6 ± 0.2	-1.2 ± 0.1	-0.7 ± 0.2	1.1 ± 0.3	2.5 ± 0.3	0.0 ± 0.1	-0.3 ± 0.2	1.2 ± 0.1	0.2 ± 0.2	1.7 ± 0.2	E Africa M	E Asia F
27	-0.3 ± 0.3	-2.2 ± 0.1	-0.5 ± 0.2	-1.4 ± 0.1	-1.0 ± 0.2	0.9 ± 0.3	2.3 ± 0.2	-0.1 ± 0.1	-0.0 ± 0.2	1.1 ± 0.1	0.2 ± 0.2	1.6 ± 0.2	E Africa M	E Asia F
28	-0.6 ± 0.3	-2.5 ± 0.1	-0.4 ± 0.2	-1.5 ± 0.1	-1.2 ± 0.2	0.7 ± 0.3	1.9 ± 0.2	-0.3 ± 0.1	0.2 ± 0.2	0.8 ± 0.1	-0.1 ± 0.2	1.1 ± 0.2	E Africa M	E Asia F
29	-0.5 ± 0.3	-2.8 ± 0.1	-0.2 ± 0.2	-1.7 ± 0.1	-1.3 ± 0.2	0.4 ± 0.3	1.6 ± 0.2	-0.6 ± 0.1	-0.1 ± 0.2	0.6 ± 0.1	-0.6 ± 0.2	1.0 ± 0.2	E Africa M	E Asia F
30	-0.7 ± 0.3	-3.0 ± 0.1	-0.3 ± 0.2	-1.7 ± 0.1	-1.3 ± 0.2	0.1 ± 0.3	1.6 ± 0.2	-0.8 ± 0.1	-0.1 ± 0.2	0.3 ± 0.1	-0.8 ± 0.2	0.5 ± 0.2	E Africa M	E Asia F
31	-0.8 ± 0.3	-3.3 ± 0.1	-0.3 ± 0.2	-1.9 ± 0.2	-1.6 ± 0.2	-0.2 ± 0.3	1.3 ± 0.2	-1.0 ± 0.1	-0.2 ± 0.2	0.2 ± 0.1	-0.8 ± 0.2	0.2 ± 0.2	E Africa M	E Asia F
32	-0.6 ± 0.4	-3.5 ± 0.1	-0.2 ± 0.2	-1.9 ± 0.1	-1.9 ± 0.2	-0.4 ± 0.3	1.0 ± 0.2	-1.3 ± 0.1	-0.0 ± 0.2	0.0 ± 0.1	-1.0 ± 0.2	-0.0 ± 0.2	E Africa M	E Asia F
33	-1.1 ± 0.4	-3.8 ± 0.1	-0.1 ± 0.2	-1.9 ± 0.2	-2.1 ± 0.2	-0.6 ± 0.3	0.8 ± 0.2	-1.6 ± 0.1	0.1 ± 0.2	-0.2 ± 0.1	-1.2 ± 0.2	-0.3 ± 0.2	E Africa M	E Asia F
34	-1.3 ± 0.4	-3.8 ± 0.1	-0.3 ± 0.2	-1.8 ± 0.2	-2.2 ± 0.2	-0.9 ± 0.3	0.2 ± 0.3	-2.0 ± 0.1	-0.2 ± 0.2	-0.4 ± 0.1	-1.4 ± 0.2	-0.6 ± 0.2	E Africa M	E Asia F
35	-1.2 ± 0.4	-4.2 ± 0.1	-0.2 ± 0.2	-1.9 ± 0.2	-2.3 ± 0.2	-1.3 ± 0.3	0.3 ± 0.3	-2.1 ± 0.1	-0.2 ± 0.2	-0.6 ± 0.1	-1.7 ± 0.3	-1.1 ± 0.2	E Africa M	E Asia F
36	-1.4 ± 0.4	-4.2 ± 0.1	-0.2 ± 0.2	-2.0 ± 0.2	-2.4 ± 0.2	-1.5 ± 0.3	-0.0 ± 0.3	-2.3 ± 0.1	0.0 ± 0.2	-0.8 ± 0.1	-1.7 ± 0.3	-1.3 ± 0.2	E Europe M	E Asia F
37	-1.7 ± 0.4	-4.3 ± 0.1	-0.3 ± 0.2	-1.9 ± 0.2	-2.6 ± 0.2	-1.7 ± 0.3	-0.1 ± 0.3	-2.6 ± 0.1	-0.3 ± 0.2	-1.0 ± 0.1	-2.0 ± 0.3	-1.6 ± 0.2	E Africa M	E Asia F
38	-1.6 ± 0.4	-4.6 ± 0.1	-0.3 ± 0.2	-2.0 ± 0.2	-2.5 ± 0.2	-2.3 ± 0.4	-0.5 ± 0.3	-2.7 ± 0.1	-0.4 ± 0.2	-1.2 ± 0.1	-1.6 ± 0.3	-1.9 ± 0.2	E Europe F	E Asia F
39	-1.9 ± 0.4	-4.6 ± 0.1	-0.4 ± 0.2	-2.4 ± 0.2	-2.6 ± 0.2	-2.1 ± 0.3	-0.5 ± 0.3	-3.0 ± 0.1	-0.2 ± 0.2	-1.5 ± 0.1	-2.0 ± 0.2	-2.2 ± 0.2	E Europe M	E Asia F
40	-2.3 ± 0.5	-4.8 ± 0.1	-0.2 ± 0.2	-2.4 ± 0.2	-2.9 ± 0.2	-2.5 ± 0.4	-0.6 ± 0.3	-3.2 ± 0.1	-0.2 ± 0.2	-1.7 ± 0.1	-2.2 ± 0.3	-2.5 ± 0.3	E Europe F	E Asia F
41	-2.7 ± 0.5	-4.9 ± 0.1	-0.4 ± 0.2	-2.7 ± 0.2	-3.0 ± 0.2	-3.0 ± 0.4	-1.0 ± 0.3	-3.3 ± 0.1	-0.4 ± 0.2	-1.9 ± 0.1	-2.3 ± 0.3	-2.9 ± 0.3	E Europe M	E Asia F
42	-2.1 ± 0.5	-4.9 ± 0.1	-0.4 ± 0.3	-2.4 ± 0.2	-3.2 ± 0.2	-3.1 ± 0.4	-1.3 ± 0.3	-3.3 ± 0.1	-0.1 ± 0.3	-2.1 ± 0.1	-2.0 ± 0.3	-3.2 ± 0.3	E Europe M	E Asia F
43	-2.8 ± 0.5	-5.2 ± 0.1	-0.6 ± 0.3	-2.9 ± 0.2	-3.5 ± 0.2	-3.6 ± 0.4	-1.1 ± 0.3	-3.4 ± 0.1	-0.3 ± 0.3	-2.2 ± 0.1	-2.2 ± 0.3	-3.7 ± 0.3	E Europe M	E Asia F
44	-2.3 ± 0.5	-5.4 ± 0.1	-0.8 ± 0.3	-3.2 ± 0.2	-3.2 ± 0.2	-3.6 ± 0.4	-1.7 ± 0.4	-3.5 ± 0.1	-0.1 ± 0.3	-2.5 ± 0.2	-2.2 ± 0.3	-3.7 ± 0.3	E Europe M	E Asia F
45	-2.8 ± 0.5	-5.4 ± 0.1	-0.9 ± 0.3	-3.1 ± 0.2	-3.7 ± 0.2	-4.1 ± 0.4	-2.2 ± 0.4	-3.8 ± 0.1	-0.3 ± 0.3	-2.5 ± 0.2	-2.2 ± 0.3	-4.1 ± 0.3	E Europe M	E Asia F
46	-2.2 ± 0.6	-5.7 ± 0.1	-0.9 ± 0.3	-3.3 ± 0.2	-3.9 ± 0.2	-4.2 ± 0.4	-2.3 ± 0.4	-3.8 ± 0.2	0.0 ± 0.3	-2.5 ± 0.2	-2.2 ± 0.3	-4.6 ± 0.3	E Europe M	E Asia F
47	-2.0 ± 0.6	-5.6 ± 0.1	-0.8 ± 0.3	-3.5 ± 0.2	-4.0 ± 0.2	-4.3 ± 0.4	-1.8 ± 0.4	-3.8 ± 0.2	-0.2 ± 0.3	-2.7 ± 0.2	-2.2 ± 0.3	-4.5 ± 0.3	E Europe M	E Asia F
48	-3.1 ± 0.7	-5.9 ± 0.1	-0.8 ± 0.3	-3.5 ± 0.3	-4.1 ± 0.2	-4.3 ± 0.4	-2.6 ± 0.5	-3.8 ± 0.2	-0.2 ± 0.4	-2.7 ± 0.2	-2.2 ± 0.3	-5.3 ± 0.3	E Europe M	E Asia F
49	-2.5 ± 0.7	-6.0 ± 0.2	-0.9 ± 0.3	-3.7 ± 0.2	-4.1 ± 0.3	-4.8 ± 0.4	-2.5 ± 0.5	-3.8 ± 0.2	-0.1 ± 0.3	-2.8 ± 0.2	-2.1 ± 0.3	-5.3 ± 0.3	E Europe M	E Asia F
50	-3.2 ± 0.7	-6.1 ± 0.2	-0.4 ± 0.3	-3.8 ± 0.2	-4.3 ± 0.3	-4.9 ± 0.5	-2.8 ± 0.5	-3.8 ± 0.2	-0.2 ± 0.3	-3.1 ± 0.2	-1.9 ± 0.3	-5.8 ± 0.4	E Europe M	E Asia F
51	-2.5 ± 0.6	-6.2 ± 0.2	-0.6 ± 0.3	-3.9 ± 0.2	-4.6 ± 0.3	-5.0 ± 0.5	-3.2 ± 0.6	-3.8 ± 0.2	0.0 ± 0.3	-3.1 ± 0.3	-2.0 ± 0.3	-6.0 ± 0.4	E Europe M	E Asia F
52	-3.0 ± 0.8	-6.3 ± 0.2	-0.1 ± 0.4	-4.2 ± 0.2	-4.2 ± 0.3	-5.8 ± 0.5	-2.8 ± 0.6	-3.9 ± 0.2	0.1 ± 0.4	-3.2 ± 0.2	-2.3 ± 0.3	-6.4 ± 0.4	E Europe M	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 43. *Mean raw error for Application-type images for algorithm cognitec-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.3 ± 0.3	1.5 ± 0.1	1.4 ± 0.2	1.1 ± 0.1	1.1 ± 0.2	3.2 ± 0.3	1.2 ± 0.2	1.43 ± 0.10	0.7 ± 0.2	1.0 ± 0.1	1.2 ± 0.2	1.5 ± 0.3	W Africa F	E Europe M
15	2.4 ± 0.4	1.5 ± 0.1	1.4 ± 0.2	1.4 ± 0.2	1.3 ± 0.3	2.9 ± 0.4	1.1 ± 0.3	1.55 ± 0.09	0.9 ± 0.2	1.4 ± 0.1	1.5 ± 0.2	1.6 ± 0.3	W Africa F	E Europe M
16	2.1 ± 0.4	1.5 ± 0.1	1.1 ± 0.2	1.0 ± 0.2	1.5 ± 0.3	3.3 ± 0.5	1.7 ± 0.3	1.44 ± 0.09	1.0 ± 0.2	1.5 ± 0.1	1.5 ± 0.2	1.8 ± 0.3	W Africa F	E Europe M
17	2.4 ± 0.4	1.3 ± 0.1	0.9 ± 0.2	1.0 ± 0.2	1.4 ± 0.3	3.1 ± 0.3	1.5 ± 0.3	1.3 ± 0.1	0.8 ± 0.2	1.5 ± 0.1	1.6 ± 0.2	2.0 ± 0.4	W Africa F	E Europe M
18	1.7 ± 0.3	0.8 ± 0.1	0.3 ± 0.2	0.6 ± 0.1	1.0 ± 0.2	2.4 ± 0.4	1.2 ± 0.2	0.84 ± 0.09	0.4 ± 0.2	1.1 ± 0.1	1.3 ± 0.2	1.2 ± 0.3	W Africa F	E Europe F
19	1.8 ± 0.3	0.6 ± 0.1	0.1 ± 0.2	0.7 ± 0.2	1.0 ± 0.2	2.8 ± 0.3	1.5 ± 0.3	0.8 ± 0.1	0.1 ± 0.2	1.3 ± 0.1	1.1 ± 0.2	1.4 ± 0.3	W Africa F	E Europe F
20	1.9 ± 0.3	0.6 ± 0.1	-0.4 ± 0.2	0.4 ± 0.2	0.9 ± 0.2	2.2 ± 0.3	1.5 ± 0.3	0.6 ± 0.1	0.3 ± 0.2	1.3 ± 0.1	1.1 ± 0.2	1.2 ± 0.3	W Africa F	E Europe F
21	1.4 ± 0.3	0.6 ± 0.1	-0.7 ± 0.2	0.3 ± 0.1	0.6 ± 0.2	2.2 ± 0.3	1.4 ± 0.2	0.5 ± 0.1	-0.1 ± 0.2	1.2 ± 0.1	0.9 ± 0.2	1.0 ± 0.3	W Africa F	E Europe F
22	1.2 ± 0.3	0.3 ± 0.1	-1.0 ± 0.1	0.0 ± 0.1	0.5 ± 0.2	1.6 ± 0.3	1.8 ± 0.3	0.3 ± 0.1	0.0 ± 0.2	1.1 ± 0.1	0.8 ± 0.2	0.7 ± 0.3	E Africa M	E Europe F
23	1.1 ± 0.3	0.2 ± 0.1	-1.1 ± 0.1	-0.1 ± 0.1	0.4 ± 0.1	1.3 ± 0.3	1.4 ± 0.3	0.2 ± 0.1	-0.2 ± 0.2	1.0 ± 0.1	0.6 ± 0.2	0.8 ± 0.2	E Africa M	E Europe F
24	0.9 ± 0.3	-0.1 ± 0.1	-1.2 ± 0.1	-0.3 ± 0.1	0.1 ± 0.1	1.0 ± 0.3	1.5 ± 0.3	-0.0 ± 0.1	-0.2 ± 0.2	1.1 ± 0.1	0.6 ± 0.2	0.5 ± 0.2	E Africa M	E Europe F
25	0.2 ± 0.3	-0.2 ± 0.1	-1.4 ± 0.1	-0.7 ± 0.1	-0.1 ± 0.1	0.8 ± 0.3	1.2 ± 0.2	0.0 ± 0.1	-0.3 ± 0.2	0.9 ± 0.1	0.5 ± 0.2	0.3 ± 0.2	E Africa M	E Europe F
26	-0.2 ± 0.2	-0.4 ± 0.1	-1.5 ± 0.1	-0.9 ± 0.1	-0.1 ± 0.1	0.4 ± 0.2	1.0 ± 0.2	0.1 ± 0.1	-0.4 ± 0.2	0.8 ± 0.1	0.4 ± 0.2	-0.0 ± 0.2	E Africa M	E Europe F
27	-0.3 ± 0.3	-0.50 ± 0.10	-1.5 ± 0.1	-1.2 ± 0.1	-0.5 ± 0.1	0.3 ± 0.2	0.7 ± 0.2	-0.1 ± 0.1	-0.4 ± 0.1	0.6 ± 0.1	0.5 ± 0.2	-0.3 ± 0.2	E Africa M	E Europe F
28	-0.6 ± 0.3	-0.60 ± 0.09	-1.4 ± 0.1	-1.3 ± 0.1	-0.6 ± 0.1	-0.2 ± 0.2	0.4 ± 0.2	-0.0 ± 0.1	-0.4 ± 0.1	0.46 ± 0.10	0.2 ± 0.2	-0.6 ± 0.2	S Asia M	E Europe F
29	-0.6 ± 0.3	-0.83 ± 0.09	-1.4 ± 0.1	-1.5 ± 0.1	-0.8 ± 0.1	-0.5 ± 0.2	0.2 ± 0.2	-0.1 ± 0.1	-0.5 ± 0.2	0.33 ± 0.09	-0.0 ± 0.2	-0.5 ± 0.2	S Asia M	S Asia F
30	-1.0 ± 0.3	-0.94 ± 0.09	-1.5 ± 0.1	-1.8 ± 0.1	-0.8 ± 0.1	-0.8 ± 0.2	0.3 ± 0.2	-0.3 ± 0.1	-0.7 ± 0.2	0.14 ± 0.09	-0.1 ± 0.2	-0.8 ± 0.2	E Africa M	S Asia F
31	-1.3 ± 0.3	-1.05 ± 0.09	-1.5 ± 0.1	-2.0 ± 0.1	-1.1 ± 0.1	-1.0 ± 0.2	0.0 ± 0.2	-0.4 ± 0.1	-0.7 ± 0.2	0.01 ± 0.09	-0.1 ± 0.2	-0.9 ± 0.2	E Africa M	S Asia F
32	-1.1 ± 0.3	-1.13 ± 0.10	-1.4 ± 0.1	-2.1 ± 0.1	-1.1 ± 0.2	-1.1 ± 0.3	-0.4 ± 0.2	-0.5 ± 0.1	-0.7 ± 0.2	-0.06 ± 0.09	-0.1 ± 0.2	-1.2 ± 0.2	S Asia M	S Asia F
33	-1.5 ± 0.3	-1.27 ± 0.10	-1.6 ± 0.1	-2.1 ± 0.1	-1.3 ± 0.2	-1.5 ± 0.3	-0.2 ± 0.2	-0.5 ± 0.1	-0.6 ± 0.2	-0.30 ± 0.09	-0.4 ± 0.2	-1.3 ± 0.2	E Africa M	S Asia F
34	-1.8 ± 0.3	-1.29 ± 0.10	-1.5 ± 0.1	-2.3 ± 0.1	-1.3 ± 0.2	-1.7 ± 0.3	-0.8 ± 0.2	-0.7 ± 0.1	-0.9 ± 0.2	-0.41 ± 0.09	-0.4 ± 0.2	-1.5 ± 0.2	S E Asia M	S Asia F
35	-1.6 ± 0.3	-1.5 ± 0.1	-1.6 ± 0.2	-2.4 ± 0.1	-1.6 ± 0.2	-2.2 ± 0.3	-0.6 ± 0.3	-0.8 ± 0.1	-0.8 ± 0.2	-0.49 ± 0.10	-0.5 ± 0.2	-1.6 ± 0.2	S Asia M	S Asia F
36	-1.8 ± 0.3	-1.6 ± 0.1	-1.5 ± 0.2	-2.4 ± 0.1	-1.3 ± 0.2	-2.1 ± 0.3	-0.8 ± 0.3	-0.8 ± 0.1	-0.7 ± 0.2	-0.71 ± 0.10	-0.3 ± 0.2	-1.7 ± 0.2	S E Asia M	S Asia F
37	-1.9 ± 0.3	-1.5 ± 0.1	-1.5 ± 0.2	-2.4 ± 0.1	-1.5 ± 0.2	-2.5 ± 0.3	-0.8 ± 0.3	-0.9 ± 0.1	-0.9 ± 0.2	-0.9 ± 0.1	-0.6 ± 0.2	-1.9 ± 0.2	S E Asia M	W Africa F
38	-1.4 ± 0.4	-1.7 ± 0.1	-1.5 ± 0.2	-2.4 ± 0.1	-1.4 ± 0.2	-2.5 ± 0.3	-1.2 ± 0.3	-0.9 ± 0.1	-0.9 ± 0.2	-1.0 ± 0.1	-0.3 ± 0.2	-1.9 ± 0.3	S E Asia M	W Africa F
39	-1.9 ± 0.4	-1.7 ± 0.1	-1.6 ± 0.2	-2.6 ± 0.1	-1.4 ± 0.2	-2.2 ± 0.3	-0.8 ± 0.3	-1.1 ± 0.1	-0.9 ± 0.2	-1.1 ± 0.1	-0.5 ± 0.2	-2.1 ± 0.3	S E Asia M	S Asia F
40	-2.0 ± 0.4	-1.7 ± 0.1	-1.4 ± 0.2	-2.5 ± 0.2	-1.4 ± 0.2	-2.9 ± 0.3	-0.9 ± 0.3	-1.1 ± 0.1	-0.8 ± 0.2	-1.2 ± 0.1	-0.7 ± 0.2	-2.1 ± 0.3	S E Asia M	W Africa F
41	-2.2 ± 0.4	-1.8 ± 0.1	-1.5 ± 0.2	-2.4 ± 0.2	-1.6 ± 0.2	-3.3 ± 0.3	-1.0 ± 0.3	-1.1 ± 0.1	-0.9 ± 0.2	-1.3 ± 0.1	-0.8 ± 0.2	-2.3 ± 0.3	S E Asia M	W Africa F
42	-1.8 ± 0.4	-1.7 ± 0.1	-1.4 ± 0.2	-2.2 ± 0.2	-1.6 ± 0.2	-2.8 ± 0.3	-1.0 ± 0.3	-1.2 ± 0.1	-0.7 ± 0.2	-1.5 ± 0.1	-0.5 ± 0.2	-2.3 ± 0.3	S E Asia M	W Africa F
43	-1.7 ± 0.4	-1.8 ± 0.1	-1.6 ± 0.2	-2.4 ± 0.2	-1.6 ± 0.2	-3.2 ± 0.3	-1.0 ± 0.3	-1.2 ± 0.1	-0.9 ± 0.2	-1.5 ± 0.1	-0.7 ± 0.2	-2.7 ± 0.3	S E Asia M	W Africa F
44	-1.6 ± 0.5	-1.9 ± 0.1	-1.8 ± 0.2	-2.4 ± 0.2	-1.3 ± 0.2	-3.3 ± 0.4	-1.5 ± 0.3	-1.2 ± 0.1	-0.5 ± 0.2	-1.7 ± 0.1	-0.5 ± 0.2	-2.6 ± 0.3	S E Asia M	W Africa F
45	-2.0 ± 0.5	-1.9 ± 0.1	-1.7 ± 0.2	-2.3 ± 0.2	-1.4 ± 0.2	-3.4 ± 0.4	-1.5 ± 0.3	-1.3 ± 0.1	-0.7 ± 0.2	-1.6 ± 0.1	-0.6 ± 0.2	-2.9 ± 0.3	S E Asia M	W Africa F
46	-1.3 ± 0.5	-2.0 ± 0.1	-1.7 ± 0.2	-2.2 ± 0.2	-1.6 ± 0.2	-3.3 ± 0.4	-1.6 ± 0.4	-1.4 ± 0.1	-0.5 ± 0.2	-1.6 ± 0.2	-0.6 ± 0.3	-2.9 ± 0.3	E Europe M	W Africa F
47	-1.5 ± 0.5	-1.9 ± 0.1	-1.7 ± 0.2	-2.3 ± 0.2	-1.4 ± 0.2	-3.5 ± 0.4	-1.5 ± 0.4	-1.4 ± 0.1	-0.6 ± 0.2	-1.6 ± 0.2	-0.4 ± 0.3	-2.8 ± 0.3	S E Asia M	W Africa F
48	-1.9 ± 0.5	-2.0 ± 0.1	-1.7 ± 0.2	-2.1 ± 0.2	-1.5 ± 0.2	-3.5 ± 0.4	-1.8 ± 0.4	-1.5 ± 0.1	-0.6 ± 0.3	-1.5 ± 0.2	-0.4 ± 0.3	-3.3 ± 0.3	S E Asia M	W Africa F
49	-1.5 ± 0.6	-2.1 ± 0.1	-1.8 ± 0.2	-2.1 ± 0.2	-1.3 ± 0.2	-3.8 ± 0.5	-2.3 ± 0.4	-1.5 ± 0.1	-0.8 ± 0.2	-1.8 ± 0.2	-0.2 ± 0.3	-3.1 ± 0.3	S E Asia M	W Africa F
50	-2.2 ± 0.6	-2.1 ± 0.1	-1.6 ± 0.2	-2.2 ± 0.2	-1.4 ± 0.2	-3.8 ± 0.4	-2.0 ± 0.4	-1.5 ± 0.1	-1.0 ± 0.2	-1.8 ± 0.2	-0.1 ± 0.3	-3.6 ± 0.3	S E Asia M	W Africa F
51	-1.6 ± 0.5	-2.1 ± 0.1	-1.8 ± 0.2	-2.1 ± 0.2	-1.5 ± 0.2	-3.7 ± 0.5	-2.5 ± 0.5	-1.6 ± 0.1	-0.9 ± 0.2	-1.8 ± 0.2	-0.1 ± 0.3	-3.8 ± 0.4	S E Asia M	W Africa M
52	-2.1 ± 0.6	-2.2 ± 0.1	-1.6 ± 0.2	-2.2 ± 0.2	-1.2 ± 0.2	-4.2 ± 0.5	-2.5 ± 0.5	-1.7 ± 0.1	-1.0 ± 0.3	-2.0 ± 0.2	-0.5 ± 0.3	-3.7 ± 0.4	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 44. *Mean raw error for Application-type images for algorithm cognitec-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.9 ± 0.3	0.72 ± 0.10	0.4 ± 0.2	0.6 ± 0.1	0.9 ± 0.2	2.3 ± 0.4	0.6 ± 0.2	0.67 ± 0.09	0.0 ± 0.1	0.3 ± 0.1	0.6 ± 0.2	0.7 ± 0.3	W Africa F	E Europe M
15	2.0 ± 0.3	0.8 ± 0.1	0.3 ± 0.2	0.8 ± 0.2	1.1 ± 0.3	2.3 ± 0.4	0.4 ± 0.2	0.74 ± 0.09	0.1 ± 0.2	0.6 ± 0.1	0.7 ± 0.2	0.9 ± 0.3	W Africa F	E Europe M
16	1.9 ± 0.3	0.8 ± 0.1	0.3 ± 0.2	0.6 ± 0.2	1.3 ± 0.3	2.7 ± 0.5	1.1 ± 0.3	0.75 ± 0.09	0.3 ± 0.2	0.9 ± 0.1	1.0 ± 0.2	0.9 ± 0.3	W Africa F	E Europe F
17	2.2 ± 0.4	0.6 ± 0.1	0.2 ± 0.2	0.9 ± 0.2	1.2 ± 0.3	2.6 ± 0.3	1.0 ± 0.3	0.7 ± 0.1	0.2 ± 0.2	1.0 ± 0.1	1.0 ± 0.2	1.3 ± 0.4	W Africa F	E Europe F
18	1.4 ± 0.3	0.3 ± 0.1	-0.3 ± 0.3	0.4 ± 0.1	0.9 ± 0.2	1.9 ± 0.4	0.9 ± 0.2	0.43 ± 0.10	0.1 ± 0.2	0.9 ± 0.1	1.1 ± 0.2	0.9 ± 0.3	W Africa F	E Europe F
19	1.6 ± 0.3	0.2 ± 0.1	-0.5 ± 0.2	0.5 ± 0.2	0.9 ± 0.2	2.5 ± 0.3	1.3 ± 0.3	0.5 ± 0.1	-0.0 ± 0.2	1.1 ± 0.1	1.0 ± 0.2	1.2 ± 0.3	W Africa F	E Europe F
20	1.5 ± 0.3	0.2 ± 0.1	-0.7 ± 0.2	0.3 ± 0.2	0.9 ± 0.2	2.2 ± 0.3	1.5 ± 0.3	0.5 ± 0.1	0.2 ± 0.2	1.2 ± 0.1	1.0 ± 0.2	1.2 ± 0.3	W Africa F	E Europe F
21	1.2 ± 0.3	0.2 ± 0.1	-0.9 ± 0.2	0.3 ± 0.1	0.7 ± 0.2	2.1 ± 0.3	1.6 ± 0.2	0.4 ± 0.1	-0.1 ± 0.2	1.2 ± 0.1	0.9 ± 0.2	1.1 ± 0.3	W Africa F	E Europe F
22	1.1 ± 0.3	-0.1 ± 0.1	-1.1 ± 0.2	0.0 ± 0.1	0.6 ± 0.2	1.6 ± 0.3	1.9 ± 0.3	0.3 ± 0.1	-0.0 ± 0.2	1.3 ± 0.1	0.8 ± 0.2	0.9 ± 0.3	E Africa M	E Europe F
23	0.8 ± 0.3	-0.0 ± 0.1	-1.1 ± 0.2	-0.0 ± 0.1	0.5 ± 0.1	1.5 ± 0.3	1.5 ± 0.3	0.2 ± 0.1	-0.3 ± 0.2	1.2 ± 0.1	0.7 ± 0.2	1.1 ± 0.3	E Africa M	E Europe F
24	0.6 ± 0.3	-0.2 ± 0.1	-1.3 ± 0.1	-0.2 ± 0.1	0.4 ± 0.1	1.1 ± 0.3	1.6 ± 0.2	0.2 ± 0.1	-0.3 ± 0.2	1.3 ± 0.1	0.7 ± 0.2	0.8 ± 0.2	E Africa M	E Europe F
25	0.1 ± 0.2	-0.3 ± 0.1	-1.4 ± 0.1	-0.5 ± 0.1	0.2 ± 0.1	1.0 ± 0.2	1.4 ± 0.2	0.1 ± 0.1	-0.4 ± 0.2	1.1 ± 0.1	0.7 ± 0.2	0.6 ± 0.2	E Africa M	E Europe F
26	-0.2 ± 0.2	-0.4 ± 0.1	-1.4 ± 0.1	-0.7 ± 0.1	0.2 ± 0.1	0.6 ± 0.2	1.0 ± 0.2	0.1 ± 0.1	-0.5 ± 0.2	1.0 ± 0.1	0.4 ± 0.2	0.3 ± 0.2	E Africa M	E Europe F
27	-0.3 ± 0.3	-0.4 ± 0.1	-1.4 ± 0.1	-0.9 ± 0.1	0.0 ± 0.1	0.5 ± 0.2	0.8 ± 0.2	0.0 ± 0.1	-0.4 ± 0.2	0.8 ± 0.1	0.6 ± 0.2	0.2 ± 0.2	S Asia M	E Europe F
28	-0.7 ± 0.2	-0.53 ± 0.10	-1.3 ± 0.1	-1.0 ± 0.1	-0.1 ± 0.1	-0.1 ± 0.2	0.4 ± 0.2	0.0 ± 0.1	-0.4 ± 0.2	0.64 ± 0.09	0.4 ± 0.2	-0.1 ± 0.2	S Asia M	E Europe F
29	-0.6 ± 0.3	-0.56 ± 0.10	-1.3 ± 0.1	-1.1 ± 0.1	-0.1 ± 0.1	-0.3 ± 0.2	0.3 ± 0.2	0.0 ± 0.1	-0.5 ± 0.2	0.51 ± 0.09	-0.0 ± 0.2	-0.0 ± 0.2	S Asia M	E Europe F
30	-1.0 ± 0.3	-0.61 ± 0.10	-1.4 ± 0.1	-1.3 ± 0.1	-0.0 ± 0.1	-0.7 ± 0.2	0.2 ± 0.2	-0.2 ± 0.1	-0.6 ± 0.2	0.31 ± 0.09	-0.0 ± 0.2	-0.4 ± 0.2	S Asia M	E Europe F
31	-1.2 ± 0.3	-0.67 ± 0.10	-1.3 ± 0.1	-1.5 ± 0.1	-0.3 ± 0.1	-1.0 ± 0.2	0.1 ± 0.2	-0.3 ± 0.1	-0.6 ± 0.2	0.21 ± 0.09	-0.1 ± 0.2	-0.5 ± 0.2	S Asia M	S Asia F
32	-1.1 ± 0.3	-0.6 ± 0.1	-1.3 ± 0.1	-1.5 ± 0.1	-0.3 ± 0.2	-0.9 ± 0.3	-0.3 ± 0.2	-0.4 ± 0.1	-0.6 ± 0.2	0.09 ± 0.09	-0.0 ± 0.2	-0.8 ± 0.2	S Asia M	S Asia F
33	-1.4 ± 0.3	-0.7 ± 0.1	-1.4 ± 0.1	-1.5 ± 0.1	-0.4 ± 0.2	-1.3 ± 0.3	-0.1 ± 0.2	-0.5 ± 0.1	-0.4 ± 0.2	-0.12 ± 0.09	-0.4 ± 0.2	-0.9 ± 0.2	S Asia M	S Asia F
34	-1.5 ± 0.3	-0.6 ± 0.1	-1.3 ± 0.2	-1.6 ± 0.1	-0.3 ± 0.2	-1.4 ± 0.3	-0.6 ± 0.3	-0.6 ± 0.1	-0.6 ± 0.2	-0.17 ± 0.10	-0.3 ± 0.2	-0.9 ± 0.2	S Asia M	S Asia F
35	-1.1 ± 0.3	-0.8 ± 0.1	-1.4 ± 0.2	-1.6 ± 0.1	-0.5 ± 0.2	-1.9 ± 0.3	-0.5 ± 0.3	-0.6 ± 0.1	-0.5 ± 0.2	-0.2 ± 0.1	-0.4 ± 0.2	-1.1 ± 0.2	S Asia M	W Africa F
36	-1.3 ± 0.4	-0.7 ± 0.1	-1.1 ± 0.2	-1.5 ± 0.1	-0.2 ± 0.2	-1.8 ± 0.3	-0.6 ± 0.3	-0.6 ± 0.1	-0.3 ± 0.2	-0.4 ± 0.1	-0.1 ± 0.3	-1.2 ± 0.3	S E Asia M	W Africa F
37	-1.3 ± 0.4	-0.6 ± 0.1	-1.2 ± 0.2	-1.4 ± 0.1	-0.3 ± 0.2	-1.9 ± 0.3	-0.5 ± 0.3	-0.7 ± 0.1	-0.3 ± 0.2	-0.4 ± 0.1	-0.3 ± 0.3	-1.2 ± 0.3	S E Asia F	W Africa F
38	-0.8 ± 0.4	-0.7 ± 0.1	-0.9 ± 0.2	-1.3 ± 0.2	-0.0 ± 0.2	-2.1 ± 0.4	-0.8 ± 0.3	-0.6 ± 0.1	-0.2 ± 0.2	-0.5 ± 0.1	0.1 ± 0.3	-1.1 ± 0.3	S E Asia M	W Africa F
39	-1.0 ± 0.4	-0.6 ± 0.1	-1.0 ± 0.2	-1.4 ± 0.2	0.1 ± 0.2	-1.8 ± 0.3	-0.3 ± 0.3	-0.6 ± 0.1	0.0 ± 0.2	-0.4 ± 0.1	0.1 ± 0.3	-1.2 ± 0.3	S E Asia F	W Africa F
40	-1.0 ± 0.4	-0.5 ± 0.1	-0.6 ± 0.2	-1.1 ± 0.2	0.1 ± 0.2	-2.4 ± 0.3	-0.3 ± 0.3	-0.5 ± 0.1	0.1 ± 0.2	-0.4 ± 0.1	0.1 ± 0.2	-1.1 ± 0.3	E Europe M	W Africa F
41	-1.4 ± 0.4	-0.5 ± 0.1	-0.6 ± 0.2	-1.0 ± 0.2	0.1 ± 0.2	-2.5 ± 0.4	-0.2 ± 0.4	-0.5 ± 0.1	0.0 ± 0.2	-0.4 ± 0.1	0.1 ± 0.3	-1.1 ± 0.3	S E Asia F	W Africa F
42	-0.7 ± 0.5	-0.3 ± 0.1	-0.4 ± 0.2	-0.6 ± 0.2	0.2 ± 0.2	-2.2 ± 0.4	-0.0 ± 0.4	-0.4 ± 0.1	0.4 ± 0.2	-0.5 ± 0.1	0.4 ± 0.2	-1.0 ± 0.3	S E Asia M	W Africa F
43	-0.6 ± 0.5	-0.4 ± 0.1	-0.5 ± 0.2	-0.6 ± 0.2	0.3 ± 0.2	-2.4 ± 0.4	0.1 ± 0.4	-0.3 ± 0.1	0.3 ± 0.2	-0.4 ± 0.1	0.6 ± 0.3	-1.2 ± 0.3	S E Asia M	W Africa F
44	-0.2 ± 0.5	-0.4 ± 0.1	-0.6 ± 0.2	-0.5 ± 0.2	0.7 ± 0.2	-2.2 ± 0.4	-0.4 ± 0.4	-0.3 ± 0.1	0.6 ± 0.2	-0.5 ± 0.1	0.7 ± 0.3	-1.0 ± 0.3	S E Asia M	W Africa F
45	-0.4 ± 0.5	-0.3 ± 0.1	-0.4 ± 0.2	-0.2 ± 0.2	0.6 ± 0.2	-2.2 ± 0.4	-0.2 ± 0.4	-0.3 ± 0.1	0.4 ± 0.2	-0.3 ± 0.2	0.5 ± 0.3	-1.1 ± 0.4	S E Asia F	W Africa F
46	0.6 ± 0.6	-0.4 ± 0.1	-0.4 ± 0.2	-0.0 ± 0.2	0.5 ± 0.2	-1.8 ± 0.4	-0.3 ± 0.4	-0.3 ± 0.1	0.6 ± 0.3	-0.1 ± 0.2	0.7 ± 0.3	-1.2 ± 0.3	S E Asia M	W Africa F
47	0.3 ± 0.6	-0.2 ± 0.1	-0.3 ± 0.3	-0.1 ± 0.2	0.7 ± 0.2	-2.0 ± 0.4	0.1 ± 0.4	-0.3 ± 0.1	0.5 ± 0.2	-0.1 ± 0.2	0.9 ± 0.3	-0.8 ± 0.4	S E Asia M	W Africa F
48	-0.1 ± 0.6	-0.1 ± 0.1	-0.3 ± 0.2	0.4 ± 0.2	0.8 ± 0.2	-1.6 ± 0.5	-0.1 ± 0.5	-0.3 ± 0.1	0.6 ± 0.3	-0.0 ± 0.2	0.7 ± 0.3	-1.2 ± 0.4	S E Asia F	W Africa F
49	0.7 ± 0.6	-0.2 ± 0.1	-0.4 ± 0.2	0.6 ± 0.2	1.1 ± 0.2	-1.9 ± 0.5	-0.5 ± 0.5	-0.2 ± 0.1	0.5 ± 0.3	-0.1 ± 0.2	1.1 ± 0.3	-0.9 ± 0.4	S E Asia F	W Africa F
50	0.1 ± 0.7	-0.1 ± 0.1	0.1 ± 0.2	0.5 ± 0.2	0.9 ± 0.2	-1.8 ± 0.5	-0.4 ± 0.5	-0.2 ± 0.1	0.3 ± 0.3	0.0 ± 0.2	1.3 ± 0.3	-1.2 ± 0.4	S E Asia M	W Africa F
51	0.8 ± 0.6	-0.1 ± 0.1	-0.1 ± 0.3	0.9 ± 0.3	1.1 ± 0.2	-1.6 ± 0.5	-0.5 ± 0.6	-0.2 ± 0.1	0.6 ± 0.3	0.2 ± 0.2	1.3 ± 0.3	-1.4 ± 0.4	S E Asia M	W Africa F
52	0.4 ± 0.7	-0.1 ± 0.1	0.1 ± 0.3	0.9 ± 0.3	1.4 ± 0.2	-2.1 ± 0.5	-0.5 ± 0.5	-0.1 ± 0.2	0.5 ± 0.3	-0.1 ± 0.2	1.1 ± 0.3	-1.2 ± 0.4	S E Asia F	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 45. *Mean raw error for Application-type images for algorithm cvut-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	6.3 ± 0.4	3.1 ± 0.1	2.4 ± 0.2	2.9 ± 0.2	2.5 ± 0.3	6.3 ± 0.5	2.6 ± 0.4	1.9 ± 0.1	0.6 ± 0.2	1.1 ± 0.1	1.6 ± 0.3	3.8 ± 0.5	E Africa F	E Europe M
15	6.2 ± 0.5	3.2 ± 0.2	2.3 ± 0.2	3.1 ± 0.2	2.6 ± 0.3	5.3 ± 0.5	2.6 ± 0.4	2.5 ± 0.1	1.0 ± 0.2	1.5 ± 0.2	2.2 ± 0.3	4.3 ± 0.4	E Africa F	E Europe M
16	6.2 ± 0.4	3.1 ± 0.2	2.1 ± 0.2	2.7 ± 0.2	2.7 ± 0.3	5.4 ± 0.6	3.5 ± 0.4	2.6 ± 0.1	1.1 ± 0.3	1.8 ± 0.2	2.4 ± 0.3	4.1 ± 0.4	E Africa F	E Europe M
17	6.1 ± 0.5	2.8 ± 0.2	1.6 ± 0.2	2.6 ± 0.2	2.3 ± 0.3	5.2 ± 0.5	3.5 ± 0.4	2.5 ± 0.1	0.9 ± 0.2	2.3 ± 0.2	2.5 ± 0.3	4.2 ± 0.4	E Africa F	E Europe M
18	5.3 ± 0.4	2.0 ± 0.1	0.7 ± 0.3	1.9 ± 0.2	1.7 ± 0.2	4.2 ± 0.5	3.3 ± 0.3	1.8 ± 0.1	0.6 ± 0.3	1.9 ± 0.2	1.8 ± 0.2	3.5 ± 0.4	E Africa F	E Europe M
19	5.6 ± 0.4	1.7 ± 0.1	0.3 ± 0.3	1.9 ± 0.2	1.2 ± 0.2	4.8 ± 0.4	3.3 ± 0.3	1.6 ± 0.1	0.5 ± 0.3	2.1 ± 0.2	1.3 ± 0.2	3.7 ± 0.4	E Africa F	E Europe F
20	5.3 ± 0.3	1.4 ± 0.1	0.2 ± 0.2	1.4 ± 0.2	0.8 ± 0.2	4.5 ± 0.4	3.8 ± 0.3	1.2 ± 0.1	1.0 ± 0.3	2.2 ± 0.2	1.0 ± 0.2	3.6 ± 0.4	E Africa F	E Europe F
21	5.0 ± 0.3	1.0 ± 0.1	-0.5 ± 0.2	1.2 ± 0.2	0.3 ± 0.2	4.2 ± 0.4	3.8 ± 0.3	0.6 ± 0.1	0.8 ± 0.3	2.1 ± 0.2	0.6 ± 0.2	3.4 ± 0.3	E Africa F	E Europe F
22	4.7 ± 0.3	0.4 ± 0.1	-0.7 ± 0.2	0.8 ± 0.2	-0.2 ± 0.2	4.0 ± 0.4	4.0 ± 0.3	0.2 ± 0.1	1.2 ± 0.3	2.0 ± 0.2	0.1 ± 0.2	3.5 ± 0.3	E Africa F	E Europe F
23	4.3 ± 0.3	-0.0 ± 0.1	-1.0 ± 0.2	0.6 ± 0.1	-0.7 ± 0.1	3.6 ± 0.4	3.6 ± 0.3	-0.2 ± 0.1	0.9 ± 0.3	2.0 ± 0.2	-0.3 ± 0.2	3.4 ± 0.3	E Africa F	E Europe F
24	3.9 ± 0.3	-0.7 ± 0.1	-1.4 ± 0.2	0.3 ± 0.1	-1.2 ± 0.1	3.5 ± 0.3	3.5 ± 0.3	-0.5 ± 0.1	1.2 ± 0.2	1.9 ± 0.2	-0.8 ± 0.2	3.1 ± 0.3	E Africa F	E Europe F
25	3.2 ± 0.3	-1.16 ± 0.09	-1.8 ± 0.2	-0.3 ± 0.1	-1.9 ± 0.1	3.0 ± 0.3	3.2 ± 0.3	-0.6 ± 0.2	1.1 ± 0.2	1.8 ± 0.1	-0.8 ± 0.2	2.6 ± 0.2	E Africa F	S E Asia F
26	2.9 ± 0.2	-1.70 ± 0.09	-2.0 ± 0.2	-0.7 ± 0.1	-2.3 ± 0.1	2.6 ± 0.3	2.9 ± 0.2	-0.8 ± 0.1	0.9 ± 0.2	1.5 ± 0.1	-0.9 ± 0.2	2.1 ± 0.2	E Africa F	S E Asia F
27	2.4 ± 0.3	-2.26 ± 0.09	-2.2 ± 0.2	-1.1 ± 0.1	-2.8 ± 0.1	2.1 ± 0.3	2.5 ± 0.2	-1.1 ± 0.2	1.2 ± 0.2	1.3 ± 0.1	-1.0 ± 0.3	1.7 ± 0.2	E Africa M	S E Asia F
28	2.0 ± 0.3	-2.73 ± 0.08	-2.4 ± 0.2	-1.4 ± 0.1	-3.2 ± 0.1	1.9 ± 0.3	2.1 ± 0.2	-1.1 ± 0.2	1.1 ± 0.2	0.9 ± 0.1	-1.2 ± 0.3	1.2 ± 0.2	E Africa M	S E Asia F
29	1.5 ± 0.3	-3.25 ± 0.09	-2.5 ± 0.2	-1.8 ± 0.1	-3.6 ± 0.1	1.5 ± 0.3	1.7 ± 0.2	-1.0 ± 0.2	0.7 ± 0.2	0.6 ± 0.1	-1.2 ± 0.3	1.1 ± 0.2	E Africa M	S E Asia F
30	0.9 ± 0.3	-3.72 ± 0.08	-2.7 ± 0.2	-2.3 ± 0.1	-3.9 ± 0.2	1.0 ± 0.3	1.5 ± 0.2	-1.3 ± 0.2	0.6 ± 0.2	0.1 ± 0.1	-1.3 ± 0.3	0.4 ± 0.2	E Africa M	S E Asia F
31	0.5 ± 0.2	-4.25 ± 0.09	-2.6 ± 0.2	-2.8 ± 0.1	-4.5 ± 0.2	0.7 ± 0.3	1.2 ± 0.2	-1.3 ± 0.2	0.2 ± 0.2	-0.2 ± 0.1	-1.5 ± 0.3	0.1 ± 0.2	E Africa M	S E Asia F
32	0.3 ± 0.2	-4.71 ± 0.09	-2.9 ± 0.2	-3.0 ± 0.1	-4.7 ± 0.2	0.3 ± 0.3	0.7 ± 0.2	-1.3 ± 0.2	0.3 ± 0.2	-0.6 ± 0.1	-1.3 ± 0.3	-0.4 ± 0.2	E Africa M	S E Asia F
33	-0.4 ± 0.3	-5.13 ± 0.09	-3.0 ± 0.2	-3.3 ± 0.1	-5.2 ± 0.2	0.2 ± 0.3	0.2 ± 0.2	-1.3 ± 0.2	0.3 ± 0.2	-0.8 ± 0.1	-1.4 ± 0.3	-0.8 ± 0.2	E Europe M	S E Asia F
34	-0.8 ± 0.3	-5.5 ± 0.1	-3.2 ± 0.2	-3.5 ± 0.1	-5.3 ± 0.2	-0.4 ± 0.3	-0.2 ± 0.2	-1.6 ± 0.2	-0.2 ± 0.2	-1.2 ± 0.1	-1.5 ± 0.3	-1.4 ± 0.2	E Africa M	E Asia F
35	-1.1 ± 0.3	-6.0 ± 0.1	-3.4 ± 0.2	-4.0 ± 0.1	-5.6 ± 0.2	-0.6 ± 0.3	-0.5 ± 0.3	-1.6 ± 0.2	-0.5 ± 0.2	-1.6 ± 0.1	-1.6 ± 0.3	-1.6 ± 0.2	E Europe M	E Asia F
36	-1.1 ± 0.3	-6.3 ± 0.1	-3.4 ± 0.2	-4.2 ± 0.1	-5.5 ± 0.2	-1.1 ± 0.3	-1.0 ± 0.3	-1.7 ± 0.2	-0.6 ± 0.2	-1.8 ± 0.1	-1.6 ± 0.3	-2.1 ± 0.2	E Europe M	E Asia F
37	-1.8 ± 0.4	-6.5 ± 0.1	-3.6 ± 0.2	-4.3 ± 0.2	-5.9 ± 0.2	-1.6 ± 0.3	-1.1 ± 0.3	-1.9 ± 0.2	-0.8 ± 0.2	-2.1 ± 0.1	-1.7 ± 0.3	-2.5 ± 0.2	E Europe M	E Asia F
38	-1.8 ± 0.3	-6.8 ± 0.1	-3.6 ± 0.3	-4.4 ± 0.2	-5.6 ± 0.3	-1.9 ± 0.3	-1.8 ± 0.3	-2.0 ± 0.2	-1.1 ± 0.2	-2.4 ± 0.1	-1.5 ± 0.3	-3.0 ± 0.2	E Europe M	E Asia F
39	-2.1 ± 0.4	-7.1 ± 0.1	-3.6 ± 0.3	-4.7 ± 0.2	-5.8 ± 0.2	-2.1 ± 0.3	-1.6 ± 0.3	-2.3 ± 0.1	-1.1 ± 0.2	-2.7 ± 0.1	-1.8 ± 0.3	-3.5 ± 0.2	E Europe M	E Asia F
40	-2.5 ± 0.4	-7.2 ± 0.1	-3.5 ± 0.3	-4.7 ± 0.2	-5.8 ± 0.3	-2.6 ± 0.3	-1.8 ± 0.4	-2.6 ± 0.1	-1.3 ± 0.2	-2.8 ± 0.1	-2.1 ± 0.3	-3.8 ± 0.2	E Europe M	E Asia F
41	-3.4 ± 0.4	-7.3 ± 0.1	-3.6 ± 0.3	-4.8 ± 0.2	-5.8 ± 0.3	-3.1 ± 0.3	-2.1 ± 0.3	-3.0 ± 0.1	-1.6 ± 0.2	-3.0 ± 0.2	-2.5 ± 0.3	-3.9 ± 0.3	E Europe M	E Asia F
42	-2.9 ± 0.4	-7.5 ± 0.1	-3.5 ± 0.3	-4.4 ± 0.2	-5.9 ± 0.3	-3.3 ± 0.4	-2.5 ± 0.4	-3.4 ± 0.1	-1.6 ± 0.3	-3.1 ± 0.2	-2.5 ± 0.3	-4.3 ± 0.3	E Europe M	E Asia F
43	-3.1 ± 0.5	-7.7 ± 0.1	-3.5 ± 0.3	-4.8 ± 0.3	-5.8 ± 0.3	-3.7 ± 0.4	-2.2 ± 0.4	-3.7 ± 0.1	-1.9 ± 0.3	-3.3 ± 0.2	-2.7 ± 0.3	-5.1 ± 0.3	E Europe M	E Asia F
44	-3.2 ± 0.5	-7.9 ± 0.2	-3.7 ± 0.3	-4.6 ± 0.3	-5.2 ± 0.3	-4.1 ± 0.4	-2.9 ± 0.4	-4.1 ± 0.1	-1.8 ± 0.3	-3.3 ± 0.2	-2.7 ± 0.3	-5.0 ± 0.3	E Europe M	E Asia F
45	-3.9 ± 0.5	-7.9 ± 0.2	-3.5 ± 0.3	-4.5 ± 0.3	-5.5 ± 0.3	-4.2 ± 0.4	-3.2 ± 0.4	-4.6 ± 0.1	-2.0 ± 0.3	-3.2 ± 0.2	-2.9 ± 0.3	-5.3 ± 0.3	E Europe M	E Asia F
46	-3.6 ± 0.6	-8.1 ± 0.2	-3.5 ± 0.3	-4.4 ± 0.3	-5.3 ± 0.3	-4.6 ± 0.5	-3.3 ± 0.5	-5.0 ± 0.1	-1.9 ± 0.3	-3.2 ± 0.2	-3.1 ± 0.4	-5.5 ± 0.3	E Europe M	E Asia F
47	-3.6 ± 0.7	-8.1 ± 0.2	-3.5 ± 0.4	-4.5 ± 0.3	-5.5 ± 0.3	-4.7 ± 0.4	-3.0 ± 0.4	-5.4 ± 0.1	-2.3 ± 0.4	-3.3 ± 0.2	-3.3 ± 0.4	-5.5 ± 0.4	E Europe M	E Asia F
48	-4.5 ± 0.6	-8.2 ± 0.2	-3.7 ± 0.4	-4.3 ± 0.3	-5.5 ± 0.3	-5.1 ± 0.4	-3.6 ± 0.5	-5.8 ± 0.2	-2.3 ± 0.4	-3.5 ± 0.2	-2.9 ± 0.4	-6.1 ± 0.4	E Europe M	E Asia F
49	-3.9 ± 0.7	-8.3 ± 0.2	-3.7 ± 0.3	-4.2 ± 0.3	-5.3 ± 0.3	-5.5 ± 0.5	-3.7 ± 0.6	-6.2 ± 0.2	-2.1 ± 0.4	-3.4 ± 0.2	-3.4 ± 0.4	-6.1 ± 0.4	E Europe M	E Asia F
50	-4.6 ± 0.7	-8.3 ± 0.2	-3.5 ± 0.3	-4.6 ± 0.3	-4.9 ± 0.3	-5.4 ± 0.5	-4.0 ± 0.6	-6.3 ± 0.2	-2.4 ± 0.4	-3.5 ± 0.3	-2.8 ± 0.5	-6.2 ± 0.4	E Europe M	E Asia F
51	-4.1 ± 0.6	-8.4 ± 0.2	-3.7 ± 0.3	-4.3 ± 0.3	-5.1 ± 0.4	-6.0 ± 0.5	-4.2 ± 0.6	-6.3 ± 0.2	-1.7 ± 0.4	-3.8 ± 0.2	-2.4 ± 0.5	-6.7 ± 0.5	E Europe M	E Asia F
52	-4.4 ± 0.7	-8.2 ± 0.2	-3.7 ± 0.3	-4.7 ± 0.3	-4.8 ± 0.4	-6.1 ± 0.6	-3.5 ± 0.7	-6.6 ± 0.2	-2.0 ± 0.4	-4.0 ± 0.2	-2.9 ± 0.5	-6.8 ± 0.5	E Europe M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 46. *Mean raw error for Application-type images for algorithm cvut-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.3 ± 0.3	3.4 ± 0.1	2.7 ± 0.2	2.6 ± 0.1	2.8 ± 0.2	5.1 ± 0.3	1.6 ± 0.2	2.2 ± 0.1	0.9 ± 0.2	1.2 ± 0.1	1.5 ± 0.2	2.0 ± 0.4	W Africa F	E Europe M
15	4.0 ± 0.4	3.3 ± 0.1	2.7 ± 0.2	2.9 ± 0.2	2.8 ± 0.3	4.7 ± 0.3	1.5 ± 0.3	2.4 ± 0.1	0.9 ± 0.3	1.5 ± 0.1	1.9 ± 0.3	2.4 ± 0.3	W Africa F	E Europe M
16	3.8 ± 0.3	3.0 ± 0.1	2.4 ± 0.2	2.5 ± 0.2	2.7 ± 0.3	4.7 ± 0.4	2.0 ± 0.3	2.24 ± 0.10	1.2 ± 0.2	1.8 ± 0.1	2.1 ± 0.2	2.3 ± 0.3	W Africa F	E Europe M
17	3.7 ± 0.3	2.47 ± 0.10	2.0 ± 0.3	2.3 ± 0.2	2.0 ± 0.3	4.2 ± 0.3	2.1 ± 0.4	1.97 ± 0.10	1.0 ± 0.2	2.2 ± 0.2	2.0 ± 0.2	2.7 ± 0.4	W Africa F	E Europe M
18	2.9 ± 0.3	1.57 ± 0.10	1.4 ± 0.2	1.7 ± 0.1	1.4 ± 0.2	3.6 ± 0.3	2.3 ± 0.3	1.27 ± 0.10	0.9 ± 0.2	1.9 ± 0.2	1.3 ± 0.2	2.4 ± 0.4	W Africa F	E Europe M
19	2.8 ± 0.3	1.0 ± 0.1	1.0 ± 0.2	1.5 ± 0.2	1.1 ± 0.2	3.6 ± 0.3	2.4 ± 0.3	0.8 ± 0.1	0.8 ± 0.2	2.0 ± 0.1	0.8 ± 0.2	2.6 ± 0.4	W Africa F	S E Asia M
20	2.5 ± 0.3	0.5 ± 0.1	0.7 ± 0.2	1.1 ± 0.2	0.5 ± 0.1	3.4 ± 0.3	2.6 ± 0.3	0.37 ± 0.10	1.2 ± 0.2	2.0 ± 0.1	0.5 ± 0.2	2.9 ± 0.3	W Africa F	E Asia M
21	2.2 ± 0.3	-0.0 ± 0.1	0.3 ± 0.2	0.8 ± 0.1	-0.0 ± 0.1	2.9 ± 0.3	2.4 ± 0.3	-0.18 ± 0.09	0.9 ± 0.2	1.9 ± 0.1	0.2 ± 0.1	2.7 ± 0.3	W Africa F	E Asia M
22	1.9 ± 0.3	-0.81 ± 0.10	-0.1 ± 0.2	0.3 ± 0.1	-0.8 ± 0.1	2.6 ± 0.3	2.8 ± 0.3	-0.70 ± 0.09	1.1 ± 0.2	1.6 ± 0.2	-0.4 ± 0.1	2.6 ± 0.3	E Africa M	S E Asia F
23	1.3 ± 0.3	-1.23 ± 0.10	-0.4 ± 0.2	0.1 ± 0.1	-1.3 ± 0.1	2.3 ± 0.3	2.6 ± 0.3	-1.20 ± 0.10	0.7 ± 0.2	1.5 ± 0.2	-0.9 ± 0.2	2.7 ± 0.3	W Africa M	S E Asia F
24	1.0 ± 0.3	-1.88 ± 0.09	-0.8 ± 0.1	-0.4 ± 0.1	-1.7 ± 0.1	1.8 ± 0.3	2.3 ± 0.3	-1.7 ± 0.1	0.6 ± 0.2	1.3 ± 0.1	-1.4 ± 0.2	2.5 ± 0.2	W Africa M	E Asia F
25	0.4 ± 0.3	-2.40 ± 0.09	-1.1 ± 0.1	-1.0 ± 0.1	-2.3 ± 0.1	1.4 ± 0.3	2.2 ± 0.3	-2.1 ± 0.1	0.5 ± 0.2	1.1 ± 0.1	-1.6 ± 0.2	2.1 ± 0.3	E Africa M	E Asia F
26	-0.0 ± 0.3	-2.92 ± 0.09	-1.5 ± 0.1	-1.50 ± 0.09	-2.7 ± 0.1	0.8 ± 0.2	1.8 ± 0.3	-2.4 ± 0.1	0.1 ± 0.2	0.7 ± 0.1	-2.0 ± 0.2	1.9 ± 0.2	W Africa M	E Asia F
27	-0.3 ± 0.3	-3.38 ± 0.09	-1.7 ± 0.1	-2.01 ± 0.10	-3.2 ± 0.1	0.6 ± 0.2	1.6 ± 0.2	-2.8 ± 0.1	0.4 ± 0.2	0.4 ± 0.1	-2.0 ± 0.2	1.4 ± 0.2	E Africa M	E Asia F
28	-0.7 ± 0.3	-3.78 ± 0.09	-1.9 ± 0.1	-2.41 ± 0.10	-3.6 ± 0.1	0.2 ± 0.2	1.1 ± 0.2	-3.1 ± 0.1	0.5 ± 0.2	-0.1 ± 0.1	-2.4 ± 0.2	1.0 ± 0.2	E Africa M	E Asia F
29	-0.9 ± 0.3	-4.15 ± 0.09	-2.0 ± 0.2	-2.9 ± 0.1	-3.8 ± 0.1	-0.2 ± 0.2	0.8 ± 0.2	-3.3 ± 0.1	0.1 ± 0.2	-0.5 ± 0.1	-2.9 ± 0.2	1.0 ± 0.2	W Africa M	E Asia F
30	-1.3 ± 0.3	-4.50 ± 0.09	-2.3 ± 0.2	-3.3 ± 0.1	-4.1 ± 0.2	-0.7 ± 0.2	0.8 ± 0.2	-3.8 ± 0.1	0.1 ± 0.2	-1.0 ± 0.1	-3.1 ± 0.2	0.5 ± 0.2	E Africa M	E Asia F
31	-1.7 ± 0.3	-4.91 ± 0.10	-2.2 ± 0.2	-3.8 ± 0.1	-4.6 ± 0.2	-1.1 ± 0.2	0.6 ± 0.3	-4.0 ± 0.1	-0.2 ± 0.2	-1.3 ± 0.1	-3.3 ± 0.2	0.1 ± 0.2	E Africa M	E Asia F
32	-1.6 ± 0.3	-5.24 ± 0.10	-2.4 ± 0.2	-4.1 ± 0.1	-4.8 ± 0.2	-1.4 ± 0.3	0.1 ± 0.2	-4.2 ± 0.1	-0.1 ± 0.2	-1.8 ± 0.1	-3.4 ± 0.2	-0.3 ± 0.2	E Africa M	E Asia F
33	-2.1 ± 0.3	-5.5 ± 0.1	-2.5 ± 0.2	-4.4 ± 0.1	-5.1 ± 0.2	-1.6 ± 0.3	-0.1 ± 0.3	-4.4 ± 0.1	-0.0 ± 0.2	-2.1 ± 0.1	-3.6 ± 0.2	-0.5 ± 0.2	E Europe M	E Asia F
34	-2.5 ± 0.3	-5.7 ± 0.1	-2.7 ± 0.2	-4.6 ± 0.1	-5.1 ± 0.2	-2.1 ± 0.3	-0.5 ± 0.2	-4.7 ± 0.2	-0.3 ± 0.2	-2.4 ± 0.1	-4.0 ± 0.3	-1.0 ± 0.2	E Europe M	E Asia F
35	-2.5 ± 0.3	-6.0 ± 0.1	-2.7 ± 0.2	-5.0 ± 0.1	-5.5 ± 0.2	-2.4 ± 0.3	-0.7 ± 0.3	-4.8 ± 0.1	-0.5 ± 0.2	-2.6 ± 0.1	-4.0 ± 0.3	-1.5 ± 0.2	E Europe M	E Asia F
36	-2.7 ± 0.3	-6.1 ± 0.1	-2.7 ± 0.2	-5.3 ± 0.1	-5.5 ± 0.2	-2.5 ± 0.3	-1.1 ± 0.3	-4.9 ± 0.1	-0.5 ± 0.2	-2.9 ± 0.1	-4.1 ± 0.3	-1.9 ± 0.2	E Europe M	E Asia F
37	-2.7 ± 0.4	-6.3 ± 0.1	-2.9 ± 0.2	-5.4 ± 0.2	-5.9 ± 0.2	-3.1 ± 0.3	-1.1 ± 0.3	-5.1 ± 0.1	-0.7 ± 0.2	-3.2 ± 0.1	-4.4 ± 0.3	-2.3 ± 0.2	E Europe M	E Asia F
38	-2.7 ± 0.4	-6.5 ± 0.1	-2.8 ± 0.2	-5.5 ± 0.2	-5.6 ± 0.2	-3.3 ± 0.3	-1.6 ± 0.3	-5.1 ± 0.1	-1.0 ± 0.2	-3.3 ± 0.1	-4.1 ± 0.3	-2.6 ± 0.2	E Europe M	E Asia F
39	-2.8 ± 0.4	-6.7 ± 0.1	-3.0 ± 0.3	-5.7 ± 0.2	-5.7 ± 0.2	-3.5 ± 0.3	-1.4 ± 0.3	-5.3 ± 0.2	-0.9 ± 0.2	-3.6 ± 0.1	-4.1 ± 0.3	-3.0 ± 0.2	E Europe M	E Asia F
40	-3.1 ± 0.4	-6.8 ± 0.1	-2.6 ± 0.3	-5.6 ± 0.2	-6.0 ± 0.2	-4.0 ± 0.3	-1.6 ± 0.3	-5.5 ± 0.2	-1.1 ± 0.3	-3.6 ± 0.1	-4.4 ± 0.3	-3.4 ± 0.3	E Europe M	E Asia F
41	-3.8 ± 0.4	-6.9 ± 0.1	-3.1 ± 0.3	-5.8 ± 0.2	-5.9 ± 0.2	-4.3 ± 0.3	-2.0 ± 0.3	-5.5 ± 0.1	-1.2 ± 0.3	-3.8 ± 0.2	-4.3 ± 0.3	-3.8 ± 0.3	E Europe M	E Asia F
42	-3.3 ± 0.4	-7.1 ± 0.1	-3.0 ± 0.3	-5.4 ± 0.2	-6.2 ± 0.2	-4.3 ± 0.3	-2.3 ± 0.4	-5.6 ± 0.2	-1.0 ± 0.3	-3.9 ± 0.2	-4.2 ± 0.3	-3.9 ± 0.2	E Europe M	E Asia F
43	-3.2 ± 0.4	-7.3 ± 0.1	-2.8 ± 0.3	-5.7 ± 0.2	-6.4 ± 0.3	-4.8 ± 0.4	-2.0 ± 0.4	-5.7 ± 0.2	-1.2 ± 0.3	-3.9 ± 0.2	-4.3 ± 0.3	-4.7 ± 0.3	E Europe M	E Asia F
44	-3.3 ± 0.5	-7.5 ± 0.1	-3.0 ± 0.3	-5.6 ± 0.3	-5.8 ± 0.2	-5.3 ± 0.4	-2.5 ± 0.3	-5.8 ± 0.2	-1.1 ± 0.3	-4.1 ± 0.2	-4.2 ± 0.3	-4.8 ± 0.3	E Europe M	E Asia F
45	-3.8 ± 0.5	-7.6 ± 0.1	-3.0 ± 0.3	-5.3 ± 0.2	-6.1 ± 0.3	-5.4 ± 0.4	-3.0 ± 0.5	-5.8 ± 0.1	-1.1 ± 0.3	-3.8 ± 0.2	-4.2 ± 0.3	-5.1 ± 0.3	E Europe M	E Asia F
46	-3.1 ± 0.5	-7.7 ± 0.1	-3.1 ± 0.3	-5.1 ± 0.3	-6.3 ± 0.3	-5.6 ± 0.4	-2.9 ± 0.5	-5.9 ± 0.2	-1.3 ± 0.4	-3.9 ± 0.2	-4.1 ± 0.4	-5.4 ± 0.3	E Europe M	E Asia F
47	-3.5 ± 0.6	-7.7 ± 0.1	-3.0 ± 0.3	-5.1 ± 0.3	-6.2 ± 0.3	-5.8 ± 0.4	-2.7 ± 0.5	-6.0 ± 0.2	-1.2 ± 0.3	-3.9 ± 0.2	-3.8 ± 0.3	-5.3 ± 0.3	E Europe M	E Asia F
48	-4.0 ± 0.6	-7.8 ± 0.1	-3.0 ± 0.3	-4.9 ± 0.3	-6.2 ± 0.3	-5.9 ± 0.4	-3.5 ± 0.6	-5.8 ± 0.2	-1.1 ± 0.4	-3.9 ± 0.2	-3.8 ± 0.4	-6.0 ± 0.4	E Europe M	E Asia F
49	-3.4 ± 0.6	-7.9 ± 0.2	-3.3 ± 0.4	-4.9 ± 0.3	-6.3 ± 0.3	-6.3 ± 0.5	-3.4 ± 0.5	-5.8 ± 0.2	-1.1 ± 0.3	-3.9 ± 0.3	-3.7 ± 0.4	-6.1 ± 0.3	E Europe M	E Asia F
50	-4.4 ± 0.6	-7.9 ± 0.2	-2.8 ± 0.4	-4.8 ± 0.3	-6.2 ± 0.3	-6.3 ± 0.5	-3.6 ± 0.5	-5.8 ± 0.2	-1.3 ± 0.4	-3.9 ± 0.3	-3.2 ± 0.4	-6.3 ± 0.4	E Europe M	E Asia F
51	-3.9 ± 0.6	-7.9 ± 0.2	-2.7 ± 0.3	-4.6 ± 0.3	-6.3 ± 0.3	-6.7 ± 0.4	-3.9 ± 0.6	-5.7 ± 0.2	-0.8 ± 0.3	-4.1 ± 0.3	-2.9 ± 0.4	-6.4 ± 0.4	E Europe M	E Asia F
52	-4.2 ± 0.8	-8.0 ± 0.2	-2.7 ± 0.3	-4.7 ± 0.3	-5.7 ± 0.3	-7.0 ± 0.5	-3.9 ± 0.7	-5.7 ± 0.2	-0.9 ± 0.3	-4.0 ± 0.3	-3.6 ± 0.4	-7.0 ± 0.5	E Europe M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 47. *Mean raw error for Application-type images for algorithm cvut-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.8 ± 0.2	3.73 ± 0.08	3.1 ± 0.1	3.4 ± 0.1	3.5 ± 0.2	5.5 ± 0.3	2.6 ± 0.2	2.46 ± 0.08	1.4 ± 0.1	1.89 ± 0.09	2.0 ± 0.2	2.8 ± 0.3	W Africa F	E Europe M
15	4.3 ± 0.2	3.56 ± 0.09	3.0 ± 0.2	3.3 ± 0.2	3.3 ± 0.2	5.0 ± 0.3	2.2 ± 0.2	2.50 ± 0.09	1.3 ± 0.2	1.9 ± 0.1	2.2 ± 0.2	2.7 ± 0.3	W Africa F	E Europe M
16	4.1 ± 0.3	3.21 ± 0.10	2.7 ± 0.2	2.9 ± 0.1	3.2 ± 0.2	5.0 ± 0.4	2.6 ± 0.3	2.33 ± 0.08	1.5 ± 0.2	2.2 ± 0.1	2.3 ± 0.2	2.5 ± 0.3	W Africa F	E Europe M
17	4.0 ± 0.3	2.75 ± 0.09	2.3 ± 0.2	2.7 ± 0.1	2.7 ± 0.2	4.7 ± 0.3	2.5 ± 0.2	2.13 ± 0.09	1.3 ± 0.2	2.5 ± 0.1	2.2 ± 0.2	2.9 ± 0.4	W Africa F	E Europe M
18	3.0 ± 0.3	1.97 ± 0.08	1.7 ± 0.2	2.1 ± 0.1	1.9 ± 0.1	4.2 ± 0.3	2.5 ± 0.2	1.56 ± 0.07	1.3 ± 0.2	2.2 ± 0.1	1.7 ± 0.2	2.7 ± 0.3	W Africa F	E Europe M
19	3.0 ± 0.3	1.45 ± 0.09	1.3 ± 0.2	1.9 ± 0.1	1.6 ± 0.1	4.3 ± 0.3	2.5 ± 0.3	1.20 ± 0.07	1.0 ± 0.2	2.3 ± 0.1	1.2 ± 0.1	2.8 ± 0.3	W Africa F	E Europe M
20	2.6 ± 0.3	1.0 ± 0.1	1.0 ± 0.2	1.4 ± 0.1	1.1 ± 0.1	4.1 ± 0.3	2.8 ± 0.3	0.75 ± 0.08	1.2 ± 0.2	2.2 ± 0.1	0.9 ± 0.1	2.8 ± 0.3	W Africa F	E Asia M
21	2.3 ± 0.3	0.53 ± 0.09	0.5 ± 0.2	1.1 ± 0.1	0.6 ± 0.1	3.6 ± 0.3	2.7 ± 0.3	0.24 ± 0.07	1.0 ± 0.2	1.9 ± 0.1	0.5 ± 0.1	2.7 ± 0.3	W Africa F	E Asia M
22	2.3 ± 0.3	-0.18 ± 0.09	0.2 ± 0.2	0.7 ± 0.1	-0.1 ± 0.1	3.2 ± 0.3	3.0 ± 0.3	-0.23 ± 0.08	0.9 ± 0.2	1.6 ± 0.1	-0.1 ± 0.1	2.6 ± 0.3	W Africa F	E Asia M
23	1.7 ± 0.3	-0.50 ± 0.09	-0.2 ± 0.2	0.4 ± 0.1	-0.4 ± 0.1	3.1 ± 0.3	2.7 ± 0.3	-0.64 ± 0.09	0.4 ± 0.2	1.4 ± 0.1	-0.5 ± 0.1	2.7 ± 0.3	W Africa F	E Asia M
24	1.4 ± 0.3	-1.11 ± 0.09	-0.6 ± 0.1	-0.1 ± 0.1	-0.8 ± 0.1	2.5 ± 0.3	2.6 ± 0.3	-1.03 ± 0.10	0.4 ± 0.2	1.2 ± 0.1	-0.8 ± 0.1	2.5 ± 0.2	E Africa M	E Asia F
25	0.9 ± 0.3	-1.54 ± 0.08	-0.8 ± 0.1	-0.58 ± 0.10	-1.3 ± 0.1	2.2 ± 0.3	2.5 ± 0.3	-1.3 ± 0.1	0.2 ± 0.2	0.9 ± 0.1	-1.1 ± 0.2	2.2 ± 0.2	E Africa M	E Asia F
26	0.5 ± 0.3	-2.01 ± 0.08	-1.1 ± 0.1	-1.15 ± 0.09	-1.6 ± 0.1	1.8 ± 0.2	2.2 ± 0.2	-1.6 ± 0.1	-0.2 ± 0.2	0.6 ± 0.1	-1.3 ± 0.2	2.0 ± 0.2	E Africa M	E Asia F
27	0.4 ± 0.3	-2.43 ± 0.08	-1.3 ± 0.1	-1.57 ± 0.09	-2.0 ± 0.1	1.5 ± 0.2	1.9 ± 0.2	-2.0 ± 0.1	-0.1 ± 0.2	0.3 ± 0.1	-1.3 ± 0.2	1.7 ± 0.2	E Africa M	E Asia F
28	0.1 ± 0.3	-2.77 ± 0.08	-1.4 ± 0.1	-1.96 ± 0.09	-2.3 ± 0.1	1.1 ± 0.2	1.5 ± 0.2	-2.1 ± 0.1	-0.0 ± 0.2	-0.1 ± 0.1	-1.6 ± 0.2	1.3 ± 0.2	E Africa M	E Asia F
29	-0.1 ± 0.3	-3.03 ± 0.09	-1.5 ± 0.1	-2.34 ± 0.10	-2.6 ± 0.1	0.9 ± 0.2	1.3 ± 0.2	-2.2 ± 0.1	-0.3 ± 0.2	-0.51 ± 0.10	-2.0 ± 0.2	1.3 ± 0.2	E Africa M	E Asia F
30	-0.4 ± 0.3	-3.39 ± 0.09	-1.7 ± 0.2	-2.7 ± 0.1	-2.7 ± 0.2	0.4 ± 0.2	1.2 ± 0.2	-2.5 ± 0.1	-0.3 ± 0.2	-0.90 ± 0.10	-2.1 ± 0.2	0.9 ± 0.2	E Africa M	E Asia F
31	-0.7 ± 0.3	-3.66 ± 0.09	-1.5 ± 0.2	-3.2 ± 0.1	-3.1 ± 0.2	0.1 ± 0.2	1.0 ± 0.2	-2.6 ± 0.1	-0.5 ± 0.2	-1.22 ± 0.10	-2.3 ± 0.2	0.6 ± 0.2	E Africa M	E Asia F
32	-0.6 ± 0.3	-3.94 ± 0.10	-1.7 ± 0.2	-3.4 ± 0.1	-3.2 ± 0.2	-0.3 ± 0.2	0.6 ± 0.2	-2.8 ± 0.1	-0.3 ± 0.2	-1.57 ± 0.10	-2.1 ± 0.2	0.2 ± 0.2	E Africa M	E Asia F
33	-1.2 ± 0.3	-4.0 ± 0.1	-1.8 ± 0.2	-3.7 ± 0.1	-3.5 ± 0.2	-0.4 ± 0.2	0.4 ± 0.2	-2.8 ± 0.1	-0.3 ± 0.2	-1.8 ± 0.1	-2.4 ± 0.2	-0.2 ± 0.2	E Africa M	E Asia F
34	-1.4 ± 0.3	-4.2 ± 0.1	-1.9 ± 0.2	-3.9 ± 0.1	-3.5 ± 0.2	-1.0 ± 0.2	-0.0 ± 0.2	-3.0 ± 0.1	-0.6 ± 0.2	-2.1 ± 0.1	-2.5 ± 0.3	-0.5 ± 0.2	E Africa M	E Asia F
35	-1.5 ± 0.3	-4.5 ± 0.1	-1.9 ± 0.2	-4.2 ± 0.1	-3.7 ± 0.2	-1.3 ± 0.2	-0.2 ± 0.2	-3.1 ± 0.1	-0.7 ± 0.2	-2.4 ± 0.1	-2.7 ± 0.3	-1.0 ± 0.2	E Africa M	E Asia F
36	-1.7 ± 0.3	-4.4 ± 0.1	-1.8 ± 0.2	-4.4 ± 0.1	-3.6 ± 0.2	-1.5 ± 0.2	-0.6 ± 0.2	-3.2 ± 0.1	-0.6 ± 0.2	-2.6 ± 0.1	-2.6 ± 0.3	-1.4 ± 0.2	E Africa M	S Asia F
37	-1.8 ± 0.3	-4.6 ± 0.1	-2.0 ± 0.2	-4.5 ± 0.1	-4.1 ± 0.2	-2.0 ± 0.3	-0.6 ± 0.2	-3.4 ± 0.1	-0.9 ± 0.2	-2.9 ± 0.1	-2.8 ± 0.2	-1.8 ± 0.2	E Africa M	E Asia F
38	-1.8 ± 0.3	-4.7 ± 0.1	-1.9 ± 0.2	-4.6 ± 0.2	-3.8 ± 0.2	-2.3 ± 0.3	-1.1 ± 0.3	-3.5 ± 0.1	-1.2 ± 0.2	-3.1 ± 0.1	-2.7 ± 0.2	-2.2 ± 0.2	E Africa M	E Asia F
39	-2.0 ± 0.3	-4.9 ± 0.1	-2.2 ± 0.2	-4.8 ± 0.2	-4.0 ± 0.2	-2.6 ± 0.3	-1.1 ± 0.3	-3.6 ± 0.1	-1.1 ± 0.2	-3.3 ± 0.1	-2.8 ± 0.2	-2.6 ± 0.2	E Africa M	E Asia F
40	-2.3 ± 0.4	-5.0 ± 0.1	-1.9 ± 0.2	-4.7 ± 0.2	-4.2 ± 0.2	-3.1 ± 0.3	-1.2 ± 0.3	-3.9 ± 0.1	-1.1 ± 0.2	-3.3 ± 0.1	-3.0 ± 0.2	-3.0 ± 0.2	E Europe M	E Asia F
41	-3.1 ± 0.4	-5.1 ± 0.1	-2.2 ± 0.2	-4.8 ± 0.2	-4.3 ± 0.2	-3.5 ± 0.3	-1.6 ± 0.3	-4.0 ± 0.1	-1.3 ± 0.2	-3.5 ± 0.1	-3.2 ± 0.2	-3.3 ± 0.2	E Europe M	E Asia F
42	-2.6 ± 0.4	-5.2 ± 0.1	-2.2 ± 0.2	-4.5 ± 0.2	-4.5 ± 0.2	-3.6 ± 0.3	-1.8 ± 0.3	-4.2 ± 0.1	-1.0 ± 0.2	-3.6 ± 0.2	-3.1 ± 0.2	-3.6 ± 0.2	E Europe M	E Asia F
43	-2.6 ± 0.4	-5.5 ± 0.1	-2.2 ± 0.2	-4.8 ± 0.2	-4.7 ± 0.2	-4.0 ± 0.3	-1.5 ± 0.3	-4.2 ± 0.1	-1.3 ± 0.3	-3.6 ± 0.2	-3.2 ± 0.3	-4.2 ± 0.2	E Europe M	E Asia F
44	-2.8 ± 0.4	-5.7 ± 0.1	-2.5 ± 0.2	-4.7 ± 0.2	-4.3 ± 0.2	-4.3 ± 0.3	-2.2 ± 0.3	-4.4 ± 0.1	-1.0 ± 0.3	-3.7 ± 0.2	-3.1 ± 0.3	-4.4 ± 0.2	E Europe M	E Asia F
45	-3.2 ± 0.4	-5.8 ± 0.1	-2.5 ± 0.3	-4.6 ± 0.2	-4.7 ± 0.2	-4.5 ± 0.3	-2.4 ± 0.3	-4.6 ± 0.1	-1.1 ± 0.3	-3.5 ± 0.2	-3.2 ± 0.3	-4.7 ± 0.3	E Europe M	E Asia F
46	-2.6 ± 0.5	-6.0 ± 0.1	-2.6 ± 0.3	-4.3 ± 0.2	-4.9 ± 0.2	-4.9 ± 0.3	-2.4 ± 0.4	-4.6 ± 0.1	-1.0 ± 0.3	-3.3 ± 0.2	-3.2 ± 0.3	-5.1 ± 0.3	E Europe M	E Asia F
47	-2.8 ± 0.6	-6.1 ± 0.1	-2.5 ± 0.3	-4.3 ± 0.2	-4.8 ± 0.2	-5.0 ± 0.3	-2.2 ± 0.4	-4.7 ± 0.1	-1.1 ± 0.3	-3.4 ± 0.2	-3.0 ± 0.3	-5.0 ± 0.3	E Europe M	E Asia F
48	-3.4 ± 0.6	-6.2 ± 0.1	-2.5 ± 0.3	-4.1 ± 0.3	-5.0 ± 0.2	-5.3 ± 0.4	-2.9 ± 0.5	-4.7 ± 0.1	-0.9 ± 0.3	-3.3 ± 0.2	-3.0 ± 0.3	-5.8 ± 0.3	E Europe M	E Asia F
49	-3.0 ± 0.6	-6.3 ± 0.1	-2.7 ± 0.3	-4.0 ± 0.3	-4.9 ± 0.2	-5.7 ± 0.4	-3.1 ± 0.5	-4.8 ± 0.2	-0.9 ± 0.3	-3.4 ± 0.2	-2.9 ± 0.3	-6.0 ± 0.3	E Europe M	E Asia F
50	-3.9 ± 0.6	-6.4 ± 0.1	-2.4 ± 0.3	-4.0 ± 0.2	-5.0 ± 0.2	-5.6 ± 0.4	-3.3 ± 0.5	-4.7 ± 0.2	-1.1 ± 0.3	-3.4 ± 0.2	-2.5 ± 0.3	-6.1 ± 0.3	E Europe M	E Asia F
51	-3.3 ± 0.6	-6.4 ± 0.1	-2.5 ± 0.3	-3.9 ± 0.3	-5.1 ± 0.2	-6.1 ± 0.4	-3.5 ± 0.5	-4.7 ± 0.2	-0.7 ± 0.3	-3.4 ± 0.3	-2.4 ± 0.3	-6.4 ± 0.3	E Europe M	W Africa M
52	-3.4 ± 0.7	-6.4 ± 0.1	-2.3 ± 0.3	-4.0 ± 0.3	-4.7 ± 0.2	-6.5 ± 0.4	-3.3 ± 0.5	-4.7 ± 0.2	-0.8 ± 0.3	-3.4 ± 0.3	-2.8 ± 0.4	-6.6 ± 0.4	E Europe M	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 48. *Mean raw error for Application-type images for algorithm cyberlink-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.8 ± 0.3	5.3 ± 0.1	4.7 ± 0.2	4.9 ± 0.2	5.5 ± 0.3	6.6 ± 0.3	5.0 ± 0.3	4.0 ± 0.1	2.8 ± 0.2	3.4 ± 0.1	4.0 ± 0.3	5.1 ± 0.3	W Africa F	E Europe M
15	5.5 ± 0.3	5.2 ± 0.1	4.7 ± 0.2	4.9 ± 0.2	5.6 ± 0.3	6.3 ± 0.4	4.6 ± 0.3	4.3 ± 0.1	3.2 ± 0.2	3.8 ± 0.2	4.4 ± 0.3	4.8 ± 0.4	W Africa F	E Europe M
16	5.5 ± 0.3	5.2 ± 0.1	4.9 ± 0.2	4.7 ± 0.2	5.3 ± 0.3	6.3 ± 0.5	5.0 ± 0.3	4.1 ± 0.1	3.5 ± 0.2	3.9 ± 0.2	4.4 ± 0.3	5.0 ± 0.3	W Africa F	E Europe M
17	5.6 ± 0.4	4.8 ± 0.1	4.3 ± 0.2	4.4 ± 0.2	5.1 ± 0.2	5.8 ± 0.4	4.9 ± 0.3	4.2 ± 0.1	3.2 ± 0.2	4.3 ± 0.2	4.4 ± 0.3	5.2 ± 0.3	W Africa F	E Europe M
18	4.7 ± 0.3	4.2 ± 0.1	3.8 ± 0.2	3.9 ± 0.1	4.6 ± 0.2	5.1 ± 0.3	4.7 ± 0.3	3.7 ± 0.1	3.0 ± 0.2	3.9 ± 0.1	4.2 ± 0.2	4.6 ± 0.3	W Africa F	E Europe M
19	4.6 ± 0.3	3.8 ± 0.1	3.3 ± 0.2	3.5 ± 0.1	4.2 ± 0.2	5.2 ± 0.3	4.7 ± 0.3	3.8 ± 0.1	2.9 ± 0.2	4.1 ± 0.1	4.0 ± 0.2	4.7 ± 0.3	W Africa F	E Europe M
20	4.3 ± 0.3	3.4 ± 0.1	2.8 ± 0.2	3.0 ± 0.2	3.8 ± 0.1	4.7 ± 0.3	4.8 ± 0.3	3.6 ± 0.1	2.8 ± 0.2	4.2 ± 0.1	4.1 ± 0.2	4.5 ± 0.3	E Africa M	E Europe M
21	4.0 ± 0.3	2.91 ± 0.10	2.3 ± 0.2	2.3 ± 0.1	3.1 ± 0.1	4.3 ± 0.3	4.6 ± 0.2	3.5 ± 0.1	2.4 ± 0.2	4.0 ± 0.1	3.9 ± 0.2	4.2 ± 0.3	E Africa M	S Asia F
22	3.8 ± 0.3	2.42 ± 0.09	2.0 ± 0.2	1.7 ± 0.1	2.7 ± 0.1	4.0 ± 0.3	4.8 ± 0.3	3.3 ± 0.1	2.3 ± 0.2	3.7 ± 0.1	3.5 ± 0.2	3.9 ± 0.3	E Africa M	S Asia F
23	3.0 ± 0.3	2.00 ± 0.09	1.6 ± 0.1	1.2 ± 0.1	2.2 ± 0.1	3.6 ± 0.3	4.3 ± 0.3	3.1 ± 0.1	2.0 ± 0.2	3.6 ± 0.1	3.2 ± 0.2	3.9 ± 0.2	E Africa M	S Asia F
24	2.7 ± 0.3	1.35 ± 0.08	1.2 ± 0.1	0.6 ± 0.1	1.8 ± 0.1	2.9 ± 0.3	4.2 ± 0.2	2.9 ± 0.1	1.8 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	3.5 ± 0.2	E Africa M	S Asia F
25	2.1 ± 0.3	0.89 ± 0.08	0.7 ± 0.1	0.0 ± 0.1	1.2 ± 0.1	2.8 ± 0.3	4.0 ± 0.2	2.5 ± 0.1	1.6 ± 0.1	2.9 ± 0.1	2.7 ± 0.2	3.2 ± 0.2	E Africa M	S Asia F
26	1.6 ± 0.3	0.36 ± 0.08	0.3 ± 0.1	-0.60 ± 0.10	0.8 ± 0.1	2.3 ± 0.3	3.6 ± 0.2	2.2 ± 0.1	1.2 ± 0.1	2.5 ± 0.1	2.4 ± 0.2	2.9 ± 0.2	E Africa M	S Asia F
27	1.5 ± 0.3	-0.17 ± 0.07	0.0 ± 0.1	-1.08 ± 0.10	0.3 ± 0.1	2.1 ± 0.3	3.3 ± 0.2	1.9 ± 0.1	1.0 ± 0.1	2.10 ± 0.10	2.3 ± 0.2	2.5 ± 0.2	E Africa M	S Asia F
28	1.0 ± 0.3	-0.62 ± 0.07	-0.3 ± 0.1	-1.4 ± 0.1	-0.1 ± 0.1	1.6 ± 0.3	2.8 ± 0.2	1.6 ± 0.1	0.8 ± 0.1	1.61 ± 0.10	1.9 ± 0.2	2.0 ± 0.2	E Africa M	S Asia F
29	0.8 ± 0.3	-1.03 ± 0.08	-0.6 ± 0.1	-1.8 ± 0.1	-0.5 ± 0.1	1.1 ± 0.3	2.6 ± 0.2	1.2 ± 0.1	0.4 ± 0.1	1.17 ± 0.09	1.4 ± 0.2	2.0 ± 0.2	E Africa M	S Asia F
30	0.3 ± 0.3	-1.45 ± 0.08	-1.0 ± 0.1	-2.2 ± 0.1	-0.7 ± 0.1	0.5 ± 0.3	2.5 ± 0.2	0.88 ± 0.10	0.1 ± 0.2	0.73 ± 0.09	1.2 ± 0.2	1.5 ± 0.2	E Africa M	S Asia F
31	-0.0 ± 0.3	-1.77 ± 0.08	-1.2 ± 0.2	-2.6 ± 0.1	-1.1 ± 0.1	0.3 ± 0.3	2.4 ± 0.2	0.6 ± 0.1	-0.0 ± 0.2	0.43 ± 0.10	0.8 ± 0.2	1.2 ± 0.2	E Africa M	S Asia F
32	0.2 ± 0.3	-2.22 ± 0.09	-1.4 ± 0.2	-2.9 ± 0.1	-1.3 ± 0.2	-0.0 ± 0.3	1.9 ± 0.2	0.1 ± 0.1	-0.1 ± 0.2	0.11 ± 0.09	0.7 ± 0.2	0.8 ± 0.2	E Africa M	S Asia F
33	-0.3 ± 0.3	-2.47 ± 0.09	-1.9 ± 0.2	-3.2 ± 0.1	-1.7 ± 0.2	-0.1 ± 0.3	1.8 ± 0.3	-0.2 ± 0.1	0.0 ± 0.2	-0.21 ± 0.10	0.5 ± 0.2	0.5 ± 0.2	E Africa M	S Asia F
34	-0.8 ± 0.3	-2.7 ± 0.1	-1.9 ± 0.2	-3.4 ± 0.1	-1.9 ± 0.2	-0.6 ± 0.3	1.3 ± 0.3	-0.6 ± 0.1	-0.3 ± 0.2	-0.5 ± 0.1	0.2 ± 0.2	0.2 ± 0.2	E Africa M	S Asia F
35	-0.8 ± 0.4	-3.1 ± 0.1	-1.9 ± 0.2	-3.7 ± 0.1	-2.1 ± 0.2	-0.9 ± 0.3	1.2 ± 0.3	-0.8 ± 0.1	-0.3 ± 0.2	-0.7 ± 0.1	-0.1 ± 0.2	-0.1 ± 0.2	E Africa M	S Asia F
36	-0.6 ± 0.4	-3.1 ± 0.1	-2.0 ± 0.2	-3.9 ± 0.1	-2.0 ± 0.2	-1.0 ± 0.3	0.9 ± 0.3	-1.1 ± 0.1	-0.2 ± 0.2	-1.1 ± 0.1	-0.2 ± 0.2	-0.4 ± 0.2	E Africa M	S Asia F
37	-0.8 ± 0.4	-3.2 ± 0.1	-2.1 ± 0.3	-3.8 ± 0.2	-2.3 ± 0.2	-1.4 ± 0.4	0.9 ± 0.3	-1.3 ± 0.1	-0.5 ± 0.2	-1.2 ± 0.1	-0.5 ± 0.3	-0.7 ± 0.2	E Africa M	S Asia F
38	-0.5 ± 0.5	-3.5 ± 0.1	-2.0 ± 0.3	-4.0 ± 0.2	-2.0 ± 0.2	-1.4 ± 0.4	0.7 ± 0.3	-1.4 ± 0.1	-0.5 ± 0.2	-1.6 ± 0.1	-0.1 ± 0.3	-0.9 ± 0.3	E Africa M	S Asia F
39	-0.6 ± 0.5	-3.5 ± 0.1	-1.9 ± 0.3	-4.0 ± 0.2	-1.9 ± 0.2	-1.5 ± 0.4	1.0 ± 0.3	-1.6 ± 0.1	-0.6 ± 0.2	-1.7 ± 0.1	-0.1 ± 0.3	-1.0 ± 0.3	E Africa M	S Asia F
40	-0.8 ± 0.5	-3.6 ± 0.1	-1.3 ± 0.3	-4.0 ± 0.2	-2.0 ± 0.3	-2.1 ± 0.4	0.7 ± 0.4	-1.7 ± 0.1	-0.4 ± 0.2	-1.9 ± 0.1	-0.4 ± 0.3	-1.4 ± 0.3	E Africa M	S Asia F
41	-1.1 ± 0.6	-3.5 ± 0.1	-1.5 ± 0.3	-4.0 ± 0.2	-1.9 ± 0.3	-2.2 ± 0.5	0.5 ± 0.4	-1.6 ± 0.1	-0.6 ± 0.3	-1.9 ± 0.1	-0.4 ± 0.3	-1.3 ± 0.3	E Africa M	S Asia F
42	-0.5 ± 0.6	-3.3 ± 0.1	-1.2 ± 0.3	-3.5 ± 0.2	-1.8 ± 0.3	-1.6 ± 0.5	0.5 ± 0.4	-1.7 ± 0.1	-0.4 ± 0.3	-2.1 ± 0.2	-0.1 ± 0.3	-1.6 ± 0.3	E Africa M	S Asia F
43	-0.6 ± 0.6	-3.3 ± 0.2	-1.2 ± 0.3	-3.6 ± 0.3	-1.8 ± 0.3	-1.9 ± 0.5	0.9 ± 0.4	-1.7 ± 0.2	-0.6 ± 0.3	-2.1 ± 0.2	-0.3 ± 0.3	-2.0 ± 0.3	E Africa M	S Asia F
44	-0.1 ± 0.7	-3.2 ± 0.2	-1.1 ± 0.3	-3.3 ± 0.3	-1.2 ± 0.3	-2.2 ± 0.5	0.2 ± 0.4	-1.6 ± 0.2	-0.3 ± 0.3	-2.2 ± 0.2	-0.1 ± 0.3	-2.0 ± 0.3	E Africa M	S Asia F
45	-0.9 ± 0.6	-3.0 ± 0.2	-0.8 ± 0.3	-3.3 ± 0.3	-1.3 ± 0.3	-2.0 ± 0.5	0.1 ± 0.4	-1.8 ± 0.2	-0.3 ± 0.3	-2.2 ± 0.2	-0.1 ± 0.3	-2.4 ± 0.4	E Africa M	S Asia F
46	0.1 ± 0.7	-3.0 ± 0.2	-0.7 ± 0.4	-2.7 ± 0.3	-1.4 ± 0.3	-2.0 ± 0.5	0.0 ± 0.5	-1.8 ± 0.2	-0.0 ± 0.3	-1.9 ± 0.2	-0.1 ± 0.3	-2.3 ± 0.4	E Africa F	E Asia F
47	0.2 ± 0.7	-2.6 ± 0.2	-0.5 ± 0.4	-2.7 ± 0.3	-1.1 ± 0.3	-1.7 ± 0.6	0.6 ± 0.5	-1.9 ± 0.2	-0.1 ± 0.3	-1.9 ± 0.2	0.2 ± 0.3	-2.2 ± 0.4	E Africa M	S Asia F
48	0.3 ± 0.7	-2.7 ± 0.2	-0.6 ± 0.3	-2.3 ± 0.3	-1.0 ± 0.3	-1.8 ± 0.6	-0.1 ± 0.5	-1.8 ± 0.2	0.1 ± 0.4	-1.9 ± 0.2	-0.2 ± 0.3	-2.6 ± 0.4	E Africa F	E Asia F
49	0.7 ± 0.7	-2.5 ± 0.2	-0.4 ± 0.3	-2.3 ± 0.3	-0.8 ± 0.3	-2.0 ± 0.6	-0.4 ± 0.5	-2.0 ± 0.2	0.1 ± 0.3	-1.8 ± 0.2	0.1 ± 0.3	-2.6 ± 0.4	E Africa F	W Africa M
50	-0.5 ± 0.8	-2.4 ± 0.2	-0.1 ± 0.3	-2.2 ± 0.3	-0.9 ± 0.3	-1.8 ± 0.6	-0.3 ± 0.6	-2.0 ± 0.2	-0.1 ± 0.3	-1.9 ± 0.3	0.2 ± 0.3	-2.9 ± 0.4	S E Asia M	W Africa M
51	0.3 ± 0.7	-2.4 ± 0.2	-0.5 ± 0.3	-2.1 ± 0.3	-1.0 ± 0.3	-1.6 ± 0.6	-0.9 ± 0.6	-2.0 ± 0.2	0.4 ± 0.3	-2.0 ± 0.3	0.0 ± 0.3	-3.0 ± 0.4	E Europe M	W Africa M
52	0.3 ± 0.8	-2.4 ± 0.2	0.2 ± 0.4	-2.3 ± 0.3	-0.8 ± 0.3	-2.5 ± 0.6	-0.2 ± 0.6	-2.3 ± 0.2	0.2 ± 0.4	-2.0 ± 0.3	-0.4 ± 0.3	-3.3 ± 0.5	E Africa F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 49. *Mean raw error for Application-type images for algorithm cyberlink-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.5 ± 0.2	3.9 ± 0.1	3.1 ± 0.2	3.3 ± 0.1	3.7 ± 0.2	4.9 ± 0.3	3.5 ± 0.2	3.3 ± 0.1	2.0 ± 0.2	2.6 ± 0.1	2.9 ± 0.2	3.9 ± 0.2	W Africa F	E Europe M
15	4.2 ± 0.2	3.9 ± 0.1	3.2 ± 0.2	3.3 ± 0.2	3.7 ± 0.3	4.5 ± 0.3	3.0 ± 0.2	3.29 ± 0.09	2.2 ± 0.2	2.7 ± 0.1	3.1 ± 0.2	3.5 ± 0.3	W Africa F	E Europe M
16	3.6 ± 0.3	3.6 ± 0.1	3.1 ± 0.2	2.9 ± 0.2	3.5 ± 0.3	4.3 ± 0.4	3.3 ± 0.2	2.99 ± 0.09	2.4 ± 0.2	2.7 ± 0.1	2.9 ± 0.2	3.4 ± 0.3	W Africa F	E Europe M
17	3.5 ± 0.3	3.1 ± 0.1	2.8 ± 0.2	2.7 ± 0.2	3.2 ± 0.3	3.9 ± 0.3	2.9 ± 0.3	2.8 ± 0.1	2.1 ± 0.2	2.7 ± 0.1	2.9 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
18	2.7 ± 0.3	2.5 ± 0.1	2.2 ± 0.2	2.1 ± 0.1	2.6 ± 0.2	3.2 ± 0.3	2.6 ± 0.2	2.25 ± 0.09	1.8 ± 0.2	2.3 ± 0.1	2.4 ± 0.2	2.7 ± 0.2	W Africa F	E Europe M
19	2.5 ± 0.3	2.1 ± 0.1	1.7 ± 0.2	1.7 ± 0.1	2.3 ± 0.2	3.2 ± 0.3	2.5 ± 0.3	2.12 ± 0.10	1.6 ± 0.2	2.4 ± 0.1	2.1 ± 0.2	2.7 ± 0.3	W Africa F	E Europe M
20	2.2 ± 0.3	1.8 ± 0.1	1.3 ± 0.2	1.2 ± 0.2	2.0 ± 0.1	3.1 ± 0.3	2.5 ± 0.3	1.9 ± 0.1	1.6 ± 0.2	2.5 ± 0.1	2.1 ± 0.2	2.4 ± 0.3	W Africa F	S Asia F
21	1.7 ± 0.3	1.4 ± 0.1	0.9 ± 0.2	0.6 ± 0.1	1.3 ± 0.1	2.6 ± 0.3	2.5 ± 0.2	1.69 ± 0.10	1.3 ± 0.2	2.3 ± 0.1	2.0 ± 0.2	2.1 ± 0.3	W Africa F	S Asia F
22	1.5 ± 0.3	0.86 ± 0.10	0.6 ± 0.1	0.1 ± 0.1	0.9 ± 0.1	2.2 ± 0.3	2.8 ± 0.3	1.5 ± 0.1	1.3 ± 0.2	2.2 ± 0.1	1.6 ± 0.2	1.9 ± 0.3	E Africa M	S Asia F
23	0.8 ± 0.2	0.48 ± 0.09	0.2 ± 0.1	-0.2 ± 0.1	0.5 ± 0.1	1.8 ± 0.3	2.3 ± 0.3	1.3 ± 0.1	1.0 ± 0.2	2.2 ± 0.1	1.5 ± 0.2	1.9 ± 0.2	E Africa M	S Asia F
24	0.4 ± 0.3	-0.10 ± 0.09	-0.1 ± 0.1	-0.8 ± 0.1	0.1 ± 0.1	1.4 ± 0.3	2.3 ± 0.3	1.2 ± 0.1	1.0 ± 0.2	2.1 ± 0.1	1.3 ± 0.2	1.7 ± 0.2	E Africa M	S Asia F
25	0.1 ± 0.3	-0.44 ± 0.08	-0.5 ± 0.1	-1.3 ± 0.1	-0.4 ± 0.1	1.1 ± 0.3	2.2 ± 0.2	1.1 ± 0.1	0.8 ± 0.2	1.9 ± 0.1	1.3 ± 0.2	1.4 ± 0.2	E Africa M	S Asia F
26	-0.4 ± 0.2	-0.93 ± 0.08	-0.8 ± 0.1	-1.92 ± 0.10	-0.7 ± 0.1	0.6 ± 0.3	1.8 ± 0.2	0.9 ± 0.1	0.6 ± 0.2	1.7 ± 0.1	1.3 ± 0.2	1.0 ± 0.2	E Africa M	S Asia F
27	-0.6 ± 0.2	-1.39 ± 0.08	-1.0 ± 0.1	-2.32 ± 0.09	-1.1 ± 0.1	0.5 ± 0.3	1.5 ± 0.2	0.7 ± 0.1	0.7 ± 0.2	1.4 ± 0.1	1.3 ± 0.2	0.8 ± 0.2	E Africa M	S Asia F
28	-1.0 ± 0.3	-1.70 ± 0.08	-1.4 ± 0.1	-2.71 ± 0.10	-1.4 ± 0.1	-0.0 ± 0.3	1.2 ± 0.2	0.7 ± 0.1	0.6 ± 0.2	1.1 ± 0.1	1.0 ± 0.2	0.3 ± 0.2	E Africa M	S Asia F
29	-1.2 ± 0.3	-2.07 ± 0.08	-1.6 ± 0.1	-3.01 ± 0.10	-1.7 ± 0.1	-0.3 ± 0.3	0.9 ± 0.2	0.5 ± 0.1	0.3 ± 0.2	0.83 ± 0.09	0.6 ± 0.2	0.3 ± 0.2	E Africa M	S Asia F
30	-1.9 ± 0.3	-2.37 ± 0.09	-1.9 ± 0.1	-3.4 ± 0.1	-1.9 ± 0.1	-0.9 ± 0.3	0.7 ± 0.2	0.3 ± 0.1	0.1 ± 0.2	0.52 ± 0.09	0.6 ± 0.2	-0.2 ± 0.2	E Africa M	S Asia F
31	-2.1 ± 0.3	-2.58 ± 0.09	-2.2 ± 0.1	-3.9 ± 0.1	-2.3 ± 0.1	-0.9 ± 0.3	0.6 ± 0.2	0.1 ± 0.1	-0.1 ± 0.2	0.32 ± 0.09	0.4 ± 0.2	-0.5 ± 0.2	E Africa M	S Asia F
32	-2.1 ± 0.3	-2.91 ± 0.10	-2.4 ± 0.1	-4.2 ± 0.1	-2.4 ± 0.2	-1.3 ± 0.3	0.2 ± 0.2	-0.2 ± 0.1	-0.1 ± 0.2	0.10 ± 0.09	0.3 ± 0.2	-0.8 ± 0.2	S E Asia M	S Asia F
33	-2.5 ± 0.3	-3.0 ± 0.1	-2.8 ± 0.1	-4.5 ± 0.1	-2.8 ± 0.2	-1.3 ± 0.3	0.1 ± 0.2	-0.3 ± 0.1	-0.1 ± 0.2	-0.20 ± 0.09	0.1 ± 0.2	-1.1 ± 0.2	S E Asia M	S Asia F
34	-2.9 ± 0.3	-3.1 ± 0.1	-3.0 ± 0.2	-4.7 ± 0.1	-2.9 ± 0.2	-1.9 ± 0.3	-0.3 ± 0.3	-0.5 ± 0.1	-0.3 ± 0.2	-0.3 ± 0.1	-0.0 ± 0.2	-1.3 ± 0.2	S E Asia M	S Asia F
35	-2.8 ± 0.3	-3.5 ± 0.1	-3.1 ± 0.2	-5.0 ± 0.1	-3.1 ± 0.2	-2.1 ± 0.3	-0.5 ± 0.3	-0.7 ± 0.1	-0.4 ± 0.2	-0.6 ± 0.1	-0.2 ± 0.2	-1.7 ± 0.2	S E Asia M	S Asia F
36	-2.8 ± 0.4	-3.5 ± 0.1	-3.1 ± 0.2	-5.3 ± 0.1	-3.0 ± 0.2	-2.2 ± 0.3	-0.5 ± 0.3	-0.8 ± 0.1	-0.3 ± 0.2	-0.8 ± 0.1	-0.4 ± 0.2	-2.0 ± 0.2	E Europe M	S Asia F
37	-3.1 ± 0.4	-3.6 ± 0.1	-3.3 ± 0.2	-5.2 ± 0.1	-3.3 ± 0.2	-2.6 ± 0.4	-0.6 ± 0.3	-1.1 ± 0.1	-0.6 ± 0.2	-0.9 ± 0.1	-0.5 ± 0.2	-2.3 ± 0.2	S E Asia M	S Asia F
38	-2.9 ± 0.4	-3.8 ± 0.1	-3.4 ± 0.2	-5.3 ± 0.2	-3.1 ± 0.2	-2.7 ± 0.4	-0.9 ± 0.3	-1.2 ± 0.1	-0.7 ± 0.2	-1.1 ± 0.1	-0.3 ± 0.2	-2.7 ± 0.2	S E Asia M	S Asia F
39	-3.0 ± 0.5	-3.9 ± 0.1	-3.4 ± 0.2	-5.6 ± 0.2	-3.2 ± 0.2	-2.6 ± 0.4	-0.5 ± 0.3	-1.3 ± 0.1	-0.6 ± 0.2	-1.2 ± 0.1	-0.4 ± 0.2	-2.9 ± 0.2	S E Asia M	S Asia F
40	-3.2 ± 0.5	-4.0 ± 0.1	-3.0 ± 0.2	-5.4 ± 0.2	-3.5 ± 0.2	-3.3 ± 0.4	-0.6 ± 0.4	-1.5 ± 0.1	-0.5 ± 0.2	-1.4 ± 0.1	-0.6 ± 0.2	-3.0 ± 0.3	E Europe M	S Asia F
41	-3.5 ± 0.5	-4.0 ± 0.1	-3.1 ± 0.2	-5.6 ± 0.2	-3.4 ± 0.2	-3.6 ± 0.4	-0.7 ± 0.4	-1.5 ± 0.1	-0.6 ± 0.2	-1.5 ± 0.1	-0.8 ± 0.2	-3.2 ± 0.3	E Europe M	S Asia F
42	-3.1 ± 0.5	-3.9 ± 0.1	-2.8 ± 0.3	-5.1 ± 0.2	-3.5 ± 0.2	-3.1 ± 0.5	-0.7 ± 0.4	-1.6 ± 0.1	-0.2 ± 0.3	-1.7 ± 0.1	-0.5 ± 0.3	-3.4 ± 0.3	E Europe M	S Asia F
43	-3.1 ± 0.6	-4.1 ± 0.1	-2.8 ± 0.3	-5.4 ± 0.2	-3.5 ± 0.3	-3.5 ± 0.5	-0.4 ± 0.4	-1.6 ± 0.1	-0.3 ± 0.3	-1.6 ± 0.1	-0.8 ± 0.3	-3.7 ± 0.3	E Europe M	S Asia F
44	-2.8 ± 0.6	-4.2 ± 0.1	-3.0 ± 0.3	-5.1 ± 0.3	-3.1 ± 0.3	-3.5 ± 0.5	-1.1 ± 0.4	-1.7 ± 0.1	-0.1 ± 0.3	-1.8 ± 0.2	-0.6 ± 0.3	-3.5 ± 0.3	E Europe M	S Asia F
45	-3.1 ± 0.6	-4.1 ± 0.1	-2.8 ± 0.3	-5.1 ± 0.3	-3.2 ± 0.3	-3.4 ± 0.5	-1.0 ± 0.4	-1.9 ± 0.1	-0.1 ± 0.3	-1.8 ± 0.2	-0.8 ± 0.3	-3.9 ± 0.4	E Europe M	S Asia F
46	-2.0 ± 0.7	-4.2 ± 0.1	-2.6 ± 0.3	-4.6 ± 0.3	-3.3 ± 0.3	-3.4 ± 0.5	-0.9 ± 0.5	-2.0 ± 0.1	0.1 ± 0.3	-1.6 ± 0.2	-0.7 ± 0.3	-4.1 ± 0.4	E Europe M	S Asia F
47	-1.7 ± 0.7	-4.0 ± 0.2	-2.4 ± 0.3	-4.6 ± 0.3	-2.9 ± 0.3	-3.1 ± 0.5	-0.6 ± 0.4	-2.0 ± 0.1	0.1 ± 0.3	-1.7 ± 0.2	-0.6 ± 0.3	-3.7 ± 0.4	E Europe M	S Asia F
48	-2.4 ± 0.7	-3.9 ± 0.2	-2.2 ± 0.3	-4.3 ± 0.3	-2.9 ± 0.3	-3.2 ± 0.5	-1.3 ± 0.5	-2.1 ± 0.1	0.1 ± 0.3	-1.8 ± 0.2	-1.0 ± 0.3	-4.2 ± 0.4	E Europe M	S Asia F
49	-1.7 ± 0.7	-4.0 ± 0.2	-2.4 ± 0.3	-4.2 ± 0.3	-2.6 ± 0.3	-3.6 ± 0.6	-1.5 ± 0.5	-2.4 ± 0.1	-0.0 ± 0.3	-1.8 ± 0.2	-1.0 ± 0.3	-4.3 ± 0.4	E Europe M	W Africa M
50	-2.5 ± 0.8	-3.9 ± 0.2	-1.8 ± 0.3	-4.1 ± 0.3	-2.7 ± 0.3	-3.3 ± 0.6	-1.4 ± 0.5	-2.5 ± 0.1	-0.2 ± 0.3	-2.0 ± 0.2	-0.9 ± 0.3	-4.4 ± 0.4	E Europe M	W Africa M
51	-2.1 ± 0.7	-3.9 ± 0.2	-2.1 ± 0.3	-4.0 ± 0.3	-2.8 ± 0.3	-3.2 ± 0.6	-1.7 ± 0.6	-2.7 ± 0.1	-0.1 ± 0.3	-2.1 ± 0.2	-1.2 ± 0.3	-4.4 ± 0.4	E Europe M	W Africa M
52	-2.0 ± 0.8	-3.8 ± 0.2	-1.5 ± 0.3	-4.0 ± 0.3	-2.3 ± 0.3	-3.9 ± 0.6	-1.5 ± 0.6	-2.9 ± 0.1	-0.3 ± 0.3	-2.3 ± 0.2	-1.6 ± 0.3	-4.7 ± 0.5	E Europe M	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 50. *Mean raw error for Application-type images for algorithm daon-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.7 ± 0.4	0.4 ± 0.2	0.8 ± 0.2	1.2 ± 0.2	0.3 ± 0.4	1.1 ± 0.6	2.8 ± 0.4	3.6 ± 0.2	1.5 ± 0.2	3.7 ± 0.2	3.1 ± 0.4	1.6 ± 0.4	S Asia M	S E Asia F
15	1.9 ± 0.5	0.7 ± 0.2	0.7 ± 0.3	1.8 ± 0.3	0.3 ± 0.5	1.4 ± 0.6	2.9 ± 0.4	4.3 ± 0.2	1.7 ± 0.3	4.2 ± 0.2	4.2 ± 0.4	2.3 ± 0.5	E Asia M	S E Asia F
16	2.2 ± 0.5	0.7 ± 0.2	1.1 ± 0.3	1.3 ± 0.3	0.8 ± 0.5	1.9 ± 0.8	4.3 ± 0.4	4.2 ± 0.2	2.1 ± 0.3	4.7 ± 0.2	4.5 ± 0.4	2.3 ± 0.5	S Asia M	E Asia F
17	2.8 ± 0.6	0.6 ± 0.2	1.0 ± 0.3	1.4 ± 0.3	0.8 ± 0.5	2.6 ± 0.7	4.9 ± 0.4	4.1 ± 0.2	1.8 ± 0.3	4.9 ± 0.2	4.1 ± 0.4	3.3 ± 0.5	S Asia M	E Asia F
18	1.8 ± 0.4	-0.0 ± 0.2	0.4 ± 0.3	0.9 ± 0.2	-0.1 ± 0.3	1.9 ± 0.6	4.5 ± 0.4	3.3 ± 0.2	1.4 ± 0.2	4.4 ± 0.2	3.5 ± 0.3	3.2 ± 0.4	E Africa M	S E Asia F
19	2.7 ± 0.5	-0.1 ± 0.2	-0.0 ± 0.3	1.0 ± 0.2	-0.0 ± 0.3	2.5 ± 0.6	5.0 ± 0.4	3.1 ± 0.2	1.4 ± 0.3	4.6 ± 0.2	3.2 ± 0.3	3.4 ± 0.4	E Africa M	E Asia F
20	2.6 ± 0.4	-0.1 ± 0.2	-0.1 ± 0.2	0.6 ± 0.2	-0.3 ± 0.3	2.9 ± 0.6	5.1 ± 0.4	2.8 ± 0.2	1.4 ± 0.2	4.6 ± 0.2	2.7 ± 0.3	3.6 ± 0.4	E Africa M	S E Asia F
21	2.3 ± 0.4	-0.4 ± 0.2	-0.3 ± 0.2	0.2 ± 0.2	-0.3 ± 0.3	3.1 ± 0.6	5.2 ± 0.3	2.4 ± 0.2	1.2 ± 0.2	4.1 ± 0.2	2.6 ± 0.3	3.4 ± 0.4	E Africa M	E Asia F
22	2.3 ± 0.4	-0.6 ± 0.2	-0.4 ± 0.2	-0.3 ± 0.2	-0.3 ± 0.3	2.5 ± 0.5	5.4 ± 0.3	2.1 ± 0.2	1.2 ± 0.2	4.0 ± 0.2	1.9 ± 0.3	3.4 ± 0.4	E Africa M	E Asia F
23	1.8 ± 0.4	-0.7 ± 0.2	-0.5 ± 0.2	-0.5 ± 0.2	-0.5 ± 0.2	2.6 ± 0.5	5.1 ± 0.3	1.8 ± 0.2	0.9 ± 0.2	3.7 ± 0.2	1.7 ± 0.3	2.9 ± 0.3	E Africa M	E Asia F
24	1.9 ± 0.4	-1.0 ± 0.2	-0.7 ± 0.2	-0.9 ± 0.1	-0.6 ± 0.2	2.3 ± 0.5	4.8 ± 0.3	1.5 ± 0.2	1.0 ± 0.2	3.5 ± 0.1	1.4 ± 0.2	2.8 ± 0.3	E Africa M	E Asia F
25	1.6 ± 0.3	-1.1 ± 0.2	-0.8 ± 0.2	-1.4 ± 0.1	-0.7 ± 0.2	2.0 ± 0.4	4.7 ± 0.3	1.3 ± 0.2	0.9 ± 0.2	3.2 ± 0.1	1.5 ± 0.2	2.7 ± 0.3	E Africa M	S Asia F
26	1.2 ± 0.3	-1.3 ± 0.2	-0.8 ± 0.2	-1.9 ± 0.1	-0.7 ± 0.2	2.1 ± 0.4	4.3 ± 0.3	1.0 ± 0.2	0.7 ± 0.2	2.9 ± 0.1	1.2 ± 0.3	2.4 ± 0.3	E Africa M	S Asia F
27	1.0 ± 0.3	-1.5 ± 0.2	-0.8 ± 0.2	-2.3 ± 0.1	-0.9 ± 0.2	1.8 ± 0.4	3.9 ± 0.3	0.9 ± 0.2	0.8 ± 0.2	2.5 ± 0.1	1.3 ± 0.3	2.1 ± 0.3	E Africa M	S Asia F
28	0.3 ± 0.3	-1.6 ± 0.2	-1.0 ± 0.2	-2.8 ± 0.1	-1.1 ± 0.2	1.4 ± 0.4	3.8 ± 0.3	0.8 ± 0.2	0.8 ± 0.2	2.1 ± 0.1	1.1 ± 0.3	1.8 ± 0.3	E Africa M	S Asia F
29	0.3 ± 0.3	-1.5 ± 0.1	-0.9 ± 0.2	-3.0 ± 0.1	-1.1 ± 0.2	1.0 ± 0.4	3.6 ± 0.3	0.7 ± 0.2	0.7 ± 0.2	1.7 ± 0.1	1.0 ± 0.3	2.0 ± 0.3	E Africa M	S Asia F
30	-0.1 ± 0.3	-1.8 ± 0.1	-1.0 ± 0.2	-3.4 ± 0.1	-1.0 ± 0.2	0.7 ± 0.4	3.3 ± 0.3	0.4 ± 0.2	0.5 ± 0.2	1.3 ± 0.1	0.9 ± 0.3	1.5 ± 0.3	E Africa M	S Asia F
31	-0.4 ± 0.3	-1.9 ± 0.1	-0.9 ± 0.2	-3.9 ± 0.1	-1.4 ± 0.2	0.3 ± 0.4	3.2 ± 0.3	0.4 ± 0.2	0.6 ± 0.2	1.0 ± 0.1	0.9 ± 0.3	1.3 ± 0.3	E Africa M	S Asia F
32	-0.4 ± 0.3	-1.8 ± 0.1	-1.1 ± 0.2	-4.1 ± 0.1	-1.3 ± 0.2	0.3 ± 0.4	2.5 ± 0.3	0.5 ± 0.2	0.6 ± 0.2	0.8 ± 0.1	1.1 ± 0.3	1.1 ± 0.3	E Africa M	S Asia F
33	-0.8 ± 0.4	-1.9 ± 0.1	-1.0 ± 0.2	-4.3 ± 0.1	-1.6 ± 0.2	-0.1 ± 0.4	2.5 ± 0.3	0.2 ± 0.2	0.8 ± 0.2	0.4 ± 0.1	0.8 ± 0.3	0.9 ± 0.3	E Africa M	S Asia F
34	-1.2 ± 0.4	-1.8 ± 0.1	-1.0 ± 0.2	-4.5 ± 0.1	-1.7 ± 0.2	-0.6 ± 0.4	1.9 ± 0.3	0.2 ± 0.2	0.6 ± 0.2	0.3 ± 0.1	0.7 ± 0.3	0.6 ± 0.3	E Africa M	S Asia F
35	-1.1 ± 0.4	-2.1 ± 0.2	-1.0 ± 0.2	-4.9 ± 0.2	-1.8 ± 0.2	-0.7 ± 0.4	2.0 ± 0.3	0.3 ± 0.2	0.7 ± 0.2	-0.0 ± 0.1	1.0 ± 0.3	0.5 ± 0.3	E Africa M	S Asia F
36	-1.3 ± 0.4	-2.1 ± 0.2	-0.9 ± 0.2	-5.1 ± 0.2	-1.5 ± 0.2	-0.8 ± 0.4	1.6 ± 0.3	0.3 ± 0.2	0.8 ± 0.2	-0.2 ± 0.1	0.8 ± 0.3	0.1 ± 0.3	E Africa M	S Asia F
37	-1.9 ± 0.4	-2.0 ± 0.2	-0.9 ± 0.2	-5.1 ± 0.2	-1.7 ± 0.2	-0.8 ± 0.4	1.3 ± 0.3	0.1 ± 0.2	0.5 ± 0.2	-0.4 ± 0.1	0.6 ± 0.3	-0.1 ± 0.3	E Africa M	S Asia F
38	-1.4 ± 0.4	-2.2 ± 0.2	-0.6 ± 0.3	-5.2 ± 0.2	-1.7 ± 0.3	-1.6 ± 0.5	1.1 ± 0.3	0.1 ± 0.2	0.6 ± 0.2	-0.7 ± 0.1	1.0 ± 0.3	-0.3 ± 0.3	E Africa M	S Asia F
39	-1.7 ± 0.5	-2.2 ± 0.2	-0.8 ± 0.3	-5.5 ± 0.2	-1.5 ± 0.2	-1.3 ± 0.5	1.4 ± 0.3	0.1 ± 0.2	0.7 ± 0.2	-0.6 ± 0.1	1.1 ± 0.3	-0.4 ± 0.3	E Africa M	S Asia F
40	-2.1 ± 0.5	-2.3 ± 0.2	-0.6 ± 0.3	-5.4 ± 0.2	-1.7 ± 0.2	-2.0 ± 0.5	0.9 ± 0.3	-0.1 ± 0.2	0.8 ± 0.2	-0.9 ± 0.1	1.3 ± 0.3	-0.9 ± 0.3	S E Asia M	S Asia F
41	-2.4 ± 0.5	-2.3 ± 0.2	-0.6 ± 0.3	-5.4 ± 0.2	-2.0 ± 0.3	-2.2 ± 0.5	1.2 ± 0.4	0.1 ± 0.2	0.8 ± 0.3	-0.9 ± 0.1	1.1 ± 0.3	-1.1 ± 0.3	E Africa M	S Asia F
42	-2.4 ± 0.5	-2.2 ± 0.1	-0.2 ± 0.3	-4.8 ± 0.2	-1.7 ± 0.3	-2.3 ± 0.5	0.8 ± 0.4	0.2 ± 0.2	1.0 ± 0.2	-1.1 ± 0.2	1.3 ± 0.3	-1.3 ± 0.3	S E Asia M	S Asia F
43	-2.1 ± 0.6	-2.4 ± 0.1	-0.3 ± 0.3	-5.2 ± 0.3	-2.0 ± 0.3	-2.8 ± 0.5	0.9 ± 0.4	0.1 ± 0.2	0.8 ± 0.3	-0.9 ± 0.2	1.2 ± 0.3	-1.8 ± 0.3	S E Asia M	S Asia F
44	-2.1 ± 0.6	-2.6 ± 0.1	-0.5 ± 0.3	-4.9 ± 0.3	-1.8 ± 0.3	-2.9 ± 0.6	0.1 ± 0.4	0.1 ± 0.2	1.2 ± 0.3	-1.1 ± 0.2	1.2 ± 0.3	-1.6 ± 0.3	S E Asia M	S Asia F
45	-2.7 ± 0.6	-2.7 ± 0.2	-0.6 ± 0.3	-4.8 ± 0.3	-2.0 ± 0.3	-2.6 ± 0.5	-0.2 ± 0.4	-0.1 ± 0.2	0.6 ± 0.3	-0.9 ± 0.2	1.2 ± 0.3	-2.1 ± 0.4	S E Asia M	S Asia F
46	-1.9 ± 0.6	-3.0 ± 0.2	-0.5 ± 0.3	-4.4 ± 0.3	-2.3 ± 0.3	-2.8 ± 0.5	0.0 ± 0.4	-0.3 ± 0.2	0.8 ± 0.3	-0.8 ± 0.2	1.2 ± 0.3	-2.4 ± 0.4	S E Asia M	S Asia F
47	-1.8 ± 0.6	-2.8 ± 0.2	-0.5 ± 0.3	-4.4 ± 0.3	-2.3 ± 0.3	-3.0 ± 0.6	0.2 ± 0.4	-0.3 ± 0.2	0.9 ± 0.3	-0.7 ± 0.2	1.1 ± 0.3	-2.1 ± 0.4	S E Asia M	S Asia F
48	-2.4 ± 0.7	-3.0 ± 0.2	-0.5 ± 0.3	-4.1 ± 0.3	-2.3 ± 0.3	-3.2 ± 0.5	-0.7 ± 0.5	-0.4 ± 0.1	0.9 ± 0.3	-0.7 ± 0.2	0.9 ± 0.3	-3.0 ± 0.4	E Europe M	S Asia F
49	-2.0 ± 0.7	-3.1 ± 0.2	-0.6 ± 0.3	-4.0 ± 0.3	-2.2 ± 0.3	-3.4 ± 0.6	-1.0 ± 0.5	-0.5 ± 0.2	0.7 ± 0.3	-0.8 ± 0.2	1.0 ± 0.3	-2.8 ± 0.4	S E Asia M	S Asia F
50	-2.7 ± 0.8	-3.2 ± 0.2	-0.5 ± 0.3	-3.4 ± 0.3	-2.6 ± 0.3	-3.3 ± 0.5	-1.3 ± 0.5	-0.7 ± 0.2	0.6 ± 0.3	-0.8 ± 0.2	1.0 ± 0.3	-3.5 ± 0.4	S E Asia M	W Africa M
51	-2.3 ± 0.6	-3.2 ± 0.2	-0.6 ± 0.3	-3.8 ± 0.3	-2.6 ± 0.3	-3.5 ± 0.6	-1.6 ± 0.6	-0.9 ± 0.2	0.8 ± 0.3	-0.9 ± 0.2	0.7 ± 0.3	-3.6 ± 0.4	E Europe M	S Asia F
52	-2.7 ± 0.7	-3.4 ± 0.2	-0.4 ± 0.3	-3.6 ± 0.3	-2.4 ± 0.3	-4.0 ± 0.6	-1.5 ± 0.5	-1.2 ± 0.1	0.7 ± 0.3	-0.9 ± 0.2	0.3 ± 0.3	-3.7 ± 0.4	E Europe M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 51. *Mean raw error for Application-type images for algorithm daon-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	0.8 ± 0.3	-0.3 ± 0.2	0.3 ± 0.2	0.1 ± 0.2	-0.8 ± 0.3	0.4 ± 0.4	1.4 ± 0.3	2.3 ± 0.2	0.7 ± 0.2	1.8 ± 0.2	1.6 ± 0.3	0.8 ± 0.4	E Asia M	S E Asia F
15	0.9 ± 0.4	0.1 ± 0.2	0.3 ± 0.2	0.7 ± 0.2	-0.4 ± 0.4	0.7 ± 0.5	1.4 ± 0.4	3.1 ± 0.2	1.1 ± 0.2	2.7 ± 0.2	2.7 ± 0.3	1.5 ± 0.4	E Asia M	S E Asia F
16	1.3 ± 0.5	0.1 ± 0.2	0.7 ± 0.3	0.5 ± 0.2	0.1 ± 0.4	1.4 ± 0.7	2.9 ± 0.4	3.3 ± 0.2	1.7 ± 0.3	3.4 ± 0.2	3.1 ± 0.3	1.9 ± 0.4	S Asia M	S E Asia F
17	1.9 ± 0.5	0.2 ± 0.2	0.5 ± 0.3	0.6 ± 0.2	0.2 ± 0.4	2.0 ± 0.6	3.6 ± 0.4	3.4 ± 0.2	1.5 ± 0.2	3.8 ± 0.2	3.4 ± 0.3	2.9 ± 0.5	S Asia M	S E Asia F
18	1.3 ± 0.4	-0.4 ± 0.2	0.0 ± 0.3	0.2 ± 0.2	-0.5 ± 0.3	1.6 ± 0.6	3.4 ± 0.3	2.8 ± 0.1	1.3 ± 0.2	3.6 ± 0.2	2.7 ± 0.3	2.6 ± 0.4	S Asia M	S E Asia F
19	2.0 ± 0.4	-0.3 ± 0.2	-0.3 ± 0.3	0.3 ± 0.2	-0.5 ± 0.3	2.3 ± 0.5	4.1 ± 0.3	2.7 ± 0.1	1.2 ± 0.2	3.9 ± 0.2	2.5 ± 0.2	3.1 ± 0.4	E Africa M	S E Asia F
20	1.9 ± 0.4	-0.3 ± 0.2	-0.2 ± 0.2	0.1 ± 0.2	-0.6 ± 0.3	2.7 ± 0.5	4.7 ± 0.4	2.5 ± 0.1	1.5 ± 0.2	4.0 ± 0.1	2.3 ± 0.2	3.6 ± 0.4	E Africa M	S E Asia F
21	1.9 ± 0.4	-0.4 ± 0.2	-0.4 ± 0.2	-0.2 ± 0.2	-0.6 ± 0.2	2.8 ± 0.5	4.8 ± 0.3	2.2 ± 0.1	1.1 ± 0.2	3.8 ± 0.1	2.2 ± 0.2	3.4 ± 0.4	E Africa M	S E Asia F
22	2.1 ± 0.4	-0.6 ± 0.2	-0.4 ± 0.2	-0.6 ± 0.2	-0.6 ± 0.2	2.5 ± 0.5	5.2 ± 0.3	2.0 ± 0.1	1.2 ± 0.2	3.7 ± 0.1	1.7 ± 0.2	3.5 ± 0.4	E Africa M	E Asia F
23	1.8 ± 0.3	-0.7 ± 0.2	-0.4 ± 0.2	-0.8 ± 0.1	-0.6 ± 0.2	2.7 ± 0.4	5.0 ± 0.3	1.8 ± 0.1	1.0 ± 0.2	3.6 ± 0.1	1.6 ± 0.2	3.3 ± 0.3	E Africa M	S Asia F
24	1.8 ± 0.3	-0.9 ± 0.2	-0.5 ± 0.2	-1.1 ± 0.1	-0.8 ± 0.2	2.3 ± 0.4	5.0 ± 0.3	1.5 ± 0.1	1.1 ± 0.2	3.4 ± 0.1	1.4 ± 0.2	3.2 ± 0.3	E Africa M	S Asia F
25	1.6 ± 0.3	-0.9 ± 0.1	-0.6 ± 0.2	-1.5 ± 0.1	-0.9 ± 0.2	2.4 ± 0.4	4.8 ± 0.3	1.4 ± 0.1	1.0 ± 0.2	3.2 ± 0.1	1.4 ± 0.2	3.1 ± 0.3	E Africa M	S Asia F
26	1.4 ± 0.3	-1.1 ± 0.1	-0.5 ± 0.1	-1.9 ± 0.1	-0.9 ± 0.2	2.4 ± 0.3	4.5 ± 0.2	1.1 ± 0.1	0.8 ± 0.2	2.9 ± 0.1	1.3 ± 0.2	2.9 ± 0.3	E Africa M	S Asia F
27	1.3 ± 0.3	-1.1 ± 0.1	-0.5 ± 0.1	-2.3 ± 0.1	-1.0 ± 0.2	2.2 ± 0.3	4.3 ± 0.2	1.1 ± 0.1	1.0 ± 0.2	2.6 ± 0.1	1.4 ± 0.2	2.7 ± 0.2	E Africa M	S Asia F
28	0.9 ± 0.3	-1.3 ± 0.1	-0.6 ± 0.1	-2.6 ± 0.1	-1.1 ± 0.2	1.9 ± 0.3	4.1 ± 0.2	1.0 ± 0.1	1.0 ± 0.2	2.3 ± 0.1	1.3 ± 0.2	2.4 ± 0.2	E Africa M	S Asia F
29	1.0 ± 0.3	-1.3 ± 0.1	-0.4 ± 0.1	-2.8 ± 0.1	-1.1 ± 0.2	1.6 ± 0.3	4.0 ± 0.2	0.9 ± 0.1	0.8 ± 0.2	1.93 ± 0.10	1.2 ± 0.2	2.6 ± 0.2	E Africa M	S Asia F
30	0.7 ± 0.3	-1.3 ± 0.1	-0.5 ± 0.2	-3.1 ± 0.1	-1.1 ± 0.2	1.3 ± 0.3	3.8 ± 0.2	0.8 ± 0.1	0.7 ± 0.2	1.63 ± 0.09	1.2 ± 0.2	2.2 ± 0.2	E Africa M	S Asia F
31	0.4 ± 0.3	-1.4 ± 0.1	-0.3 ± 0.2	-3.5 ± 0.1	-1.3 ± 0.2	1.1 ± 0.3	3.7 ± 0.2	0.8 ± 0.1	0.8 ± 0.2	1.42 ± 0.09	1.1 ± 0.2	2.0 ± 0.2	E Africa M	S Asia F
32	0.6 ± 0.3	-1.4 ± 0.1	-0.4 ± 0.2	-3.6 ± 0.1	-1.4 ± 0.2	1.0 ± 0.3	3.3 ± 0.2	0.9 ± 0.1	0.8 ± 0.2	1.24 ± 0.09	1.3 ± 0.2	1.8 ± 0.2	E Africa M	S Asia F
33	0.2 ± 0.3	-1.5 ± 0.1	-0.4 ± 0.2	-3.8 ± 0.1	-1.5 ± 0.2	0.8 ± 0.3	3.2 ± 0.2	0.6 ± 0.1	1.0 ± 0.2	0.95 ± 0.10	1.0 ± 0.2	1.6 ± 0.2	E Africa M	S Asia F
34	-0.1 ± 0.3	-1.4 ± 0.1	-0.3 ± 0.2	-3.9 ± 0.1	-1.6 ± 0.2	0.5 ± 0.3	2.7 ± 0.3	0.6 ± 0.1	0.8 ± 0.2	0.8 ± 0.1	1.0 ± 0.3	1.4 ± 0.2	E Africa M	S Asia F
35	0.0 ± 0.3	-1.6 ± 0.1	-0.2 ± 0.2	-4.2 ± 0.1	-1.7 ± 0.2	0.3 ± 0.3	2.7 ± 0.3	0.7 ± 0.1	0.9 ± 0.2	0.6 ± 0.1	1.0 ± 0.3	1.2 ± 0.2	E Africa M	S Asia F
36	-0.0 ± 0.4	-1.6 ± 0.1	0.0 ± 0.2	-4.3 ± 0.1	-1.5 ± 0.2	0.3 ± 0.3	2.4 ± 0.3	0.6 ± 0.1	1.0 ± 0.2	0.4 ± 0.1	1.0 ± 0.3	0.8 ± 0.2	E Africa M	S Asia F
37	-0.3 ± 0.4	-1.5 ± 0.1	0.0 ± 0.2	-4.2 ± 0.2	-1.6 ± 0.2	0.3 ± 0.4	2.2 ± 0.3	0.5 ± 0.1	0.8 ± 0.2	0.4 ± 0.1	0.8 ± 0.2	0.5 ± 0.2	E Africa M	S Asia F
38	0.2 ± 0.4	-1.7 ± 0.1	0.2 ± 0.2	-4.2 ± 0.2	-1.5 ± 0.2	-0.3 ± 0.4	1.8 ± 0.3	0.5 ± 0.1	0.8 ± 0.2	0.1 ± 0.1	1.3 ± 0.3	0.3 ± 0.2	E Africa M	S Asia F
39	-0.1 ± 0.4	-1.6 ± 0.1	0.2 ± 0.2	-4.4 ± 0.2	-1.3 ± 0.2	-0.0 ± 0.4	2.1 ± 0.3	0.5 ± 0.1	0.9 ± 0.2	0.1 ± 0.1	1.2 ± 0.2	0.1 ± 0.2	E Africa M	S Asia F
40	-0.4 ± 0.4	-1.7 ± 0.1	0.4 ± 0.2	-4.2 ± 0.2	-1.5 ± 0.2	-0.5 ± 0.4	1.7 ± 0.3	0.4 ± 0.1	1.0 ± 0.2	-0.1 ± 0.1	1.2 ± 0.2	-0.2 ± 0.3	E Africa M	S Asia F
41	-0.7 ± 0.4	-1.6 ± 0.1	0.5 ± 0.2	-4.1 ± 0.2	-1.6 ± 0.2	-1.0 ± 0.4	1.9 ± 0.3	0.4 ± 0.1	1.0 ± 0.2	-0.1 ± 0.1	1.0 ± 0.2	-0.4 ± 0.3	E Africa M	S Asia F
42	-0.5 ± 0.4	-1.5 ± 0.1	0.7 ± 0.2	-3.5 ± 0.2	-1.4 ± 0.2	-0.8 ± 0.4	1.5 ± 0.3	0.5 ± 0.1	1.1 ± 0.2	-0.3 ± 0.1	1.3 ± 0.2	-0.6 ± 0.3	E Africa M	S Asia F
43	-0.1 ± 0.5	-1.7 ± 0.1	0.7 ± 0.2	-3.7 ± 0.2	-1.6 ± 0.2	-1.1 ± 0.4	1.5 ± 0.3	0.3 ± 0.1	0.9 ± 0.2	-0.2 ± 0.1	1.2 ± 0.2	-1.1 ± 0.3	E Africa M	S Asia F
44	-0.4 ± 0.5	-1.8 ± 0.1	0.4 ± 0.2	-3.5 ± 0.3	-1.3 ± 0.2	-1.3 ± 0.4	0.9 ± 0.3	0.3 ± 0.1	1.3 ± 0.2	-0.3 ± 0.2	1.2 ± 0.3	-1.0 ± 0.3	E Europe M	S Asia F
45	-0.7 ± 0.5	-1.8 ± 0.1	0.4 ± 0.2	-3.3 ± 0.2	-1.5 ± 0.2	-1.0 ± 0.4	0.6 ± 0.4	0.1 ± 0.1	0.9 ± 0.2	-0.2 ± 0.2	1.1 ± 0.2	-1.5 ± 0.3	S E Asia M	S Asia F
46	0.2 ± 0.5	-2.1 ± 0.1	0.5 ± 0.2	-2.9 ± 0.2	-1.7 ± 0.2	-1.1 ± 0.4	0.8 ± 0.4	-0.0 ± 0.1	1.0 ± 0.3	-0.1 ± 0.2	1.0 ± 0.3	-1.7 ± 0.3	S E Asia M	S Asia F
47	0.0 ± 0.5	-2.0 ± 0.1	0.5 ± 0.3	-2.9 ± 0.3	-1.7 ± 0.2	-1.4 ± 0.4	1.0 ± 0.4	-0.2 ± 0.1	1.1 ± 0.3	-0.0 ± 0.2	1.0 ± 0.2	-1.6 ± 0.3	E Europe M	S Asia F
48	-0.5 ± 0.6	-2.1 ± 0.1	0.6 ± 0.2	-2.6 ± 0.3	-1.7 ± 0.2	-1.5 ± 0.4	0.2 ± 0.4	-0.2 ± 0.1	1.1 ± 0.3	-0.1 ± 0.2	0.9 ± 0.3	-2.3 ± 0.3	E Europe M	S Asia F
49	-0.0 ± 0.6	-2.3 ± 0.1	0.4 ± 0.3	-2.4 ± 0.2	-1.7 ± 0.2	-2.1 ± 0.5	-0.0 ± 0.4	-0.3 ± 0.1	0.9 ± 0.3	-0.2 ± 0.2	0.9 ± 0.2	-2.2 ± 0.3	E Europe M	S Asia F
50	-0.6 ± 0.7	-2.3 ± 0.1	0.6 ± 0.3	-2.2 ± 0.2	-1.8 ± 0.2	-1.6 ± 0.4	-0.2 ± 0.4	-0.5 ± 0.1	0.9 ± 0.3	-0.2 ± 0.2	1.0 ± 0.3	-2.7 ± 0.3	S E Asia M	W Africa M
51	-0.3 ± 0.5	-2.4 ± 0.1	0.5 ± 0.3	-2.3 ± 0.2	-1.9 ± 0.2	-1.8 ± 0.5	-0.8 ± 0.5	-0.6 ± 0.1	1.1 ± 0.3	-0.2 ± 0.2	0.7 ± 0.2	-3.0 ± 0.3	E Europe M	W Africa M
52	-0.7 ± 0.6	-2.5 ± 0.1	0.7 ± 0.3	-2.4 ± 0.2	-1.7 ± 0.2	-2.4 ± 0.5	-0.5 ± 0.5	-0.9 ± 0.1	1.0 ± 0.3	-0.3 ± 0.2	0.4 ± 0.3	-3.1 ± 0.4	E Europe M	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 52. *Mean raw error for Application-type images for algorithm daon-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.3 ± 0.2	0.1 ± 0.1	0.3 ± 0.2	0.3 ± 0.1	-0.2 ± 0.2	2.3 ± 0.3	1.1 ± 0.2	0.8 ± 0.1	-0.0 ± 0.1	0.5 ± 0.1	0.3 ± 0.2	1.5 ± 0.3	W Africa F	S E Asia F
15	1.3 ± 0.3	0.2 ± 0.1	0.3 ± 0.2	0.6 ± 0.2	-0.0 ± 0.3	2.5 ± 0.4	1.1 ± 0.3	1.20 ± 0.10	0.1 ± 0.2	1.0 ± 0.1	0.9 ± 0.2	1.9 ± 0.3	W Africa F	S E Asia F
16	1.5 ± 0.3	0.2 ± 0.1	0.4 ± 0.2	0.4 ± 0.2	0.4 ± 0.3	2.7 ± 0.5	2.1 ± 0.3	1.3 ± 0.1	0.5 ± 0.2	1.4 ± 0.1	1.1 ± 0.2	2.0 ± 0.3	W Africa F	E Asia F
17	2.0 ± 0.4	0.1 ± 0.1	0.2 ± 0.2	0.3 ± 0.2	0.2 ± 0.3	2.8 ± 0.4	2.3 ± 0.3	1.4 ± 0.1	0.3 ± 0.2	1.7 ± 0.1	1.3 ± 0.2	2.7 ± 0.4	W Africa F	E Asia F
18	1.4 ± 0.3	-0.4 ± 0.1	-0.4 ± 0.2	-0.1 ± 0.1	-0.2 ± 0.2	2.3 ± 0.4	2.2 ± 0.3	1.0 ± 0.1	0.2 ± 0.2	1.6 ± 0.1	0.9 ± 0.2	2.2 ± 0.3	W Africa F	E Asia F
19	1.7 ± 0.3	-0.5 ± 0.1	-0.6 ± 0.2	-0.1 ± 0.1	-0.3 ± 0.2	2.7 ± 0.3	2.8 ± 0.3	1.0 ± 0.1	0.2 ± 0.2	1.8 ± 0.1	0.7 ± 0.2	2.6 ± 0.3	E Africa M	E Europe F
20	1.6 ± 0.3	-0.4 ± 0.1	-0.7 ± 0.2	-0.3 ± 0.2	-0.4 ± 0.2	2.7 ± 0.3	3.0 ± 0.3	0.9 ± 0.1	0.4 ± 0.2	2.0 ± 0.1	0.7 ± 0.2	2.8 ± 0.3	E Africa M	E Europe F
21	1.5 ± 0.3	-0.5 ± 0.1	-1.0 ± 0.2	-0.6 ± 0.1	-0.5 ± 0.2	2.5 ± 0.3	3.1 ± 0.3	0.9 ± 0.1	0.2 ± 0.2	1.9 ± 0.1	0.7 ± 0.2	2.5 ± 0.3	E Africa M	E Europe F
22	1.4 ± 0.3	-0.7 ± 0.1	-1.0 ± 0.2	-0.9 ± 0.1	-0.5 ± 0.2	2.1 ± 0.3	3.5 ± 0.3	0.7 ± 0.1	0.4 ± 0.2	1.8 ± 0.1	0.4 ± 0.2	2.5 ± 0.3	E Africa M	E Europe F
23	1.2 ± 0.3	-0.7 ± 0.1	-1.0 ± 0.2	-1.0 ± 0.1	-0.5 ± 0.2	2.0 ± 0.3	3.3 ± 0.3	0.7 ± 0.1	0.2 ± 0.2	1.8 ± 0.1	0.4 ± 0.2	2.4 ± 0.2	E Africa M	E Europe F
24	1.2 ± 0.3	-0.9 ± 0.1	-1.0 ± 0.1	-1.2 ± 0.1	-0.6 ± 0.1	1.5 ± 0.3	3.2 ± 0.2	0.6 ± 0.1	0.3 ± 0.2	1.8 ± 0.1	0.4 ± 0.2	2.2 ± 0.2	E Africa M	S Asia F
25	0.8 ± 0.3	-0.9 ± 0.1	-1.0 ± 0.1	-1.5 ± 0.1	-0.7 ± 0.2	1.4 ± 0.3	3.1 ± 0.2	0.6 ± 0.1	0.4 ± 0.2	1.6 ± 0.1	0.5 ± 0.2	2.1 ± 0.2	E Africa M	S Asia F
26	0.5 ± 0.2	-1.0 ± 0.1	-0.9 ± 0.1	-1.8 ± 0.1	-0.6 ± 0.1	1.0 ± 0.2	2.8 ± 0.2	0.5 ± 0.1	0.2 ± 0.2	1.5 ± 0.1	0.5 ± 0.2	1.7 ± 0.2	E Africa M	S Asia F
27	0.5 ± 0.2	-1.1 ± 0.1	-0.8 ± 0.1	-2.05 ± 0.10	-0.7 ± 0.1	0.8 ± 0.2	2.6 ± 0.2	0.5 ± 0.1	0.4 ± 0.2	1.21 ± 0.10	0.6 ± 0.2	1.5 ± 0.2	E Africa M	S Asia F
28	0.1 ± 0.2	-1.23 ± 0.10	-0.7 ± 0.1	-2.2 ± 0.1	-0.8 ± 0.1	0.5 ± 0.2	2.2 ± 0.2	0.4 ± 0.1	0.4 ± 0.1	0.96 ± 0.10	0.6 ± 0.2	1.1 ± 0.2	E Africa M	S Asia F
29	0.2 ± 0.2	-1.28 ± 0.10	-0.6 ± 0.1	-2.3 ± 0.1	-0.8 ± 0.1	0.2 ± 0.2	2.1 ± 0.2	0.4 ± 0.1	0.3 ± 0.1	0.72 ± 0.09	0.4 ± 0.2	1.2 ± 0.2	E Africa M	S Asia F
30	-0.1 ± 0.2	-1.31 ± 0.09	-0.5 ± 0.1	-2.6 ± 0.1	-0.7 ± 0.2	-0.2 ± 0.2	1.9 ± 0.2	0.3 ± 0.1	0.2 ± 0.1	0.46 ± 0.09	0.5 ± 0.2	0.8 ± 0.2	E Africa M	S Asia F
31	-0.3 ± 0.2	-1.40 ± 0.09	-0.4 ± 0.1	-2.8 ± 0.1	-0.9 ± 0.1	-0.4 ± 0.2	1.7 ± 0.2	0.2 ± 0.1	0.2 ± 0.2	0.27 ± 0.09	0.4 ± 0.2	0.5 ± 0.2	E Africa M	S Asia F
32	-0.3 ± 0.3	-1.42 ± 0.09	-0.4 ± 0.1	-2.8 ± 0.1	-1.0 ± 0.2	-0.5 ± 0.2	1.3 ± 0.2	0.2 ± 0.1	0.2 ± 0.2	0.12 ± 0.09	0.5 ± 0.2	0.2 ± 0.2	E Africa M	S Asia F
33	-0.5 ± 0.3	-1.55 ± 0.10	-0.4 ± 0.2	-3.0 ± 0.1	-1.1 ± 0.2	-0.8 ± 0.2	1.2 ± 0.2	-0.1 ± 0.1	0.4 ± 0.2	-0.12 ± 0.09	0.3 ± 0.2	0.0 ± 0.2	E Africa M	S Asia F
34	-0.8 ± 0.3	-1.52 ± 0.10	-0.4 ± 0.2	-3.1 ± 0.1	-1.1 ± 0.2	-1.1 ± 0.2	0.7 ± 0.2	-0.1 ± 0.1	0.1 ± 0.2	-0.22 ± 0.09	0.3 ± 0.2	-0.2 ± 0.2	E Africa M	S Asia F
35	-0.7 ± 0.3	-1.74 ± 0.10	-0.3 ± 0.2	-3.3 ± 0.1	-1.3 ± 0.2	-1.3 ± 0.2	0.7 ± 0.2	-0.1 ± 0.1	0.2 ± 0.2	-0.38 ± 0.10	0.1 ± 0.2	-0.5 ± 0.2	E Africa M	S Asia F
36	-0.9 ± 0.3	-1.69 ± 0.10	-0.2 ± 0.2	-3.4 ± 0.1	-1.1 ± 0.2	-1.4 ± 0.3	0.4 ± 0.2	-0.2 ± 0.1	0.3 ± 0.2	-0.54 ± 0.10	0.2 ± 0.2	-0.8 ± 0.2	E Africa M	S Asia F
37	-1.1 ± 0.3	-1.72 ± 0.10	-0.2 ± 0.2	-3.3 ± 0.1	-1.2 ± 0.2	-1.6 ± 0.3	0.4 ± 0.2	-0.3 ± 0.1	0.1 ± 0.2	-0.6 ± 0.1	0.0 ± 0.2	-1.2 ± 0.2	E Africa M	S Asia F
38	-0.7 ± 0.3	-1.88 ± 0.10	-0.1 ± 0.2	-3.3 ± 0.1	-1.0 ± 0.2	-1.8 ± 0.3	-0.1 ± 0.3	-0.3 ± 0.1	0.0 ± 0.2	-0.8 ± 0.1	0.4 ± 0.2	-1.4 ± 0.2	S E Asia M	S Asia F
39	-1.0 ± 0.3	-1.85 ± 0.10	-0.1 ± 0.2	-3.5 ± 0.1	-1.0 ± 0.2	-1.6 ± 0.3	0.1 ± 0.3	-0.4 ± 0.1	0.1 ± 0.2	-0.8 ± 0.1	0.3 ± 0.2	-1.7 ± 0.2	S E Asia M	S Asia F
40	-1.2 ± 0.4	-1.9 ± 0.1	0.1 ± 0.2	-3.3 ± 0.2	-1.1 ± 0.2	-2.2 ± 0.3	-0.2 ± 0.3	-0.5 ± 0.1	0.1 ± 0.2	-0.9 ± 0.1	0.3 ± 0.2	-2.1 ± 0.2	S E Asia M	S Asia F
41	-1.5 ± 0.4	-1.88 ± 0.10	0.0 ± 0.2	-3.3 ± 0.2	-1.2 ± 0.2	-2.6 ± 0.3	-0.1 ± 0.3	-0.5 ± 0.1	0.2 ± 0.2	-0.9 ± 0.1	0.2 ± 0.2	-2.2 ± 0.2	S E Asia M	S Asia F
42	-1.2 ± 0.4	-1.78 ± 0.10	0.2 ± 0.2	-2.8 ± 0.2	-1.1 ± 0.2	-2.4 ± 0.3	-0.4 ± 0.3	-0.4 ± 0.1	0.3 ± 0.2	-1.1 ± 0.1	0.4 ± 0.2	-2.5 ± 0.2	S E Asia M	S Asia F
43	-1.0 ± 0.4	-1.93 ± 0.10	0.1 ± 0.2	-3.1 ± 0.2	-1.2 ± 0.2	-2.7 ± 0.3	-0.3 ± 0.3	-0.5 ± 0.1	0.0 ± 0.2	-0.9 ± 0.1	0.3 ± 0.2	-2.9 ± 0.2	S E Asia M	S Asia F
44	-1.0 ± 0.5	-2.0 ± 0.1	-0.1 ± 0.2	-2.9 ± 0.2	-0.8 ± 0.2	-2.9 ± 0.4	-0.8 ± 0.3	-0.5 ± 0.1	0.4 ± 0.2	-1.0 ± 0.1	0.5 ± 0.2	-2.9 ± 0.2	S E Asia M	W Africa M
45	-1.3 ± 0.5	-2.0 ± 0.1	-0.1 ± 0.2	-2.7 ± 0.2	-0.9 ± 0.2	-2.6 ± 0.3	-1.1 ± 0.3	-0.6 ± 0.1	0.1 ± 0.2	-0.8 ± 0.2	0.3 ± 0.2	-3.4 ± 0.3	S E Asia M	W Africa M
46	-0.5 ± 0.5	-2.2 ± 0.1	0.1 ± 0.2	-2.4 ± 0.2	-1.1 ± 0.2	-2.6 ± 0.4	-1.1 ± 0.4	-0.7 ± 0.1	0.3 ± 0.2	-0.6 ± 0.2	0.4 ± 0.3	-3.7 ± 0.3	S E Asia M	W Africa M
47	-0.6 ± 0.5	-1.9 ± 0.1	0.1 ± 0.2	-2.4 ± 0.2	-0.8 ± 0.2	-2.9 ± 0.4	-0.8 ± 0.4	-0.7 ± 0.1	0.2 ± 0.2	-0.5 ± 0.2	0.6 ± 0.3	-3.7 ± 0.3	S E Asia M	W Africa M
48	-1.0 ± 0.5	-2.0 ± 0.1	0.2 ± 0.2	-2.0 ± 0.2	-0.9 ± 0.2	-2.9 ± 0.4	-1.4 ± 0.4	-0.7 ± 0.1	0.4 ± 0.3	-0.4 ± 0.2	0.5 ± 0.3	-4.2 ± 0.3	S E Asia M	W Africa M
49	-0.5 ± 0.5	-2.1 ± 0.1	0.2 ± 0.2	-1.8 ± 0.2	-0.7 ± 0.2	-3.2 ± 0.4	-1.6 ± 0.4	-0.7 ± 0.1	0.2 ± 0.2	-0.5 ± 0.2	0.5 ± 0.3	-4.3 ± 0.3	S E Asia M	W Africa M
50	-1.1 ± 0.6	-2.0 ± 0.1	0.4 ± 0.2	-1.6 ± 0.2	-0.7 ± 0.2	-3.1 ± 0.4	-1.8 ± 0.4	-0.7 ± 0.1	0.2 ± 0.3	-0.3 ± 0.2	0.8 ± 0.3	-4.7 ± 0.3	S E Asia M	W Africa M
51	-0.7 ± 0.5	-2.0 ± 0.1	0.3 ± 0.2	-1.6 ± 0.2	-0.7 ± 0.2	-3.1 ± 0.4	-2.1 ± 0.5	-0.7 ± 0.1	0.4 ± 0.3	-0.2 ± 0.2	0.7 ± 0.3	-5.0 ± 0.3	S E Asia M	W Africa M
52	-0.9 ± 0.6	-1.9 ± 0.1	0.6 ± 0.2	-1.6 ± 0.2	-0.4 ± 0.2	-3.5 ± 0.4	-1.8 ± 0.5	-0.8 ± 0.1	0.4 ± 0.3	-0.2 ± 0.2	0.5 ± 0.3	-5.0 ± 0.3	E Europe F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 53. *Mean raw error for Application-type images for algorithm dermalog-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.2 ± 0.4	4.4 ± 0.2	5.0 ± 0.3	4.1 ± 0.2	4.9 ± 0.4	3.0 ± 0.4	1.8 ± 0.3	3.3 ± 0.1	2.4 ± 0.3	2.6 ± 0.2	3.1 ± 0.3	2.4 ± 0.3	E Europe F	E Africa M
15	2.7 ± 0.5	4.4 ± 0.2	5.3 ± 0.3	5.0 ± 0.3	4.9 ± 0.4	2.7 ± 0.4	1.3 ± 0.3	3.6 ± 0.1	2.6 ± 0.3	3.5 ± 0.2	3.6 ± 0.3	2.7 ± 0.3	E Europe F	E Africa M
16	2.0 ± 0.5	4.3 ± 0.2	5.2 ± 0.3	4.7 ± 0.3	5.1 ± 0.4	2.6 ± 0.5	2.2 ± 0.3	3.6 ± 0.1	2.9 ± 0.3	3.9 ± 0.2	4.1 ± 0.3	3.0 ± 0.4	E Europe F	E Africa F
17	2.1 ± 0.5	3.9 ± 0.2	5.4 ± 0.4	4.8 ± 0.2	4.6 ± 0.4	2.2 ± 0.4	2.2 ± 0.4	3.2 ± 0.1	2.4 ± 0.3	3.9 ± 0.2	3.6 ± 0.3	3.2 ± 0.4	E Europe F	E Africa F
18	1.0 ± 0.4	3.2 ± 0.1	4.3 ± 0.3	4.0 ± 0.2	3.8 ± 0.2	1.5 ± 0.4	2.3 ± 0.3	2.4 ± 0.1	1.9 ± 0.2	3.5 ± 0.2	3.0 ± 0.2	2.8 ± 0.3	E Europe F	E Africa F
19	1.5 ± 0.4	2.7 ± 0.1	4.1 ± 0.3	3.8 ± 0.2	3.3 ± 0.2	1.5 ± 0.3	2.8 ± 0.3	2.0 ± 0.1	1.7 ± 0.2	3.5 ± 0.2	2.5 ± 0.2	2.8 ± 0.4	E Europe F	E Africa F
20	1.0 ± 0.4	2.4 ± 0.1	3.8 ± 0.3	3.5 ± 0.2	2.9 ± 0.2	1.0 ± 0.3	2.8 ± 0.4	1.7 ± 0.1	1.6 ± 0.2	3.5 ± 0.1	2.2 ± 0.2	2.7 ± 0.3	E Europe F	E Africa F
21	0.6 ± 0.4	1.9 ± 0.1	3.3 ± 0.2	3.2 ± 0.2	2.5 ± 0.2	0.7 ± 0.4	2.7 ± 0.3	1.1 ± 0.1	1.0 ± 0.2	3.1 ± 0.1	1.8 ± 0.2	2.6 ± 0.3	E Europe F	E Africa F
22	0.7 ± 0.4	1.2 ± 0.1	3.1 ± 0.2	2.8 ± 0.1	1.8 ± 0.2	0.0 ± 0.3	3.2 ± 0.4	0.7 ± 0.1	1.0 ± 0.2	2.8 ± 0.1	1.4 ± 0.2	2.3 ± 0.3	E Africa M	W Africa F
23	0.2 ± 0.3	0.9 ± 0.1	2.7 ± 0.2	2.6 ± 0.1	1.5 ± 0.2	-0.5 ± 0.3	2.9 ± 0.3	0.1 ± 0.1	0.6 ± 0.2	2.5 ± 0.1	0.9 ± 0.2	2.3 ± 0.3	E Africa M	W Africa F
24	0.0 ± 0.3	0.4 ± 0.1	2.3 ± 0.2	2.2 ± 0.1	1.1 ± 0.1	-1.0 ± 0.3	2.7 ± 0.3	-0.2 ± 0.1	0.4 ± 0.2	2.3 ± 0.1	0.4 ± 0.2	2.0 ± 0.3	E Africa M	W Africa F
25	-0.7 ± 0.3	-0.0 ± 0.1	1.9 ± 0.2	1.9 ± 0.1	0.5 ± 0.1	-1.4 ± 0.3	2.8 ± 0.3	-0.7 ± 0.1	-0.1 ± 0.2	1.9 ± 0.1	0.4 ± 0.2	1.5 ± 0.3	E Africa M	W Africa F
26	-0.7 ± 0.3	-0.4 ± 0.1	1.7 ± 0.1	1.3 ± 0.1	0.4 ± 0.1	-1.7 ± 0.3	2.3 ± 0.3	-1.0 ± 0.1	-0.2 ± 0.2	1.6 ± 0.1	-0.1 ± 0.2	1.1 ± 0.2	E Africa M	W Africa F
27	-1.0 ± 0.3	-0.7 ± 0.1	1.4 ± 0.1	0.8 ± 0.1	-0.1 ± 0.1	-2.1 ± 0.3	2.1 ± 0.3	-1.3 ± 0.1	-0.2 ± 0.2	1.2 ± 0.1	-0.1 ± 0.2	0.8 ± 0.2	E Africa M	W Africa F
28	-1.2 ± 0.3	-1.1 ± 0.1	1.2 ± 0.1	0.5 ± 0.1	-0.5 ± 0.1	-2.4 ± 0.3	1.6 ± 0.2	-1.6 ± 0.1	-0.4 ± 0.2	0.8 ± 0.1	-0.5 ± 0.2	0.4 ± 0.2	E Africa M	W Africa F
29	-1.7 ± 0.3	-1.4 ± 0.1	0.9 ± 0.2	0.2 ± 0.1	-0.8 ± 0.2	-2.7 ± 0.3	1.5 ± 0.3	-1.8 ± 0.1	-0.8 ± 0.2	0.46 ± 0.10	-0.9 ± 0.2	0.2 ± 0.2	E Africa M	W Africa F
30	-1.9 ± 0.3	-1.6 ± 0.1	0.4 ± 0.2	-0.3 ± 0.1	-1.0 ± 0.2	-3.1 ± 0.3	1.4 ± 0.3	-2.1 ± 0.1	-1.0 ± 0.2	0.04 ± 0.10	-1.1 ± 0.2	-0.1 ± 0.2	E Africa M	W Africa F
31	-2.4 ± 0.3	-1.9 ± 0.1	0.3 ± 0.2	-0.7 ± 0.1	-1.4 ± 0.2	-3.5 ± 0.3	0.9 ± 0.3	-2.2 ± 0.1	-1.2 ± 0.2	-0.31 ± 0.10	-1.4 ± 0.2	-0.4 ± 0.2	E Africa M	W Africa F
32	-2.4 ± 0.4	-2.1 ± 0.1	0.1 ± 0.2	-1.1 ± 0.1	-1.6 ± 0.2	-3.5 ± 0.3	0.5 ± 0.3	-2.4 ± 0.1	-1.4 ± 0.2	-0.53 ± 0.10	-1.4 ± 0.2	-0.8 ± 0.2	E Africa M	W Africa F
33	-3.0 ± 0.4	-2.3 ± 0.1	-0.0 ± 0.2	-1.4 ± 0.1	-1.8 ± 0.2	-3.9 ± 0.3	0.7 ± 0.3	-2.7 ± 0.1	-1.3 ± 0.2	-1.0 ± 0.1	-1.6 ± 0.3	-0.8 ± 0.2	E Africa M	W Africa F
34	-2.8 ± 0.4	-2.4 ± 0.1	-0.4 ± 0.2	-1.7 ± 0.1	-1.9 ± 0.2	-4.2 ± 0.3	0.0 ± 0.3	-2.8 ± 0.1	-1.7 ± 0.2	-1.3 ± 0.1	-1.6 ± 0.3	-1.2 ± 0.2	E Africa M	W Africa F
35	-3.0 ± 0.4	-2.6 ± 0.1	-0.7 ± 0.2	-2.1 ± 0.1	-2.3 ± 0.2	-4.3 ± 0.3	0.1 ± 0.3	-3.0 ± 0.2	-1.8 ± 0.2	-1.6 ± 0.1	-2.1 ± 0.3	-1.4 ± 0.3	E Africa M	W Africa F
36	-2.9 ± 0.4	-2.7 ± 0.1	-0.6 ± 0.2	-2.4 ± 0.1	-2.4 ± 0.2	-4.4 ± 0.4	-0.3 ± 0.3	-3.2 ± 0.2	-1.7 ± 0.3	-2.0 ± 0.1	-2.0 ± 0.3	-1.6 ± 0.3	E Africa M	W Africa F
37	-3.4 ± 0.4	-2.9 ± 0.1	-0.9 ± 0.2	-2.7 ± 0.1	-2.5 ± 0.2	-4.5 ± 0.4	-0.1 ± 0.3	-3.1 ± 0.2	-1.9 ± 0.3	-2.3 ± 0.1	-2.3 ± 0.3	-1.8 ± 0.3	E Africa M	W Africa F
38	-3.1 ± 0.5	-3.1 ± 0.1	-1.0 ± 0.2	-2.9 ± 0.1	-2.4 ± 0.2	-4.7 ± 0.4	-0.5 ± 0.4	-3.3 ± 0.2	-1.9 ± 0.3	-2.6 ± 0.1	-1.5 ± 0.3	-1.7 ± 0.3	E Africa M	W Africa F
39	-3.3 ± 0.5	-3.3 ± 0.1	-1.3 ± 0.2	-3.2 ± 0.2	-2.6 ± 0.2	-4.5 ± 0.4	-0.4 ± 0.4	-3.4 ± 0.2	-1.6 ± 0.3	-2.7 ± 0.1	-1.8 ± 0.3	-2.2 ± 0.3	E Africa M	W Africa F
40	-3.1 ± 0.5	-3.4 ± 0.1	-1.2 ± 0.2	-3.2 ± 0.2	-2.8 ± 0.2	-5.0 ± 0.4	-0.4 ± 0.4	-3.5 ± 0.2	-1.9 ± 0.3	-2.9 ± 0.1	-1.8 ± 0.3	-2.5 ± 0.3	E Africa M	W Africa F
41	-3.8 ± 0.5	-3.5 ± 0.1	-1.4 ± 0.2	-3.5 ± 0.2	-2.9 ± 0.2	-5.2 ± 0.5	-0.6 ± 0.4	-3.3 ± 0.2	-1.6 ± 0.3	-2.9 ± 0.2	-1.7 ± 0.3	-2.2 ± 0.4	E Africa M	W Africa F
42	-2.9 ± 0.5	-3.5 ± 0.1	-1.4 ± 0.3	-3.3 ± 0.2	-3.0 ± 0.2	-5.0 ± 0.5	-0.5 ± 0.4	-3.3 ± 0.2	-1.3 ± 0.3	-3.1 ± 0.2	-1.4 ± 0.3	-2.3 ± 0.4	E Africa M	W Africa F
43	-3.2 ± 0.5	-3.7 ± 0.1	-1.3 ± 0.3	-3.8 ± 0.2	-3.2 ± 0.2	-5.2 ± 0.5	-0.3 ± 0.4	-3.0 ± 0.2	-1.5 ± 0.4	-3.1 ± 0.2	-1.2 ± 0.3	-2.8 ± 0.4	E Africa M	W Africa F
44	-2.9 ± 0.6	-4.0 ± 0.1	-1.8 ± 0.3	-3.6 ± 0.2	-2.7 ± 0.2	-5.2 ± 0.5	-1.1 ± 0.4	-2.9 ± 0.2	-1.0 ± 0.3	-3.2 ± 0.2	-1.0 ± 0.3	-2.6 ± 0.4	E Europe M	W Africa F
45	-3.6 ± 0.6	-3.9 ± 0.1	-1.9 ± 0.3	-3.8 ± 0.2	-3.0 ± 0.3	-5.4 ± 0.5	-1.3 ± 0.5	-2.9 ± 0.2	-0.9 ± 0.4	-2.9 ± 0.2	-1.1 ± 0.3	-2.9 ± 0.4	E Europe M	W Africa F
46	-2.8 ± 0.6	-4.1 ± 0.1	-2.0 ± 0.3	-3.6 ± 0.2	-3.3 ± 0.3	-5.0 ± 0.5	-1.2 ± 0.5	-2.8 ± 0.2	-0.8 ± 0.4	-2.8 ± 0.2	-1.1 ± 0.3	-3.2 ± 0.4	E Europe M	W Africa F
47	-2.7 ± 0.7	-4.0 ± 0.1	-1.9 ± 0.3	-3.6 ± 0.2	-3.1 ± 0.3	-5.1 ± 0.5	-0.7 ± 0.5	-2.4 ± 0.2	-0.8 ± 0.3	-2.9 ± 0.2	-0.6 ± 0.3	-2.7 ± 0.4	S E Asia M	W Africa F
48	-3.0 ± 0.7	-4.1 ± 0.1	-2.0 ± 0.3	-3.7 ± 0.3	-3.2 ± 0.3	-5.0 ± 0.5	-1.2 ± 0.5	-2.5 ± 0.2	-0.8 ± 0.4	-2.9 ± 0.2	-0.9 ± 0.3	-3.1 ± 0.4	E Europe M	W Africa F
49	-3.1 ± 0.7	-4.2 ± 0.2	-2.1 ± 0.3	-3.7 ± 0.2	-3.0 ± 0.3	-5.4 ± 0.6	-1.6 ± 0.6	-2.4 ± 0.2	-0.7 ± 0.3	-2.8 ± 0.2	-1.0 ± 0.3	-3.4 ± 0.4	E Europe M	W Africa F
50	-3.5 ± 0.8	-4.3 ± 0.2	-2.1 ± 0.3	-3.7 ± 0.2	-3.3 ± 0.3	-5.0 ± 0.6	-1.9 ± 0.5	-2.2 ± 0.2	-0.9 ± 0.4	-2.9 ± 0.2	-0.5 ± 0.3	-3.2 ± 0.4	S E Asia M	W Africa F
51	-2.9 ± 0.6	-4.5 ± 0.2	-2.2 ± 0.3	-3.9 ± 0.2	-3.3 ± 0.3	-5.2 ± 0.6	-1.7 ± 0.6	-2.2 ± 0.2	-0.8 ± 0.3	-2.8 ± 0.3	-0.8 ± 0.3	-3.4 ± 0.5	S E Asia M	W Africa F
52	-3.0 ± 0.7	-4.4 ± 0.2	-2.2 ± 0.3	-4.3 ± 0.2	-3.1 ± 0.3	-5.8 ± 0.6	-1.8 ± 0.6	-2.2 ± 0.2	-1.1 ± 0.4	-2.9 ± 0.3	-1.1 ± 0.3	-3.6 ± 0.5	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 54. *Mean raw error for Application-type images for algorithm dermalog-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.2 ± 0.4	4.7 ± 0.2	4.5 ± 0.4	3.2 ± 0.3	4.3 ± 0.4	2.7 ± 0.5	1.1 ± 0.3	1.6 ± 0.2	0.3 ± 0.3	1.2 ± 0.2	1.7 ± 0.3	2.3 ± 0.4	E Asia F	E Europe M
15	1.0 ± 0.5	5.1 ± 0.2	5.3 ± 0.4	3.8 ± 0.3	4.9 ± 0.5	2.6 ± 0.6	1.2 ± 0.3	2.2 ± 0.2	0.8 ± 0.4	2.0 ± 0.2	2.1 ± 0.3	2.5 ± 0.4	E Europe F	E Europe M
16	0.7 ± 0.5	5.3 ± 0.2	5.3 ± 0.4	4.0 ± 0.3	5.2 ± 0.4	2.6 ± 0.5	2.2 ± 0.3	2.4 ± 0.2	1.5 ± 0.4	2.4 ± 0.2	2.8 ± 0.3	2.7 ± 0.4	E Asia F	E Africa F
17	0.9 ± 0.5	5.1 ± 0.2	4.9 ± 0.5	4.1 ± 0.3	5.1 ± 0.4	2.4 ± 0.5	2.0 ± 0.3	2.4 ± 0.2	1.7 ± 0.3	2.7 ± 0.2	2.8 ± 0.3	2.7 ± 0.4	E Asia F	E Africa F
18	0.3 ± 0.4	4.6 ± 0.2	4.8 ± 0.4	3.4 ± 0.2	4.5 ± 0.3	1.7 ± 0.4	2.0 ± 0.3	1.8 ± 0.1	1.7 ± 0.3	2.4 ± 0.2	2.3 ± 0.3	2.4 ± 0.3	E Europe F	E Africa F
19	0.3 ± 0.4	4.1 ± 0.2	4.5 ± 0.3	3.5 ± 0.2	4.3 ± 0.2	1.5 ± 0.4	2.2 ± 0.3	1.7 ± 0.1	1.5 ± 0.3	2.5 ± 0.2	2.0 ± 0.2	2.3 ± 0.3	E Europe F	E Africa F
20	-0.4 ± 0.4	4.0 ± 0.2	4.1 ± 0.3	2.9 ± 0.2	4.1 ± 0.2	1.5 ± 0.4	2.2 ± 0.3	1.4 ± 0.1	1.7 ± 0.3	2.5 ± 0.2	1.9 ± 0.2	2.0 ± 0.3	E Europe F	E Africa F
21	-0.7 ± 0.4	3.5 ± 0.1	3.8 ± 0.3	2.5 ± 0.2	3.5 ± 0.2	0.9 ± 0.4	1.8 ± 0.3	1.1 ± 0.1	1.6 ± 0.3	2.4 ± 0.2	1.5 ± 0.2	2.0 ± 0.3	E Europe F	E Africa F
22	-0.8 ± 0.4	3.0 ± 0.1	3.4 ± 0.2	1.7 ± 0.2	3.0 ± 0.2	0.3 ± 0.4	2.0 ± 0.3	0.6 ± 0.1	1.8 ± 0.3	1.9 ± 0.2	1.0 ± 0.2	1.5 ± 0.3	E Europe F	E Africa F
23	-1.6 ± 0.4	2.5 ± 0.1	3.3 ± 0.2	1.7 ± 0.2	2.6 ± 0.1	-0.2 ± 0.3	1.4 ± 0.3	0.3 ± 0.1	1.3 ± 0.3	1.7 ± 0.2	0.5 ± 0.2	1.3 ± 0.3	E Europe F	E Africa F
24	-1.8 ± 0.4	2.1 ± 0.1	2.9 ± 0.2	1.1 ± 0.1	2.1 ± 0.1	-0.9 ± 0.3	1.2 ± 0.3	-0.1 ± 0.1	1.2 ± 0.2	1.5 ± 0.2	0.2 ± 0.2	1.0 ± 0.3	E Europe F	E Africa F
25	-2.3 ± 0.3	1.57 ± 0.10	2.5 ± 0.2	0.5 ± 0.1	1.5 ± 0.1	-1.5 ± 0.3	0.9 ± 0.3	-0.4 ± 0.1	1.0 ± 0.2	1.1 ± 0.1	-0.1 ± 0.2	0.4 ± 0.3	E Europe F	E Africa F
26	-2.7 ± 0.3	1.05 ± 0.10	2.1 ± 0.2	-0.1 ± 0.1	1.1 ± 0.1	-1.9 ± 0.3	0.6 ± 0.3	-0.8 ± 0.1	0.6 ± 0.2	0.5 ± 0.1	-0.6 ± 0.2	-0.1 ± 0.2	E Europe F	E Africa F
27	-2.9 ± 0.3	0.60 ± 0.09	1.8 ± 0.2	-0.7 ± 0.1	0.6 ± 0.1	-2.3 ± 0.3	0.1 ± 0.3	-0.9 ± 0.1	0.8 ± 0.2	0.1 ± 0.1	-0.4 ± 0.2	-0.5 ± 0.2	E Europe F	E Africa F
28	-3.3 ± 0.3	0.11 ± 0.09	1.6 ± 0.2	-1.2 ± 0.1	0.2 ± 0.1	-2.8 ± 0.3	-0.4 ± 0.2	-1.3 ± 0.2	0.6 ± 0.2	-0.4 ± 0.1	-0.8 ± 0.2	-0.9 ± 0.2	E Europe F	E Africa F
29	-3.6 ± 0.3	-0.27 ± 0.09	1.3 ± 0.2	-1.7 ± 0.1	-0.2 ± 0.1	-3.0 ± 0.3	-0.8 ± 0.3	-1.5 ± 0.1	0.2 ± 0.2	-1.0 ± 0.1	-1.2 ± 0.2	-1.2 ± 0.2	E Europe F	E Africa F
30	-3.9 ± 0.3	-0.67 ± 0.09	1.1 ± 0.2	-2.2 ± 0.1	-0.6 ± 0.2	-3.8 ± 0.3	-1.1 ± 0.3	-1.9 ± 0.1	0.0 ± 0.2	-1.4 ± 0.1	-1.5 ± 0.2	-1.7 ± 0.2	E Europe F	E Africa F
31	-4.4 ± 0.3	-1.06 ± 0.10	0.8 ± 0.2	-2.7 ± 0.1	-0.9 ± 0.2	-4.4 ± 0.3	-1.5 ± 0.3	-2.0 ± 0.1	-0.4 ± 0.2	-1.8 ± 0.1	-2.0 ± 0.3	-2.1 ± 0.2	E Europe F	E Africa F
32	-4.6 ± 0.4	-1.4 ± 0.1	0.6 ± 0.2	-3.1 ± 0.1	-1.3 ± 0.2	-4.5 ± 0.3	-2.0 ± 0.3	-2.4 ± 0.1	-0.4 ± 0.2	-2.2 ± 0.1	-1.8 ± 0.3	-2.6 ± 0.3	E Europe F	E Africa F
33	-5.0 ± 0.4	-1.8 ± 0.1	0.5 ± 0.2	-3.5 ± 0.1	-1.7 ± 0.2	-4.8 ± 0.3	-2.1 ± 0.3	-2.8 ± 0.1	-0.3 ± 0.2	-2.8 ± 0.1	-2.0 ± 0.3	-2.8 ± 0.3	E Europe F	E Africa F
34	-5.4 ± 0.4	-1.9 ± 0.1	0.0 ± 0.2	-3.8 ± 0.1	-1.6 ± 0.2	-5.4 ± 0.3	-2.7 ± 0.3	-2.9 ± 0.2	-0.8 ± 0.2	-3.1 ± 0.1	-2.5 ± 0.3	-3.2 ± 0.3	E Europe F	W Africa F
35	-5.3 ± 0.4	-2.3 ± 0.1	-0.1 ± 0.2	-4.2 ± 0.1	-2.1 ± 0.2	-5.8 ± 0.3	-2.9 ± 0.3	-3.1 ± 0.2	-1.0 ± 0.2	-3.5 ± 0.1	-2.7 ± 0.3	-3.7 ± 0.3	E Europe F	W Africa F
36	-5.7 ± 0.5	-2.3 ± 0.1	-0.2 ± 0.2	-4.7 ± 0.2	-2.2 ± 0.2	-6.0 ± 0.4	-3.3 ± 0.4	-3.4 ± 0.2	-0.9 ± 0.2	-3.9 ± 0.1	-2.9 ± 0.3	-4.1 ± 0.3	E Europe F	W Africa F
37	-6.1 ± 0.5	-2.7 ± 0.1	-0.4 ± 0.2	-4.9 ± 0.2	-2.5 ± 0.2	-6.4 ± 0.4	-3.4 ± 0.3	-3.4 ± 0.2	-1.3 ± 0.3	-4.3 ± 0.1	-3.1 ± 0.3	-4.2 ± 0.3	E Europe F	W Africa F
38	-5.6 ± 0.5	-2.9 ± 0.1	-0.3 ± 0.2	-5.2 ± 0.2	-2.4 ± 0.2	-6.4 ± 0.4	-3.7 ± 0.4	-3.7 ± 0.2	-1.3 ± 0.2	-4.6 ± 0.1	-2.7 ± 0.3	-4.5 ± 0.3	E Europe F	W Africa F
39	-6.0 ± 0.5	-3.0 ± 0.1	-0.6 ± 0.3	-5.5 ± 0.2	-2.5 ± 0.2	-6.7 ± 0.4	-3.8 ± 0.4	-3.8 ± 0.2	-1.4 ± 0.3	-4.8 ± 0.2	-2.9 ± 0.3	-4.9 ± 0.3	E Europe F	W Africa F
40	-6.5 ± 0.5	-3.1 ± 0.1	-0.8 ± 0.3	-5.5 ± 0.2	-2.6 ± 0.3	-7.2 ± 0.4	-3.8 ± 0.4	-3.9 ± 0.2	-1.6 ± 0.3	-5.1 ± 0.2	-3.1 ± 0.3	-5.4 ± 0.3	E Europe F	W Africa F
41	-6.6 ± 0.6	-3.2 ± 0.1	-0.9 ± 0.3	-5.6 ± 0.2	-3.0 ± 0.3	-7.5 ± 0.5	-4.5 ± 0.4	-3.9 ± 0.2	-1.9 ± 0.3	-5.3 ± 0.2	-3.3 ± 0.3	-5.3 ± 0.4	E Europe F	W Africa F
42	-5.9 ± 0.6	-3.2 ± 0.1	-0.9 ± 0.3	-5.5 ± 0.2	-2.7 ± 0.3	-7.3 ± 0.5	-4.3 ± 0.5	-3.9 ± 0.2	-1.7 ± 0.3	-5.5 ± 0.2	-3.0 ± 0.3	-5.6 ± 0.4	E Europe F	W Africa F
43	-6.4 ± 0.7	-3.4 ± 0.1	-0.9 ± 0.3	-5.8 ± 0.2	-3.0 ± 0.3	-7.5 ± 0.5	-4.1 ± 0.5	-3.7 ± 0.2	-2.0 ± 0.3	-5.5 ± 0.2	-3.2 ± 0.3	-6.1 ± 0.4	E Europe F	W Africa F
44	-6.4 ± 0.7	-3.6 ± 0.2	-1.3 ± 0.3	-5.6 ± 0.3	-2.4 ± 0.3	-7.6 ± 0.6	-4.9 ± 0.5	-3.8 ± 0.2	-1.7 ± 0.3	-5.7 ± 0.2	-3.0 ± 0.3	-5.9 ± 0.4	E Europe F	W Africa F
45	-6.6 ± 0.7	-3.5 ± 0.2	-1.2 ± 0.3	-5.6 ± 0.3	-2.8 ± 0.3	-7.7 ± 0.6	-4.8 ± 0.5	-4.0 ± 0.2	-1.9 ± 0.3	-5.7 ± 0.2	-3.0 ± 0.4	-6.3 ± 0.4	E Europe F	W Africa F
46	-5.6 ± 0.7	-3.7 ± 0.2	-1.7 ± 0.3	-5.4 ± 0.3	-3.2 ± 0.3	-7.9 ± 0.6	-4.8 ± 0.5	-4.0 ± 0.2	-2.0 ± 0.3	-5.3 ± 0.2	-2.8 ± 0.4	-6.5 ± 0.5	E Europe F	W Africa F
47	-5.6 ± 0.8	-3.5 ± 0.2	-1.4 ± 0.4	-5.4 ± 0.3	-2.8 ± 0.3	-7.6 ± 0.6	-4.4 ± 0.5	-3.6 ± 0.2	-2.3 ± 0.3	-5.5 ± 0.2	-2.9 ± 0.4	-6.3 ± 0.5	E Europe F	W Africa F
48	-6.0 ± 0.9	-3.5 ± 0.2	-1.5 ± 0.3	-5.4 ± 0.3	-3.0 ± 0.3	-7.5 ± 0.6	-5.5 ± 0.6	-3.9 ± 0.2	-2.2 ± 0.4	-5.5 ± 0.3	-2.8 ± 0.4	-6.8 ± 0.5	E Europe F	W Africa F
49	-6.0 ± 0.9	-3.7 ± 0.2	-1.5 ± 0.3	-5.2 ± 0.3	-2.8 ± 0.3	-7.8 ± 0.7	-5.1 ± 0.6	-3.7 ± 0.2	-2.2 ± 0.4	-5.5 ± 0.3	-2.8 ± 0.4	-6.8 ± 0.5	E Europe F	W Africa F
50	-6.1 ± 0.9	-3.7 ± 0.2	-1.5 ± 0.3	-5.3 ± 0.3	-3.1 ± 0.3	-7.5 ± 0.6	-6.0 ± 0.7	-3.8 ± 0.2	-2.5 ± 0.4	-5.8 ± 0.3	-2.3 ± 0.4	-7.1 ± 0.5	E Europe F	W Africa F
51	-5.8 ± 0.8	-3.8 ± 0.2	-1.7 ± 0.3	-5.2 ± 0.3	-3.1 ± 0.3	-8.0 ± 0.7	-5.9 ± 0.7	-3.6 ± 0.2	-2.3 ± 0.4	-6.0 ± 0.3	-2.3 ± 0.4	-6.5 ± 0.6	E Europe F	W Africa F
52	-5.9 ± 0.9	-3.9 ± 0.2	-1.7 ± 0.3	-5.6 ± 0.3	-2.6 ± 0.3	-8.4 ± 0.7	-5.7 ± 0.7	-3.6 ± 0.2	-2.7 ± 0.4	-6.0 ± 0.3	-2.9 ± 0.4	-7.6 ± 0.6	E Europe F	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 55. *Mean raw error for Application-type images for algorithm dermalog-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.9 ± 0.3	1.7 ± 0.1	1.9 ± 0.3	1.5 ± 0.2	1.5 ± 0.3	3.2 ± 0.3	0.9 ± 0.3	0.8 ± 0.1	-0.2 ± 0.2	0.1 ± 0.1	0.5 ± 0.2	1.8 ± 0.3	W Africa F	E Europe M
15	2.2 ± 0.4	2.2 ± 0.2	2.4 ± 0.3	2.1 ± 0.2	2.0 ± 0.4	3.1 ± 0.3	0.8 ± 0.3	1.1 ± 0.1	0.0 ± 0.2	0.6 ± 0.1	0.9 ± 0.2	2.1 ± 0.3	W Africa F	E Europe M
16	2.0 ± 0.3	2.4 ± 0.2	2.6 ± 0.3	2.2 ± 0.2	2.6 ± 0.3	3.1 ± 0.4	1.4 ± 0.3	1.2 ± 0.1	0.6 ± 0.3	0.9 ± 0.2	1.2 ± 0.2	2.0 ± 0.3	W Africa F	E Europe M
17	2.2 ± 0.4	2.2 ± 0.1	2.4 ± 0.3	2.3 ± 0.2	2.7 ± 0.3	2.6 ± 0.3	1.2 ± 0.3	1.3 ± 0.1	0.5 ± 0.2	1.1 ± 0.2	1.5 ± 0.2	2.0 ± 0.3	S E Asia F	E Europe M
18	1.6 ± 0.3	1.7 ± 0.1	1.7 ± 0.3	1.7 ± 0.2	2.3 ± 0.2	1.9 ± 0.3	1.1 ± 0.2	0.95 ± 0.10	0.4 ± 0.2	1.0 ± 0.1	1.2 ± 0.2	1.4 ± 0.3	S E Asia F	E Europe M
19	1.3 ± 0.3	1.5 ± 0.1	1.5 ± 0.3	1.7 ± 0.1	1.8 ± 0.2	1.6 ± 0.3	1.3 ± 0.3	0.9 ± 0.1	0.2 ± 0.2	1.2 ± 0.1	1.1 ± 0.2	1.6 ± 0.3	S E Asia F	E Europe M
20	1.1 ± 0.3	1.3 ± 0.1	1.2 ± 0.2	1.3 ± 0.2	1.6 ± 0.1	1.2 ± 0.3	1.3 ± 0.3	0.63 ± 0.10	0.4 ± 0.2	1.2 ± 0.1	0.9 ± 0.2	1.2 ± 0.3	S E Asia F	E Europe M
21	0.7 ± 0.3	0.9 ± 0.1	0.6 ± 0.2	0.8 ± 0.1	1.2 ± 0.1	1.0 ± 0.3	1.3 ± 0.3	0.38 ± 0.09	0.2 ± 0.2	1.0 ± 0.1	0.6 ± 0.2	1.1 ± 0.3	E Africa M	E Europe M
22	0.4 ± 0.3	0.35 ± 0.10	0.3 ± 0.2	0.1 ± 0.1	0.7 ± 0.1	0.3 ± 0.3	1.5 ± 0.3	-0.07 ± 0.09	0.0 ± 0.2	0.6 ± 0.1	0.2 ± 0.1	1.0 ± 0.3	E Africa M	E Asia M
23	-0.1 ± 0.3	-0.04 ± 0.09	-0.0 ± 0.2	-0.1 ± 0.1	0.2 ± 0.1	-0.3 ± 0.2	1.1 ± 0.3	-0.52 ± 0.10	-0.3 ± 0.2	0.4 ± 0.1	-0.2 ± 0.2	0.6 ± 0.3	E Africa M	E Asia M
24	-0.5 ± 0.3	-0.57 ± 0.09	-0.4 ± 0.1	-0.7 ± 0.1	-0.4 ± 0.1	-0.7 ± 0.3	0.8 ± 0.3	-0.9 ± 0.1	-0.6 ± 0.2	0.1 ± 0.1	-0.6 ± 0.2	0.3 ± 0.3	E Africa M	E Asia M
25	-1.1 ± 0.3	-0.97 ± 0.09	-0.7 ± 0.1	-1.23 ± 0.10	-0.8 ± 0.1	-1.2 ± 0.3	0.9 ± 0.3	-1.1 ± 0.1	-0.8 ± 0.2	-0.2 ± 0.1	-0.9 ± 0.2	-0.0 ± 0.3	E Africa M	S Asia F
26	-1.4 ± 0.3	-1.44 ± 0.09	-1.1 ± 0.1	-1.82 ± 0.10	-1.1 ± 0.1	-1.7 ± 0.2	0.6 ± 0.3	-1.5 ± 0.1	-1.1 ± 0.2	-0.7 ± 0.1	-1.2 ± 0.2	-0.4 ± 0.3	E Africa M	S Asia F
27	-1.7 ± 0.3	-1.78 ± 0.09	-1.2 ± 0.2	-2.32 ± 0.10	-1.6 ± 0.1	-2.1 ± 0.2	0.2 ± 0.3	-1.7 ± 0.1	-1.1 ± 0.2	-0.9 ± 0.1	-1.1 ± 0.2	-0.6 ± 0.3	E Africa M	S Asia F
28	-2.0 ± 0.3	-2.1 ± 0.1	-1.4 ± 0.2	-2.7 ± 0.1	-1.9 ± 0.1	-2.5 ± 0.3	-0.1 ± 0.3	-1.8 ± 0.1	-1.1 ± 0.2	-1.3 ± 0.1	-1.3 ± 0.2	-0.9 ± 0.3	E Africa M	S Asia F
29	-2.3 ± 0.3	-2.3 ± 0.1	-1.4 ± 0.2	-3.0 ± 0.1	-2.1 ± 0.2	-2.9 ± 0.3	-0.3 ± 0.3	-1.9 ± 0.1	-1.2 ± 0.2	-1.7 ± 0.1	-1.7 ± 0.2	-0.9 ± 0.3	E Africa M	S Asia F
30	-2.7 ± 0.3	-2.5 ± 0.1	-1.6 ± 0.2	-3.5 ± 0.1	-2.3 ± 0.2	-3.3 ± 0.3	-0.3 ± 0.3	-2.1 ± 0.1	-1.3 ± 0.2	-1.9 ± 0.1	-1.7 ± 0.2	-1.2 ± 0.3	E Africa M	S Asia F
31	-2.9 ± 0.3	-2.7 ± 0.1	-1.5 ± 0.2	-3.8 ± 0.1	-2.7 ± 0.2	-3.7 ± 0.3	-0.2 ± 0.3	-2.2 ± 0.1	-1.4 ± 0.2	-2.2 ± 0.1	-2.1 ± 0.3	-1.3 ± 0.3	E Africa M	S Asia F
32	-3.1 ± 0.3	-2.7 ± 0.1	-1.5 ± 0.2	-4.1 ± 0.1	-2.6 ± 0.2	-3.9 ± 0.3	-0.7 ± 0.3	-2.3 ± 0.1	-1.2 ± 0.2	-2.3 ± 0.1	-1.9 ± 0.3	-1.4 ± 0.3	E Africa M	S Asia F
33	-3.6 ± 0.3	-2.9 ± 0.1	-1.5 ± 0.2	-4.3 ± 0.1	-3.0 ± 0.2	-4.3 ± 0.3	-0.7 ± 0.3	-2.4 ± 0.1	-0.9 ± 0.2	-2.6 ± 0.1	-2.0 ± 0.3	-1.5 ± 0.3	E Africa M	W Africa F
34	-3.6 ± 0.4	-2.9 ± 0.1	-1.7 ± 0.2	-4.5 ± 0.1	-2.7 ± 0.2	-4.4 ± 0.3	-1.1 ± 0.3	-2.6 ± 0.1	-1.4 ± 0.2	-2.7 ± 0.1	-2.1 ± 0.3	-1.7 ± 0.3	E Africa M	S Asia F
35	-3.5 ± 0.4	-3.0 ± 0.1	-1.7 ± 0.2	-4.7 ± 0.2	-2.9 ± 0.2	-5.0 ± 0.3	-1.0 ± 0.3	-2.7 ± 0.2	-1.4 ± 0.2	-3.0 ± 0.1	-2.3 ± 0.3	-1.9 ± 0.3	E Africa M	W Africa F
36	-3.7 ± 0.4	-2.8 ± 0.1	-1.5 ± 0.2	-5.0 ± 0.2	-2.9 ± 0.2	-4.9 ± 0.4	-1.5 ± 0.3	-2.8 ± 0.1	-1.5 ± 0.2	-3.1 ± 0.1	-2.4 ± 0.3	-2.3 ± 0.3	E Africa M	S Asia F
37	-4.0 ± 0.4	-3.0 ± 0.1	-1.6 ± 0.3	-4.9 ± 0.2	-3.0 ± 0.2	-5.3 ± 0.4	-1.1 ± 0.3	-2.9 ± 0.1	-1.8 ± 0.2	-3.3 ± 0.1	-2.7 ± 0.3	-2.3 ± 0.3	E Africa M	W Africa F
38	-3.6 ± 0.5	-3.1 ± 0.1	-1.5 ± 0.3	-5.0 ± 0.2	-2.9 ± 0.2	-5.2 ± 0.4	-1.6 ± 0.3	-3.1 ± 0.2	-1.8 ± 0.2	-3.6 ± 0.1	-2.3 ± 0.3	-2.6 ± 0.3	E Europe F	W Africa F
39	-3.7 ± 0.5	-3.1 ± 0.1	-1.6 ± 0.3	-5.1 ± 0.2	-2.9 ± 0.2	-5.0 ± 0.4	-1.5 ± 0.3	-3.2 ± 0.2	-1.7 ± 0.2	-3.6 ± 0.1	-2.4 ± 0.3	-2.8 ± 0.3	E Africa M	S Asia F
40	-4.0 ± 0.5	-3.1 ± 0.1	-1.5 ± 0.3	-5.0 ± 0.2	-3.0 ± 0.3	-5.9 ± 0.4	-1.5 ± 0.4	-3.3 ± 0.2	-1.9 ± 0.3	-3.7 ± 0.2	-2.6 ± 0.3	-2.8 ± 0.3	E Africa M	W Africa F
41	-4.5 ± 0.5	-3.2 ± 0.1	-1.6 ± 0.3	-5.0 ± 0.2	-3.1 ± 0.3	-6.1 ± 0.4	-1.8 ± 0.4	-3.1 ± 0.2	-2.0 ± 0.3	-3.7 ± 0.2	-2.8 ± 0.3	-3.0 ± 0.3	E Europe F	W Africa F
42	-3.4 ± 0.5	-3.1 ± 0.1	-1.4 ± 0.3	-4.6 ± 0.2	-3.0 ± 0.3	-5.9 ± 0.5	-1.9 ± 0.4	-3.2 ± 0.2	-1.7 ± 0.3	-3.8 ± 0.2	-2.4 ± 0.3	-3.3 ± 0.3	E Europe F	W Africa F
43	-3.8 ± 0.6	-3.2 ± 0.1	-1.6 ± 0.3	-5.0 ± 0.2	-3.2 ± 0.3	-5.8 ± 0.5	-1.6 ± 0.4	-3.1 ± 0.2	-2.1 ± 0.3	-3.7 ± 0.2	-2.3 ± 0.3	-3.9 ± 0.4	E Africa M	W Africa F
44	-3.8 ± 0.6	-3.5 ± 0.1	-1.6 ± 0.3	-4.7 ± 0.3	-2.6 ± 0.3	-6.0 ± 0.5	-2.3 ± 0.4	-3.1 ± 0.2	-1.7 ± 0.3	-3.9 ± 0.2	-2.3 ± 0.3	-3.7 ± 0.3	E Europe F	W Africa F
45	-3.9 ± 0.6	-3.3 ± 0.1	-1.8 ± 0.3	-4.7 ± 0.3	-2.9 ± 0.3	-6.0 ± 0.5	-2.4 ± 0.4	-3.2 ± 0.2	-1.7 ± 0.3	-3.7 ± 0.2	-2.4 ± 0.3	-3.9 ± 0.3	E Europe M	W Africa F
46	-2.7 ± 0.6	-3.5 ± 0.1	-1.8 ± 0.3	-4.4 ± 0.3	-3.3 ± 0.3	-5.8 ± 0.5	-2.6 ± 0.5	-3.1 ± 0.2	-1.6 ± 0.3	-3.4 ± 0.2	-2.2 ± 0.3	-4.3 ± 0.4	E Europe M	W Africa F
47	-3.1 ± 0.7	-3.3 ± 0.2	-1.6 ± 0.3	-4.4 ± 0.3	-2.9 ± 0.3	-6.0 ± 0.5	-2.0 ± 0.5	-3.0 ± 0.2	-1.7 ± 0.3	-3.4 ± 0.2	-2.2 ± 0.3	-4.2 ± 0.4	E Europe F	W Africa F
48	-3.2 ± 0.7	-3.3 ± 0.2	-1.6 ± 0.3	-4.1 ± 0.3	-3.0 ± 0.3	-5.9 ± 0.5	-2.8 ± 0.5	-3.0 ± 0.2	-1.5 ± 0.4	-3.4 ± 0.2	-2.3 ± 0.4	-4.8 ± 0.4	E Europe M	W Africa F
49	-3.0 ± 0.8	-3.5 ± 0.2	-1.8 ± 0.3	-4.0 ± 0.3	-2.8 ± 0.3	-6.3 ± 0.6	-2.8 ± 0.5	-2.9 ± 0.2	-1.5 ± 0.3	-3.3 ± 0.2	-2.0 ± 0.4	-4.7 ± 0.4	E Europe M	W Africa F
50	-3.6 ± 0.8	-3.4 ± 0.2	-1.4 ± 0.3	-4.1 ± 0.3	-3.0 ± 0.3	-5.9 ± 0.6	-3.2 ± 0.5	-2.9 ± 0.2	-1.7 ± 0.4	-3.4 ± 0.2	-1.6 ± 0.4	-5.1 ± 0.4	E Europe F	W Africa F
51	-3.2 ± 0.7	-3.5 ± 0.2	-1.8 ± 0.3	-4.0 ± 0.3	-3.1 ± 0.3	-6.0 ± 0.6	-3.2 ± 0.6	-2.8 ± 0.2	-1.3 ± 0.3	-3.4 ± 0.3	-1.7 ± 0.3	-5.0 ± 0.4	E Europe M	W Africa F
52	-3.4 ± 0.7	-3.6 ± 0.2	-1.8 ± 0.3	-4.2 ± 0.3	-2.6 ± 0.3	-6.7 ± 0.6	-3.5 ± 0.6	-2.8 ± 0.2	-1.7 ± 0.4	-3.4 ± 0.3	-2.1 ± 0.4	-5.4 ± 0.5	E Europe M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 56. *Mean raw error for Application-type images for algorithm facehawk-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.6 ± 0.8	1.7 ± 0.3	6.9 ± 0.9	8.1 ± 0.4	3.1 ± 0.7	3.8 ± 1.0	4.7 ± 0.7	-0.0 ± 0.3	1.6 ± 0.8	5.5 ± 0.4	1.5 ± 0.6	4.8 ± 1.0	S Asia F	E Asia M
15	3.5 ± 1.0	1.5 ± 0.4	6.9 ± 0.9	8.3 ± 0.5	3.1 ± 0.7	2.9 ± 1.0	4.6 ± 0.8	0.3 ± 0.3	1.5 ± 1.0	5.8 ± 0.4	2.3 ± 0.7	4.9 ± 1.0	S Asia F	E Asia M
16	3.3 ± 0.9	1.1 ± 0.4	7.1 ± 0.9	7.4 ± 0.5	3.2 ± 0.7	2.8 ± 1.1	5.7 ± 0.8	0.2 ± 0.3	4.3 ± 1.0	6.0 ± 0.4	1.8 ± 0.6	4.9 ± 1.0	S Asia F	E Asia M
17	3.0 ± 0.9	0.8 ± 0.4	7.3 ± 0.9	6.8 ± 0.5	2.3 ± 0.7	2.4 ± 0.9	5.3 ± 0.8	-0.4 ± 0.3	3.2 ± 0.9	5.9 ± 0.4	2.6 ± 0.7	5.3 ± 0.8	E Europe F	E Asia M
18	2.4 ± 0.7	0.1 ± 0.3	6.2 ± 0.7	6.2 ± 0.3	1.5 ± 0.5	1.2 ± 0.7	5.1 ± 0.6	-1.0 ± 0.3	3.4 ± 0.7	5.3 ± 0.3	1.0 ± 0.5	5.0 ± 0.7	S Asia F	E Asia M
19	0.8 ± 0.7	-0.5 ± 0.3	6.2 ± 0.7	5.9 ± 0.3	0.4 ± 0.5	0.3 ± 0.8	4.9 ± 0.6	-1.7 ± 0.3	2.5 ± 0.7	5.2 ± 0.3	0.4 ± 0.4	3.3 ± 0.7	E Europe F	E Asia M
20	0.7 ± 0.7	-1.1 ± 0.3	5.1 ± 0.6	4.6 ± 0.3	-0.4 ± 0.4	-0.4 ± 0.7	4.8 ± 0.6	-2.3 ± 0.3	2.3 ± 0.7	4.8 ± 0.2	-0.4 ± 0.4	3.5 ± 0.7	E Europe F	E Asia M
21	0.6 ± 0.6	-1.8 ± 0.3	5.1 ± 0.5	3.8 ± 0.3	-0.7 ± 0.4	-0.4 ± 0.7	3.8 ± 0.5	-3.0 ± 0.3	2.2 ± 0.7	4.0 ± 0.2	-0.9 ± 0.4	2.8 ± 0.6	E Europe F	E Asia M
22	-0.7 ± 0.6	-3.0 ± 0.3	4.9 ± 0.5	3.0 ± 0.3	-1.5 ± 0.3	-1.5 ± 0.7	3.9 ± 0.5	-3.7 ± 0.3	1.7 ± 0.6	3.1 ± 0.2	-1.8 ± 0.4	2.7 ± 0.6	E Europe F	E Asia M
23	-1.4 ± 0.5	-3.2 ± 0.3	4.2 ± 0.4	2.4 ± 0.2	-2.0 ± 0.3	-1.7 ± 0.6	3.0 ± 0.5	-4.4 ± 0.3	1.0 ± 0.6	2.4 ± 0.2	-2.4 ± 0.4	2.0 ± 0.5	E Europe F	E Asia M
24	-2.1 ± 0.5	-4.4 ± 0.2	3.3 ± 0.4	1.6 ± 0.2	-3.1 ± 0.3	-2.4 ± 0.6	2.3 ± 0.4	-5.2 ± 0.3	0.7 ± 0.5	1.9 ± 0.2	-3.2 ± 0.4	1.6 ± 0.5	E Europe F	E Asia M
25	-3.2 ± 0.5	-4.9 ± 0.2	2.5 ± 0.3	0.8 ± 0.2	-4.1 ± 0.3	-3.4 ± 0.5	1.7 ± 0.4	-6.0 ± 0.3	0.3 ± 0.5	1.0 ± 0.2	-3.9 ± 0.4	0.7 ± 0.5	E Europe F	E Asia M
26	-3.7 ± 0.5	-5.9 ± 0.2	1.7 ± 0.3	0.0 ± 0.2	-4.7 ± 0.3	-4.6 ± 0.5	0.6 ± 0.4	-6.5 ± 0.3	-0.6 ± 0.5	0.4 ± 0.2	-5.1 ± 0.4	0.0 ± 0.4	E Europe F	E Asia M
27	-3.8 ± 0.5	-6.4 ± 0.2	1.3 ± 0.3	-0.8 ± 0.2	-5.5 ± 0.3	-5.6 ± 0.5	0.1 ± 0.4	-7.4 ± 0.3	-1.3 ± 0.5	-0.3 ± 0.2	-5.3 ± 0.4	-0.4 ± 0.4	E Europe F	E Asia M
28	-5.1 ± 0.5	-7.5 ± 0.2	0.2 ± 0.3	-1.6 ± 0.2	-6.5 ± 0.3	-6.4 ± 0.5	-0.6 ± 0.4	-7.8 ± 0.3	-1.8 ± 0.4	-1.4 ± 0.2	-6.0 ± 0.4	-1.3 ± 0.4	E Europe F	E Asia M
29	-5.9 ± 0.5	-8.2 ± 0.2	-0.6 ± 0.3	-2.6 ± 0.2	-7.3 ± 0.2	-6.7 ± 0.5	-1.4 ± 0.4	-8.4 ± 0.3	-2.8 ± 0.5	-2.1 ± 0.1	-6.8 ± 0.4	-2.1 ± 0.4	E Europe F	E Asia M
30	-6.2 ± 0.5	-9.1 ± 0.2	-1.2 ± 0.3	-3.4 ± 0.2	-8.2 ± 0.3	-7.2 ± 0.5	-2.0 ± 0.4	-9.2 ± 0.3	-3.4 ± 0.4	-2.9 ± 0.1	-7.6 ± 0.4	-3.3 ± 0.4	E Europe F	E Asia M
31	-6.9 ± 0.5	-10.0 ± 0.2	-2.5 ± 0.3	-4.4 ± 0.2	-9.3 ± 0.3	-9.0 ± 0.5	-2.9 ± 0.4	-9.9 ± 0.3	-3.7 ± 0.4	-3.8 ± 0.1	-8.5 ± 0.5	-3.7 ± 0.4	E Europe F	E Asia F
32	-7.7 ± 0.5	-10.8 ± 0.2	-2.9 ± 0.4	-5.3 ± 0.2	-9.8 ± 0.3	-9.1 ± 0.5	-3.7 ± 0.4	-10.7 ± 0.3	-4.4 ± 0.5	-4.6 ± 0.1	-8.9 ± 0.4	-4.5 ± 0.4	E Europe F	E Asia F
33	-8.2 ± 0.5	-11.8 ± 0.2	-4.0 ± 0.4	-6.2 ± 0.2	-11.0 ± 0.3	-9.9 ± 0.5	-4.4 ± 0.4	-11.4 ± 0.3	-5.5 ± 0.5	-5.3 ± 0.2	-9.4 ± 0.5	-5.0 ± 0.4	E Europe F	E Asia F
34	-9.6 ± 0.6	-12.7 ± 0.2	-4.6 ± 0.4	-7.0 ± 0.2	-11.8 ± 0.3	-10.9 ± 0.5	-5.0 ± 0.4	-11.9 ± 0.3	-6.3 ± 0.5	-6.1 ± 0.2	-10.8 ± 0.5	-5.9 ± 0.4	E Europe F	E Asia F
35	-9.9 ± 0.6	-13.4 ± 0.2	-6.0 ± 0.4	-7.8 ± 0.2	-12.9 ± 0.3	-11.3 ± 0.6	-5.5 ± 0.4	-12.7 ± 0.3	-6.7 ± 0.5	-7.1 ± 0.2	-11.0 ± 0.5	-7.3 ± 0.4	E Africa M	E Asia F
36	-10.9 ± 0.7	-14.3 ± 0.2	-6.4 ± 0.5	-8.8 ± 0.2	-13.5 ± 0.3	-11.6 ± 0.6	-6.4 ± 0.5	-13.2 ± 0.3	-7.1 ± 0.5	-8.0 ± 0.2	-12.0 ± 0.5	-7.7 ± 0.4	E Europe F	E Asia F
37	-11.7 ± 0.6	-15.3 ± 0.2	-7.0 ± 0.5	-9.4 ± 0.2	-14.7 ± 0.3	-12.6 ± 0.6	-7.1 ± 0.5	-13.8 ± 0.3	-8.2 ± 0.5	-8.5 ± 0.2	-12.9 ± 0.5	-8.5 ± 0.4	E Europe F	E Asia F
38	-12.0 ± 0.7	-16.3 ± 0.2	-8.1 ± 0.5	-10.6 ± 0.2	-15.5 ± 0.3	-13.3 ± 0.7	-7.9 ± 0.5	-14.6 ± 0.3	-9.1 ± 0.5	-9.2 ± 0.2	-13.4 ± 0.6	-9.6 ± 0.5	E Africa M	E Asia F
39	-12.2 ± 0.8	-17.0 ± 0.2	-9.0 ± 0.6	-11.2 ± 0.3	-16.4 ± 0.4	-13.5 ± 0.7	-8.5 ± 0.5	-15.7 ± 0.3	-9.5 ± 0.6	-9.9 ± 0.2	-14.1 ± 0.6	-10.4 ± 0.5	E Africa M	E Asia F
40	-13.7 ± 0.8	-18.2 ± 0.3	-9.8 ± 0.6	-12.0 ± 0.3	-17.5 ± 0.4	-14.4 ± 0.7	-9.2 ± 0.6	-16.2 ± 0.3	-10.1 ± 0.6	-10.6 ± 0.2	-14.7 ± 0.6	-10.6 ± 0.5	E Africa M	E Asia F
41	-14.3 ± 0.8	-19.0 ± 0.3	-10.7 ± 0.6	-13.1 ± 0.3	-18.6 ± 0.4	-15.6 ± 0.7	-9.7 ± 0.6	-16.6 ± 0.4	-10.9 ± 0.7	-11.5 ± 0.2	-15.7 ± 0.6	-11.0 ± 0.5	E Africa M	E Asia F
42	-14.1 ± 0.9	-20.0 ± 0.3	-10.9 ± 0.7	-13.8 ± 0.3	-19.6 ± 0.4	-16.1 ± 0.7	-10.3 ± 0.7	-17.3 ± 0.4	-11.2 ± 0.7	-12.1 ± 0.3	-15.9 ± 0.6	-12.2 ± 0.6	E Africa M	E Asia F
43	-16.2 ± 0.9	-21.1 ± 0.3	-12.9 ± 0.8	-14.4 ± 0.3	-20.0 ± 0.4	-16.2 ± 0.8	-11.2 ± 0.7	-17.5 ± 0.4	-11.7 ± 0.8	-12.5 ± 0.3	-16.8 ± 0.7	-12.6 ± 0.6	E Africa M	E Asia F
44	-14.7 ± 1.0	-21.8 ± 0.3	-12.8 ± 0.8	-15.3 ± 0.4	-20.7 ± 0.5	-16.8 ± 0.9	-10.6 ± 0.7	-18.2 ± 0.4	-12.5 ± 0.7	-13.5 ± 0.3	-17.4 ± 0.7	-13.1 ± 0.6	E Africa M	E Asia F
45	-16.3 ± 1.0	-22.8 ± 0.3	-13.3 ± 0.8	-16.1 ± 0.4	-21.6 ± 0.5	-17.7 ± 0.9	-11.4 ± 0.8	-18.7 ± 0.4	-12.2 ± 0.9	-14.3 ± 0.3	-17.6 ± 0.7	-13.9 ± 0.7	E Africa M	E Asia F
46	-16.3 ± 1.1	-23.5 ± 0.3	-14.8 ± 0.9	-17.0 ± 0.5	-22.5 ± 0.5	-18.4 ± 0.9	-12.5 ± 0.9	-19.3 ± 0.4	-12.7 ± 0.8	-14.7 ± 0.3	-17.3 ± 0.8	-14.4 ± 0.7	E Africa M	E Asia F
47	-16.3 ± 1.2	-24.4 ± 0.3	-14.9 ± 1.0	-17.3 ± 0.5	-23.4 ± 0.6	-18.3 ± 1.0	-13.3 ± 0.9	-19.3 ± 0.4	-13.2 ± 0.9	-15.3 ± 0.4	-18.6 ± 0.8	-14.8 ± 0.8	E Europe M	E Asia F
48	-18.0 ± 1.3	-25.3 ± 0.4	-14.8 ± 1.0	-17.2 ± 0.5	-24.4 ± 0.6	-19.6 ± 1.0	-14.0 ± 1.0	-20.1 ± 0.5	-13.7 ± 0.9	-16.0 ± 0.4	-19.6 ± 0.9	-15.6 ± 0.8	E Europe M	E Asia F
49	-18.1 ± 1.3	-26.1 ± 0.4	-15.6 ± 1.1	-18.3 ± 0.5	-24.2 ± 0.6	-20.9 ± 1.0	-14.7 ± 0.9	-21.0 ± 0.5	-13.3 ± 1.0	-16.7 ± 0.4	-18.9 ± 0.9	-15.8 ± 0.8	E Europe M	E Asia F
50	-18.4 ± 1.3	-27.0 ± 0.4	-16.1 ± 1.1	-18.5 ± 0.5	-25.0 ± 0.6	-21.5 ± 1.1	-15.0 ± 1.0	-20.5 ± 0.5	-14.2 ± 1.0	-17.1 ± 0.5	-19.3 ± 1.0	-16.9 ± 0.9	E Europe M	E Asia F
51	-18.8 ± 1.2	-27.8 ± 0.4	-16.7 ± 1.2	-19.3 ± 0.6	-26.6 ± 0.7	-21.9 ± 1.2	-15.3 ± 1.2	-21.5 ± 0.5	-14.8 ± 1.0	-17.5 ± 0.5	-19.4 ± 1.0	-15.7 ± 1.0	E Europe M	E Asia F
52	-19.8 ± 1.4	-28.7 ± 0.5	-16.7 ± 1.2	-20.0 ± 0.5	-26.1 ± 0.7	-23.0 ± 1.2	-13.9 ± 1.1	-21.6 ± 0.6	-14.8 ± 1.2	-17.7 ± 0.5	-20.6 ± 1.0	-18.1 ± 1.1	E Africa M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 57. *Mean raw error for Application-type images for algorithm hzailu-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.1 ± 0.5	5.4 ± 0.2	8.1 ± 0.5	6.2 ± 0.3	5.5 ± 0.5	7.9 ± 0.7	4.5 ± 0.6	5.5 ± 0.2	4.8 ± 0.5	7.1 ± 0.2	5.6 ± 0.4	6.3 ± 1.0	E Europe F	E Africa M
15	5.1 ± 0.6	5.8 ± 0.3	8.4 ± 0.5	6.8 ± 0.3	5.8 ± 0.5	7.8 ± 0.8	5.0 ± 0.6	5.9 ± 0.2	5.9 ± 0.5	8.0 ± 0.3	6.5 ± 0.4	7.3 ± 0.9	E Europe F	E Africa M
16	4.8 ± 0.6	5.8 ± 0.3	8.2 ± 0.5	6.5 ± 0.3	6.5 ± 0.5	7.8 ± 0.8	7.6 ± 0.6	5.8 ± 0.2	6.5 ± 0.5	8.2 ± 0.2	7.2 ± 0.4	8.7 ± 0.9	W Africa M	E Africa F
17	5.0 ± 0.6	5.7 ± 0.2	8.3 ± 0.5	6.6 ± 0.3	6.1 ± 0.5	8.0 ± 0.7	7.8 ± 0.6	5.7 ± 0.2	6.4 ± 0.4	8.4 ± 0.2	7.3 ± 0.4	9.3 ± 0.7	W Africa M	E Africa F
18	4.9 ± 0.5	5.2 ± 0.2	7.8 ± 0.4	5.8 ± 0.2	5.7 ± 0.3	7.2 ± 0.6	8.2 ± 0.5	5.0 ± 0.1	6.0 ± 0.4	8.2 ± 0.2	6.4 ± 0.3	9.5 ± 0.6	W Africa M	E Africa F
19	4.6 ± 0.5	4.8 ± 0.2	7.4 ± 0.3	6.0 ± 0.2	5.6 ± 0.3	7.0 ± 0.6	8.6 ± 0.4	4.7 ± 0.1	5.9 ± 0.3	8.1 ± 0.2	5.8 ± 0.3	9.8 ± 0.6	W Africa M	E Africa F
20	4.0 ± 0.5	4.6 ± 0.2	7.1 ± 0.3	5.3 ± 0.2	5.1 ± 0.3	6.9 ± 0.5	8.8 ± 0.4	4.2 ± 0.1	6.2 ± 0.3	7.8 ± 0.2	5.8 ± 0.2	9.5 ± 0.5	W Africa M	E Africa F
21	3.7 ± 0.5	4.3 ± 0.2	6.7 ± 0.2	4.9 ± 0.2	4.9 ± 0.2	6.6 ± 0.5	8.4 ± 0.4	3.8 ± 0.1	6.2 ± 0.3	7.5 ± 0.2	5.3 ± 0.2	9.7 ± 0.5	W Africa M	E Africa F
22	3.4 ± 0.4	3.7 ± 0.2	6.3 ± 0.2	4.2 ± 0.2	4.3 ± 0.2	5.9 ± 0.5	8.6 ± 0.4	3.2 ± 0.1	6.0 ± 0.3	7.0 ± 0.2	4.6 ± 0.2	9.2 ± 0.4	W Africa M	E Asia M
23	2.7 ± 0.4	3.5 ± 0.1	5.9 ± 0.2	3.9 ± 0.2	4.0 ± 0.2	5.6 ± 0.4	7.7 ± 0.3	2.7 ± 0.1	5.6 ± 0.3	6.5 ± 0.2	4.1 ± 0.2	8.9 ± 0.4	W Africa M	E Asia M
24	2.0 ± 0.4	2.8 ± 0.1	5.4 ± 0.2	3.3 ± 0.1	3.5 ± 0.2	4.9 ± 0.4	7.4 ± 0.3	2.2 ± 0.1	5.3 ± 0.2	6.2 ± 0.1	3.5 ± 0.2	8.7 ± 0.3	W Africa M	E Africa F
25	1.9 ± 0.3	2.4 ± 0.1	4.8 ± 0.2	2.6 ± 0.1	2.9 ± 0.2	4.5 ± 0.4	7.2 ± 0.3	1.8 ± 0.1	5.0 ± 0.2	5.6 ± 0.1	3.1 ± 0.2	7.9 ± 0.3	W Africa M	E Asia M
26	1.3 ± 0.3	1.9 ± 0.1	4.3 ± 0.2	1.9 ± 0.1	2.5 ± 0.1	3.9 ± 0.4	6.8 ± 0.3	1.3 ± 0.1	4.6 ± 0.2	5.1 ± 0.1	2.5 ± 0.2	7.5 ± 0.3	W Africa M	E Asia M
27	1.2 ± 0.3	1.39 ± 0.10	3.8 ± 0.1	1.3 ± 0.1	2.0 ± 0.1	3.4 ± 0.3	6.2 ± 0.3	0.8 ± 0.1	4.5 ± 0.2	4.4 ± 0.1	2.5 ± 0.2	6.9 ± 0.3	W Africa M	E Asia M
28	0.5 ± 0.3	0.9 ± 0.1	3.2 ± 0.1	0.5 ± 0.1	1.5 ± 0.1	3.0 ± 0.4	5.5 ± 0.3	0.4 ± 0.1	4.1 ± 0.2	3.8 ± 0.1	1.8 ± 0.2	6.2 ± 0.3	W Africa M	E Asia M
29	0.3 ± 0.3	0.44 ± 0.10	2.7 ± 0.1	0.1 ± 0.1	1.0 ± 0.2	2.5 ± 0.3	5.3 ± 0.3	0.1 ± 0.1	3.5 ± 0.2	3.1 ± 0.1	1.3 ± 0.2	5.9 ± 0.2	W Africa M	S Asia F
30	-0.1 ± 0.3	-0.08 ± 0.10	2.1 ± 0.2	-0.7 ± 0.1	0.7 ± 0.2	1.9 ± 0.3	4.7 ± 0.3	-0.5 ± 0.1	3.1 ± 0.2	2.41 ± 0.10	1.1 ± 0.2	5.3 ± 0.2	W Africa M	S Asia F
31	-0.7 ± 0.3	-0.5 ± 0.1	1.8 ± 0.2	-1.3 ± 0.1	0.1 ± 0.2	1.3 ± 0.3	4.1 ± 0.3	-0.8 ± 0.1	2.6 ± 0.2	1.8 ± 0.1	0.4 ± 0.3	4.8 ± 0.2	W Africa M	S Asia F
32	-1.0 ± 0.4	-1.0 ± 0.1	1.2 ± 0.2	-1.9 ± 0.1	-0.5 ± 0.2	0.9 ± 0.3	3.4 ± 0.3	-1.2 ± 0.1	2.8 ± 0.2	1.4 ± 0.1	0.5 ± 0.3	4.2 ± 0.2	W Africa M	S Asia F
33	-1.8 ± 0.4	-1.3 ± 0.1	0.9 ± 0.2	-2.4 ± 0.1	-0.7 ± 0.2	0.5 ± 0.4	3.4 ± 0.3	-1.5 ± 0.2	2.3 ± 0.2	0.9 ± 0.1	0.2 ± 0.3	3.5 ± 0.2	W Africa M	S Asia F
34	-1.9 ± 0.4	-1.6 ± 0.1	0.3 ± 0.2	-2.9 ± 0.1	-1.2 ± 0.2	-0.1 ± 0.4	2.3 ± 0.3	-1.7 ± 0.2	1.7 ± 0.3	0.4 ± 0.1	-0.2 ± 0.3	3.0 ± 0.3	W Africa M	S Asia F
35	-2.2 ± 0.4	-2.2 ± 0.1	-0.1 ± 0.2	-3.6 ± 0.1	-1.8 ± 0.2	-0.8 ± 0.4	2.1 ± 0.3	-2.0 ± 0.2	1.5 ± 0.3	-0.0 ± 0.1	-0.4 ± 0.3	2.4 ± 0.3	W Africa M	S Asia F
36	-2.5 ± 0.4	-2.4 ± 0.1	-0.4 ± 0.3	-4.0 ± 0.2	-1.9 ± 0.2	-0.9 ± 0.4	1.5 ± 0.3	-2.0 ± 0.2	1.5 ± 0.3	-0.4 ± 0.1	-0.4 ± 0.4	1.8 ± 0.3	W Africa M	S Asia F
37	-3.1 ± 0.5	-2.7 ± 0.1	-0.7 ± 0.3	-4.3 ± 0.2	-2.4 ± 0.2	-1.5 ± 0.4	1.3 ± 0.3	-2.0 ± 0.2	1.4 ± 0.3	-0.8 ± 0.1	-0.7 ± 0.4	1.3 ± 0.3	E Europe M	S Asia F
38	-2.8 ± 0.5	-3.1 ± 0.1	-0.7 ± 0.3	-4.7 ± 0.2	-2.5 ± 0.2	-2.0 ± 0.4	0.6 ± 0.3	-2.2 ± 0.2	1.1 ± 0.3	-1.2 ± 0.1	-0.4 ± 0.3	1.0 ± 0.3	E Europe M	S Asia F
39	-3.3 ± 0.5	-3.4 ± 0.1	-1.5 ± 0.3	-5.3 ± 0.2	-2.9 ± 0.2	-2.2 ± 0.4	0.6 ± 0.4	-2.3 ± 0.2	1.3 ± 0.3	-1.4 ± 0.1	-0.4 ± 0.4	0.3 ± 0.3	E Europe M	S Asia F
40	-3.8 ± 0.5	-3.6 ± 0.1	-1.1 ± 0.3	-5.3 ± 0.2	-3.2 ± 0.3	-2.7 ± 0.4	0.0 ± 0.4	-2.3 ± 0.2	1.1 ± 0.4	-1.8 ± 0.2	-0.7 ± 0.3	-0.1 ± 0.3	E Europe M	S Asia F
41	-4.4 ± 0.6	-3.9 ± 0.1	-1.7 ± 0.3	-5.7 ± 0.2	-3.3 ± 0.3	-3.4 ± 0.5	-0.1 ± 0.4	-2.2 ± 0.2	1.1 ± 0.4	-1.9 ± 0.2	-0.4 ± 0.4	-0.7 ± 0.3	E Europe M	S Asia F
42	-3.6 ± 0.6	-4.0 ± 0.1	-1.4 ± 0.4	-5.6 ± 0.3	-3.6 ± 0.3	-3.5 ± 0.5	-0.8 ± 0.4	-2.2 ± 0.2	1.4 ± 0.4	-2.3 ± 0.2	-0.3 ± 0.4	-1.0 ± 0.3	E Europe M	S Asia F
43	-4.7 ± 0.7	-4.2 ± 0.2	-1.3 ± 0.4	-6.0 ± 0.3	-4.0 ± 0.3	-4.0 ± 0.5	-0.6 ± 0.4	-2.0 ± 0.2	1.3 ± 0.4	-2.4 ± 0.2	-0.6 ± 0.4	-1.9 ± 0.3	E Europe M	S Asia F
44	-4.3 ± 0.7	-4.5 ± 0.2	-1.9 ± 0.4	-6.1 ± 0.3	-3.7 ± 0.3	-4.1 ± 0.5	-0.8 ± 0.5	-2.0 ± 0.2	1.6 ± 0.4	-2.6 ± 0.2	-0.4 ± 0.4	-1.9 ± 0.4	E Europe M	S Asia F
45	-5.2 ± 0.7	-4.6 ± 0.2	-1.8 ± 0.4	-6.1 ± 0.3	-4.2 ± 0.3	-4.4 ± 0.5	-1.9 ± 0.5	-2.0 ± 0.2	1.3 ± 0.4	-2.4 ± 0.2	-0.5 ± 0.4	-2.9 ± 0.4	E Europe M	S Asia F
46	-4.0 ± 0.8	-4.8 ± 0.2	-2.0 ± 0.4	-6.1 ± 0.3	-4.7 ± 0.3	-5.0 ± 0.5	-1.9 ± 0.5	-2.0 ± 0.2	1.7 ± 0.4	-2.3 ± 0.3	-0.4 ± 0.4	-2.9 ± 0.4	E Europe M	S Asia F
47	-3.7 ± 0.8	-4.9 ± 0.2	-1.3 ± 0.5	-6.1 ± 0.3	-4.5 ± 0.3	-5.0 ± 0.5	-1.8 ± 0.5	-1.7 ± 0.2	1.2 ± 0.4	-2.5 ± 0.3	0.1 ± 0.4	-3.2 ± 0.4	E Europe M	S Asia F
48	-5.1 ± 0.8	-4.9 ± 0.2	-1.5 ± 0.5	-5.7 ± 0.4	-4.5 ± 0.3	-5.8 ± 0.6	-2.3 ± 0.6	-1.8 ± 0.2	1.4 ± 0.5	-2.4 ± 0.3	-0.0 ± 0.4	-3.5 ± 0.4	E Europe M	W Africa F
49	-4.9 ± 0.9	-5.1 ± 0.2	-1.6 ± 0.4	-5.9 ± 0.4	-4.5 ± 0.3	-5.9 ± 0.6	-2.5 ± 0.7	-1.9 ± 0.2	1.8 ± 0.4	-2.5 ± 0.3	-0.2 ± 0.4	-4.1 ± 0.4	E Europe M	W Africa F
50	-5.5 ± 0.9	-5.2 ± 0.2	-1.1 ± 0.4	-6.0 ± 0.4	-4.8 ± 0.3	-5.8 ± 0.6	-2.8 ± 0.7	-1.7 ± 0.2	1.3 ± 0.5	-2.7 ± 0.3	0.1 ± 0.4	-4.6 ± 0.4	E Europe M	S Asia F
51	-4.6 ± 0.8	-5.3 ± 0.2	-1.3 ± 0.5	-5.8 ± 0.4	-4.8 ± 0.3	-6.4 ± 0.7	-3.0 ± 0.7	-1.6 ± 0.2	1.5 ± 0.4	-2.6 ± 0.3	0.4 ± 0.4	-4.6 ± 0.5	E Europe M	W Africa F
52	-4.5 ± 1.0	-5.5 ± 0.2	-1.2 ± 0.4	-5.7 ± 0.4	-4.7 ± 0.3	-7.4 ± 0.6	-2.4 ± 0.8	-1.7 ± 0.2	1.4 ± 0.5	-2.5 ± 0.3	-0.3 ± 0.4	-5.3 ± 0.5	E Europe M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 58. *Mean raw error for Application-type images for algorithm idemia-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	0.8 ± 0.3	1.6 ± 0.1	0.3 ± 0.2	1.0 ± 0.2	1.3 ± 0.3	2.3 ± 0.3	0.1 ± 0.3	0.5 ± 0.1	-0.7 ± 0.2	-0.5 ± 0.1	-0.3 ± 0.2	0.6 ± 0.3	W Africa F	E Europe M
15	1.0 ± 0.4	1.9 ± 0.1	0.1 ± 0.2	1.3 ± 0.2	1.7 ± 0.3	2.4 ± 0.4	0.0 ± 0.3	0.9 ± 0.1	-0.6 ± 0.2	-0.2 ± 0.1	0.4 ± 0.2	0.8 ± 0.4	W Africa F	E Europe M
16	1.2 ± 0.4	1.9 ± 0.1	0.2 ± 0.2	1.3 ± 0.2	2.1 ± 0.3	2.7 ± 0.5	0.8 ± 0.3	1.1 ± 0.1	-0.7 ± 0.2	0.1 ± 0.2	0.6 ± 0.2	0.8 ± 0.4	W Africa F	E Europe M
17	1.6 ± 0.4	1.7 ± 0.1	-0.0 ± 0.3	1.4 ± 0.2	2.1 ± 0.3	2.6 ± 0.4	1.0 ± 0.3	1.1 ± 0.1	-0.8 ± 0.2	0.4 ± 0.2	1.0 ± 0.2	1.4 ± 0.4	W Africa F	E Europe M
18	1.0 ± 0.3	1.2 ± 0.1	-0.8 ± 0.3	0.6 ± 0.1	1.7 ± 0.2	2.2 ± 0.4	1.0 ± 0.3	0.8 ± 0.1	-1.1 ± 0.2	0.4 ± 0.1	1.0 ± 0.2	0.8 ± 0.3	W Africa F	E Europe M
19	1.2 ± 0.3	1.1 ± 0.1	-1.1 ± 0.2	0.7 ± 0.2	1.7 ± 0.2	2.3 ± 0.3	1.6 ± 0.3	1.1 ± 0.1	-1.0 ± 0.2	1.0 ± 0.1	0.9 ± 0.2	1.2 ± 0.4	W Africa F	E Europe F
20	1.1 ± 0.3	1.0 ± 0.1	-1.3 ± 0.2	0.6 ± 0.2	1.6 ± 0.2	2.2 ± 0.3	1.8 ± 0.3	1.0 ± 0.1	-0.6 ± 0.2	1.3 ± 0.1	1.2 ± 0.2	1.6 ± 0.4	W Africa F	E Europe F
21	0.9 ± 0.3	0.9 ± 0.1	-1.6 ± 0.2	0.3 ± 0.1	1.4 ± 0.2	1.7 ± 0.3	2.0 ± 0.3	1.0 ± 0.1	-0.7 ± 0.2	1.6 ± 0.1	1.3 ± 0.2	1.4 ± 0.3	E Africa M	E Europe F
22	0.9 ± 0.3	0.5 ± 0.1	-1.9 ± 0.2	0.0 ± 0.1	1.3 ± 0.2	1.4 ± 0.3	2.6 ± 0.3	0.9 ± 0.1	-0.5 ± 0.2	1.6 ± 0.1	1.2 ± 0.2	1.3 ± 0.3	E Africa M	E Europe F
23	0.8 ± 0.3	0.4 ± 0.1	-2.2 ± 0.1	-0.0 ± 0.1	1.1 ± 0.1	1.3 ± 0.3	2.5 ± 0.3	0.8 ± 0.1	-0.6 ± 0.2	1.8 ± 0.1	1.1 ± 0.2	1.7 ± 0.3	E Africa M	E Europe F
24	0.6 ± 0.3	0.09 ± 0.10	-2.6 ± 0.1	-0.3 ± 0.1	0.9 ± 0.1	1.0 ± 0.3	2.6 ± 0.3	0.7 ± 0.1	-0.4 ± 0.2	2.0 ± 0.1	1.1 ± 0.2	1.5 ± 0.3	E Africa M	E Europe F
25	0.3 ± 0.2	-0.13 ± 0.09	-2.7 ± 0.1	-0.63 ± 0.10	0.6 ± 0.1	0.8 ± 0.3	2.6 ± 0.3	0.7 ± 0.1	-0.4 ± 0.2	2.0 ± 0.1	1.1 ± 0.2	1.6 ± 0.3	E Africa M	E Europe F
26	0.0 ± 0.2	-0.37 ± 0.09	-3.0 ± 0.1	-0.91 ± 0.10	0.6 ± 0.1	0.5 ± 0.2	2.4 ± 0.2	0.6 ± 0.1	-0.4 ± 0.2	2.0 ± 0.1	1.1 ± 0.2	1.3 ± 0.2	E Africa M	E Europe F
27	0.0 ± 0.2	-0.57 ± 0.08	-3.1 ± 0.1	-1.18 ± 0.09	0.3 ± 0.1	0.4 ± 0.2	2.2 ± 0.2	0.5 ± 0.1	-0.2 ± 0.2	1.9 ± 0.1	1.2 ± 0.2	1.2 ± 0.2	E Africa M	E Europe F
28	-0.2 ± 0.2	-0.75 ± 0.08	-3.3 ± 0.1	-1.34 ± 0.09	0.1 ± 0.1	0.1 ± 0.2	2.1 ± 0.2	0.5 ± 0.1	-0.2 ± 0.2	1.86 ± 0.10	1.1 ± 0.2	1.1 ± 0.2	E Africa M	E Europe F
29	-0.1 ± 0.2	-0.88 ± 0.08	-3.4 ± 0.1	-1.51 ± 0.10	-0.0 ± 0.1	-0.1 ± 0.2	2.1 ± 0.2	0.5 ± 0.1	-0.2 ± 0.2	1.78 ± 0.09	0.8 ± 0.2	1.4 ± 0.2	E Africa M	E Europe F
30	-0.5 ± 0.2	-0.97 ± 0.08	-3.4 ± 0.1	-1.76 ± 0.10	-0.1 ± 0.1	-0.5 ± 0.2	2.1 ± 0.2	0.3 ± 0.1	-0.1 ± 0.2	1.66 ± 0.09	0.9 ± 0.2	1.1 ± 0.2	E Africa M	E Europe F
31	-0.7 ± 0.3	-1.13 ± 0.08	-3.4 ± 0.2	-2.0 ± 0.1	-0.3 ± 0.1	-0.6 ± 0.2	2.0 ± 0.2	0.2 ± 0.1	-0.1 ± 0.2	1.53 ± 0.09	0.8 ± 0.2	1.0 ± 0.2	E Africa M	E Europe F
32	-0.4 ± 0.3	-1.19 ± 0.08	-3.3 ± 0.2	-2.2 ± 0.1	-0.4 ± 0.1	-0.7 ± 0.2	1.8 ± 0.2	0.0 ± 0.1	-0.0 ± 0.2	1.54 ± 0.08	0.7 ± 0.2	1.1 ± 0.2	E Africa M	E Europe F
33	-0.8 ± 0.3	-1.27 ± 0.09	-3.3 ± 0.2	-2.2 ± 0.1	-0.5 ± 0.1	-0.9 ± 0.2	1.8 ± 0.2	-0.1 ± 0.1	0.2 ± 0.2	1.42 ± 0.09	0.6 ± 0.2	0.8 ± 0.2	E Africa M	E Europe F
34	-0.9 ± 0.3	-1.30 ± 0.09	-3.3 ± 0.2	-2.3 ± 0.1	-0.6 ± 0.1	-1.0 ± 0.2	1.4 ± 0.2	-0.2 ± 0.1	0.1 ± 0.2	1.34 ± 0.09	0.6 ± 0.2	0.9 ± 0.2	E Africa M	E Europe F
35	-0.8 ± 0.3	-1.48 ± 0.09	-3.3 ± 0.2	-2.5 ± 0.1	-0.8 ± 0.2	-1.3 ± 0.3	1.5 ± 0.2	-0.2 ± 0.1	0.2 ± 0.2	1.26 ± 0.10	0.4 ± 0.2	0.7 ± 0.2	E Africa M	E Europe F
36	-0.9 ± 0.3	-1.50 ± 0.09	-3.0 ± 0.2	-2.7 ± 0.1	-0.7 ± 0.2	-1.2 ± 0.3	1.4 ± 0.3	-0.2 ± 0.1	0.4 ± 0.2	1.08 ± 0.09	0.6 ± 0.2	0.6 ± 0.2	E Africa M	E Europe F
37	-1.0 ± 0.3	-1.56 ± 0.09	-3.0 ± 0.2	-2.6 ± 0.1	-0.9 ± 0.2	-1.4 ± 0.3	1.4 ± 0.3	-0.3 ± 0.1	0.3 ± 0.2	0.99 ± 0.10	0.4 ± 0.2	0.5 ± 0.2	E Africa M	E Europe F
38	-0.6 ± 0.3	-1.66 ± 0.09	-2.8 ± 0.2	-2.6 ± 0.1	-0.7 ± 0.2	-1.5 ± 0.3	1.1 ± 0.3	-0.4 ± 0.1	0.3 ± 0.2	0.84 ± 0.10	0.7 ± 0.2	0.4 ± 0.2	E Africa M	E Europe F
39	-1.1 ± 0.3	-1.76 ± 0.09	-2.8 ± 0.2	-2.7 ± 0.1	-0.8 ± 0.2	-1.1 ± 0.3	1.3 ± 0.3	-0.5 ± 0.1	0.3 ± 0.2	0.81 ± 0.10	0.7 ± 0.2	0.2 ± 0.2	E Africa M	E Europe F
40	-1.1 ± 0.4	-1.90 ± 0.09	-2.3 ± 0.2	-2.5 ± 0.1	-1.0 ± 0.2	-1.7 ± 0.3	1.2 ± 0.3	-0.5 ± 0.1	0.4 ± 0.2	0.8 ± 0.1	0.6 ± 0.2	-0.0 ± 0.2	E Africa M	S Asia F
41	-1.3 ± 0.4	-1.90 ± 0.09	-2.3 ± 0.2	-2.6 ± 0.2	-0.9 ± 0.2	-2.1 ± 0.3	1.2 ± 0.3	-0.6 ± 0.1	0.4 ± 0.2	0.7 ± 0.1	0.5 ± 0.2	-0.1 ± 0.3	E Africa M	S Asia F
42	-0.9 ± 0.4	-1.95 ± 0.09	-2.2 ± 0.2	-2.2 ± 0.2	-1.0 ± 0.2	-1.8 ± 0.3	1.2 ± 0.3	-0.6 ± 0.1	0.4 ± 0.2	0.5 ± 0.1	0.9 ± 0.2	-0.2 ± 0.2	E Africa M	E Europe F
43	-0.9 ± 0.4	-2.18 ± 0.09	-2.2 ± 0.2	-2.3 ± 0.2	-1.1 ± 0.2	-2.1 ± 0.3	1.3 ± 0.3	-0.7 ± 0.1	0.3 ± 0.2	0.6 ± 0.1	0.8 ± 0.2	-0.5 ± 0.3	E Africa M	S Asia F
44	-0.9 ± 0.5	-2.32 ± 0.09	-2.4 ± 0.2	-2.2 ± 0.2	-0.7 ± 0.2	-2.1 ± 0.3	0.8 ± 0.3	-0.8 ± 0.1	0.6 ± 0.2	0.5 ± 0.1	0.9 ± 0.2	-0.5 ± 0.2	S E Asia M	E Europe F
45	-1.2 ± 0.4	-2.36 ± 0.09	-2.1 ± 0.2	-2.2 ± 0.2	-1.1 ± 0.2	-2.3 ± 0.3	0.6 ± 0.3	-0.9 ± 0.1	0.3 ± 0.2	0.5 ± 0.1	0.7 ± 0.2	-0.7 ± 0.3	S E Asia M	E Asia F
46	-0.4 ± 0.5	-2.53 ± 0.10	-2.0 ± 0.2	-1.9 ± 0.2	-1.2 ± 0.2	-2.2 ± 0.3	0.5 ± 0.4	-1.0 ± 0.1	0.6 ± 0.2	0.6 ± 0.2	0.8 ± 0.2	-1.0 ± 0.3	S E Asia M	E Asia F
47	-0.5 ± 0.5	-2.5 ± 0.1	-1.9 ± 0.3	-2.0 ± 0.2	-1.1 ± 0.2	-2.3 ± 0.3	0.7 ± 0.4	-0.9 ± 0.1	0.4 ± 0.2	0.6 ± 0.2	1.0 ± 0.3	-0.9 ± 0.3	S E Asia M	E Asia F
48	-0.9 ± 0.5	-2.6 ± 0.1	-1.9 ± 0.2	-1.7 ± 0.2	-1.2 ± 0.2	-2.5 ± 0.4	0.1 ± 0.4	-0.9 ± 0.1	0.5 ± 0.3	0.6 ± 0.2	0.8 ± 0.3	-1.4 ± 0.3	S E Asia M	E Asia F
49	-0.6 ± 0.5	-2.7 ± 0.1	-2.0 ± 0.2	-1.6 ± 0.2	-0.9 ± 0.2	-2.8 ± 0.4	-0.0 ± 0.4	-1.0 ± 0.1	0.4 ± 0.2	0.5 ± 0.2	0.9 ± 0.3	-1.4 ± 0.3	S E Asia M	W Africa F
50	-1.0 ± 0.6	-2.8 ± 0.1	-1.5 ± 0.2	-1.5 ± 0.2	-1.3 ± 0.2	-2.7 ± 0.4	-0.0 ± 0.4	-0.9 ± 0.1	0.2 ± 0.3	0.5 ± 0.2	1.1 ± 0.3	-1.9 ± 0.3	S E Asia M	E Asia F
51	-0.9 ± 0.5	-2.8 ± 0.1	-1.8 ± 0.2	-1.5 ± 0.2	-1.3 ± 0.2	-2.8 ± 0.4	-0.5 ± 0.5	-1.0 ± 0.1	0.4 ± 0.2	0.5 ± 0.2	1.1 ± 0.3	-2.0 ± 0.3	S E Asia M	W Africa F
52	-1.0 ± 0.6	-2.9 ± 0.1	-1.5 ± 0.2	-1.6 ± 0.2	-1.1 ± 0.2	-3.3 ± 0.4	-0.3 ± 0.5	-1.0 ± 0.1	0.3 ± 0.3	0.3 ± 0.2	0.8 ± 0.3	-2.1 ± 0.4	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 59. *Mean raw error for Application-type images for algorithm idemia-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	0.2 ± 0.2	0.53 ± 0.09	0.4 ± 0.2	0.4 ± 0.1	0.4 ± 0.2	1.1 ± 0.3	0.7 ± 0.2	0.4 ± 0.1	0.0 ± 0.2	-0.0 ± 0.1	-0.2 ± 0.2	1.1 ± 0.3	W Africa F	S E Asia M
15	0.1 ± 0.3	0.5 ± 0.1	0.2 ± 0.2	0.5 ± 0.2	0.5 ± 0.3	1.2 ± 0.4	0.5 ± 0.2	0.6 ± 0.1	0.1 ± 0.2	-0.0 ± 0.1	0.2 ± 0.2	1.1 ± 0.3	W Africa F	S Asia M
16	0.3 ± 0.3	0.4 ± 0.1	0.5 ± 0.3	0.4 ± 0.2	0.7 ± 0.3	1.4 ± 0.5	1.0 ± 0.3	0.64 ± 0.10	0.2 ± 0.2	0.1 ± 0.1	0.3 ± 0.2	0.9 ± 0.3	W Africa F	S Asia M
17	0.4 ± 0.3	0.2 ± 0.1	0.4 ± 0.3	0.3 ± 0.2	0.6 ± 0.3	1.4 ± 0.4	1.0 ± 0.2	0.5 ± 0.1	-0.0 ± 0.2	0.2 ± 0.1	0.5 ± 0.2	1.1 ± 0.4	W Africa F	E Europe M
18	-0.1 ± 0.3	-0.3 ± 0.1	-0.3 ± 0.3	-0.3 ± 0.2	0.3 ± 0.2	1.0 ± 0.4	0.7 ± 0.2	0.2 ± 0.1	-0.2 ± 0.2	0.0 ± 0.1	0.4 ± 0.2	0.4 ± 0.3	W Africa F	E Asia F
19	0.2 ± 0.4	-0.5 ± 0.1	-0.5 ± 0.3	-0.2 ± 0.2	0.2 ± 0.2	1.1 ± 0.3	1.0 ± 0.3	0.3 ± 0.1	-0.1 ± 0.2	0.3 ± 0.1	0.3 ± 0.2	0.5 ± 0.3	W Africa F	E Europe F
20	0.2 ± 0.4	-0.5 ± 0.1	-0.5 ± 0.3	-0.2 ± 0.2	0.3 ± 0.2	1.1 ± 0.4	1.1 ± 0.3	0.2 ± 0.1	0.2 ± 0.2	0.4 ± 0.1	0.4 ± 0.2	0.6 ± 0.3	W Africa F	E Europe F
21	0.2 ± 0.3	-0.5 ± 0.1	-0.6 ± 0.2	-0.3 ± 0.2	0.1 ± 0.2	0.7 ± 0.4	1.1 ± 0.3	0.2 ± 0.1	0.1 ± 0.2	0.5 ± 0.1	0.5 ± 0.2	0.4 ± 0.3	E Africa M	E Europe F
22	0.3 ± 0.3	-0.8 ± 0.1	-0.6 ± 0.2	-0.5 ± 0.1	0.1 ± 0.2	0.5 ± 0.3	1.5 ± 0.3	0.1 ± 0.1	0.2 ± 0.2	0.4 ± 0.1	0.4 ± 0.2	0.1 ± 0.3	E Africa M	E Asia F
23	0.3 ± 0.3	-0.9 ± 0.1	-0.7 ± 0.2	-0.3 ± 0.1	-0.0 ± 0.2	0.5 ± 0.3	1.3 ± 0.3	0.0 ± 0.1	0.1 ± 0.2	0.5 ± 0.1	0.4 ± 0.2	0.3 ± 0.3	E Africa M	E Asia F
24	0.2 ± 0.3	-1.0 ± 0.1	-0.8 ± 0.2	-0.4 ± 0.1	-0.1 ± 0.1	0.3 ± 0.3	1.3 ± 0.3	-0.1 ± 0.1	0.3 ± 0.2	0.6 ± 0.1	0.3 ± 0.2	0.1 ± 0.3	E Africa M	E Asia F
25	-0.1 ± 0.3	-1.2 ± 0.1	-0.8 ± 0.2	-0.6 ± 0.1	-0.3 ± 0.1	0.3 ± 0.3	1.4 ± 0.3	-0.0 ± 0.1	0.2 ± 0.2	0.5 ± 0.1	0.4 ± 0.2	0.2 ± 0.3	E Africa M	E Asia F
26	-0.2 ± 0.3	-1.30 ± 0.10	-0.9 ± 0.1	-0.7 ± 0.1	-0.1 ± 0.1	0.1 ± 0.3	1.2 ± 0.2	-0.0 ± 0.1	0.2 ± 0.2	0.6 ± 0.1	0.4 ± 0.2	-0.2 ± 0.2	E Africa M	E Asia F
27	0.0 ± 0.3	-1.40 ± 0.09	-0.9 ± 0.1	-0.8 ± 0.1	-0.3 ± 0.1	0.1 ± 0.3	1.0 ± 0.2	-0.1 ± 0.1	0.3 ± 0.1	0.5 ± 0.1	0.6 ± 0.2	-0.2 ± 0.2	E Africa M	E Asia F
28	-0.1 ± 0.3	-1.47 ± 0.09	-0.8 ± 0.1	-0.7 ± 0.1	-0.4 ± 0.1	-0.0 ± 0.3	1.0 ± 0.2	-0.0 ± 0.1	0.2 ± 0.1	0.5 ± 0.1	0.5 ± 0.2	-0.3 ± 0.2	E Africa M	E Asia F
29	0.1 ± 0.3	-1.48 ± 0.09	-0.8 ± 0.1	-0.7 ± 0.1	-0.4 ± 0.1	-0.2 ± 0.3	1.0 ± 0.2	-0.1 ± 0.1	0.2 ± 0.1	0.45 ± 0.10	0.3 ± 0.2	0.1 ± 0.2	E Africa M	E Asia F
30	-0.2 ± 0.3	-1.46 ± 0.09	-0.8 ± 0.1	-0.8 ± 0.1	-0.4 ± 0.2	-0.4 ± 0.3	1.1 ± 0.2	-0.2 ± 0.1	0.2 ± 0.1	0.37 ± 0.09	0.4 ± 0.2	-0.1 ± 0.2	E Africa M	E Asia F
31	-0.2 ± 0.3	-1.51 ± 0.09	-0.7 ± 0.2	-0.9 ± 0.1	-0.5 ± 0.1	-0.4 ± 0.3	1.1 ± 0.2	-0.2 ± 0.1	0.2 ± 0.1	0.27 ± 0.09	0.4 ± 0.2	-0.1 ± 0.2	E Africa M	E Asia F
32	0.2 ± 0.3	-1.44 ± 0.10	-0.6 ± 0.2	-0.9 ± 0.1	-0.5 ± 0.2	-0.2 ± 0.3	0.9 ± 0.2	-0.3 ± 0.1	0.2 ± 0.2	0.36 ± 0.09	0.3 ± 0.2	0.0 ± 0.2	E Africa M	E Asia F
33	-0.1 ± 0.3	-1.41 ± 0.10	-0.6 ± 0.2	-0.7 ± 0.1	-0.4 ± 0.2	-0.4 ± 0.3	1.0 ± 0.3	-0.4 ± 0.1	0.3 ± 0.2	0.29 ± 0.09	0.3 ± 0.2	-0.1 ± 0.2	E Africa M	E Asia F
34	0.0 ± 0.3	-1.30 ± 0.10	-0.6 ± 0.2	-0.7 ± 0.1	-0.4 ± 0.2	-0.3 ± 0.3	0.7 ± 0.3	-0.4 ± 0.1	0.2 ± 0.2	0.27 ± 0.10	0.4 ± 0.2	0.0 ± 0.2	E Africa M	E Asia F
35	0.2 ± 0.3	-1.4 ± 0.1	-0.6 ± 0.2	-0.8 ± 0.1	-0.5 ± 0.2	-0.5 ± 0.3	0.9 ± 0.3	-0.3 ± 0.1	0.2 ± 0.2	0.26 ± 0.10	0.2 ± 0.2	-0.0 ± 0.2	E Africa M	E Asia F
36	0.2 ± 0.3	-1.3 ± 0.1	-0.4 ± 0.2	-0.8 ± 0.1	-0.3 ± 0.2	-0.3 ± 0.3	0.8 ± 0.3	-0.4 ± 0.1	0.4 ± 0.2	0.13 ± 0.10	0.4 ± 0.2	0.0 ± 0.2	E Africa M	E Asia F
37	0.2 ± 0.4	-1.21 ± 0.10	-0.4 ± 0.2	-0.5 ± 0.1	-0.3 ± 0.2	-0.4 ± 0.3	0.9 ± 0.3	-0.4 ± 0.1	0.2 ± 0.2	0.1 ± 0.1	0.2 ± 0.2	-0.1 ± 0.2	E Africa M	E Asia F
38	0.8 ± 0.4	-1.2 ± 0.1	-0.3 ± 0.2	-0.5 ± 0.1	0.0 ± 0.2	-0.4 ± 0.4	0.8 ± 0.3	-0.4 ± 0.1	0.1 ± 0.2	-0.0 ± 0.1	0.6 ± 0.2	-0.0 ± 0.2	E Africa F	E Asia F
39	0.3 ± 0.4	-1.2 ± 0.1	-0.3 ± 0.2	-0.5 ± 0.1	0.0 ± 0.2	0.2 ± 0.3	1.0 ± 0.3	-0.5 ± 0.1	0.1 ± 0.2	0.0 ± 0.1	0.6 ± 0.2	-0.1 ± 0.2	E Africa M	E Asia F
40	0.4 ± 0.4	-1.2 ± 0.1	0.1 ± 0.2	-0.3 ± 0.1	-0.0 ± 0.2	-0.3 ± 0.3	1.0 ± 0.3	-0.6 ± 0.1	0.1 ± 0.2	0.0 ± 0.1	0.6 ± 0.2	-0.3 ± 0.3	E Africa M	E Asia F
41	0.3 ± 0.4	-1.1 ± 0.1	0.1 ± 0.2	-0.4 ± 0.2	0.1 ± 0.2	-0.6 ± 0.3	1.1 ± 0.3	-0.6 ± 0.1	0.1 ± 0.2	-0.0 ± 0.1	0.5 ± 0.2	-0.2 ± 0.3	E Africa M	E Asia F
42	0.8 ± 0.4	-1.0 ± 0.1	0.2 ± 0.2	0.0 ± 0.2	0.2 ± 0.2	-0.3 ± 0.3	1.2 ± 0.3	-0.6 ± 0.1	0.1 ± 0.2	-0.1 ± 0.1	0.8 ± 0.2	-0.3 ± 0.3	E Africa M	E Asia F
43	0.9 ± 0.4	-1.1 ± 0.1	0.2 ± 0.2	-0.1 ± 0.2	0.2 ± 0.2	-0.5 ± 0.3	1.4 ± 0.3	-0.7 ± 0.1	-0.1 ± 0.2	-0.0 ± 0.1	0.8 ± 0.2	-0.5 ± 0.3	E Africa M	E Asia F
44	0.9 ± 0.5	-1.2 ± 0.1	-0.1 ± 0.2	-0.1 ± 0.2	0.6 ± 0.2	-0.4 ± 0.4	1.0 ± 0.3	-0.8 ± 0.1	0.2 ± 0.2	-0.1 ± 0.1	0.8 ± 0.2	-0.4 ± 0.3	E Africa M	E Asia F
45	0.6 ± 0.5	-1.1 ± 0.1	0.1 ± 0.2	-0.1 ± 0.2	0.3 ± 0.2	-0.6 ± 0.3	0.9 ± 0.4	-0.9 ± 0.1	-0.1 ± 0.2	0.0 ± 0.1	0.7 ± 0.2	-0.6 ± 0.3	E Africa M	E Asia F
46	1.5 ± 0.5	-1.2 ± 0.1	0.2 ± 0.2	0.2 ± 0.2	0.3 ± 0.2	-0.4 ± 0.4	0.9 ± 0.4	-0.9 ± 0.1	0.2 ± 0.2	0.1 ± 0.2	0.8 ± 0.2	-0.7 ± 0.3	E Africa F	E Asia F
47	1.4 ± 0.5	-1.1 ± 0.1	0.3 ± 0.3	0.1 ± 0.2	0.5 ± 0.2	-0.5 ± 0.4	1.2 ± 0.4	-0.9 ± 0.1	-0.0 ± 0.2	0.1 ± 0.2	1.0 ± 0.3	-0.6 ± 0.3	E Africa F	E Asia F
48	1.0 ± 0.5	-1.1 ± 0.1	0.3 ± 0.2	0.2 ± 0.2	0.4 ± 0.2	-0.7 ± 0.4	0.6 ± 0.5	-0.9 ± 0.1	0.1 ± 0.3	0.2 ± 0.2	0.8 ± 0.3	-0.9 ± 0.3	E Africa F	E Asia F
49	1.3 ± 0.5	-1.2 ± 0.1	0.1 ± 0.2	0.3 ± 0.2	0.7 ± 0.2	-0.9 ± 0.4	0.5 ± 0.5	-1.0 ± 0.1	-0.0 ± 0.2	0.0 ± 0.2	0.9 ± 0.3	-0.9 ± 0.3	E Africa F	E Asia F
50	0.9 ± 0.6	-1.2 ± 0.1	0.5 ± 0.2	0.3 ± 0.2	0.4 ± 0.2	-0.8 ± 0.4	0.6 ± 0.4	-0.9 ± 0.1	-0.2 ± 0.2	0.1 ± 0.2	1.1 ± 0.3	-1.3 ± 0.3	S E Asia M	W Africa M
51	1.1 ± 0.5	-1.1 ± 0.1	0.2 ± 0.2	0.3 ± 0.2	0.3 ± 0.2	-0.9 ± 0.4	0.1 ± 0.5	-1.0 ± 0.1	0.0 ± 0.2	0.1 ± 0.2	1.1 ± 0.3	-1.4 ± 0.4	E Africa F	W Africa M
52	1.0 ± 0.6	-1.3 ± 0.1	0.4 ± 0.2	0.1 ± 0.2	0.6 ± 0.2	-1.4 ± 0.4	0.4 ± 0.5	-1.0 ± 0.1	-0.1 ± 0.3	-0.1 ± 0.2	0.8 ± 0.3	-1.4 ± 0.4	E Africa F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 60. *Mean raw error for Application-type images for algorithm idemia-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	0.6 ± 0.2	0.74 ± 0.08	0.2 ± 0.1	-0.0 ± 0.1	0.3 ± 0.2	1.9 ± 0.2	0.0 ± 0.2	0.20 ± 0.08	-0.4 ± 0.1	-0.25 ± 0.09	-0.0 ± 0.1	0.6 ± 0.2	W Africa F	E Europe M
15	0.5 ± 0.3	0.58 ± 0.09	-0.1 ± 0.2	-0.0 ± 0.2	0.3 ± 0.2	1.6 ± 0.3	-0.2 ± 0.2	0.17 ± 0.07	-0.3 ± 0.1	-0.31 ± 0.10	0.0 ± 0.1	0.5 ± 0.2	W Africa F	E Europe M
16	0.4 ± 0.3	0.5 ± 0.1	-0.1 ± 0.2	-0.2 ± 0.1	0.4 ± 0.3	1.9 ± 0.4	0.3 ± 0.2	-0.03 ± 0.07	-0.4 ± 0.2	-0.3 ± 0.1	-0.2 ± 0.1	0.3 ± 0.3	W Africa F	E Europe M
17	0.5 ± 0.3	0.2 ± 0.1	-0.4 ± 0.2	-0.4 ± 0.2	0.3 ± 0.2	1.5 ± 0.3	0.2 ± 0.2	-0.14 ± 0.09	-0.7 ± 0.1	-0.2 ± 0.1	-0.1 ± 0.2	0.7 ± 0.4	W Africa F	E Europe M
18	0.1 ± 0.3	-0.3 ± 0.1	-1.0 ± 0.2	-0.9 ± 0.1	-0.0 ± 0.2	1.0 ± 0.3	0.1 ± 0.2	-0.49 ± 0.08	-1.0 ± 0.2	-0.3 ± 0.1	-0.3 ± 0.2	0.2 ± 0.3	W Africa F	E Europe F
19	0.3 ± 0.3	-0.4 ± 0.1	-1.4 ± 0.2	-0.9 ± 0.1	-0.2 ± 0.2	1.3 ± 0.3	0.6 ± 0.3	-0.43 ± 0.09	-1.2 ± 0.2	-0.0 ± 0.1	-0.5 ± 0.2	0.6 ± 0.3	W Africa F	E Europe F
20	0.2 ± 0.3	-0.5 ± 0.1	-1.5 ± 0.2	-1.0 ± 0.2	-0.4 ± 0.2	1.1 ± 0.3	0.9 ± 0.3	-0.54 ± 0.10	-0.9 ± 0.2	0.2 ± 0.1	-0.4 ± 0.2	0.8 ± 0.3	W Africa F	E Europe F
21	-0.1 ± 0.3	-0.7 ± 0.1	-1.8 ± 0.2	-1.1 ± 0.1	-0.5 ± 0.2	0.6 ± 0.3	1.1 ± 0.3	-0.59 ± 0.09	-1.1 ± 0.2	0.4 ± 0.1	-0.4 ± 0.2	0.7 ± 0.3	E Africa M	E Europe F
22	0.0 ± 0.3	-0.9 ± 0.1	-2.1 ± 0.1	-1.4 ± 0.1	-0.6 ± 0.2	0.4 ± 0.3	1.7 ± 0.3	-0.7 ± 0.1	-1.0 ± 0.2	0.4 ± 0.1	-0.5 ± 0.2	0.6 ± 0.3	E Africa M	E Europe F
23	-0.2 ± 0.3	-1.0 ± 0.1	-2.3 ± 0.1	-1.3 ± 0.1	-0.6 ± 0.1	0.4 ± 0.3	1.5 ± 0.3	-0.8 ± 0.1	-1.1 ± 0.2	0.6 ± 0.1	-0.5 ± 0.2	1.0 ± 0.3	E Africa M	E Europe F
24	-0.3 ± 0.3	-1.18 ± 0.10	-2.5 ± 0.1	-1.5 ± 0.1	-0.8 ± 0.1	-0.1 ± 0.2	1.6 ± 0.3	-0.9 ± 0.1	-1.0 ± 0.1	0.7 ± 0.1	-0.5 ± 0.2	0.9 ± 0.2	E Africa M	E Europe F
25	-0.6 ± 0.3	-1.22 ± 0.09	-2.5 ± 0.1	-1.7 ± 0.1	-0.8 ± 0.1	-0.1 ± 0.2	1.7 ± 0.3	-0.9 ± 0.1	-1.1 ± 0.1	0.7 ± 0.1	-0.5 ± 0.2	0.9 ± 0.2	E Africa M	E Europe F
26	-0.7 ± 0.3	-1.36 ± 0.09	-2.6 ± 0.1	-1.8 ± 0.1	-0.7 ± 0.1	-0.3 ± 0.2	1.5 ± 0.2	-0.9 ± 0.1	-1.0 ± 0.2	0.8 ± 0.1	-0.4 ± 0.2	0.7 ± 0.2	E Africa M	E Europe F
27	-0.5 ± 0.3	-1.41 ± 0.09	-2.6 ± 0.1	-1.9 ± 0.1	-0.9 ± 0.1	-0.3 ± 0.2	1.3 ± 0.2	-1.0 ± 0.1	-0.9 ± 0.1	0.7 ± 0.1	-0.3 ± 0.2	0.6 ± 0.2	E Africa M	E Europe F
28	-0.7 ± 0.3	-1.42 ± 0.09	-2.6 ± 0.1	-1.9 ± 0.1	-0.8 ± 0.1	-0.6 ± 0.2	1.2 ± 0.2	-0.9 ± 0.1	-0.9 ± 0.1	0.64 ± 0.10	-0.3 ± 0.2	0.5 ± 0.2	E Africa M	E Europe F
29	-0.6 ± 0.3	-1.45 ± 0.09	-2.5 ± 0.1	-2.0 ± 0.1	-0.8 ± 0.1	-0.8 ± 0.2	1.2 ± 0.2	-0.9 ± 0.1	-0.8 ± 0.1	0.57 ± 0.09	-0.5 ± 0.2	0.7 ± 0.2	E Africa M	E Europe F
30	-0.8 ± 0.3	-1.42 ± 0.09	-2.4 ± 0.1	-2.1 ± 0.1	-0.7 ± 0.1	-1.0 ± 0.2	1.2 ± 0.2	-1.0 ± 0.1	-0.8 ± 0.1	0.48 ± 0.08	-0.4 ± 0.2	0.5 ± 0.2	E Africa M	E Europe F
31	-0.9 ± 0.3	-1.45 ± 0.09	-2.3 ± 0.1	-2.3 ± 0.1	-0.7 ± 0.1	-1.0 ± 0.2	1.1 ± 0.2	-1.0 ± 0.1	-0.8 ± 0.1	0.36 ± 0.08	-0.3 ± 0.2	0.4 ± 0.2	E Africa M	E Europe F
32	-0.6 ± 0.3	-1.33 ± 0.09	-2.2 ± 0.1	-2.3 ± 0.1	-0.7 ± 0.2	-1.0 ± 0.2	0.9 ± 0.2	-1.0 ± 0.1	-0.8 ± 0.1	0.36 ± 0.08	-0.4 ± 0.2	0.4 ± 0.2	E Africa M	S Asia F
33	-0.7 ± 0.3	-1.30 ± 0.09	-2.2 ± 0.1	-2.2 ± 0.1	-0.6 ± 0.2	-1.2 ± 0.2	1.0 ± 0.2	-1.0 ± 0.1	-0.6 ± 0.1	0.23 ± 0.08	-0.5 ± 0.2	0.2 ± 0.2	E Africa M	S Asia F
34	-0.9 ± 0.3	-1.20 ± 0.09	-2.1 ± 0.1	-2.2 ± 0.1	-0.6 ± 0.2	-1.2 ± 0.2	0.7 ± 0.2	-1.0 ± 0.1	-0.7 ± 0.2	0.21 ± 0.09	-0.3 ± 0.2	0.2 ± 0.2	E Africa M	S Asia F
35	-0.6 ± 0.3	-1.29 ± 0.09	-2.1 ± 0.2	-2.3 ± 0.1	-0.7 ± 0.2	-1.4 ± 0.3	0.9 ± 0.2	-0.9 ± 0.1	-0.6 ± 0.2	0.12 ± 0.09	-0.5 ± 0.2	0.1 ± 0.2	E Africa M	S Asia F
36	-0.7 ± 0.3	-1.20 ± 0.09	-1.9 ± 0.2	-2.3 ± 0.1	-0.5 ± 0.2	-1.4 ± 0.3	0.7 ± 0.3	-1.0 ± 0.1	-0.4 ± 0.2	-0.04 ± 0.09	-0.4 ± 0.2	0.0 ± 0.2	E Africa M	S Asia F
37	-0.7 ± 0.3	-1.18 ± 0.09	-1.8 ± 0.2	-2.2 ± 0.1	-0.6 ± 0.2	-1.5 ± 0.3	0.8 ± 0.3	-1.0 ± 0.1	-0.6 ± 0.2	-0.06 ± 0.09	-0.6 ± 0.2	-0.1 ± 0.2	E Africa M	S Asia F
38	-0.1 ± 0.4	-1.22 ± 0.09	-1.7 ± 0.2	-2.1 ± 0.1	-0.4 ± 0.2	-1.5 ± 0.3	0.6 ± 0.3	-1.1 ± 0.1	-0.6 ± 0.2	-0.21 ± 0.09	-0.4 ± 0.2	-0.2 ± 0.2	E Africa M	S Asia F
39	-0.6 ± 0.4	-1.29 ± 0.09	-1.7 ± 0.2	-2.2 ± 0.1	-0.5 ± 0.2	-1.2 ± 0.3	0.9 ± 0.3	-1.2 ± 0.1	-0.4 ± 0.2	-0.21 ± 0.09	-0.4 ± 0.2	-0.3 ± 0.2	E Africa M	S Asia F
40	-0.5 ± 0.4	-1.37 ± 0.09	-1.3 ± 0.2	-2.0 ± 0.1	-0.6 ± 0.2	-1.7 ± 0.3	0.8 ± 0.3	-1.21 ± 0.10	-0.5 ± 0.2	-0.28 ± 0.10	-0.5 ± 0.2	-0.6 ± 0.2	E Africa M	S Asia F
41	-0.7 ± 0.4	-1.41 ± 0.09	-1.5 ± 0.2	-2.0 ± 0.1	-0.7 ± 0.2	-1.9 ± 0.3	0.9 ± 0.3	-1.31 ± 0.10	-0.5 ± 0.2	-0.3 ± 0.1	-0.6 ± 0.2	-0.7 ± 0.2	E Africa M	S Asia F
42	-0.2 ± 0.4	-1.41 ± 0.08	-1.3 ± 0.2	-1.6 ± 0.2	-0.7 ± 0.2	-1.6 ± 0.3	0.9 ± 0.3	-1.31 ± 0.10	-0.4 ± 0.2	-0.4 ± 0.1	-0.5 ± 0.2	-0.7 ± 0.2	E Africa M	S Asia F
43	0.1 ± 0.4	-1.59 ± 0.08	-1.4 ± 0.2	-1.8 ± 0.2	-0.8 ± 0.2	-1.9 ± 0.3	1.1 ± 0.3	-1.4 ± 0.1	-0.5 ± 0.2	-0.4 ± 0.1	-0.5 ± 0.2	-1.0 ± 0.3	E Africa M	W Africa F
44	0.0 ± 0.5	-1.72 ± 0.09	-1.6 ± 0.2	-1.7 ± 0.2	-0.6 ± 0.2	-1.8 ± 0.4	0.6 ± 0.3	-1.4 ± 0.1	-0.2 ± 0.2	-0.4 ± 0.1	-0.5 ± 0.2	-1.0 ± 0.2	E Africa M	W Africa F
45	-0.2 ± 0.5	-1.74 ± 0.09	-1.5 ± 0.2	-1.6 ± 0.2	-0.8 ± 0.2	-1.8 ± 0.3	0.5 ± 0.3	-1.5 ± 0.1	-0.5 ± 0.2	-0.3 ± 0.1	-0.5 ± 0.2	-1.2 ± 0.3	E Africa M	W Africa F
46	0.8 ± 0.5	-1.93 ± 0.09	-1.2 ± 0.2	-1.4 ± 0.2	-1.0 ± 0.2	-1.6 ± 0.3	0.5 ± 0.4	-1.5 ± 0.1	-0.4 ± 0.2	-0.2 ± 0.1	-0.5 ± 0.2	-1.5 ± 0.3	E Africa F	E Asia F
47	0.5 ± 0.5	-1.84 ± 0.10	-1.3 ± 0.2	-1.4 ± 0.2	-0.7 ± 0.2	-1.8 ± 0.4	0.9 ± 0.4	-1.6 ± 0.1	-0.4 ± 0.2	-0.1 ± 0.2	-0.2 ± 0.2	-1.3 ± 0.3	E Africa M	E Asia F
48	0.2 ± 0.5	-1.95 ± 0.10	-1.2 ± 0.2	-1.2 ± 0.2	-0.9 ± 0.2	-1.8 ± 0.4	0.4 ± 0.5	-1.5 ± 0.1	-0.3 ± 0.2	-0.0 ± 0.2	-0.4 ± 0.2	-1.6 ± 0.3	E Africa M	E Asia F
49	0.7 ± 0.5	-2.0 ± 0.1	-1.3 ± 0.2	-1.1 ± 0.2	-0.6 ± 0.2	-1.9 ± 0.4	0.3 ± 0.4	-1.5 ± 0.1	-0.5 ± 0.2	-0.1 ± 0.2	-0.4 ± 0.2	-1.7 ± 0.3	E Africa F	E Asia F
50	0.2 ± 0.6	-2.0 ± 0.1	-1.0 ± 0.2	-1.0 ± 0.2	-0.8 ± 0.2	-1.9 ± 0.4	0.3 ± 0.4	-1.5 ± 0.1	-0.7 ± 0.2	-0.0 ± 0.2	-0.0 ± 0.2	-2.0 ± 0.3	E Africa M	E Asia F
51	0.5 ± 0.5	-2.0 ± 0.1	-1.2 ± 0.2	-0.8 ± 0.2	-0.8 ± 0.2	-1.7 ± 0.4	-0.3 ± 0.5	-1.4 ± 0.1	-0.6 ± 0.2	0.2 ± 0.2	-0.2 ± 0.2	-2.1 ± 0.3	E Africa F	W Africa M
52	0.5 ± 0.6	-2.0 ± 0.1	-0.9 ± 0.2	-0.9 ± 0.2	-0.4 ± 0.2	-2.0 ± 0.4	0.1 ± 0.5	-1.4 ± 0.1	-0.6 ± 0.2	-0.0 ± 0.2	-0.3 ± 0.2	-2.0 ± 0.4	E Africa F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 61. *Mean raw error for Application-type images for algorithm inbut-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	6.7 ± 0.4	4.0 ± 0.1	5.1 ± 0.4	4.5 ± 0.2	4.0 ± 0.2	7.7 ± 0.5	6.5 ± 0.5	3.3 ± 0.1	2.9 ± 0.3	3.7 ± 0.2	3.5 ± 0.3	5.9 ± 0.5	W Africa F	E Europe M
15	7.1 ± 0.4	3.7 ± 0.1	5.4 ± 0.4	4.6 ± 0.2	3.9 ± 0.3	7.2 ± 0.5	6.2 ± 0.5	3.5 ± 0.2	3.7 ± 0.3	3.9 ± 0.2	3.5 ± 0.3	6.2 ± 0.6	W Africa F	E Asia M
16	6.7 ± 0.5	3.4 ± 0.1	5.6 ± 0.4	4.2 ± 0.2	3.7 ± 0.3	7.7 ± 0.6	6.4 ± 0.4	3.3 ± 0.2	4.1 ± 0.4	3.9 ± 0.2	3.8 ± 0.4	6.0 ± 0.5	W Africa F	E Asia M
17	6.9 ± 0.5	3.1 ± 0.1	5.2 ± 0.4	4.2 ± 0.2	3.5 ± 0.3	7.1 ± 0.4	6.0 ± 0.4	3.1 ± 0.2	3.8 ± 0.3	3.7 ± 0.2	3.5 ± 0.4	6.0 ± 0.5	W Africa F	E Asia F
18	6.1 ± 0.3	2.4 ± 0.1	4.3 ± 0.4	3.5 ± 0.2	2.5 ± 0.2	6.6 ± 0.4	5.3 ± 0.3	2.6 ± 0.1	3.5 ± 0.3	3.2 ± 0.2	2.3 ± 0.3	4.7 ± 0.4	W Africa F	S E Asia M
19	6.2 ± 0.4	2.2 ± 0.1	4.0 ± 0.3	3.5 ± 0.2	2.4 ± 0.2	6.5 ± 0.4	5.6 ± 0.4	2.7 ± 0.1	3.6 ± 0.3	3.6 ± 0.2	2.3 ± 0.3	5.4 ± 0.4	W Africa F	E Asia F
20	5.9 ± 0.4	2.1 ± 0.1	3.8 ± 0.3	3.4 ± 0.2	2.3 ± 0.2	6.6 ± 0.4	5.4 ± 0.4	2.5 ± 0.1	3.7 ± 0.3	3.4 ± 0.2	2.1 ± 0.2	5.1 ± 0.4	W Africa F	S E Asia M
21	5.7 ± 0.3	2.0 ± 0.1	3.7 ± 0.2	3.3 ± 0.1	2.2 ± 0.2	6.0 ± 0.3	5.7 ± 0.3	2.4 ± 0.1	3.2 ± 0.3	3.4 ± 0.2	2.3 ± 0.2	4.9 ± 0.3	W Africa F	E Asia F
22	5.7 ± 0.3	1.6 ± 0.1	3.2 ± 0.2	3.1 ± 0.1	1.8 ± 0.2	5.7 ± 0.3	6.4 ± 0.3	2.2 ± 0.1	3.5 ± 0.2	3.5 ± 0.2	2.1 ± 0.2	4.6 ± 0.3	E Africa M	E Asia F
23	5.4 ± 0.3	1.5 ± 0.1	3.0 ± 0.2	2.9 ± 0.1	1.6 ± 0.1	5.7 ± 0.3	5.9 ± 0.3	1.9 ± 0.1	3.3 ± 0.2	3.5 ± 0.2	1.9 ± 0.2	5.0 ± 0.3	E Africa M	E Asia F
24	5.0 ± 0.3	1.07 ± 0.09	2.8 ± 0.1	2.8 ± 0.1	1.2 ± 0.1	5.3 ± 0.3	5.8 ± 0.3	1.7 ± 0.1	3.2 ± 0.2	3.5 ± 0.1	1.8 ± 0.2	4.7 ± 0.3	E Africa M	E Asia F
25	4.4 ± 0.2	0.85 ± 0.08	2.3 ± 0.1	2.5 ± 0.1	0.9 ± 0.1	4.9 ± 0.3	5.5 ± 0.3	1.4 ± 0.1	3.2 ± 0.2	3.4 ± 0.1	1.7 ± 0.2	4.5 ± 0.3	E Africa M	E Asia F
26	4.0 ± 0.2	0.42 ± 0.08	2.0 ± 0.1	2.13 ± 0.10	0.7 ± 0.1	4.6 ± 0.2	5.3 ± 0.3	1.3 ± 0.1	2.7 ± 0.2	3.2 ± 0.1	1.7 ± 0.2	4.0 ± 0.2	E Africa M	E Asia F
27	3.9 ± 0.2	0.12 ± 0.07	1.7 ± 0.1	1.78 ± 0.10	0.4 ± 0.1	4.3 ± 0.2	5.1 ± 0.3	1.0 ± 0.1	2.8 ± 0.2	3.0 ± 0.1	1.7 ± 0.2	4.1 ± 0.2	E Africa M	E Asia F
28	3.8 ± 0.2	-0.28 ± 0.07	1.4 ± 0.1	1.48 ± 0.09	-0.0 ± 0.1	4.0 ± 0.2	4.8 ± 0.2	0.8 ± 0.1	2.7 ± 0.2	2.8 ± 0.1	1.5 ± 0.2	3.8 ± 0.2	E Africa M	E Asia F
29	3.4 ± 0.2	-0.53 ± 0.07	1.1 ± 0.1	1.08 ± 0.09	-0.3 ± 0.1	3.7 ± 0.2	4.7 ± 0.2	0.7 ± 0.1	2.7 ± 0.2	2.6 ± 0.1	1.1 ± 0.2	3.9 ± 0.2	E Africa M	E Asia F
30	3.0 ± 0.2	-0.85 ± 0.08	0.8 ± 0.1	0.58 ± 0.09	-0.6 ± 0.1	3.2 ± 0.2	4.9 ± 0.3	0.4 ± 0.1	2.4 ± 0.2	2.4 ± 0.1	1.1 ± 0.2	3.7 ± 0.2	E Africa M	E Asia F
31	2.6 ± 0.2	-1.12 ± 0.08	0.7 ± 0.1	0.15 ± 0.09	-0.9 ± 0.1	3.2 ± 0.2	4.6 ± 0.2	0.4 ± 0.1	2.3 ± 0.2	2.2 ± 0.1	1.0 ± 0.2	3.4 ± 0.2	E Africa M	E Asia F
32	2.6 ± 0.2	-1.34 ± 0.08	0.4 ± 0.1	-0.20 ± 0.10	-1.0 ± 0.1	3.0 ± 0.2	4.3 ± 0.2	0.3 ± 0.1	2.3 ± 0.2	1.9 ± 0.1	0.8 ± 0.2	3.3 ± 0.2	E Africa M	E Asia F
33	2.2 ± 0.3	-1.53 ± 0.09	0.2 ± 0.1	-0.51 ± 0.10	-1.3 ± 0.1	2.5 ± 0.2	4.5 ± 0.3	0.2 ± 0.1	2.4 ± 0.2	1.7 ± 0.1	0.5 ± 0.2	3.3 ± 0.2	E Africa M	E Asia F
34	1.9 ± 0.3	-1.66 ± 0.09	-0.0 ± 0.1	-0.9 ± 0.1	-1.5 ± 0.1	2.2 ± 0.2	4.1 ± 0.3	0.3 ± 0.1	2.0 ± 0.2	1.4 ± 0.1	0.7 ± 0.2	3.3 ± 0.2	E Africa M	E Asia F
35	2.0 ± 0.3	-1.92 ± 0.09	-0.2 ± 0.2	-1.3 ± 0.1	-1.6 ± 0.2	1.8 ± 0.2	4.2 ± 0.3	0.2 ± 0.1	2.0 ± 0.2	1.2 ± 0.1	0.4 ± 0.2	3.1 ± 0.2	E Africa M	E Asia F
36	1.7 ± 0.3	-1.95 ± 0.10	-0.4 ± 0.2	-1.5 ± 0.1	-1.7 ± 0.2	1.9 ± 0.3	4.1 ± 0.3	0.2 ± 0.1	1.9 ± 0.2	0.9 ± 0.1	0.5 ± 0.2	3.2 ± 0.2	E Africa M	E Asia F
37	1.4 ± 0.3	-2.11 ± 0.09	-0.6 ± 0.2	-1.6 ± 0.1	-1.9 ± 0.2	1.5 ± 0.3	4.2 ± 0.3	0.1 ± 0.1	1.7 ± 0.2	0.6 ± 0.1	0.2 ± 0.2	2.9 ± 0.2	E Africa M	E Asia F
38	1.8 ± 0.3	-2.30 ± 0.10	-0.7 ± 0.2	-1.7 ± 0.1	-1.9 ± 0.2	1.2 ± 0.3	3.7 ± 0.3	0.0 ± 0.1	1.6 ± 0.2	0.4 ± 0.1	0.3 ± 0.2	2.9 ± 0.2	E Africa M	E Asia F
39	1.2 ± 0.3	-2.29 ± 0.09	-0.8 ± 0.2	-1.9 ± 0.1	-1.9 ± 0.2	1.2 ± 0.3	3.9 ± 0.3	-0.2 ± 0.1	1.7 ± 0.2	0.3 ± 0.1	0.1 ± 0.2	2.9 ± 0.2	E Africa M	E Asia F
40	1.1 ± 0.4	-2.48 ± 0.10	-0.6 ± 0.2	-1.8 ± 0.1	-2.0 ± 0.2	0.7 ± 0.3	4.0 ± 0.3	-0.3 ± 0.1	1.5 ± 0.2	0.3 ± 0.1	-0.1 ± 0.2	2.6 ± 0.3	E Africa M	E Asia F
41	0.7 ± 0.4	-2.60 ± 0.10	-0.8 ± 0.2	-1.9 ± 0.2	-2.1 ± 0.2	0.4 ± 0.3	3.9 ± 0.3	-0.5 ± 0.1	1.6 ± 0.2	0.2 ± 0.1	-0.4 ± 0.2	2.7 ± 0.3	E Africa M	E Asia F
42	0.9 ± 0.4	-2.68 ± 0.09	-0.8 ± 0.2	-1.6 ± 0.2	-2.2 ± 0.2	0.3 ± 0.3	3.9 ± 0.3	-0.7 ± 0.1	1.8 ± 0.2	0.2 ± 0.1	-0.3 ± 0.2	2.4 ± 0.3	E Africa M	E Asia F
43	1.2 ± 0.4	-2.81 ± 0.10	-0.9 ± 0.2	-1.7 ± 0.2	-2.2 ± 0.2	0.1 ± 0.3	4.2 ± 0.4	-0.8 ± 0.1	1.6 ± 0.2	0.3 ± 0.1	-0.3 ± 0.2	2.2 ± 0.3	E Africa M	E Asia F
44	1.0 ± 0.5	-3.09 ± 0.09	-1.2 ± 0.2	-1.5 ± 0.2	-2.0 ± 0.2	-0.3 ± 0.4	3.7 ± 0.4	-0.9 ± 0.1	1.7 ± 0.3	0.1 ± 0.2	-0.5 ± 0.2	2.3 ± 0.3	E Africa M	E Asia F
45	0.8 ± 0.5	-3.14 ± 0.10	-1.1 ± 0.2	-1.5 ± 0.2	-2.2 ± 0.2	-0.2 ± 0.4	3.5 ± 0.4	-1.1 ± 0.1	1.7 ± 0.3	0.2 ± 0.2	-0.7 ± 0.2	2.1 ± 0.3	E Africa M	E Asia F
46	1.7 ± 0.5	-3.4 ± 0.1	-1.0 ± 0.2	-1.4 ± 0.2	-2.3 ± 0.2	-0.4 ± 0.4	3.5 ± 0.4	-1.2 ± 0.1	1.7 ± 0.3	0.3 ± 0.2	-0.6 ± 0.2	1.7 ± 0.3	E Africa M	E Asia F
47	1.2 ± 0.5	-3.3 ± 0.1	-1.1 ± 0.3	-1.3 ± 0.2	-2.3 ± 0.2	-0.4 ± 0.4	4.1 ± 0.4	-1.4 ± 0.1	1.5 ± 0.3	0.3 ± 0.2	-0.5 ± 0.2	1.9 ± 0.3	E Africa M	E Asia F
48	0.9 ± 0.6	-3.4 ± 0.1	-0.9 ± 0.3	-1.1 ± 0.2	-2.4 ± 0.2	-0.7 ± 0.4	3.5 ± 0.5	-1.3 ± 0.1	1.5 ± 0.3	0.4 ± 0.2	-0.5 ± 0.3	1.6 ± 0.3	E Africa M	E Asia F
49	1.7 ± 0.6	-3.5 ± 0.1	-1.4 ± 0.3	-0.9 ± 0.2	-2.2 ± 0.2	-0.8 ± 0.4	3.5 ± 0.5	-1.4 ± 0.1	1.3 ± 0.3	0.3 ± 0.2	-0.7 ± 0.2	1.7 ± 0.3	E Africa M	E Asia F
50	0.7 ± 0.6	-3.5 ± 0.1	-0.9 ± 0.2	-1.1 ± 0.2	-2.4 ± 0.2	-0.8 ± 0.4	3.2 ± 0.4	-1.5 ± 0.1	1.0 ± 0.3	0.1 ± 0.2	-0.3 ± 0.3	1.2 ± 0.3	E Africa M	E Asia F
51	1.0 ± 0.5	-3.5 ± 0.1	-1.2 ± 0.3	-1.0 ± 0.2	-2.5 ± 0.2	-0.8 ± 0.5	2.9 ± 0.5	-1.6 ± 0.1	1.0 ± 0.2	0.1 ± 0.2	-0.5 ± 0.2	1.2 ± 0.4	E Africa M	E Asia F
52	0.7 ± 0.6	-3.6 ± 0.1	-1.0 ± 0.3	-1.0 ± 0.2	-2.1 ± 0.2	-1.0 ± 0.4	2.9 ± 0.5	-1.5 ± 0.1	1.1 ± 0.3	-0.0 ± 0.2	-0.8 ± 0.3	1.2 ± 0.4	E Africa M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 62. *Mean raw error for Application-type images for algorithm incode-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.2 ± 0.3	0.7 ± 0.1	1.3 ± 0.3	0.9 ± 0.2	1.0 ± 0.3	2.3 ± 0.3	0.1 ± 0.3	-0.2 ± 0.1	-0.2 ± 0.2	-0.4 ± 0.1	-0.4 ± 0.2	0.4 ± 0.3	W Africa F	S Asia M
15	1.4 ± 0.4	0.9 ± 0.2	1.3 ± 0.3	1.3 ± 0.2	1.4 ± 0.4	2.0 ± 0.4	-0.2 ± 0.3	0.0 ± 0.1	-0.1 ± 0.2	-0.1 ± 0.1	0.2 ± 0.2	0.8 ± 0.4	W Africa F	E Africa M
16	1.3 ± 0.4	0.9 ± 0.2	1.8 ± 0.3	1.4 ± 0.2	1.6 ± 0.4	2.4 ± 0.5	0.7 ± 0.3	0.1 ± 0.1	0.1 ± 0.2	0.2 ± 0.1	0.3 ± 0.2	0.7 ± 0.3	W Africa F	E Asia M
17	1.8 ± 0.5	0.9 ± 0.2	1.6 ± 0.4	1.3 ± 0.2	1.4 ± 0.3	2.0 ± 0.4	0.3 ± 0.3	0.1 ± 0.1	-0.2 ± 0.2	0.5 ± 0.2	0.5 ± 0.2	1.0 ± 0.4	W Africa F	E Europe M
18	1.0 ± 0.4	0.5 ± 0.2	0.9 ± 0.3	0.9 ± 0.2	1.5 ± 0.2	1.3 ± 0.4	0.2 ± 0.3	-0.3 ± 0.1	-0.5 ± 0.2	0.2 ± 0.1	0.3 ± 0.2	0.3 ± 0.3	S E Asia F	E Europe M
19	1.6 ± 0.4	0.6 ± 0.2	1.0 ± 0.3	1.0 ± 0.2	1.4 ± 0.2	1.5 ± 0.4	0.8 ± 0.3	-0.3 ± 0.1	-0.5 ± 0.2	0.5 ± 0.1	0.1 ± 0.2	0.7 ± 0.4	E Africa F	E Europe M
20	1.6 ± 0.4	0.7 ± 0.2	1.0 ± 0.3	1.0 ± 0.2	1.3 ± 0.2	1.4 ± 0.4	1.0 ± 0.3	-0.5 ± 0.1	-0.2 ± 0.2	0.7 ± 0.1	0.3 ± 0.2	0.9 ± 0.4	E Africa F	E Asia M
21	1.8 ± 0.4	0.7 ± 0.2	1.0 ± 0.3	0.8 ± 0.2	1.4 ± 0.2	1.7 ± 0.4	1.4 ± 0.3	-0.4 ± 0.1	-0.3 ± 0.2	0.9 ± 0.1	0.4 ± 0.2	0.8 ± 0.4	E Africa F	E Asia M
22	1.8 ± 0.4	0.5 ± 0.1	1.1 ± 0.2	0.7 ± 0.2	1.1 ± 0.2	1.1 ± 0.4	2.2 ± 0.3	-0.4 ± 0.1	0.2 ± 0.2	1.0 ± 0.2	0.1 ± 0.2	0.6 ± 0.3	E Africa M	E Asia M
23	2.1 ± 0.3	0.3 ± 0.1	1.2 ± 0.2	0.7 ± 0.1	1.0 ± 0.2	1.3 ± 0.3	2.0 ± 0.3	-0.5 ± 0.1	0.2 ± 0.2	1.1 ± 0.1	0.2 ± 0.2	1.2 ± 0.3	E Africa F	E Asia M
24	2.3 ± 0.4	0.0 ± 0.1	1.3 ± 0.2	0.5 ± 0.1	0.8 ± 0.1	1.0 ± 0.3	2.0 ± 0.3	-0.5 ± 0.1	0.4 ± 0.2	1.1 ± 0.1	0.1 ± 0.2	1.1 ± 0.3	E Africa F	E Asia M
25	1.8 ± 0.3	0.0 ± 0.1	1.0 ± 0.2	0.3 ± 0.1	0.6 ± 0.1	1.2 ± 0.3	2.1 ± 0.3	-0.5 ± 0.1	0.4 ± 0.2	1.2 ± 0.1	0.1 ± 0.2	0.9 ± 0.3	E Africa M	E Asia M
26	2.0 ± 0.3	-0.3 ± 0.1	1.1 ± 0.1	0.1 ± 0.1	0.5 ± 0.1	1.1 ± 0.3	1.9 ± 0.2	-0.7 ± 0.1	0.3 ± 0.2	1.1 ± 0.1	0.1 ± 0.2	0.7 ± 0.2	E Africa F	E Asia M
27	1.9 ± 0.3	-0.54 ± 0.10	1.1 ± 0.1	-0.1 ± 0.1	0.3 ± 0.1	1.0 ± 0.3	1.8 ± 0.3	-0.7 ± 0.1	0.4 ± 0.2	0.8 ± 0.1	0.1 ± 0.2	0.5 ± 0.3	E Africa F	E Asia M
28	1.9 ± 0.3	-0.80 ± 0.09	1.0 ± 0.1	-0.3 ± 0.1	0.0 ± 0.1	0.9 ± 0.3	1.6 ± 0.2	-0.9 ± 0.1	0.5 ± 0.2	0.8 ± 0.1	-0.2 ± 0.2	0.2 ± 0.2	E Africa F	E Asia M
29	2.1 ± 0.3	-0.99 ± 0.09	1.0 ± 0.1	-0.5 ± 0.1	0.0 ± 0.1	0.7 ± 0.3	1.6 ± 0.2	-1.0 ± 0.1	0.3 ± 0.2	0.5 ± 0.1	-0.3 ± 0.2	0.6 ± 0.2	E Africa F	E Asia M
30	1.8 ± 0.3	-1.11 ± 0.09	0.9 ± 0.1	-0.7 ± 0.1	-0.1 ± 0.1	0.4 ± 0.3	1.5 ± 0.3	-1.2 ± 0.1	0.3 ± 0.2	0.38 ± 0.10	-0.2 ± 0.2	0.4 ± 0.2	E Africa F	E Asia M
31	1.5 ± 0.3	-1.27 ± 0.10	1.1 ± 0.2	-0.9 ± 0.1	-0.2 ± 0.1	0.3 ± 0.3	1.5 ± 0.2	-1.2 ± 0.1	0.3 ± 0.2	0.30 ± 0.10	-0.4 ± 0.2	0.4 ± 0.2	E Africa M	E Asia F
32	1.8 ± 0.3	-1.38 ± 0.10	1.0 ± 0.2	-0.9 ± 0.1	-0.3 ± 0.2	0.4 ± 0.3	1.2 ± 0.3	-1.3 ± 0.1	0.4 ± 0.2	0.2 ± 0.1	-0.3 ± 0.2	0.3 ± 0.2	E Africa F	E Asia F
33	1.7 ± 0.3	-1.5 ± 0.1	1.0 ± 0.2	-0.9 ± 0.1	-0.4 ± 0.2	0.5 ± 0.3	1.5 ± 0.3	-1.4 ± 0.1	0.7 ± 0.2	0.1 ± 0.1	-0.5 ± 0.2	0.2 ± 0.2	E Africa F	E Asia F
34	1.4 ± 0.3	-1.5 ± 0.1	1.1 ± 0.2	-1.0 ± 0.1	-0.3 ± 0.2	0.2 ± 0.3	1.0 ± 0.3	-1.4 ± 0.1	0.5 ± 0.2	0.1 ± 0.1	-0.2 ± 0.2	0.3 ± 0.2	E Africa F	E Asia F
35	1.7 ± 0.3	-1.6 ± 0.1	1.1 ± 0.2	-1.1 ± 0.1	-0.4 ± 0.2	-0.0 ± 0.3	1.3 ± 0.3	-1.2 ± 0.1	0.6 ± 0.2	0.1 ± 0.1	-0.4 ± 0.2	0.2 ± 0.3	E Africa F	E Asia F
36	1.5 ± 0.3	-1.5 ± 0.1	1.2 ± 0.2	-1.1 ± 0.1	-0.3 ± 0.2	0.3 ± 0.3	1.2 ± 0.3	-1.1 ± 0.1	0.8 ± 0.2	0.1 ± 0.1	-0.1 ± 0.3	0.2 ± 0.3	E Africa F	E Asia F
37	1.6 ± 0.3	-1.4 ± 0.1	1.4 ± 0.2	-0.9 ± 0.1	-0.2 ± 0.2	0.0 ± 0.4	1.1 ± 0.3	-1.1 ± 0.1	0.7 ± 0.2	0.1 ± 0.1	-0.3 ± 0.2	0.0 ± 0.3	E Africa F	E Asia F
38	1.7 ± 0.4	-1.5 ± 0.1	1.4 ± 0.2	-0.8 ± 0.1	-0.3 ± 0.2	0.1 ± 0.3	0.8 ± 0.3	-0.9 ± 0.1	0.8 ± 0.2	0.1 ± 0.1	0.2 ± 0.2	0.2 ± 0.3	E Africa F	E Asia F
39	1.4 ± 0.4	-1.4 ± 0.1	1.3 ± 0.2	-0.8 ± 0.1	-0.1 ± 0.2	0.2 ± 0.3	1.0 ± 0.3	-0.8 ± 0.1	1.0 ± 0.2	0.2 ± 0.1	0.1 ± 0.2	0.1 ± 0.3	E Africa F	E Asia F
40	1.4 ± 0.4	-1.3 ± 0.1	1.6 ± 0.2	-0.6 ± 0.1	-0.2 ± 0.2	-0.3 ± 0.4	0.7 ± 0.3	-0.7 ± 0.1	1.0 ± 0.2	0.1 ± 0.1	-0.0 ± 0.2	-0.2 ± 0.3	E Europe F	E Asia F
41	1.0 ± 0.4	-1.3 ± 0.1	1.5 ± 0.2	-0.7 ± 0.2	-0.3 ± 0.2	-0.6 ± 0.4	1.0 ± 0.3	-0.7 ± 0.1	1.0 ± 0.2	0.1 ± 0.1	-0.1 ± 0.2	-0.2 ± 0.3	E Europe F	E Asia F
42	1.4 ± 0.4	-1.1 ± 0.1	1.5 ± 0.2	-0.2 ± 0.2	-0.2 ± 0.2	-0.2 ± 0.4	0.9 ± 0.3	-0.6 ± 0.1	1.1 ± 0.2	0.0 ± 0.1	0.1 ± 0.2	-0.3 ± 0.3	E Europe F	E Asia F
43	1.6 ± 0.4	-1.2 ± 0.1	1.3 ± 0.2	-0.6 ± 0.2	-0.3 ± 0.2	-0.5 ± 0.4	0.8 ± 0.3	-0.5 ± 0.1	0.8 ± 0.2	0.0 ± 0.1	0.1 ± 0.2	-0.7 ± 0.3	E Africa F	E Asia F
44	1.4 ± 0.5	-1.4 ± 0.1	1.0 ± 0.2	-0.5 ± 0.2	-0.3 ± 0.2	-0.6 ± 0.4	0.4 ± 0.3	-0.6 ± 0.1	1.1 ± 0.2	0.0 ± 0.1	0.1 ± 0.2	-0.4 ± 0.3	E Africa F	E Asia F
45	1.1 ± 0.5	-1.3 ± 0.1	1.0 ± 0.2	-0.6 ± 0.2	-0.3 ± 0.2	-0.6 ± 0.4	0.3 ± 0.4	-0.7 ± 0.1	0.8 ± 0.2	0.1 ± 0.1	-0.2 ± 0.2	-0.8 ± 0.3	E Africa F	E Asia F
46	2.2 ± 0.5	-1.5 ± 0.1	0.9 ± 0.2	-0.5 ± 0.2	-0.6 ± 0.2	-0.5 ± 0.4	0.3 ± 0.4	-0.6 ± 0.1	0.8 ± 0.2	0.2 ± 0.2	-0.1 ± 0.2	-0.8 ± 0.3	E Africa F	E Asia F
47	1.9 ± 0.5	-1.4 ± 0.1	0.9 ± 0.2	-0.5 ± 0.2	-0.5 ± 0.2	-0.6 ± 0.4	0.8 ± 0.4	-0.7 ± 0.1	0.9 ± 0.2	0.2 ± 0.2	0.1 ± 0.3	-0.8 ± 0.3	E Africa F	E Asia F
48	1.1 ± 0.6	-1.4 ± 0.1	1.1 ± 0.2	-0.4 ± 0.2	-0.5 ± 0.2	-0.6 ± 0.4	0.3 ± 0.5	-0.7 ± 0.1	1.0 ± 0.3	0.4 ± 0.2	-0.0 ± 0.3	-1.1 ± 0.4	E Africa F	E Asia F
49	2.0 ± 0.6	-1.6 ± 0.1	0.8 ± 0.2	-0.4 ± 0.2	-0.3 ± 0.2	-0.5 ± 0.5	0.1 ± 0.5	-0.5 ± 0.1	0.9 ± 0.3	0.2 ± 0.2	0.1 ± 0.3	-0.8 ± 0.4	E Africa F	E Asia F
50	1.5 ± 0.6	-1.4 ± 0.1	1.0 ± 0.2	-0.4 ± 0.2	-0.3 ± 0.2	-0.5 ± 0.5	0.1 ± 0.5	-0.6 ± 0.1	0.9 ± 0.3	0.2 ± 0.2	0.4 ± 0.3	-1.2 ± 0.4	E Africa F	E Asia F
51	1.8 ± 0.6	-1.4 ± 0.1	0.7 ± 0.3	-0.2 ± 0.2	-0.2 ± 0.2	-0.2 ± 0.5	-0.3 ± 0.6	-0.5 ± 0.2	1.2 ± 0.3	0.5 ± 0.2	0.3 ± 0.3	-1.2 ± 0.4	E Africa F	E Asia F
52	1.7 ± 0.7	-1.3 ± 0.1	1.1 ± 0.3	-0.3 ± 0.2	0.2 ± 0.2	-0.8 ± 0.5	0.1 ± 0.6	-0.5 ± 0.2	1.2 ± 0.3	0.6 ± 0.2	0.4 ± 0.3	-1.0 ± 0.5	E Africa F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 63. *Mean raw error for Application-type images for algorithm incode-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.7 ± 0.3	1.7 ± 0.1	1.4 ± 0.3	1.5 ± 0.2	1.6 ± 0.3	3.4 ± 0.3	1.0 ± 0.3	0.7 ± 0.1	-0.0 ± 0.2	0.1 ± 0.1	0.5 ± 0.2	1.2 ± 0.3	W Africa F	E Europe M
15	2.9 ± 0.3	1.9 ± 0.2	1.7 ± 0.3	2.1 ± 0.2	2.2 ± 0.4	3.1 ± 0.4	0.8 ± 0.3	1.1 ± 0.1	0.2 ± 0.2	0.5 ± 0.1	1.0 ± 0.2	1.5 ± 0.3	W Africa F	E Europe M
16	2.7 ± 0.4	2.0 ± 0.2	2.1 ± 0.3	2.1 ± 0.2	2.4 ± 0.4	3.4 ± 0.5	1.5 ± 0.3	1.14 ± 0.10	0.4 ± 0.2	0.7 ± 0.1	1.0 ± 0.2	1.2 ± 0.3	W Africa F	E Europe M
17	3.1 ± 0.4	2.2 ± 0.2	1.9 ± 0.3	2.2 ± 0.2	2.3 ± 0.3	3.5 ± 0.4	1.2 ± 0.3	1.1 ± 0.1	0.1 ± 0.2	0.8 ± 0.1	1.0 ± 0.2	1.6 ± 0.4	W Africa F	E Europe M
18	2.3 ± 0.3	1.7 ± 0.2	1.3 ± 0.3	1.9 ± 0.2	2.4 ± 0.3	2.9 ± 0.4	0.9 ± 0.2	0.8 ± 0.1	-0.1 ± 0.2	0.5 ± 0.1	0.8 ± 0.2	0.9 ± 0.3	W Africa F	E Europe M
19	3.1 ± 0.4	2.1 ± 0.2	1.5 ± 0.3	2.0 ± 0.2	2.5 ± 0.2	3.2 ± 0.4	1.4 ± 0.3	1.1 ± 0.1	-0.3 ± 0.2	0.7 ± 0.1	0.9 ± 0.2	1.4 ± 0.4	W Africa F	E Europe M
20	3.2 ± 0.4	2.1 ± 0.2	1.5 ± 0.2	2.0 ± 0.2	2.5 ± 0.2	3.3 ± 0.4	1.9 ± 0.3	1.1 ± 0.1	0.2 ± 0.2	1.0 ± 0.1	1.1 ± 0.2	1.6 ± 0.4	W Africa F	E Europe M
21	3.4 ± 0.3	2.3 ± 0.2	1.5 ± 0.2	1.8 ± 0.2	2.6 ± 0.2	3.3 ± 0.4	2.4 ± 0.3	1.4 ± 0.1	0.0 ± 0.2	1.3 ± 0.1	1.3 ± 0.2	1.7 ± 0.4	E Africa F	E Europe M
22	3.6 ± 0.4	2.2 ± 0.1	1.4 ± 0.2	1.6 ± 0.1	2.5 ± 0.2	3.0 ± 0.4	3.3 ± 0.3	1.7 ± 0.1	0.5 ± 0.2	1.5 ± 0.2	1.3 ± 0.2	1.7 ± 0.4	E Africa F	E Europe M
23	3.7 ± 0.3	2.1 ± 0.1	1.6 ± 0.2	1.6 ± 0.1	2.5 ± 0.2	3.5 ± 0.3	3.3 ± 0.3	1.8 ± 0.1	0.5 ± 0.2	1.7 ± 0.1	1.6 ± 0.2	2.3 ± 0.3	E Africa F	E Europe M
24	3.9 ± 0.3	1.9 ± 0.1	1.5 ± 0.2	1.3 ± 0.1	2.4 ± 0.1	3.0 ± 0.3	3.5 ± 0.3	1.9 ± 0.1	0.7 ± 0.2	1.8 ± 0.1	1.8 ± 0.2	2.4 ± 0.3	E Africa F	E Europe M
25	3.6 ± 0.3	1.9 ± 0.1	1.4 ± 0.1	1.1 ± 0.1	2.3 ± 0.1	3.3 ± 0.3	3.6 ± 0.3	2.0 ± 0.1	0.8 ± 0.2	2.0 ± 0.1	1.9 ± 0.2	2.4 ± 0.3	E Africa M	E Europe M
26	3.7 ± 0.3	1.8 ± 0.1	1.4 ± 0.1	0.9 ± 0.1	2.3 ± 0.1	3.3 ± 0.3	3.5 ± 0.3	1.9 ± 0.1	0.8 ± 0.2	1.9 ± 0.1	2.0 ± 0.2	2.3 ± 0.2	E Africa F	E Europe M
27	3.8 ± 0.3	1.65 ± 0.09	1.4 ± 0.1	0.7 ± 0.1	2.1 ± 0.1	3.4 ± 0.3	3.4 ± 0.3	2.0 ± 0.1	0.9 ± 0.1	1.8 ± 0.1	2.1 ± 0.2	2.4 ± 0.2	E Africa F	S Asia F
28	3.7 ± 0.3	1.50 ± 0.09	1.3 ± 0.1	0.6 ± 0.1	2.0 ± 0.1	3.2 ± 0.3	3.3 ± 0.2	2.0 ± 0.1	1.0 ± 0.1	1.72 ± 0.10	2.0 ± 0.2	2.1 ± 0.2	E Africa F	S Asia F
29	4.0 ± 0.3	1.26 ± 0.09	1.3 ± 0.1	0.4 ± 0.1	2.0 ± 0.1	3.2 ± 0.3	3.3 ± 0.2	1.9 ± 0.1	0.8 ± 0.1	1.57 ± 0.10	1.7 ± 0.2	2.5 ± 0.2	E Africa F	S Asia F
30	4.0 ± 0.3	1.25 ± 0.09	1.1 ± 0.1	0.3 ± 0.1	1.9 ± 0.1	2.9 ± 0.3	3.2 ± 0.2	1.8 ± 0.1	0.9 ± 0.1	1.48 ± 0.09	1.9 ± 0.2	2.3 ± 0.2	E Africa F	S Asia F
31	3.7 ± 0.3	1.07 ± 0.09	1.2 ± 0.1	0.2 ± 0.1	1.8 ± 0.1	2.9 ± 0.3	3.3 ± 0.2	1.7 ± 0.1	0.9 ± 0.1	1.46 ± 0.09	1.7 ± 0.2	2.4 ± 0.2	E Africa F	S Asia F
32	4.0 ± 0.3	1.00 ± 0.09	1.1 ± 0.1	0.2 ± 0.1	1.7 ± 0.1	3.2 ± 0.3	3.0 ± 0.2	1.7 ± 0.1	0.9 ± 0.2	1.41 ± 0.09	1.7 ± 0.2	2.3 ± 0.2	E Africa F	S Asia F
33	3.9 ± 0.3	0.83 ± 0.09	1.0 ± 0.1	0.1 ± 0.1	1.7 ± 0.2	3.0 ± 0.3	3.1 ± 0.2	1.6 ± 0.1	1.1 ± 0.2	1.27 ± 0.09	1.5 ± 0.2	2.3 ± 0.2	E Africa F	S Asia F
34	3.6 ± 0.3	0.83 ± 0.09	1.1 ± 0.1	0.0 ± 0.1	1.6 ± 0.2	2.9 ± 0.3	2.7 ± 0.2	1.5 ± 0.1	0.9 ± 0.2	1.29 ± 0.10	1.6 ± 0.2	2.3 ± 0.2	E Africa F	S Asia F
35	4.0 ± 0.3	0.60 ± 0.10	1.0 ± 0.2	-0.0 ± 0.1	1.5 ± 0.2	2.6 ± 0.3	3.0 ± 0.3	1.6 ± 0.1	1.0 ± 0.2	1.27 ± 0.10	1.5 ± 0.2	2.0 ± 0.2	E Africa F	S Asia F
36	3.8 ± 0.3	0.63 ± 0.10	1.1 ± 0.2	-0.0 ± 0.1	1.5 ± 0.2	2.9 ± 0.3	2.8 ± 0.3	1.5 ± 0.1	1.2 ± 0.2	1.20 ± 0.10	1.5 ± 0.2	2.1 ± 0.2	E Africa F	S Asia F
37	3.9 ± 0.3	0.64 ± 0.10	1.2 ± 0.2	0.1 ± 0.1	1.5 ± 0.2	2.8 ± 0.3	2.8 ± 0.3	1.5 ± 0.1	1.0 ± 0.2	1.24 ± 0.10	1.3 ± 0.2	2.0 ± 0.2	E Africa F	S Asia F
38	4.2 ± 0.4	0.58 ± 0.10	1.2 ± 0.2	0.2 ± 0.1	1.4 ± 0.2	2.7 ± 0.3	2.6 ± 0.3	1.5 ± 0.1	1.1 ± 0.2	1.2 ± 0.1	1.6 ± 0.2	2.0 ± 0.2	E Africa F	S Asia F
39	3.9 ± 0.3	0.65 ± 0.10	1.2 ± 0.2	0.1 ± 0.1	1.5 ± 0.2	2.8 ± 0.3	2.8 ± 0.3	1.5 ± 0.1	1.3 ± 0.2	1.2 ± 0.1	1.6 ± 0.2	1.8 ± 0.2	E Africa F	S Asia F
40	3.7 ± 0.4	0.6 ± 0.1	1.6 ± 0.2	0.3 ± 0.1	1.4 ± 0.2	2.5 ± 0.3	2.7 ± 0.3	1.5 ± 0.1	1.2 ± 0.2	1.2 ± 0.1	1.4 ± 0.2	1.7 ± 0.2	E Africa F	S Asia F
41	3.5 ± 0.4	0.62 ± 0.10	1.5 ± 0.2	0.2 ± 0.1	1.3 ± 0.2	2.3 ± 0.3	2.9 ± 0.3	1.5 ± 0.1	1.3 ± 0.2	1.2 ± 0.1	1.4 ± 0.2	1.7 ± 0.3	E Africa F	S Asia F
42	3.9 ± 0.4	0.81 ± 0.10	1.6 ± 0.2	0.6 ± 0.2	1.3 ± 0.2	2.4 ± 0.3	2.7 ± 0.3	1.6 ± 0.1	1.4 ± 0.2	1.1 ± 0.1	1.6 ± 0.2	1.6 ± 0.3	E Africa F	S Asia F
43	4.1 ± 0.4	0.7 ± 0.1	1.4 ± 0.2	0.3 ± 0.2	1.3 ± 0.2	2.2 ± 0.3	3.1 ± 0.3	1.6 ± 0.1	1.3 ± 0.2	1.1 ± 0.1	1.6 ± 0.2	1.3 ± 0.3	E Africa F	S Asia F
44	3.9 ± 0.5	0.6 ± 0.1	1.3 ± 0.2	0.5 ± 0.2	1.4 ± 0.2	2.2 ± 0.4	2.5 ± 0.4	1.6 ± 0.1	1.6 ± 0.2	1.0 ± 0.1	1.7 ± 0.2	1.5 ± 0.3	E Africa F	S Asia F
45	3.9 ± 0.4	0.7 ± 0.1	1.4 ± 0.2	0.4 ± 0.2	1.3 ± 0.2	2.0 ± 0.3	2.6 ± 0.4	1.6 ± 0.1	1.4 ± 0.2	1.2 ± 0.1	1.5 ± 0.2	1.3 ± 0.3	E Africa F	S Asia F
46	4.7 ± 0.5	0.6 ± 0.1	1.4 ± 0.2	0.6 ± 0.2	1.2 ± 0.2	2.1 ± 0.4	2.7 ± 0.4	1.7 ± 0.1	1.5 ± 0.2	1.3 ± 0.1	1.7 ± 0.2	1.1 ± 0.3	E Africa F	S Asia F
47	4.5 ± 0.5	0.8 ± 0.1	1.5 ± 0.2	0.5 ± 0.2	1.2 ± 0.2	2.0 ± 0.4	3.3 ± 0.4	1.7 ± 0.1	1.6 ± 0.2	1.4 ± 0.2	1.8 ± 0.3	1.3 ± 0.3	E Africa F	S Asia F
48	3.8 ± 0.5	0.7 ± 0.1	1.6 ± 0.2	0.8 ± 0.2	1.2 ± 0.2	2.1 ± 0.4	2.8 ± 0.5	1.6 ± 0.1	1.6 ± 0.3	1.5 ± 0.2	1.9 ± 0.3	1.1 ± 0.4	E Africa F	E Asia F
49	4.5 ± 0.5	0.7 ± 0.1	1.5 ± 0.2	0.9 ± 0.2	1.5 ± 0.2	2.1 ± 0.4	2.7 ± 0.5	1.8 ± 0.1	1.6 ± 0.2	1.5 ± 0.2	1.9 ± 0.3	1.2 ± 0.3	E Africa F	E Asia F
50	3.9 ± 0.6	0.8 ± 0.1	1.7 ± 0.2	0.8 ± 0.2	1.4 ± 0.2	1.9 ± 0.4	2.9 ± 0.5	1.8 ± 0.1	1.5 ± 0.3	1.5 ± 0.2	2.3 ± 0.3	1.0 ± 0.3	E Africa F	E Asia F
51	4.2 ± 0.5	0.9 ± 0.1	1.6 ± 0.2	1.1 ± 0.2	1.5 ± 0.2	2.1 ± 0.4	2.5 ± 0.5	1.8 ± 0.1	1.9 ± 0.3	1.7 ± 0.2	2.2 ± 0.3	1.0 ± 0.4	E Africa F	E Asia F
52	4.0 ± 0.5	0.9 ± 0.1	1.9 ± 0.2	1.1 ± 0.2	1.8 ± 0.2	1.7 ± 0.4	2.8 ± 0.5	1.8 ± 0.1	2.0 ± 0.3	1.7 ± 0.2	2.1 ± 0.3	1.1 ± 0.4	E Africa F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 64. *Mean raw error for Application-type images for algorithm incode-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.3 ± 0.3	0.7 ± 0.1	0.5 ± 0.2	0.9 ± 0.2	0.7 ± 0.3	2.8 ± 0.3	0.4 ± 0.2	0.18 ± 0.09	-0.3 ± 0.1	-0.3 ± 0.1	0.0 ± 0.2	1.1 ± 0.3	W Africa F	E Europe M
15	2.2 ± 0.3	0.9 ± 0.1	0.7 ± 0.2	1.4 ± 0.2	1.3 ± 0.3	2.7 ± 0.3	0.3 ± 0.3	0.37 ± 0.09	-0.2 ± 0.1	0.1 ± 0.1	0.5 ± 0.2	1.3 ± 0.3	W Africa F	E Europe M
16	2.2 ± 0.4	0.9 ± 0.2	0.9 ± 0.3	1.4 ± 0.2	1.6 ± 0.3	2.8 ± 0.5	0.9 ± 0.3	0.40 ± 0.09	-0.0 ± 0.2	0.3 ± 0.1	0.5 ± 0.2	1.1 ± 0.2	W Africa F	E Europe M
17	2.2 ± 0.4	1.2 ± 0.2	0.8 ± 0.3	1.6 ± 0.2	1.6 ± 0.3	2.6 ± 0.3	0.7 ± 0.2	0.4 ± 0.1	-0.2 ± 0.2	0.5 ± 0.1	0.5 ± 0.2	1.3 ± 0.3	W Africa F	E Europe M
18	1.3 ± 0.3	1.0 ± 0.2	0.4 ± 0.3	1.3 ± 0.2	1.7 ± 0.2	2.0 ± 0.4	0.4 ± 0.2	0.19 ± 0.10	-0.6 ± 0.2	0.2 ± 0.1	0.4 ± 0.2	0.6 ± 0.3	W Africa F	E Europe M
19	1.9 ± 0.4	1.2 ± 0.2	0.5 ± 0.3	1.5 ± 0.2	1.6 ± 0.2	2.1 ± 0.4	0.9 ± 0.3	0.4 ± 0.1	-0.6 ± 0.2	0.5 ± 0.1	0.4 ± 0.2	1.0 ± 0.3	W Africa F	E Europe M
20	1.9 ± 0.4	1.2 ± 0.2	0.5 ± 0.3	1.4 ± 0.2	1.5 ± 0.2	2.1 ± 0.3	1.2 ± 0.3	0.4 ± 0.1	-0.0 ± 0.2	0.9 ± 0.1	0.6 ± 0.2	1.0 ± 0.3	W Africa F	E Europe M
21	2.1 ± 0.3	1.3 ± 0.1	0.5 ± 0.2	1.2 ± 0.1	1.5 ± 0.2	2.1 ± 0.3	1.5 ± 0.3	0.5 ± 0.1	-0.2 ± 0.2	1.1 ± 0.1	0.6 ± 0.2	0.9 ± 0.3	E Africa F	E Europe M
22	2.0 ± 0.3	1.1 ± 0.1	0.5 ± 0.2	0.8 ± 0.1	1.3 ± 0.2	1.6 ± 0.3	2.2 ± 0.3	0.6 ± 0.1	0.2 ± 0.2	1.1 ± 0.1	0.5 ± 0.2	0.9 ± 0.3	E Africa M	E Europe M
23	2.1 ± 0.3	0.8 ± 0.1	0.4 ± 0.2	0.8 ± 0.1	1.2 ± 0.1	1.7 ± 0.3	2.0 ± 0.3	0.4 ± 0.1	0.1 ± 0.2	1.2 ± 0.1	0.5 ± 0.2	1.1 ± 0.3	E Africa F	E Europe M
24	2.2 ± 0.3	0.48 ± 0.09	0.4 ± 0.1	0.4 ± 0.1	0.9 ± 0.1	1.1 ± 0.3	2.0 ± 0.3	0.4 ± 0.1	0.2 ± 0.1	1.1 ± 0.1	0.5 ± 0.1	1.1 ± 0.2	E Africa F	E Europe M
25	1.8 ± 0.3	0.27 ± 0.08	0.1 ± 0.1	0.07 ± 0.09	0.6 ± 0.1	1.3 ± 0.3	2.0 ± 0.2	0.3 ± 0.1	0.2 ± 0.1	1.02 ± 0.10	0.3 ± 0.1	0.9 ± 0.2	E Africa M	S Asia F
26	1.7 ± 0.2	-0.05 ± 0.08	0.0 ± 0.1	-0.31 ± 0.09	0.3 ± 0.1	1.1 ± 0.2	1.7 ± 0.2	0.17 ± 0.10	0.0 ± 0.1	0.84 ± 0.10	0.3 ± 0.1	0.6 ± 0.2	E Africa M	S Asia F
27	1.6 ± 0.3	-0.40 ± 0.07	-0.1 ± 0.1	-0.58 ± 0.08	0.0 ± 0.1	1.1 ± 0.2	1.6 ± 0.2	0.02 ± 0.10	0.1 ± 0.1	0.61 ± 0.09	0.2 ± 0.1	0.4 ± 0.2	E Africa F	S Asia F
28	1.5 ± 0.3	-0.73 ± 0.07	-0.2 ± 0.1	-0.87 ± 0.09	-0.3 ± 0.1	0.8 ± 0.2	1.3 ± 0.2	-0.1 ± 0.1	0.0 ± 0.1	0.46 ± 0.09	-0.0 ± 0.2	0.1 ± 0.2	E Africa F	S Asia F
29	1.7 ± 0.3	-1.12 ± 0.07	-0.4 ± 0.1	-1.18 ± 0.09	-0.5 ± 0.1	0.7 ± 0.2	1.2 ± 0.2	-0.28 ± 0.10	-0.1 ± 0.1	0.20 ± 0.08	-0.4 ± 0.2	0.4 ± 0.2	E Africa F	S Asia F
30	1.5 ± 0.3	-1.33 ± 0.07	-0.5 ± 0.1	-1.45 ± 0.09	-0.7 ± 0.1	0.3 ± 0.3	1.2 ± 0.2	-0.4 ± 0.1	-0.2 ± 0.1	0.02 ± 0.08	-0.2 ± 0.2	0.1 ± 0.2	E Africa F	S Asia F
31	1.1 ± 0.3	-1.62 ± 0.08	-0.5 ± 0.1	-1.70 ± 0.09	-0.9 ± 0.1	0.2 ± 0.2	1.2 ± 0.2	-0.5 ± 0.1	-0.2 ± 0.1	-0.06 ± 0.09	-0.5 ± 0.2	0.0 ± 0.2	E Africa M	S Asia F
32	1.5 ± 0.3	-1.83 ± 0.08	-0.6 ± 0.1	-1.77 ± 0.10	-1.0 ± 0.1	0.4 ± 0.3	1.0 ± 0.2	-0.5 ± 0.1	-0.1 ± 0.2	-0.13 ± 0.09	-0.4 ± 0.2	-0.0 ± 0.2	E Africa F	E Asia F
33	1.4 ± 0.3	-1.97 ± 0.09	-0.6 ± 0.2	-1.9 ± 0.1	-1.0 ± 0.1	0.2 ± 0.3	1.1 ± 0.3	-0.5 ± 0.1	0.2 ± 0.2	-0.24 ± 0.09	-0.7 ± 0.2	-0.0 ± 0.2	E Africa F	E Asia F
34	1.2 ± 0.3	-2.05 ± 0.10	-0.5 ± 0.2	-2.0 ± 0.1	-1.1 ± 0.2	0.2 ± 0.3	0.8 ± 0.3	-0.6 ± 0.1	0.1 ± 0.2	-0.21 ± 0.10	-0.5 ± 0.2	0.1 ± 0.2	E Africa F	E Asia F
35	1.6 ± 0.3	-2.22 ± 0.10	-0.4 ± 0.2	-2.1 ± 0.1	-1.2 ± 0.2	-0.1 ± 0.3	1.2 ± 0.3	-0.3 ± 0.1	0.3 ± 0.2	-0.2 ± 0.1	-0.4 ± 0.2	-0.0 ± 0.2	E Africa F	E Asia F
36	1.5 ± 0.3	-2.1 ± 0.1	-0.1 ± 0.2	-2.1 ± 0.1	-1.1 ± 0.2	0.3 ± 0.3	1.0 ± 0.3	-0.2 ± 0.1	0.6 ± 0.2	-0.2 ± 0.1	-0.2 ± 0.2	0.1 ± 0.2	E Africa F	E Asia F
37	1.5 ± 0.3	-2.0 ± 0.1	0.1 ± 0.2	-1.9 ± 0.1	-0.9 ± 0.2	0.3 ± 0.3	1.2 ± 0.3	-0.2 ± 0.1	0.5 ± 0.2	-0.1 ± 0.1	-0.3 ± 0.2	0.1 ± 0.2	E Africa F	E Asia F
38	1.9 ± 0.4	-2.0 ± 0.1	0.2 ± 0.2	-1.7 ± 0.1	-0.9 ± 0.2	0.4 ± 0.3	0.9 ± 0.3	-0.0 ± 0.1	0.6 ± 0.2	-0.1 ± 0.1	0.0 ± 0.2	0.2 ± 0.2	E Africa F	E Asia F
39	1.7 ± 0.4	-1.8 ± 0.1	0.3 ± 0.2	-1.7 ± 0.1	-0.8 ± 0.2	0.4 ± 0.3	1.2 ± 0.3	0.0 ± 0.1	0.7 ± 0.2	-0.0 ± 0.1	0.0 ± 0.2	0.1 ± 0.2	E Africa F	E Asia F
40	1.6 ± 0.4	-1.8 ± 0.1	0.8 ± 0.2	-1.5 ± 0.1	-0.7 ± 0.2	0.3 ± 0.3	1.1 ± 0.3	0.1 ± 0.1	0.6 ± 0.2	-0.1 ± 0.1	0.0 ± 0.2	0.2 ± 0.3	E Africa F	E Asia F
41	1.5 ± 0.4	-1.6 ± 0.1	0.7 ± 0.2	-1.5 ± 0.2	-0.8 ± 0.2	0.2 ± 0.3	1.4 ± 0.3	0.1 ± 0.1	0.7 ± 0.2	0.0 ± 0.1	0.0 ± 0.2	0.2 ± 0.3	E Africa F	E Asia F
42	1.9 ± 0.4	-1.4 ± 0.1	0.8 ± 0.2	-1.0 ± 0.2	-0.7 ± 0.2	0.3 ± 0.4	1.3 ± 0.3	0.2 ± 0.1	0.8 ± 0.2	-0.1 ± 0.1	0.1 ± 0.2	0.1 ± 0.3	E Africa F	E Asia F
43	2.2 ± 0.4	-1.4 ± 0.1	0.7 ± 0.2	-1.2 ± 0.2	-0.7 ± 0.2	0.1 ± 0.4	1.6 ± 0.3	0.1 ± 0.1	0.6 ± 0.2	-0.1 ± 0.1	0.2 ± 0.2	-0.2 ± 0.3	E Africa F	E Asia F
44	2.0 ± 0.5	-1.5 ± 0.1	0.5 ± 0.2	-1.1 ± 0.2	-0.6 ± 0.2	0.2 ± 0.4	1.2 ± 0.3	0.0 ± 0.1	0.8 ± 0.2	-0.1 ± 0.1	0.2 ± 0.2	-0.0 ± 0.3	E Africa F	E Asia F
45	1.9 ± 0.4	-1.4 ± 0.1	0.6 ± 0.2	-1.1 ± 0.2	-0.7 ± 0.2	0.1 ± 0.4	1.1 ± 0.4	-0.0 ± 0.1	0.6 ± 0.2	0.1 ± 0.1	0.0 ± 0.2	-0.2 ± 0.3	E Africa F	E Asia F
46	2.9 ± 0.5	-1.5 ± 0.1	0.7 ± 0.2	-1.0 ± 0.2	-0.8 ± 0.2	0.3 ± 0.4	1.3 ± 0.4	-0.0 ± 0.1	0.7 ± 0.2	0.1 ± 0.1	0.1 ± 0.2	-0.3 ± 0.3	E Africa F	E Asia F
47	2.6 ± 0.5	-1.3 ± 0.1	0.6 ± 0.2	-1.0 ± 0.2	-0.8 ± 0.2	0.2 ± 0.4	1.8 ± 0.4	-0.1 ± 0.1	0.7 ± 0.2	0.3 ± 0.2	0.3 ± 0.2	-0.3 ± 0.3	E Africa F	E Asia F
48	2.0 ± 0.5	-1.4 ± 0.1	0.7 ± 0.2	-0.8 ± 0.2	-0.8 ± 0.2	0.4 ± 0.4	1.3 ± 0.5	-0.1 ± 0.1	0.8 ± 0.2	0.3 ± 0.2	0.2 ± 0.2	-0.4 ± 0.3	E Africa F	E Asia F
49	2.8 ± 0.5	-1.4 ± 0.1	0.6 ± 0.2	-0.7 ± 0.2	-0.5 ± 0.2	0.4 ± 0.4	1.2 ± 0.5	-0.0 ± 0.1	0.6 ± 0.2	0.3 ± 0.2	0.3 ± 0.2	-0.2 ± 0.3	E Africa F	E Asia F
50	2.3 ± 0.6	-1.3 ± 0.1	0.7 ± 0.2	-0.8 ± 0.2	-0.6 ± 0.2	0.4 ± 0.4	1.4 ± 0.5	-0.0 ± 0.1	0.7 ± 0.2	0.4 ± 0.2	0.7 ± 0.3	-0.4 ± 0.3	E Africa F	E Asia F
51	2.6 ± 0.5	-1.3 ± 0.1	0.5 ± 0.2	-0.5 ± 0.2	-0.5 ± 0.2	0.7 ± 0.4	0.9 ± 0.5	-0.0 ± 0.1	0.9 ± 0.2	0.6 ± 0.2	0.5 ± 0.3	-0.4 ± 0.4	E Africa F	E Asia F
52	2.5 ± 0.6	-1.3 ± 0.1	0.9 ± 0.2	-0.7 ± 0.2	-0.2 ± 0.2	0.2 ± 0.4	1.5 ± 0.5	-0.0 ± 0.1	0.9 ± 0.3	0.6 ± 0.2	0.4 ± 0.3	-0.2 ± 0.4	E Africa F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 65. *Mean raw error for Application-type images for algorithm innovatrics-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.3 ± 0.2	3.13 ± 0.09	2.8 ± 0.2	3.7 ± 0.1	2.9 ± 0.2	5.8 ± 0.3	3.4 ± 0.2	2.06 ± 0.09	1.5 ± 0.2	2.41 ± 0.10	1.9 ± 0.2	3.4 ± 0.3	W Africa F	E Europe M
15	5.2 ± 0.3	2.99 ± 0.10	2.8 ± 0.2	3.8 ± 0.2	2.7 ± 0.2	5.7 ± 0.3	3.3 ± 0.2	2.15 ± 0.08	1.6 ± 0.2	2.5 ± 0.1	1.9 ± 0.1	3.5 ± 0.3	W Africa F	E Europe M
16	5.0 ± 0.3	2.8 ± 0.1	2.8 ± 0.2	3.5 ± 0.2	2.6 ± 0.2	5.8 ± 0.4	3.7 ± 0.2	2.02 ± 0.08	1.9 ± 0.2	2.4 ± 0.1	1.7 ± 0.1	3.4 ± 0.3	W Africa F	S E Asia M
17	5.3 ± 0.3	2.5 ± 0.1	2.6 ± 0.2	3.3 ± 0.2	2.2 ± 0.2	5.3 ± 0.3	3.4 ± 0.2	1.88 ± 0.09	1.7 ± 0.2	2.4 ± 0.1	1.6 ± 0.2	3.8 ± 0.4	W Africa F	S E Asia M
18	4.5 ± 0.2	1.9 ± 0.1	1.9 ± 0.2	2.9 ± 0.1	1.7 ± 0.1	4.8 ± 0.3	3.2 ± 0.2	1.37 ± 0.09	1.4 ± 0.2	2.3 ± 0.1	1.1 ± 0.2	3.3 ± 0.3	W Africa F	S E Asia M
19	4.5 ± 0.3	1.6 ± 0.1	1.7 ± 0.2	2.8 ± 0.1	1.4 ± 0.1	4.8 ± 0.2	3.4 ± 0.2	1.30 ± 0.10	1.4 ± 0.2	2.3 ± 0.1	0.7 ± 0.2	3.4 ± 0.3	W Africa F	S E Asia M
20	4.3 ± 0.2	1.4 ± 0.1	1.4 ± 0.2	2.4 ± 0.1	1.1 ± 0.1	4.6 ± 0.2	3.3 ± 0.2	1.06 ± 0.10	1.5 ± 0.2	2.4 ± 0.1	0.6 ± 0.1	3.3 ± 0.3	W Africa F	S E Asia M
21	3.9 ± 0.2	1.1 ± 0.1	1.0 ± 0.2	2.2 ± 0.1	0.9 ± 0.1	4.1 ± 0.2	3.2 ± 0.2	0.83 ± 0.09	1.2 ± 0.2	2.2 ± 0.1	0.4 ± 0.1	3.3 ± 0.3	W Africa F	S E Asia M
22	3.7 ± 0.2	0.7 ± 0.1	0.6 ± 0.1	1.8 ± 0.1	0.4 ± 0.1	3.7 ± 0.2	3.6 ± 0.2	0.53 ± 0.10	1.3 ± 0.2	2.1 ± 0.1	0.1 ± 0.1	3.0 ± 0.3	W Africa F	S E Asia M
23	3.3 ± 0.2	0.40 ± 0.09	0.4 ± 0.1	1.60 ± 0.10	0.1 ± 0.1	3.5 ± 0.2	3.2 ± 0.2	0.30 ± 0.10	0.9 ± 0.2	2.1 ± 0.1	-0.1 ± 0.1	3.2 ± 0.2	W Africa F	S E Asia M
24	3.0 ± 0.2	-0.04 ± 0.08	0.3 ± 0.1	1.16 ± 0.09	-0.2 ± 0.1	3.0 ± 0.2	3.1 ± 0.2	-0.07 ± 0.10	0.9 ± 0.1	2.0 ± 0.1	-0.3 ± 0.1	2.9 ± 0.2	E Africa M	S E Asia M
25	2.6 ± 0.2	-0.33 ± 0.08	-0.1 ± 0.1	0.71 ± 0.08	-0.6 ± 0.1	2.8 ± 0.2	2.9 ± 0.2	-0.26 ± 0.10	0.7 ± 0.1	1.77 ± 0.10	-0.6 ± 0.1	2.7 ± 0.2	E Africa M	S E Asia F
26	2.1 ± 0.2	-0.77 ± 0.07	-0.3 ± 0.1	0.24 ± 0.08	-0.82 ± 0.10	2.5 ± 0.2	2.6 ± 0.2	-0.53 ± 0.09	0.4 ± 0.1	1.51 ± 0.09	-0.7 ± 0.1	2.3 ± 0.2	E Africa M	S E Asia F
27	1.9 ± 0.2	-1.09 ± 0.07	-0.5 ± 0.1	-0.21 ± 0.07	-1.2 ± 0.1	2.2 ± 0.2	2.3 ± 0.2	-0.88 ± 0.10	0.4 ± 0.1	1.20 ± 0.09	-0.8 ± 0.1	2.1 ± 0.2	E Africa M	S E Asia F
28	1.6 ± 0.2	-1.50 ± 0.07	-0.7 ± 0.1	-0.56 ± 0.07	-1.6 ± 0.1	1.8 ± 0.2	2.0 ± 0.2	-1.1 ± 0.1	0.2 ± 0.1	0.86 ± 0.08	-1.1 ± 0.2	1.8 ± 0.2	E Africa M	S E Asia F
29	1.5 ± 0.2	-1.77 ± 0.07	-0.8 ± 0.1	-0.96 ± 0.08	-1.9 ± 0.1	1.5 ± 0.2	1.8 ± 0.2	-1.30 ± 0.09	-0.0 ± 0.1	0.50 ± 0.08	-1.4 ± 0.2	1.9 ± 0.2	W Africa M	S E Asia F
30	1.1 ± 0.2	-2.09 ± 0.07	-1.1 ± 0.1	-1.40 ± 0.08	-2.1 ± 0.1	1.0 ± 0.2	1.7 ± 0.2	-1.61 ± 0.09	-0.2 ± 0.1	0.16 ± 0.08	-1.6 ± 0.2	1.5 ± 0.2	E Africa M	E Asia F
31	0.8 ± 0.2	-2.41 ± 0.07	-1.2 ± 0.1	-1.80 ± 0.08	-2.3 ± 0.1	0.8 ± 0.2	1.5 ± 0.2	-1.9 ± 0.1	-0.4 ± 0.1	-0.10 ± 0.08	-1.7 ± 0.2	1.3 ± 0.2	E Africa M	E Asia F
32	0.7 ± 0.2	-2.62 ± 0.08	-1.3 ± 0.1	-2.08 ± 0.09	-2.5 ± 0.1	0.7 ± 0.2	1.2 ± 0.2	-2.0 ± 0.1	-0.4 ± 0.1	-0.37 ± 0.08	-1.8 ± 0.2	1.1 ± 0.2	E Africa M	E Asia F
33	0.5 ± 0.2	-2.84 ± 0.08	-1.6 ± 0.1	-2.34 ± 0.09	-2.7 ± 0.1	0.2 ± 0.2	1.3 ± 0.2	-2.2 ± 0.1	-0.5 ± 0.1	-0.66 ± 0.08	-2.0 ± 0.2	0.9 ± 0.2	E Africa M	E Asia F
34	0.1 ± 0.2	-2.99 ± 0.08	-1.7 ± 0.1	-2.59 ± 0.10	-2.9 ± 0.1	0.0 ± 0.2	0.8 ± 0.2	-2.3 ± 0.1	-0.7 ± 0.2	-0.83 ± 0.09	-2.0 ± 0.2	0.7 ± 0.2	E Africa M	E Asia F
35	0.3 ± 0.3	-3.27 ± 0.09	-1.9 ± 0.1	-2.89 ± 0.10	-3.1 ± 0.1	-0.5 ± 0.2	0.9 ± 0.2	-2.4 ± 0.1	-0.7 ± 0.2	-1.01 ± 0.09	-2.2 ± 0.2	0.4 ± 0.2	E Africa M	E Asia F
36	-0.1 ± 0.3	-3.37 ± 0.09	-1.9 ± 0.1	-3.1 ± 0.1	-3.1 ± 0.2	-0.5 ± 0.2	0.7 ± 0.3	-2.4 ± 0.1	-0.6 ± 0.2	-1.21 ± 0.09	-2.0 ± 0.2	0.3 ± 0.2	E Africa M	E Asia F
37	-0.3 ± 0.3	-3.51 ± 0.09	-2.0 ± 0.2	-3.1 ± 0.1	-3.2 ± 0.2	-1.0 ± 0.3	0.7 ± 0.3	-2.4 ± 0.1	-0.8 ± 0.2	-1.3 ± 0.1	-2.2 ± 0.2	0.0 ± 0.2	E Africa M	E Asia F
38	0.0 ± 0.3	-3.67 ± 0.09	-2.0 ± 0.2	-3.2 ± 0.1	-3.2 ± 0.2	-1.3 ± 0.3	0.5 ± 0.3	-2.5 ± 0.1	-0.9 ± 0.2	-1.5 ± 0.1	-2.0 ± 0.2	-0.1 ± 0.2	E Africa M	E Asia F
39	-0.5 ± 0.3	-3.73 ± 0.09	-2.2 ± 0.2	-3.4 ± 0.1	-3.2 ± 0.2	-1.3 ± 0.3	0.8 ± 0.3	-2.5 ± 0.1	-0.9 ± 0.2	-1.5 ± 0.1	-1.9 ± 0.2	-0.2 ± 0.2	E Africa M	E Asia F
40	-0.6 ± 0.3	-3.90 ± 0.09	-2.0 ± 0.2	-3.4 ± 0.1	-3.4 ± 0.2	-1.8 ± 0.3	0.9 ± 0.3	-2.7 ± 0.1	-0.9 ± 0.2	-1.5 ± 0.1	-1.9 ± 0.2	-0.3 ± 0.2	E Africa M	E Asia F
41	-1.1 ± 0.4	-3.95 ± 0.09	-2.2 ± 0.2	-3.4 ± 0.2	-3.5 ± 0.2	-2.1 ± 0.3	0.9 ± 0.3	-2.6 ± 0.1	-0.9 ± 0.2	-1.6 ± 0.1	-2.1 ± 0.2	-0.3 ± 0.3	E Africa M	E Asia F
42	-0.7 ± 0.4	-3.97 ± 0.09	-2.2 ± 0.2	-3.1 ± 0.2	-3.6 ± 0.2	-2.1 ± 0.3	0.8 ± 0.3	-2.5 ± 0.1	-0.8 ± 0.2	-1.7 ± 0.1	-1.7 ± 0.2	-0.4 ± 0.3	E Africa M	E Asia F
43	-0.6 ± 0.4	-4.18 ± 0.09	-2.3 ± 0.2	-3.3 ± 0.2	-3.5 ± 0.2	-2.3 ± 0.3	1.0 ± 0.4	-2.6 ± 0.1	-0.9 ± 0.2	-1.6 ± 0.1	-1.8 ± 0.2	-0.8 ± 0.3	E Africa M	E Asia F
44	-0.8 ± 0.4	-4.39 ± 0.10	-2.6 ± 0.2	-3.1 ± 0.2	-3.3 ± 0.2	-2.6 ± 0.3	0.6 ± 0.3	-2.6 ± 0.1	-0.8 ± 0.2	-1.7 ± 0.1	-1.7 ± 0.2	-0.5 ± 0.3	E Africa M	E Asia F
45	-1.0 ± 0.4	-4.39 ± 0.09	-2.6 ± 0.2	-3.1 ± 0.2	-3.5 ± 0.2	-2.7 ± 0.3	0.4 ± 0.4	-2.7 ± 0.1	-1.0 ± 0.2	-1.5 ± 0.2	-1.8 ± 0.2	-0.8 ± 0.3	E Africa M	E Asia F
46	-0.4 ± 0.5	-4.63 ± 0.10	-2.5 ± 0.2	-2.8 ± 0.2	-3.7 ± 0.2	-2.6 ± 0.3	0.5 ± 0.4	-2.7 ± 0.1	-0.8 ± 0.2	-1.5 ± 0.2	-1.6 ± 0.3	-1.0 ± 0.3	E Africa M	E Asia F
47	-0.9 ± 0.5	-4.5 ± 0.1	-2.7 ± 0.2	-2.9 ± 0.2	-3.6 ± 0.2	-2.7 ± 0.4	0.9 ± 0.4	-2.7 ± 0.1	-0.9 ± 0.2	-1.5 ± 0.2	-1.4 ± 0.3	-0.7 ± 0.3	E Africa M	E Asia F
48	-1.2 ± 0.5	-4.6 ± 0.1	-2.6 ± 0.2	-2.6 ± 0.2	-3.6 ± 0.2	-2.8 ± 0.4	0.4 ± 0.4	-2.7 ± 0.1	-0.9 ± 0.3	-1.5 ± 0.2	-1.5 ± 0.3	-1.0 ± 0.4	E Africa M	E Asia F
49	-0.8 ± 0.5	-4.7 ± 0.1	-3.0 ± 0.2	-2.4 ± 0.2	-3.3 ± 0.2	-3.3 ± 0.4	0.0 ± 0.5	-2.6 ± 0.1	-1.0 ± 0.2	-1.7 ± 0.2	-1.5 ± 0.2	-0.9 ± 0.3	E Africa M	E Asia F
50	-1.4 ± 0.5	-4.6 ± 0.1	-2.7 ± 0.2	-2.6 ± 0.2	-3.5 ± 0.2	-3.1 ± 0.4	0.1 ± 0.4	-2.6 ± 0.1	-1.2 ± 0.2	-1.7 ± 0.2	-1.2 ± 0.2	-1.3 ± 0.3	E Africa M	E Asia F
51	-1.3 ± 0.5	-4.6 ± 0.1	-3.1 ± 0.2	-2.5 ± 0.2	-3.5 ± 0.2	-3.2 ± 0.4	-0.3 ± 0.5	-2.6 ± 0.1	-1.1 ± 0.2	-1.6 ± 0.2	-1.3 ± 0.2	-1.4 ± 0.4	E Africa M	E Asia F
52	-1.6 ± 0.5	-4.6 ± 0.1	-2.8 ± 0.2	-2.7 ± 0.2	-3.2 ± 0.2	-3.5 ± 0.4	-0.2 ± 0.5	-2.7 ± 0.1	-1.2 ± 0.3	-1.8 ± 0.2	-1.6 ± 0.3	-1.3 ± 0.4	E Africa M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 66. *Mean raw error for Application-type images for algorithm innovatrics-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.2 ± 0.2	2.99 ± 0.08	2.9 ± 0.2	3.5 ± 0.1	2.9 ± 0.1	5.9 ± 0.3	3.5 ± 0.2	2.08 ± 0.09	1.5 ± 0.2	2.38 ± 0.09	1.9 ± 0.1	3.4 ± 0.3	W Africa F	E Europe M
15	5.1 ± 0.3	2.80 ± 0.09	2.8 ± 0.2	3.5 ± 0.2	2.6 ± 0.2	5.8 ± 0.3	3.3 ± 0.2	2.10 ± 0.08	1.6 ± 0.2	2.4 ± 0.1	1.9 ± 0.1	3.6 ± 0.3	W Africa F	E Europe M
16	4.8 ± 0.3	2.5 ± 0.1	2.8 ± 0.2	3.2 ± 0.1	2.5 ± 0.2	5.8 ± 0.4	3.7 ± 0.2	1.93 ± 0.07	1.8 ± 0.2	2.3 ± 0.1	1.7 ± 0.1	3.4 ± 0.3	W Africa F	S E Asia M
17	5.0 ± 0.3	2.2 ± 0.1	2.6 ± 0.2	3.0 ± 0.2	2.1 ± 0.2	5.4 ± 0.3	3.4 ± 0.2	1.70 ± 0.09	1.6 ± 0.1	2.3 ± 0.1	1.5 ± 0.1	3.8 ± 0.4	W Africa F	S E Asia M
18	4.4 ± 0.2	1.65 ± 0.10	1.9 ± 0.2	2.5 ± 0.1	1.5 ± 0.1	4.8 ± 0.3	3.2 ± 0.2	1.13 ± 0.08	1.2 ± 0.2	2.0 ± 0.1	1.0 ± 0.2	3.3 ± 0.3	W Africa F	S E Asia M
19	4.2 ± 0.2	1.4 ± 0.1	1.6 ± 0.2	2.4 ± 0.1	1.2 ± 0.1	4.8 ± 0.2	3.4 ± 0.2	1.02 ± 0.09	1.1 ± 0.2	2.1 ± 0.1	0.6 ± 0.1	3.4 ± 0.3	W Africa F	S E Asia M
20	4.0 ± 0.2	1.1 ± 0.1	1.2 ± 0.2	2.1 ± 0.1	0.9 ± 0.1	4.6 ± 0.2	3.2 ± 0.2	0.71 ± 0.09	1.2 ± 0.2	2.1 ± 0.1	0.3 ± 0.1	3.3 ± 0.3	W Africa F	S E Asia M
21	3.6 ± 0.2	0.8 ± 0.1	0.9 ± 0.1	1.8 ± 0.1	0.6 ± 0.1	4.1 ± 0.2	3.1 ± 0.2	0.48 ± 0.08	0.9 ± 0.2	1.9 ± 0.1	0.1 ± 0.1	3.2 ± 0.3	W Africa F	S E Asia M
22	3.4 ± 0.2	0.35 ± 0.09	0.5 ± 0.1	1.34 ± 0.10	0.2 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	0.17 ± 0.09	0.9 ± 0.2	1.8 ± 0.1	-0.2 ± 0.1	2.9 ± 0.2	W Africa F	S E Asia M
23	2.9 ± 0.2	0.07 ± 0.08	0.2 ± 0.1	1.17 ± 0.09	-0.1 ± 0.1	3.5 ± 0.2	3.0 ± 0.2	-0.12 ± 0.09	0.6 ± 0.1	1.8 ± 0.1	-0.4 ± 0.1	3.0 ± 0.2	W Africa F	S E Asia M
24	2.7 ± 0.2	-0.43 ± 0.08	-0.0 ± 0.1	0.73 ± 0.09	-0.53 ± 0.10	3.0 ± 0.2	2.9 ± 0.2	-0.41 ± 0.10	0.5 ± 0.1	1.6 ± 0.1	-0.6 ± 0.1	2.7 ± 0.2	W Africa F	S E Asia M
25	2.2 ± 0.2	-0.70 ± 0.07	-0.36 ± 0.10	0.28 ± 0.08	-0.9 ± 0.1	2.6 ± 0.2	2.6 ± 0.2	-0.61 ± 0.10	0.4 ± 0.1	1.46 ± 0.09	-0.9 ± 0.1	2.5 ± 0.2	W Africa F	S E Asia M
26	1.7 ± 0.2	-1.15 ± 0.07	-0.61 ± 0.10	-0.18 ± 0.07	-1.15 ± 0.10	2.3 ± 0.2	2.3 ± 0.2	-0.92 ± 0.09	0.1 ± 0.1	1.19 ± 0.09	-1.0 ± 0.1	2.1 ± 0.2	E Africa M	E Asia F
27	1.6 ± 0.2	-1.51 ± 0.07	-0.89 ± 0.10	-0.67 ± 0.08	-1.60 ± 0.10	2.1 ± 0.2	2.0 ± 0.2	-1.19 ± 0.09	0.0 ± 0.1	0.86 ± 0.09	-1.2 ± 0.1	1.9 ± 0.2	W Africa F	S E Asia F
28	1.2 ± 0.2	-1.89 ± 0.07	-1.09 ± 0.10	-1.03 ± 0.08	-1.9 ± 0.1	1.7 ± 0.2	1.7 ± 0.2	-1.43 ± 0.10	-0.1 ± 0.1	0.56 ± 0.08	-1.5 ± 0.1	1.5 ± 0.2	W Africa F	S E Asia F
29	1.1 ± 0.2	-2.26 ± 0.07	-1.2 ± 0.1	-1.42 ± 0.08	-2.2 ± 0.1	1.3 ± 0.2	1.5 ± 0.2	-1.74 ± 0.08	-0.4 ± 0.1	0.22 ± 0.08	-1.9 ± 0.2	1.6 ± 0.2	W Africa M	E Asia F
30	0.7 ± 0.2	-2.56 ± 0.07	-1.5 ± 0.1	-1.86 ± 0.08	-2.4 ± 0.1	0.9 ± 0.2	1.4 ± 0.2	-2.12 ± 0.08	-0.6 ± 0.1	-0.19 ± 0.07	-2.0 ± 0.2	1.2 ± 0.2	E Africa M	E Asia F
31	0.3 ± 0.2	-2.93 ± 0.07	-1.6 ± 0.1	-2.29 ± 0.08	-2.7 ± 0.1	0.6 ± 0.2	1.2 ± 0.2	-2.36 ± 0.09	-0.9 ± 0.1	-0.44 ± 0.08	-2.1 ± 0.2	1.0 ± 0.2	E Africa M	E Asia F
32	0.4 ± 0.2	-3.21 ± 0.07	-1.8 ± 0.1	-2.58 ± 0.08	-3.0 ± 0.1	0.4 ± 0.2	0.9 ± 0.2	-2.61 ± 0.09	-0.9 ± 0.1	-0.73 ± 0.08	-2.4 ± 0.2	0.8 ± 0.2	E Africa M	E Asia F
33	-0.0 ± 0.2	-3.51 ± 0.08	-2.0 ± 0.1	-2.84 ± 0.09	-3.2 ± 0.1	0.0 ± 0.2	0.9 ± 0.2	-2.91 ± 0.10	-0.9 ± 0.1	-1.04 ± 0.08	-2.6 ± 0.2	0.6 ± 0.2	E Africa M	E Asia F
34	-0.4 ± 0.2	-3.71 ± 0.08	-2.2 ± 0.1	-3.13 ± 0.09	-3.3 ± 0.1	-0.3 ± 0.2	0.5 ± 0.2	-3.12 ± 0.10	-1.2 ± 0.2	-1.24 ± 0.09	-2.6 ± 0.2	0.4 ± 0.2	E Africa M	E Asia F
35	-0.2 ± 0.3	-4.01 ± 0.08	-2.4 ± 0.1	-3.41 ± 0.10	-3.6 ± 0.1	-0.8 ± 0.2	0.6 ± 0.3	-3.2 ± 0.1	-1.2 ± 0.2	-1.47 ± 0.09	-2.8 ± 0.2	0.1 ± 0.2	E Africa M	E Asia F
36	-0.6 ± 0.3	-4.11 ± 0.09	-2.4 ± 0.1	-3.7 ± 0.1	-3.6 ± 0.2	-0.8 ± 0.2	0.3 ± 0.3	-3.3 ± 0.1	-1.2 ± 0.2	-1.70 ± 0.09	-2.7 ± 0.2	0.1 ± 0.2	E Africa M	E Asia F
37	-0.8 ± 0.3	-4.28 ± 0.08	-2.5 ± 0.2	-3.8 ± 0.1	-3.7 ± 0.2	-1.3 ± 0.2	0.5 ± 0.3	-3.4 ± 0.1	-1.3 ± 0.2	-1.85 ± 0.10	-2.9 ± 0.2	-0.2 ± 0.2	E Africa M	E Asia F
38	-0.5 ± 0.3	-4.46 ± 0.09	-2.6 ± 0.2	-3.9 ± 0.1	-3.7 ± 0.2	-1.6 ± 0.3	0.1 ± 0.3	-3.4 ± 0.1	-1.4 ± 0.2	-2.02 ± 0.10	-2.6 ± 0.2	-0.3 ± 0.2	E Africa M	E Asia F
39	-1.0 ± 0.3	-4.55 ± 0.09	-2.7 ± 0.2	-4.1 ± 0.1	-3.8 ± 0.2	-1.7 ± 0.3	0.4 ± 0.3	-3.5 ± 0.1	-1.3 ± 0.2	-2.1 ± 0.1	-2.6 ± 0.2	-0.4 ± 0.2	E Africa M	E Asia F
40	-1.2 ± 0.4	-4.71 ± 0.09	-2.5 ± 0.2	-4.1 ± 0.1	-4.0 ± 0.2	-2.2 ± 0.3	0.5 ± 0.3	-3.6 ± 0.1	-1.4 ± 0.2	-2.1 ± 0.1	-2.6 ± 0.2	-0.6 ± 0.2	E Africa M	E Asia F
41	-1.6 ± 0.4	-4.83 ± 0.09	-2.7 ± 0.2	-4.3 ± 0.1	-4.1 ± 0.2	-2.6 ± 0.3	0.5 ± 0.3	-3.6 ± 0.1	-1.4 ± 0.2	-2.2 ± 0.1	-2.7 ± 0.2	-0.6 ± 0.3	E Africa M	E Asia F
42	-1.3 ± 0.4	-4.89 ± 0.09	-2.7 ± 0.2	-3.9 ± 0.2	-4.3 ± 0.2	-2.6 ± 0.3	0.6 ± 0.4	-3.6 ± 0.1	-1.2 ± 0.2	-2.3 ± 0.1	-2.5 ± 0.2	-0.8 ± 0.3	E Africa M	E Asia F
43	-1.2 ± 0.4	-5.16 ± 0.09	-2.8 ± 0.2	-4.2 ± 0.2	-4.3 ± 0.2	-2.8 ± 0.3	0.9 ± 0.4	-3.6 ± 0.1	-1.4 ± 0.2	-2.2 ± 0.1	-2.6 ± 0.2	-1.1 ± 0.3	E Africa M	E Asia F
44	-1.2 ± 0.5	-5.44 ± 0.09	-3.2 ± 0.2	-4.1 ± 0.2	-4.2 ± 0.2	-3.2 ± 0.3	0.4 ± 0.4	-3.6 ± 0.1	-1.2 ± 0.2	-2.3 ± 0.1	-2.4 ± 0.2	-0.9 ± 0.3	E Africa M	E Asia F
45	-1.4 ± 0.5	-5.52 ± 0.09	-3.1 ± 0.2	-4.0 ± 0.2	-4.4 ± 0.2	-3.2 ± 0.3	0.4 ± 0.4	-3.7 ± 0.1	-1.4 ± 0.2	-2.2 ± 0.2	-2.5 ± 0.2	-1.0 ± 0.3	E Africa M	E Asia F
46	-0.5 ± 0.6	-5.80 ± 0.10	-3.1 ± 0.2	-3.7 ± 0.2	-4.7 ± 0.2	-3.3 ± 0.3	0.7 ± 0.5	-3.8 ± 0.1	-1.2 ± 0.2	-2.0 ± 0.2	-2.4 ± 0.3	-1.3 ± 0.3	E Africa M	E Asia F
47	-0.7 ± 0.6	-5.7 ± 0.1	-3.2 ± 0.2	-3.7 ± 0.2	-4.5 ± 0.2	-3.3 ± 0.4	1.5 ± 0.5	-3.7 ± 0.1	-1.3 ± 0.2	-1.9 ± 0.2	-2.2 ± 0.3	-0.8 ± 0.4	E Africa M	E Asia F
48	-1.2 ± 0.6	-5.8 ± 0.1	-3.1 ± 0.2	-3.4 ± 0.2	-4.6 ± 0.2	-3.4 ± 0.4	0.9 ± 0.5	-3.7 ± 0.1	-1.2 ± 0.3	-1.8 ± 0.2	-2.2 ± 0.3	-1.2 ± 0.4	E Africa M	E Asia F
49	-0.3 ± 0.6	-6.0 ± 0.1	-3.4 ± 0.2	-3.2 ± 0.2	-4.4 ± 0.2	-3.7 ± 0.4	0.7 ± 0.5	-3.6 ± 0.1	-1.3 ± 0.3	-1.9 ± 0.2	-2.1 ± 0.3	-1.0 ± 0.3	E Africa M	E Asia F
50	-1.1 ± 0.7	-5.9 ± 0.1	-3.1 ± 0.2	-3.3 ± 0.2	-4.5 ± 0.2	-3.6 ± 0.4	0.9 ± 0.5	-3.5 ± 0.1	-1.4 ± 0.3	-1.9 ± 0.2	-1.7 ± 0.3	-1.2 ± 0.4	E Africa M	E Asia F
51	-0.3 ± 0.7	-5.9 ± 0.1	-3.4 ± 0.2	-3.0 ± 0.2	-4.4 ± 0.2	-3.5 ± 0.5	0.6 ± 0.6	-3.4 ± 0.2	-1.2 ± 0.3	-1.7 ± 0.2	-1.6 ± 0.3	-1.2 ± 0.4	E Africa M	E Asia F
52	-0.5 ± 0.7	-5.8 ± 0.1	-3.0 ± 0.3	-3.1 ± 0.2	-3.9 ± 0.3	-3.7 ± 0.4	1.1 ± 0.6	-3.4 ± 0.2	-1.2 ± 0.3	-1.7 ± 0.2	-1.7 ± 0.3	-0.9 ± 0.4	E Africa M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 67. *Mean raw error for Application-type images for algorithm innovatrics-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.2 ± 0.3	2.08 ± 0.07	1.9 ± 0.2	2.5 ± 0.1	1.9 ± 0.1	5.4 ± 0.4	2.3 ± 0.2	1.36 ± 0.07	0.82 ± 0.10	1.42 ± 0.07	1.2 ± 0.1	2.4 ± 0.3	W Africa F	E Europe M
15	4.3 ± 0.3	1.9 ± 0.1	1.8 ± 0.2	2.4 ± 0.2	1.6 ± 0.2	5.5 ± 0.4	2.0 ± 0.2	1.18 ± 0.08	0.5 ± 0.1	1.20 ± 0.10	0.9 ± 0.1	2.7 ± 0.3	W Africa F	E Europe M
16	4.3 ± 0.4	1.7 ± 0.1	1.9 ± 0.2	2.2 ± 0.2	1.5 ± 0.2	5.8 ± 0.5	2.8 ± 0.3	0.96 ± 0.09	0.6 ± 0.2	1.1 ± 0.1	0.6 ± 0.1	2.7 ± 0.3	W Africa F	S E Asia M
17	4.8 ± 0.3	1.5 ± 0.1	1.7 ± 0.3	2.1 ± 0.2	1.3 ± 0.2	5.7 ± 0.4	2.8 ± 0.3	0.9 ± 0.1	0.3 ± 0.2	1.3 ± 0.2	0.5 ± 0.2	3.5 ± 0.4	W Africa F	E Europe M
18	4.2 ± 0.3	1.1 ± 0.1	1.3 ± 0.3	1.8 ± 0.1	0.8 ± 0.2	5.1 ± 0.3	2.8 ± 0.3	0.51 ± 0.10	0.4 ± 0.2	1.4 ± 0.1	0.0 ± 0.2	3.1 ± 0.3	W Africa F	S E Asia M
19	4.2 ± 0.3	0.9 ± 0.1	1.0 ± 0.2	1.8 ± 0.1	0.7 ± 0.2	5.4 ± 0.3	3.3 ± 0.3	0.7 ± 0.1	0.5 ± 0.2	1.7 ± 0.1	-0.1 ± 0.2	3.6 ± 0.4	W Africa F	S E Asia M
20	4.1 ± 0.3	0.8 ± 0.1	0.8 ± 0.2	1.6 ± 0.2	0.5 ± 0.2	5.3 ± 0.3	3.4 ± 0.3	0.6 ± 0.1	0.8 ± 0.2	2.0 ± 0.1	-0.0 ± 0.2	3.6 ± 0.3	W Africa F	S E Asia M
21	3.8 ± 0.3	0.7 ± 0.1	0.7 ± 0.2	1.5 ± 0.1	0.4 ± 0.2	4.8 ± 0.3	3.5 ± 0.3	0.5 ± 0.1	0.7 ± 0.2	2.0 ± 0.1	-0.0 ± 0.2	3.6 ± 0.3	W Africa F	S E Asia M
22	3.8 ± 0.3	0.3 ± 0.1	0.4 ± 0.2	1.1 ± 0.1	0.0 ± 0.1	4.5 ± 0.3	4.0 ± 0.3	0.3 ± 0.1	1.1 ± 0.2	2.0 ± 0.1	-0.2 ± 0.2	3.5 ± 0.3	W Africa F	S E Asia M
23	3.3 ± 0.2	0.2 ± 0.1	0.3 ± 0.2	1.0 ± 0.1	-0.1 ± 0.1	4.4 ± 0.2	3.6 ± 0.3	0.3 ± 0.1	0.8 ± 0.2	2.1 ± 0.1	-0.3 ± 0.2	3.8 ± 0.3	W Africa F	S E Asia M
24	3.1 ± 0.2	-0.20 ± 0.10	0.2 ± 0.1	0.60 ± 0.10	-0.4 ± 0.1	3.9 ± 0.2	3.6 ± 0.3	0.0 ± 0.1	0.8 ± 0.2	2.0 ± 0.1	-0.3 ± 0.2	3.5 ± 0.2	W Africa F	S E Asia F
25	2.8 ± 0.2	-0.48 ± 0.09	0.0 ± 0.1	0.11 ± 0.09	-0.7 ± 0.1	3.6 ± 0.2	3.4 ± 0.2	-0.1 ± 0.1	0.8 ± 0.2	1.7 ± 0.1	-0.5 ± 0.2	3.3 ± 0.2	W Africa F	S E Asia F
26	2.2 ± 0.2	-0.90 ± 0.08	-0.2 ± 0.1	-0.32 ± 0.08	-0.9 ± 0.1	3.2 ± 0.2	3.3 ± 0.2	-0.2 ± 0.1	0.5 ± 0.2	1.54 ± 0.10	-0.5 ± 0.2	3.0 ± 0.2	E Africa M	S E Asia F
27	2.1 ± 0.2	-1.17 ± 0.08	-0.4 ± 0.1	-0.80 ± 0.08	-1.3 ± 0.1	2.9 ± 0.2	2.9 ± 0.2	-0.5 ± 0.1	0.5 ± 0.1	1.27 ± 0.09	-0.5 ± 0.2	2.8 ± 0.2	W Africa F	S E Asia F
28	1.8 ± 0.2	-1.51 ± 0.08	-0.5 ± 0.1	-1.12 ± 0.08	-1.6 ± 0.1	2.6 ± 0.2	2.7 ± 0.2	-0.6 ± 0.1	0.5 ± 0.1	0.91 ± 0.09	-0.7 ± 0.2	2.4 ± 0.2	E Africa M	S E Asia F
29	1.6 ± 0.2	-1.79 ± 0.08	-0.6 ± 0.1	-1.47 ± 0.09	-1.8 ± 0.1	2.1 ± 0.2	2.4 ± 0.2	-0.8 ± 0.1	0.1 ± 0.1	0.61 ± 0.08	-1.1 ± 0.2	2.5 ± 0.2	W Africa M	E Asia F
30	1.2 ± 0.2	-2.09 ± 0.08	-0.8 ± 0.1	-1.93 ± 0.09	-1.9 ± 0.1	1.7 ± 0.2	2.4 ± 0.2	-1.0 ± 0.1	0.0 ± 0.1	0.23 ± 0.08	-1.1 ± 0.2	2.1 ± 0.2	E Africa M	E Asia F
31	0.8 ± 0.2	-2.40 ± 0.08	-0.9 ± 0.1	-2.36 ± 0.09	-2.3 ± 0.1	1.4 ± 0.2	2.2 ± 0.2	-1.2 ± 0.1	-0.2 ± 0.1	-0.02 ± 0.08	-1.3 ± 0.2	1.8 ± 0.2	E Africa M	E Asia F
32	0.7 ± 0.2	-2.70 ± 0.08	-1.0 ± 0.1	-2.65 ± 0.10	-2.5 ± 0.1	1.1 ± 0.2	1.9 ± 0.2	-1.4 ± 0.1	-0.2 ± 0.2	-0.25 ± 0.08	-1.4 ± 0.2	1.6 ± 0.2	E Africa M	E Asia F
33	0.4 ± 0.2	-2.91 ± 0.08	-1.3 ± 0.2	-2.9 ± 0.1	-2.7 ± 0.1	0.8 ± 0.2	1.8 ± 0.3	-1.6 ± 0.1	-0.2 ± 0.2	-0.58 ± 0.08	-1.5 ± 0.2	1.4 ± 0.2	E Africa M	E Asia F
34	-0.0 ± 0.3	-3.11 ± 0.08	-1.5 ± 0.2	-3.2 ± 0.1	-2.8 ± 0.1	0.4 ± 0.2	1.4 ± 0.3	-1.8 ± 0.1	-0.5 ± 0.2	-0.76 ± 0.09	-1.6 ± 0.2	1.2 ± 0.2	E Africa M	S Asia F
35	0.1 ± 0.3	-3.44 ± 0.09	-1.6 ± 0.2	-3.5 ± 0.1	-3.2 ± 0.2	-0.1 ± 0.2	1.5 ± 0.3	-1.9 ± 0.1	-0.5 ± 0.2	-0.97 ± 0.10	-1.9 ± 0.2	0.9 ± 0.2	E Africa M	S Asia F
36	-0.2 ± 0.3	-3.53 ± 0.09	-1.6 ± 0.2	-3.7 ± 0.1	-3.1 ± 0.2	-0.3 ± 0.2	1.3 ± 0.3	-2.0 ± 0.1	-0.3 ± 0.2	-1.1 ± 0.1	-1.6 ± 0.2	0.8 ± 0.2	E Africa M	S Asia F
37	-0.5 ± 0.3	-3.79 ± 0.09	-1.6 ± 0.2	-3.7 ± 0.1	-3.3 ± 0.2	-0.7 ± 0.3	1.4 ± 0.3	-2.1 ± 0.1	-0.5 ± 0.2	-1.3 ± 0.1	-1.8 ± 0.2	0.5 ± 0.2	E Africa M	E Asia F
38	-0.1 ± 0.3	-3.99 ± 0.09	-1.7 ± 0.2	-3.8 ± 0.1	-3.2 ± 0.2	-0.9 ± 0.3	1.1 ± 0.3	-2.2 ± 0.1	-0.7 ± 0.2	-1.4 ± 0.1	-1.6 ± 0.2	0.4 ± 0.2	E Africa M	E Asia F
39	-0.8 ± 0.3	-4.10 ± 0.10	-1.8 ± 0.2	-4.0 ± 0.1	-3.4 ± 0.2	-1.0 ± 0.3	1.3 ± 0.3	-2.3 ± 0.1	-0.6 ± 0.2	-1.4 ± 0.1	-1.6 ± 0.2	0.3 ± 0.2	E Africa M	E Asia F
40	-0.9 ± 0.4	-4.29 ± 0.10	-1.7 ± 0.2	-3.8 ± 0.2	-3.5 ± 0.2	-1.6 ± 0.3	1.4 ± 0.4	-2.3 ± 0.1	-0.6 ± 0.2	-1.5 ± 0.1	-1.7 ± 0.2	0.2 ± 0.3	E Africa M	E Asia F
41	-1.3 ± 0.4	-4.37 ± 0.10	-1.8 ± 0.2	-3.9 ± 0.2	-3.6 ± 0.2	-2.0 ± 0.3	1.6 ± 0.4	-2.3 ± 0.1	-0.6 ± 0.2	-1.6 ± 0.1	-1.8 ± 0.2	0.2 ± 0.3	E Africa M	E Asia F
42	-0.9 ± 0.4	-4.4 ± 0.1	-1.7 ± 0.2	-3.5 ± 0.2	-3.6 ± 0.2	-2.0 ± 0.3	1.5 ± 0.4	-2.3 ± 0.1	-0.3 ± 0.2	-1.7 ± 0.1	-1.5 ± 0.3	0.2 ± 0.3	E Africa M	E Asia F
43	-0.9 ± 0.4	-4.5 ± 0.1	-1.9 ± 0.2	-3.8 ± 0.2	-3.8 ± 0.2	-2.2 ± 0.3	1.8 ± 0.4	-2.3 ± 0.1	-0.5 ± 0.2	-1.5 ± 0.1	-1.6 ± 0.3	-0.3 ± 0.3	E Africa M	E Asia F
44	-1.1 ± 0.5	-4.8 ± 0.1	-2.0 ± 0.2	-3.5 ± 0.2	-3.5 ± 0.2	-2.5 ± 0.4	1.5 ± 0.4	-2.3 ± 0.1	-0.3 ± 0.2	-1.6 ± 0.2	-1.4 ± 0.3	-0.0 ± 0.3	E Africa M	E Asia F
45	-1.4 ± 0.5	-4.8 ± 0.1	-2.2 ± 0.2	-3.4 ± 0.2	-3.7 ± 0.2	-2.6 ± 0.3	1.2 ± 0.5	-2.4 ± 0.1	-0.4 ± 0.2	-1.4 ± 0.2	-1.5 ± 0.3	-0.0 ± 0.4	E Africa M	E Asia F
46	-0.6 ± 0.6	-5.0 ± 0.1	-2.3 ± 0.2	-3.1 ± 0.2	-3.9 ± 0.2	-2.7 ± 0.3	1.7 ± 0.5	-2.3 ± 0.1	-0.1 ± 0.3	-1.3 ± 0.2	-1.2 ± 0.3	-0.3 ± 0.4	E Africa M	E Asia F
47	-0.8 ± 0.6	-4.8 ± 0.1	-2.3 ± 0.2	-3.1 ± 0.2	-3.7 ± 0.2	-2.8 ± 0.4	2.3 ± 0.5	-2.2 ± 0.2	-0.4 ± 0.3	-1.2 ± 0.2	-0.9 ± 0.3	0.1 ± 0.4	E Africa M	E Asia F
48	-1.0 ± 0.6	-4.9 ± 0.1	-2.4 ± 0.2	-2.8 ± 0.3	-3.8 ± 0.2	-2.9 ± 0.4	1.8 ± 0.5	-2.1 ± 0.2	-0.2 ± 0.3	-1.0 ± 0.2	-1.0 ± 0.3	-0.3 ± 0.4	E Africa M	E Asia F
49	-0.5 ± 0.6	-5.0 ± 0.1	-2.8 ± 0.3	-2.5 ± 0.3	-3.4 ± 0.3	-3.4 ± 0.4	1.5 ± 0.6	-1.9 ± 0.2	-0.3 ± 0.3	-1.1 ± 0.2	-0.9 ± 0.3	-0.2 ± 0.4	E Africa M	E Asia F
50	-1.0 ± 0.7	-4.8 ± 0.1	-2.3 ± 0.3	-2.6 ± 0.2	-3.7 ± 0.2	-3.1 ± 0.4	1.8 ± 0.6	-1.8 ± 0.2	-0.1 ± 0.3	-1.0 ± 0.2	-0.3 ± 0.3	-0.4 ± 0.4	E Africa M	E Asia F
51	-0.4 ± 0.7	-4.8 ± 0.1	-2.7 ± 0.3	-2.3 ± 0.3	-3.6 ± 0.3	-3.1 ± 0.5	1.5 ± 0.7	-1.6 ± 0.2	0.0 ± 0.3	-0.8 ± 0.3	-0.4 ± 0.3	-0.3 ± 0.4	E Africa M	E Asia F
52	-0.7 ± 0.7	-4.7 ± 0.2	-2.1 ± 0.3	-2.3 ± 0.3	-3.0 ± 0.3	-3.5 ± 0.5	2.3 ± 0.6	-1.5 ± 0.2	-0.1 ± 0.3	-0.8 ± 0.3	-0.5 ± 0.3	-0.0 ± 0.5	E Africa M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 68. *Mean raw error for Application-type images for algorithm innovatrics-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.3 ± 0.2	1.62 ± 0.09	1.4 ± 0.2	1.8 ± 0.1	1.3 ± 0.2	1.9 ± 0.3	1.2 ± 0.2	1.26 ± 0.08	1.1 ± 0.1	1.49 ± 0.08	1.1 ± 0.1	1.2 ± 0.2	W Africa F	E Europe M
15	1.1 ± 0.2	1.7 ± 0.1	1.5 ± 0.2	2.1 ± 0.2	1.3 ± 0.3	2.0 ± 0.4	0.8 ± 0.2	1.39 ± 0.09	1.2 ± 0.2	1.54 ± 0.10	1.2 ± 0.1	1.2 ± 0.2	S Asia F	E Africa M
16	0.9 ± 0.3	1.7 ± 0.1	1.7 ± 0.3	1.9 ± 0.2	1.5 ± 0.3	2.0 ± 0.4	1.1 ± 0.2	1.42 ± 0.08	1.5 ± 0.2	1.5 ± 0.1	1.2 ± 0.2	1.0 ± 0.2	W Africa F	E Africa F
17	1.3 ± 0.3	1.6 ± 0.1	1.7 ± 0.3	2.0 ± 0.2	1.4 ± 0.2	2.0 ± 0.4	0.8 ± 0.2	1.37 ± 0.10	1.2 ± 0.1	1.5 ± 0.1	1.1 ± 0.2	1.2 ± 0.4	W Africa F	E Africa M
18	0.8 ± 0.3	1.2 ± 0.1	1.2 ± 0.3	1.6 ± 0.1	1.0 ± 0.2	1.6 ± 0.4	0.5 ± 0.2	0.95 ± 0.09	1.0 ± 0.2	1.29 ± 0.10	0.7 ± 0.2	0.7 ± 0.2	S Asia F	E Africa M
19	0.9 ± 0.3	1.0 ± 0.1	1.1 ± 0.2	1.7 ± 0.1	0.8 ± 0.2	1.9 ± 0.3	0.6 ± 0.2	0.95 ± 0.09	0.9 ± 0.2	1.3 ± 0.1	0.4 ± 0.1	0.8 ± 0.3	W Africa F	S E Asia M
20	1.0 ± 0.3	1.0 ± 0.1	0.9 ± 0.2	1.6 ± 0.2	0.7 ± 0.2	2.0 ± 0.3	0.5 ± 0.2	0.76 ± 0.10	0.9 ± 0.2	1.3 ± 0.1	0.2 ± 0.1	0.6 ± 0.3	W Africa F	S E Asia M
21	0.9 ± 0.3	0.8 ± 0.1	0.7 ± 0.2	1.5 ± 0.1	0.6 ± 0.2	1.7 ± 0.3	0.4 ± 0.2	0.59 ± 0.09	0.7 ± 0.2	1.2 ± 0.1	0.1 ± 0.2	0.6 ± 0.3	W Africa F	S E Asia M
22	1.0 ± 0.3	0.4 ± 0.1	0.4 ± 0.2	1.1 ± 0.1	0.2 ± 0.1	1.6 ± 0.3	0.9 ± 0.3	0.35 ± 0.10	0.9 ± 0.2	1.1 ± 0.1	-0.2 ± 0.1	0.3 ± 0.3	W Africa F	S E Asia M
23	0.7 ± 0.3	0.3 ± 0.1	0.3 ± 0.1	1.1 ± 0.1	0.1 ± 0.1	1.8 ± 0.3	0.5 ± 0.3	0.1 ± 0.1	0.6 ± 0.2	1.1 ± 0.1	-0.3 ± 0.1	0.6 ± 0.3	W Africa F	S E Asia M
24	0.7 ± 0.3	-0.08 ± 0.09	0.2 ± 0.1	0.8 ± 0.1	-0.2 ± 0.1	1.4 ± 0.3	0.5 ± 0.3	-0.1 ± 0.1	0.6 ± 0.1	1.1 ± 0.1	-0.5 ± 0.1	0.4 ± 0.3	W Africa F	S E Asia M
25	0.6 ± 0.3	-0.28 ± 0.09	-0.1 ± 0.1	0.44 ± 0.10	-0.4 ± 0.1	1.5 ± 0.3	0.4 ± 0.3	-0.3 ± 0.1	0.6 ± 0.1	0.9 ± 0.1	-0.7 ± 0.1	0.4 ± 0.3	W Africa F	S E Asia M
26	0.4 ± 0.3	-0.63 ± 0.09	-0.2 ± 0.1	0.11 ± 0.09	-0.6 ± 0.1	1.4 ± 0.3	0.4 ± 0.2	-0.53 ± 0.10	0.3 ± 0.1	0.8 ± 0.1	-0.7 ± 0.2	0.2 ± 0.2	W Africa F	S E Asia M
27	0.5 ± 0.3	-0.86 ± 0.08	-0.4 ± 0.1	-0.26 ± 0.09	-0.9 ± 0.1	1.4 ± 0.2	0.2 ± 0.3	-0.7 ± 0.1	0.4 ± 0.1	0.54 ± 0.10	-0.7 ± 0.2	0.2 ± 0.2	W Africa F	S E Asia F
28	0.4 ± 0.3	-1.11 ± 0.08	-0.5 ± 0.1	-0.55 ± 0.09	-1.1 ± 0.1	1.2 ± 0.2	0.1 ± 0.2	-0.8 ± 0.1	0.4 ± 0.1	0.28 ± 0.09	-0.9 ± 0.2	0.0 ± 0.2	W Africa F	E Asia F
29	0.5 ± 0.3	-1.34 ± 0.08	-0.5 ± 0.1	-0.84 ± 0.09	-1.3 ± 0.1	1.0 ± 0.2	0.1 ± 0.3	-1.0 ± 0.1	0.1 ± 0.1	0.03 ± 0.09	-1.2 ± 0.2	0.4 ± 0.2	W Africa F	E Asia F
30	0.2 ± 0.3	-1.51 ± 0.08	-0.7 ± 0.1	-1.20 ± 0.09	-1.3 ± 0.1	0.6 ± 0.2	0.2 ± 0.3	-1.2 ± 0.1	-0.0 ± 0.1	-0.29 ± 0.08	-1.2 ± 0.2	0.2 ± 0.2	W Africa F	E Asia F
31	0.0 ± 0.3	-1.77 ± 0.08	-0.6 ± 0.1	-1.60 ± 0.09	-1.6 ± 0.1	0.6 ± 0.2	0.3 ± 0.3	-1.3 ± 0.1	-0.2 ± 0.1	-0.47 ± 0.09	-1.2 ± 0.2	0.1 ± 0.2	W Africa F	E Asia F
32	0.2 ± 0.3	-1.99 ± 0.08	-0.7 ± 0.1	-1.82 ± 0.09	-1.7 ± 0.1	0.5 ± 0.2	0.1 ± 0.3	-1.4 ± 0.1	-0.2 ± 0.1	-0.68 ± 0.08	-1.2 ± 0.2	0.1 ± 0.2	W Africa F	E Asia F
33	-0.1 ± 0.3	-2.17 ± 0.08	-0.9 ± 0.1	-2.04 ± 0.10	-2.0 ± 0.1	0.2 ± 0.2	0.2 ± 0.3	-1.5 ± 0.1	-0.1 ± 0.1	-0.94 ± 0.09	-1.4 ± 0.2	-0.0 ± 0.2	E Africa M	E Asia F
34	-0.3 ± 0.3	-2.31 ± 0.08	-1.1 ± 0.2	-2.32 ± 0.10	-2.1 ± 0.1	0.0 ± 0.2	-0.1 ± 0.3	-1.6 ± 0.1	-0.4 ± 0.2	-1.08 ± 0.09	-1.3 ± 0.2	0.0 ± 0.2	W Africa F	S Asia F
35	-0.1 ± 0.3	-2.63 ± 0.08	-1.1 ± 0.2	-2.63 ± 0.10	-2.4 ± 0.1	-0.5 ± 0.2	0.2 ± 0.3	-1.6 ± 0.1	-0.4 ± 0.2	-1.26 ± 0.09	-1.6 ± 0.2	-0.3 ± 0.2	E Africa M	E Asia F
36	-0.4 ± 0.3	-2.70 ± 0.09	-1.1 ± 0.2	-2.9 ± 0.1	-2.3 ± 0.2	-0.5 ± 0.2	-0.0 ± 0.3	-1.7 ± 0.1	-0.4 ± 0.2	-1.45 ± 0.10	-1.3 ± 0.2	-0.3 ± 0.2	E Africa M	S Asia F
37	-0.6 ± 0.3	-2.90 ± 0.09	-1.2 ± 0.2	-2.9 ± 0.1	-2.5 ± 0.2	-0.9 ± 0.3	0.2 ± 0.3	-1.8 ± 0.1	-0.6 ± 0.2	-1.6 ± 0.1	-1.5 ± 0.2	-0.5 ± 0.2	E Africa M	S Asia F
38	-0.1 ± 0.3	-3.11 ± 0.09	-1.2 ± 0.2	-3.1 ± 0.1	-2.5 ± 0.2	-1.1 ± 0.3	-0.1 ± 0.3	-1.9 ± 0.1	-0.8 ± 0.2	-1.7 ± 0.1	-1.3 ± 0.2	-0.6 ± 0.2	E Africa F	E Asia F
39	-0.7 ± 0.3	-3.21 ± 0.09	-1.4 ± 0.2	-3.3 ± 0.1	-2.6 ± 0.2	-1.1 ± 0.3	0.3 ± 0.3	-2.0 ± 0.1	-0.8 ± 0.2	-1.7 ± 0.1	-1.4 ± 0.2	-0.6 ± 0.2	E Africa M	S Asia F
40	-0.8 ± 0.4	-3.40 ± 0.09	-1.2 ± 0.2	-3.3 ± 0.1	-2.7 ± 0.2	-1.7 ± 0.3	0.4 ± 0.3	-2.1 ± 0.1	-0.9 ± 0.2	-1.8 ± 0.1	-1.4 ± 0.2	-0.8 ± 0.3	E Africa M	E Asia F
41	-1.2 ± 0.4	-3.50 ± 0.09	-1.5 ± 0.2	-3.4 ± 0.2	-2.8 ± 0.2	-2.1 ± 0.3	0.5 ± 0.4	-2.2 ± 0.1	-1.0 ± 0.2	-1.9 ± 0.1	-1.6 ± 0.2	-0.8 ± 0.3	E Africa M	E Asia F
42	-0.8 ± 0.4	-3.54 ± 0.09	-1.4 ± 0.2	-3.0 ± 0.2	-2.9 ± 0.2	-2.0 ± 0.3	0.6 ± 0.4	-2.2 ± 0.1	-0.9 ± 0.2	-1.9 ± 0.1	-1.3 ± 0.2	-1.0 ± 0.3	E Africa M	E Asia F
43	-0.6 ± 0.4	-3.74 ± 0.09	-1.6 ± 0.2	-3.2 ± 0.2	-3.0 ± 0.2	-2.2 ± 0.3	1.0 ± 0.4	-2.2 ± 0.1	-1.1 ± 0.2	-1.8 ± 0.1	-1.4 ± 0.2	-1.2 ± 0.3	E Africa M	E Asia F
44	-0.6 ± 0.5	-3.96 ± 0.10	-1.9 ± 0.2	-3.1 ± 0.2	-2.7 ± 0.2	-2.4 ± 0.3	0.5 ± 0.4	-2.3 ± 0.1	-1.0 ± 0.2	-1.9 ± 0.1	-1.2 ± 0.2	-1.0 ± 0.3	E Africa M	E Asia F
45	-0.8 ± 0.5	-4.0 ± 0.1	-1.9 ± 0.2	-2.9 ± 0.2	-3.0 ± 0.2	-2.5 ± 0.3	0.5 ± 0.4	-2.3 ± 0.1	-1.2 ± 0.2	-1.8 ± 0.2	-1.3 ± 0.2	-1.1 ± 0.3	E Africa M	E Asia F
46	0.1 ± 0.6	-4.1 ± 0.1	-1.9 ± 0.2	-2.6 ± 0.2	-3.1 ± 0.2	-2.5 ± 0.4	0.9 ± 0.5	-2.4 ± 0.1	-0.9 ± 0.3	-1.5 ± 0.2	-1.1 ± 0.3	-1.3 ± 0.3	E Africa M	E Asia F
47	0.0 ± 0.6	-4.0 ± 0.1	-1.9 ± 0.2	-2.5 ± 0.2	-2.8 ± 0.2	-2.4 ± 0.4	1.6 ± 0.5	-2.3 ± 0.1	-1.0 ± 0.3	-1.5 ± 0.2	-0.8 ± 0.3	-0.9 ± 0.4	E Africa M	E Asia F
48	-0.4 ± 0.6	-4.0 ± 0.1	-1.9 ± 0.2	-2.1 ± 0.2	-2.8 ± 0.2	-2.5 ± 0.4	1.1 ± 0.5	-2.2 ± 0.1	-0.8 ± 0.3	-1.4 ± 0.2	-0.8 ± 0.3	-1.2 ± 0.4	E Africa M	E Asia F
49	0.5 ± 0.6	-4.1 ± 0.1	-2.2 ± 0.2	-1.9 ± 0.2	-2.5 ± 0.2	-2.8 ± 0.4	1.0 ± 0.6	-2.1 ± 0.1	-1.0 ± 0.3	-1.4 ± 0.2	-0.8 ± 0.3	-0.9 ± 0.4	E Africa M	E Asia F
50	-0.3 ± 0.7	-3.9 ± 0.1	-1.8 ± 0.2	-1.9 ± 0.2	-2.5 ± 0.2	-2.6 ± 0.5	1.2 ± 0.5	-2.1 ± 0.1	-0.8 ± 0.3	-1.3 ± 0.2	-0.3 ± 0.3	-1.1 ± 0.4	E Africa M	E Asia F
51	0.5 ± 0.6	-3.8 ± 0.1	-2.0 ± 0.2	-1.7 ± 0.2	-2.4 ± 0.2	-2.4 ± 0.5	1.0 ± 0.6	-1.9 ± 0.1	-0.6 ± 0.3	-1.2 ± 0.2	-0.3 ± 0.3	-1.1 ± 0.4	E Africa M	E Asia F
52	0.3 ± 0.7	-3.7 ± 0.1	-1.7 ± 0.3	-1.8 ± 0.2	-1.8 ± 0.2	-2.6 ± 0.5	1.6 ± 0.6	-2.0 ± 0.1	-0.5 ± 0.3	-1.2 ± 0.2	-0.4 ± 0.3	-0.7 ± 0.5	E Africa M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 69. *Mean raw error for Application-type images for algorithm innovatrics-004. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	0.5 ± 0.2	0.54 ± 0.08	0.5 ± 0.2	0.66 ± 0.10	0.3 ± 0.1	0.9 ± 0.2	0.5 ± 0.1	0.36 ± 0.07	0.22 ± 0.09	0.45 ± 0.06	0.18 ± 0.10	0.4 ± 0.2	W Africa F	S E Asia M
15	0.0 ± 0.2	0.4 ± 0.1	0.4 ± 0.2	0.7 ± 0.2	0.1 ± 0.3	0.9 ± 0.4	-0.0 ± 0.2	0.24 ± 0.09	0.0 ± 0.1	0.29 ± 0.09	-0.0 ± 0.1	0.3 ± 0.2	W Africa F	E Africa M
16	-0.2 ± 0.3	0.5 ± 0.1	0.5 ± 0.3	0.5 ± 0.2	0.2 ± 0.3	0.8 ± 0.5	0.2 ± 0.2	0.24 ± 0.09	0.3 ± 0.2	0.2 ± 0.1	-0.1 ± 0.2	0.1 ± 0.2	W Africa F	E Africa F
17	0.1 ± 0.3	0.4 ± 0.2	0.6 ± 0.3	0.6 ± 0.2	0.2 ± 0.3	0.8 ± 0.4	-0.0 ± 0.2	0.3 ± 0.1	0.1 ± 0.2	0.3 ± 0.1	-0.1 ± 0.2	0.5 ± 0.4	W Africa F	S E Asia M
18	-0.4 ± 0.3	0.1 ± 0.1	0.2 ± 0.3	0.4 ± 0.2	-0.1 ± 0.2	0.4 ± 0.4	-0.2 ± 0.2	0.02 ± 0.10	0.0 ± 0.2	0.2 ± 0.1	-0.4 ± 0.2	0.0 ± 0.3	W Africa F	E Africa F
19	-0.3 ± 0.3	0.1 ± 0.1	0.3 ± 0.3	0.6 ± 0.2	-0.1 ± 0.2	0.8 ± 0.4	-0.0 ± 0.2	0.2 ± 0.1	-0.0 ± 0.2	0.2 ± 0.1	-0.5 ± 0.2	0.2 ± 0.3	W Africa F	S E Asia M
20	-0.1 ± 0.3	0.2 ± 0.1	0.1 ± 0.2	0.6 ± 0.2	-0.1 ± 0.2	1.0 ± 0.4	-0.1 ± 0.2	0.1 ± 0.1	0.1 ± 0.2	0.4 ± 0.1	-0.5 ± 0.2	0.1 ± 0.3	W Africa F	S E Asia M
21	-0.2 ± 0.3	0.2 ± 0.1	0.1 ± 0.2	0.7 ± 0.2	-0.0 ± 0.2	0.7 ± 0.4	-0.1 ± 0.3	0.1 ± 0.1	-0.0 ± 0.2	0.4 ± 0.1	-0.5 ± 0.2	0.2 ± 0.3	W Africa F	S E Asia M
22	0.1 ± 0.3	-0.1 ± 0.1	-0.0 ± 0.2	0.4 ± 0.1	-0.3 ± 0.2	0.8 ± 0.4	0.5 ± 0.3	0.0 ± 0.1	0.2 ± 0.2	0.4 ± 0.1	-0.6 ± 0.2	-0.1 ± 0.3	W Africa F	S E Asia M
23	-0.1 ± 0.3	-0.1 ± 0.1	-0.0 ± 0.2	0.6 ± 0.1	-0.3 ± 0.1	1.1 ± 0.3	0.1 ± 0.3	-0.1 ± 0.1	0.0 ± 0.2	0.5 ± 0.1	-0.6 ± 0.2	0.3 ± 0.3	W Africa F	S E Asia M
24	0.0 ± 0.3	-0.3 ± 0.1	-0.0 ± 0.1	0.4 ± 0.1	-0.5 ± 0.1	0.8 ± 0.3	0.2 ± 0.3	-0.2 ± 0.1	0.1 ± 0.2	0.6 ± 0.1	-0.6 ± 0.2	0.1 ± 0.3	W Africa F	S E Asia M
25	-0.1 ± 0.3	-0.47 ± 0.10	-0.2 ± 0.1	0.1 ± 0.1	-0.7 ± 0.1	0.9 ± 0.3	0.2 ± 0.3	-0.3 ± 0.1	0.2 ± 0.2	0.5 ± 0.1	-0.8 ± 0.2	0.2 ± 0.3	W Africa F	S E Asia M
26	-0.2 ± 0.3	-0.74 ± 0.10	-0.3 ± 0.1	-0.2 ± 0.1	-0.7 ± 0.1	0.9 ± 0.3	0.2 ± 0.3	-0.5 ± 0.1	0.0 ± 0.2	0.5 ± 0.1	-0.7 ± 0.2	-0.0 ± 0.2	W Africa F	E Asia F
27	0.1 ± 0.3	-0.91 ± 0.09	-0.4 ± 0.1	-0.4 ± 0.1	-1.0 ± 0.1	1.0 ± 0.3	0.1 ± 0.3	-0.5 ± 0.1	0.2 ± 0.2	0.4 ± 0.1	-0.6 ± 0.2	0.0 ± 0.2	W Africa F	S E Asia F
28	0.0 ± 0.3	-1.10 ± 0.09	-0.4 ± 0.1	-0.6 ± 0.1	-1.0 ± 0.1	1.0 ± 0.3	-0.0 ± 0.2	-0.6 ± 0.1	0.2 ± 0.1	0.2 ± 0.1	-0.7 ± 0.2	-0.1 ± 0.2	W Africa F	E Asia F
29	0.2 ± 0.3	-1.26 ± 0.09	-0.4 ± 0.1	-0.8 ± 0.1	-1.2 ± 0.1	0.8 ± 0.3	0.0 ± 0.3	-0.6 ± 0.1	0.1 ± 0.1	0.03 ± 0.10	-0.9 ± 0.2	0.4 ± 0.2	W Africa F	E Asia F
30	0.1 ± 0.3	-1.36 ± 0.09	-0.5 ± 0.1	-1.1 ± 0.1	-1.1 ± 0.1	0.5 ± 0.3	0.2 ± 0.3	-0.8 ± 0.1	-0.0 ± 0.1	-0.21 ± 0.09	-0.8 ± 0.2	0.1 ± 0.2	W Africa F	E Asia F
31	-0.1 ± 0.3	-1.51 ± 0.09	-0.4 ± 0.1	-1.4 ± 0.1	-1.3 ± 0.2	0.5 ± 0.2	0.3 ± 0.3	-0.8 ± 0.1	-0.2 ± 0.1	-0.31 ± 0.09	-0.7 ± 0.2	0.1 ± 0.2	W Africa F	E Asia F
32	0.2 ± 0.3	-1.60 ± 0.10	-0.4 ± 0.1	-1.4 ± 0.1	-1.2 ± 0.2	0.5 ± 0.2	0.1 ± 0.3	-0.8 ± 0.1	-0.1 ± 0.2	-0.42 ± 0.09	-0.6 ± 0.2	0.1 ± 0.2	W Africa F	E Asia F
33	-0.1 ± 0.3	-1.61 ± 0.10	-0.6 ± 0.2	-1.5 ± 0.1	-1.3 ± 0.2	0.2 ± 0.2	0.2 ± 0.3	-0.8 ± 0.1	-0.0 ± 0.2	-0.61 ± 0.09	-0.7 ± 0.2	-0.0 ± 0.2	E Africa M	E Asia F
34	-0.2 ± 0.3	-1.5 ± 0.1	-0.7 ± 0.2	-1.7 ± 0.1	-1.2 ± 0.2	0.1 ± 0.2	-0.1 ± 0.3	-0.8 ± 0.1	-0.3 ± 0.2	-0.7 ± 0.1	-0.5 ± 0.3	0.0 ± 0.2	W Africa F	S Asia F
35	0.0 ± 0.3	-1.7 ± 0.1	-0.7 ± 0.2	-1.9 ± 0.1	-1.3 ± 0.2	-0.4 ± 0.2	0.2 ± 0.3	-0.7 ± 0.1	-0.3 ± 0.2	-0.8 ± 0.1	-0.7 ± 0.2	-0.3 ± 0.2	E Africa M	S Asia F
36	-0.2 ± 0.3	-1.5 ± 0.1	-0.6 ± 0.2	-1.9 ± 0.1	-0.9 ± 0.2	-0.3 ± 0.2	0.0 ± 0.3	-0.7 ± 0.1	-0.2 ± 0.2	-0.9 ± 0.1	-0.3 ± 0.2	-0.3 ± 0.2	E Africa M	S Asia F
37	-0.3 ± 0.3	-1.4 ± 0.1	-0.6 ± 0.2	-1.8 ± 0.1	-0.9 ± 0.2	-0.7 ± 0.3	0.3 ± 0.3	-0.7 ± 0.1	-0.4 ± 0.2	-0.9 ± 0.1	-0.4 ± 0.2	-0.4 ± 0.2	E Africa M	S Asia F
38	0.3 ± 0.3	-1.4 ± 0.1	-0.6 ± 0.2	-1.8 ± 0.1	-0.5 ± 0.2	-0.8 ± 0.3	-0.1 ± 0.3	-0.7 ± 0.1	-0.5 ± 0.2	-1.0 ± 0.1	-0.1 ± 0.2	-0.5 ± 0.2	E Africa F	S Asia F
39	-0.3 ± 0.4	-1.2 ± 0.1	-0.7 ± 0.2	-1.9 ± 0.1	-0.4 ± 0.2	-0.8 ± 0.3	0.4 ± 0.3	-0.7 ± 0.1	-0.6 ± 0.2	-1.0 ± 0.1	-0.1 ± 0.2	-0.6 ± 0.2	E Africa M	S Asia F
40	-0.3 ± 0.4	-1.1 ± 0.1	-0.5 ± 0.2	-1.8 ± 0.2	-0.4 ± 0.2	-1.3 ± 0.3	0.5 ± 0.3	-0.8 ± 0.1	-0.6 ± 0.2	-1.0 ± 0.1	-0.1 ± 0.2	-0.8 ± 0.3	E Africa M	S Asia F
41	-0.7 ± 0.4	-0.9 ± 0.1	-0.7 ± 0.2	-1.9 ± 0.2	-0.3 ± 0.2	-1.6 ± 0.3	0.6 ± 0.4	-0.7 ± 0.1	-0.6 ± 0.2	-1.1 ± 0.1	-0.3 ± 0.2	-0.7 ± 0.3	E Africa M	S Asia F
42	-0.3 ± 0.4	-0.7 ± 0.1	-0.6 ± 0.2	-1.4 ± 0.2	-0.2 ± 0.2	-1.5 ± 0.3	0.7 ± 0.4	-0.7 ± 0.1	-0.6 ± 0.2	-1.1 ± 0.1	0.0 ± 0.2	-0.9 ± 0.3	E Africa M	W Africa F
43	-0.0 ± 0.4	-0.8 ± 0.1	-0.6 ± 0.2	-1.6 ± 0.2	-0.2 ± 0.2	-1.6 ± 0.3	1.0 ± 0.4	-0.7 ± 0.1	-0.7 ± 0.2	-1.0 ± 0.1	-0.0 ± 0.2	-1.2 ± 0.3	E Africa M	S Asia F
44	-0.0 ± 0.5	-0.9 ± 0.1	-0.9 ± 0.2	-1.5 ± 0.2	0.2 ± 0.2	-1.8 ± 0.4	0.6 ± 0.4	-0.8 ± 0.1	-0.6 ± 0.2	-1.1 ± 0.1	0.1 ± 0.2	-1.0 ± 0.3	E Africa M	W Africa F
45	-0.2 ± 0.5	-0.8 ± 0.1	-0.9 ± 0.2	-1.3 ± 0.2	0.0 ± 0.2	-1.9 ± 0.4	0.6 ± 0.4	-0.9 ± 0.1	-0.9 ± 0.2	-1.0 ± 0.2	-0.0 ± 0.2	-1.1 ± 0.3	E Africa M	W Africa F
46	0.7 ± 0.6	-0.9 ± 0.1	-0.9 ± 0.2	-1.1 ± 0.2	-0.1 ± 0.2	-1.9 ± 0.4	0.9 ± 0.5	-0.9 ± 0.1	-0.6 ± 0.2	-0.9 ± 0.2	0.1 ± 0.2	-1.3 ± 0.3	E Africa M	W Africa F
47	0.6 ± 0.6	-0.8 ± 0.1	-0.9 ± 0.2	-1.1 ± 0.2	0.1 ± 0.2	-1.8 ± 0.4	1.7 ± 0.5	-0.9 ± 0.1	-0.7 ± 0.2	-0.9 ± 0.2	0.4 ± 0.3	-0.9 ± 0.4	E Africa M	W Africa F
48	0.2 ± 0.6	-0.9 ± 0.1	-0.9 ± 0.2	-0.9 ± 0.2	-0.1 ± 0.2	-1.9 ± 0.4	1.2 ± 0.5	-0.9 ± 0.1	-0.6 ± 0.3	-0.8 ± 0.2	0.3 ± 0.3	-1.1 ± 0.4	E Africa M	W Africa F
49	1.0 ± 0.6	-1.1 ± 0.1	-1.2 ± 0.2	-0.8 ± 0.2	0.1 ± 0.2	-2.2 ± 0.4	1.0 ± 0.6	-0.9 ± 0.1	-0.7 ± 0.3	-0.9 ± 0.2	0.2 ± 0.3	-0.9 ± 0.4	E Africa M	W Africa F
50	0.2 ± 0.6	-1.1 ± 0.1	-0.9 ± 0.2	-0.9 ± 0.2	-0.3 ± 0.2	-2.0 ± 0.4	1.2 ± 0.5	-1.0 ± 0.1	-0.6 ± 0.3	-0.8 ± 0.2	0.6 ± 0.3	-1.0 ± 0.4	E Africa M	W Africa F
51	1.0 ± 0.6	-1.3 ± 0.1	-1.2 ± 0.2	-0.8 ± 0.2	-0.4 ± 0.2	-1.9 ± 0.5	1.0 ± 0.6	-1.0 ± 0.1	-0.4 ± 0.3	-0.8 ± 0.2	0.5 ± 0.3	-1.0 ± 0.4	E Africa M	W Africa F
52	0.7 ± 0.7	-1.5 ± 0.1	-1.0 ± 0.2	-1.0 ± 0.2	-0.2 ± 0.2	-2.1 ± 0.5	1.7 ± 0.6	-1.1 ± 0.1	-0.4 ± 0.3	-0.8 ± 0.2	0.2 ± 0.3	-0.7 ± 0.5	E Africa M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 70. *Mean raw error for Application-type images for algorithm intellicheck-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.9 ± 0.3	3.5 ± 0.1	2.7 ± 0.2	2.6 ± 0.2	2.6 ± 0.2	2.5 ± 0.4	1.3 ± 0.2	2.6 ± 0.1	1.0 ± 0.2	1.2 ± 0.1	1.7 ± 0.2	2.2 ± 0.3	E Asia F	E Europe M
15	1.6 ± 0.3	2.8 ± 0.1	2.0 ± 0.1	2.3 ± 0.2	2.3 ± 0.3	2.2 ± 0.4	1.0 ± 0.3	2.23 ± 0.10	1.0 ± 0.2	1.2 ± 0.1	1.6 ± 0.2	2.2 ± 0.3	E Asia F	E Africa M
16	0.7 ± 0.3	2.2 ± 0.1	1.3 ± 0.1	1.5 ± 0.1	1.6 ± 0.3	1.7 ± 0.5	0.9 ± 0.2	1.56 ± 0.08	0.8 ± 0.2	0.8 ± 0.1	1.0 ± 0.2	1.6 ± 0.3	E Asia F	E Africa F
17	0.4 ± 0.4	1.3 ± 0.1	0.5 ± 0.1	0.8 ± 0.2	0.7 ± 0.3	1.0 ± 0.4	0.2 ± 0.2	0.8 ± 0.1	0.1 ± 0.1	0.5 ± 0.2	0.3 ± 0.2	1.2 ± 0.4	E Asia F	E Europe M
18	-0.4 ± 0.3	0.2 ± 0.1	-0.5 ± 0.2	0.1 ± 0.2	0.1 ± 0.2	0.6 ± 0.4	-0.2 ± 0.2	-0.23 ± 0.08	-0.8 ± 0.1	-0.2 ± 0.1	-0.2 ± 0.2	0.5 ± 0.3	W Africa F	E Europe M
19	-1.0 ± 0.3	-0.6 ± 0.1	-1.4 ± 0.2	-0.6 ± 0.2	-0.5 ± 0.2	-0.2 ± 0.4	-0.7 ± 0.3	-0.9 ± 0.1	-1.5 ± 0.2	-0.6 ± 0.2	-1.0 ± 0.2	0.6 ± 0.4	W Africa M	E Europe M
20	-1.9 ± 0.3	-1.4 ± 0.1	-2.2 ± 0.2	-1.3 ± 0.2	-1.7 ± 0.2	-0.6 ± 0.4	-0.7 ± 0.4	-1.7 ± 0.1	-2.0 ± 0.2	-0.7 ± 0.2	-1.9 ± 0.2	0.6 ± 0.5	W Africa M	E Europe F
21	-2.4 ± 0.3	-2.1 ± 0.2	-3.0 ± 0.2	-2.1 ± 0.2	-2.5 ± 0.2	-0.8 ± 0.5	-0.9 ± 0.4	-2.3 ± 0.1	-2.7 ± 0.2	-1.0 ± 0.2	-2.5 ± 0.2	-0.0 ± 0.4	W Africa M	E Europe F
22	-3.3 ± 0.3	-2.9 ± 0.2	-3.8 ± 0.2	-2.5 ± 0.2	-3.1 ± 0.2	-1.5 ± 0.5	-1.0 ± 0.4	-3.0 ± 0.2	-3.1 ± 0.2	-1.1 ± 0.3	-3.1 ± 0.2	0.2 ± 0.5	W Africa M	E Europe F
23	-3.7 ± 0.3	-3.8 ± 0.2	-4.6 ± 0.2	-3.0 ± 0.2	-3.6 ± 0.2	-1.5 ± 0.5	-0.7 ± 0.5	-3.6 ± 0.2	-3.7 ± 0.3	-1.5 ± 0.3	-3.5 ± 0.3	-0.4 ± 0.5	W Africa M	E Europe F
24	-3.9 ± 0.4	-4.6 ± 0.2	-5.2 ± 0.2	-3.8 ± 0.2	-4.2 ± 0.2	-2.3 ± 0.5	-1.0 ± 0.5	-4.2 ± 0.2	-4.1 ± 0.3	-1.6 ± 0.3	-4.3 ± 0.3	-0.0 ± 0.5	W Africa M	E Europe F
25	-4.2 ± 0.4	-5.4 ± 0.2	-5.9 ± 0.2	-4.3 ± 0.2	-5.0 ± 0.3	-2.2 ± 0.5	-1.0 ± 0.5	-4.6 ± 0.2	-4.6 ± 0.3	-1.9 ± 0.3	-4.9 ± 0.3	-0.3 ± 0.5	W Africa M	E Europe F
26	-4.3 ± 0.4	-6.1 ± 0.2	-6.6 ± 0.2	-4.7 ± 0.2	-5.3 ± 0.3	-2.5 ± 0.5	-0.9 ± 0.5	-5.1 ± 0.2	-4.9 ± 0.3	-1.9 ± 0.3	-4.7 ± 0.4	0.0 ± 0.5	W Africa M	E Europe F
27	-4.5 ± 0.5	-6.7 ± 0.2	-6.9 ± 0.2	-5.2 ± 0.2	-5.6 ± 0.3	-2.7 ± 0.5	-0.4 ± 0.5	-5.4 ± 0.3	-5.1 ± 0.3	-2.7 ± 0.3	-4.5 ± 0.5	-0.7 ± 0.5	E Africa M	E Europe F
28	-5.1 ± 0.5	-7.1 ± 0.2	-7.3 ± 0.3	-5.6 ± 0.2	-5.9 ± 0.3	-2.6 ± 0.5	-0.8 ± 0.5	-5.7 ± 0.3	-5.2 ± 0.4	-2.9 ± 0.3	-5.4 ± 0.5	-0.2 ± 0.5	W Africa M	E Europe F
29	-4.9 ± 0.5	-7.7 ± 0.2	-7.4 ± 0.3	-5.7 ± 0.2	-5.9 ± 0.4	-2.3 ± 0.5	-0.4 ± 0.5	-5.7 ± 0.3	-5.7 ± 0.4	-3.6 ± 0.3	-5.7 ± 0.5	0.2 ± 0.5	W Africa M	E Asia F
30	-4.9 ± 0.5	-8.0 ± 0.2	-7.7 ± 0.3	-5.6 ± 0.3	-5.6 ± 0.4	-3.0 ± 0.6	-0.6 ± 0.6	-5.9 ± 0.3	-5.4 ± 0.4	-3.8 ± 0.3	-5.0 ± 0.6	-0.2 ± 0.4	W Africa M	E Asia F
31	-5.5 ± 0.6	-8.1 ± 0.2	-8.1 ± 0.4	-6.0 ± 0.3	-6.1 ± 0.4	-3.3 ± 0.6	-0.4 ± 0.6	-5.8 ± 0.4	-5.1 ± 0.5	-4.0 ± 0.3	-4.7 ± 0.7	-0.3 ± 0.5	W Africa M	E Asia F
32	-5.2 ± 0.6	-8.4 ± 0.3	-7.8 ± 0.4	-5.6 ± 0.3	-6.0 ± 0.5	-2.6 ± 0.6	-0.4 ± 0.6	-5.7 ± 0.4	-5.3 ± 0.5	-4.3 ± 0.3	-4.8 ± 0.7	-0.0 ± 0.5	W Africa M	E Asia F
33	-5.3 ± 0.6	-8.3 ± 0.3	-7.2 ± 0.5	-5.2 ± 0.3	-5.6 ± 0.5	-3.1 ± 0.7	0.2 ± 0.6	-6.0 ± 0.4	-5.2 ± 0.5	-4.2 ± 0.3	-4.0 ± 0.7	0.1 ± 0.5	E Africa M	E Asia F
34	-5.1 ± 0.7	-8.1 ± 0.3	-7.5 ± 0.5	-5.2 ± 0.3	-5.7 ± 0.5	-2.8 ± 0.7	0.1 ± 0.6	-6.0 ± 0.4	-4.3 ± 0.6	-3.9 ± 0.3	-3.9 ± 0.8	-0.2 ± 0.5	E Africa M	E Asia F
35	-4.8 ± 0.7	-8.1 ± 0.3	-7.0 ± 0.5	-5.0 ± 0.3	-5.4 ± 0.6	-2.5 ± 0.7	0.7 ± 0.6	-5.4 ± 0.5	-4.1 ± 0.6	-3.5 ± 0.3	-3.9 ± 0.8	0.1 ± 0.5	E Africa M	E Asia F
36	-5.2 ± 0.8	-7.7 ± 0.3	-6.1 ± 0.6	-4.5 ± 0.4	-4.3 ± 0.6	-2.6 ± 0.7	1.4 ± 0.7	-4.8 ± 0.5	-2.6 ± 0.6	-3.2 ± 0.4	-3.0 ± 0.9	-0.2 ± 0.6	E Africa M	E Asia F
37	-4.4 ± 0.8	-7.3 ± 0.4	-5.4 ± 0.6	-3.9 ± 0.4	-3.4 ± 0.6	-1.8 ± 0.8	1.5 ± 0.7	-4.6 ± 0.5	-2.4 ± 0.7	-2.4 ± 0.4	-2.0 ± 0.9	0.2 ± 0.6	E Africa M	E Asia F
38	-4.2 ± 0.9	-6.9 ± 0.4	-4.7 ± 0.7	-3.2 ± 0.4	-3.2 ± 0.6	-2.1 ± 0.8	1.1 ± 0.7	-3.4 ± 0.5	-1.6 ± 0.7	-2.2 ± 0.4	-0.4 ± 0.9	0.4 ± 0.6	E Africa M	E Asia F
39	-3.5 ± 0.9	-6.0 ± 0.4	-4.5 ± 0.7	-3.0 ± 0.4	-2.5 ± 0.7	-2.2 ± 0.9	2.5 ± 0.8	-2.7 ± 0.5	-1.5 ± 0.7	-1.6 ± 0.4	0.2 ± 0.8	0.5 ± 0.6	E Africa M	E Asia F
40	-4.6 ± 1.0	-5.5 ± 0.4	-2.5 ± 0.7	-2.1 ± 0.5	-1.0 ± 0.7	-2.3 ± 0.9	2.3 ± 0.8	-1.6 ± 0.5	-0.3 ± 0.7	-1.1 ± 0.4	0.5 ± 0.8	0.4 ± 0.6	E Africa M	E Asia F
41	-4.3 ± 1.1	-4.7 ± 0.4	-2.7 ± 0.8	-2.2 ± 0.5	-1.0 ± 0.7	-3.3 ± 0.9	2.9 ± 0.8	-1.2 ± 0.5	-0.5 ± 0.8	-0.5 ± 0.4	1.4 ± 0.8	0.5 ± 0.7	E Africa M	E Asia F
42	-2.7 ± 1.1	-3.7 ± 0.4	-1.1 ± 0.8	-0.5 ± 0.5	0.2 ± 0.7	-1.9 ± 0.9	3.8 ± 0.8	-0.3 ± 0.5	0.9 ± 0.7	-0.0 ± 0.4	3.2 ± 0.8	0.5 ± 0.7	E Africa M	E Asia F
43	-3.0 ± 1.2	-3.5 ± 0.4	-1.0 ± 0.8	-0.5 ± 0.5	0.1 ± 0.7	-1.7 ± 0.9	4.1 ± 0.8	0.5 ± 0.5	0.7 ± 0.8	0.9 ± 0.5	2.7 ± 0.8	0.8 ± 0.7	E Africa M	E Asia F
44	-2.4 ± 1.2	-3.0 ± 0.4	-0.1 ± 0.8	0.1 ± 0.6	1.2 ± 0.7	-2.4 ± 1.1	3.3 ± 0.8	1.1 ± 0.5	2.0 ± 0.8	0.9 ± 0.5	4.0 ± 0.8	1.3 ± 0.7	S E Asia M	E Asia F
45	-2.0 ± 1.3	-2.0 ± 0.4	0.7 ± 0.8	1.2 ± 0.6	1.7 ± 0.7	-1.7 ± 1.0	3.2 ± 0.9	1.2 ± 0.5	1.8 ± 0.8	2.1 ± 0.5	4.7 ± 0.8	1.3 ± 0.7	S E Asia M	E Asia F
46	-0.6 ± 1.3	-1.7 ± 0.4	0.9 ± 0.9	1.2 ± 0.6	2.1 ± 0.7	-0.8 ± 1.0	3.8 ± 1.0	1.8 ± 0.5	3.5 ± 0.7	2.7 ± 0.5	4.5 ± 0.8	1.4 ± 0.7	S E Asia M	E Asia F
47	0.9 ± 1.4	-0.3 ± 0.4	2.1 ± 0.9	1.7 ± 0.6	2.7 ± 0.7	-0.5 ± 1.0	4.9 ± 0.9	2.2 ± 0.5	3.6 ± 0.7	3.3 ± 0.5	6.2 ± 0.7	2.0 ± 0.8	S E Asia M	W Africa F
48	-0.5 ± 1.5	-0.3 ± 0.5	2.6 ± 0.8	1.9 ± 0.6	3.7 ± 0.7	0.1 ± 1.0	4.4 ± 0.9	2.2 ± 0.5	4.1 ± 0.8	3.7 ± 0.5	6.1 ± 0.8	2.5 ± 0.7	S E Asia M	E Africa F
49	1.6 ± 1.5	-0.1 ± 0.5	2.2 ± 0.8	2.7 ± 0.6	3.6 ± 0.7	-0.2 ± 1.1	3.8 ± 1.0	2.8 ± 0.5	3.7 ± 0.7	4.1 ± 0.5	6.1 ± 0.8	2.4 ± 0.8	S E Asia M	W Africa F
50	1.5 ± 1.5	0.8 ± 0.5	2.4 ± 0.8	2.9 ± 0.6	4.5 ± 0.6	1.0 ± 1.1	3.7 ± 1.1	3.2 ± 0.5	4.2 ± 0.7	4.3 ± 0.5	6.4 ± 0.7	2.8 ± 0.7	S E Asia M	E Asia F
51	1.1 ± 1.5	1.1 ± 0.4	3.2 ± 0.8	3.3 ± 0.5	3.7 ± 0.7	0.6 ± 1.1	4.3 ± 1.1	3.9 ± 0.4	4.9 ± 0.7	4.8 ± 0.5	6.8 ± 0.7	2.6 ± 0.8	S E Asia M	W Africa F
52	2.0 ± 1.4	1.5 ± 0.4	2.8 ± 0.8	3.2 ± 0.5	4.7 ± 0.6	0.6 ± 1.1	5.4 ± 1.1	3.5 ± 0.5	5.1 ± 0.7	4.7 ± 0.5	7.0 ± 0.7	2.9 ± 0.8	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 71. *Mean raw error for Application-type images for algorithm ionetworks-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.4 ± 0.4	4.0 ± 0.1	2.8 ± 0.2	3.3 ± 0.2	2.9 ± 0.3	5.7 ± 0.4	2.7 ± 0.3	2.7 ± 0.1	1.2 ± 0.2	2.3 ± 0.2	1.9 ± 0.2	2.8 ± 0.4	W Africa F	E Europe M
15	4.9 ± 0.4	4.0 ± 0.1	2.5 ± 0.2	3.5 ± 0.2	3.2 ± 0.3	6.2 ± 0.5	3.2 ± 0.3	3.0 ± 0.1	1.4 ± 0.2	3.0 ± 0.2	2.7 ± 0.2	3.3 ± 0.4	W Africa F	E Europe M
16	4.9 ± 0.4	3.8 ± 0.1	2.6 ± 0.2	3.4 ± 0.2	3.3 ± 0.3	6.2 ± 0.5	4.1 ± 0.3	3.1 ± 0.1	1.8 ± 0.2	3.4 ± 0.2	2.9 ± 0.2	3.7 ± 0.4	W Africa F	E Europe M
17	5.2 ± 0.4	3.5 ± 0.1	2.6 ± 0.3	3.3 ± 0.2	3.0 ± 0.2	6.2 ± 0.4	4.2 ± 0.3	3.1 ± 0.1	1.6 ± 0.2	4.0 ± 0.2	2.9 ± 0.2	4.4 ± 0.4	W Africa F	E Europe M
18	4.5 ± 0.3	2.8 ± 0.1	2.0 ± 0.3	2.9 ± 0.2	2.6 ± 0.2	5.4 ± 0.4	4.2 ± 0.3	2.6 ± 0.1	1.6 ± 0.2	3.9 ± 0.2	2.7 ± 0.2	4.2 ± 0.3	W Africa F	E Europe M
19	4.8 ± 0.3	2.5 ± 0.1	1.7 ± 0.3	2.8 ± 0.2	2.3 ± 0.2	5.6 ± 0.4	4.5 ± 0.3	2.6 ± 0.1	1.7 ± 0.3	4.1 ± 0.1	2.4 ± 0.2	4.4 ± 0.3	W Africa F	E Europe M
20	4.3 ± 0.3	2.3 ± 0.1	1.5 ± 0.2	2.4 ± 0.2	2.0 ± 0.2	5.4 ± 0.3	4.6 ± 0.3	2.3 ± 0.1	2.1 ± 0.3	4.2 ± 0.1	2.4 ± 0.2	4.3 ± 0.3	W Africa F	E Europe F
21	3.9 ± 0.3	1.9 ± 0.1	1.3 ± 0.2	2.2 ± 0.1	1.6 ± 0.2	5.1 ± 0.3	4.6 ± 0.2	2.18 ± 0.09	1.9 ± 0.2	4.0 ± 0.1	2.2 ± 0.2	4.2 ± 0.3	W Africa F	E Europe F
22	4.0 ± 0.3	1.33 ± 0.10	0.9 ± 0.2	1.7 ± 0.1	1.2 ± 0.1	4.5 ± 0.3	4.9 ± 0.2	1.89 ± 0.10	2.2 ± 0.2	3.8 ± 0.1	1.8 ± 0.1	3.9 ± 0.3	E Africa M	E Europe F
23	3.4 ± 0.3	1.10 ± 0.10	0.6 ± 0.2	1.5 ± 0.1	1.0 ± 0.1	4.3 ± 0.3	4.4 ± 0.2	1.59 ± 0.10	1.9 ± 0.2	3.7 ± 0.1	1.5 ± 0.2	3.9 ± 0.3	E Africa M	E Europe F
24	3.3 ± 0.3	0.57 ± 0.09	0.4 ± 0.1	0.9 ± 0.1	0.6 ± 0.1	3.6 ± 0.3	4.1 ± 0.2	1.23 ± 0.10	2.2 ± 0.2	3.5 ± 0.1	1.3 ± 0.1	3.7 ± 0.2	E Africa M	E Europe F
25	2.8 ± 0.2	0.28 ± 0.09	0.2 ± 0.1	0.36 ± 0.10	0.2 ± 0.1	3.4 ± 0.2	3.9 ± 0.2	0.95 ± 0.10	2.3 ± 0.2	3.1 ± 0.1	0.9 ± 0.1	3.3 ± 0.2	E Africa M	S E Asia F
26	2.4 ± 0.2	-0.15 ± 0.09	-0.1 ± 0.1	-0.19 ± 0.09	-0.0 ± 0.1	3.1 ± 0.2	3.3 ± 0.2	0.63 ± 0.10	2.0 ± 0.2	2.7 ± 0.1	0.7 ± 0.2	2.8 ± 0.2	E Africa M	S Asia F
27	2.0 ± 0.2	-0.48 ± 0.08	-0.1 ± 0.1	-0.68 ± 0.09	-0.4 ± 0.1	2.7 ± 0.2	3.1 ± 0.2	0.29 ± 0.10	2.1 ± 0.2	2.3 ± 0.1	0.5 ± 0.2	2.4 ± 0.2	E Africa M	S Asia F
28	1.6 ± 0.2	-0.79 ± 0.08	-0.3 ± 0.1	-1.10 ± 0.09	-0.7 ± 0.1	2.2 ± 0.2	2.7 ± 0.2	0.0 ± 0.1	2.2 ± 0.2	1.79 ± 0.10	0.3 ± 0.2	2.0 ± 0.2	E Africa M	S Asia F
29	1.3 ± 0.2	-1.02 ± 0.09	-0.4 ± 0.1	-1.50 ± 0.09	-0.9 ± 0.1	1.6 ± 0.2	2.3 ± 0.2	-0.2 ± 0.1	1.9 ± 0.2	1.36 ± 0.09	-0.2 ± 0.2	1.9 ± 0.2	E Africa M	S Asia F
30	0.9 ± 0.2	-1.30 ± 0.09	-0.5 ± 0.1	-2.03 ± 0.10	-1.1 ± 0.2	1.2 ± 0.2	1.9 ± 0.2	-0.63 ± 0.10	1.8 ± 0.2	0.82 ± 0.09	-0.3 ± 0.2	1.4 ± 0.2	E Africa M	S Asia F
31	0.4 ± 0.2	-1.52 ± 0.09	-0.7 ± 0.1	-2.5 ± 0.1	-1.4 ± 0.2	0.7 ± 0.2	1.6 ± 0.2	-0.9 ± 0.1	1.5 ± 0.2	0.41 ± 0.09	-0.6 ± 0.2	1.0 ± 0.2	E Africa M	S Asia F
32	0.4 ± 0.3	-1.76 ± 0.09	-0.8 ± 0.1	-2.8 ± 0.1	-1.5 ± 0.2	0.5 ± 0.2	1.1 ± 0.2	-1.1 ± 0.1	1.6 ± 0.2	0.03 ± 0.09	-0.5 ± 0.2	0.6 ± 0.2	E Europe M	S Asia F
33	-0.1 ± 0.3	-1.86 ± 0.10	-1.0 ± 0.2	-3.1 ± 0.1	-1.7 ± 0.2	-0.2 ± 0.2	0.8 ± 0.2	-1.3 ± 0.1	1.5 ± 0.2	-0.30 ± 0.10	-0.8 ± 0.2	0.1 ± 0.2	E Europe M	S Asia F
34	-0.5 ± 0.3	-1.93 ± 0.09	-1.2 ± 0.2	-3.5 ± 0.1	-1.8 ± 0.2	-0.6 ± 0.2	0.5 ± 0.2	-1.5 ± 0.1	1.2 ± 0.2	-0.6 ± 0.1	-0.9 ± 0.2	-0.4 ± 0.2	E Europe M	S Asia F
35	-0.6 ± 0.3	-2.2 ± 0.1	-1.3 ± 0.2	-3.9 ± 0.1	-2.1 ± 0.2	-1.3 ± 0.2	0.4 ± 0.2	-1.7 ± 0.1	1.1 ± 0.2	-0.9 ± 0.1	-1.0 ± 0.3	-0.9 ± 0.2	E Europe M	S Asia F
36	-1.2 ± 0.3	-2.2 ± 0.1	-1.3 ± 0.2	-4.2 ± 0.1	-2.0 ± 0.2	-1.7 ± 0.2	-0.2 ± 0.2	-1.7 ± 0.1	1.1 ± 0.2	-1.3 ± 0.1	-0.9 ± 0.3	-1.4 ± 0.2	E Europe M	S Asia F
37	-1.4 ± 0.3	-2.3 ± 0.1	-1.5 ± 0.2	-4.4 ± 0.1	-2.2 ± 0.2	-2.2 ± 0.3	-0.4 ± 0.3	-1.8 ± 0.1	0.9 ± 0.2	-1.4 ± 0.1	-1.2 ± 0.3	-1.8 ± 0.2	E Europe M	S Asia F
38	-1.4 ± 0.3	-2.5 ± 0.1	-1.6 ± 0.2	-4.6 ± 0.1	-2.2 ± 0.2	-2.6 ± 0.3	-0.7 ± 0.3	-1.9 ± 0.1	0.6 ± 0.2	-1.7 ± 0.1	-0.8 ± 0.3	-2.2 ± 0.2	E Europe M	S Asia F
39	-1.9 ± 0.3	-2.6 ± 0.1	-1.7 ± 0.2	-4.8 ± 0.2	-2.4 ± 0.2	-2.9 ± 0.3	-0.7 ± 0.3	-1.9 ± 0.1	0.7 ± 0.2	-1.9 ± 0.1	-0.8 ± 0.2	-2.6 ± 0.2	E Europe M	S Asia F
40	-2.3 ± 0.4	-2.8 ± 0.1	-1.7 ± 0.2	-4.9 ± 0.2	-2.5 ± 0.2	-3.6 ± 0.3	-0.9 ± 0.3	-1.9 ± 0.1	0.7 ± 0.2	-2.1 ± 0.1	-0.8 ± 0.2	-3.0 ± 0.2	E Europe M	S Asia F
41	-2.8 ± 0.4	-2.8 ± 0.1	-2.0 ± 0.2	-4.9 ± 0.2	-2.6 ± 0.2	-4.0 ± 0.3	-1.1 ± 0.3	-2.0 ± 0.1	0.6 ± 0.2	-2.2 ± 0.1	-0.9 ± 0.3	-3.1 ± 0.2	E Europe M	S Asia F
42	-2.4 ± 0.4	-2.85 ± 0.10	-1.8 ± 0.2	-4.7 ± 0.2	-2.8 ± 0.2	-4.3 ± 0.3	-1.4 ± 0.3	-1.9 ± 0.1	0.9 ± 0.2	-2.3 ± 0.2	-0.7 ± 0.3	-3.7 ± 0.2	E Europe M	S Asia F
43	-2.8 ± 0.4	-3.1 ± 0.1	-1.9 ± 0.2	-5.1 ± 0.2	-3.0 ± 0.2	-4.7 ± 0.3	-1.3 ± 0.4	-1.9 ± 0.1	0.7 ± 0.3	-2.4 ± 0.2	-0.8 ± 0.3	-4.2 ± 0.3	E Europe M	S Asia F
44	-2.9 ± 0.5	-3.3 ± 0.1	-2.0 ± 0.3	-4.9 ± 0.2	-2.8 ± 0.2	-5.3 ± 0.3	-1.8 ± 0.4	-2.0 ± 0.1	0.9 ± 0.3	-2.5 ± 0.2	-0.5 ± 0.3	-4.3 ± 0.3	E Europe M	W Africa F
45	-3.2 ± 0.5	-3.4 ± 0.1	-1.9 ± 0.3	-4.7 ± 0.2	-3.1 ± 0.2	-5.4 ± 0.4	-2.1 ± 0.4	-2.0 ± 0.1	0.6 ± 0.3	-2.4 ± 0.2	-0.7 ± 0.3	-4.6 ± 0.3	E Europe M	W Africa F
46	-2.6 ± 0.5	-3.7 ± 0.1	-2.2 ± 0.3	-4.6 ± 0.2	-3.4 ± 0.2	-5.3 ± 0.3	-2.0 ± 0.4	-2.1 ± 0.1	0.9 ± 0.3	-2.3 ± 0.2	-0.6 ± 0.3	-4.8 ± 0.3	E Europe M	W Africa F
47	-2.9 ± 0.6	-3.7 ± 0.1	-1.8 ± 0.3	-4.7 ± 0.3	-3.3 ± 0.2	-6.0 ± 0.4	-1.6 ± 0.4	-2.0 ± 0.1	0.9 ± 0.3	-2.3 ± 0.2	-0.4 ± 0.3	-4.9 ± 0.3	E Europe M	W Africa F
48	-3.4 ± 0.6	-3.7 ± 0.1	-1.7 ± 0.3	-4.3 ± 0.3	-3.3 ± 0.2	-6.2 ± 0.4	-2.7 ± 0.5	-2.0 ± 0.1	0.9 ± 0.3	-2.2 ± 0.2	-0.6 ± 0.3	-5.4 ± 0.4	E Europe M	W Africa F
49	-3.1 ± 0.6	-4.0 ± 0.1	-1.8 ± 0.3	-4.1 ± 0.3	-3.3 ± 0.2	-6.8 ± 0.4	-2.6 ± 0.5	-2.0 ± 0.1	0.9 ± 0.3	-2.5 ± 0.2	-0.4 ± 0.3	-5.7 ± 0.3	E Europe M	W Africa F
50	-4.0 ± 0.6	-4.0 ± 0.1	-1.3 ± 0.3	-4.0 ± 0.3	-3.5 ± 0.2	-6.9 ± 0.4	-2.7 ± 0.5	-1.9 ± 0.1	0.9 ± 0.3	-2.4 ± 0.2	-0.2 ± 0.3	-6.1 ± 0.4	E Europe M	W Africa F
51	-3.3 ± 0.6	-4.1 ± 0.1	-1.5 ± 0.3	-4.0 ± 0.3	-3.6 ± 0.2	-7.2 ± 0.4	-2.9 ± 0.6	-1.8 ± 0.1	1.3 ± 0.3	-2.4 ± 0.3	-0.0 ± 0.3	-6.1 ± 0.4	E Europe M	W Africa F
52	-3.7 ± 0.7	-4.1 ± 0.1	-0.9 ± 0.3	-4.0 ± 0.3	-3.2 ± 0.2	-7.8 ± 0.4	-2.6 ± 0.6	-2.0 ± 0.2	1.0 ± 0.3	-2.5 ± 0.2	-0.4 ± 0.3	-6.3 ± 0.4	E Europe M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 72. *Mean raw error for Application-type images for algorithm jumio-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.4 ± 0.3	4.3 ± 0.1	4.2 ± 0.4	4.5 ± 0.2	4.7 ± 0.3	5.8 ± 0.4	3.8 ± 0.3	2.8 ± 0.1	3.2 ± 0.5	2.6 ± 0.1	2.7 ± 0.2	3.6 ± 0.3	W Africa F	S Asia M
15	5.7 ± 0.4	4.3 ± 0.2	4.4 ± 0.4	4.7 ± 0.2	4.7 ± 0.3	6.0 ± 0.4	3.1 ± 0.3	2.95 ± 0.10	3.6 ± 0.5	2.5 ± 0.1	2.9 ± 0.2	3.2 ± 0.3	W Africa F	S Asia M
16	5.2 ± 0.4	4.1 ± 0.2	4.5 ± 0.4	4.6 ± 0.2	4.7 ± 0.3	6.0 ± 0.5	2.9 ± 0.3	2.62 ± 0.09	3.6 ± 0.5	2.2 ± 0.1	2.6 ± 0.2	3.0 ± 0.3	W Africa F	S Asia M
17	5.3 ± 0.4	3.9 ± 0.1	4.3 ± 0.4	4.5 ± 0.2	4.6 ± 0.3	5.8 ± 0.4	2.4 ± 0.3	2.4 ± 0.1	3.2 ± 0.5	2.1 ± 0.1	2.5 ± 0.2	3.0 ± 0.4	W Africa F	S Asia M
18	4.7 ± 0.3	3.5 ± 0.1	3.6 ± 0.3	3.9 ± 0.1	4.1 ± 0.2	5.6 ± 0.4	2.3 ± 0.2	2.04 ± 0.09	2.8 ± 0.4	1.9 ± 0.1	2.0 ± 0.2	2.6 ± 0.3	W Africa F	S Asia M
19	5.0 ± 0.4	3.4 ± 0.1	3.4 ± 0.3	3.9 ± 0.2	4.0 ± 0.2	5.8 ± 0.4	2.5 ± 0.3	2.0 ± 0.1	2.2 ± 0.3	1.9 ± 0.1	2.0 ± 0.2	2.9 ± 0.3	W Africa F	S Asia M
20	5.1 ± 0.3	3.2 ± 0.1	3.1 ± 0.2	3.6 ± 0.2	3.9 ± 0.2	5.5 ± 0.4	2.8 ± 0.3	1.9 ± 0.1	2.2 ± 0.3	2.0 ± 0.1	2.0 ± 0.2	3.0 ± 0.3	W Africa F	E Asia M
21	4.8 ± 0.3	3.0 ± 0.1	2.8 ± 0.2	3.3 ± 0.1	3.7 ± 0.2	5.6 ± 0.4	2.9 ± 0.3	1.9 ± 0.1	1.7 ± 0.3	2.0 ± 0.1	2.0 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
22	4.9 ± 0.3	2.7 ± 0.1	2.5 ± 0.2	3.0 ± 0.1	3.5 ± 0.2	5.1 ± 0.4	3.5 ± 0.3	1.9 ± 0.1	1.7 ± 0.2	1.9 ± 0.1	1.9 ± 0.2	2.9 ± 0.3	W Africa F	E Europe M
23	4.7 ± 0.3	2.5 ± 0.1	2.3 ± 0.2	2.9 ± 0.1	3.2 ± 0.1	5.5 ± 0.3	3.0 ± 0.3	1.7 ± 0.1	1.3 ± 0.2	1.9 ± 0.1	1.8 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
24	4.7 ± 0.3	2.2 ± 0.1	2.2 ± 0.2	2.5 ± 0.1	3.0 ± 0.1	4.7 ± 0.3	3.2 ± 0.3	1.7 ± 0.1	1.3 ± 0.2	1.9 ± 0.1	1.7 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
25	4.3 ± 0.3	2.1 ± 0.1	1.9 ± 0.1	2.2 ± 0.1	2.9 ± 0.1	4.7 ± 0.3	3.1 ± 0.2	1.6 ± 0.1	1.4 ± 0.2	1.7 ± 0.1	1.7 ± 0.2	3.0 ± 0.2	W Africa F	E Europe M
26	4.3 ± 0.3	1.84 ± 0.10	1.7 ± 0.1	1.80 ± 0.10	2.8 ± 0.1	4.4 ± 0.3	3.0 ± 0.2	1.3 ± 0.1	1.1 ± 0.2	1.5 ± 0.1	1.6 ± 0.2	2.7 ± 0.2	W Africa F	E Europe M
27	4.1 ± 0.3	1.63 ± 0.09	1.6 ± 0.1	1.49 ± 0.10	2.5 ± 0.1	4.6 ± 0.3	2.7 ± 0.2	1.2 ± 0.1	1.1 ± 0.1	1.27 ± 0.10	1.6 ± 0.2	2.6 ± 0.2	W Africa F	E Europe M
28	3.8 ± 0.3	1.36 ± 0.09	1.4 ± 0.1	1.28 ± 0.09	2.3 ± 0.1	4.1 ± 0.2	2.3 ± 0.2	1.1 ± 0.1	1.0 ± 0.1	0.99 ± 0.09	1.4 ± 0.2	2.3 ± 0.2	W Africa F	S Asia M
29	3.9 ± 0.3	1.18 ± 0.09	1.3 ± 0.1	1.00 ± 0.10	2.2 ± 0.1	3.9 ± 0.2	2.4 ± 0.2	0.9 ± 0.1	0.7 ± 0.1	0.72 ± 0.09	1.1 ± 0.2	2.4 ± 0.2	W Africa F	E Europe M
30	3.5 ± 0.3	1.05 ± 0.09	1.1 ± 0.1	0.73 ± 0.10	2.1 ± 0.1	3.5 ± 0.2	2.2 ± 0.2	0.7 ± 0.1	0.6 ± 0.1	0.49 ± 0.09	1.1 ± 0.2	2.0 ± 0.2	E Africa F	S Asia M
31	3.2 ± 0.3	0.87 ± 0.09	1.0 ± 0.1	0.42 ± 0.10	1.9 ± 0.1	3.1 ± 0.2	2.0 ± 0.2	0.5 ± 0.1	0.5 ± 0.1	0.37 ± 0.09	0.9 ± 0.2	1.8 ± 0.2	E Africa F	S Asia M
32	3.5 ± 0.3	0.70 ± 0.09	0.8 ± 0.1	0.2 ± 0.1	1.7 ± 0.1	3.2 ± 0.3	1.6 ± 0.2	0.3 ± 0.1	0.3 ± 0.1	0.22 ± 0.09	0.8 ± 0.2	1.6 ± 0.2	E Africa F	S Asia F
33	3.1 ± 0.3	0.49 ± 0.09	0.7 ± 0.1	0.1 ± 0.1	1.7 ± 0.2	2.9 ± 0.3	1.7 ± 0.2	0.1 ± 0.1	0.4 ± 0.1	0.06 ± 0.09	0.6 ± 0.2	1.4 ± 0.2	E Africa F	S Asia M
34	3.0 ± 0.3	0.34 ± 0.09	0.5 ± 0.1	-0.1 ± 0.1	1.4 ± 0.1	2.7 ± 0.3	1.2 ± 0.2	-0.1 ± 0.1	0.1 ± 0.2	-0.06 ± 0.10	0.5 ± 0.2	1.5 ± 0.2	E Africa F	S Asia M
35	3.0 ± 0.3	0.14 ± 0.10	0.4 ± 0.2	-0.3 ± 0.1	1.0 ± 0.2	2.3 ± 0.3	1.4 ± 0.3	-0.2 ± 0.1	0.1 ± 0.2	-0.1 ± 0.1	0.3 ± 0.2	1.2 ± 0.2	E Africa F	S Asia F
36	2.7 ± 0.3	0.01 ± 0.10	0.4 ± 0.2	-0.5 ± 0.1	1.0 ± 0.2	2.4 ± 0.3	1.2 ± 0.3	-0.3 ± 0.1	0.1 ± 0.2	-0.2 ± 0.1	0.2 ± 0.2	1.1 ± 0.2	E Africa F	S Asia F
37	2.6 ± 0.3	-0.12 ± 0.10	0.3 ± 0.2	-0.4 ± 0.1	0.8 ± 0.2	2.1 ± 0.3	1.2 ± 0.3	-0.4 ± 0.1	0.0 ± 0.2	-0.3 ± 0.1	-0.0 ± 0.2	1.0 ± 0.2	E Africa F	S Asia F
38	3.1 ± 0.3	-0.36 ± 0.09	0.1 ± 0.2	-0.4 ± 0.1	0.7 ± 0.2	1.9 ± 0.3	0.9 ± 0.3	-0.5 ± 0.1	-0.1 ± 0.2	-0.4 ± 0.1	0.3 ± 0.2	0.8 ± 0.3	E Africa F	E Asia M
39	2.6 ± 0.3	-0.37 ± 0.10	0.0 ± 0.2	-0.5 ± 0.1	0.5 ± 0.2	1.7 ± 0.3	1.3 ± 0.3	-0.7 ± 0.1	0.1 ± 0.2	-0.3 ± 0.1	0.2 ± 0.2	0.7 ± 0.3	E Africa F	E Asia M
40	2.3 ± 0.4	-0.5 ± 0.1	0.5 ± 0.2	-0.4 ± 0.1	0.4 ± 0.2	1.4 ± 0.3	1.1 ± 0.3	-0.7 ± 0.1	0.0 ± 0.2	-0.3 ± 0.1	-0.1 ± 0.2	0.7 ± 0.3	E Africa F	E Asia M
41	1.9 ± 0.4	-0.7 ± 0.1	0.2 ± 0.2	-0.5 ± 0.2	0.2 ± 0.2	1.0 ± 0.3	1.3 ± 0.3	-0.8 ± 0.1	0.0 ± 0.2	-0.3 ± 0.1	-0.2 ± 0.2	0.8 ± 0.3	E Africa F	E Asia M
42	2.5 ± 0.4	-0.73 ± 0.10	0.3 ± 0.2	-0.1 ± 0.2	0.1 ± 0.2	1.3 ± 0.3	1.4 ± 0.4	-0.8 ± 0.1	0.2 ± 0.2	-0.3 ± 0.1	-0.1 ± 0.2	0.6 ± 0.3	E Africa F	E Asia M
43	2.6 ± 0.4	-0.9 ± 0.1	0.3 ± 0.2	-0.3 ± 0.2	-0.1 ± 0.2	1.1 ± 0.3	1.6 ± 0.4	-0.8 ± 0.1	0.0 ± 0.2	-0.1 ± 0.1	-0.0 ± 0.2	0.4 ± 0.3	E Africa F	E Asia F
44	2.3 ± 0.5	-1.2 ± 0.1	0.1 ± 0.2	-0.2 ± 0.2	-0.1 ± 0.2	0.6 ± 0.4	1.2 ± 0.4	-0.8 ± 0.1	0.4 ± 0.2	-0.2 ± 0.2	-0.0 ± 0.2	0.6 ± 0.3	E Africa F	E Asia F
45	2.3 ± 0.5	-1.1 ± 0.1	-0.0 ± 0.2	-0.2 ± 0.2	-0.2 ± 0.2	0.7 ± 0.4	1.2 ± 0.4	-0.9 ± 0.1	0.2 ± 0.2	0.1 ± 0.2	-0.2 ± 0.2	0.3 ± 0.3	E Africa F	E Asia F
46	3.0 ± 0.5	-1.4 ± 0.1	0.1 ± 0.2	-0.0 ± 0.2	-0.3 ± 0.2	1.0 ± 0.4	1.2 ± 0.4	-0.9 ± 0.1	0.3 ± 0.3	0.2 ± 0.2	-0.2 ± 0.3	0.4 ± 0.4	E Africa F	E Asia F
47	2.5 ± 0.5	-1.3 ± 0.1	0.2 ± 0.3	0.0 ± 0.2	-0.3 ± 0.2	0.7 ± 0.4	1.7 ± 0.4	-1.0 ± 0.1	0.3 ± 0.3	0.4 ± 0.2	-0.1 ± 0.3	0.5 ± 0.4	E Africa F	E Asia F
48	2.2 ± 0.5	-1.4 ± 0.1	0.3 ± 0.2	0.2 ± 0.2	-0.5 ± 0.2	0.4 ± 0.4	1.1 ± 0.5	-0.9 ± 0.1	0.4 ± 0.3	0.4 ± 0.2	0.1 ± 0.3	0.4 ± 0.4	E Africa F	E Asia F
49	2.7 ± 0.5	-1.6 ± 0.1	0.1 ± 0.2	0.2 ± 0.2	-0.1 ± 0.2	0.4 ± 0.4	1.3 ± 0.5	-0.9 ± 0.1	0.4 ± 0.3	0.4 ± 0.2	0.0 ± 0.3	0.4 ± 0.4	E Africa F	E Asia F
50	2.3 ± 0.6	-1.5 ± 0.1	0.2 ± 0.2	0.2 ± 0.2	-0.4 ± 0.2	0.4 ± 0.4	1.1 ± 0.5	-0.8 ± 0.1	0.2 ± 0.3	0.4 ± 0.2	0.3 ± 0.3	0.2 ± 0.4	E Africa F	E Asia F
51	2.0 ± 0.5	-1.5 ± 0.1	0.1 ± 0.2	0.2 ± 0.2	-0.4 ± 0.2	0.1 ± 0.4	0.9 ± 0.6	-0.9 ± 0.1	0.4 ± 0.2	0.5 ± 0.2	0.3 ± 0.3	0.2 ± 0.4	E Africa F	E Asia F
52	1.9 ± 0.6	-1.6 ± 0.1	0.2 ± 0.2	0.1 ± 0.2	-0.1 ± 0.2	-0.0 ± 0.4	0.8 ± 0.6	-1.0 ± 0.1	0.2 ± 0.3	0.4 ± 0.2	-0.1 ± 0.3	0.3 ± 0.4	E Africa F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 73. *Mean raw error for Application-type images for algorithm neurotechnology-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.7 ± 0.5	5.4 ± 0.2	3.8 ± 0.3	3.8 ± 0.2	3.9 ± 0.4	9.3 ± 0.5	8.6 ± 0.4	6.3 ± 0.2	3.3 ± 0.3	4.7 ± 0.2	5.1 ± 0.4	11.1 ± 0.5	W Africa M	E Europe M
15	4.9 ± 0.5	5.7 ± 0.2	3.4 ± 0.3	3.9 ± 0.2	4.1 ± 0.4	8.4 ± 0.5	8.7 ± 0.5	6.7 ± 0.2	3.4 ± 0.3	5.1 ± 0.2	5.7 ± 0.4	10.4 ± 0.5	W Africa M	E Europe M
16	5.0 ± 0.5	5.0 ± 0.2	3.5 ± 0.3	3.4 ± 0.3	4.4 ± 0.4	8.3 ± 0.6	9.3 ± 0.3	6.4 ± 0.1	3.7 ± 0.3	5.2 ± 0.2	5.8 ± 0.3	9.8 ± 0.4	W Africa M	S Asia F
17	5.3 ± 0.5	4.5 ± 0.2	3.2 ± 0.4	3.0 ± 0.2	3.9 ± 0.4	8.2 ± 0.4	9.2 ± 0.3	5.9 ± 0.1	3.3 ± 0.2	5.0 ± 0.2	5.4 ± 0.3	9.8 ± 0.4	W Africa M	S Asia F
18	4.2 ± 0.4	3.4 ± 0.2	2.4 ± 0.3	2.3 ± 0.2	3.0 ± 0.3	7.1 ± 0.4	8.5 ± 0.3	5.1 ± 0.1	2.8 ± 0.2	4.4 ± 0.1	4.9 ± 0.2	8.9 ± 0.3	W Africa M	S Asia F
19	3.9 ± 0.4	2.6 ± 0.2	2.0 ± 0.3	2.0 ± 0.2	2.2 ± 0.2	6.8 ± 0.4	8.3 ± 0.3	4.5 ± 0.1	2.1 ± 0.2	4.3 ± 0.1	4.1 ± 0.2	8.4 ± 0.3	W Africa M	S Asia F
20	3.2 ± 0.4	1.9 ± 0.2	1.6 ± 0.2	1.3 ± 0.2	1.5 ± 0.2	6.1 ± 0.3	7.9 ± 0.3	3.8 ± 0.1	2.0 ± 0.2	4.0 ± 0.1	3.4 ± 0.2	8.1 ± 0.3	W Africa M	S Asia F
21	2.7 ± 0.4	1.1 ± 0.2	1.1 ± 0.2	0.6 ± 0.2	1.1 ± 0.2	5.6 ± 0.3	7.3 ± 0.2	3.02 ± 0.10	1.7 ± 0.2	3.4 ± 0.1	2.9 ± 0.2	7.6 ± 0.3	W Africa M	S Asia F
22	2.6 ± 0.3	0.2 ± 0.1	0.7 ± 0.2	-0.0 ± 0.1	0.2 ± 0.2	5.1 ± 0.3	7.2 ± 0.2	2.30 ± 0.10	1.3 ± 0.2	2.8 ± 0.1	2.2 ± 0.2	7.0 ± 0.2	E Africa M	S Asia F
23	1.9 ± 0.3	-0.3 ± 0.1	0.4 ± 0.2	-0.4 ± 0.1	-0.3 ± 0.2	4.3 ± 0.3	6.3 ± 0.2	1.7 ± 0.1	0.8 ± 0.2	2.4 ± 0.1	1.4 ± 0.2	6.3 ± 0.2	W Africa M	S Asia F
24	1.3 ± 0.3	-1.2 ± 0.1	-0.1 ± 0.2	-1.1 ± 0.1	-0.8 ± 0.1	3.7 ± 0.3	6.0 ± 0.2	1.0 ± 0.1	0.5 ± 0.2	1.9 ± 0.1	0.9 ± 0.1	5.7 ± 0.2	E Africa M	E Asia F
25	0.9 ± 0.3	-1.8 ± 0.1	-0.4 ± 0.2	-1.7 ± 0.1	-1.7 ± 0.1	3.0 ± 0.3	5.3 ± 0.2	0.33 ± 0.10	0.2 ± 0.2	1.3 ± 0.1	0.2 ± 0.1	5.2 ± 0.2	E Africa M	E Asia F
26	0.3 ± 0.3	-2.6 ± 0.1	-0.8 ± 0.2	-2.4 ± 0.1	-2.2 ± 0.1	2.4 ± 0.2	4.7 ± 0.2	-0.37 ± 0.09	-0.2 ± 0.2	0.7 ± 0.1	-0.3 ± 0.2	4.4 ± 0.2	E Africa M	E Asia F
27	0.1 ± 0.3	-3.2 ± 0.1	-1.2 ± 0.2	-3.0 ± 0.1	-2.7 ± 0.1	1.7 ± 0.2	4.0 ± 0.2	-0.99 ± 0.10	-0.4 ± 0.2	0.1 ± 0.1	-0.8 ± 0.2	3.7 ± 0.2	E Africa M	E Asia F
28	-0.5 ± 0.3	-3.77 ± 0.09	-1.6 ± 0.2	-3.6 ± 0.1	-3.3 ± 0.1	1.2 ± 0.2	3.3 ± 0.2	-1.6 ± 0.1	-0.5 ± 0.2	-0.6 ± 0.1	-1.5 ± 0.2	3.0 ± 0.2	E Africa M	E Asia F
29	-0.9 ± 0.3	-4.35 ± 0.09	-1.8 ± 0.2	-4.2 ± 0.1	-4.0 ± 0.1	0.5 ± 0.2	2.7 ± 0.2	-2.15 ± 0.09	-1.1 ± 0.2	-1.19 ± 0.10	-1.9 ± 0.2	2.6 ± 0.2	E Africa M	E Asia F
30	-1.5 ± 0.3	-4.94 ± 0.09	-2.2 ± 0.2	-4.8 ± 0.1	-4.4 ± 0.1	-0.1 ± 0.2	2.4 ± 0.2	-2.84 ± 0.09	-1.3 ± 0.2	-1.72 ± 0.10	-2.6 ± 0.2	1.9 ± 0.2	E Africa M	E Asia F
31	-1.9 ± 0.3	-5.49 ± 0.09	-2.4 ± 0.2	-5.4 ± 0.1	-4.9 ± 0.2	-0.8 ± 0.2	1.8 ± 0.2	-3.3 ± 0.1	-1.6 ± 0.2	-2.26 ± 0.10	-3.2 ± 0.2	1.1 ± 0.2	E Africa M	E Asia F
32	-1.9 ± 0.3	-6.12 ± 0.10	-2.6 ± 0.2	-6.0 ± 0.1	-5.4 ± 0.2	-1.3 ± 0.3	1.1 ± 0.2	-3.9 ± 0.1	-1.6 ± 0.2	-2.73 ± 0.10	-3.6 ± 0.2	0.5 ± 0.2	E Africa M	E Asia F
33	-2.7 ± 0.3	-6.63 ± 0.10	-2.9 ± 0.2	-6.4 ± 0.1	-6.0 ± 0.2	-1.7 ± 0.3	0.7 ± 0.2	-4.6 ± 0.1	-1.6 ± 0.2	-3.2 ± 0.1	-3.8 ± 0.2	-0.0 ± 0.2	E Africa M	E Asia F
34	-3.1 ± 0.3	-7.07 ± 0.10	-3.3 ± 0.2	-6.9 ± 0.1	-6.4 ± 0.2	-2.4 ± 0.3	-0.1 ± 0.2	-5.0 ± 0.1	-2.0 ± 0.2	-3.6 ± 0.1	-4.2 ± 0.3	-0.7 ± 0.2	E Africa M	E Asia F
35	-3.3 ± 0.3	-7.6 ± 0.1	-3.5 ± 0.2	-7.4 ± 0.1	-6.8 ± 0.2	-2.8 ± 0.3	-0.3 ± 0.2	-5.4 ± 0.1	-2.2 ± 0.2	-4.0 ± 0.1	-4.7 ± 0.3	-1.1 ± 0.2	E Africa M	E Asia F
36	-3.6 ± 0.4	-8.0 ± 0.1	-3.6 ± 0.3	-7.8 ± 0.1	-7.0 ± 0.2	-3.2 ± 0.3	-0.9 ± 0.3	-5.8 ± 0.1	-2.0 ± 0.3	-4.5 ± 0.1	-4.8 ± 0.3	-1.9 ± 0.2	E Africa M	E Asia F
37	-3.9 ± 0.4	-8.4 ± 0.1	-3.7 ± 0.3	-8.0 ± 0.2	-7.6 ± 0.2	-3.5 ± 0.3	-1.1 ± 0.3	-6.2 ± 0.1	-2.5 ± 0.3	-4.7 ± 0.1	-5.3 ± 0.3	-2.4 ± 0.2	E Africa M	E Asia F
38	-3.9 ± 0.4	-8.7 ± 0.1	-3.7 ± 0.3	-8.3 ± 0.2	-7.7 ± 0.2	-4.2 ± 0.4	-1.9 ± 0.3	-6.5 ± 0.1	-2.5 ± 0.3	-5.1 ± 0.1	-4.8 ± 0.3	-2.8 ± 0.2	E Africa M	E Asia F
39	-4.1 ± 0.4	-9.2 ± 0.1	-3.8 ± 0.3	-8.8 ± 0.2	-7.6 ± 0.2	-4.1 ± 0.4	-1.8 ± 0.3	-6.8 ± 0.2	-2.6 ± 0.3	-5.3 ± 0.1	-5.0 ± 0.3	-3.3 ± 0.2	E Africa M	E Asia F
40	-4.7 ± 0.5	-9.4 ± 0.1	-3.8 ± 0.3	-8.8 ± 0.2	-8.0 ± 0.3	-4.8 ± 0.4	-2.1 ± 0.4	-7.0 ± 0.2	-2.6 ± 0.3	-5.4 ± 0.2	-5.2 ± 0.3	-3.9 ± 0.3	E Africa M	E Asia F
41	-5.3 ± 0.5	-9.6 ± 0.1	-4.0 ± 0.3	-9.0 ± 0.2	-8.2 ± 0.3	-5.6 ± 0.4	-2.4 ± 0.4	-7.0 ± 0.2	-2.6 ± 0.3	-5.5 ± 0.2	-5.2 ± 0.4	-4.1 ± 0.3	E Africa M	E Asia F
42	-4.5 ± 0.5	-9.8 ± 0.1	-3.4 ± 0.4	-8.8 ± 0.3	-8.0 ± 0.3	-5.3 ± 0.4	-2.6 ± 0.4	-7.0 ± 0.2	-2.2 ± 0.3	-5.9 ± 0.2	-4.8 ± 0.4	-4.3 ± 0.3	E Europe M	E Asia F
43	-5.3 ± 0.6	-9.9 ± 0.2	-3.3 ± 0.4	-9.1 ± 0.3	-8.3 ± 0.3	-5.9 ± 0.5	-2.4 ± 0.4	-6.9 ± 0.2	-2.4 ± 0.4	-5.9 ± 0.2	-5.0 ± 0.4	-5.0 ± 0.3	E Europe M	E Asia F
44	-5.0 ± 0.6	-10.3 ± 0.2	-3.7 ± 0.4	-9.1 ± 0.3	-7.7 ± 0.3	-5.8 ± 0.5	-3.0 ± 0.4	-6.9 ± 0.2	-2.2 ± 0.4	-5.7 ± 0.2	-4.6 ± 0.4	-4.8 ± 0.3	E Europe M	E Asia F
45	-5.7 ± 0.6	-10.3 ± 0.2	-3.7 ± 0.4	-9.0 ± 0.3	-8.1 ± 0.3	-5.9 ± 0.5	-3.2 ± 0.5	-7.0 ± 0.2	-2.3 ± 0.4	-5.8 ± 0.2	-4.4 ± 0.4	-5.2 ± 0.4	E Europe M	E Asia F
46	-4.8 ± 0.7	-10.6 ± 0.2	-3.6 ± 0.4	-8.8 ± 0.3	-8.4 ± 0.4	-6.4 ± 0.5	-3.1 ± 0.5	-6.8 ± 0.2	-1.9 ± 0.4	-5.5 ± 0.2	-4.0 ± 0.4	-5.5 ± 0.4	E Europe M	E Asia F
47	-4.4 ± 0.7	-10.2 ± 0.2	-3.2 ± 0.4	-8.8 ± 0.3	-7.9 ± 0.4	-6.2 ± 0.6	-2.7 ± 0.5	-6.5 ± 0.3	-2.4 ± 0.4	-5.2 ± 0.3	-3.9 ± 0.4	-4.9 ± 0.5	E Europe M	E Asia F
48	-5.4 ± 0.8	-10.1 ± 0.2	-3.3 ± 0.4	-8.6 ± 0.4	-7.8 ± 0.4	-6.5 ± 0.6	-3.7 ± 0.6	-6.5 ± 0.3	-2.1 ± 0.4	-5.2 ± 0.3	-3.7 ± 0.5	-6.1 ± 0.5	E Europe M	E Asia F
49	-5.1 ± 0.8	-10.3 ± 0.2	-3.5 ± 0.4	-8.5 ± 0.4	-7.4 ± 0.4	-6.8 ± 0.6	-3.6 ± 0.6	-6.2 ± 0.3	-2.1 ± 0.4	-5.1 ± 0.3	-3.4 ± 0.5	-5.8 ± 0.5	E Europe M	E Asia F
50	-5.6 ± 0.9	-9.9 ± 0.2	-3.1 ± 0.4	-8.5 ± 0.3	-7.7 ± 0.4	-6.4 ± 0.6	-3.8 ± 0.6	-6.0 ± 0.3	-2.2 ± 0.4	-5.2 ± 0.3	-3.2 ± 0.5	-5.7 ± 0.5	E Europe M	E Asia F
51	-5.0 ± 0.8	-9.9 ± 0.3	-3.6 ± 0.4	-8.3 ± 0.3	-7.3 ± 0.4	-6.6 ± 0.6	-4.0 ± 0.7	-5.8 ± 0.3	-1.8 ± 0.4	-5.1 ± 0.3	-3.0 ± 0.5	-6.1 ± 0.6	E Europe M	E Asia F
52	-5.3 ± 0.8	-9.9 ± 0.3	-3.3 ± 0.4	-8.6 ± 0.3	-6.5 ± 0.4	-7.0 ± 0.6	-3.2 ± 0.7	-5.6 ± 0.3	-2.0 ± 0.4	-5.1 ± 0.3	-3.4 ± 0.5	-6.0 ± 0.6	E Europe M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 74. *Mean raw error for Application-type images for algorithm neurotechnology-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.4 ± 0.3	5.6 ± 0.2	3.8 ± 0.3	3.9 ± 0.2	4.0 ± 0.4	5.7 ± 0.3	4.6 ± 0.3	6.4 ± 0.2	3.3 ± 0.3	4.7 ± 0.2	5.1 ± 0.4	4.7 ± 0.3	E Asia M	E Europe M
15	3.9 ± 0.3	5.8 ± 0.2	3.5 ± 0.3	4.0 ± 0.2	4.1 ± 0.4	4.9 ± 0.3	4.4 ± 0.3	6.7 ± 0.2	3.4 ± 0.3	5.1 ± 0.2	5.7 ± 0.4	4.9 ± 0.4	E Asia M	E Europe M
16	3.8 ± 0.3	5.1 ± 0.2	3.6 ± 0.3	3.5 ± 0.3	4.4 ± 0.4	4.9 ± 0.4	4.3 ± 0.2	6.4 ± 0.1	3.8 ± 0.3	5.1 ± 0.2	5.9 ± 0.3	4.5 ± 0.4	E Asia M	S Asia F
17	3.2 ± 0.3	4.6 ± 0.2	3.2 ± 0.4	3.1 ± 0.2	4.0 ± 0.4	4.4 ± 0.3	4.5 ± 0.3	5.9 ± 0.1	3.3 ± 0.2	4.9 ± 0.2	5.5 ± 0.3	4.9 ± 0.4	E Asia M	S Asia F
18	2.7 ± 0.2	3.5 ± 0.2	2.4 ± 0.3	2.3 ± 0.2	3.0 ± 0.3	3.4 ± 0.3	4.1 ± 0.3	5.1 ± 0.1	2.7 ± 0.2	4.4 ± 0.1	4.9 ± 0.2	4.0 ± 0.3	E Asia M	S Asia F
19	2.3 ± 0.3	2.7 ± 0.2	2.1 ± 0.3	2.0 ± 0.2	2.2 ± 0.2	3.1 ± 0.3	4.0 ± 0.3	4.5 ± 0.1	2.1 ± 0.2	4.1 ± 0.1	4.1 ± 0.2	3.6 ± 0.3	E Asia M	S Asia F
20	1.8 ± 0.3	2.0 ± 0.2	1.7 ± 0.2	1.3 ± 0.2	1.6 ± 0.2	2.4 ± 0.3	4.0 ± 0.3	3.8 ± 0.1	2.0 ± 0.2	3.8 ± 0.1	3.5 ± 0.2	3.5 ± 0.3	E Africa M	S Asia F
21	0.9 ± 0.3	1.2 ± 0.2	1.1 ± 0.2	0.7 ± 0.1	1.1 ± 0.2	1.9 ± 0.3	3.5 ± 0.3	3.08 ± 0.10	1.8 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	3.0 ± 0.3	E Africa M	S Asia F
22	0.8 ± 0.3	0.3 ± 0.1	0.8 ± 0.2	0.0 ± 0.1	0.3 ± 0.2	1.5 ± 0.3	3.5 ± 0.3	2.36 ± 0.10	1.3 ± 0.2	2.7 ± 0.1	2.2 ± 0.2	2.8 ± 0.3	E Africa M	S Asia F
23	0.2 ± 0.2	-0.2 ± 0.1	0.4 ± 0.2	-0.4 ± 0.1	-0.2 ± 0.2	0.8 ± 0.3	2.8 ± 0.3	1.7 ± 0.1	0.9 ± 0.2	2.2 ± 0.1	1.4 ± 0.2	2.3 ± 0.3	E Africa M	S Asia F
24	-0.5 ± 0.2	-1.1 ± 0.1	0.0 ± 0.2	-1.0 ± 0.1	-0.8 ± 0.1	0.2 ± 0.3	2.5 ± 0.3	1.1 ± 0.1	0.5 ± 0.2	1.8 ± 0.1	0.9 ± 0.1	1.6 ± 0.2	E Africa M	E Asia F
25	-1.0 ± 0.2	-1.7 ± 0.1	-0.4 ± 0.2	-1.7 ± 0.1	-1.6 ± 0.1	-0.3 ± 0.3	2.1 ± 0.3	0.4 ± 0.1	0.3 ± 0.2	1.2 ± 0.1	0.2 ± 0.1	1.3 ± 0.3	E Africa M	E Asia F
26	-1.6 ± 0.2	-2.5 ± 0.1	-0.8 ± 0.2	-2.3 ± 0.1	-2.1 ± 0.1	-1.0 ± 0.3	1.6 ± 0.3	-0.31 ± 0.10	-0.1 ± 0.2	0.6 ± 0.1	-0.3 ± 0.2	0.7 ± 0.2	E Africa M	E Asia F
27	-1.8 ± 0.3	-3.1 ± 0.1	-1.2 ± 0.2	-3.0 ± 0.1	-2.6 ± 0.1	-1.5 ± 0.3	1.1 ± 0.3	-0.94 ± 0.09	-0.4 ± 0.2	-0.0 ± 0.1	-0.8 ± 0.2	0.4 ± 0.2	E Africa M	E Asia F
28	-2.6 ± 0.3	-3.70 ± 0.10	-1.5 ± 0.2	-3.6 ± 0.1	-3.3 ± 0.1	-2.1 ± 0.3	0.5 ± 0.3	-1.6 ± 0.1	-0.5 ± 0.2	-0.7 ± 0.1	-1.5 ± 0.2	-0.3 ± 0.2	E Africa M	E Asia F
29	-2.8 ± 0.3	-4.27 ± 0.09	-1.7 ± 0.2	-4.1 ± 0.1	-4.0 ± 0.1	-2.6 ± 0.3	0.3 ± 0.3	-2.08 ± 0.10	-1.1 ± 0.2	-1.30 ± 0.10	-1.9 ± 0.2	-0.5 ± 0.2	E Africa M	E Asia F
30	-3.2 ± 0.3	-4.90 ± 0.09	-2.1 ± 0.2	-4.8 ± 0.1	-4.3 ± 0.1	-3.0 ± 0.3	0.1 ± 0.3	-2.77 ± 0.09	-1.3 ± 0.2	-1.84 ± 0.10	-2.6 ± 0.2	-1.0 ± 0.2	E Africa M	E Asia F
31	-3.9 ± 0.3	-5.41 ± 0.09	-2.3 ± 0.2	-5.3 ± 0.1	-4.9 ± 0.2	-3.7 ± 0.3	-0.4 ± 0.3	-3.3 ± 0.1	-1.6 ± 0.2	-2.38 ± 0.10	-3.2 ± 0.2	-1.7 ± 0.2	E Africa M	E Asia F
32	-3.8 ± 0.3	-6.06 ± 0.09	-2.5 ± 0.2	-5.9 ± 0.1	-5.3 ± 0.2	-3.8 ± 0.3	-1.0 ± 0.3	-3.8 ± 0.1	-1.6 ± 0.2	-2.9 ± 0.1	-3.6 ± 0.2	-2.1 ± 0.2	E Africa M	E Asia F
33	-4.3 ± 0.3	-6.54 ± 0.10	-2.8 ± 0.2	-6.4 ± 0.1	-6.0 ± 0.2	-4.3 ± 0.3	-1.2 ± 0.3	-4.5 ± 0.1	-1.5 ± 0.2	-3.3 ± 0.1	-3.8 ± 0.2	-2.3 ± 0.3	E Africa M	E Asia F
34	-4.5 ± 0.4	-7.0 ± 0.1	-3.2 ± 0.2	-6.8 ± 0.1	-6.3 ± 0.2	-4.8 ± 0.3	-1.9 ± 0.3	-4.9 ± 0.1	-2.0 ± 0.2	-3.7 ± 0.1	-4.2 ± 0.3	-2.8 ± 0.3	E Africa M	E Asia F
35	-4.7 ± 0.4	-7.5 ± 0.1	-3.3 ± 0.3	-7.4 ± 0.1	-6.8 ± 0.2	-5.1 ± 0.4	-1.7 ± 0.3	-5.4 ± 0.1	-2.1 ± 0.2	-4.1 ± 0.1	-4.6 ± 0.3	-3.0 ± 0.3	E Africa M	E Asia F
36	-5.0 ± 0.4	-7.9 ± 0.1	-3.4 ± 0.3	-7.8 ± 0.1	-6.8 ± 0.2	-5.3 ± 0.4	-2.4 ± 0.4	-5.8 ± 0.1	-1.9 ± 0.3	-4.6 ± 0.1	-4.8 ± 0.3	-3.7 ± 0.3	E Europe M	E Asia F
37	-5.3 ± 0.4	-8.3 ± 0.1	-3.6 ± 0.3	-8.0 ± 0.2	-7.5 ± 0.2	-5.5 ± 0.4	-2.2 ± 0.4	-6.1 ± 0.1	-2.5 ± 0.3	-4.8 ± 0.1	-5.2 ± 0.3	-3.9 ± 0.3	E Africa M	E Asia F
38	-5.1 ± 0.5	-8.6 ± 0.1	-3.5 ± 0.3	-8.3 ± 0.2	-7.5 ± 0.2	-5.8 ± 0.5	-2.8 ± 0.4	-6.4 ± 0.1	-2.4 ± 0.3	-5.3 ± 0.1	-4.8 ± 0.3	-4.1 ± 0.3	E Europe M	E Asia F
39	-5.0 ± 0.5	-9.1 ± 0.1	-3.6 ± 0.3	-8.7 ± 0.2	-7.5 ± 0.3	-5.8 ± 0.5	-2.6 ± 0.4	-6.7 ± 0.2	-2.5 ± 0.3	-5.5 ± 0.1	-4.9 ± 0.3	-4.6 ± 0.3	E Europe M	E Asia F
40	-5.5 ± 0.5	-9.3 ± 0.1	-3.6 ± 0.3	-8.7 ± 0.2	-7.9 ± 0.3	-6.2 ± 0.5	-2.8 ± 0.4	-6.9 ± 0.2	-2.6 ± 0.3	-5.5 ± 0.2	-5.1 ± 0.3	-5.0 ± 0.3	E Europe M	E Asia F
41	-6.2 ± 0.6	-9.5 ± 0.1	-3.8 ± 0.3	-9.0 ± 0.2	-8.1 ± 0.3	-7.1 ± 0.5	-3.0 ± 0.5	-6.9 ± 0.2	-2.5 ± 0.3	-5.6 ± 0.2	-5.2 ± 0.4	-5.1 ± 0.4	E Europe M	E Asia F
42	-5.2 ± 0.6	-9.7 ± 0.2	-3.3 ± 0.4	-8.7 ± 0.3	-7.9 ± 0.3	-6.4 ± 0.5	-3.0 ± 0.5	-6.9 ± 0.2	-2.2 ± 0.3	-6.0 ± 0.2	-4.7 ± 0.4	-5.0 ± 0.4	E Europe M	E Asia F
43	-5.8 ± 0.6	-9.8 ± 0.2	-3.2 ± 0.4	-9.0 ± 0.3	-8.1 ± 0.3	-6.8 ± 0.5	-2.7 ± 0.5	-6.8 ± 0.2	-2.4 ± 0.4	-5.9 ± 0.2	-4.9 ± 0.4	-5.7 ± 0.4	E Europe M	E Asia F
44	-5.7 ± 0.7	-10.2 ± 0.2	-3.6 ± 0.4	-9.0 ± 0.3	-7.5 ± 0.3	-6.5 ± 0.6	-3.2 ± 0.5	-6.7 ± 0.2	-2.2 ± 0.4	-5.7 ± 0.2	-4.5 ± 0.4	-5.3 ± 0.4	E Europe M	E Asia F
45	-6.1 ± 0.7	-10.1 ± 0.2	-3.6 ± 0.4	-8.9 ± 0.3	-8.0 ± 0.3	-6.4 ± 0.6	-3.4 ± 0.5	-6.9 ± 0.2	-2.3 ± 0.3	-5.8 ± 0.2	-4.3 ± 0.4	-5.7 ± 0.4	E Europe M	E Asia F
46	-5.2 ± 0.7	-10.5 ± 0.2	-3.4 ± 0.4	-8.6 ± 0.3	-8.2 ± 0.4	-6.9 ± 0.6	-3.3 ± 0.5	-6.7 ± 0.2	-1.9 ± 0.4	-5.5 ± 0.2	-3.9 ± 0.4	-5.8 ± 0.4	E Europe M	E Asia F
47	-4.5 ± 0.8	-10.1 ± 0.2	-3.1 ± 0.4	-8.8 ± 0.3	-7.7 ± 0.4	-6.6 ± 0.6	-2.8 ± 0.5	-6.3 ± 0.3	-2.3 ± 0.4	-5.2 ± 0.3	-3.8 ± 0.4	-5.2 ± 0.5	E Europe M	E Asia F
48	-5.6 ± 0.8	-10.0 ± 0.2	-3.2 ± 0.4	-8.5 ± 0.4	-7.6 ± 0.4	-6.8 ± 0.6	-3.8 ± 0.6	-6.3 ± 0.3	-2.1 ± 0.4	-5.2 ± 0.3	-3.6 ± 0.5	-6.3 ± 0.5	E Europe M	E Asia F
49	-5.4 ± 0.8	-10.1 ± 0.2	-3.4 ± 0.4	-8.4 ± 0.3	-7.2 ± 0.4	-7.2 ± 0.7	-3.7 ± 0.6	-6.1 ± 0.3	-2.0 ± 0.4	-5.1 ± 0.3	-3.3 ± 0.5	-6.0 ± 0.5	E Europe M	E Asia F
50	-5.7 ± 0.9	-9.8 ± 0.2	-3.0 ± 0.4	-8.4 ± 0.3	-7.5 ± 0.4	-6.7 ± 0.6	-3.8 ± 0.7	-5.9 ± 0.3	-2.2 ± 0.4	-5.2 ± 0.3	-3.1 ± 0.5	-5.8 ± 0.5	E Europe M	E Asia F
51	-5.1 ± 0.8	-9.8 ± 0.3	-3.5 ± 0.4	-8.2 ± 0.4	-7.2 ± 0.4	-6.9 ± 0.7	-4.1 ± 0.7	-5.6 ± 0.3	-1.7 ± 0.4	-5.1 ± 0.3	-2.9 ± 0.5	-6.3 ± 0.6	E Europe M	E Asia F
52	-5.3 ± 0.8	-9.8 ± 0.3	-3.2 ± 0.4	-8.5 ± 0.3	-6.4 ± 0.4	-7.2 ± 0.6	-3.2 ± 0.7	-5.4 ± 0.3	-1.9 ± 0.4	-5.1 ± 0.3	-3.3 ± 0.5	-6.1 ± 0.6	E Europe M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 75. *Mean raw error for Application-type images for algorithm neurotechnology-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.1 ± 0.3	2.6 ± 0.2	5.3 ± 0.3	3.4 ± 0.2	2.6 ± 0.3	5.1 ± 0.4	3.8 ± 0.3	1.7 ± 0.1	2.8 ± 0.3	3.3 ± 0.2	2.0 ± 0.3	4.6 ± 0.4	E Europe F	E Asia M
15	4.2 ± 0.4	3.0 ± 0.2	5.2 ± 0.3	4.2 ± 0.2	2.9 ± 0.4	5.4 ± 0.5	4.4 ± 0.3	2.6 ± 0.2	3.2 ± 0.3	4.3 ± 0.2	3.3 ± 0.3	4.6 ± 0.4	W Africa F	E Asia M
16	4.3 ± 0.4	3.2 ± 0.2	5.1 ± 0.3	4.2 ± 0.3	3.7 ± 0.3	5.6 ± 0.5	5.3 ± 0.3	3.2 ± 0.1	3.5 ± 0.3	4.9 ± 0.2	4.0 ± 0.3	5.1 ± 0.4	W Africa F	E Asia M
17	4.6 ± 0.4	3.1 ± 0.1	5.3 ± 0.3	4.2 ± 0.2	3.7 ± 0.3	5.6 ± 0.4	5.3 ± 0.3	3.4 ± 0.1	3.2 ± 0.2	5.1 ± 0.2	4.2 ± 0.3	5.8 ± 0.4	W Africa M	E Asia F
18	4.0 ± 0.3	2.7 ± 0.1	4.6 ± 0.3	4.1 ± 0.2	3.3 ± 0.2	5.1 ± 0.4	5.6 ± 0.3	3.2 ± 0.1	3.2 ± 0.3	5.4 ± 0.2	4.0 ± 0.2	5.3 ± 0.4	E Africa M	E Asia F
19	4.2 ± 0.3	2.5 ± 0.1	4.5 ± 0.3	4.2 ± 0.2	3.0 ± 0.2	5.4 ± 0.4	6.0 ± 0.3	3.2 ± 0.1	3.2 ± 0.3	5.7 ± 0.2	3.8 ± 0.2	5.7 ± 0.3	E Africa M	E Asia F
20	4.0 ± 0.3	2.2 ± 0.1	4.3 ± 0.2	3.9 ± 0.2	2.6 ± 0.2	5.3 ± 0.4	6.2 ± 0.3	3.1 ± 0.1	3.6 ± 0.3	5.9 ± 0.2	3.9 ± 0.2	5.7 ± 0.3	E Africa M	E Asia F
21	3.6 ± 0.3	2.0 ± 0.1	4.0 ± 0.2	3.7 ± 0.1	2.2 ± 0.2	5.1 ± 0.3	6.0 ± 0.2	2.9 ± 0.1	3.5 ± 0.2	5.8 ± 0.1	3.8 ± 0.2	5.4 ± 0.3	E Africa M	E Asia F
22	3.4 ± 0.3	1.4 ± 0.1	3.7 ± 0.2	3.3 ± 0.1	1.8 ± 0.1	4.7 ± 0.3	6.0 ± 0.2	2.6 ± 0.1	3.8 ± 0.2	5.7 ± 0.1	3.3 ± 0.2	5.2 ± 0.2	E Africa M	E Asia F
23	3.2 ± 0.2	1.06 ± 0.09	3.5 ± 0.2	3.1 ± 0.1	1.4 ± 0.1	4.8 ± 0.3	5.6 ± 0.2	2.4 ± 0.1	3.6 ± 0.2	5.5 ± 0.1	3.1 ± 0.2	4.9 ± 0.2	E Africa M	E Asia F
24	2.8 ± 0.2	0.53 ± 0.09	3.3 ± 0.1	2.8 ± 0.1	0.9 ± 0.1	4.0 ± 0.3	5.3 ± 0.2	2.1 ± 0.1	3.6 ± 0.2	5.3 ± 0.1	2.7 ± 0.1	4.5 ± 0.2	E Africa M	E Asia F
25	2.4 ± 0.2	0.08 ± 0.08	2.9 ± 0.1	2.3 ± 0.1	0.5 ± 0.1	3.8 ± 0.2	5.1 ± 0.2	1.8 ± 0.1	3.5 ± 0.2	5.00 ± 0.10	2.4 ± 0.2	4.1 ± 0.2	E Africa M	E Asia F
26	2.0 ± 0.2	-0.40 ± 0.08	2.6 ± 0.1	1.90 ± 0.10	0.2 ± 0.1	3.4 ± 0.2	4.5 ± 0.2	1.4 ± 0.1	3.2 ± 0.2	4.57 ± 0.09	2.2 ± 0.2	3.6 ± 0.1	S Asia M	E Asia F
27	1.8 ± 0.2	-0.89 ± 0.07	2.3 ± 0.1	1.46 ± 0.10	-0.3 ± 0.1	2.9 ± 0.2	4.1 ± 0.2	1.07 ± 0.10	3.2 ± 0.2	4.12 ± 0.08	2.0 ± 0.2	3.1 ± 0.2	S Asia M	E Asia F
28	1.3 ± 0.2	-1.29 ± 0.07	2.0 ± 0.1	1.08 ± 0.09	-0.6 ± 0.1	2.6 ± 0.2	3.5 ± 0.2	0.8 ± 0.1	3.1 ± 0.1	3.55 ± 0.08	1.5 ± 0.2	2.5 ± 0.1	S Asia M	E Asia F
29	1.2 ± 0.2	-1.73 ± 0.07	1.8 ± 0.1	0.67 ± 0.09	-1.0 ± 0.1	2.1 ± 0.2	3.2 ± 0.2	0.42 ± 0.10	2.7 ± 0.1	3.02 ± 0.07	1.0 ± 0.2	2.2 ± 0.1	E Africa M	E Asia F
30	0.7 ± 0.2	-2.15 ± 0.07	1.5 ± 0.1	0.22 ± 0.09	-1.2 ± 0.1	1.6 ± 0.2	2.7 ± 0.2	-0.07 ± 0.09	2.5 ± 0.1	2.49 ± 0.07	0.6 ± 0.2	1.6 ± 0.1	E Africa M	E Asia F
31	0.2 ± 0.2	-2.59 ± 0.08	1.3 ± 0.1	-0.25 ± 0.10	-1.7 ± 0.1	1.2 ± 0.2	2.2 ± 0.2	-0.4 ± 0.1	2.1 ± 0.2	2.04 ± 0.07	0.2 ± 0.2	1.1 ± 0.1	E Africa M	E Asia F
32	0.1 ± 0.2	-2.95 ± 0.08	0.9 ± 0.1	-0.60 ± 0.09	-2.1 ± 0.1	0.8 ± 0.2	1.7 ± 0.2	-0.79 ± 0.10	2.1 ± 0.2	1.60 ± 0.07	0.1 ± 0.2	0.6 ± 0.1	E Europe M	E Asia F
33	-0.4 ± 0.2	-3.30 ± 0.08	0.5 ± 0.1	-0.93 ± 0.10	-2.4 ± 0.1	0.3 ± 0.2	1.4 ± 0.2	-1.18 ± 0.10	1.9 ± 0.1	1.16 ± 0.07	-0.4 ± 0.2	0.1 ± 0.1	E Europe M	E Asia F
34	-0.7 ± 0.2	-3.57 ± 0.08	0.2 ± 0.1	-1.22 ± 0.10	-2.7 ± 0.1	-0.0 ± 0.2	0.8 ± 0.2	-1.5 ± 0.1	1.4 ± 0.2	0.75 ± 0.08	-0.7 ± 0.2	-0.3 ± 0.2	E Europe M	E Asia F
35	-1.0 ± 0.2	-4.03 ± 0.09	-0.0 ± 0.1	-1.70 ± 0.10	-3.1 ± 0.1	-0.7 ± 0.2	0.5 ± 0.2	-1.9 ± 0.1	1.3 ± 0.2	0.33 ± 0.08	-1.1 ± 0.2	-0.8 ± 0.2	E Europe M	E Asia F
36	-1.4 ± 0.3	-4.20 ± 0.09	-0.2 ± 0.1	-2.1 ± 0.1	-3.1 ± 0.2	-0.9 ± 0.2	-0.0 ± 0.2	-2.1 ± 0.1	1.3 ± 0.2	-0.08 ± 0.09	-1.3 ± 0.2	-1.3 ± 0.2	E Europe M	E Asia F
37	-1.6 ± 0.3	-4.50 ± 0.09	-0.5 ± 0.2	-2.3 ± 0.1	-3.6 ± 0.2	-1.4 ± 0.2	-0.1 ± 0.2	-2.5 ± 0.1	1.0 ± 0.2	-0.44 ± 0.09	-1.7 ± 0.2	-1.8 ± 0.2	E Europe M	E Asia F
38	-1.7 ± 0.3	-4.79 ± 0.10	-0.6 ± 0.2	-2.7 ± 0.1	-3.6 ± 0.2	-1.9 ± 0.3	-0.7 ± 0.2	-2.7 ± 0.1	0.8 ± 0.2	-0.82 ± 0.10	-1.6 ± 0.2	-2.3 ± 0.2	E Europe M	E Asia F
39	-2.0 ± 0.3	-5.00 ± 0.10	-1.0 ± 0.2	-3.1 ± 0.1	-3.8 ± 0.2	-2.1 ± 0.3	-1.0 ± 0.3	-3.0 ± 0.1	0.8 ± 0.2	-1.12 ± 0.10	-1.8 ± 0.2	-2.7 ± 0.2	E Europe M	E Asia F
40	-2.4 ± 0.3	-5.19 ± 0.10	-1.0 ± 0.2	-3.3 ± 0.1	-4.1 ± 0.2	-2.8 ± 0.3	-1.1 ± 0.3	-3.2 ± 0.1	0.8 ± 0.2	-1.3 ± 0.1	-2.1 ± 0.2	-3.0 ± 0.2	E Europe M	E Asia F
41	-3.0 ± 0.3	-5.4 ± 0.1	-1.3 ± 0.2	-3.6 ± 0.2	-4.3 ± 0.2	-3.6 ± 0.3	-1.4 ± 0.3	-3.4 ± 0.1	0.6 ± 0.2	-1.6 ± 0.1	-2.2 ± 0.2	-3.4 ± 0.2	E Europe M	E Asia F
42	-3.0 ± 0.4	-5.5 ± 0.1	-1.3 ± 0.2	-3.5 ± 0.2	-4.7 ± 0.2	-3.6 ± 0.3	-1.7 ± 0.3	-3.5 ± 0.1	0.7 ± 0.2	-1.9 ± 0.1	-2.2 ± 0.2	-3.7 ± 0.2	E Europe M	E Asia F
43	-2.9 ± 0.4	-5.8 ± 0.1	-1.4 ± 0.2	-3.8 ± 0.2	-4.9 ± 0.2	-4.2 ± 0.3	-1.3 ± 0.3	-3.6 ± 0.1	0.4 ± 0.2	-2.1 ± 0.1	-2.3 ± 0.2	-4.3 ± 0.3	E Europe M	E Asia F
44	-3.3 ± 0.4	-6.1 ± 0.1	-1.9 ± 0.2	-3.8 ± 0.2	-4.7 ± 0.2	-4.5 ± 0.3	-2.1 ± 0.3	-3.8 ± 0.1	0.7 ± 0.2	-2.2 ± 0.1	-2.3 ± 0.3	-4.3 ± 0.3	E Europe M	E Asia F
45	-3.6 ± 0.4	-6.2 ± 0.1	-1.8 ± 0.2	-4.0 ± 0.2	-5.0 ± 0.2	-4.9 ± 0.3	-2.5 ± 0.4	-4.0 ± 0.1	0.4 ± 0.3	-2.3 ± 0.2	-2.6 ± 0.3	-4.7 ± 0.3	E Europe M	E Asia F
46	-3.0 ± 0.5	-6.5 ± 0.1	-1.9 ± 0.2	-4.0 ± 0.2	-5.3 ± 0.2	-5.2 ± 0.3	-2.4 ± 0.4	-4.1 ± 0.1	0.5 ± 0.3	-2.3 ± 0.2	-2.5 ± 0.3	-5.0 ± 0.3	E Europe M	E Asia F
47	-3.3 ± 0.5	-6.5 ± 0.1	-1.8 ± 0.3	-4.0 ± 0.2	-5.4 ± 0.2	-5.4 ± 0.3	-2.2 ± 0.4	-4.2 ± 0.1	0.4 ± 0.3	-2.4 ± 0.2	-2.5 ± 0.3	-4.8 ± 0.3	E Europe M	E Asia F
48	-3.9 ± 0.5	-6.6 ± 0.1	-1.8 ± 0.3	-3.7 ± 0.2	-5.5 ± 0.2	-5.9 ± 0.3	-3.0 ± 0.4	-4.4 ± 0.1	0.4 ± 0.3	-2.4 ± 0.2	-2.6 ± 0.3	-5.5 ± 0.3	E Europe M	E Asia F
49	-3.7 ± 0.5	-6.7 ± 0.1	-2.0 ± 0.3	-3.9 ± 0.2	-5.5 ± 0.2	-6.4 ± 0.4	-3.0 ± 0.5	-4.5 ± 0.1	0.3 ± 0.3	-2.6 ± 0.2	-2.7 ± 0.3	-5.7 ± 0.3	E Europe M	E Asia F
50	-4.4 ± 0.6	-6.8 ± 0.1	-1.7 ± 0.3	-3.9 ± 0.2	-5.8 ± 0.2	-6.5 ± 0.4	-3.4 ± 0.5	-4.5 ± 0.1	0.1 ± 0.3	-2.7 ± 0.2	-2.5 ± 0.3	-5.9 ± 0.4	E Europe M	E Asia F
51	-4.0 ± 0.6	-6.9 ± 0.1	-1.9 ± 0.3	-3.8 ± 0.3	-5.8 ± 0.2	-7.0 ± 0.4	-3.5 ± 0.6	-4.6 ± 0.2	0.4 ± 0.3	-2.8 ± 0.2	-2.6 ± 0.3	-6.2 ± 0.4	E Europe M	W Africa F
52	-4.2 ± 0.6	-6.9 ± 0.1	-1.6 ± 0.3	-4.0 ± 0.2	-5.4 ± 0.2	-7.6 ± 0.4	-3.3 ± 0.6	-4.7 ± 0.1	0.1 ± 0.3	-3.0 ± 0.2	-3.1 ± 0.3	-6.3 ± 0.4	E Europe M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 76. *Mean raw error for Application-type images for algorithm nominder-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.5 ± 0.3	3.5 ± 0.2	2.7 ± 0.2	2.2 ± 0.2	2.8 ± 0.3	4.4 ± 0.5	1.1 ± 0.3	2.2 ± 0.1	1.4 ± 0.2	1.2 ± 0.1	1.4 ± 0.2	2.0 ± 0.4	W Africa F	E Africa M
15	3.5 ± 0.4	3.8 ± 0.2	2.6 ± 0.3	2.5 ± 0.2	3.1 ± 0.4	4.6 ± 0.5	1.3 ± 0.3	2.6 ± 0.1	1.5 ± 0.2	1.6 ± 0.2	2.2 ± 0.3	2.5 ± 0.4	W Africa F	E Africa M
16	3.4 ± 0.4	3.8 ± 0.2	2.5 ± 0.3	2.4 ± 0.2	3.1 ± 0.4	4.9 ± 0.5	1.9 ± 0.3	2.7 ± 0.2	1.6 ± 0.2	2.0 ± 0.2	2.4 ± 0.3	2.7 ± 0.4	W Africa F	E Europe M
17	3.7 ± 0.4	3.6 ± 0.2	2.4 ± 0.3	2.4 ± 0.2	3.0 ± 0.3	4.9 ± 0.5	2.2 ± 0.3	2.9 ± 0.2	1.3 ± 0.2	2.6 ± 0.2	2.3 ± 0.3	3.3 ± 0.4	W Africa F	E Europe M
18	3.1 ± 0.3	2.9 ± 0.1	1.7 ± 0.3	1.7 ± 0.2	2.4 ± 0.2	4.5 ± 0.4	2.2 ± 0.3	2.4 ± 0.1	1.1 ± 0.2	2.5 ± 0.2	2.2 ± 0.3	2.9 ± 0.3	W Africa F	E Europe M
19	3.2 ± 0.3	2.6 ± 0.1	1.6 ± 0.3	1.7 ± 0.2	2.1 ± 0.2	5.0 ± 0.4	2.7 ± 0.3	2.5 ± 0.1	1.2 ± 0.2	2.8 ± 0.2	1.9 ± 0.2	3.3 ± 0.4	W Africa F	E Europe M
20	2.7 ± 0.3	2.4 ± 0.1	1.2 ± 0.2	1.5 ± 0.2	1.9 ± 0.2	4.7 ± 0.4	3.0 ± 0.3	2.3 ± 0.1	1.3 ± 0.2	3.0 ± 0.1	1.9 ± 0.2	3.4 ± 0.3	W Africa F	E Europe F
21	2.6 ± 0.3	2.0 ± 0.1	0.9 ± 0.2	1.0 ± 0.1	1.5 ± 0.2	4.5 ± 0.4	3.0 ± 0.3	2.1 ± 0.1	1.0 ± 0.2	2.9 ± 0.1	1.8 ± 0.2	3.4 ± 0.3	W Africa F	E Europe F
22	2.5 ± 0.3	1.4 ± 0.1	0.6 ± 0.2	0.6 ± 0.1	1.0 ± 0.2	4.0 ± 0.3	3.4 ± 0.3	1.8 ± 0.1	1.3 ± 0.2	2.8 ± 0.2	1.4 ± 0.2	3.1 ± 0.3	W Africa F	S Asia F
23	2.1 ± 0.3	1.1 ± 0.1	0.5 ± 0.2	0.5 ± 0.1	0.8 ± 0.1	4.2 ± 0.3	2.9 ± 0.3	1.5 ± 0.1	1.0 ± 0.2	2.7 ± 0.2	1.2 ± 0.2	3.1 ± 0.3	W Africa F	E Europe F
24	2.1 ± 0.3	0.58 ± 0.10	0.3 ± 0.1	-0.0 ± 0.1	0.4 ± 0.1	3.3 ± 0.3	2.9 ± 0.3	1.2 ± 0.1	1.1 ± 0.2	2.7 ± 0.1	0.9 ± 0.2	2.9 ± 0.3	W Africa F	S Asia F
25	1.5 ± 0.3	0.20 ± 0.09	0.0 ± 0.1	-0.4 ± 0.1	0.0 ± 0.1	3.4 ± 0.3	2.8 ± 0.3	1.1 ± 0.1	1.2 ± 0.2	2.5 ± 0.1	0.8 ± 0.2	2.7 ± 0.3	W Africa F	S Asia F
26	1.2 ± 0.3	-0.27 ± 0.09	-0.0 ± 0.1	-1.04 ± 0.10	-0.2 ± 0.1	3.0 ± 0.3	2.5 ± 0.2	0.8 ± 0.1	1.1 ± 0.2	2.4 ± 0.1	0.8 ± 0.2	2.5 ± 0.2	W Africa F	S Asia F
27	0.9 ± 0.3	-0.61 ± 0.09	-0.1 ± 0.1	-1.44 ± 0.10	-0.6 ± 0.1	2.7 ± 0.2	2.3 ± 0.2	0.7 ± 0.1	1.3 ± 0.2	2.1 ± 0.1	0.7 ± 0.2	2.1 ± 0.2	W Africa F	S Asia F
28	0.5 ± 0.3	-0.98 ± 0.08	-0.2 ± 0.1	-1.75 ± 0.10	-0.9 ± 0.1	2.4 ± 0.2	2.1 ± 0.2	0.4 ± 0.1	1.3 ± 0.2	1.7 ± 0.1	0.3 ± 0.2	1.8 ± 0.2	W Africa F	S Asia F
29	0.5 ± 0.3	-1.33 ± 0.09	-0.2 ± 0.1	-2.0 ± 0.1	-1.2 ± 0.1	2.0 ± 0.2	1.8 ± 0.2	0.2 ± 0.1	1.1 ± 0.2	1.39 ± 0.10	0.0 ± 0.2	1.9 ± 0.2	W Africa F	S Asia F
30	-0.1 ± 0.2	-1.69 ± 0.09	-0.3 ± 0.1	-2.5 ± 0.1	-1.3 ± 0.1	1.4 ± 0.2	1.7 ± 0.2	-0.0 ± 0.1	1.0 ± 0.2	1.01 ± 0.09	-0.1 ± 0.2	1.5 ± 0.2	E Africa M	S Asia F
31	-0.4 ± 0.3	-1.92 ± 0.09	-0.4 ± 0.2	-2.9 ± 0.1	-1.6 ± 0.1	1.2 ± 0.2	1.5 ± 0.2	-0.2 ± 0.1	0.8 ± 0.2	0.73 ± 0.10	-0.3 ± 0.2	1.3 ± 0.2	E Africa M	S Asia F
32	-0.4 ± 0.3	-2.19 ± 0.09	-0.4 ± 0.2	-3.2 ± 0.1	-1.8 ± 0.2	0.8 ± 0.2	1.3 ± 0.2	-0.4 ± 0.1	0.8 ± 0.2	0.53 ± 0.09	-0.3 ± 0.2	0.9 ± 0.2	E Africa M	S Asia F
33	-0.9 ± 0.3	-2.49 ± 0.09	-0.5 ± 0.2	-3.4 ± 0.1	-2.3 ± 0.2	0.4 ± 0.2	1.0 ± 0.2	-0.8 ± 0.1	0.9 ± 0.2	0.28 ± 0.10	-0.5 ± 0.2	0.6 ± 0.2	E Africa M	S Asia F
34	-1.0 ± 0.3	-2.70 ± 0.09	-0.6 ± 0.2	-3.7 ± 0.1	-2.5 ± 0.2	-0.2 ± 0.2	0.5 ± 0.3	-1.0 ± 0.1	0.6 ± 0.2	0.0 ± 0.1	-0.7 ± 0.2	0.4 ± 0.2	E Europe M	S Asia F
35	-1.1 ± 0.3	-3.14 ± 0.10	-0.6 ± 0.2	-4.0 ± 0.1	-2.8 ± 0.2	-0.5 ± 0.3	0.6 ± 0.3	-1.1 ± 0.1	0.5 ± 0.2	-0.2 ± 0.1	-0.9 ± 0.2	0.2 ± 0.2	E Africa M	S Asia F
36	-1.4 ± 0.3	-3.3 ± 0.1	-0.4 ± 0.2	-4.3 ± 0.1	-2.9 ± 0.2	-0.8 ± 0.3	0.3 ± 0.3	-1.3 ± 0.1	0.6 ± 0.2	-0.4 ± 0.1	-0.9 ± 0.2	-0.4 ± 0.2	E Europe M	S Asia F
37	-1.7 ± 0.3	-3.56 ± 0.10	-0.5 ± 0.2	-4.4 ± 0.1	-3.1 ± 0.2	-1.4 ± 0.3	0.3 ± 0.3	-1.5 ± 0.1	0.2 ± 0.2	-0.5 ± 0.1	-1.1 ± 0.3	-0.6 ± 0.2	E Africa M	S Asia F
38	-1.6 ± 0.4	-3.8 ± 0.1	-0.5 ± 0.2	-4.5 ± 0.1	-3.2 ± 0.2	-1.6 ± 0.3	-0.1 ± 0.3	-1.7 ± 0.1	0.1 ± 0.2	-0.7 ± 0.1	-0.9 ± 0.3	-0.8 ± 0.3	E Europe M	S Asia F
39	-1.8 ± 0.4	-4.0 ± 0.1	-0.5 ± 0.2	-4.8 ± 0.2	-3.3 ± 0.2	-1.7 ± 0.3	0.1 ± 0.3	-1.8 ± 0.1	0.0 ± 0.2	-0.8 ± 0.1	-0.8 ± 0.3	-1.2 ± 0.3	E Africa M	S Asia F
40	-2.2 ± 0.4	-4.2 ± 0.1	-0.2 ± 0.2	-4.7 ± 0.2	-3.6 ± 0.2	-2.3 ± 0.3	-0.1 ± 0.3	-1.8 ± 0.1	0.1 ± 0.2	-0.8 ± 0.1	-0.8 ± 0.3	-1.3 ± 0.3	E Europe M	S Asia F
41	-2.5 ± 0.4	-4.3 ± 0.1	-0.5 ± 0.2	-4.8 ± 0.2	-3.7 ± 0.2	-3.1 ± 0.3	-0.1 ± 0.4	-1.9 ± 0.1	-0.0 ± 0.2	-1.0 ± 0.1	-1.0 ± 0.3	-1.5 ± 0.3	E Europe M	S Asia F
42	-2.4 ± 0.4	-4.5 ± 0.1	-0.1 ± 0.3	-4.6 ± 0.2	-3.9 ± 0.2	-2.8 ± 0.3	-0.2 ± 0.3	-2.0 ± 0.1	0.1 ± 0.2	-1.1 ± 0.1	-0.8 ± 0.3	-1.9 ± 0.3	E Europe M	S Asia F
43	-2.2 ± 0.5	-4.7 ± 0.1	-0.4 ± 0.2	-4.8 ± 0.2	-4.0 ± 0.2	-3.4 ± 0.3	0.2 ± 0.4	-2.1 ± 0.1	-0.0 ± 0.3	-1.1 ± 0.2	-0.8 ± 0.3	-2.1 ± 0.3	E Africa M	S Asia F
44	-2.6 ± 0.5	-5.0 ± 0.1	-0.6 ± 0.3	-4.7 ± 0.2	-3.8 ± 0.2	-3.8 ± 0.4	-0.3 ± 0.4	-2.2 ± 0.1	0.2 ± 0.3	-1.1 ± 0.2	-0.7 ± 0.3	-2.2 ± 0.3	E Europe M	E Asia F
45	-2.5 ± 0.5	-5.1 ± 0.1	-0.6 ± 0.3	-4.7 ± 0.2	-4.3 ± 0.2	-3.8 ± 0.4	-0.5 ± 0.4	-2.4 ± 0.1	-0.1 ± 0.2	-1.1 ± 0.2	-0.9 ± 0.3	-2.4 ± 0.3	E Europe M	E Asia F
46	-2.1 ± 0.6	-5.4 ± 0.1	-0.4 ± 0.3	-4.6 ± 0.2	-4.5 ± 0.2	-3.9 ± 0.4	-0.3 ± 0.5	-2.4 ± 0.1	0.5 ± 0.3	-0.8 ± 0.2	-0.8 ± 0.3	-2.8 ± 0.3	E Europe M	E Asia F
47	-2.4 ± 0.6	-5.3 ± 0.1	-0.6 ± 0.3	-4.5 ± 0.2	-4.3 ± 0.2	-4.2 ± 0.4	-0.2 ± 0.4	-2.5 ± 0.1	0.1 ± 0.3	-1.0 ± 0.2	-0.6 ± 0.3	-2.9 ± 0.3	E Europe M	E Asia F
48	-3.1 ± 0.6	-5.4 ± 0.1	-0.5 ± 0.3	-4.3 ± 0.3	-4.4 ± 0.2	-4.3 ± 0.4	-1.2 ± 0.5	-2.5 ± 0.1	0.2 ± 0.3	-0.9 ± 0.2	-0.7 ± 0.3	-3.3 ± 0.4	E Europe M	E Asia F
49	-2.3 ± 0.6	-5.6 ± 0.1	-0.8 ± 0.3	-4.3 ± 0.3	-4.1 ± 0.3	-4.7 ± 0.5	-1.1 ± 0.5	-2.5 ± 0.2	0.0 ± 0.3	-1.0 ± 0.2	-0.6 ± 0.3	-3.4 ± 0.4	E Europe M	E Asia F
50	-3.2 ± 0.7	-5.5 ± 0.1	-0.5 ± 0.3	-4.3 ± 0.2	-4.7 ± 0.3	-5.0 ± 0.5	-1.5 ± 0.5	-2.5 ± 0.2	0.0 ± 0.3	-1.2 ± 0.2	-0.4 ± 0.3	-3.7 ± 0.4	E Europe M	E Asia F
51	-2.3 ± 0.6	-5.5 ± 0.2	-1.0 ± 0.3	-4.2 ± 0.3	-4.7 ± 0.3	-5.1 ± 0.5	-1.8 ± 0.6	-2.5 ± 0.2	0.1 ± 0.3	-1.3 ± 0.2	-0.4 ± 0.3	-4.1 ± 0.4	E Europe M	E Asia F
52	-2.9 ± 0.6	-5.7 ± 0.2	-0.7 ± 0.3	-4.5 ± 0.3	-4.3 ± 0.3	-5.5 ± 0.5	-1.6 ± 0.5	-2.8 ± 0.2	-0.0 ± 0.3	-1.5 ± 0.2	-0.9 ± 0.3	-3.8 ± 0.4	E Europe M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 77. *Mean raw error for Application-type images for algorithm nominder-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.0 ± 0.2	3.9 ± 0.1	3.7 ± 0.2	3.4 ± 0.1	3.5 ± 0.3	5.4 ± 0.3	2.4 ± 0.2	2.8 ± 0.1	2.0 ± 0.2	1.7 ± 0.1	2.1 ± 0.2	2.7 ± 0.3	W Africa F	S Asia M
15	3.9 ± 0.2	4.0 ± 0.1	3.3 ± 0.2	3.6 ± 0.2	3.7 ± 0.3	5.1 ± 0.3	2.2 ± 0.2	3.3 ± 0.1	2.1 ± 0.2	2.0 ± 0.1	2.9 ± 0.2	2.9 ± 0.3	W Africa F	S Asia M
16	3.7 ± 0.3	3.8 ± 0.1	3.3 ± 0.2	3.3 ± 0.2	3.6 ± 0.3	5.3 ± 0.4	2.6 ± 0.2	3.2 ± 0.1	1.9 ± 0.2	2.2 ± 0.1	2.7 ± 0.2	2.5 ± 0.2	W Africa F	E Europe M
17	3.8 ± 0.3	3.4 ± 0.1	2.7 ± 0.2	3.2 ± 0.2	3.1 ± 0.3	4.9 ± 0.3	2.0 ± 0.2	3.0 ± 0.1	1.5 ± 0.2	2.2 ± 0.1	2.6 ± 0.2	2.8 ± 0.3	W Africa F	E Europe M
18	3.0 ± 0.2	2.7 ± 0.1	1.9 ± 0.2	2.4 ± 0.1	2.7 ± 0.2	4.4 ± 0.3	1.8 ± 0.2	2.4 ± 0.1	0.9 ± 0.2	1.7 ± 0.1	2.2 ± 0.2	2.1 ± 0.3	W Africa F	E Europe M
19	3.0 ± 0.3	2.26 ± 0.10	1.6 ± 0.2	2.2 ± 0.1	2.2 ± 0.2	4.5 ± 0.3	2.0 ± 0.2	2.2 ± 0.1	0.8 ± 0.2	1.7 ± 0.1	1.7 ± 0.2	2.2 ± 0.3	W Africa F	E Europe M
20	2.7 ± 0.2	2.0 ± 0.1	1.2 ± 0.2	1.8 ± 0.1	1.9 ± 0.1	4.2 ± 0.3	2.1 ± 0.3	1.8 ± 0.1	0.7 ± 0.2	1.7 ± 0.1	1.5 ± 0.2	2.2 ± 0.3	W Africa F	E Europe M
21	2.5 ± 0.2	1.52 ± 0.09	0.8 ± 0.2	1.3 ± 0.1	1.4 ± 0.1	3.7 ± 0.3	2.0 ± 0.2	1.58 ± 0.09	0.4 ± 0.2	1.5 ± 0.1	1.3 ± 0.2	2.1 ± 0.3	W Africa F	E Europe M
22	2.4 ± 0.2	0.83 ± 0.09	0.4 ± 0.1	0.9 ± 0.1	0.9 ± 0.1	3.3 ± 0.3	2.4 ± 0.3	1.25 ± 0.10	0.5 ± 0.2	1.4 ± 0.1	0.9 ± 0.1	1.8 ± 0.3	W Africa F	E Europe F
23	1.9 ± 0.2	0.44 ± 0.08	0.2 ± 0.1	0.51 ± 0.10	0.5 ± 0.1	3.4 ± 0.3	2.2 ± 0.3	0.9 ± 0.1	0.2 ± 0.2	1.4 ± 0.1	0.7 ± 0.2	2.0 ± 0.3	W Africa F	E Europe F
24	1.7 ± 0.2	-0.15 ± 0.08	-0.2 ± 0.1	0.04 ± 0.09	0.1 ± 0.1	2.8 ± 0.3	2.2 ± 0.3	0.6 ± 0.1	0.3 ± 0.2	1.4 ± 0.1	0.2 ± 0.1	1.9 ± 0.2	W Africa F	E Europe F
25	1.3 ± 0.2	-0.49 ± 0.08	-0.6 ± 0.1	-0.38 ± 0.09	-0.3 ± 0.1	2.5 ± 0.2	2.1 ± 0.2	0.3 ± 0.1	0.3 ± 0.2	1.3 ± 0.1	0.1 ± 0.1	1.9 ± 0.2	W Africa F	E Europe F
26	0.9 ± 0.2	-1.03 ± 0.08	-0.7 ± 0.1	-0.90 ± 0.08	-0.5 ± 0.1	2.4 ± 0.2	1.9 ± 0.2	-0.01 ± 0.10	0.0 ± 0.2	1.2 ± 0.1	-0.0 ± 0.2	1.7 ± 0.2	W Africa F	E Asia F
27	0.7 ± 0.2	-1.44 ± 0.07	-0.9 ± 0.1	-1.30 ± 0.08	-0.9 ± 0.1	2.2 ± 0.2	1.8 ± 0.2	-0.2 ± 0.1	0.1 ± 0.2	0.9 ± 0.1	-0.2 ± 0.2	1.5 ± 0.2	W Africa F	E Asia F
28	0.5 ± 0.2	-1.81 ± 0.07	-1.1 ± 0.1	-1.60 ± 0.09	-1.3 ± 0.1	1.8 ± 0.2	1.6 ± 0.2	-0.5 ± 0.1	0.1 ± 0.2	0.59 ± 0.10	-0.4 ± 0.2	1.2 ± 0.2	W Africa F	E Asia F
29	0.5 ± 0.2	-2.25 ± 0.07	-1.2 ± 0.1	-1.95 ± 0.09	-1.4 ± 0.1	1.5 ± 0.2	1.6 ± 0.2	-0.7 ± 0.1	-0.2 ± 0.2	0.35 ± 0.09	-0.9 ± 0.2	1.5 ± 0.2	E Africa M	E Asia F
30	0.1 ± 0.2	-2.55 ± 0.08	-1.4 ± 0.1	-2.33 ± 0.09	-1.7 ± 0.1	1.1 ± 0.2	1.5 ± 0.2	-1.0 ± 0.1	-0.3 ± 0.2	0.07 ± 0.09	-0.9 ± 0.2	1.2 ± 0.2	E Africa M	E Asia F
31	-0.2 ± 0.2	-2.87 ± 0.08	-1.5 ± 0.1	-2.64 ± 0.10	-1.9 ± 0.1	0.9 ± 0.2	1.5 ± 0.2	-1.3 ± 0.1	-0.4 ± 0.2	-0.12 ± 0.09	-1.2 ± 0.2	1.1 ± 0.2	E Africa M	E Asia F
32	-0.1 ± 0.2	-3.11 ± 0.08	-1.6 ± 0.1	-2.9 ± 0.1	-2.0 ± 0.1	0.6 ± 0.2	1.2 ± 0.2	-1.5 ± 0.1	-0.4 ± 0.2	-0.29 ± 0.09	-1.3 ± 0.2	0.9 ± 0.2	E Africa M	E Asia F
33	-0.4 ± 0.3	-3.49 ± 0.09	-1.8 ± 0.2	-3.0 ± 0.1	-2.3 ± 0.1	0.2 ± 0.2	1.2 ± 0.2	-1.8 ± 0.1	-0.4 ± 0.2	-0.47 ± 0.09	-1.5 ± 0.2	0.8 ± 0.2	E Africa M	E Asia F
34	-0.6 ± 0.3	-3.64 ± 0.09	-2.0 ± 0.2	-3.2 ± 0.1	-2.5 ± 0.2	-0.1 ± 0.2	0.8 ± 0.2	-2.1 ± 0.1	-0.6 ± 0.2	-0.71 ± 0.10	-1.6 ± 0.2	0.8 ± 0.2	E Africa M	E Asia F
35	-0.5 ± 0.3	-4.00 ± 0.09	-1.9 ± 0.2	-3.4 ± 0.1	-2.8 ± 0.2	-0.3 ± 0.3	1.0 ± 0.3	-2.1 ± 0.1	-0.8 ± 0.2	-0.83 ± 0.09	-2.0 ± 0.2	0.6 ± 0.2	E Africa M	E Asia F
36	-0.7 ± 0.3	-4.06 ± 0.10	-2.0 ± 0.2	-3.5 ± 0.1	-2.7 ± 0.2	-0.4 ± 0.3	0.9 ± 0.3	-2.4 ± 0.1	-0.7 ± 0.2	-1.00 ± 0.10	-1.9 ± 0.2	0.5 ± 0.2	E Africa M	E Asia F
37	-1.1 ± 0.3	-4.27 ± 0.10	-2.1 ± 0.2	-3.6 ± 0.1	-2.9 ± 0.2	-0.6 ± 0.3	1.0 ± 0.3	-2.7 ± 0.1	-0.9 ± 0.2	-1.1 ± 0.1	-2.2 ± 0.2	0.2 ± 0.2	E Africa M	E Asia F
38	-0.7 ± 0.3	-4.51 ± 0.10	-2.0 ± 0.2	-3.7 ± 0.1	-2.9 ± 0.2	-0.9 ± 0.3	0.5 ± 0.3	-2.7 ± 0.1	-1.0 ± 0.2	-1.4 ± 0.1	-1.9 ± 0.2	0.2 ± 0.2	E Africa M	E Asia F
39	-1.0 ± 0.3	-4.6 ± 0.1	-2.2 ± 0.2	-3.9 ± 0.1	-3.0 ± 0.2	-1.0 ± 0.3	0.9 ± 0.3	-3.0 ± 0.1	-1.0 ± 0.2	-1.4 ± 0.1	-1.9 ± 0.2	0.1 ± 0.2	E Africa M	E Asia F
40	-1.2 ± 0.4	-4.7 ± 0.1	-1.8 ± 0.2	-3.7 ± 0.1	-3.0 ± 0.2	-1.3 ± 0.3	0.8 ± 0.3	-3.0 ± 0.1	-1.1 ± 0.2	-1.5 ± 0.1	-2.1 ± 0.2	0.1 ± 0.3	E Africa M	E Asia F
41	-1.6 ± 0.4	-4.7 ± 0.1	-2.0 ± 0.2	-3.9 ± 0.2	-3.1 ± 0.2	-1.9 ± 0.3	0.8 ± 0.3	-3.1 ± 0.1	-1.2 ± 0.2	-1.7 ± 0.1	-2.2 ± 0.2	-0.0 ± 0.3	E Africa M	E Asia F
42	-1.3 ± 0.4	-4.7 ± 0.1	-1.8 ± 0.2	-3.6 ± 0.2	-3.1 ± 0.2	-1.5 ± 0.3	0.9 ± 0.3	-3.1 ± 0.1	-1.0 ± 0.2	-1.7 ± 0.1	-2.1 ± 0.2	-0.2 ± 0.3	E Africa M	E Asia F
43	-1.3 ± 0.4	-4.9 ± 0.1	-1.9 ± 0.2	-3.9 ± 0.2	-3.2 ± 0.2	-1.9 ± 0.3	1.2 ± 0.3	-3.3 ± 0.1	-1.3 ± 0.2	-1.7 ± 0.1	-2.2 ± 0.2	-0.4 ± 0.3	E Africa M	E Asia F
44	-1.5 ± 0.5	-5.0 ± 0.1	-2.0 ± 0.2	-3.8 ± 0.2	-3.1 ± 0.2	-2.2 ± 0.4	0.7 ± 0.4	-3.3 ± 0.1	-1.0 ± 0.2	-1.9 ± 0.1	-2.0 ± 0.3	-0.3 ± 0.3	E Africa M	E Asia F
45	-1.6 ± 0.4	-5.0 ± 0.1	-2.0 ± 0.2	-3.8 ± 0.2	-3.2 ± 0.2	-2.1 ± 0.4	0.6 ± 0.4	-3.5 ± 0.1	-1.2 ± 0.2	-1.7 ± 0.2	-2.1 ± 0.3	-0.6 ± 0.3	E Africa M	E Asia F
46	-1.0 ± 0.5	-5.2 ± 0.1	-1.6 ± 0.3	-3.6 ± 0.2	-3.5 ± 0.2	-2.1 ± 0.4	0.6 ± 0.4	-3.5 ± 0.1	-0.8 ± 0.3	-1.6 ± 0.2	-2.0 ± 0.3	-0.7 ± 0.3	E Africa M	E Asia F
47	-1.3 ± 0.5	-5.0 ± 0.1	-1.8 ± 0.3	-3.6 ± 0.2	-3.2 ± 0.2	-2.1 ± 0.4	1.2 ± 0.4	-3.6 ± 0.1	-1.1 ± 0.3	-1.7 ± 0.2	-1.9 ± 0.3	-0.5 ± 0.3	E Africa M	E Asia F
48	-1.6 ± 0.6	-5.0 ± 0.1	-1.7 ± 0.3	-3.4 ± 0.2	-3.2 ± 0.2	-2.2 ± 0.4	0.6 ± 0.5	-3.6 ± 0.1	-1.1 ± 0.3	-1.6 ± 0.2	-1.9 ± 0.3	-0.9 ± 0.3	E Africa M	E Asia F
49	-1.1 ± 0.6	-5.1 ± 0.1	-1.8 ± 0.3	-3.4 ± 0.2	-2.9 ± 0.2	-2.4 ± 0.4	0.2 ± 0.4	-3.6 ± 0.1	-1.2 ± 0.3	-1.7 ± 0.2	-1.9 ± 0.3	-0.7 ± 0.3	E Africa M	E Asia F
50	-1.6 ± 0.6	-4.9 ± 0.1	-1.6 ± 0.3	-3.4 ± 0.2	-3.1 ± 0.3	-2.2 ± 0.5	0.1 ± 0.4	-3.6 ± 0.1	-1.2 ± 0.3	-1.6 ± 0.2	-1.5 ± 0.3	-1.0 ± 0.3	E Africa M	E Asia F
51	-1.3 ± 0.5	-4.8 ± 0.1	-2.0 ± 0.3	-3.2 ± 0.2	-3.1 ± 0.3	-2.3 ± 0.5	-0.4 ± 0.5	-3.7 ± 0.1	-1.2 ± 0.2	-1.7 ± 0.2	-1.6 ± 0.3	-1.2 ± 0.4	E Africa M	E Asia F
52	-1.5 ± 0.6	-4.8 ± 0.2	-1.5 ± 0.3	-3.5 ± 0.2	-2.6 ± 0.3	-2.5 ± 0.5	-0.2 ± 0.5	-3.7 ± 0.1	-1.4 ± 0.3	-1.9 ± 0.2	-2.0 ± 0.3	-1.2 ± 0.4	E Africa M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 78. *Mean raw error for Application-type images for algorithm ondato-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.4 ± 0.3	4.9 ± 0.1	3.3 ± 0.3	4.4 ± 0.2	4.7 ± 0.3	5.8 ± 0.4	4.0 ± 0.3	3.2 ± 0.1	1.5 ± 0.2	2.5 ± 0.1	2.7 ± 0.2	4.0 ± 0.3	W Africa F	E Europe M
15	5.3 ± 0.4	4.9 ± 0.1	3.1 ± 0.3	4.3 ± 0.2	4.6 ± 0.3	5.9 ± 0.5	3.3 ± 0.3	3.0 ± 0.1	1.4 ± 0.2	2.3 ± 0.1	2.8 ± 0.2	3.5 ± 0.4	W Africa F	E Europe M
16	4.8 ± 0.3	4.6 ± 0.1	3.4 ± 0.3	4.0 ± 0.2	4.6 ± 0.3	6.0 ± 0.5	3.0 ± 0.3	2.8 ± 0.1	1.4 ± 0.2	2.3 ± 0.1	2.7 ± 0.2	3.3 ± 0.4	W Africa F	E Europe M
17	5.0 ± 0.4	4.2 ± 0.1	2.9 ± 0.3	3.8 ± 0.2	4.0 ± 0.3	5.7 ± 0.4	2.9 ± 0.3	2.8 ± 0.1	1.2 ± 0.2	2.6 ± 0.2	2.7 ± 0.3	3.5 ± 0.4	W Africa F	E Europe M
18	4.3 ± 0.3	3.6 ± 0.1	2.3 ± 0.3	3.2 ± 0.1	3.6 ± 0.2	5.4 ± 0.4	2.8 ± 0.3	2.4 ± 0.1	1.1 ± 0.2	2.3 ± 0.1	2.6 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
19	4.3 ± 0.3	3.2 ± 0.1	2.2 ± 0.3	2.9 ± 0.1	3.0 ± 0.2	5.3 ± 0.4	3.3 ± 0.3	2.3 ± 0.1	1.0 ± 0.2	2.5 ± 0.1	2.4 ± 0.2	3.4 ± 0.4	W Africa F	E Europe M
20	4.0 ± 0.3	2.8 ± 0.1	2.0 ± 0.2	2.5 ± 0.2	2.8 ± 0.2	5.1 ± 0.4	3.4 ± 0.3	2.1 ± 0.1	1.3 ± 0.2	2.6 ± 0.1	2.4 ± 0.2	3.8 ± 0.4	W Africa F	E Europe M
21	3.7 ± 0.3	2.5 ± 0.1	1.5 ± 0.2	2.1 ± 0.1	2.5 ± 0.1	4.9 ± 0.4	3.7 ± 0.3	2.0 ± 0.1	0.8 ± 0.2	2.5 ± 0.1	2.3 ± 0.2	3.8 ± 0.4	W Africa F	E Europe M
22	3.7 ± 0.3	2.0 ± 0.1	1.4 ± 0.2	1.7 ± 0.1	2.1 ± 0.1	4.5 ± 0.4	4.2 ± 0.3	1.7 ± 0.1	1.0 ± 0.2	2.4 ± 0.1	2.0 ± 0.2	3.6 ± 0.3	W Africa F	E Europe M
23	3.6 ± 0.3	1.62 ± 0.09	1.1 ± 0.2	1.4 ± 0.1	1.6 ± 0.1	4.6 ± 0.4	3.9 ± 0.3	1.5 ± 0.1	0.7 ± 0.2	2.4 ± 0.1	1.8 ± 0.2	3.8 ± 0.3	W Africa F	E Europe M
24	3.3 ± 0.3	1.04 ± 0.09	0.9 ± 0.1	0.9 ± 0.1	1.3 ± 0.1	4.0 ± 0.3	3.8 ± 0.3	1.2 ± 0.1	0.7 ± 0.2	2.3 ± 0.1	1.6 ± 0.2	3.7 ± 0.3	W Africa F	E Europe M
25	3.0 ± 0.3	0.75 ± 0.08	0.6 ± 0.1	0.6 ± 0.1	0.9 ± 0.1	3.9 ± 0.3	4.0 ± 0.3	1.1 ± 0.1	0.7 ± 0.2	2.2 ± 0.1	1.3 ± 0.2	3.7 ± 0.3	E Africa M	E Europe F
26	2.9 ± 0.3	0.25 ± 0.08	0.4 ± 0.1	0.11 ± 0.10	0.7 ± 0.1	3.6 ± 0.3	3.7 ± 0.2	0.8 ± 0.1	0.3 ± 0.2	2.0 ± 0.1	1.1 ± 0.2	3.5 ± 0.3	E Africa M	S Asia F
27	2.9 ± 0.3	-0.21 ± 0.08	0.2 ± 0.1	-0.30 ± 0.10	0.2 ± 0.1	3.5 ± 0.3	3.5 ± 0.3	0.6 ± 0.1	0.5 ± 0.2	1.7 ± 0.1	1.2 ± 0.2	3.2 ± 0.3	W Africa F	S Asia F
28	2.3 ± 0.3	-0.63 ± 0.08	-0.0 ± 0.1	-0.6 ± 0.1	-0.1 ± 0.1	3.1 ± 0.3	3.4 ± 0.2	0.5 ± 0.1	0.4 ± 0.2	1.5 ± 0.1	1.0 ± 0.2	2.9 ± 0.2	E Africa M	E Asia F
29	2.4 ± 0.3	-0.99 ± 0.08	-0.2 ± 0.1	-0.93 ± 0.10	-0.3 ± 0.1	2.8 ± 0.3	3.2 ± 0.3	0.2 ± 0.1	0.2 ± 0.2	1.3 ± 0.1	0.8 ± 0.2	3.4 ± 0.2	W Africa M	E Asia F
30	2.3 ± 0.3	-1.29 ± 0.08	-0.4 ± 0.1	-1.3 ± 0.1	-0.6 ± 0.1	2.5 ± 0.3	3.1 ± 0.3	0.0 ± 0.1	0.1 ± 0.2	1.07 ± 0.10	0.7 ± 0.2	2.9 ± 0.2	E Africa M	E Asia F
31	1.8 ± 0.3	-1.59 ± 0.08	-0.4 ± 0.1	-1.6 ± 0.1	-0.8 ± 0.1	2.2 ± 0.3	3.1 ± 0.3	-0.1 ± 0.1	-0.1 ± 0.2	0.91 ± 0.10	0.6 ± 0.2	2.8 ± 0.2	E Africa M	S Asia F
32	2.1 ± 0.3	-1.91 ± 0.09	-0.7 ± 0.2	-1.7 ± 0.1	-1.0 ± 0.2	2.2 ± 0.3	2.6 ± 0.3	-0.2 ± 0.1	-0.1 ± 0.2	0.77 ± 0.10	0.5 ± 0.2	2.7 ± 0.3	W Africa M	E Asia F
33	1.9 ± 0.3	-2.19 ± 0.09	-0.8 ± 0.2	-2.0 ± 0.1	-1.2 ± 0.2	2.0 ± 0.3	2.8 ± 0.3	-0.4 ± 0.1	0.3 ± 0.2	0.5 ± 0.1	0.3 ± 0.2	2.5 ± 0.3	E Africa M	E Asia F
34	1.7 ± 0.3	-2.37 ± 0.10	-0.9 ± 0.2	-2.2 ± 0.1	-1.3 ± 0.2	1.8 ± 0.3	2.5 ± 0.3	-0.5 ± 0.1	-0.1 ± 0.2	0.5 ± 0.1	0.2 ± 0.2	2.7 ± 0.3	W Africa M	E Asia F
35	1.9 ± 0.4	-2.7 ± 0.1	-0.8 ± 0.2	-2.4 ± 0.1	-1.6 ± 0.2	1.6 ± 0.3	2.6 ± 0.3	-0.5 ± 0.1	-0.0 ± 0.2	0.4 ± 0.1	0.2 ± 0.3	2.2 ± 0.3	E Africa M	E Asia F
36	1.8 ± 0.4	-2.8 ± 0.1	-0.8 ± 0.2	-2.5 ± 0.1	-1.4 ± 0.2	1.9 ± 0.4	2.5 ± 0.3	-0.5 ± 0.1	0.1 ± 0.2	0.2 ± 0.1	0.4 ± 0.3	2.2 ± 0.3	E Africa M	E Asia F
37	1.6 ± 0.4	-2.8 ± 0.1	-0.8 ± 0.2	-2.3 ± 0.1	-1.5 ± 0.2	1.5 ± 0.4	2.4 ± 0.3	-0.6 ± 0.1	-0.1 ± 0.2	0.2 ± 0.1	0.1 ± 0.3	2.0 ± 0.3	E Africa M	E Asia F
38	2.0 ± 0.4	-3.0 ± 0.1	-0.8 ± 0.2	-2.4 ± 0.2	-1.5 ± 0.2	1.4 ± 0.4	2.2 ± 0.3	-0.5 ± 0.1	-0.1 ± 0.2	0.1 ± 0.1	0.4 ± 0.3	2.1 ± 0.3	E Africa M	E Asia F
39	1.8 ± 0.4	-3.0 ± 0.1	-0.8 ± 0.2	-2.4 ± 0.2	-1.5 ± 0.2	1.2 ± 0.4	2.5 ± 0.3	-0.6 ± 0.1	0.1 ± 0.2	0.1 ± 0.1	0.5 ± 0.2	1.8 ± 0.3	E Africa M	E Asia F
40	1.6 ± 0.4	-3.1 ± 0.1	-0.4 ± 0.2	-2.2 ± 0.2	-1.6 ± 0.2	1.1 ± 0.4	2.3 ± 0.3	-0.6 ± 0.1	0.1 ± 0.2	0.2 ± 0.1	0.5 ± 0.2	1.9 ± 0.3	E Africa M	E Asia F
41	1.1 ± 0.4	-3.0 ± 0.1	-0.5 ± 0.2	-2.2 ± 0.2	-1.8 ± 0.2	0.4 ± 0.4	2.6 ± 0.3	-0.5 ± 0.1	0.1 ± 0.2	0.1 ± 0.1	0.3 ± 0.3	1.8 ± 0.3	E Africa M	E Asia F
42	1.4 ± 0.5	-2.8 ± 0.1	-0.2 ± 0.3	-1.7 ± 0.2	-1.5 ± 0.2	0.9 ± 0.4	2.5 ± 0.4	-0.3 ± 0.1	0.4 ± 0.2	0.0 ± 0.1	0.7 ± 0.3	1.6 ± 0.3	E Africa M	E Asia F
43	1.7 ± 0.5	-3.0 ± 0.1	-0.3 ± 0.3	-1.9 ± 0.2	-1.6 ± 0.2	0.6 ± 0.4	2.6 ± 0.4	-0.3 ± 0.1	0.1 ± 0.2	0.1 ± 0.2	0.7 ± 0.3	1.3 ± 0.3	E Africa M	E Asia F
44	1.4 ± 0.5	-3.0 ± 0.1	-0.4 ± 0.3	-1.7 ± 0.2	-1.4 ± 0.2	0.2 ± 0.4	2.0 ± 0.4	-0.2 ± 0.2	0.7 ± 0.3	0.1 ± 0.2	0.9 ± 0.3	1.4 ± 0.3	E Africa M	E Asia F
45	1.3 ± 0.5	-2.8 ± 0.1	-0.4 ± 0.3	-1.6 ± 0.2	-1.4 ± 0.2	0.2 ± 0.4	1.9 ± 0.4	-0.3 ± 0.2	0.3 ± 0.3	0.3 ± 0.2	0.8 ± 0.3	0.9 ± 0.3	E Africa M	E Asia F
46	1.7 ± 0.5	-2.9 ± 0.1	-0.3 ± 0.3	-1.4 ± 0.2	-1.7 ± 0.2	0.4 ± 0.4	2.1 ± 0.4	-0.2 ± 0.2	0.5 ± 0.3	0.4 ± 0.2	0.8 ± 0.3	0.8 ± 0.3	E Africa M	E Asia F
47	1.5 ± 0.5	-2.5 ± 0.1	-0.2 ± 0.3	-1.4 ± 0.2	-1.5 ± 0.2	0.1 ± 0.4	2.2 ± 0.4	-0.1 ± 0.2	0.6 ± 0.3	0.5 ± 0.2	0.9 ± 0.3	0.9 ± 0.4	E Africa M	E Asia F
48	0.9 ± 0.6	-2.5 ± 0.1	-0.1 ± 0.3	-1.1 ± 0.2	-1.4 ± 0.2	0.3 ± 0.4	1.6 ± 0.5	-0.2 ± 0.1	0.6 ± 0.3	0.5 ± 0.2	0.8 ± 0.3	0.6 ± 0.4	E Africa M	E Asia F
49	1.6 ± 0.5	-2.6 ± 0.2	-0.3 ± 0.3	-1.2 ± 0.2	-1.2 ± 0.3	-0.3 ± 0.4	1.5 ± 0.5	-0.1 ± 0.2	0.5 ± 0.3	0.2 ± 0.2	0.9 ± 0.3	0.5 ± 0.4	E Africa F	E Asia F
50	1.1 ± 0.6	-2.4 ± 0.1	-0.1 ± 0.3	-1.2 ± 0.2	-1.4 ± 0.2	-0.1 ± 0.4	1.1 ± 0.5	-0.2 ± 0.1	0.4 ± 0.3	0.3 ± 0.2	1.0 ± 0.3	0.4 ± 0.3	E Africa F	E Asia F
51	1.0 ± 0.5	-2.4 ± 0.1	-0.5 ± 0.3	-1.2 ± 0.2	-1.4 ± 0.2	-0.4 ± 0.5	0.9 ± 0.6	-0.3 ± 0.1	0.7 ± 0.3	0.3 ± 0.2	1.1 ± 0.3	-0.0 ± 0.4	S E Asia M	E Asia F
52	0.8 ± 0.6	-2.4 ± 0.1	-0.3 ± 0.3	-1.5 ± 0.2	-1.2 ± 0.2	-0.7 ± 0.4	1.2 ± 0.5	-0.4 ± 0.2	0.3 ± 0.3	0.1 ± 0.2	0.6 ± 0.3	0.0 ± 0.4	E Africa M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 79. *Mean raw error for Application-type images for algorithm ondato-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.8 ± 0.3	4.9 ± 0.1	3.5 ± 0.2	4.1 ± 0.2	4.5 ± 0.3	5.6 ± 0.4	3.7 ± 0.3	3.4 ± 0.1	1.5 ± 0.2	2.2 ± 0.1	2.7 ± 0.2	3.7 ± 0.3	W Africa F	E Europe M
15	4.9 ± 0.4	4.9 ± 0.1	3.5 ± 0.2	4.3 ± 0.2	4.6 ± 0.3	5.3 ± 0.4	3.1 ± 0.3	3.34 ± 0.10	1.7 ± 0.2	2.3 ± 0.1	3.0 ± 0.2	3.5 ± 0.3	W Africa F	E Europe M
16	4.6 ± 0.3	4.5 ± 0.1	3.4 ± 0.2	4.0 ± 0.2	4.5 ± 0.3	5.4 ± 0.4	3.2 ± 0.3	3.08 ± 0.09	1.8 ± 0.2	2.4 ± 0.1	2.9 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
17	4.5 ± 0.3	4.2 ± 0.1	3.1 ± 0.3	3.9 ± 0.2	4.2 ± 0.3	5.1 ± 0.3	3.1 ± 0.3	2.86 ± 0.10	1.5 ± 0.2	2.6 ± 0.1	2.8 ± 0.2	3.3 ± 0.4	W Africa F	E Europe M
18	4.0 ± 0.3	3.6 ± 0.1	2.5 ± 0.2	3.4 ± 0.1	3.8 ± 0.2	4.6 ± 0.3	2.7 ± 0.2	2.32 ± 0.09	1.3 ± 0.2	2.3 ± 0.1	2.4 ± 0.2	2.8 ± 0.3	W Africa F	E Europe M
19	4.0 ± 0.3	3.2 ± 0.1	2.4 ± 0.2	3.2 ± 0.1	3.4 ± 0.2	4.7 ± 0.3	3.0 ± 0.3	2.11 ± 0.09	1.1 ± 0.2	2.3 ± 0.1	2.2 ± 0.2	3.1 ± 0.4	W Africa F	E Europe M
20	3.7 ± 0.3	3.0 ± 0.1	2.2 ± 0.2	2.9 ± 0.1	3.2 ± 0.2	4.3 ± 0.3	3.1 ± 0.3	1.89 ± 0.10	1.2 ± 0.2	2.4 ± 0.1	2.1 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
21	3.3 ± 0.3	2.8 ± 0.1	1.7 ± 0.2	2.4 ± 0.1	3.0 ± 0.1	4.1 ± 0.3	3.2 ± 0.3	1.69 ± 0.09	0.9 ± 0.2	2.3 ± 0.1	2.0 ± 0.2	2.9 ± 0.3	W Africa F	E Europe M
22	3.3 ± 0.3	2.3 ± 0.1	1.5 ± 0.2	1.9 ± 0.1	2.5 ± 0.1	3.4 ± 0.3	3.6 ± 0.3	1.4 ± 0.1	0.9 ± 0.2	2.1 ± 0.1	1.6 ± 0.1	2.8 ± 0.3	E Africa M	E Europe M
23	3.1 ± 0.2	2.00 ± 0.09	1.3 ± 0.1	1.7 ± 0.1	2.1 ± 0.1	3.5 ± 0.3	3.1 ± 0.3	1.2 ± 0.1	0.7 ± 0.2	2.0 ± 0.1	1.5 ± 0.2	2.8 ± 0.3	W Africa F	E Europe M
24	2.8 ± 0.3	1.49 ± 0.09	1.1 ± 0.1	1.2 ± 0.1	1.8 ± 0.1	2.8 ± 0.3	2.9 ± 0.2	0.9 ± 0.1	0.7 ± 0.2	1.9 ± 0.1	1.3 ± 0.2	2.8 ± 0.2	E Africa M	E Europe M
25	2.4 ± 0.2	1.23 ± 0.08	0.9 ± 0.1	0.76 ± 0.09	1.5 ± 0.1	2.7 ± 0.3	3.0 ± 0.2	0.8 ± 0.1	0.7 ± 0.1	1.7 ± 0.1	1.1 ± 0.1	2.4 ± 0.2	E Africa M	E Europe M
26	2.3 ± 0.3	0.82 ± 0.08	0.7 ± 0.1	0.29 ± 0.09	1.3 ± 0.1	2.3 ± 0.2	2.6 ± 0.2	0.5 ± 0.1	0.4 ± 0.1	1.4 ± 0.1	1.0 ± 0.2	2.1 ± 0.2	E Africa M	S Asia F
27	2.1 ± 0.3	0.38 ± 0.08	0.5 ± 0.1	-0.08 ± 0.09	0.8 ± 0.1	2.1 ± 0.2	2.4 ± 0.2	0.3 ± 0.1	0.5 ± 0.1	1.14 ± 0.10	0.9 ± 0.2	1.8 ± 0.2	E Africa M	S Asia F
28	1.7 ± 0.3	0.01 ± 0.08	0.4 ± 0.1	-0.44 ± 0.09	0.5 ± 0.1	1.8 ± 0.2	2.0 ± 0.2	0.2 ± 0.1	0.3 ± 0.1	0.93 ± 0.09	0.7 ± 0.2	1.4 ± 0.2	E Africa M	S Asia F
29	1.7 ± 0.3	-0.31 ± 0.08	0.1 ± 0.1	-0.79 ± 0.09	0.3 ± 0.1	1.4 ± 0.2	2.0 ± 0.2	-0.0 ± 0.1	0.2 ± 0.1	0.62 ± 0.09	0.3 ± 0.2	1.6 ± 0.2	E Africa M	S Asia F
30	1.5 ± 0.3	-0.59 ± 0.08	-0.0 ± 0.1	-1.18 ± 0.10	0.1 ± 0.1	1.0 ± 0.2	1.7 ± 0.2	-0.2 ± 0.1	0.1 ± 0.1	0.38 ± 0.09	0.4 ± 0.2	1.2 ± 0.2	E Africa M	S Asia F
31	0.9 ± 0.3	-0.90 ± 0.08	-0.0 ± 0.1	-1.51 ± 0.10	-0.2 ± 0.1	0.6 ± 0.2	1.5 ± 0.2	-0.4 ± 0.1	-0.1 ± 0.2	0.11 ± 0.09	0.2 ± 0.2	1.0 ± 0.2	E Africa M	S Asia F
32	1.1 ± 0.3	-1.15 ± 0.09	-0.3 ± 0.1	-1.7 ± 0.1	-0.4 ± 0.1	0.6 ± 0.3	1.0 ± 0.2	-0.6 ± 0.1	-0.1 ± 0.2	-0.04 ± 0.09	0.1 ± 0.2	0.7 ± 0.2	E Africa F	S Asia F
33	0.9 ± 0.3	-1.41 ± 0.09	-0.5 ± 0.1	-2.0 ± 0.1	-0.6 ± 0.1	0.3 ± 0.3	1.2 ± 0.3	-0.8 ± 0.1	0.1 ± 0.2	-0.36 ± 0.09	-0.1 ± 0.2	0.5 ± 0.2	E Africa M	S Asia F
34	0.7 ± 0.3	-1.69 ± 0.09	-0.7 ± 0.2	-2.2 ± 0.1	-0.9 ± 0.1	0.0 ± 0.3	0.8 ± 0.3	-1.0 ± 0.1	-0.2 ± 0.2	-0.47 ± 0.10	-0.3 ± 0.2	0.7 ± 0.2	E Africa M	S Asia F
35	0.8 ± 0.3	-1.98 ± 0.10	-0.6 ± 0.2	-2.4 ± 0.1	-1.1 ± 0.2	-0.3 ± 0.3	0.7 ± 0.3	-1.0 ± 0.1	-0.3 ± 0.2	-0.7 ± 0.1	-0.4 ± 0.2	0.1 ± 0.2	E Africa F	S Asia F
36	0.5 ± 0.3	-2.11 ± 0.10	-0.6 ± 0.2	-2.7 ± 0.1	-1.1 ± 0.2	-0.2 ± 0.3	0.7 ± 0.3	-1.2 ± 0.1	-0.2 ± 0.2	-0.8 ± 0.1	-0.3 ± 0.2	0.0 ± 0.2	E Africa M	S Asia F
37	0.2 ± 0.3	-2.28 ± 0.10	-0.8 ± 0.2	-2.6 ± 0.1	-1.2 ± 0.2	-0.6 ± 0.3	0.5 ± 0.3	-1.3 ± 0.1	-0.5 ± 0.2	-1.0 ± 0.1	-0.6 ± 0.2	-0.2 ± 0.2	E Africa M	S Asia F
38	0.6 ± 0.4	-2.5 ± 0.1	-0.9 ± 0.2	-2.7 ± 0.1	-1.4 ± 0.2	-0.6 ± 0.3	0.2 ± 0.3	-1.3 ± 0.1	-0.6 ± 0.2	-1.1 ± 0.1	-0.4 ± 0.2	-0.3 ± 0.2	E Africa F	S Asia F
39	0.2 ± 0.4	-2.5 ± 0.1	-1.0 ± 0.2	-2.9 ± 0.1	-1.5 ± 0.2	-0.8 ± 0.3	0.6 ± 0.3	-1.4 ± 0.1	-0.5 ± 0.2	-1.1 ± 0.1	-0.3 ± 0.2	-0.5 ± 0.3	E Africa M	S Asia F
40	0.2 ± 0.4	-2.8 ± 0.1	-0.9 ± 0.2	-2.8 ± 0.2	-1.8 ± 0.2	-1.2 ± 0.3	0.4 ± 0.3	-1.5 ± 0.1	-0.7 ± 0.2	-1.1 ± 0.1	-0.6 ± 0.2	-0.6 ± 0.3	E Africa M	S Asia F
41	-0.3 ± 0.4	-2.8 ± 0.1	-0.9 ± 0.2	-2.9 ± 0.2	-1.9 ± 0.2	-1.6 ± 0.4	0.5 ± 0.3	-1.5 ± 0.1	-0.7 ± 0.2	-1.2 ± 0.1	-0.7 ± 0.2	-0.6 ± 0.3	E Africa M	S Asia F
42	0.1 ± 0.4	-2.8 ± 0.1	-0.7 ± 0.2	-2.5 ± 0.2	-2.0 ± 0.2	-1.2 ± 0.4	0.6 ± 0.3	-1.5 ± 0.1	-0.4 ± 0.2	-1.3 ± 0.1	-0.5 ± 0.2	-0.8 ± 0.3	E Africa M	E Asia F
43	0.4 ± 0.4	-3.0 ± 0.1	-0.9 ± 0.2	-2.8 ± 0.2	-2.1 ± 0.2	-1.5 ± 0.4	0.8 ± 0.4	-1.5 ± 0.1	-0.8 ± 0.2	-1.3 ± 0.1	-0.5 ± 0.3	-1.2 ± 0.3	E Africa M	E Asia F
44	0.0 ± 0.5	-3.2 ± 0.1	-1.1 ± 0.2	-2.6 ± 0.2	-2.1 ± 0.2	-2.0 ± 0.4	0.2 ± 0.4	-1.5 ± 0.1	-0.4 ± 0.2	-1.2 ± 0.2	-0.4 ± 0.3	-0.9 ± 0.3	E Africa M	E Asia F
45	-0.0 ± 0.5	-3.1 ± 0.1	-1.0 ± 0.2	-2.6 ± 0.2	-2.2 ± 0.2	-1.9 ± 0.4	0.3 ± 0.4	-1.6 ± 0.1	-0.6 ± 0.2	-1.0 ± 0.2	-0.4 ± 0.3	-1.5 ± 0.3	E Africa M	E Asia F
46	0.5 ± 0.5	-3.4 ± 0.1	-1.0 ± 0.2	-2.4 ± 0.2	-2.4 ± 0.2	-1.6 ± 0.4	0.3 ± 0.5	-1.6 ± 0.1	-0.3 ± 0.3	-0.7 ± 0.2	-0.5 ± 0.3	-1.6 ± 0.3	E Africa F	E Asia F
47	0.2 ± 0.6	-3.2 ± 0.1	-0.8 ± 0.3	-2.3 ± 0.2	-2.3 ± 0.2	-2.0 ± 0.4	0.6 ± 0.4	-1.5 ± 0.1	-0.1 ± 0.3	-0.7 ± 0.2	-0.2 ± 0.3	-1.4 ± 0.4	E Africa M	E Asia F
48	-0.2 ± 0.6	-3.1 ± 0.1	-0.6 ± 0.3	-2.1 ± 0.2	-2.2 ± 0.2	-1.9 ± 0.4	-0.0 ± 0.5	-1.5 ± 0.1	-0.1 ± 0.3	-0.5 ± 0.2	-0.3 ± 0.3	-1.6 ± 0.4	E Africa M	E Asia F
49	0.3 ± 0.6	-3.3 ± 0.1	-0.7 ± 0.3	-2.0 ± 0.2	-2.1 ± 0.2	-2.5 ± 0.4	0.1 ± 0.5	-1.4 ± 0.2	-0.1 ± 0.3	-0.7 ± 0.2	-0.1 ± 0.3	-1.6 ± 0.4	E Africa F	E Asia F
50	-0.2 ± 0.7	-3.1 ± 0.1	-0.5 ± 0.3	-2.0 ± 0.2	-2.2 ± 0.2	-2.2 ± 0.5	-0.3 ± 0.5	-1.3 ± 0.2	-0.1 ± 0.3	-0.5 ± 0.2	0.1 ± 0.3	-1.7 ± 0.4	S E Asia M	E Asia F
51	0.1 ± 0.6	-3.1 ± 0.1	-0.9 ± 0.3	-1.9 ± 0.2	-2.2 ± 0.2	-2.5 ± 0.5	-0.4 ± 0.6	-1.3 ± 0.2	0.2 ± 0.3	-0.5 ± 0.2	0.2 ± 0.3	-2.2 ± 0.4	S E Asia M	E Asia F
52	-0.2 ± 0.6	-3.1 ± 0.1	-0.5 ± 0.3	-2.1 ± 0.2	-1.8 ± 0.2	-2.8 ± 0.4	-0.2 ± 0.5	-1.4 ± 0.2	0.0 ± 0.3	-0.6 ± 0.2	-0.1 ± 0.3	-1.9 ± 0.4	E Europe M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 80. *Mean raw error for Application-type images for algorithm onfido-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.4 ± 0.2	3.8 ± 0.1	4.3 ± 0.2	4.7 ± 0.2	4.2 ± 0.3	5.6 ± 0.2	3.5 ± 0.2	1.9 ± 0.1	1.6 ± 0.2	1.6 ± 0.1	1.6 ± 0.2	3.2 ± 0.2	W Africa F	S E Asia M
15	5.4 ± 0.3	4.1 ± 0.2	4.2 ± 0.3	5.2 ± 0.2	4.6 ± 0.4	5.2 ± 0.3	2.8 ± 0.2	2.0 ± 0.1	1.6 ± 0.1	1.9 ± 0.1	2.0 ± 0.2	3.0 ± 0.2	E Africa F	E Europe M
16	5.0 ± 0.3	4.4 ± 0.2	4.3 ± 0.3	5.0 ± 0.2	5.1 ± 0.4	5.5 ± 0.4	2.8 ± 0.2	2.2 ± 0.1	1.6 ± 0.2	2.0 ± 0.1	2.1 ± 0.2	2.5 ± 0.2	W Africa F	E Europe M
17	5.1 ± 0.3	4.5 ± 0.2	4.3 ± 0.3	5.2 ± 0.2	5.0 ± 0.3	5.3 ± 0.3	2.5 ± 0.2	2.4 ± 0.1	1.2 ± 0.1	2.3 ± 0.1	2.5 ± 0.3	2.8 ± 0.3	W Africa F	E Europe M
18	4.4 ± 0.2	4.2 ± 0.1	3.7 ± 0.3	4.8 ± 0.1	5.2 ± 0.2	5.0 ± 0.3	2.3 ± 0.2	2.4 ± 0.1	1.0 ± 0.2	2.2 ± 0.1	2.7 ± 0.2	2.5 ± 0.2	S E Asia F	E Europe M
19	4.8 ± 0.3	4.3 ± 0.1	3.7 ± 0.3	4.8 ± 0.1	5.1 ± 0.2	5.0 ± 0.3	2.7 ± 0.2	2.6 ± 0.1	0.9 ± 0.2	2.5 ± 0.1	2.9 ± 0.2	2.8 ± 0.3	S E Asia F	E Europe M
20	4.6 ± 0.3	4.3 ± 0.1	3.4 ± 0.2	4.5 ± 0.2	5.1 ± 0.2	4.9 ± 0.3	2.8 ± 0.3	2.7 ± 0.1	1.3 ± 0.2	2.7 ± 0.1	3.1 ± 0.2	2.8 ± 0.3	S E Asia F	E Europe M
21	4.5 ± 0.3	4.3 ± 0.1	3.1 ± 0.2	4.3 ± 0.1	4.9 ± 0.2	4.9 ± 0.3	3.1 ± 0.2	2.8 ± 0.1	1.1 ± 0.2	2.8 ± 0.1	3.1 ± 0.2	2.7 ± 0.3	W Africa F	E Europe M
22	4.4 ± 0.3	4.0 ± 0.1	2.8 ± 0.2	4.0 ± 0.1	4.7 ± 0.1	4.3 ± 0.3	3.4 ± 0.3	2.7 ± 0.1	1.2 ± 0.2	2.8 ± 0.1	3.0 ± 0.2	2.7 ± 0.3	S E Asia F	E Europe M
23	4.3 ± 0.2	3.80 ± 0.10	2.8 ± 0.1	3.8 ± 0.1	4.4 ± 0.1	4.5 ± 0.3	3.3 ± 0.3	2.61 ± 0.10	1.2 ± 0.2	3.0 ± 0.1	2.9 ± 0.2	3.0 ± 0.3	W Africa F	E Europe M
24	4.3 ± 0.3	3.53 ± 0.09	2.6 ± 0.1	3.45 ± 0.10	4.2 ± 0.1	3.9 ± 0.3	3.3 ± 0.2	2.5 ± 0.1	1.2 ± 0.1	2.9 ± 0.1	2.8 ± 0.1	2.9 ± 0.2	E Africa F	E Europe M
25	3.9 ± 0.2	3.38 ± 0.09	2.3 ± 0.1	3.14 ± 0.09	4.0 ± 0.1	4.1 ± 0.3	3.3 ± 0.2	2.4 ± 0.1	1.2 ± 0.1	2.9 ± 0.1	2.8 ± 0.1	2.9 ± 0.2	W Africa F	E Europe M
26	3.8 ± 0.2	3.12 ± 0.09	2.0 ± 0.1	2.82 ± 0.09	3.9 ± 0.1	3.7 ± 0.2	3.0 ± 0.2	2.28 ± 0.10	1.1 ± 0.1	2.88 ± 0.10	2.8 ± 0.1	2.8 ± 0.2	S E Asia F	E Europe M
27	3.7 ± 0.2	2.92 ± 0.08	1.9 ± 0.1	2.53 ± 0.09	3.5 ± 0.1	3.9 ± 0.2	3.0 ± 0.2	2.1 ± 0.1	1.2 ± 0.1	2.72 ± 0.10	2.8 ± 0.2	2.6 ± 0.2	W Africa F	E Europe M
28	3.5 ± 0.2	2.73 ± 0.08	1.8 ± 0.1	2.36 ± 0.09	3.5 ± 0.1	3.5 ± 0.2	2.7 ± 0.2	2.1 ± 0.1	1.2 ± 0.1	2.72 ± 0.09	2.7 ± 0.2	2.4 ± 0.2	E Africa F	E Europe M
29	3.7 ± 0.3	2.52 ± 0.08	1.7 ± 0.1	2.12 ± 0.09	3.4 ± 0.1	3.2 ± 0.2	2.7 ± 0.2	2.0 ± 0.1	1.1 ± 0.1	2.62 ± 0.08	2.4 ± 0.2	2.8 ± 0.2	E Africa F	E Europe M
30	3.6 ± 0.2	2.46 ± 0.08	1.5 ± 0.1	1.93 ± 0.09	3.3 ± 0.1	2.9 ± 0.2	2.7 ± 0.2	2.0 ± 0.1	1.1 ± 0.1	2.59 ± 0.08	2.6 ± 0.2	2.5 ± 0.2	E Africa F	E Europe M
31	3.2 ± 0.3	2.28 ± 0.09	1.5 ± 0.1	1.74 ± 0.09	3.1 ± 0.1	2.8 ± 0.2	2.7 ± 0.2	1.9 ± 0.1	1.0 ± 0.1	2.51 ± 0.08	2.6 ± 0.2	2.4 ± 0.2	E Africa F	E Europe M
32	3.3 ± 0.3	2.21 ± 0.09	1.3 ± 0.1	1.70 ± 0.10	3.0 ± 0.1	2.9 ± 0.2	2.4 ± 0.2	1.9 ± 0.1	1.0 ± 0.1	2.46 ± 0.08	2.6 ± 0.2	2.3 ± 0.2	E Africa F	E Europe M
33	3.1 ± 0.3	2.09 ± 0.09	1.3 ± 0.1	1.6 ± 0.1	3.0 ± 0.1	2.5 ± 0.2	2.5 ± 0.2	1.9 ± 0.1	1.3 ± 0.1	2.31 ± 0.08	2.3 ± 0.2	2.1 ± 0.2	E Africa F	E Europe F
34	3.0 ± 0.3	2.10 ± 0.09	1.2 ± 0.1	1.5 ± 0.1	2.9 ± 0.1	2.4 ± 0.2	2.2 ± 0.2	1.9 ± 0.1	1.1 ± 0.1	2.22 ± 0.08	2.5 ± 0.2	2.2 ± 0.2	E Africa F	E Europe M
35	3.3 ± 0.3	1.89 ± 0.09	1.2 ± 0.1	1.4 ± 0.1	2.7 ± 0.1	2.2 ± 0.3	2.3 ± 0.2	2.0 ± 0.1	1.1 ± 0.2	2.15 ± 0.08	2.4 ± 0.2	1.9 ± 0.2	E Africa F	E Europe M
36	3.0 ± 0.3	1.92 ± 0.09	1.2 ± 0.1	1.4 ± 0.1	2.7 ± 0.1	2.4 ± 0.3	2.2 ± 0.2	1.9 ± 0.1	1.2 ± 0.2	2.00 ± 0.08	2.4 ± 0.2	1.9 ± 0.2	E Africa F	E Europe F
37	3.0 ± 0.3	1.88 ± 0.09	1.1 ± 0.2	1.5 ± 0.1	2.6 ± 0.2	2.2 ± 0.3	2.1 ± 0.3	2.1 ± 0.1	1.1 ± 0.2	1.92 ± 0.09	2.2 ± 0.2	1.6 ± 0.2	E Africa F	E Europe M
38	3.4 ± 0.3	1.77 ± 0.09	1.1 ± 0.2	1.5 ± 0.1	2.5 ± 0.1	2.0 ± 0.3	1.9 ± 0.3	1.9 ± 0.1	1.1 ± 0.2	1.72 ± 0.09	2.4 ± 0.2	1.6 ± 0.2	E Africa F	E Europe F
39	3.1 ± 0.3	1.75 ± 0.09	1.0 ± 0.2	1.4 ± 0.1	2.4 ± 0.1	2.1 ± 0.3	2.2 ± 0.3	1.9 ± 0.1	1.2 ± 0.2	1.69 ± 0.09	2.3 ± 0.2	1.4 ± 0.2	E Africa F	E Europe F
40	2.8 ± 0.4	1.62 ± 0.09	1.4 ± 0.2	1.5 ± 0.1	2.3 ± 0.2	1.8 ± 0.3	2.2 ± 0.3	1.9 ± 0.1	1.1 ± 0.2	1.62 ± 0.10	2.2 ± 0.2	1.3 ± 0.2	E Africa F	E Europe M
41	2.8 ± 0.4	1.55 ± 0.09	1.2 ± 0.2	1.4 ± 0.1	2.2 ± 0.2	1.6 ± 0.3	2.2 ± 0.3	1.9 ± 0.1	1.3 ± 0.2	1.6 ± 0.1	2.2 ± 0.2	1.3 ± 0.2	E Africa F	E Europe F
42	3.1 ± 0.4	1.66 ± 0.09	1.3 ± 0.2	1.7 ± 0.2	2.2 ± 0.2	1.8 ± 0.3	2.1 ± 0.3	2.0 ± 0.1	1.5 ± 0.2	1.5 ± 0.1	2.3 ± 0.2	1.0 ± 0.2	E Africa F	W Africa M
43	3.2 ± 0.4	1.51 ± 0.09	1.2 ± 0.2	1.5 ± 0.2	2.1 ± 0.2	1.5 ± 0.3	2.4 ± 0.3	2.0 ± 0.1	1.4 ± 0.2	1.6 ± 0.1	2.4 ± 0.2	0.8 ± 0.3	E Africa F	W Africa M
44	3.2 ± 0.5	1.41 ± 0.09	1.0 ± 0.2	1.6 ± 0.2	2.2 ± 0.2	1.4 ± 0.4	2.0 ± 0.3	2.0 ± 0.1	1.8 ± 0.2	1.5 ± 0.1	2.5 ± 0.2	1.0 ± 0.3	E Africa F	E Europe F
45	3.1 ± 0.5	1.49 ± 0.09	1.2 ± 0.2	1.6 ± 0.2	2.1 ± 0.2	1.5 ± 0.3	1.9 ± 0.4	1.9 ± 0.1	1.6 ± 0.2	1.6 ± 0.1	2.3 ± 0.2	0.7 ± 0.3	E Africa F	W Africa M
46	4.0 ± 0.5	1.31 ± 0.09	1.4 ± 0.2	1.7 ± 0.2	2.0 ± 0.2	1.7 ± 0.4	2.2 ± 0.4	1.9 ± 0.1	1.7 ± 0.2	1.7 ± 0.1	2.4 ± 0.2	0.6 ± 0.3	E Africa F	W Africa M
47	3.8 ± 0.5	1.36 ± 0.10	1.4 ± 0.2	1.7 ± 0.2	2.0 ± 0.2	1.6 ± 0.4	2.6 ± 0.4	1.9 ± 0.1	1.8 ± 0.2	1.8 ± 0.2	2.6 ± 0.2	0.9 ± 0.3	E Africa F	W Africa M
48	3.2 ± 0.6	1.21 ± 0.10	1.5 ± 0.2	1.8 ± 0.2	2.0 ± 0.2	1.8 ± 0.4	2.2 ± 0.5	1.8 ± 0.1	1.9 ± 0.2	1.8 ± 0.2	2.6 ± 0.2	0.5 ± 0.3	E Africa F	W Africa M
49	3.9 ± 0.5	1.1 ± 0.1	1.4 ± 0.2	2.0 ± 0.2	2.2 ± 0.2	1.9 ± 0.4	2.0 ± 0.5	1.8 ± 0.1	1.7 ± 0.2	1.8 ± 0.2	2.5 ± 0.2	0.6 ± 0.3	E Africa F	W Africa M
50	3.6 ± 0.6	1.2 ± 0.1	1.5 ± 0.2	2.0 ± 0.2	2.0 ± 0.2	1.6 ± 0.4	2.2 ± 0.4	1.8 ± 0.1	1.7 ± 0.2	1.8 ± 0.2	2.8 ± 0.2	0.4 ± 0.3	E Africa F	W Africa M
51	3.6 ± 0.5	1.1 ± 0.1	1.5 ± 0.2	2.1 ± 0.2	2.0 ± 0.2	1.8 ± 0.4	1.7 ± 0.5	1.6 ± 0.1	1.9 ± 0.2	2.0 ± 0.2	2.6 ± 0.2	0.4 ± 0.4	E Africa F	W Africa M
52	3.4 ± 0.6	1.2 ± 0.1	1.7 ± 0.2	2.0 ± 0.2	2.3 ± 0.2	1.4 ± 0.4	1.8 ± 0.5	1.6 ± 0.1	1.9 ± 0.3	1.8 ± 0.2	2.4 ± 0.2	0.4 ± 0.4	E Africa F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 81. *Mean raw error for Application-type images for algorithm paravision-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	-1.3 ± 0.1	-0.30 ± 0.07	-0.56 ± 0.08	-0.74 ± 0.09	-0.8 ± 0.1	-0.7 ± 0.2	-1.7 ± 0.1	-0.50 ± 0.08	-0.9 ± 0.1	-1.11 ± 0.08	-1.0 ± 0.1	-1.3 ± 0.2	E Asia F	E Africa M
15	-1.7 ± 0.2	-0.70 ± 0.08	-1.15 ± 0.08	-1.1 ± 0.1	-1.1 ± 0.2	-1.1 ± 0.2	-2.0 ± 0.2	-0.69 ± 0.07	-1.26 ± 0.10	-1.33 ± 0.09	-1.1 ± 0.1	-1.4 ± 0.2	E Asia M	E Africa M
16	-2.5 ± 0.1	-1.2 ± 0.1	-1.7 ± 0.1	-1.85 ± 0.09	-1.3 ± 0.2	-1.5 ± 0.4	-2.0 ± 0.2	-1.07 ± 0.08	-1.6 ± 0.2	-1.71 ± 0.10	-1.6 ± 0.1	-1.6 ± 0.3	E Asia M	E Africa F
17	-2.8 ± 0.2	-1.6 ± 0.1	-2.3 ± 0.2	-2.2 ± 0.1	-1.7 ± 0.3	-2.2 ± 0.3	-2.7 ± 0.2	-1.2 ± 0.1	-2.2 ± 0.2	-1.9 ± 0.1	-1.9 ± 0.2	-1.2 ± 0.4	E Asia M	E Africa F
18	-3.3 ± 0.2	-2.0 ± 0.1	-3.2 ± 0.2	-3.0 ± 0.1	-2.0 ± 0.2	-2.7 ± 0.3	-3.0 ± 0.2	-1.6 ± 0.1	-2.5 ± 0.2	-2.2 ± 0.1	-2.0 ± 0.2	-1.5 ± 0.4	W Africa M	E Africa F
19	-3.9 ± 0.3	-2.2 ± 0.1	-3.4 ± 0.3	-3.1 ± 0.2	-2.1 ± 0.2	-2.9 ± 0.4	-3.0 ± 0.3	-1.3 ± 0.2	-2.5 ± 0.3	-1.9 ± 0.2	-2.3 ± 0.2	-1.0 ± 0.5	W Africa M	E Africa F
20	-4.3 ± 0.3	-2.0 ± 0.2	-3.8 ± 0.3	-3.5 ± 0.2	-2.1 ± 0.3	-3.2 ± 0.4	-2.5 ± 0.4	-1.0 ± 0.2	-2.1 ± 0.3	-1.3 ± 0.2	-2.1 ± 0.3	-0.5 ± 0.5	W Africa M	E Africa F
21	-4.6 ± 0.3	-1.9 ± 0.2	-4.1 ± 0.3	-3.5 ± 0.2	-2.2 ± 0.3	-3.6 ± 0.4	-2.6 ± 0.4	-0.8 ± 0.2	-1.7 ± 0.4	-0.7 ± 0.2	-1.9 ± 0.3	-0.4 ± 0.4	W Africa M	E Africa F
22	-4.9 ± 0.4	-1.9 ± 0.2	-3.9 ± 0.3	-3.6 ± 0.2	-1.9 ± 0.2	-4.0 ± 0.4	-1.6 ± 0.5	-0.4 ± 0.2	-0.8 ± 0.4	-0.3 ± 0.2	-1.6 ± 0.3	-0.1 ± 0.4	W Africa M	E Africa F
23	-5.3 ± 0.4	-1.6 ± 0.2	-3.6 ± 0.3	-3.5 ± 0.2	-1.7 ± 0.2	-4.0 ± 0.4	-1.2 ± 0.5	-0.2 ± 0.2	-0.4 ± 0.4	0.2 ± 0.2	-1.5 ± 0.3	0.4 ± 0.4	W Africa M	E Africa F
24	-5.0 ± 0.4	-1.5 ± 0.2	-2.8 ± 0.3	-3.4 ± 0.2	-1.6 ± 0.2	-4.4 ± 0.4	-0.7 ± 0.4	-0.1 ± 0.2	-0.1 ± 0.3	0.8 ± 0.2	-0.9 ± 0.3	0.6 ± 0.4	S Asia M	E Africa F
25	-5.2 ± 0.4	-1.3 ± 0.1	-2.3 ± 0.3	-3.3 ± 0.2	-1.2 ± 0.2	-4.4 ± 0.4	-0.2 ± 0.4	0.2 ± 0.2	0.4 ± 0.3	0.9 ± 0.2	-0.9 ± 0.3	0.8 ± 0.3	S Asia M	E Africa F
26	-5.6 ± 0.4	-1.2 ± 0.1	-1.8 ± 0.2	-3.4 ± 0.2	-0.9 ± 0.2	-4.3 ± 0.4	-0.1 ± 0.4	0.2 ± 0.2	0.6 ± 0.3	1.0 ± 0.2	-0.6 ± 0.3	0.7 ± 0.3	S Asia M	E Africa F
27	-5.5 ± 0.4	-1.2 ± 0.1	-1.3 ± 0.2	-3.2 ± 0.2	-1.0 ± 0.2	-4.5 ± 0.4	0.2 ± 0.4	0.3 ± 0.2	0.9 ± 0.2	1.2 ± 0.2	-0.2 ± 0.3	0.7 ± 0.3	S Asia M	E Africa F
28	-5.7 ± 0.4	-1.1 ± 0.1	-0.4 ± 0.2	-2.8 ± 0.2	-0.8 ± 0.2	-4.6 ± 0.4	0.3 ± 0.3	0.3 ± 0.2	1.0 ± 0.2	1.0 ± 0.1	0.1 ± 0.3	0.4 ± 0.3	S Asia M	E Africa F
29	-5.1 ± 0.5	-1.0 ± 0.1	-0.1 ± 0.2	-2.6 ± 0.2	-0.5 ± 0.2	-4.8 ± 0.4	0.6 ± 0.3	0.4 ± 0.1	0.9 ± 0.2	1.0 ± 0.1	-0.0 ± 0.3	1.0 ± 0.2	S Asia M	E Africa F
30	-5.2 ± 0.5	-1.0 ± 0.1	0.3 ± 0.2	-2.4 ± 0.2	-0.2 ± 0.2	-4.8 ± 0.4	0.8 ± 0.3	0.4 ± 0.1	1.1 ± 0.2	1.0 ± 0.1	0.3 ± 0.3	0.7 ± 0.2	E Europe M	E Africa F
31	-5.2 ± 0.5	-0.9 ± 0.1	0.7 ± 0.2	-2.2 ± 0.2	-0.1 ± 0.2	-4.6 ± 0.4	0.9 ± 0.3	0.4 ± 0.1	1.0 ± 0.2	1.0 ± 0.1	0.5 ± 0.3	0.6 ± 0.2	E Europe M	E Africa F
32	-4.7 ± 0.5	-0.8 ± 0.1	1.0 ± 0.2	-1.9 ± 0.2	-0.0 ± 0.2	-4.3 ± 0.4	0.7 ± 0.3	0.5 ± 0.1	1.1 ± 0.2	1.0 ± 0.1	0.8 ± 0.3	0.7 ± 0.2	E Europe M	E Africa F
33	-4.2 ± 0.5	-0.8 ± 0.1	1.1 ± 0.2	-1.6 ± 0.2	0.0 ± 0.2	-4.2 ± 0.4	1.0 ± 0.3	0.4 ± 0.1	1.2 ± 0.2	0.9 ± 0.1	0.6 ± 0.3	0.4 ± 0.2	E Europe M	W Africa F
34	-4.4 ± 0.5	-0.8 ± 0.1	1.2 ± 0.2	-1.6 ± 0.2	0.1 ± 0.2	-4.1 ± 0.4	0.7 ± 0.3	0.4 ± 0.1	1.1 ± 0.2	0.8 ± 0.1	0.9 ± 0.3	0.4 ± 0.2	E Europe F	E Africa F
35	-3.7 ± 0.5	-0.9 ± 0.1	1.1 ± 0.2	-1.4 ± 0.2	-0.1 ± 0.2	-4.2 ± 0.4	0.7 ± 0.3	0.7 ± 0.1	1.0 ± 0.2	0.8 ± 0.1	1.0 ± 0.3	0.2 ± 0.2	E Europe F	W Africa F
36	-3.7 ± 0.6	-0.7 ± 0.1	1.4 ± 0.2	-1.3 ± 0.2	0.2 ± 0.2	-3.9 ± 0.4	0.5 ± 0.3	0.7 ± 0.1	1.2 ± 0.2	0.7 ± 0.1	1.3 ± 0.3	0.1 ± 0.2	E Europe F	W Africa F
37	-3.2 ± 0.5	-0.8 ± 0.1	1.3 ± 0.2	-1.2 ± 0.2	0.2 ± 0.2	-3.8 ± 0.4	0.7 ± 0.3	0.8 ± 0.1	1.0 ± 0.2	0.6 ± 0.1	1.4 ± 0.3	-0.2 ± 0.2	S E Asia M	W Africa F
38	-2.8 ± 0.5	-0.8 ± 0.1	1.2 ± 0.2	-1.2 ± 0.2	0.3 ± 0.2	-3.7 ± 0.4	0.2 ± 0.3	0.8 ± 0.1	0.8 ± 0.2	0.4 ± 0.1	1.7 ± 0.3	-0.4 ± 0.2	S E Asia M	W Africa F
39	-2.9 ± 0.6	-0.8 ± 0.1	1.1 ± 0.2	-1.3 ± 0.2	0.2 ± 0.2	-3.5 ± 0.4	0.4 ± 0.3	0.8 ± 0.1	0.9 ± 0.2	0.4 ± 0.1	1.7 ± 0.2	-0.5 ± 0.2	S E Asia M	W Africa F
40	-2.7 ± 0.6	-0.8 ± 0.1	1.2 ± 0.2	-1.2 ± 0.2	0.2 ± 0.2	-4.1 ± 0.4	0.2 ± 0.3	0.8 ± 0.1	0.8 ± 0.2	0.3 ± 0.1	1.7 ± 0.2	-0.9 ± 0.2	S E Asia M	W Africa F
41	-2.7 ± 0.6	-0.8 ± 0.1	1.0 ± 0.2	-1.3 ± 0.2	0.1 ± 0.2	-4.3 ± 0.4	0.2 ± 0.3	0.8 ± 0.1	0.7 ± 0.2	0.2 ± 0.1	1.4 ± 0.2	-0.9 ± 0.2	S E Asia M	W Africa F
42	-2.0 ± 0.5	-0.7 ± 0.1	0.9 ± 0.2	-0.9 ± 0.2	0.0 ± 0.2	-3.9 ± 0.4	0.0 ± 0.3	0.9 ± 0.1	0.8 ± 0.2	-0.0 ± 0.1	1.7 ± 0.2	-1.2 ± 0.2	S E Asia M	W Africa F
43	-2.1 ± 0.6	-0.9 ± 0.1	0.8 ± 0.2	-1.1 ± 0.2	0.1 ± 0.2	-3.8 ± 0.4	0.3 ± 0.3	0.8 ± 0.1	0.5 ± 0.2	0.0 ± 0.1	1.5 ± 0.2	-1.6 ± 0.3	S E Asia M	W Africa F
44	-2.0 ± 0.6	-0.9 ± 0.1	0.4 ± 0.2	-1.2 ± 0.2	0.3 ± 0.2	-4.1 ± 0.4	-0.1 ± 0.3	0.7 ± 0.1	0.7 ± 0.2	-0.2 ± 0.1	1.7 ± 0.2	-1.7 ± 0.2	S E Asia M	W Africa F
45	-1.9 ± 0.5	-0.9 ± 0.1	0.4 ± 0.2	-1.0 ± 0.2	0.1 ± 0.2	-3.8 ± 0.4	-0.4 ± 0.4	0.7 ± 0.1	0.4 ± 0.2	0.1 ± 0.2	1.5 ± 0.2	-2.0 ± 0.3	S E Asia M	W Africa F
46	-0.9 ± 0.6	-1.1 ± 0.1	0.4 ± 0.2	-0.9 ± 0.2	0.0 ± 0.2	-3.8 ± 0.4	-0.3 ± 0.4	0.5 ± 0.1	0.8 ± 0.2	0.2 ± 0.2	1.5 ± 0.2	-2.3 ± 0.3	S E Asia M	W Africa F
47	-1.0 ± 0.6	-0.9 ± 0.1	0.5 ± 0.2	-0.9 ± 0.2	0.2 ± 0.2	-3.9 ± 0.4	-0.2 ± 0.4	0.5 ± 0.1	0.3 ± 0.2	0.2 ± 0.2	1.6 ± 0.3	-2.3 ± 0.3	S E Asia M	W Africa F
48	-1.6 ± 0.7	-0.9 ± 0.1	0.4 ± 0.2	-0.6 ± 0.2	0.1 ± 0.2	-3.8 ± 0.4	-0.7 ± 0.5	0.5 ± 0.1	0.5 ± 0.3	0.3 ± 0.2	1.4 ± 0.3	-2.9 ± 0.3	S E Asia M	W Africa F
49	-0.9 ± 0.6	-1.0 ± 0.1	0.2 ± 0.2	-0.6 ± 0.2	0.4 ± 0.2	-3.9 ± 0.5	-0.8 ± 0.5	0.5 ± 0.1	0.4 ± 0.2	0.2 ± 0.2	1.4 ± 0.3	-3.0 ± 0.3	S E Asia M	W Africa F
50	-1.2 ± 0.7	-1.0 ± 0.1	0.6 ± 0.2	-0.6 ± 0.2	0.2 ± 0.2	-3.9 ± 0.4	-0.9 ± 0.5	0.5 ± 0.1	0.3 ± 0.3	0.3 ± 0.2	1.6 ± 0.3	-3.3 ± 0.3	S E Asia M	W Africa F
51	-0.9 ± 0.6	-0.9 ± 0.1	0.4 ± 0.2	-0.4 ± 0.2	0.5 ± 0.2	-3.8 ± 0.5	-1.1 ± 0.6	0.5 ± 0.1	0.5 ± 0.2	0.4 ± 0.2	1.5 ± 0.3	-3.8 ± 0.3	S E Asia M	W Africa M
52	-0.8 ± 0.7	-1.0 ± 0.1	0.5 ± 0.2	-0.5 ± 0.2	0.7 ± 0.2	-4.1 ± 0.5	-0.9 ± 0.5	0.3 ± 0.1	0.4 ± 0.3	0.3 ± 0.2	1.2 ± 0.3	-3.6 ± 0.4	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 82. *Mean raw error for Application-type images for algorithm paravision-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	0.9 ± 0.2	1.15 ± 0.07	0.5 ± 0.1	0.4 ± 0.1	0.7 ± 0.2	2.6 ± 0.3	0.7 ± 0.2	1.03 ± 0.08	0.7 ± 0.1	0.08 ± 0.09	0.5 ± 0.2	1.7 ± 0.2	W Africa F	S Asia M
15	0.5 ± 0.3	0.87 ± 0.08	-0.0 ± 0.2	0.3 ± 0.2	0.6 ± 0.2	2.9 ± 0.4	0.4 ± 0.2	1.00 ± 0.07	0.5 ± 0.1	0.1 ± 0.1	0.5 ± 0.1	1.6 ± 0.3	W Africa F	E Europe F
16	0.3 ± 0.3	0.49 ± 0.09	-0.5 ± 0.2	-0.1 ± 0.1	0.5 ± 0.3	2.9 ± 0.5	0.6 ± 0.2	0.73 ± 0.07	0.3 ± 0.2	0.1 ± 0.1	0.4 ± 0.2	1.2 ± 0.3	W Africa F	E Europe F
17	0.1 ± 0.4	0.2 ± 0.1	-0.6 ± 0.3	-0.2 ± 0.2	0.3 ± 0.2	2.6 ± 0.4	0.2 ± 0.3	0.56 ± 0.10	-0.1 ± 0.2	0.2 ± 0.1	0.3 ± 0.2	1.7 ± 0.4	W Africa F	E Europe F
18	-0.1 ± 0.3	-0.3 ± 0.1	-1.1 ± 0.3	-0.5 ± 0.1	-0.0 ± 0.2	2.2 ± 0.4	0.3 ± 0.2	0.17 ± 0.09	-0.4 ± 0.2	0.3 ± 0.1	0.1 ± 0.2	1.3 ± 0.3	W Africa F	E Europe F
19	0.1 ± 0.4	-0.5 ± 0.1	-0.8 ± 0.3	-0.3 ± 0.2	-0.0 ± 0.2	2.3 ± 0.4	0.8 ± 0.3	0.2 ± 0.1	-0.3 ± 0.2	0.8 ± 0.2	-0.2 ± 0.2	1.7 ± 0.3	W Africa F	E Europe F
20	0.1 ± 0.4	-0.4 ± 0.1	-0.6 ± 0.3	-0.3 ± 0.2	0.0 ± 0.2	2.4 ± 0.3	1.0 ± 0.3	0.3 ± 0.1	0.2 ± 0.3	1.3 ± 0.2	0.2 ± 0.2	2.0 ± 0.4	W Africa F	E Europe F
21	0.3 ± 0.4	-0.5 ± 0.1	-0.3 ± 0.3	-0.1 ± 0.2	-0.1 ± 0.2	2.1 ± 0.4	1.3 ± 0.3	0.3 ± 0.1	0.6 ± 0.3	1.6 ± 0.2	0.3 ± 0.2	2.2 ± 0.3	W Africa M	E Asia F
22	0.2 ± 0.4	-0.7 ± 0.1	0.1 ± 0.2	-0.2 ± 0.2	0.1 ± 0.2	1.6 ± 0.4	2.0 ± 0.3	0.5 ± 0.1	1.1 ± 0.3	1.8 ± 0.2	0.3 ± 0.2	1.9 ± 0.3	E Africa M	E Asia F
23	0.2 ± 0.3	-0.6 ± 0.1	0.3 ± 0.2	-0.0 ± 0.2	0.1 ± 0.2	1.6 ± 0.3	2.0 ± 0.3	0.5 ± 0.1	1.4 ± 0.2	2.1 ± 0.2	0.4 ± 0.2	2.3 ± 0.3	W Africa M	E Asia F
24	0.6 ± 0.4	-0.6 ± 0.1	0.6 ± 0.2	-0.1 ± 0.1	0.1 ± 0.2	1.2 ± 0.3	2.2 ± 0.3	0.5 ± 0.1	1.6 ± 0.2	2.2 ± 0.1	0.6 ± 0.2	2.2 ± 0.3	W Africa M	E Asia F
25	0.5 ± 0.3	-0.6 ± 0.1	0.7 ± 0.1	-0.1 ± 0.1	0.2 ± 0.2	1.5 ± 0.3	2.3 ± 0.3	0.7 ± 0.1	1.8 ± 0.2	2.3 ± 0.1	0.7 ± 0.2	2.2 ± 0.3	E Africa M	E Asia F
26	0.3 ± 0.3	-0.6 ± 0.1	0.8 ± 0.1	-0.3 ± 0.1	0.4 ± 0.1	1.4 ± 0.3	2.2 ± 0.3	0.7 ± 0.1	1.8 ± 0.2	2.2 ± 0.1	0.8 ± 0.2	2.0 ± 0.2	S Asia M	E Asia F
27	0.5 ± 0.3	-0.6 ± 0.1	0.9 ± 0.1	-0.3 ± 0.1	0.3 ± 0.1	1.2 ± 0.3	2.2 ± 0.3	0.8 ± 0.1	1.8 ± 0.2	2.1 ± 0.1	0.9 ± 0.2	2.0 ± 0.2	E Africa M	E Asia F
28	0.6 ± 0.3	-0.55 ± 0.10	1.1 ± 0.1	-0.2 ± 0.1	0.4 ± 0.1	1.2 ± 0.3	2.1 ± 0.2	0.8 ± 0.1	1.8 ± 0.2	2.0 ± 0.1	1.1 ± 0.2	1.7 ± 0.2	E Africa M	E Asia F
29	0.9 ± 0.3	-0.61 ± 0.10	1.0 ± 0.1	-0.2 ± 0.1	0.4 ± 0.2	1.1 ± 0.3	2.1 ± 0.2	0.9 ± 0.1	1.6 ± 0.1	1.8 ± 0.1	0.7 ± 0.2	2.1 ± 0.2	W Africa M	E Asia F
30	0.9 ± 0.3	-0.59 ± 0.09	1.1 ± 0.1	-0.2 ± 0.1	0.4 ± 0.1	1.0 ± 0.3	2.1 ± 0.2	0.8 ± 0.1	1.6 ± 0.2	1.64 ± 0.10	1.0 ± 0.2	1.9 ± 0.2	E Africa M	E Asia F
31	0.8 ± 0.3	-0.68 ± 0.09	1.1 ± 0.1	-0.2 ± 0.1	0.4 ± 0.1	1.1 ± 0.3	2.1 ± 0.2	0.7 ± 0.1	1.6 ± 0.2	1.52 ± 0.10	1.1 ± 0.2	1.8 ± 0.2	E Africa M	E Asia F
32	1.1 ± 0.3	-0.65 ± 0.10	1.2 ± 0.1	-0.0 ± 0.1	0.4 ± 0.2	1.3 ± 0.3	1.9 ± 0.2	0.8 ± 0.1	1.6 ± 0.2	1.48 ± 0.09	1.1 ± 0.2	1.7 ± 0.2	E Africa M	E Asia F
33	1.1 ± 0.3	-0.71 ± 0.10	1.0 ± 0.1	0.1 ± 0.1	0.3 ± 0.2	1.1 ± 0.3	1.9 ± 0.2	0.7 ± 0.1	1.7 ± 0.2	1.36 ± 0.09	0.9 ± 0.2	1.5 ± 0.2	E Africa M	E Asia F
34	0.9 ± 0.3	-0.72 ± 0.10	1.0 ± 0.1	0.1 ± 0.1	0.3 ± 0.2	1.1 ± 0.3	1.6 ± 0.3	0.7 ± 0.1	1.6 ± 0.2	1.3 ± 0.1	1.0 ± 0.2	1.3 ± 0.2	E Europe M	E Asia F
35	1.3 ± 0.4	-0.8 ± 0.1	0.9 ± 0.1	0.2 ± 0.1	0.2 ± 0.2	1.0 ± 0.3	1.8 ± 0.3	0.8 ± 0.1	1.5 ± 0.2	1.3 ± 0.1	1.0 ± 0.2	1.2 ± 0.2	E Africa M	E Asia F
36	1.3 ± 0.4	-0.7 ± 0.1	1.0 ± 0.1	0.2 ± 0.1	0.3 ± 0.2	1.1 ± 0.3	1.4 ± 0.3	0.8 ± 0.1	1.8 ± 0.2	1.2 ± 0.1	1.2 ± 0.2	0.9 ± 0.2	E Europe M	E Asia F
37	1.4 ± 0.4	-0.7 ± 0.1	0.8 ± 0.2	0.4 ± 0.1	0.4 ± 0.2	0.9 ± 0.3	1.5 ± 0.3	0.8 ± 0.1	1.6 ± 0.2	1.2 ± 0.1	1.1 ± 0.2	0.7 ± 0.2	E Europe M	E Asia F
38	1.7 ± 0.4	-0.7 ± 0.1	0.9 ± 0.2	0.5 ± 0.1	0.5 ± 0.2	0.7 ± 0.3	1.2 ± 0.3	0.8 ± 0.1	1.4 ± 0.2	1.0 ± 0.1	1.3 ± 0.2	0.5 ± 0.2	E Africa F	E Asia F
39	1.6 ± 0.4	-0.6 ± 0.1	0.7 ± 0.2	0.4 ± 0.2	0.5 ± 0.2	0.9 ± 0.3	1.3 ± 0.3	0.9 ± 0.1	1.5 ± 0.2	1.1 ± 0.1	1.3 ± 0.2	0.3 ± 0.2	E Africa F	E Asia F
40	1.5 ± 0.4	-0.6 ± 0.1	1.0 ± 0.2	0.6 ± 0.2	0.5 ± 0.2	0.3 ± 0.3	1.2 ± 0.3	1.0 ± 0.1	1.5 ± 0.2	0.9 ± 0.1	1.3 ± 0.2	0.1 ± 0.2	E Europe M	E Asia F
41	1.1 ± 0.4	-0.5 ± 0.1	0.9 ± 0.2	0.5 ± 0.2	0.5 ± 0.2	0.1 ± 0.3	1.3 ± 0.3	1.0 ± 0.1	1.5 ± 0.2	0.8 ± 0.1	1.2 ± 0.2	-0.0 ± 0.3	E Europe M	E Asia F
42	1.6 ± 0.4	-0.3 ± 0.1	0.9 ± 0.2	1.0 ± 0.2	0.4 ± 0.2	0.3 ± 0.3	1.0 ± 0.3	1.1 ± 0.1	1.6 ± 0.2	0.6 ± 0.1	1.6 ± 0.2	-0.3 ± 0.3	E Europe M	E Asia F
43	1.8 ± 0.4	-0.4 ± 0.1	0.9 ± 0.2	0.8 ± 0.2	0.5 ± 0.2	0.1 ± 0.3	1.2 ± 0.3	1.1 ± 0.1	1.4 ± 0.2	0.7 ± 0.1	1.4 ± 0.2	-0.6 ± 0.3	E Africa F	W Africa M
44	1.6 ± 0.5	-0.3 ± 0.1	0.5 ± 0.2	0.7 ± 0.2	0.9 ± 0.2	-0.1 ± 0.4	0.6 ± 0.3	1.2 ± 0.1	1.7 ± 0.2	0.6 ± 0.1	1.7 ± 0.2	-0.5 ± 0.3	S E Asia M	W Africa M
45	1.5 ± 0.5	-0.1 ± 0.1	0.8 ± 0.2	0.7 ± 0.2	0.8 ± 0.2	-0.0 ± 0.4	0.3 ± 0.4	1.3 ± 0.1	1.3 ± 0.2	0.7 ± 0.2	1.5 ± 0.3	-0.9 ± 0.3	S E Asia M	W Africa M
46	2.3 ± 0.5	-0.2 ± 0.1	0.8 ± 0.2	0.9 ± 0.2	0.6 ± 0.2	-0.2 ± 0.4	0.3 ± 0.4	1.3 ± 0.1	1.7 ± 0.2	0.8 ± 0.2	1.7 ± 0.3	-1.3 ± 0.3	E Africa F	W Africa M
47	2.2 ± 0.5	0.0 ± 0.1	0.9 ± 0.3	0.9 ± 0.2	0.9 ± 0.2	-0.2 ± 0.4	0.6 ± 0.4	1.5 ± 0.1	1.4 ± 0.2	0.9 ± 0.2	1.9 ± 0.3	-1.3 ± 0.3	E Africa F	W Africa M
48	1.5 ± 0.5	0.1 ± 0.1	0.9 ± 0.2	1.1 ± 0.2	0.8 ± 0.2	-0.3 ± 0.4	0.3 ± 0.5	1.6 ± 0.1	1.5 ± 0.3	0.9 ± 0.2	1.8 ± 0.3	-1.6 ± 0.3	S E Asia M	W Africa M
49	2.0 ± 0.5	0.1 ± 0.1	0.8 ± 0.2	1.2 ± 0.2	1.2 ± 0.2	-0.5 ± 0.4	-0.1 ± 0.5	1.7 ± 0.2	1.4 ± 0.2	0.8 ± 0.2	1.9 ± 0.3	-1.6 ± 0.3	E Africa F	W Africa M
50	1.9 ± 0.6	0.2 ± 0.1	1.2 ± 0.2	1.1 ± 0.2	1.0 ± 0.2	-0.5 ± 0.4	0.0 ± 0.5	1.7 ± 0.2	1.3 ± 0.2	0.9 ± 0.2	2.2 ± 0.3	-1.9 ± 0.4	S E Asia M	W Africa M
51	2.0 ± 0.5	0.3 ± 0.1	1.0 ± 0.2	1.1 ± 0.2	1.1 ± 0.2	-0.6 ± 0.4	-0.2 ± 0.6	1.8 ± 0.2	1.4 ± 0.2	1.0 ± 0.2	2.0 ± 0.3	-2.3 ± 0.4	S E Asia M	W Africa M
52	2.0 ± 0.6	0.4 ± 0.1	1.1 ± 0.2	1.0 ± 0.2	1.3 ± 0.2	-0.9 ± 0.4	0.2 ± 0.6	1.8 ± 0.2	1.3 ± 0.3	1.0 ± 0.2	1.9 ± 0.3	-1.7 ± 0.4	E Africa F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 83. *Mean raw error for Application-type images for algorithm privately-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.2 ± 0.4	3.4 ± 0.2	0.7 ± 0.3	1.6 ± 0.2	2.8 ± 0.4	2.0 ± 0.4	1.1 ± 0.3	3.2 ± 0.1	-0.3 ± 0.2	1.2 ± 0.1	2.0 ± 0.3	1.7 ± 0.3	E Asia F	E Europe M
15	1.3 ± 0.4	3.8 ± 0.2	0.7 ± 0.3	2.1 ± 0.3	3.3 ± 0.4	1.9 ± 0.5	0.9 ± 0.3	3.4 ± 0.1	-0.3 ± 0.2	1.4 ± 0.2	2.3 ± 0.3	1.9 ± 0.4	E Asia F	E Europe M
16	1.2 ± 0.4	3.8 ± 0.2	0.9 ± 0.4	1.9 ± 0.3	3.7 ± 0.4	1.9 ± 0.5	1.4 ± 0.3	3.1 ± 0.1	-0.0 ± 0.3	1.4 ± 0.2	2.5 ± 0.3	1.3 ± 0.3	E Asia F	E Europe M
17	1.5 ± 0.4	3.6 ± 0.2	1.0 ± 0.4	1.8 ± 0.3	3.2 ± 0.4	1.6 ± 0.4	1.2 ± 0.3	2.9 ± 0.1	-0.5 ± 0.3	1.5 ± 0.2	2.1 ± 0.3	1.3 ± 0.3	E Asia F	E Europe M
18	1.1 ± 0.3	3.1 ± 0.2	0.8 ± 0.3	1.2 ± 0.2	3.0 ± 0.3	0.8 ± 0.4	0.9 ± 0.3	2.1 ± 0.1	-0.5 ± 0.3	0.8 ± 0.1	1.7 ± 0.2	0.7 ± 0.3	E Asia F	E Europe M
19	1.1 ± 0.4	2.8 ± 0.2	0.6 ± 0.3	1.2 ± 0.2	2.7 ± 0.2	0.9 ± 0.4	0.8 ± 0.3	1.8 ± 0.1	-0.6 ± 0.3	0.9 ± 0.1	1.2 ± 0.2	0.5 ± 0.3	E Asia F	E Europe M
20	0.7 ± 0.4	2.8 ± 0.2	0.4 ± 0.3	0.9 ± 0.2	2.5 ± 0.2	0.9 ± 0.4	0.8 ± 0.3	1.3 ± 0.1	-0.6 ± 0.3	0.7 ± 0.1	0.9 ± 0.2	0.4 ± 0.3	E Asia F	E Europe M
21	0.4 ± 0.3	2.5 ± 0.1	-0.0 ± 0.3	0.4 ± 0.2	2.3 ± 0.2	0.3 ± 0.4	0.5 ± 0.3	0.9 ± 0.1	-0.6 ± 0.2	0.4 ± 0.1	0.5 ± 0.2	-0.3 ± 0.3	E Asia F	E Europe M
22	0.2 ± 0.3	2.0 ± 0.1	-0.1 ± 0.2	-0.2 ± 0.2	1.8 ± 0.2	0.0 ± 0.4	0.8 ± 0.3	0.4 ± 0.1	-0.7 ± 0.2	-0.0 ± 0.1	-0.2 ± 0.2	-0.5 ± 0.3	E Asia F	E Europe M
23	-0.3 ± 0.3	1.6 ± 0.1	-0.4 ± 0.2	-0.5 ± 0.1	1.6 ± 0.2	-0.3 ± 0.3	0.1 ± 0.3	-0.2 ± 0.1	-1.0 ± 0.2	-0.3 ± 0.1	-0.7 ± 0.2	-0.8 ± 0.2	E Asia F	E Europe M
24	-0.7 ± 0.3	1.2 ± 0.1	-0.7 ± 0.2	-0.9 ± 0.1	1.1 ± 0.1	-0.9 ± 0.3	-0.1 ± 0.3	-0.6 ± 0.1	-1.4 ± 0.2	-0.6 ± 0.1	-1.1 ± 0.2	-1.3 ± 0.2	E Asia F	E Europe M
25	-1.0 ± 0.3	0.9 ± 0.1	-1.1 ± 0.2	-1.5 ± 0.1	0.6 ± 0.1	-1.3 ± 0.3	-0.2 ± 0.3	-0.9 ± 0.1	-1.6 ± 0.2	-1.1 ± 0.1	-1.3 ± 0.2	-1.6 ± 0.2	E Asia F	W Africa M
26	-1.4 ± 0.2	0.42 ± 0.10	-1.4 ± 0.1	-2.0 ± 0.1	0.3 ± 0.1	-1.9 ± 0.3	-0.7 ± 0.2	-1.4 ± 0.1	-2.1 ± 0.2	-1.5 ± 0.1	-1.8 ± 0.2	-2.0 ± 0.2	E Asia F	E Europe M
27	-1.5 ± 0.3	0.08 ± 0.09	-1.7 ± 0.1	-2.4 ± 0.1	-0.1 ± 0.1	-2.3 ± 0.2	-1.0 ± 0.2	-1.7 ± 0.1	-2.2 ± 0.2	-1.9 ± 0.1	-1.8 ± 0.2	-2.5 ± 0.2	E Asia F	W Africa M
28	-2.2 ± 0.3	-0.31 ± 0.09	-2.1 ± 0.1	-2.9 ± 0.1	-0.4 ± 0.1	-2.9 ± 0.2	-1.4 ± 0.2	-2.0 ± 0.1	-2.2 ± 0.2	-2.3 ± 0.1	-2.3 ± 0.2	-3.0 ± 0.2	E Asia F	W Africa M
29	-2.5 ± 0.2	-0.68 ± 0.09	-2.3 ± 0.1	-3.3 ± 0.1	-0.8 ± 0.1	-3.3 ± 0.2	-1.7 ± 0.2	-2.3 ± 0.1	-2.6 ± 0.2	-2.81 ± 0.10	-2.6 ± 0.2	-3.1 ± 0.2	E Asia F	S Asia F
30	-3.1 ± 0.3	-1.10 ± 0.09	-2.7 ± 0.1	-3.8 ± 0.1	-1.0 ± 0.1	-4.0 ± 0.3	-2.0 ± 0.3	-2.7 ± 0.1	-2.8 ± 0.2	-3.27 ± 0.09	-2.9 ± 0.2	-3.6 ± 0.2	S E Asia F	W Africa F
31	-3.5 ± 0.3	-1.52 ± 0.09	-2.9 ± 0.2	-4.3 ± 0.1	-1.5 ± 0.1	-4.3 ± 0.2	-2.2 ± 0.3	-2.9 ± 0.1	-3.2 ± 0.2	-3.63 ± 0.10	-3.2 ± 0.2	-4.1 ± 0.2	E Asia F	S Asia F
32	-3.8 ± 0.3	-1.87 ± 0.09	-3.3 ± 0.2	-4.7 ± 0.1	-2.0 ± 0.2	-4.8 ± 0.3	-2.6 ± 0.3	-3.1 ± 0.1	-3.1 ± 0.2	-3.88 ± 0.10	-3.3 ± 0.2	-4.4 ± 0.2	E Asia F	W Africa F
33	-4.4 ± 0.3	-2.27 ± 0.10	-3.7 ± 0.2	-5.1 ± 0.1	-2.4 ± 0.2	-5.2 ± 0.3	-3.0 ± 0.3	-3.4 ± 0.1	-3.2 ± 0.2	-4.4 ± 0.1	-3.6 ± 0.2	-4.7 ± 0.2	E Asia F	W Africa F
34	-4.6 ± 0.3	-2.59 ± 0.10	-4.1 ± 0.2	-5.4 ± 0.1	-2.7 ± 0.2	-5.7 ± 0.3	-3.5 ± 0.3	-3.7 ± 0.1	-3.5 ± 0.2	-4.6 ± 0.1	-3.7 ± 0.3	-5.0 ± 0.2	E Asia F	W Africa F
35	-4.7 ± 0.3	-3.1 ± 0.1	-4.3 ± 0.2	-5.8 ± 0.1	-3.2 ± 0.2	-6.2 ± 0.3	-3.4 ± 0.3	-3.8 ± 0.1	-3.8 ± 0.2	-5.1 ± 0.1	-4.1 ± 0.3	-5.4 ± 0.2	E Asia F	W Africa F
36	-5.0 ± 0.3	-3.3 ± 0.1	-4.4 ± 0.2	-6.2 ± 0.1	-3.3 ± 0.2	-6.3 ± 0.3	-4.1 ± 0.3	-4.1 ± 0.1	-3.7 ± 0.2	-5.3 ± 0.1	-4.1 ± 0.3	-5.7 ± 0.3	E Asia F	W Africa F
37	-5.6 ± 0.4	-3.6 ± 0.1	-4.8 ± 0.2	-6.3 ± 0.1	-3.9 ± 0.2	-6.9 ± 0.3	-4.0 ± 0.3	-4.2 ± 0.1	-4.2 ± 0.2	-5.6 ± 0.1	-4.4 ± 0.3	-6.0 ± 0.3	E Asia F	W Africa F
38	-5.4 ± 0.4	-4.0 ± 0.1	-4.9 ± 0.2	-6.6 ± 0.2	-3.8 ± 0.2	-7.3 ± 0.4	-4.5 ± 0.3	-4.6 ± 0.1	-4.3 ± 0.2	-5.9 ± 0.1	-4.0 ± 0.3	-6.2 ± 0.3	S E Asia F	W Africa F
39	-5.8 ± 0.4	-4.2 ± 0.1	-5.2 ± 0.2	-7.1 ± 0.2	-4.2 ± 0.2	-7.4 ± 0.3	-4.2 ± 0.4	-4.8 ± 0.1	-4.2 ± 0.2	-6.1 ± 0.1	-4.0 ± 0.3	-6.5 ± 0.3	S E Asia M	W Africa F
40	-6.1 ± 0.4	-4.5 ± 0.1	-5.0 ± 0.3	-7.0 ± 0.2	-4.6 ± 0.2	-8.0 ± 0.3	-4.3 ± 0.4	-5.0 ± 0.1	-4.5 ± 0.2	-6.2 ± 0.1	-4.4 ± 0.3	-6.7 ± 0.3	E Africa M	W Africa F
41	-6.5 ± 0.4	-4.7 ± 0.1	-5.5 ± 0.3	-7.4 ± 0.2	-4.7 ± 0.2	-8.8 ± 0.4	-4.3 ± 0.4	-5.0 ± 0.1	-4.3 ± 0.3	-6.4 ± 0.2	-4.4 ± 0.3	-6.9 ± 0.4	E Europe M	W Africa F
42	-6.2 ± 0.5	-4.7 ± 0.1	-5.1 ± 0.3	-7.2 ± 0.2	-5.1 ± 0.2	-8.4 ± 0.4	-4.3 ± 0.4	-5.0 ± 0.2	-4.0 ± 0.3	-6.4 ± 0.2	-4.1 ± 0.3	-7.0 ± 0.3	E Europe M	W Africa F
43	-6.5 ± 0.5	-5.0 ± 0.1	-5.4 ± 0.3	-7.6 ± 0.2	-5.4 ± 0.3	-9.0 ± 0.4	-4.1 ± 0.5	-5.0 ± 0.2	-4.4 ± 0.3	-6.4 ± 0.2	-4.1 ± 0.3	-7.3 ± 0.4	E Africa M	W Africa F
44	-6.3 ± 0.6	-5.2 ± 0.1	-5.5 ± 0.3	-7.5 ± 0.2	-5.1 ± 0.3	-9.1 ± 0.5	-4.6 ± 0.5	-4.9 ± 0.2	-4.2 ± 0.3	-6.4 ± 0.2	-3.8 ± 0.3	-6.9 ± 0.4	S E Asia M	W Africa F
45	-6.7 ± 0.6	-5.2 ± 0.2	-5.5 ± 0.4	-7.5 ± 0.3	-5.4 ± 0.3	-9.4 ± 0.5	-4.6 ± 0.5	-5.1 ± 0.2	-4.2 ± 0.3	-6.3 ± 0.2	-4.0 ± 0.3	-7.4 ± 0.4	S E Asia M	W Africa F
46	-6.3 ± 0.6	-5.4 ± 0.2	-5.7 ± 0.4	-7.2 ± 0.3	-5.8 ± 0.3	-9.5 ± 0.5	-4.4 ± 0.5	-5.0 ± 0.2	-4.0 ± 0.4	-6.0 ± 0.2	-3.7 ± 0.4	-7.5 ± 0.4	S E Asia M	W Africa F
47	-5.7 ± 0.7	-5.3 ± 0.2	-5.4 ± 0.4	-7.3 ± 0.3	-5.4 ± 0.3	-9.5 ± 0.5	-3.8 ± 0.6	-4.8 ± 0.2	-4.0 ± 0.4	-6.0 ± 0.3	-3.5 ± 0.3	-7.2 ± 0.5	S E Asia M	W Africa F
48	-6.5 ± 0.7	-5.3 ± 0.2	-5.2 ± 0.4	-7.2 ± 0.3	-5.6 ± 0.3	-9.6 ± 0.5	-4.7 ± 0.6	-4.9 ± 0.2	-3.7 ± 0.4	-5.9 ± 0.3	-3.5 ± 0.4	-7.6 ± 0.5	S E Asia M	W Africa F
49	-6.5 ± 0.7	-5.4 ± 0.2	-5.5 ± 0.4	-7.0 ± 0.3	-5.3 ± 0.3	-9.7 ± 0.6	-4.9 ± 0.6	-4.7 ± 0.2	-3.9 ± 0.4	-5.8 ± 0.3	-3.5 ± 0.4	-7.8 ± 0.5	S E Asia M	W Africa F
50	-6.5 ± 0.8	-5.5 ± 0.2	-5.1 ± 0.4	-7.0 ± 0.3	-5.7 ± 0.3	-9.6 ± 0.6	-4.4 ± 0.6	-4.7 ± 0.2	-4.0 ± 0.4	-5.9 ± 0.3	-3.3 ± 0.4	-7.4 ± 0.5	S E Asia M	W Africa F
51	-5.9 ± 0.7	-5.5 ± 0.2	-5.1 ± 0.4	-7.0 ± 0.3	-5.9 ± 0.3	-10.1 ± 0.6	-5.0 ± 0.7	-4.7 ± 0.2	-3.8 ± 0.4	-5.8 ± 0.3	-3.4 ± 0.3	-7.9 ± 0.5	S E Asia M	W Africa F
52	-6.4 ± 0.8	-5.7 ± 0.2	-4.7 ± 0.4	-7.1 ± 0.3	-5.3 ± 0.3	-10.7 ± 0.6	-4.7 ± 0.7	-4.7 ± 0.2	-3.9 ± 0.4	-5.8 ± 0.3	-3.9 ± 0.4	-8.0 ± 0.5	E Europe M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 84. *Mean raw error for Application-type images for algorithm regula-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.1 ± 0.3	1.98 ± 0.09	1.2 ± 0.2	2.1 ± 0.1	1.9 ± 0.2	2.3 ± 0.3	0.4 ± 0.2	1.38 ± 0.09	0.2 ± 0.1	0.7 ± 0.1	0.9 ± 0.2	0.4 ± 0.2	W Africa F	E Europe M
15	2.5 ± 0.3	1.81 ± 0.09	1.3 ± 0.2	2.5 ± 0.2	2.1 ± 0.3	2.4 ± 0.4	0.4 ± 0.2	1.35 ± 0.07	0.3 ± 0.1	1.0 ± 0.1	1.1 ± 0.1	0.9 ± 0.3	S Asia F	E Europe M
16	2.4 ± 0.3	1.59 ± 0.09	1.5 ± 0.2	2.2 ± 0.2	2.1 ± 0.3	3.1 ± 0.4	1.0 ± 0.2	1.12 ± 0.06	0.5 ± 0.2	1.0 ± 0.1	1.0 ± 0.1	0.8 ± 0.3	W Africa F	E Europe M
17	2.6 ± 0.3	1.3 ± 0.1	1.5 ± 0.2	2.3 ± 0.2	1.9 ± 0.2	3.0 ± 0.3	0.8 ± 0.2	0.88 ± 0.08	0.2 ± 0.2	1.0 ± 0.1	0.9 ± 0.2	1.4 ± 0.4	W Africa F	E Europe M
18	2.2 ± 0.3	0.74 ± 0.10	0.8 ± 0.3	1.7 ± 0.1	1.6 ± 0.2	2.5 ± 0.4	0.7 ± 0.2	0.32 ± 0.08	-0.1 ± 0.2	0.6 ± 0.1	0.5 ± 0.2	1.1 ± 0.3	W Africa F	E Europe M
19	2.4 ± 0.3	0.5 ± 0.1	0.8 ± 0.2	1.7 ± 0.1	1.5 ± 0.2	3.1 ± 0.3	1.0 ± 0.2	0.21 ± 0.08	-0.3 ± 0.2	0.7 ± 0.1	0.3 ± 0.2	1.4 ± 0.3	W Africa F	E Europe M
20	2.3 ± 0.3	0.5 ± 0.1	0.6 ± 0.2	1.6 ± 0.1	1.4 ± 0.2	2.9 ± 0.3	1.1 ± 0.3	-0.02 ± 0.09	-0.0 ± 0.2	0.8 ± 0.1	0.3 ± 0.2	1.6 ± 0.3	W Africa F	E Asia M
21	2.2 ± 0.2	0.4 ± 0.1	0.5 ± 0.2	1.3 ± 0.1	1.3 ± 0.2	2.8 ± 0.3	1.3 ± 0.2	-0.13 ± 0.09	-0.3 ± 0.2	0.7 ± 0.1	0.2 ± 0.2	1.6 ± 0.3	W Africa F	E Europe M
22	2.2 ± 0.3	0.1 ± 0.1	0.4 ± 0.2	1.0 ± 0.1	1.1 ± 0.1	2.4 ± 0.3	1.8 ± 0.2	-0.34 ± 0.10	-0.1 ± 0.2	0.6 ± 0.1	0.1 ± 0.2	1.5 ± 0.3	W Africa F	E Asia M
23	2.0 ± 0.2	0.1 ± 0.1	0.3 ± 0.1	0.8 ± 0.1	0.9 ± 0.1	2.6 ± 0.3	1.5 ± 0.3	-0.5 ± 0.1	-0.2 ± 0.2	0.6 ± 0.1	0.1 ± 0.2	1.8 ± 0.2	W Africa F	E Asia M
24	1.9 ± 0.2	-0.15 ± 0.10	0.3 ± 0.1	0.52 ± 0.10	0.7 ± 0.1	2.0 ± 0.2	1.6 ± 0.2	-0.6 ± 0.1	-0.2 ± 0.1	0.6 ± 0.1	0.0 ± 0.2	1.6 ± 0.2	W Africa F	E Asia M
25	1.4 ± 0.2	-0.13 ± 0.10	0.1 ± 0.1	0.15 ± 0.09	0.6 ± 0.1	2.1 ± 0.2	1.5 ± 0.2	-0.7 ± 0.1	-0.2 ± 0.1	0.42 ± 0.10	-0.0 ± 0.2	1.5 ± 0.2	W Africa F	E Asia M
26	1.2 ± 0.2	-0.34 ± 0.09	-0.0 ± 0.1	-0.18 ± 0.09	0.6 ± 0.1	1.7 ± 0.2	1.4 ± 0.2	-0.8 ± 0.1	-0.3 ± 0.1	0.29 ± 0.10	-0.2 ± 0.2	1.3 ± 0.2	W Africa F	E Asia M
27	1.2 ± 0.2	-0.43 ± 0.09	-0.1 ± 0.1	-0.53 ± 0.09	0.3 ± 0.1	1.7 ± 0.2	1.2 ± 0.2	-0.9 ± 0.1	-0.4 ± 0.1	0.10 ± 0.09	0.0 ± 0.2	1.2 ± 0.2	W Africa F	E Asia M
28	0.9 ± 0.2	-0.57 ± 0.08	-0.1 ± 0.1	-0.68 ± 0.09	0.1 ± 0.1	1.3 ± 0.2	0.8 ± 0.2	-0.9 ± 0.1	-0.5 ± 0.1	-0.05 ± 0.09	-0.2 ± 0.2	0.9 ± 0.2	W Africa F	E Asia M
29	0.9 ± 0.2	-0.74 ± 0.08	-0.3 ± 0.1	-0.93 ± 0.09	0.1 ± 0.1	1.1 ± 0.2	0.8 ± 0.2	-1.0 ± 0.1	-0.6 ± 0.1	-0.25 ± 0.08	-0.5 ± 0.2	1.1 ± 0.2	W Africa F	E Asia M
30	0.7 ± 0.2	-0.73 ± 0.08	-0.4 ± 0.1	-1.17 ± 0.09	-0.0 ± 0.1	0.7 ± 0.2	0.9 ± 0.2	-1.1 ± 0.1	-0.8 ± 0.1	-0.38 ± 0.08	-0.4 ± 0.2	0.7 ± 0.2	E Africa M	S Asia F
31	0.4 ± 0.2	-0.87 ± 0.09	-0.3 ± 0.1	-1.40 ± 0.10	-0.2 ± 0.1	0.5 ± 0.2	0.6 ± 0.2	-1.2 ± 0.1	-0.9 ± 0.1	-0.48 ± 0.09	-0.4 ± 0.2	0.5 ± 0.2	E Africa M	S Asia F
32	0.4 ± 0.2	-0.88 ± 0.09	-0.4 ± 0.1	-1.5 ± 0.1	-0.3 ± 0.1	0.5 ± 0.2	0.4 ± 0.2	-1.2 ± 0.1	-0.9 ± 0.1	-0.57 ± 0.09	-0.5 ± 0.2	0.4 ± 0.2	W Africa F	S Asia F
33	0.2 ± 0.3	-0.98 ± 0.09	-0.5 ± 0.1	-1.6 ± 0.1	-0.4 ± 0.1	0.3 ± 0.2	0.4 ± 0.2	-1.3 ± 0.1	-0.8 ± 0.1	-0.68 ± 0.09	-0.8 ± 0.2	0.1 ± 0.2	E Africa M	S Asia F
34	0.0 ± 0.3	-0.95 ± 0.09	-0.5 ± 0.1	-1.7 ± 0.1	-0.5 ± 0.1	0.1 ± 0.2	0.0 ± 0.2	-1.3 ± 0.1	-1.0 ± 0.2	-0.71 ± 0.10	-0.7 ± 0.2	0.2 ± 0.2	W Africa M	S Asia F
35	0.2 ± 0.3	-1.11 ± 0.09	-0.6 ± 0.1	-1.8 ± 0.1	-0.6 ± 0.2	-0.3 ± 0.2	0.2 ± 0.3	-1.3 ± 0.1	-0.9 ± 0.2	-0.70 ± 0.10	-0.9 ± 0.2	-0.1 ± 0.2	E Africa F	S Asia F
36	0.1 ± 0.3	-1.04 ± 0.09	-0.5 ± 0.1	-1.9 ± 0.1	-0.5 ± 0.2	-0.3 ± 0.2	-0.0 ± 0.3	-1.4 ± 0.1	-0.8 ± 0.2	-0.81 ± 0.10	-0.6 ± 0.2	-0.2 ± 0.2	E Africa F	S Asia F
37	0.0 ± 0.3	-1.13 ± 0.09	-0.5 ± 0.2	-1.8 ± 0.1	-0.7 ± 0.2	-0.4 ± 0.3	0.0 ± 0.3	-1.3 ± 0.1	-0.9 ± 0.2	-0.9 ± 0.1	-0.8 ± 0.2	-0.4 ± 0.2	E Africa F	S Asia F
38	0.5 ± 0.3	-1.22 ± 0.09	-0.5 ± 0.2	-1.7 ± 0.1	-0.6 ± 0.2	-0.6 ± 0.3	-0.2 ± 0.3	-1.3 ± 0.1	-1.0 ± 0.2	-0.9 ± 0.1	-0.4 ± 0.2	-0.5 ± 0.2	E Africa F	S Asia F
39	0.1 ± 0.3	-1.22 ± 0.09	-0.5 ± 0.2	-1.9 ± 0.1	-0.5 ± 0.2	-0.6 ± 0.3	0.0 ± 0.3	-1.3 ± 0.1	-0.8 ± 0.2	-0.8 ± 0.1	-0.6 ± 0.2	-0.7 ± 0.2	E Africa F	S Asia F
40	-0.1 ± 0.4	-1.24 ± 0.09	-0.3 ± 0.2	-1.7 ± 0.1	-0.7 ± 0.2	-1.0 ± 0.3	0.0 ± 0.3	-1.3 ± 0.1	-0.7 ± 0.2	-0.8 ± 0.1	-0.6 ± 0.2	-0.8 ± 0.2	E Africa M	S Asia F
41	-0.4 ± 0.4	-1.29 ± 0.10	-0.4 ± 0.2	-1.8 ± 0.2	-0.7 ± 0.2	-1.3 ± 0.3	0.2 ± 0.3	-1.3 ± 0.1	-0.7 ± 0.2	-0.8 ± 0.1	-0.5 ± 0.2	-0.8 ± 0.3	E Africa M	S Asia F
42	-0.1 ± 0.4	-1.28 ± 0.09	-0.3 ± 0.2	-1.3 ± 0.2	-0.8 ± 0.2	-1.1 ± 0.3	0.3 ± 0.3	-1.2 ± 0.1	-0.4 ± 0.2	-0.8 ± 0.1	-0.3 ± 0.2	-1.0 ± 0.3	E Africa M	S Asia F
43	0.2 ± 0.4	-1.41 ± 0.09	-0.3 ± 0.2	-1.5 ± 0.2	-0.7 ± 0.2	-1.2 ± 0.3	0.5 ± 0.4	-1.2 ± 0.1	-0.6 ± 0.2	-0.8 ± 0.1	-0.2 ± 0.2	-1.2 ± 0.3	E Africa M	S Asia F
44	0.3 ± 0.5	-1.48 ± 0.10	-0.6 ± 0.2	-1.4 ± 0.2	-0.5 ± 0.2	-1.3 ± 0.4	0.0 ± 0.3	-1.1 ± 0.1	-0.2 ± 0.2	-0.8 ± 0.1	0.1 ± 0.3	-1.1 ± 0.3	E Africa F	E Asia F
45	-0.0 ± 0.4	-1.45 ± 0.10	-0.5 ± 0.2	-1.3 ± 0.2	-0.6 ± 0.2	-1.2 ± 0.3	-0.1 ± 0.4	-1.0 ± 0.1	-0.3 ± 0.2	-0.6 ± 0.1	-0.0 ± 0.3	-1.3 ± 0.3	S E Asia M	E Asia F
46	0.9 ± 0.5	-1.6 ± 0.1	-0.4 ± 0.2	-1.1 ± 0.2	-0.8 ± 0.2	-1.2 ± 0.4	0.2 ± 0.4	-1.0 ± 0.1	-0.2 ± 0.2	-0.4 ± 0.2	0.3 ± 0.3	-1.4 ± 0.3	E Africa F	E Asia F
47	0.7 ± 0.5	-1.4 ± 0.1	-0.4 ± 0.2	-1.2 ± 0.2	-0.4 ± 0.2	-1.3 ± 0.4	0.8 ± 0.4	-0.9 ± 0.1	-0.1 ± 0.2	-0.3 ± 0.2	0.5 ± 0.3	-1.3 ± 0.3	E Africa M	E Asia F
48	0.5 ± 0.5	-1.4 ± 0.1	-0.3 ± 0.2	-0.9 ± 0.2	-0.5 ± 0.2	-1.0 ± 0.4	0.3 ± 0.5	-0.8 ± 0.1	0.1 ± 0.3	-0.2 ± 0.2	0.5 ± 0.3	-1.4 ± 0.3	S E Asia M	E Asia F
49	1.0 ± 0.6	-1.5 ± 0.1	-0.5 ± 0.2	-0.7 ± 0.2	-0.0 ± 0.2	-1.2 ± 0.4	0.2 ± 0.5	-0.7 ± 0.1	0.0 ± 0.2	-0.2 ± 0.2	0.7 ± 0.3	-1.3 ± 0.3	E Africa F	E Asia F
50	0.6 ± 0.6	-1.4 ± 0.1	-0.1 ± 0.2	-0.8 ± 0.2	-0.2 ± 0.2	-1.2 ± 0.4	0.3 ± 0.5	-0.6 ± 0.1	-0.2 ± 0.3	-0.2 ± 0.2	1.1 ± 0.3	-1.6 ± 0.3	S E Asia M	W Africa M
51	0.8 ± 0.5	-1.3 ± 0.1	-0.4 ± 0.2	-0.5 ± 0.2	-0.0 ± 0.2	-1.0 ± 0.4	0.1 ± 0.6	-0.6 ± 0.1	0.2 ± 0.3	0.1 ± 0.2	1.0 ± 0.3	-1.7 ± 0.4	S E Asia M	W Africa M
52	0.6 ± 0.6	-1.3 ± 0.1	-0.1 ± 0.2	-0.5 ± 0.2	0.2 ± 0.2	-1.2 ± 0.4	0.4 ± 0.5	-0.5 ± 0.1	0.2 ± 0.3	0.1 ± 0.2	0.9 ± 0.3	-1.5 ± 0.4	S E Asia M	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 85. *Mean raw error for Application-type images for algorithm rigrai-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	-0.8 ± 0.3	0.3 ± 0.1	0.7 ± 0.2	-0.2 ± 0.1	-0.3 ± 0.2	0.9 ± 0.4	-0.5 ± 0.2	0.38 ± 0.08	-0.2 ± 0.2	-0.1 ± 0.1	-0.2 ± 0.1	0.3 ± 0.3	W Africa F	E Africa F
15	-0.7 ± 0.3	0.4 ± 0.1	0.8 ± 0.2	0.1 ± 0.2	-0.3 ± 0.3	0.9 ± 0.4	-0.4 ± 0.2	0.29 ± 0.08	0.2 ± 0.2	0.2 ± 0.1	-0.1 ± 0.2	0.8 ± 0.3	W Africa F	E Africa F
16	-0.9 ± 0.3	0.3 ± 0.2	0.9 ± 0.2	-0.1 ± 0.2	0.3 ± 0.4	0.5 ± 0.5	-0.1 ± 0.2	0.14 ± 0.09	0.5 ± 0.2	0.4 ± 0.2	-0.1 ± 0.2	0.7 ± 0.3	E Europe F	E Africa F
17	-0.9 ± 0.4	0.3 ± 0.2	0.6 ± 0.3	0.1 ± 0.2	0.3 ± 0.3	0.7 ± 0.4	-0.3 ± 0.2	-0.0 ± 0.1	0.1 ± 0.2	0.7 ± 0.2	0.0 ± 0.3	1.3 ± 0.4	W Africa M	E Africa F
18	-1.4 ± 0.3	-0.2 ± 0.1	0.2 ± 0.3	-0.2 ± 0.2	0.0 ± 0.2	0.3 ± 0.4	-0.5 ± 0.2	-0.4 ± 0.1	-0.2 ± 0.2	0.7 ± 0.1	-0.4 ± 0.2	0.6 ± 0.3	S Asia M	E Africa F
19	-1.9 ± 0.3	-0.2 ± 0.1	0.1 ± 0.3	0.1 ± 0.2	-0.2 ± 0.2	0.4 ± 0.4	-0.5 ± 0.3	-0.3 ± 0.1	-0.2 ± 0.2	1.1 ± 0.2	-0.3 ± 0.2	1.3 ± 0.4	W Africa M	E Africa F
20	-2.2 ± 0.3	-0.2 ± 0.2	-0.1 ± 0.2	-0.1 ± 0.2	-0.2 ± 0.2	0.4 ± 0.4	-0.4 ± 0.3	-0.3 ± 0.1	0.1 ± 0.2	1.4 ± 0.2	-0.3 ± 0.2	1.0 ± 0.3	S Asia M	E Africa F
21	-2.3 ± 0.3	-0.3 ± 0.1	-0.4 ± 0.2	-0.1 ± 0.2	-0.5 ± 0.2	-0.0 ± 0.4	-0.6 ± 0.3	-0.2 ± 0.1	-0.1 ± 0.2	1.5 ± 0.2	-0.3 ± 0.2	1.2 ± 0.3	S Asia M	E Africa F
22	-2.7 ± 0.3	-0.7 ± 0.1	-0.6 ± 0.2	-0.5 ± 0.2	-0.7 ± 0.2	-0.2 ± 0.4	-0.2 ± 0.3	-0.3 ± 0.1	0.2 ± 0.2	1.5 ± 0.2	-0.3 ± 0.2	0.9 ± 0.3	S Asia M	E Africa F
23	-3.2 ± 0.3	-0.8 ± 0.1	-0.7 ± 0.2	-0.6 ± 0.2	-0.9 ± 0.2	-0.4 ± 0.4	-0.2 ± 0.3	-0.3 ± 0.1	0.2 ± 0.2	1.6 ± 0.1	-0.3 ± 0.2	1.2 ± 0.3	S Asia M	E Africa F
24	-3.6 ± 0.3	-1.2 ± 0.1	-0.8 ± 0.2	-0.8 ± 0.1	-1.4 ± 0.1	-0.7 ± 0.4	-0.5 ± 0.3	-0.3 ± 0.1	0.2 ± 0.2	1.6 ± 0.1	-0.2 ± 0.2	0.9 ± 0.3	S Asia M	E Africa F
25	-4.1 ± 0.3	-1.52 ± 0.09	-1.0 ± 0.1	-1.2 ± 0.1	-1.8 ± 0.1	-0.8 ± 0.4	-0.4 ± 0.3	-0.2 ± 0.1	0.3 ± 0.2	1.4 ± 0.1	-0.2 ± 0.2	0.8 ± 0.3	S Asia M	E Africa F
26	-4.4 ± 0.3	-1.96 ± 0.09	-1.0 ± 0.1	-1.6 ± 0.1	-2.2 ± 0.1	-1.2 ± 0.4	-0.6 ± 0.3	-0.4 ± 0.1	0.1 ± 0.2	1.2 ± 0.1	-0.2 ± 0.2	0.6 ± 0.2	S Asia M	E Africa F
27	-4.5 ± 0.3	-2.34 ± 0.09	-1.1 ± 0.1	-1.9 ± 0.1	-2.8 ± 0.1	-1.3 ± 0.3	-0.5 ± 0.3	-0.3 ± 0.1	0.4 ± 0.2	0.9 ± 0.1	-0.1 ± 0.2	0.4 ± 0.2	S Asia M	E Africa F
28	-5.0 ± 0.3	-2.71 ± 0.08	-1.3 ± 0.1	-2.2 ± 0.1	-3.2 ± 0.1	-1.5 ± 0.3	-0.8 ± 0.3	-0.4 ± 0.1	0.5 ± 0.2	0.6 ± 0.1	-0.4 ± 0.2	0.2 ± 0.2	S Asia M	E Africa F
29	-5.0 ± 0.3	-3.06 ± 0.08	-1.3 ± 0.1	-2.6 ± 0.1	-3.6 ± 0.1	-1.5 ± 0.3	-0.6 ± 0.3	-0.4 ± 0.1	0.3 ± 0.2	0.32 ± 0.10	-0.7 ± 0.2	0.3 ± 0.2	W Africa M	E Africa F
30	-5.1 ± 0.4	-3.42 ± 0.08	-1.3 ± 0.1	-3.0 ± 0.1	-3.9 ± 0.1	-2.3 ± 0.4	-0.8 ± 0.3	-0.5 ± 0.1	0.3 ± 0.2	0.04 ± 0.09	-0.6 ± 0.2	0.1 ± 0.2	E Europe M	E Africa F
31	-5.8 ± 0.4	-3.81 ± 0.09	-1.2 ± 0.2	-3.3 ± 0.1	-4.3 ± 0.2	-2.1 ± 0.4	-0.7 ± 0.3	-0.6 ± 0.1	0.2 ± 0.2	-0.23 ± 0.10	-0.8 ± 0.2	-0.0 ± 0.2	E Europe M	E Africa F
32	-5.4 ± 0.4	-4.13 ± 0.09	-1.2 ± 0.2	-3.4 ± 0.1	-4.5 ± 0.2	-2.2 ± 0.4	-1.0 ± 0.3	-0.7 ± 0.1	0.4 ± 0.2	-0.44 ± 0.10	-0.8 ± 0.2	-0.2 ± 0.2	E Europe M	E Africa F
33	-5.8 ± 0.4	-4.50 ± 0.10	-1.4 ± 0.2	-3.7 ± 0.1	-4.8 ± 0.2	-2.4 ± 0.4	-1.1 ± 0.3	-0.9 ± 0.1	0.5 ± 0.2	-0.58 ± 0.10	-1.2 ± 0.2	-0.5 ± 0.2	E Europe M	E Africa F
34	-5.6 ± 0.4	-4.7 ± 0.1	-1.5 ± 0.2	-3.7 ± 0.1	-5.0 ± 0.2	-2.3 ± 0.4	-1.2 ± 0.3	-1.1 ± 0.1	0.4 ± 0.2	-0.7 ± 0.1	-1.3 ± 0.3	-0.6 ± 0.2	E Europe M	E Africa F
35	-5.3 ± 0.4	-5.1 ± 0.1	-1.2 ± 0.2	-3.9 ± 0.1	-5.3 ± 0.2	-2.7 ± 0.4	-1.1 ± 0.3	-1.1 ± 0.1	0.4 ± 0.2	-0.9 ± 0.1	-1.3 ± 0.3	-0.9 ± 0.3	E Europe M	S E Asia F
36	-5.6 ± 0.5	-5.3 ± 0.1	-1.2 ± 0.2	-3.9 ± 0.1	-5.2 ± 0.2	-2.2 ± 0.4	-1.5 ± 0.3	-1.2 ± 0.1	0.6 ± 0.2	-1.0 ± 0.1	-1.3 ± 0.3	-1.1 ± 0.3	E Europe M	E Africa F
37	-5.5 ± 0.5	-5.5 ± 0.1	-1.1 ± 0.2	-4.1 ± 0.2	-5.3 ± 0.2	-2.6 ± 0.4	-1.4 ± 0.3	-1.4 ± 0.1	0.5 ± 0.2	-1.0 ± 0.1	-1.6 ± 0.3	-1.2 ± 0.3	E Europe M	E Asia F
38	-5.6 ± 0.5	-5.6 ± 0.1	-1.0 ± 0.2	-4.0 ± 0.2	-5.1 ± 0.2	-2.5 ± 0.4	-1.7 ± 0.3	-1.5 ± 0.1	0.3 ± 0.2	-1.1 ± 0.1	-1.2 ± 0.3	-1.4 ± 0.3	E Europe M	E Africa F
39	-5.6 ± 0.5	-5.8 ± 0.1	-0.8 ± 0.2	-4.2 ± 0.2	-5.2 ± 0.2	-2.6 ± 0.4	-1.3 ± 0.3	-1.6 ± 0.1	0.4 ± 0.2	-1.2 ± 0.1	-1.5 ± 0.3	-1.4 ± 0.3	E Europe M	E Asia F
40	-5.4 ± 0.5	-5.8 ± 0.1	-0.3 ± 0.2	-4.0 ± 0.2	-5.1 ± 0.3	-2.5 ± 0.5	-1.4 ± 0.4	-1.7 ± 0.1	0.4 ± 0.2	-1.3 ± 0.1	-1.2 ± 0.3	-1.7 ± 0.3	E Europe M	E Asia F
41	-6.1 ± 0.6	-6.0 ± 0.1	-0.5 ± 0.3	-4.2 ± 0.2	-5.0 ± 0.3	-3.2 ± 0.5	-1.4 ± 0.4	-1.9 ± 0.1	0.5 ± 0.2	-1.4 ± 0.1	-1.4 ± 0.3	-1.6 ± 0.3	E Europe M	E Africa F
42	-5.6 ± 0.6	-5.9 ± 0.1	-0.2 ± 0.3	-3.9 ± 0.2	-5.0 ± 0.3	-3.1 ± 0.5	-1.5 ± 0.4	-1.9 ± 0.1	0.4 ± 0.2	-1.5 ± 0.2	-1.2 ± 0.3	-2.1 ± 0.3	E Europe M	E Asia F
43	-5.4 ± 0.6	-5.9 ± 0.1	-0.2 ± 0.3	-4.1 ± 0.2	-4.6 ± 0.3	-3.2 ± 0.5	-1.1 ± 0.4	-2.2 ± 0.1	0.4 ± 0.2	-1.4 ± 0.1	-1.2 ± 0.3	-2.3 ± 0.3	E Europe M	E Asia F
44	-5.0 ± 0.7	-6.1 ± 0.1	-0.2 ± 0.3	-3.9 ± 0.3	-4.3 ± 0.3	-3.2 ± 0.5	-1.9 ± 0.4	-2.3 ± 0.1	0.5 ± 0.2	-1.6 ± 0.2	-1.3 ± 0.3	-2.4 ± 0.3	E Europe M	E Asia F
45	-5.3 ± 0.7	-6.0 ± 0.1	-0.3 ± 0.3	-3.9 ± 0.3	-4.2 ± 0.3	-3.3 ± 0.5	-1.8 ± 0.5	-2.5 ± 0.1	0.2 ± 0.2	-1.5 ± 0.2	-1.4 ± 0.3	-2.6 ± 0.3	E Europe M	E Asia F
46	-4.6 ± 0.8	-6.1 ± 0.2	-0.1 ± 0.3	-3.5 ± 0.3	-4.1 ± 0.3	-3.2 ± 0.5	-1.6 ± 0.5	-2.6 ± 0.1	0.2 ± 0.2	-1.5 ± 0.2	-1.3 ± 0.3	-2.7 ± 0.3	E Europe M	E Asia F
47	-4.0 ± 0.8	-5.8 ± 0.2	-0.2 ± 0.3	-3.5 ± 0.3	-3.9 ± 0.3	-3.1 ± 0.5	-1.0 ± 0.5	-2.6 ± 0.2	0.2 ± 0.2	-1.6 ± 0.2	-1.0 ± 0.3	-2.7 ± 0.4	E Europe M	E Asia F
48	-4.8 ± 0.8	-5.8 ± 0.2	-0.2 ± 0.3	-2.8 ± 0.3	-3.5 ± 0.3	-3.3 ± 0.5	-1.5 ± 0.5	-2.7 ± 0.2	-0.0 ± 0.3	-1.5 ± 0.2	-1.1 ± 0.3	-3.2 ± 0.4	E Europe M	E Asia F
49	-3.6 ± 0.9	-5.6 ± 0.2	-0.5 ± 0.3	-2.9 ± 0.3	-2.9 ± 0.4	-3.4 ± 0.5	-1.7 ± 0.6	-2.7 ± 0.2	-0.1 ± 0.2	-1.7 ± 0.2	-0.8 ± 0.3	-2.8 ± 0.4	E Europe M	E Asia F
50	-3.9 ± 0.9	-5.6 ± 0.2	-0.1 ± 0.3	-2.7 ± 0.3	-2.8 ± 0.3	-3.2 ± 0.6	-1.6 ± 0.6	-2.7 ± 0.2	-0.4 ± 0.3	-1.6 ± 0.2	-0.3 ± 0.4	-3.4 ± 0.4	E Europe F	E Asia F
51	-3.7 ± 0.8	-5.4 ± 0.2	-0.2 ± 0.3	-2.2 ± 0.3	-2.8 ± 0.3	-3.2 ± 0.6	-1.8 ± 0.7	-2.4 ± 0.2	-0.4 ± 0.3	-1.6 ± 0.2	-0.3 ± 0.4	-3.4 ± 0.4	E Europe F	E Asia F
52	-3.7 ± 1.0	-5.1 ± 0.2	-0.1 ± 0.3	-2.0 ± 0.3	-1.8 ± 0.3	-3.6 ± 0.6	-0.9 ± 0.7	-2.5 ± 0.2	-0.6 ± 0.3	-1.6 ± 0.3	-0.5 ± 0.4	-3.3 ± 0.5	E Europe F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 86. *Mean raw error for Application-type images for algorithm roc-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.1 ± 0.3	5.4 ± 0.1	3.7 ± 0.2	3.7 ± 0.1	4.5 ± 0.3	5.7 ± 0.3	4.2 ± 0.2	5.4 ± 0.1	2.7 ± 0.2	3.2 ± 0.1	4.5 ± 0.3	4.6 ± 0.3	W Africa F	E Europe M
15	4.8 ± 0.3	5.5 ± 0.1	3.2 ± 0.2	3.8 ± 0.2	4.7 ± 0.3	5.4 ± 0.4	4.1 ± 0.3	5.4 ± 0.1	2.6 ± 0.1	3.2 ± 0.1	4.6 ± 0.2	4.6 ± 0.3	E Asia F	E Europe M
16	4.7 ± 0.3	5.4 ± 0.2	2.8 ± 0.1	3.4 ± 0.2	4.9 ± 0.3	5.6 ± 0.4	4.2 ± 0.2	4.9 ± 0.1	2.3 ± 0.2	3.0 ± 0.1	4.4 ± 0.2	4.2 ± 0.3	W Africa F	E Europe M
17	4.8 ± 0.3	5.0 ± 0.1	2.3 ± 0.2	3.1 ± 0.2	4.5 ± 0.3	5.1 ± 0.3	3.7 ± 0.2	4.7 ± 0.1	1.58 ± 0.10	2.8 ± 0.1	4.2 ± 0.2	4.4 ± 0.4	W Africa F	E Europe M
18	3.9 ± 0.3	4.3 ± 0.1	1.4 ± 0.2	2.2 ± 0.1	4.2 ± 0.2	4.5 ± 0.3	3.4 ± 0.2	4.1 ± 0.1	0.8 ± 0.2	2.1 ± 0.1	3.8 ± 0.2	3.8 ± 0.3	W Africa F	E Europe M
19	3.9 ± 0.3	4.1 ± 0.1	1.1 ± 0.2	2.0 ± 0.1	4.0 ± 0.2	4.7 ± 0.3	3.7 ± 0.3	4.0 ± 0.1	0.3 ± 0.2	2.1 ± 0.1	3.5 ± 0.2	4.0 ± 0.3	W Africa F	E Europe M
20	3.6 ± 0.3	4.0 ± 0.1	0.5 ± 0.2	1.7 ± 0.2	3.7 ± 0.2	4.4 ± 0.3	3.5 ± 0.3	3.8 ± 0.1	0.1 ± 0.2	2.1 ± 0.1	3.6 ± 0.2	4.0 ± 0.3	W Africa F	E Europe M
21	3.2 ± 0.3	3.8 ± 0.1	0.2 ± 0.2	1.2 ± 0.1	3.5 ± 0.2	4.2 ± 0.3	3.6 ± 0.3	3.7 ± 0.1	-0.2 ± 0.2	2.1 ± 0.1	3.6 ± 0.2	4.0 ± 0.3	W Africa F	E Europe M
22	3.2 ± 0.3	3.3 ± 0.1	-0.0 ± 0.2	0.8 ± 0.1	3.4 ± 0.2	3.7 ± 0.3	4.2 ± 0.3	3.5 ± 0.1	-0.1 ± 0.2	2.1 ± 0.2	3.2 ± 0.2	3.7 ± 0.3	E Africa M	E Europe M
23	3.0 ± 0.3	3.2 ± 0.1	-0.2 ± 0.2	0.5 ± 0.1	3.2 ± 0.2	3.7 ± 0.3	3.8 ± 0.3	3.3 ± 0.1	-0.4 ± 0.2	2.1 ± 0.2	3.2 ± 0.2	3.9 ± 0.3	W Africa M	E Europe M
24	2.8 ± 0.3	2.8 ± 0.1	-0.3 ± 0.2	0.1 ± 0.1	2.9 ± 0.1	3.3 ± 0.3	3.9 ± 0.3	3.1 ± 0.1	-0.1 ± 0.2	2.1 ± 0.1	3.0 ± 0.2	3.7 ± 0.2	E Africa M	E Europe F
25	2.4 ± 0.3	2.69 ± 0.10	-0.3 ± 0.2	-0.3 ± 0.1	2.7 ± 0.1	3.2 ± 0.3	3.8 ± 0.3	2.9 ± 0.1	0.0 ± 0.2	1.9 ± 0.1	2.9 ± 0.2	3.6 ± 0.2	E Africa M	E Europe F
26	2.1 ± 0.3	2.35 ± 0.10	-0.3 ± 0.2	-0.6 ± 0.1	2.6 ± 0.1	2.9 ± 0.3	3.7 ± 0.2	2.7 ± 0.1	-0.1 ± 0.2	1.8 ± 0.1	2.7 ± 0.2	3.2 ± 0.2	E Africa M	S Asia F
27	2.3 ± 0.3	2.06 ± 0.09	-0.3 ± 0.2	-0.9 ± 0.1	2.2 ± 0.1	2.7 ± 0.2	3.3 ± 0.2	2.5 ± 0.1	0.2 ± 0.2	1.6 ± 0.1	2.7 ± 0.2	3.0 ± 0.2	E Africa M	S Asia F
28	1.9 ± 0.3	1.78 ± 0.09	-0.2 ± 0.2	-1.1 ± 0.1	2.0 ± 0.1	2.4 ± 0.2	3.2 ± 0.2	2.3 ± 0.1	0.4 ± 0.2	1.4 ± 0.1	2.3 ± 0.2	2.5 ± 0.2	E Africa M	S Asia F
29	2.0 ± 0.3	1.63 ± 0.09	-0.0 ± 0.2	-1.3 ± 0.1	1.8 ± 0.1	2.1 ± 0.2	3.1 ± 0.2	2.1 ± 0.1	0.5 ± 0.2	1.3 ± 0.1	2.1 ± 0.2	2.7 ± 0.2	E Africa M	S Asia F
30	1.6 ± 0.3	1.45 ± 0.09	-0.0 ± 0.2	-1.5 ± 0.1	1.8 ± 0.1	1.8 ± 0.2	3.0 ± 0.2	1.8 ± 0.1	0.5 ± 0.2	1.02 ± 0.10	2.0 ± 0.2	2.3 ± 0.2	E Africa M	S Asia F
31	1.6 ± 0.3	1.19 ± 0.09	0.1 ± 0.2	-1.7 ± 0.1	1.5 ± 0.1	1.6 ± 0.2	3.0 ± 0.2	1.6 ± 0.1	0.4 ± 0.2	0.84 ± 0.10	1.7 ± 0.2	2.2 ± 0.2	E Africa M	S Asia F
32	1.7 ± 0.3	1.00 ± 0.09	0.3 ± 0.2	-1.8 ± 0.1	1.3 ± 0.2	1.6 ± 0.3	2.6 ± 0.2	1.4 ± 0.1	0.5 ± 0.2	0.75 ± 0.09	1.6 ± 0.2	1.9 ± 0.2	E Africa M	S Asia F
33	1.4 ± 0.3	0.80 ± 0.09	0.3 ± 0.2	-1.9 ± 0.1	1.1 ± 0.2	1.2 ± 0.3	2.6 ± 0.3	1.1 ± 0.1	1.0 ± 0.2	0.51 ± 0.10	1.2 ± 0.2	1.7 ± 0.2	E Africa M	S Asia F
34	1.5 ± 0.3	0.66 ± 0.09	0.5 ± 0.2	-2.0 ± 0.1	1.0 ± 0.2	1.2 ± 0.3	2.2 ± 0.3	0.9 ± 0.1	0.7 ± 0.2	0.4 ± 0.1	1.2 ± 0.2	1.6 ± 0.2	E Africa M	S Asia F
35	1.6 ± 0.4	0.4 ± 0.1	0.4 ± 0.2	-2.1 ± 0.1	0.6 ± 0.2	0.7 ± 0.3	2.3 ± 0.3	0.8 ± 0.1	0.7 ± 0.2	0.3 ± 0.1	0.9 ± 0.2	1.2 ± 0.2	E Africa M	S Asia F
36	1.4 ± 0.4	0.4 ± 0.1	0.9 ± 0.2	-2.2 ± 0.1	0.6 ± 0.2	0.8 ± 0.3	2.0 ± 0.3	0.6 ± 0.1	0.9 ± 0.2	0.0 ± 0.1	1.1 ± 0.2	1.1 ± 0.2	E Africa M	S Asia F
37	1.4 ± 0.4	0.2 ± 0.1	1.0 ± 0.2	-2.0 ± 0.2	0.5 ± 0.2	0.8 ± 0.3	2.0 ± 0.3	0.5 ± 0.1	0.6 ± 0.2	-0.1 ± 0.1	0.7 ± 0.2	0.8 ± 0.2	E Africa M	S Asia F
38	1.8 ± 0.4	0.0 ± 0.1	1.3 ± 0.2	-2.0 ± 0.2	0.6 ± 0.2	0.4 ± 0.3	1.6 ± 0.3	0.4 ± 0.1	0.7 ± 0.2	-0.3 ± 0.1	1.0 ± 0.2	0.7 ± 0.2	E Africa F	S Asia F
39	1.5 ± 0.4	-0.0 ± 0.1	1.2 ± 0.2	-2.2 ± 0.2	0.5 ± 0.2	0.6 ± 0.3	1.9 ± 0.3	0.2 ± 0.1	0.7 ± 0.2	-0.3 ± 0.1	1.0 ± 0.2	0.6 ± 0.2	E Africa M	S Asia F
40	1.5 ± 0.4	-0.1 ± 0.1	1.7 ± 0.3	-2.0 ± 0.2	0.3 ± 0.2	0.1 ± 0.3	1.8 ± 0.3	0.1 ± 0.1	0.6 ± 0.2	-0.4 ± 0.1	0.8 ± 0.2	0.4 ± 0.2	E Africa M	S Asia F
41	1.1 ± 0.5	-0.2 ± 0.1	1.7 ± 0.3	-2.0 ± 0.2	0.3 ± 0.2	-0.1 ± 0.4	1.9 ± 0.3	0.1 ± 0.1	0.8 ± 0.2	-0.5 ± 0.1	0.6 ± 0.2	0.3 ± 0.3	E Africa M	S Asia F
42	1.6 ± 0.5	-0.1 ± 0.1	2.0 ± 0.3	-1.5 ± 0.2	0.4 ± 0.2	0.0 ± 0.4	1.8 ± 0.3	0.1 ± 0.1	1.0 ± 0.2	-0.7 ± 0.1	0.9 ± 0.2	0.2 ± 0.3	E Europe F	S Asia F
43	1.6 ± 0.5	-0.3 ± 0.1	2.2 ± 0.3	-1.7 ± 0.2	0.3 ± 0.2	-0.0 ± 0.4	1.9 ± 0.4	0.0 ± 0.1	0.8 ± 0.2	-0.6 ± 0.1	0.8 ± 0.3	-0.2 ± 0.3	E Europe F	S Asia F
44	1.5 ± 0.5	-0.4 ± 0.1	2.3 ± 0.3	-1.6 ± 0.2	0.6 ± 0.2	-0.2 ± 0.4	1.3 ± 0.3	-0.1 ± 0.1	1.0 ± 0.3	-0.7 ± 0.2	1.0 ± 0.3	-0.3 ± 0.3	E Europe F	S Asia F
45	1.3 ± 0.5	-0.3 ± 0.1	2.3 ± 0.3	-1.6 ± 0.2	0.4 ± 0.2	-0.1 ± 0.4	1.2 ± 0.4	-0.1 ± 0.1	0.9 ± 0.3	-0.7 ± 0.2	0.8 ± 0.3	-0.6 ± 0.3	E Europe F	S Asia F
46	2.3 ± 0.6	-0.5 ± 0.1	2.5 ± 0.3	-1.2 ± 0.2	0.3 ± 0.2	0.1 ± 0.4	1.2 ± 0.4	-0.2 ± 0.1	1.1 ± 0.3	-0.6 ± 0.2	0.8 ± 0.3	-0.7 ± 0.3	E Europe F	S Asia F
47	2.0 ± 0.6	-0.3 ± 0.1	2.9 ± 0.3	-1.2 ± 0.2	0.4 ± 0.2	-0.1 ± 0.4	1.5 ± 0.4	-0.1 ± 0.2	1.0 ± 0.3	-0.6 ± 0.2	1.0 ± 0.3	-0.5 ± 0.3	E Europe F	S Asia F
48	1.8 ± 0.6	-0.3 ± 0.2	3.1 ± 0.3	-1.0 ± 0.3	0.6 ± 0.3	-0.2 ± 0.4	0.9 ± 0.5	-0.2 ± 0.2	1.3 ± 0.3	-0.5 ± 0.2	0.9 ± 0.3	-1.0 ± 0.3	E Europe F	S Asia F
49	2.1 ± 0.6	-0.3 ± 0.2	3.0 ± 0.3	-0.9 ± 0.3	0.6 ± 0.3	-0.5 ± 0.5	0.6 ± 0.5	-0.1 ± 0.2	1.0 ± 0.3	-0.7 ± 0.2	1.0 ± 0.3	-0.9 ± 0.3	E Europe F	W Africa M
50	1.5 ± 0.7	-0.2 ± 0.2	3.5 ± 0.3	-0.8 ± 0.2	0.5 ± 0.3	-0.3 ± 0.5	0.5 ± 0.4	-0.0 ± 0.2	1.1 ± 0.3	-0.6 ± 0.2	1.3 ± 0.3	-1.3 ± 0.3	E Europe F	W Africa M
51	2.1 ± 0.6	-0.0 ± 0.2	3.4 ± 0.3	-0.8 ± 0.3	0.6 ± 0.3	-0.0 ± 0.5	0.2 ± 0.5	0.0 ± 0.2	1.3 ± 0.3	-0.6 ± 0.2	1.4 ± 0.3	-1.3 ± 0.4	E Europe F	W Africa M
52	1.5 ± 0.7	-0.0 ± 0.2	3.8 ± 0.3	-0.9 ± 0.3	0.9 ± 0.3	-0.5 ± 0.5	0.3 ± 0.5	0.0 ± 0.2	1.2 ± 0.3	-0.8 ± 0.2	0.9 ± 0.3	-1.4 ± 0.4	E Europe F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 87. *Mean raw error for Application-type images for algorithm roc-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.8 ± 0.2	4.98 ± 0.09	3.4 ± 0.1	4.2 ± 0.1	4.8 ± 0.2	4.9 ± 0.2	3.7 ± 0.1	4.72 ± 0.08	2.79 ± 0.10	3.54 ± 0.08	4.3 ± 0.1	3.7 ± 0.2	E Asia F	E Europe M
15	4.8 ± 0.2	4.8 ± 0.1	2.8 ± 0.1	4.1 ± 0.1	4.7 ± 0.2	4.8 ± 0.3	3.4 ± 0.2	4.43 ± 0.07	2.33 ± 0.09	3.23 ± 0.08	4.0 ± 0.1	3.4 ± 0.2	E Asia F	E Europe M
16	4.6 ± 0.3	4.8 ± 0.1	2.4 ± 0.1	3.8 ± 0.1	4.5 ± 0.3	4.7 ± 0.4	3.4 ± 0.2	4.05 ± 0.08	1.9 ± 0.1	2.82 ± 0.09	3.7 ± 0.2	3.1 ± 0.3	E Asia F	E Europe M
17	4.8 ± 0.3	4.5 ± 0.1	2.0 ± 0.2	3.7 ± 0.2	4.4 ± 0.2	4.6 ± 0.3	3.1 ± 0.2	3.9 ± 0.1	1.2 ± 0.1	2.5 ± 0.1	3.5 ± 0.2	3.6 ± 0.4	E Africa F	E Europe M
18	3.9 ± 0.3	4.0 ± 0.1	1.4 ± 0.2	3.1 ± 0.1	4.0 ± 0.2	4.1 ± 0.3	2.9 ± 0.2	3.55 ± 0.09	0.6 ± 0.1	2.0 ± 0.1	3.2 ± 0.2	3.1 ± 0.3	W Africa F	E Europe M
19	4.2 ± 0.3	3.8 ± 0.1	0.9 ± 0.2	3.1 ± 0.1	3.9 ± 0.2	4.4 ± 0.3	3.3 ± 0.3	3.55 ± 0.10	0.3 ± 0.1	2.1 ± 0.1	3.0 ± 0.2	3.3 ± 0.3	W Africa F	E Europe M
20	4.3 ± 0.3	3.6 ± 0.1	0.7 ± 0.2	2.8 ± 0.2	3.7 ± 0.1	4.4 ± 0.3	3.3 ± 0.3	3.46 ± 0.10	0.3 ± 0.2	2.1 ± 0.1	3.0 ± 0.2	3.5 ± 0.3	W Africa F	E Europe M
21	4.1 ± 0.3	3.5 ± 0.1	0.5 ± 0.2	2.6 ± 0.1	3.4 ± 0.1	4.0 ± 0.3	3.4 ± 0.2	3.36 ± 0.09	0.1 ± 0.2	2.1 ± 0.1	3.0 ± 0.2	3.4 ± 0.3	E Africa F	E Europe M
22	4.2 ± 0.3	3.21 ± 0.10	0.5 ± 0.2	2.5 ± 0.1	3.2 ± 0.1	3.7 ± 0.3	4.0 ± 0.3	3.19 ± 0.10	0.2 ± 0.2	2.1 ± 0.1	2.8 ± 0.1	3.3 ± 0.3	E Africa F	E Europe M
23	4.1 ± 0.3	2.94 ± 0.09	0.5 ± 0.1	2.3 ± 0.1	3.0 ± 0.1	3.6 ± 0.3	3.8 ± 0.3	3.01 ± 0.09	0.2 ± 0.2	2.2 ± 0.1	2.7 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
24	4.1 ± 0.3	2.66 ± 0.08	0.5 ± 0.1	2.0 ± 0.1	2.7 ± 0.1	3.3 ± 0.2	3.8 ± 0.3	2.76 ± 0.09	0.4 ± 0.2	2.1 ± 0.1	2.5 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
25	3.6 ± 0.2	2.41 ± 0.08	0.5 ± 0.1	1.77 ± 0.09	2.4 ± 0.1	3.4 ± 0.2	3.7 ± 0.2	2.58 ± 0.09	0.5 ± 0.2	1.9 ± 0.1	2.3 ± 0.1	3.2 ± 0.2	E Africa M	E Europe M
26	3.4 ± 0.2	2.12 ± 0.08	0.7 ± 0.1	1.50 ± 0.09	2.22 ± 0.10	2.9 ± 0.2	3.6 ± 0.2	2.29 ± 0.09	0.5 ± 0.2	1.9 ± 0.1	2.1 ± 0.1	2.9 ± 0.2	E Africa M	E Europe M
27	3.6 ± 0.3	1.88 ± 0.07	0.6 ± 0.1	1.26 ± 0.09	1.9 ± 0.1	2.8 ± 0.2	3.4 ± 0.2	2.11 ± 0.09	0.7 ± 0.1	1.62 ± 0.10	2.0 ± 0.1	2.7 ± 0.2	E Africa F	E Europe F
28	3.4 ± 0.2	1.60 ± 0.07	0.8 ± 0.1	1.16 ± 0.09	1.7 ± 0.1	2.5 ± 0.2	3.1 ± 0.2	1.84 ± 0.10	0.7 ± 0.1	1.47 ± 0.09	1.8 ± 0.1	2.4 ± 0.2	E Africa F	E Europe M
29	3.3 ± 0.3	1.41 ± 0.07	0.8 ± 0.1	0.96 ± 0.09	1.5 ± 0.1	2.2 ± 0.2	3.0 ± 0.2	1.68 ± 0.09	0.7 ± 0.1	1.18 ± 0.09	1.5 ± 0.1	2.5 ± 0.2	E Africa F	E Europe M
30	3.0 ± 0.2	1.25 ± 0.07	0.8 ± 0.1	0.73 ± 0.09	1.4 ± 0.1	2.0 ± 0.2	2.9 ± 0.2	1.38 ± 0.09	0.7 ± 0.1	0.95 ± 0.08	1.3 ± 0.2	2.1 ± 0.2	E Africa F	E Europe M
31	2.9 ± 0.3	1.02 ± 0.07	0.9 ± 0.1	0.51 ± 0.10	1.2 ± 0.1	1.9 ± 0.2	2.8 ± 0.2	1.25 ± 0.09	0.7 ± 0.2	0.81 ± 0.08	1.2 ± 0.2	1.9 ± 0.2	E Africa F	S Asia F
32	3.1 ± 0.3	0.91 ± 0.08	1.0 ± 0.1	0.45 ± 0.10	1.0 ± 0.1	1.9 ± 0.2	2.7 ± 0.2	1.08 ± 0.10	0.8 ± 0.2	0.65 ± 0.08	1.1 ± 0.2	1.7 ± 0.2	E Africa F	S Asia F
33	2.9 ± 0.3	0.71 ± 0.08	1.0 ± 0.1	0.3 ± 0.1	0.9 ± 0.1	1.8 ± 0.2	2.7 ± 0.2	0.87 ± 0.10	1.0 ± 0.2	0.47 ± 0.08	0.8 ± 0.2	1.4 ± 0.2	E Africa F	S Asia F
34	2.6 ± 0.3	0.60 ± 0.08	1.1 ± 0.1	0.3 ± 0.1	0.8 ± 0.1	1.5 ± 0.2	2.4 ± 0.2	0.8 ± 0.1	0.9 ± 0.2	0.36 ± 0.09	0.8 ± 0.2	1.2 ± 0.2	E Africa F	S Asia F
35	2.9 ± 0.3	0.46 ± 0.09	1.0 ± 0.2	0.1 ± 0.1	0.5 ± 0.1	1.2 ± 0.2	2.5 ± 0.2	0.8 ± 0.1	0.8 ± 0.2	0.28 ± 0.09	0.7 ± 0.2	1.0 ± 0.2	E Africa F	S Asia F
36	2.6 ± 0.3	0.44 ± 0.09	1.3 ± 0.2	-0.0 ± 0.1	0.5 ± 0.1	1.4 ± 0.2	2.4 ± 0.3	0.6 ± 0.1	1.1 ± 0.2	0.14 ± 0.09	0.8 ± 0.2	0.8 ± 0.2	E Africa F	S Asia F
37	2.5 ± 0.3	0.27 ± 0.09	1.3 ± 0.2	0.1 ± 0.1	0.5 ± 0.2	1.3 ± 0.3	2.4 ± 0.3	0.6 ± 0.1	1.0 ± 0.2	0.1 ± 0.1	0.6 ± 0.2	0.6 ± 0.2	E Africa F	S Asia F
38	3.0 ± 0.3	0.20 ± 0.09	1.5 ± 0.2	0.0 ± 0.1	0.6 ± 0.2	1.1 ± 0.3	2.1 ± 0.3	0.5 ± 0.1	1.1 ± 0.2	-0.1 ± 0.1	0.8 ± 0.2	0.5 ± 0.2	E Africa F	S Asia M
39	2.6 ± 0.4	0.19 ± 0.09	1.5 ± 0.2	0.0 ± 0.1	0.4 ± 0.2	1.0 ± 0.3	2.3 ± 0.3	0.4 ± 0.1	1.2 ± 0.2	0.0 ± 0.1	0.7 ± 0.2	0.3 ± 0.2	E Africa F	S Asia F
40	2.5 ± 0.4	0.10 ± 0.09	1.8 ± 0.2	0.1 ± 0.1	0.4 ± 0.2	0.6 ± 0.3	2.3 ± 0.3	0.4 ± 0.1	1.4 ± 0.2	0.0 ± 0.1	0.7 ± 0.2	0.1 ± 0.2	E Africa F	S Asia M
41	2.4 ± 0.4	0.09 ± 0.09	1.9 ± 0.2	0.1 ± 0.2	0.4 ± 0.2	0.5 ± 0.3	2.3 ± 0.3	0.3 ± 0.1	1.4 ± 0.2	0.0 ± 0.1	0.7 ± 0.2	-0.2 ± 0.2	E Africa F	W Africa M
42	2.9 ± 0.4	0.06 ± 0.10	2.0 ± 0.2	0.5 ± 0.2	0.5 ± 0.2	0.7 ± 0.3	2.3 ± 0.3	0.5 ± 0.1	1.7 ± 0.2	0.0 ± 0.1	1.1 ± 0.2	-0.1 ± 0.2	E Africa F	W Africa M
43	2.7 ± 0.4	-0.10 ± 0.10	2.1 ± 0.2	0.4 ± 0.2	0.6 ± 0.2	0.4 ± 0.3	2.4 ± 0.4	0.4 ± 0.1	1.7 ± 0.2	0.1 ± 0.1	1.0 ± 0.3	-0.4 ± 0.3	E Africa F	W Africa M
44	3.0 ± 0.5	-0.1 ± 0.1	2.0 ± 0.2	0.5 ± 0.2	0.8 ± 0.2	0.4 ± 0.3	2.0 ± 0.4	0.6 ± 0.1	2.1 ± 0.3	0.1 ± 0.2	1.3 ± 0.3	-0.4 ± 0.3	E Africa F	W Africa M
45	2.5 ± 0.5	-0.1 ± 0.1	2.0 ± 0.2	0.7 ± 0.2	0.6 ± 0.2	0.1 ± 0.3	1.8 ± 0.4	0.5 ± 0.1	2.1 ± 0.3	0.4 ± 0.2	1.2 ± 0.3	-0.6 ± 0.3	E Africa F	W Africa M
46	3.8 ± 0.5	-0.2 ± 0.1	2.5 ± 0.2	0.9 ± 0.2	0.6 ± 0.2	0.2 ± 0.3	1.8 ± 0.4	0.6 ± 0.1	2.6 ± 0.3	0.6 ± 0.2	1.4 ± 0.3	-1.0 ± 0.3	E Africa F	W Africa M
47	3.3 ± 0.6	-0.0 ± 0.1	2.5 ± 0.3	0.9 ± 0.2	0.7 ± 0.2	0.1 ± 0.4	2.1 ± 0.4	0.8 ± 0.1	2.7 ± 0.3	0.6 ± 0.2	1.7 ± 0.3	-0.7 ± 0.3	E Africa F	W Africa M
48	2.9 ± 0.6	-0.0 ± 0.1	2.6 ± 0.2	1.3 ± 0.2	0.7 ± 0.2	-0.0 ± 0.4	1.5 ± 0.4	0.8 ± 0.1	2.9 ± 0.3	0.9 ± 0.2	1.6 ± 0.3	-1.1 ± 0.3	E Europe M	W Africa M
49	3.4 ± 0.6	-0.1 ± 0.1	2.5 ± 0.2	1.4 ± 0.2	1.0 ± 0.2	-0.2 ± 0.4	1.6 ± 0.5	0.8 ± 0.1	2.7 ± 0.3	0.8 ± 0.2	1.7 ± 0.3	-1.1 ± 0.3	E Africa F	W Africa M
50	3.1 ± 0.6	0.1 ± 0.1	2.8 ± 0.2	1.4 ± 0.2	0.8 ± 0.2	-0.2 ± 0.4	1.5 ± 0.4	0.9 ± 0.1	2.7 ± 0.3	1.0 ± 0.2	2.2 ± 0.3	-1.5 ± 0.3	E Africa F	W Africa M
51	3.4 ± 0.6	0.2 ± 0.1	2.5 ± 0.2	1.6 ± 0.2	1.0 ± 0.2	-0.1 ± 0.4	1.2 ± 0.5	1.1 ± 0.1	3.1 ± 0.3	1.1 ± 0.2	2.0 ± 0.3	-1.7 ± 0.4	E Africa F	W Africa M
52	3.3 ± 0.6	0.3 ± 0.1	2.8 ± 0.2	1.6 ± 0.2	1.3 ± 0.2	-0.3 ± 0.4	1.4 ± 0.5	1.0 ± 0.1	2.8 ± 0.3	1.0 ± 0.2	1.9 ± 0.3	-1.5 ± 0.4	E Africa F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 88. *Mean raw error for Application-type images for algorithm roc-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.6 ± 0.2	3.39 ± 0.10	2.5 ± 0.1	2.3 ± 0.1	2.8 ± 0.2	2.8 ± 0.2	1.3 ± 0.2	2.69 ± 0.10	1.5 ± 0.1	1.69 ± 0.10	1.8 ± 0.2	1.5 ± 0.2	E Asia F	E Africa M
15	2.6 ± 0.2	3.5 ± 0.1	2.0 ± 0.1	2.3 ± 0.1	2.8 ± 0.3	2.6 ± 0.3	1.3 ± 0.2	2.85 ± 0.09	1.5 ± 0.1	1.7 ± 0.1	2.1 ± 0.2	1.6 ± 0.3	E Asia F	E Africa M
16	2.4 ± 0.2	3.4 ± 0.1	1.7 ± 0.1	1.9 ± 0.1	2.9 ± 0.3	2.7 ± 0.4	1.5 ± 0.2	2.77 ± 0.09	1.3 ± 0.2	1.59 ± 0.09	2.0 ± 0.2	1.3 ± 0.3	E Asia F	E Europe M
17	2.5 ± 0.3	3.1 ± 0.1	1.3 ± 0.1	1.7 ± 0.1	2.8 ± 0.2	2.3 ± 0.3	1.2 ± 0.2	2.6 ± 0.1	0.8 ± 0.1	1.3 ± 0.1	1.9 ± 0.2	1.8 ± 0.4	E Asia F	E Europe M
18	1.7 ± 0.2	2.5 ± 0.1	0.5 ± 0.2	1.0 ± 0.1	2.3 ± 0.2	1.8 ± 0.3	0.8 ± 0.2	2.18 ± 0.10	0.2 ± 0.2	0.8 ± 0.1	1.6 ± 0.2	1.3 ± 0.3	E Asia F	E Europe M
19	2.1 ± 0.3	2.4 ± 0.1	-0.0 ± 0.2	0.9 ± 0.1	2.1 ± 0.2	2.0 ± 0.3	1.2 ± 0.3	2.1 ± 0.1	-0.0 ± 0.2	0.8 ± 0.1	1.3 ± 0.2	1.5 ± 0.3	E Asia F	E Europe F
20	2.0 ± 0.3	2.3 ± 0.1	-0.3 ± 0.2	0.7 ± 0.1	2.0 ± 0.2	1.9 ± 0.3	1.3 ± 0.3	2.0 ± 0.1	-0.1 ± 0.2	0.8 ± 0.1	1.3 ± 0.2	1.5 ± 0.3	E Asia F	E Europe F
21	1.9 ± 0.3	2.3 ± 0.1	-0.5 ± 0.2	0.5 ± 0.1	1.9 ± 0.2	1.5 ± 0.3	1.7 ± 0.3	1.9 ± 0.1	-0.4 ± 0.2	0.8 ± 0.1	1.2 ± 0.2	1.5 ± 0.3	E Asia F	E Europe F
22	2.0 ± 0.3	2.1 ± 0.1	-0.7 ± 0.1	0.3 ± 0.1	1.7 ± 0.1	1.1 ± 0.3	2.1 ± 0.3	1.7 ± 0.1	-0.2 ± 0.2	0.8 ± 0.1	1.0 ± 0.2	1.3 ± 0.3	E Africa M	E Europe F
23	1.9 ± 0.3	1.85 ± 0.10	-0.6 ± 0.1	0.3 ± 0.1	1.6 ± 0.1	1.1 ± 0.3	1.9 ± 0.3	1.5 ± 0.1	-0.4 ± 0.2	1.0 ± 0.1	0.9 ± 0.2	1.6 ± 0.3	E Africa M	E Europe F
24	1.7 ± 0.3	1.71 ± 0.09	-0.7 ± 0.1	0.0 ± 0.1	1.3 ± 0.1	1.0 ± 0.2	1.9 ± 0.3	1.4 ± 0.1	-0.2 ± 0.2	1.0 ± 0.1	0.9 ± 0.2	1.4 ± 0.2	E Africa M	E Europe F
25	1.3 ± 0.2	1.48 ± 0.08	-0.8 ± 0.1	-0.08 ± 0.10	1.2 ± 0.1	0.9 ± 0.2	1.9 ± 0.2	1.3 ± 0.1	-0.3 ± 0.2	1.0 ± 0.1	0.9 ± 0.2	1.3 ± 0.2	E Africa M	E Europe F
26	1.2 ± 0.2	1.23 ± 0.08	-0.7 ± 0.1	-0.32 ± 0.10	1.1 ± 0.1	0.6 ± 0.2	1.8 ± 0.2	1.13 ± 0.10	-0.2 ± 0.2	0.9 ± 0.1	0.9 ± 0.2	0.9 ± 0.2	E Africa M	E Europe F
27	1.2 ± 0.2	1.00 ± 0.08	-0.7 ± 0.1	-0.50 ± 0.09	0.8 ± 0.1	0.4 ± 0.2	1.6 ± 0.2	0.96 ± 0.10	-0.2 ± 0.1	0.70 ± 0.09	0.9 ± 0.2	0.8 ± 0.2	E Africa M	E Europe F
28	1.0 ± 0.2	0.74 ± 0.07	-0.6 ± 0.1	-0.56 ± 0.09	0.7 ± 0.1	0.1 ± 0.2	1.3 ± 0.2	0.8 ± 0.1	-0.2 ± 0.1	0.59 ± 0.09	0.9 ± 0.2	0.5 ± 0.2	E Africa M	E Europe F
29	1.1 ± 0.3	0.51 ± 0.07	-0.7 ± 0.1	-0.71 ± 0.10	0.5 ± 0.1	-0.0 ± 0.2	1.2 ± 0.2	0.62 ± 0.09	-0.3 ± 0.1	0.34 ± 0.08	0.5 ± 0.2	0.6 ± 0.2	E Africa M	S Asia F
30	0.8 ± 0.2	0.32 ± 0.07	-0.7 ± 0.1	-0.85 ± 0.10	0.3 ± 0.1	-0.4 ± 0.2	1.2 ± 0.2	0.43 ± 0.09	-0.4 ± 0.1	0.09 ± 0.08	0.6 ± 0.2	0.3 ± 0.2	E Africa M	S Asia F
31	0.6 ± 0.3	0.05 ± 0.08	-0.6 ± 0.1	-1.08 ± 0.10	0.2 ± 0.1	-0.4 ± 0.2	1.0 ± 0.2	0.33 ± 0.10	-0.5 ± 0.1	-0.10 ± 0.08	0.3 ± 0.2	-0.0 ± 0.2	E Africa M	S Asia F
32	0.7 ± 0.3	0.01 ± 0.08	-0.6 ± 0.1	-1.1 ± 0.1	0.0 ± 0.1	-0.3 ± 0.2	0.9 ± 0.2	0.14 ± 0.10	-0.5 ± 0.1	-0.26 ± 0.08	0.2 ± 0.2	-0.1 ± 0.2	E Africa M	S Asia F
33	0.6 ± 0.3	-0.18 ± 0.08	-0.7 ± 0.1	-1.2 ± 0.1	-0.1 ± 0.1	-0.6 ± 0.2	0.9 ± 0.2	-0.05 ± 0.10	-0.4 ± 0.1	-0.50 ± 0.08	-0.0 ± 0.2	-0.4 ± 0.2	E Africa M	S Asia F
34	0.4 ± 0.3	-0.24 ± 0.08	-0.6 ± 0.1	-1.2 ± 0.1	-0.1 ± 0.1	-0.8 ± 0.2	0.5 ± 0.2	-0.18 ± 0.10	-0.6 ± 0.1	-0.62 ± 0.09	0.0 ± 0.2	-0.3 ± 0.2	E Africa M	S Asia F
35	0.7 ± 0.3	-0.46 ± 0.09	-0.8 ± 0.1	-1.4 ± 0.1	-0.4 ± 0.1	-1.0 ± 0.2	0.6 ± 0.2	-0.2 ± 0.1	-0.6 ± 0.2	-0.70 ± 0.09	-0.1 ± 0.2	-0.6 ± 0.2	E Africa F	S Asia F
36	0.5 ± 0.3	-0.47 ± 0.09	-0.6 ± 0.2	-1.4 ± 0.1	-0.4 ± 0.1	-0.9 ± 0.2	0.5 ± 0.3	-0.4 ± 0.1	-0.4 ± 0.2	-0.92 ± 0.09	0.0 ± 0.2	-0.8 ± 0.2	E Africa M	S Asia F
37	0.4 ± 0.3	-0.61 ± 0.09	-0.5 ± 0.2	-1.3 ± 0.1	-0.5 ± 0.1	-1.0 ± 0.3	0.5 ± 0.3	-0.5 ± 0.1	-0.7 ± 0.2	-1.01 ± 0.09	-0.2 ± 0.2	-1.0 ± 0.2	E Africa M	S Asia F
38	0.9 ± 0.4	-0.68 ± 0.09	-0.5 ± 0.2	-1.2 ± 0.1	-0.4 ± 0.2	-1.1 ± 0.3	0.2 ± 0.3	-0.5 ± 0.1	-0.6 ± 0.2	-1.14 ± 0.10	-0.1 ± 0.2	-1.1 ± 0.2	E Africa F	S Asia F
39	0.6 ± 0.4	-0.77 ± 0.09	-0.6 ± 0.2	-1.4 ± 0.1	-0.6 ± 0.1	-1.1 ± 0.3	0.5 ± 0.3	-0.6 ± 0.1	-0.5 ± 0.2	-1.15 ± 0.10	-0.3 ± 0.2	-1.2 ± 0.2	E Africa F	S Asia F
40	0.7 ± 0.4	-0.81 ± 0.09	-0.4 ± 0.2	-1.1 ± 0.1	-0.7 ± 0.2	-1.5 ± 0.3	0.5 ± 0.3	-0.6 ± 0.1	-0.6 ± 0.2	-1.2 ± 0.1	-0.3 ± 0.2	-1.5 ± 0.2	E Africa F	W Africa F
41	0.6 ± 0.4	-0.94 ± 0.09	-0.5 ± 0.2	-1.1 ± 0.2	-0.8 ± 0.2	-1.5 ± 0.3	0.5 ± 0.3	-0.8 ± 0.1	-0.6 ± 0.2	-1.2 ± 0.1	-0.5 ± 0.2	-1.5 ± 0.3	E Africa F	W Africa M
42	1.0 ± 0.4	-0.89 ± 0.09	-0.3 ± 0.2	-0.7 ± 0.2	-0.7 ± 0.2	-1.4 ± 0.3	0.4 ± 0.3	-0.7 ± 0.1	-0.5 ± 0.2	-1.1 ± 0.1	-0.3 ± 0.2	-1.7 ± 0.2	E Africa F	W Africa M
43	1.1 ± 0.4	-1.07 ± 0.09	-0.3 ± 0.2	-0.8 ± 0.2	-0.7 ± 0.2	-1.6 ± 0.3	0.6 ± 0.3	-0.8 ± 0.1	-0.6 ± 0.2	-1.1 ± 0.1	-0.4 ± 0.2	-1.9 ± 0.3	E Africa F	W Africa M
44	1.0 ± 0.5	-1.07 ± 0.09	-0.5 ± 0.2	-0.7 ± 0.2	-0.6 ± 0.2	-1.5 ± 0.3	0.1 ± 0.3	-0.8 ± 0.1	-0.3 ± 0.2	-1.1 ± 0.1	-0.2 ± 0.2	-2.1 ± 0.3	E Africa F	W Africa M
45	0.8 ± 0.5	-1.12 ± 0.10	-0.4 ± 0.2	-0.6 ± 0.2	-0.7 ± 0.2	-1.6 ± 0.3	-0.0 ± 0.3	-0.9 ± 0.1	-0.5 ± 0.2	-0.9 ± 0.2	-0.5 ± 0.2	-2.1 ± 0.3	E Africa F	W Africa M
46	1.7 ± 0.5	-1.22 ± 0.10	0.0 ± 0.2	-0.3 ± 0.2	-0.9 ± 0.2	-1.5 ± 0.4	-0.1 ± 0.4	-0.8 ± 0.1	-0.2 ± 0.2	-0.7 ± 0.2	-0.4 ± 0.2	-2.4 ± 0.3	E Africa F	W Africa M
47	1.6 ± 0.5	-1.1 ± 0.1	-0.2 ± 0.3	-0.4 ± 0.2	-0.8 ± 0.2	-1.7 ± 0.4	0.3 ± 0.4	-0.9 ± 0.1	-0.3 ± 0.2	-0.6 ± 0.2	-0.1 ± 0.2	-2.3 ± 0.3	E Africa F	W Africa M
48	1.1 ± 0.6	-1.2 ± 0.1	0.1 ± 0.3	-0.1 ± 0.2	-0.9 ± 0.2	-1.5 ± 0.4	-0.2 ± 0.5	-0.9 ± 0.1	-0.2 ± 0.3	-0.4 ± 0.2	-0.1 ± 0.3	-2.6 ± 0.3	E Africa F	W Africa M
49	1.5 ± 0.6	-1.3 ± 0.1	-0.1 ± 0.3	0.0 ± 0.2	-0.6 ± 0.2	-1.7 ± 0.4	-0.2 ± 0.5	-0.9 ± 0.1	-0.2 ± 0.3	-0.4 ± 0.2	-0.1 ± 0.3	-2.7 ± 0.3	E Africa F	W Africa M
50	1.3 ± 0.6	-1.3 ± 0.1	0.5 ± 0.3	0.0 ± 0.2	-0.8 ± 0.2	-1.8 ± 0.4	-0.3 ± 0.4	-0.9 ± 0.1	-0.3 ± 0.3	-0.3 ± 0.2	0.2 ± 0.3	-2.9 ± 0.3	E Africa F	W Africa M
51	1.4 ± 0.6	-1.3 ± 0.1	0.3 ± 0.3	0.2 ± 0.2	-0.7 ± 0.2	-1.5 ± 0.4	-0.7 ± 0.5	-0.8 ± 0.1	-0.3 ± 0.2	-0.1 ± 0.2	-0.0 ± 0.3	-3.1 ± 0.4	E Africa F	W Africa M
52	1.5 ± 0.6	-1.2 ± 0.1	0.6 ± 0.3	0.1 ± 0.2	-0.4 ± 0.2	-1.8 ± 0.4	-0.6 ± 0.5	-0.9 ± 0.1	-0.4 ± 0.3	-0.1 ± 0.2	-0.1 ± 0.3	-2.8 ± 0.4	E Africa F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 89. *Mean raw error for Application-type images for algorithm roc-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.9 ± 0.2	3.07 ± 0.10	2.0 ± 0.2	2.3 ± 0.1	2.7 ± 0.2	3.2 ± 0.2	1.5 ± 0.2	2.42 ± 0.09	1.2 ± 0.1	1.5 ± 0.1	1.7 ± 0.2	1.6 ± 0.3	W Africa F	E Europe M
15	3.1 ± 0.2	3.29 ± 0.10	1.9 ± 0.1	2.5 ± 0.2	2.9 ± 0.2	3.1 ± 0.3	1.6 ± 0.2	2.60 ± 0.08	1.2 ± 0.1	1.7 ± 0.1	2.1 ± 0.2	2.1 ± 0.3	E Asia F	E Europe M
16	2.9 ± 0.2	3.1 ± 0.1	1.6 ± 0.1	2.3 ± 0.1	3.1 ± 0.3	3.1 ± 0.4	2.1 ± 0.2	2.53 ± 0.08	1.1 ± 0.2	1.7 ± 0.1	2.1 ± 0.2	1.9 ± 0.3	E Asia F	E Europe M
17	3.1 ± 0.3	2.9 ± 0.1	1.4 ± 0.1	2.2 ± 0.1	2.9 ± 0.2	2.8 ± 0.3	2.0 ± 0.2	2.46 ± 0.09	0.7 ± 0.1	1.7 ± 0.1	2.1 ± 0.2	2.3 ± 0.4	E Africa F	E Europe M
18	2.3 ± 0.2	2.4 ± 0.1	0.7 ± 0.2	1.5 ± 0.1	2.5 ± 0.2	2.3 ± 0.3	1.8 ± 0.2	2.01 ± 0.09	0.4 ± 0.2	1.4 ± 0.1	1.8 ± 0.2	2.0 ± 0.3	S E Asia F	E Europe M
19	2.5 ± 0.3	2.3 ± 0.1	0.4 ± 0.2	1.5 ± 0.1	2.4 ± 0.2	2.6 ± 0.3	2.2 ± 0.2	1.91 ± 0.10	0.2 ± 0.2	1.4 ± 0.1	1.5 ± 0.2	2.3 ± 0.3	W Africa F	E Europe M
20	2.2 ± 0.2	2.2 ± 0.1	0.1 ± 0.2	1.2 ± 0.1	2.2 ± 0.1	2.5 ± 0.3	2.3 ± 0.2	1.81 ± 0.09	0.4 ± 0.2	1.4 ± 0.1	1.5 ± 0.2	2.3 ± 0.3	W Africa F	E Europe F
21	2.1 ± 0.2	2.1 ± 0.1	-0.1 ± 0.1	1.0 ± 0.1	1.9 ± 0.1	2.0 ± 0.3	2.4 ± 0.2	1.67 ± 0.09	0.1 ± 0.2	1.4 ± 0.1	1.4 ± 0.2	2.2 ± 0.3	E Africa M	E Europe F
22	2.0 ± 0.2	1.9 ± 0.1	-0.3 ± 0.1	0.7 ± 0.1	1.8 ± 0.1	1.5 ± 0.2	2.7 ± 0.2	1.61 ± 0.10	0.2 ± 0.2	1.2 ± 0.1	1.2 ± 0.1	2.1 ± 0.3	E Africa M	E Europe F
23	1.8 ± 0.2	1.66 ± 0.09	-0.4 ± 0.1	0.58 ± 0.10	1.6 ± 0.1	1.6 ± 0.2	2.5 ± 0.2	1.43 ± 0.10	0.0 ± 0.2	1.3 ± 0.1	1.1 ± 0.1	2.3 ± 0.2	E Africa M	E Europe F
24	1.5 ± 0.2	1.42 ± 0.08	-0.5 ± 0.1	0.26 ± 0.09	1.3 ± 0.1	1.2 ± 0.2	2.5 ± 0.2	1.35 ± 0.10	0.1 ± 0.1	1.16 ± 0.10	1.1 ± 0.1	2.1 ± 0.2	E Africa M	E Europe F
25	1.1 ± 0.2	1.22 ± 0.08	-0.6 ± 0.1	0.01 ± 0.08	1.1 ± 0.1	1.2 ± 0.2	2.3 ± 0.2	1.19 ± 0.09	0.1 ± 0.1	1.00 ± 0.09	0.9 ± 0.1	2.0 ± 0.2	E Africa M	E Europe F
26	0.7 ± 0.2	0.99 ± 0.08	-0.7 ± 0.1	-0.23 ± 0.08	0.89 ± 0.10	0.9 ± 0.2	2.2 ± 0.2	1.01 ± 0.09	0.1 ± 0.1	0.85 ± 0.08	0.9 ± 0.1	1.8 ± 0.2	E Africa M	E Europe F
27	0.7 ± 0.2	0.76 ± 0.07	-0.8 ± 0.1	-0.50 ± 0.08	0.55 ± 0.10	0.8 ± 0.2	1.9 ± 0.2	0.83 ± 0.09	0.1 ± 0.1	0.59 ± 0.08	0.8 ± 0.1	1.7 ± 0.2	E Africa M	E Europe F
28	0.5 ± 0.2	0.50 ± 0.07	-0.78 ± 0.10	-0.68 ± 0.08	0.3 ± 0.1	0.4 ± 0.2	1.6 ± 0.2	0.65 ± 0.10	0.0 ± 0.1	0.40 ± 0.08	0.6 ± 0.1	1.3 ± 0.2	E Africa M	E Europe F
29	0.4 ± 0.2	0.26 ± 0.07	-0.9 ± 0.1	-0.92 ± 0.08	0.1 ± 0.1	0.1 ± 0.2	1.5 ± 0.2	0.45 ± 0.09	-0.1 ± 0.1	0.14 ± 0.07	0.2 ± 0.1	1.4 ± 0.2	E Africa M	E Europe F
30	0.1 ± 0.2	0.11 ± 0.07	-1.1 ± 0.1	-1.15 ± 0.09	-0.1 ± 0.1	-0.2 ± 0.2	1.4 ± 0.2	0.17 ± 0.09	-0.3 ± 0.1	-0.06 ± 0.07	0.1 ± 0.2	1.1 ± 0.2	E Africa M	S Asia F
31	-0.1 ± 0.2	-0.16 ± 0.07	-1.1 ± 0.1	-1.43 ± 0.09	-0.3 ± 0.1	-0.2 ± 0.2	1.2 ± 0.2	0.10 ± 0.09	-0.4 ± 0.1	-0.30 ± 0.07	0.0 ± 0.2	1.0 ± 0.2	E Africa M	S Asia F
32	-0.1 ± 0.2	-0.24 ± 0.07	-1.2 ± 0.1	-1.58 ± 0.09	-0.5 ± 0.1	-0.2 ± 0.2	1.0 ± 0.2	-0.08 ± 0.09	-0.4 ± 0.1	-0.47 ± 0.07	-0.3 ± 0.2	0.8 ± 0.2	E Africa M	S Asia F
33	-0.3 ± 0.3	-0.48 ± 0.08	-1.2 ± 0.1	-1.75 ± 0.09	-0.6 ± 0.1	-0.5 ± 0.2	1.0 ± 0.2	-0.27 ± 0.09	-0.4 ± 0.1	-0.73 ± 0.07	-0.4 ± 0.2	0.5 ± 0.2	E Africa M	S Asia F
34	-0.6 ± 0.3	-0.57 ± 0.08	-1.4 ± 0.1	-1.91 ± 0.10	-0.7 ± 0.1	-0.6 ± 0.2	0.6 ± 0.2	-0.42 ± 0.09	-0.5 ± 0.1	-0.88 ± 0.08	-0.4 ± 0.2	0.4 ± 0.2	E Africa M	S Asia F
35	-0.2 ± 0.3	-0.75 ± 0.08	-1.5 ± 0.1	-2.12 ± 0.10	-1.0 ± 0.1	-0.9 ± 0.2	0.8 ± 0.2	-0.44 ± 0.10	-0.5 ± 0.1	-0.98 ± 0.08	-0.5 ± 0.2	0.3 ± 0.2	E Africa M	S Asia F
36	-0.6 ± 0.3	-0.81 ± 0.08	-1.4 ± 0.1	-2.2 ± 0.1	-1.0 ± 0.1	-0.7 ± 0.2	0.6 ± 0.2	-0.66 ± 0.10	-0.4 ± 0.2	-1.22 ± 0.08	-0.6 ± 0.2	0.1 ± 0.2	E Africa M	S Asia F
37	-0.5 ± 0.3	-0.97 ± 0.08	-1.4 ± 0.1	-2.2 ± 0.1	-1.2 ± 0.1	-0.9 ± 0.3	0.6 ± 0.3	-0.75 ± 0.10	-0.7 ± 0.2	-1.31 ± 0.09	-0.7 ± 0.2	-0.0 ± 0.2	E Africa M	S Asia F
38	-0.1 ± 0.3	-1.10 ± 0.09	-1.4 ± 0.2	-2.2 ± 0.1	-1.1 ± 0.1	-1.0 ± 0.3	0.3 ± 0.3	-0.87 ± 0.10	-0.7 ± 0.2	-1.53 ± 0.09	-0.6 ± 0.2	-0.1 ± 0.2	E Africa M	S Asia F
39	-0.7 ± 0.3	-1.19 ± 0.09	-1.5 ± 0.2	-2.4 ± 0.1	-1.3 ± 0.1	-0.9 ± 0.3	0.6 ± 0.3	-1.1 ± 0.1	-0.6 ± 0.2	-1.57 ± 0.09	-0.8 ± 0.2	-0.3 ± 0.2	E Africa M	S Asia F
40	-0.6 ± 0.4	-1.29 ± 0.09	-1.2 ± 0.2	-2.3 ± 0.1	-1.3 ± 0.2	-1.3 ± 0.3	0.5 ± 0.3	-1.0 ± 0.1	-0.7 ± 0.2	-1.65 ± 0.10	-0.8 ± 0.2	-0.5 ± 0.2	E Africa M	S Asia F
41	-0.8 ± 0.4	-1.34 ± 0.09	-1.4 ± 0.2	-2.3 ± 0.1	-1.4 ± 0.1	-1.4 ± 0.3	0.5 ± 0.3	-1.2 ± 0.1	-0.6 ± 0.2	-1.7 ± 0.1	-1.0 ± 0.2	-0.5 ± 0.2	E Africa M	S Asia F
42	-0.6 ± 0.4	-1.37 ± 0.09	-1.3 ± 0.2	-2.0 ± 0.2	-1.5 ± 0.2	-1.3 ± 0.3	0.4 ± 0.3	-1.2 ± 0.1	-0.5 ± 0.2	-1.8 ± 0.1	-0.8 ± 0.2	-0.6 ± 0.2	E Africa M	S Asia F
43	-0.3 ± 0.4	-1.55 ± 0.09	-1.3 ± 0.2	-2.3 ± 0.2	-1.3 ± 0.2	-1.5 ± 0.3	0.6 ± 0.3	-1.3 ± 0.1	-0.7 ± 0.2	-1.8 ± 0.1	-0.9 ± 0.2	-0.9 ± 0.3	E Africa M	S Asia F
44	-0.5 ± 0.5	-1.59 ± 0.09	-1.5 ± 0.2	-2.2 ± 0.2	-1.3 ± 0.2	-1.6 ± 0.3	0.1 ± 0.3	-1.3 ± 0.1	-0.4 ± 0.2	-1.9 ± 0.1	-0.8 ± 0.2	-0.8 ± 0.3	E Africa M	S Asia F
45	-0.8 ± 0.4	-1.54 ± 0.10	-1.5 ± 0.2	-2.2 ± 0.2	-1.4 ± 0.2	-1.6 ± 0.3	0.1 ± 0.3	-1.3 ± 0.1	-0.7 ± 0.2	-1.8 ± 0.1	-0.9 ± 0.2	-1.0 ± 0.3	E Africa M	S Asia F
46	0.2 ± 0.5	-1.71 ± 0.10	-1.1 ± 0.2	-2.1 ± 0.2	-1.6 ± 0.2	-1.5 ± 0.4	0.0 ± 0.4	-1.4 ± 0.1	-0.5 ± 0.2	-1.7 ± 0.1	-0.9 ± 0.2	-1.2 ± 0.3	E Africa F	S Asia F
47	-0.0 ± 0.5	-1.6 ± 0.1	-1.3 ± 0.2	-2.2 ± 0.2	-1.3 ± 0.2	-1.5 ± 0.4	0.3 ± 0.4	-1.4 ± 0.1	-0.5 ± 0.2	-1.5 ± 0.2	-0.7 ± 0.2	-0.9 ± 0.3	E Africa M	S Asia F
48	-0.8 ± 0.5	-1.7 ± 0.1	-1.2 ± 0.2	-1.9 ± 0.2	-1.5 ± 0.2	-1.4 ± 0.4	-0.1 ± 0.4	-1.4 ± 0.1	-0.5 ± 0.3	-1.5 ± 0.2	-0.8 ± 0.2	-1.2 ± 0.3	E Africa M	S Asia F
49	-0.4 ± 0.5	-1.7 ± 0.1	-1.5 ± 0.2	-1.8 ± 0.2	-1.2 ± 0.2	-1.8 ± 0.4	-0.2 ± 0.4	-1.3 ± 0.1	-0.6 ± 0.2	-1.5 ± 0.2	-0.8 ± 0.2	-1.2 ± 0.3	E Africa M	S Asia F
50	-0.5 ± 0.5	-1.7 ± 0.1	-1.0 ± 0.2	-1.9 ± 0.2	-1.4 ± 0.2	-1.7 ± 0.4	-0.2 ± 0.4	-1.4 ± 0.1	-0.8 ± 0.2	-1.4 ± 0.2	-0.4 ± 0.2	-1.4 ± 0.3	E Africa M	S Asia F
51	-0.4 ± 0.5	-1.7 ± 0.1	-1.1 ± 0.2	-1.8 ± 0.2	-1.3 ± 0.2	-1.6 ± 0.4	-0.5 ± 0.5	-1.4 ± 0.1	-0.6 ± 0.2	-1.3 ± 0.2	-0.7 ± 0.2	-1.5 ± 0.4	E Africa F	S Asia F
52	-0.4 ± 0.6	-1.7 ± 0.1	-0.9 ± 0.2	-2.0 ± 0.2	-1.1 ± 0.2	-1.7 ± 0.4	-0.4 ± 0.5	-1.3 ± 0.1	-0.8 ± 0.3	-1.4 ± 0.2	-0.8 ± 0.3	-1.4 ± 0.4	E Africa M	S Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 90. *Mean raw error for Application-type images for algorithm shufti-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.4 ± 0.4	3.6 ± 0.2	3.1 ± 0.3	3.9 ± 0.2	3.4 ± 0.3	4.4 ± 0.4	2.9 ± 0.3	2.7 ± 0.1	1.6 ± 0.2	2.4 ± 0.1	2.3 ± 0.2	3.4 ± 0.3	W Africa F	E Europe M
15	4.5 ± 0.4	3.7 ± 0.2	3.6 ± 0.3	4.2 ± 0.2	3.5 ± 0.3	4.4 ± 0.5	2.7 ± 0.3	2.9 ± 0.1	2.1 ± 0.2	2.6 ± 0.1	2.6 ± 0.2	3.2 ± 0.4	E Africa F	E Europe M
16	4.5 ± 0.4	3.4 ± 0.2	3.8 ± 0.4	3.9 ± 0.2	3.7 ± 0.3	4.2 ± 0.5	3.5 ± 0.4	2.8 ± 0.1	2.4 ± 0.3	2.9 ± 0.2	2.7 ± 0.2	3.1 ± 0.4	E Africa F	E Europe M
17	4.5 ± 0.4	3.2 ± 0.2	3.7 ± 0.4	4.0 ± 0.2	3.2 ± 0.3	4.1 ± 0.4	3.4 ± 0.3	2.8 ± 0.1	2.0 ± 0.2	2.8 ± 0.2	2.8 ± 0.2	3.5 ± 0.4	E Africa F	E Europe M
18	3.9 ± 0.4	2.7 ± 0.1	3.0 ± 0.4	3.6 ± 0.2	3.1 ± 0.2	3.5 ± 0.4	3.2 ± 0.3	2.5 ± 0.1	1.8 ± 0.2	3.1 ± 0.2	2.7 ± 0.2	2.7 ± 0.3	E Africa F	E Europe M
19	4.7 ± 0.4	2.6 ± 0.2	3.4 ± 0.4	3.8 ± 0.2	3.2 ± 0.2	3.9 ± 0.4	3.5 ± 0.3	2.9 ± 0.1	2.2 ± 0.3	3.4 ± 0.2	2.9 ± 0.2	3.4 ± 0.4	E Africa F	E Europe M
20	4.4 ± 0.4	2.6 ± 0.2	3.4 ± 0.3	3.6 ± 0.2	3.2 ± 0.2	3.5 ± 0.3	3.6 ± 0.3	2.9 ± 0.1	2.7 ± 0.3	3.8 ± 0.2	3.0 ± 0.2	3.4 ± 0.4	E Africa F	E Asia F
21	4.3 ± 0.3	2.6 ± 0.2	3.4 ± 0.3	3.6 ± 0.2	3.0 ± 0.2	3.9 ± 0.4	4.4 ± 0.3	3.3 ± 0.1	2.9 ± 0.3	4.0 ± 0.2	3.4 ± 0.2	3.6 ± 0.4	E Africa M	E Asia F
22	4.2 ± 0.4	2.5 ± 0.2	3.3 ± 0.2	3.4 ± 0.2	2.9 ± 0.2	3.0 ± 0.4	5.2 ± 0.4	3.5 ± 0.1	3.4 ± 0.3	4.2 ± 0.2	3.3 ± 0.2	3.5 ± 0.3	E Africa M	E Asia F
23	4.3 ± 0.3	2.3 ± 0.1	3.3 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	3.5 ± 0.3	5.0 ± 0.3	3.5 ± 0.2	3.6 ± 0.3	4.4 ± 0.2	3.4 ± 0.2	4.1 ± 0.3	E Africa M	E Asia F
24	4.4 ± 0.3	2.3 ± 0.1	3.2 ± 0.2	3.2 ± 0.1	2.8 ± 0.2	3.1 ± 0.3	5.0 ± 0.3	3.6 ± 0.1	3.8 ± 0.3	4.4 ± 0.2	3.3 ± 0.2	4.1 ± 0.3	E Africa M	E Asia F
25	3.9 ± 0.3	2.1 ± 0.1	3.2 ± 0.2	3.0 ± 0.1	2.8 ± 0.2	2.7 ± 0.3	5.0 ± 0.3	3.4 ± 0.1	3.8 ± 0.2	4.7 ± 0.1	3.4 ± 0.2	3.9 ± 0.3	E Africa M	E Asia F
26	4.1 ± 0.3	2.2 ± 0.1	3.1 ± 0.2	2.9 ± 0.1	2.9 ± 0.2	2.8 ± 0.3	4.8 ± 0.3	3.3 ± 0.1	3.7 ± 0.2	4.7 ± 0.1	3.4 ± 0.2	4.1 ± 0.2	E Africa M	E Asia F
27	4.0 ± 0.3	2.1 ± 0.1	3.3 ± 0.2	2.7 ± 0.1	2.5 ± 0.2	2.7 ± 0.3	4.8 ± 0.3	3.3 ± 0.1	3.8 ± 0.2	4.6 ± 0.1	3.3 ± 0.2	3.8 ± 0.2	E Africa M	E Asia F
28	3.6 ± 0.3	1.9 ± 0.1	3.1 ± 0.2	2.6 ± 0.1	2.6 ± 0.2	2.5 ± 0.3	4.5 ± 0.2	3.2 ± 0.1	4.1 ± 0.2	4.5 ± 0.1	3.2 ± 0.2	3.6 ± 0.2	S Asia M	E Asia F
29	3.8 ± 0.3	1.8 ± 0.1	2.9 ± 0.2	2.4 ± 0.1	2.5 ± 0.2	2.3 ± 0.3	4.5 ± 0.2	3.1 ± 0.1	3.7 ± 0.2	4.5 ± 0.1	2.8 ± 0.2	3.9 ± 0.2	S Asia M	E Asia F
30	3.7 ± 0.3	1.7 ± 0.1	2.8 ± 0.2	2.3 ± 0.1	2.5 ± 0.2	2.1 ± 0.3	4.3 ± 0.2	3.0 ± 0.1	3.7 ± 0.2	4.4 ± 0.1	3.1 ± 0.2	3.5 ± 0.2	S Asia M	E Asia F
31	3.4 ± 0.3	1.6 ± 0.1	2.8 ± 0.2	2.2 ± 0.1	2.3 ± 0.2	1.8 ± 0.3	4.1 ± 0.2	2.8 ± 0.1	3.6 ± 0.2	4.3 ± 0.1	3.1 ± 0.2	3.3 ± 0.2	S Asia M	E Asia F
32	3.4 ± 0.3	1.6 ± 0.1	2.7 ± 0.2	2.1 ± 0.1	2.3 ± 0.2	2.0 ± 0.3	3.8 ± 0.3	2.7 ± 0.1	3.4 ± 0.2	4.19 ± 0.10	3.0 ± 0.2	3.3 ± 0.2	S Asia M	E Asia F
33	3.3 ± 0.3	1.4 ± 0.1	2.5 ± 0.2	2.1 ± 0.1	2.4 ± 0.2	1.7 ± 0.3	4.1 ± 0.2	2.7 ± 0.1	3.4 ± 0.2	4.02 ± 0.10	2.6 ± 0.2	3.0 ± 0.2	E Africa M	E Asia F
34	3.1 ± 0.3	1.4 ± 0.1	2.4 ± 0.2	2.0 ± 0.1	2.2 ± 0.2	1.6 ± 0.3	3.4 ± 0.3	2.5 ± 0.1	3.3 ± 0.2	3.9 ± 0.1	2.8 ± 0.2	3.0 ± 0.2	S Asia M	E Asia F
35	3.3 ± 0.3	1.1 ± 0.1	2.3 ± 0.2	1.9 ± 0.1	1.9 ± 0.2	1.3 ± 0.3	3.7 ± 0.3	2.4 ± 0.1	3.0 ± 0.2	3.8 ± 0.1	2.4 ± 0.2	2.6 ± 0.2	S Asia M	E Asia F
36	2.9 ± 0.3	1.1 ± 0.1	2.4 ± 0.2	1.9 ± 0.1	2.0 ± 0.2	1.4 ± 0.3	3.6 ± 0.3	2.3 ± 0.1	3.3 ± 0.2	3.6 ± 0.1	2.6 ± 0.2	2.4 ± 0.2	S Asia M	E Asia F
37	3.0 ± 0.3	1.2 ± 0.1	2.2 ± 0.2	1.9 ± 0.1	1.8 ± 0.2	1.2 ± 0.3	3.3 ± 0.3	2.2 ± 0.1	2.9 ± 0.2	3.4 ± 0.1	2.4 ± 0.2	2.3 ± 0.2	S Asia M	E Asia F
38	3.3 ± 0.4	1.0 ± 0.1	2.2 ± 0.2	2.0 ± 0.1	1.8 ± 0.2	1.0 ± 0.3	3.0 ± 0.3	2.0 ± 0.1	2.8 ± 0.2	3.3 ± 0.1	2.5 ± 0.2	2.0 ± 0.2	E Africa F	E Asia F
39	2.8 ± 0.4	1.0 ± 0.1	2.0 ± 0.2	1.9 ± 0.1	1.7 ± 0.2	1.1 ± 0.4	3.2 ± 0.3	1.8 ± 0.1	2.9 ± 0.2	3.1 ± 0.1	2.3 ± 0.2	2.0 ± 0.2	E Africa M	E Asia F
40	2.6 ± 0.4	0.8 ± 0.1	2.3 ± 0.2	1.9 ± 0.1	1.5 ± 0.2	1.1 ± 0.3	3.2 ± 0.3	1.8 ± 0.1	2.6 ± 0.2	3.0 ± 0.1	2.1 ± 0.2	1.7 ± 0.3	E Africa M	E Asia F
41	2.4 ± 0.4	0.8 ± 0.1	2.1 ± 0.2	1.8 ± 0.2	1.4 ± 0.2	0.5 ± 0.4	3.1 ± 0.3	1.7 ± 0.1	2.7 ± 0.2	2.8 ± 0.1	2.0 ± 0.2	1.7 ± 0.3	E Africa M	W Africa F
42	2.6 ± 0.4	0.9 ± 0.1	2.1 ± 0.2	1.9 ± 0.2	1.5 ± 0.2	0.8 ± 0.4	3.0 ± 0.4	1.6 ± 0.1	2.8 ± 0.2	2.7 ± 0.1	2.0 ± 0.2	1.3 ± 0.3	E Africa M	W Africa F
43	2.6 ± 0.4	0.6 ± 0.1	2.1 ± 0.3	1.8 ± 0.2	1.4 ± 0.2	0.5 ± 0.4	3.2 ± 0.4	1.5 ± 0.1	2.6 ± 0.2	2.7 ± 0.1	2.0 ± 0.2	1.2 ± 0.3	E Africa M	W Africa F
44	2.4 ± 0.5	0.5 ± 0.1	1.8 ± 0.3	1.8 ± 0.2	1.5 ± 0.2	0.3 ± 0.4	2.7 ± 0.4	1.3 ± 0.1	2.8 ± 0.3	2.3 ± 0.1	2.0 ± 0.2	1.3 ± 0.3	E Europe M	W Africa F
45	2.5 ± 0.5	0.5 ± 0.1	2.0 ± 0.2	1.7 ± 0.2	1.4 ± 0.2	0.5 ± 0.4	2.8 ± 0.4	1.2 ± 0.1	2.6 ± 0.3	2.4 ± 0.1	1.7 ± 0.2	0.9 ± 0.3	E Africa M	W Africa F
46	3.0 ± 0.5	0.3 ± 0.1	2.1 ± 0.3	1.8 ± 0.2	1.3 ± 0.2	0.2 ± 0.5	3.1 ± 0.4	1.0 ± 0.1	2.8 ± 0.3	2.2 ± 0.2	1.8 ± 0.3	0.9 ± 0.3	E Africa M	W Africa F
47	2.7 ± 0.5	0.4 ± 0.1	2.0 ± 0.4	1.8 ± 0.2	1.4 ± 0.2	0.4 ± 0.4	3.0 ± 0.4	1.0 ± 0.1	2.5 ± 0.3	2.3 ± 0.2	1.7 ± 0.3	0.9 ± 0.3	E Africa M	E Asia F
48	2.2 ± 0.6	0.3 ± 0.1	2.3 ± 0.3	1.9 ± 0.2	1.2 ± 0.2	0.3 ± 0.4	2.4 ± 0.5	0.8 ± 0.1	2.6 ± 0.3	2.3 ± 0.2	1.9 ± 0.3	0.8 ± 0.4	E Europe M	E Asia F
49	2.9 ± 0.6	0.1 ± 0.1	2.2 ± 0.3	2.0 ± 0.2	1.5 ± 0.2	0.4 ± 0.5	2.2 ± 0.5	0.8 ± 0.1	2.5 ± 0.3	2.1 ± 0.2	1.7 ± 0.3	0.7 ± 0.4	E Africa F	E Asia F
50	2.4 ± 0.6	0.1 ± 0.1	2.4 ± 0.3	2.0 ± 0.2	1.2 ± 0.2	0.6 ± 0.5	2.3 ± 0.5	0.7 ± 0.1	2.3 ± 0.3	2.1 ± 0.2	2.1 ± 0.3	0.3 ± 0.4	E Africa F	E Asia F
51	2.3 ± 0.5	0.1 ± 0.1	2.3 ± 0.3	1.9 ± 0.2	1.3 ± 0.2	0.4 ± 0.5	1.7 ± 0.6	0.5 ± 0.1	2.3 ± 0.3	2.0 ± 0.2	2.0 ± 0.3	0.6 ± 0.4	E Europe F	E Asia F
52	1.9 ± 0.6	0.1 ± 0.1	2.3 ± 0.3	1.8 ± 0.2	1.6 ± 0.2	0.2 ± 0.5	2.1 ± 0.6	0.4 ± 0.1	2.3 ± 0.3	1.9 ± 0.2	1.7 ± 0.3	0.5 ± 0.5	E Europe M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 91. *Mean raw error for Application-type images for algorithm shufti-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.5 ± 0.2	3.9 ± 0.1	5.4 ± 0.2	4.7 ± 0.1	4.3 ± 0.2	5.4 ± 0.2	3.6 ± 0.2	1.98 ± 0.09	3.0 ± 0.2	2.6 ± 0.1	2.2 ± 0.2	3.6 ± 0.3	E Africa F	E Asia M
15	5.2 ± 0.3	3.8 ± 0.1	5.3 ± 0.3	4.6 ± 0.2	4.0 ± 0.3	4.8 ± 0.3	2.8 ± 0.2	2.03 ± 0.09	2.6 ± 0.2	2.3 ± 0.1	2.2 ± 0.2	3.1 ± 0.2	E Europe F	E Asia M
16	4.9 ± 0.3	3.6 ± 0.1	5.3 ± 0.3	4.3 ± 0.2	4.3 ± 0.3	4.4 ± 0.3	2.7 ± 0.3	1.89 ± 0.09	2.7 ± 0.2	2.1 ± 0.1	2.1 ± 0.2	2.7 ± 0.2	E Europe F	E Asia M
17	4.9 ± 0.3	3.4 ± 0.1	5.2 ± 0.4	4.2 ± 0.2	3.8 ± 0.3	4.0 ± 0.3	2.1 ± 0.2	1.70 ± 0.10	2.1 ± 0.2	2.1 ± 0.1	1.9 ± 0.2	2.7 ± 0.3	E Europe F	E Asia M
18	4.1 ± 0.3	3.0 ± 0.1	4.5 ± 0.3	3.8 ± 0.1	3.6 ± 0.2	3.4 ± 0.3	2.0 ± 0.2	1.33 ± 0.08	1.9 ± 0.2	2.0 ± 0.1	1.7 ± 0.2	2.1 ± 0.3	E Europe F	E Asia M
19	4.4 ± 0.3	2.7 ± 0.1	4.5 ± 0.3	3.9 ± 0.2	3.3 ± 0.2	3.3 ± 0.3	2.2 ± 0.3	1.23 ± 0.09	1.7 ± 0.2	2.0 ± 0.1	1.5 ± 0.2	2.2 ± 0.3	E Europe F	E Asia M
20	4.3 ± 0.3	2.6 ± 0.1	4.4 ± 0.3	3.6 ± 0.2	3.5 ± 0.2	2.8 ± 0.3	2.5 ± 0.3	1.1 ± 0.1	1.7 ± 0.2	2.1 ± 0.1	1.5 ± 0.2	2.2 ± 0.3	E Europe F	E Asia M
21	4.2 ± 0.3	2.5 ± 0.1	4.0 ± 0.3	3.5 ± 0.1	3.2 ± 0.2	2.7 ± 0.3	2.8 ± 0.3	0.9 ± 0.1	1.5 ± 0.2	2.2 ± 0.1	1.5 ± 0.2	2.1 ± 0.3	E Africa F	E Asia M
22	3.9 ± 0.3	2.2 ± 0.1	3.9 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	2.0 ± 0.3	3.4 ± 0.3	0.8 ± 0.1	1.7 ± 0.2	2.1 ± 0.1	1.2 ± 0.2	2.1 ± 0.3	E Africa F	E Asia M
23	3.9 ± 0.3	2.1 ± 0.1	4.0 ± 0.2	3.3 ± 0.1	2.8 ± 0.2	2.4 ± 0.3	3.3 ± 0.3	0.7 ± 0.1	1.6 ± 0.2	2.2 ± 0.1	1.2 ± 0.2	2.4 ± 0.3	E Europe F	E Asia M
24	3.9 ± 0.3	1.9 ± 0.1	3.9 ± 0.2	2.9 ± 0.1	2.5 ± 0.1	1.9 ± 0.3	3.5 ± 0.3	0.8 ± 0.1	1.8 ± 0.2	2.3 ± 0.1	1.2 ± 0.2	2.6 ± 0.3	E Europe F	E Asia M
25	3.3 ± 0.3	1.7 ± 0.1	3.6 ± 0.2	2.6 ± 0.1	2.4 ± 0.1	1.7 ± 0.3	3.4 ± 0.3	0.7 ± 0.1	1.9 ± 0.2	2.3 ± 0.1	1.3 ± 0.2	2.4 ± 0.3	E Europe F	E Asia M
26	3.3 ± 0.2	1.6 ± 0.1	3.6 ± 0.2	2.3 ± 0.1	2.3 ± 0.1	1.5 ± 0.3	3.3 ± 0.2	0.5 ± 0.1	1.8 ± 0.2	2.2 ± 0.1	1.3 ± 0.2	2.4 ± 0.2	E Europe F	E Asia M
27	3.0 ± 0.3	1.37 ± 0.10	3.6 ± 0.2	2.00 ± 0.10	2.0 ± 0.1	1.4 ± 0.3	3.2 ± 0.2	0.6 ± 0.1	2.3 ± 0.2	2.1 ± 0.1	1.3 ± 0.2	2.4 ± 0.2	E Europe F	E Asia M
28	2.7 ± 0.2	1.22 ± 0.09	3.6 ± 0.2	1.76 ± 0.10	1.9 ± 0.1	1.0 ± 0.3	2.9 ± 0.2	0.6 ± 0.1	2.3 ± 0.2	2.0 ± 0.1	1.3 ± 0.2	2.0 ± 0.2	E Europe F	E Asia M
29	2.6 ± 0.3	1.05 ± 0.10	3.4 ± 0.2	1.49 ± 0.10	1.9 ± 0.1	0.9 ± 0.2	2.9 ± 0.2	0.6 ± 0.1	2.3 ± 0.2	1.77 ± 0.10	1.1 ± 0.2	2.2 ± 0.2	E Europe F	E Asia M
30	2.3 ± 0.2	0.99 ± 0.10	3.4 ± 0.2	1.27 ± 0.10	1.6 ± 0.1	0.4 ± 0.3	2.8 ± 0.2	0.5 ± 0.1	2.3 ± 0.2	1.61 ± 0.09	1.2 ± 0.2	1.8 ± 0.2	E Europe F	W Africa F
31	1.8 ± 0.3	0.84 ± 0.10	3.4 ± 0.2	0.89 ± 0.10	1.4 ± 0.1	0.2 ± 0.2	2.7 ± 0.2	0.4 ± 0.1	2.3 ± 0.2	1.49 ± 0.09	0.9 ± 0.2	1.7 ± 0.2	E Europe F	W Africa F
32	1.9 ± 0.3	0.77 ± 0.10	3.2 ± 0.2	0.7 ± 0.1	1.4 ± 0.2	0.4 ± 0.3	2.2 ± 0.2	0.3 ± 0.1	2.3 ± 0.2	1.36 ± 0.09	0.9 ± 0.2	1.5 ± 0.2	E Europe F	E Asia M
33	1.5 ± 0.3	0.58 ± 0.10	3.0 ± 0.2	0.5 ± 0.1	1.4 ± 0.2	-0.0 ± 0.3	2.2 ± 0.2	0.2 ± 0.1	2.4 ± 0.2	1.11 ± 0.09	0.7 ± 0.2	1.3 ± 0.2	E Europe F	W Africa F
34	1.3 ± 0.3	0.6 ± 0.1	2.8 ± 0.2	0.2 ± 0.1	1.2 ± 0.2	-0.1 ± 0.3	1.7 ± 0.2	0.1 ± 0.1	2.2 ± 0.2	0.98 ± 0.09	0.7 ± 0.2	1.2 ± 0.2	E Europe F	W Africa F
35	1.3 ± 0.3	0.4 ± 0.1	2.7 ± 0.2	0.0 ± 0.1	0.9 ± 0.2	-0.4 ± 0.3	1.7 ± 0.2	0.0 ± 0.1	2.1 ± 0.2	0.72 ± 0.10	0.5 ± 0.2	0.8 ± 0.2	E Europe F	W Africa F
36	0.9 ± 0.3	0.3 ± 0.1	2.6 ± 0.2	-0.3 ± 0.1	0.9 ± 0.2	-0.3 ± 0.3	1.5 ± 0.2	-0.1 ± 0.1	2.2 ± 0.2	0.56 ± 0.09	0.5 ± 0.2	0.7 ± 0.2	E Europe F	W Africa F
37	0.8 ± 0.3	0.4 ± 0.1	2.4 ± 0.2	-0.4 ± 0.1	0.8 ± 0.2	-0.6 ± 0.3	1.3 ± 0.3	-0.2 ± 0.1	1.9 ± 0.2	0.41 ± 0.10	0.2 ± 0.2	0.3 ± 0.2	E Europe F	W Africa F
38	0.9 ± 0.3	0.2 ± 0.1	2.3 ± 0.2	-0.4 ± 0.1	0.7 ± 0.2	-0.7 ± 0.3	0.9 ± 0.3	-0.3 ± 0.1	1.8 ± 0.2	0.22 ± 0.10	0.4 ± 0.2	0.3 ± 0.2	E Europe F	W Africa F
39	0.5 ± 0.3	0.2 ± 0.1	2.1 ± 0.2	-0.6 ± 0.1	0.6 ± 0.2	-0.8 ± 0.3	1.1 ± 0.3	-0.5 ± 0.1	1.8 ± 0.2	0.05 ± 0.10	0.2 ± 0.2	0.0 ± 0.2	E Europe F	W Africa F
40	0.3 ± 0.4	0.0 ± 0.1	2.3 ± 0.2	-0.6 ± 0.1	0.6 ± 0.2	-1.0 ± 0.3	0.7 ± 0.3	-0.6 ± 0.1	1.6 ± 0.2	-0.1 ± 0.1	0.1 ± 0.2	-0.4 ± 0.2	E Europe F	W Africa F
41	-0.1 ± 0.4	-0.0 ± 0.1	2.0 ± 0.2	-0.7 ± 0.1	0.4 ± 0.2	-1.8 ± 0.3	0.8 ± 0.3	-0.7 ± 0.1	1.7 ± 0.2	-0.3 ± 0.1	-0.1 ± 0.2	-0.5 ± 0.3	E Europe F	W Africa F
42	0.3 ± 0.4	0.0 ± 0.1	2.0 ± 0.2	-0.5 ± 0.2	0.3 ± 0.2	-1.6 ± 0.3	0.7 ± 0.3	-0.8 ± 0.1	1.7 ± 0.2	-0.4 ± 0.1	0.0 ± 0.2	-0.7 ± 0.3	E Europe F	W Africa F
43	0.3 ± 0.4	-0.25 ± 0.10	1.7 ± 0.2	-0.8 ± 0.2	0.1 ± 0.2	-1.6 ± 0.3	0.8 ± 0.3	-0.9 ± 0.1	1.4 ± 0.2	-0.5 ± 0.1	-0.1 ± 0.2	-1.2 ± 0.3	E Europe F	W Africa F
44	0.1 ± 0.4	-0.4 ± 0.1	1.4 ± 0.2	-0.8 ± 0.2	0.3 ± 0.2	-2.1 ± 0.4	0.1 ± 0.3	-1.1 ± 0.1	1.6 ± 0.2	-0.7 ± 0.1	-0.1 ± 0.2	-1.1 ± 0.3	E Europe M	W Africa F
45	-0.1 ± 0.4	-0.4 ± 0.1	1.3 ± 0.2	-0.8 ± 0.2	0.0 ± 0.2	-2.2 ± 0.3	-0.0 ± 0.4	-1.2 ± 0.1	1.2 ± 0.2	-0.5 ± 0.1	-0.4 ± 0.2	-1.5 ± 0.3	E Europe F	W Africa F
46	0.5 ± 0.5	-0.6 ± 0.1	1.2 ± 0.2	-0.8 ± 0.2	-0.3 ± 0.2	-2.0 ± 0.4	-0.1 ± 0.4	-1.3 ± 0.1	1.4 ± 0.2	-0.6 ± 0.2	-0.5 ± 0.2	-1.6 ± 0.3	E Europe M	W Africa F
47	0.1 ± 0.5	-0.6 ± 0.1	1.0 ± 0.2	-0.9 ± 0.2	-0.1 ± 0.2	-2.3 ± 0.4	0.3 ± 0.4	-1.4 ± 0.1	1.3 ± 0.2	-0.5 ± 0.2	-0.2 ± 0.3	-1.6 ± 0.3	E Europe M	W Africa F
48	-0.4 ± 0.5	-0.8 ± 0.1	1.1 ± 0.2	-0.7 ± 0.2	-0.3 ± 0.2	-2.4 ± 0.4	-0.2 ± 0.5	-1.5 ± 0.1	1.2 ± 0.3	-0.4 ± 0.2	-0.3 ± 0.3	-2.0 ± 0.3	E Europe M	W Africa F
49	-0.1 ± 0.5	-1.0 ± 0.1	0.8 ± 0.2	-0.7 ± 0.2	-0.1 ± 0.2	-2.6 ± 0.4	-0.5 ± 0.5	-1.6 ± 0.1	1.2 ± 0.3	-0.5 ± 0.2	-0.4 ± 0.3	-2.0 ± 0.3	E Europe M	W Africa F
50	-0.6 ± 0.6	-1.0 ± 0.1	1.0 ± 0.2	-0.8 ± 0.2	-0.4 ± 0.2	-2.5 ± 0.4	-0.3 ± 0.5	-1.7 ± 0.1	1.0 ± 0.3	-0.5 ± 0.2	-0.3 ± 0.3	-2.3 ± 0.3	E Europe F	W Africa F
51	-0.4 ± 0.5	-1.0 ± 0.1	0.8 ± 0.3	-0.7 ± 0.2	-0.3 ± 0.2	-2.7 ± 0.4	-0.7 ± 0.6	-1.8 ± 0.1	1.2 ± 0.3	-0.4 ± 0.2	-0.1 ± 0.3	-2.7 ± 0.4	E Europe M	W Africa F
52	-0.4 ± 0.6	-1.2 ± 0.1	1.0 ± 0.3	-0.9 ± 0.2	0.1 ± 0.2	-3.1 ± 0.4	-0.5 ± 0.5	-2.0 ± 0.1	1.3 ± 0.3	-0.4 ± 0.2	-0.6 ± 0.3	-2.5 ± 0.4	E Europe M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 92. *Mean raw error for Application-type images for algorithm tsight-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.9 ± 0.4	3.9 ± 0.1	4.5 ± 0.2	3.5 ± 0.2	3.1 ± 0.3	5.8 ± 0.4	2.6 ± 0.3	4.0 ± 0.1	3.7 ± 0.2	2.7 ± 0.2	2.7 ± 0.3	4.4 ± 0.4	W Africa F	E Africa M
15	4.2 ± 0.4	4.0 ± 0.1	4.4 ± 0.2	3.8 ± 0.2	3.3 ± 0.3	6.1 ± 0.5	2.8 ± 0.3	4.5 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	3.7 ± 0.3	4.9 ± 0.4	W Africa F	E Africa M
16	4.2 ± 0.4	3.8 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	3.4 ± 0.3	6.3 ± 0.5	4.1 ± 0.3	4.4 ± 0.1	4.2 ± 0.2	4.0 ± 0.2	3.9 ± 0.3	5.5 ± 0.4	W Africa F	S E Asia F
17	4.3 ± 0.4	3.3 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	3.0 ± 0.2	6.1 ± 0.4	4.1 ± 0.3	4.2 ± 0.1	3.8 ± 0.1	4.4 ± 0.2	3.8 ± 0.2	6.0 ± 0.4	W Africa F	S E Asia F
18	3.9 ± 0.3	2.5 ± 0.1	3.1 ± 0.2	2.9 ± 0.1	2.5 ± 0.2	5.6 ± 0.4	4.2 ± 0.3	3.4 ± 0.1	3.0 ± 0.2	4.0 ± 0.1	3.3 ± 0.2	5.4 ± 0.3	W Africa F	S E Asia F
19	3.8 ± 0.3	2.0 ± 0.1	2.6 ± 0.2	2.7 ± 0.1	2.0 ± 0.2	5.7 ± 0.4	4.3 ± 0.3	3.2 ± 0.1	2.7 ± 0.2	4.1 ± 0.1	2.7 ± 0.2	5.4 ± 0.3	W Africa F	S E Asia F
20	3.5 ± 0.3	1.6 ± 0.1	2.2 ± 0.2	2.3 ± 0.2	1.4 ± 0.1	5.4 ± 0.3	4.4 ± 0.3	2.6 ± 0.1	2.5 ± 0.2	4.0 ± 0.1	2.5 ± 0.2	5.4 ± 0.3	W Africa M	S E Asia F
21	3.1 ± 0.3	1.16 ± 0.10	1.9 ± 0.2	1.9 ± 0.1	1.0 ± 0.1	5.0 ± 0.3	4.1 ± 0.2	2.26 ± 0.09	2.0 ± 0.1	3.7 ± 0.1	1.9 ± 0.2	5.0 ± 0.3	W Africa M	S E Asia F
22	2.8 ± 0.3	0.43 ± 0.09	1.5 ± 0.1	1.4 ± 0.1	0.4 ± 0.1	4.6 ± 0.3	4.2 ± 0.2	1.72 ± 0.09	1.8 ± 0.2	3.4 ± 0.1	1.4 ± 0.1	4.7 ± 0.2	W Africa M	S E Asia F
23	2.4 ± 0.2	0.01 ± 0.09	1.2 ± 0.1	1.2 ± 0.1	-0.1 ± 0.1	4.3 ± 0.3	3.7 ± 0.2	1.29 ± 0.09	1.2 ± 0.1	3.2 ± 0.1	1.0 ± 0.2	4.5 ± 0.2	W Africa M	S E Asia F
24	1.9 ± 0.2	-0.59 ± 0.08	0.9 ± 0.1	0.67 ± 0.10	-0.6 ± 0.1	3.5 ± 0.3	3.5 ± 0.2	0.74 ± 0.10	1.0 ± 0.1	3.1 ± 0.1	0.6 ± 0.1	4.0 ± 0.2	W Africa M	E Asia F
25	1.4 ± 0.2	-1.12 ± 0.07	0.6 ± 0.1	0.22 ± 0.09	-1.1 ± 0.1	3.3 ± 0.2	3.1 ± 0.2	0.35 ± 0.10	0.9 ± 0.1	2.7 ± 0.1	0.3 ± 0.1	3.6 ± 0.2	W Africa M	E Asia F
26	0.9 ± 0.2	-1.64 ± 0.07	0.4 ± 0.1	-0.35 ± 0.09	-1.4 ± 0.1	2.7 ± 0.2	2.8 ± 0.2	-0.11 ± 0.09	0.5 ± 0.1	2.4 ± 0.1	-0.1 ± 0.2	3.1 ± 0.2	W Africa M	E Asia F
27	0.6 ± 0.2	-2.08 ± 0.07	0.2 ± 0.1	-0.80 ± 0.09	-2.0 ± 0.1	2.3 ± 0.2	2.4 ± 0.2	-0.44 ± 0.10	0.4 ± 0.1	2.14 ± 0.10	-0.3 ± 0.2	2.5 ± 0.2	W Africa M	E Asia F
28	0.2 ± 0.2	-2.58 ± 0.07	0.1 ± 0.1	-1.13 ± 0.09	-2.4 ± 0.1	1.9 ± 0.2	1.9 ± 0.2	-0.9 ± 0.1	0.3 ± 0.1	1.72 ± 0.09	-0.7 ± 0.2	2.0 ± 0.2	W Africa M	E Asia F
29	-0.1 ± 0.2	-3.01 ± 0.07	-0.0 ± 0.1	-1.47 ± 0.09	-2.7 ± 0.1	1.3 ± 0.2	1.5 ± 0.2	-1.2 ± 0.1	0.2 ± 0.1	1.46 ± 0.09	-1.2 ± 0.2	1.8 ± 0.2	W Africa M	E Asia F
30	-0.7 ± 0.2	-3.32 ± 0.07	-0.1 ± 0.1	-1.98 ± 0.10	-3.0 ± 0.1	0.8 ± 0.2	1.2 ± 0.2	-1.62 ± 0.10	-0.1 ± 0.1	1.05 ± 0.08	-1.5 ± 0.2	1.2 ± 0.2	W Africa M	E Asia F
31	-1.0 ± 0.2	-3.64 ± 0.08	-0.1 ± 0.1	-2.35 ± 0.10	-3.4 ± 0.1	0.4 ± 0.2	0.9 ± 0.2	-1.9 ± 0.1	-0.0 ± 0.2	0.84 ± 0.09	-1.8 ± 0.2	0.8 ± 0.2	E Africa M	E Asia F
32	-1.2 ± 0.2	-3.93 ± 0.09	-0.1 ± 0.1	-2.6 ± 0.1	-3.6 ± 0.1	-0.1 ± 0.2	0.4 ± 0.2	-2.1 ± 0.1	-0.1 ± 0.2	0.59 ± 0.09	-1.8 ± 0.2	0.4 ± 0.2	S Asia M	E Asia F
33	-1.6 ± 0.2	-4.15 ± 0.09	-0.3 ± 0.1	-2.9 ± 0.1	-4.0 ± 0.1	-0.4 ± 0.2	0.3 ± 0.2	-2.4 ± 0.1	0.1 ± 0.2	0.33 ± 0.09	-2.2 ± 0.2	-0.1 ± 0.2	S Asia M	E Asia F
34	-2.0 ± 0.3	-4.35 ± 0.09	-0.4 ± 0.1	-3.2 ± 0.1	-4.0 ± 0.2	-0.8 ± 0.2	-0.2 ± 0.2	-2.7 ± 0.1	-0.1 ± 0.2	0.09 ± 0.09	-2.3 ± 0.2	-0.5 ± 0.2	S Asia M	E Asia F
35	-2.1 ± 0.3	-4.69 ± 0.10	-0.5 ± 0.2	-3.5 ± 0.1	-4.4 ± 0.2	-1.3 ± 0.2	-0.6 ± 0.2	-2.8 ± 0.1	0.0 ± 0.2	-0.12 ± 0.10	-2.7 ± 0.2	-1.0 ± 0.2	E Europe M	E Asia F
36	-2.4 ± 0.3	-4.7 ± 0.1	-0.4 ± 0.2	-3.7 ± 0.1	-4.3 ± 0.2	-1.7 ± 0.2	-1.0 ± 0.2	-3.0 ± 0.1	0.1 ± 0.2	-0.44 ± 0.10	-2.6 ± 0.2	-1.5 ± 0.2	E Europe M	E Asia F
37	-2.7 ± 0.3	-4.9 ± 0.1	-0.5 ± 0.2	-3.8 ± 0.1	-4.6 ± 0.2	-2.1 ± 0.3	-1.0 ± 0.3	-3.1 ± 0.1	-0.1 ± 0.2	-0.6 ± 0.1	-2.9 ± 0.2	-1.7 ± 0.2	E Europe M	E Asia F
38	-2.6 ± 0.3	-5.0 ± 0.1	-0.5 ± 0.2	-3.9 ± 0.1	-4.5 ± 0.2	-2.5 ± 0.3	-1.4 ± 0.3	-3.1 ± 0.1	-0.2 ± 0.2	-0.8 ± 0.1	-2.7 ± 0.2	-2.2 ± 0.2	E Europe M	E Asia F
39	-2.9 ± 0.3	-5.1 ± 0.1	-0.6 ± 0.2	-4.1 ± 0.1	-4.5 ± 0.2	-2.6 ± 0.3	-1.5 ± 0.3	-3.3 ± 0.1	-0.0 ± 0.2	-1.0 ± 0.1	-2.8 ± 0.2	-2.7 ± 0.2	E Europe M	E Asia F
40	-3.2 ± 0.4	-5.2 ± 0.1	-0.6 ± 0.2	-4.0 ± 0.2	-4.7 ± 0.2	-3.4 ± 0.3	-1.5 ± 0.3	-3.3 ± 0.1	-0.0 ± 0.2	-1.1 ± 0.1	-3.0 ± 0.2	-3.0 ± 0.2	E Europe M	E Asia F
41	-3.9 ± 0.4	-5.2 ± 0.1	-0.7 ± 0.2	-4.1 ± 0.2	-4.7 ± 0.2	-4.0 ± 0.3	-1.8 ± 0.3	-3.4 ± 0.1	-0.0 ± 0.2	-1.3 ± 0.1	-3.0 ± 0.2	-3.2 ± 0.2	E Europe M	E Asia F
42	-3.7 ± 0.4	-5.3 ± 0.1	-0.7 ± 0.2	-3.7 ± 0.2	-4.9 ± 0.2	-3.9 ± 0.3	-2.3 ± 0.3	-3.4 ± 0.1	0.1 ± 0.2	-1.5 ± 0.1	-2.7 ± 0.2	-3.6 ± 0.2	E Europe M	E Asia F
43	-3.8 ± 0.4	-5.4 ± 0.1	-1.0 ± 0.2	-4.0 ± 0.2	-5.0 ± 0.2	-4.4 ± 0.3	-2.1 ± 0.3	-3.4 ± 0.1	-0.1 ± 0.2	-1.5 ± 0.1	-2.8 ± 0.2	-4.1 ± 0.3	E Europe M	E Asia F
44	-4.0 ± 0.4	-5.7 ± 0.1	-1.2 ± 0.2	-3.9 ± 0.2	-4.7 ± 0.2	-4.9 ± 0.3	-2.7 ± 0.3	-3.5 ± 0.1	0.3 ± 0.2	-1.7 ± 0.1	-2.9 ± 0.2	-4.4 ± 0.3	E Europe M	E Asia F
45	-4.2 ± 0.4	-5.7 ± 0.1	-1.2 ± 0.2	-3.9 ± 0.2	-5.1 ± 0.2	-5.1 ± 0.3	-3.0 ± 0.3	-3.6 ± 0.1	0.0 ± 0.2	-1.8 ± 0.1	-3.1 ± 0.2	-4.8 ± 0.3	E Europe M	E Asia F
46	-3.9 ± 0.5	-5.9 ± 0.1	-1.2 ± 0.2	-3.8 ± 0.2	-5.3 ± 0.2	-5.3 ± 0.3	-3.2 ± 0.4	-3.7 ± 0.1	0.1 ± 0.2	-1.8 ± 0.2	-3.1 ± 0.3	-5.1 ± 0.3	E Europe M	E Asia F
47	-4.0 ± 0.5	-5.9 ± 0.1	-1.3 ± 0.2	-3.7 ± 0.2	-5.3 ± 0.2	-5.6 ± 0.3	-3.1 ± 0.4	-3.8 ± 0.1	0.0 ± 0.2	-2.0 ± 0.2	-3.1 ± 0.3	-5.3 ± 0.3	E Europe M	E Asia F
48	-4.5 ± 0.5	-6.1 ± 0.1	-1.3 ± 0.2	-3.6 ± 0.2	-5.4 ± 0.2	-6.0 ± 0.3	-3.8 ± 0.4	-3.9 ± 0.1	0.2 ± 0.3	-2.0 ± 0.2	-3.1 ± 0.3	-5.9 ± 0.3	E Europe M	E Asia F
49	-4.3 ± 0.5	-6.2 ± 0.1	-1.4 ± 0.2	-3.5 ± 0.2	-5.3 ± 0.2	-6.6 ± 0.4	-4.0 ± 0.4	-4.1 ± 0.1	-0.2 ± 0.2	-2.4 ± 0.2	-3.3 ± 0.3	-6.2 ± 0.3	E Europe M	W Africa F
50	-5.1 ± 0.6	-6.3 ± 0.1	-1.1 ± 0.2	-3.5 ± 0.2	-5.7 ± 0.2	-6.5 ± 0.4	-4.4 ± 0.4	-4.2 ± 0.1	-0.4 ± 0.2	-2.4 ± 0.2	-3.2 ± 0.3	-6.6 ± 0.3	E Europe M	W Africa M
51	-4.7 ± 0.5	-6.4 ± 0.1	-1.4 ± 0.2	-3.5 ± 0.2	-5.6 ± 0.2	-7.1 ± 0.4	-4.6 ± 0.5	-4.3 ± 0.1	-0.2 ± 0.2	-2.5 ± 0.2	-3.3 ± 0.3	-6.9 ± 0.3	E Europe M	W Africa F
52	-4.9 ± 0.6	-6.5 ± 0.1	-1.2 ± 0.2	-3.5 ± 0.2	-5.4 ± 0.2	-7.6 ± 0.4	-4.6 ± 0.5	-4.5 ± 0.1	-0.4 ± 0.3	-2.8 ± 0.2	-3.6 ± 0.3	-7.3 ± 0.3	E Europe M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 93. *Mean raw error for Application-type images for algorithm unissey-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.6 ± 0.3	3.8 ± 0.2	2.3 ± 0.3	2.2 ± 0.2	2.8 ± 0.3	4.1 ± 0.5	2.1 ± 0.3	3.0 ± 0.2	0.8 ± 0.3	1.7 ± 0.2	2.3 ± 0.3	2.6 ± 0.4	W Africa F	E Europe M
15	2.5 ± 0.4	4.1 ± 0.2	2.6 ± 0.3	2.5 ± 0.2	3.0 ± 0.4	3.9 ± 0.6	2.0 ± 0.3	3.6 ± 0.2	1.2 ± 0.3	2.4 ± 0.2	3.0 ± 0.4	2.6 ± 0.4	E Asia F	E Europe M
16	2.3 ± 0.4	4.0 ± 0.2	2.6 ± 0.3	2.4 ± 0.2	3.4 ± 0.4	4.0 ± 0.6	2.9 ± 0.4	3.8 ± 0.2	1.9 ± 0.3	2.8 ± 0.2	3.6 ± 0.4	2.5 ± 0.4	E Asia F	E Europe M
17	2.6 ± 0.4	3.9 ± 0.2	2.9 ± 0.4	2.3 ± 0.2	3.0 ± 0.4	4.2 ± 0.5	3.1 ± 0.4	3.9 ± 0.2	1.2 ± 0.3	3.0 ± 0.2	3.4 ± 0.4	3.1 ± 0.4	W Africa F	E Europe M
18	2.1 ± 0.4	3.4 ± 0.2	2.4 ± 0.4	1.8 ± 0.2	2.6 ± 0.3	3.6 ± 0.5	3.1 ± 0.4	3.4 ± 0.2	1.4 ± 0.3	3.0 ± 0.2	3.2 ± 0.3	2.8 ± 0.4	W Africa F	E Europe M
19	2.2 ± 0.4	3.2 ± 0.2	2.0 ± 0.4	2.0 ± 0.2	2.5 ± 0.3	3.8 ± 0.5	3.7 ± 0.4	3.3 ± 0.2	1.3 ± 0.3	3.3 ± 0.2	2.9 ± 0.3	2.6 ± 0.4	W Africa F	E Europe M
20	2.1 ± 0.4	3.1 ± 0.2	2.3 ± 0.3	1.5 ± 0.2	2.2 ± 0.2	4.0 ± 0.5	3.9 ± 0.4	3.2 ± 0.2	1.7 ± 0.3	3.4 ± 0.2	3.1 ± 0.3	2.8 ± 0.4	W Africa F	S Asia F
21	1.8 ± 0.4	2.8 ± 0.2	2.0 ± 0.3	1.3 ± 0.2	2.0 ± 0.2	3.6 ± 0.5	3.7 ± 0.4	3.1 ± 0.2	1.7 ± 0.3	3.2 ± 0.2	3.0 ± 0.3	2.6 ± 0.4	E Africa M	S Asia F
22	1.5 ± 0.4	2.3 ± 0.2	2.2 ± 0.3	0.9 ± 0.2	1.6 ± 0.2	3.5 ± 0.5	4.0 ± 0.3	2.8 ± 0.2	2.0 ± 0.3	3.1 ± 0.2	2.5 ± 0.3	2.1 ± 0.3	E Africa M	S Asia F
23	1.3 ± 0.3	2.1 ± 0.1	2.2 ± 0.3	0.7 ± 0.2	1.5 ± 0.2	3.1 ± 0.4	3.5 ± 0.3	2.8 ± 0.2	1.7 ± 0.3	2.9 ± 0.2	2.4 ± 0.3	1.8 ± 0.3	E Africa M	S Asia F
24	1.1 ± 0.3	1.6 ± 0.1	2.2 ± 0.2	0.4 ± 0.1	1.2 ± 0.2	2.7 ± 0.4	3.3 ± 0.3	2.4 ± 0.2	2.0 ± 0.3	2.7 ± 0.1	2.1 ± 0.2	1.6 ± 0.3	E Africa M	S Asia F
25	1.0 ± 0.3	1.3 ± 0.1	2.2 ± 0.2	-0.1 ± 0.1	0.6 ± 0.2	2.8 ± 0.4	3.3 ± 0.3	2.2 ± 0.2	2.1 ± 0.2	2.4 ± 0.1	2.0 ± 0.2	1.3 ± 0.3	E Africa M	S Asia F
26	1.1 ± 0.3	0.8 ± 0.1	2.3 ± 0.2	-0.6 ± 0.1	0.4 ± 0.2	2.3 ± 0.4	3.0 ± 0.3	1.8 ± 0.1	1.9 ± 0.2	2.0 ± 0.1	1.8 ± 0.2	0.7 ± 0.2	E Africa M	S Asia F
27	0.7 ± 0.3	0.48 ± 0.10	2.2 ± 0.2	-1.0 ± 0.1	0.0 ± 0.1	2.0 ± 0.3	2.5 ± 0.3	1.6 ± 0.1	2.1 ± 0.2	1.6 ± 0.1	1.6 ± 0.2	0.3 ± 0.2	E Africa M	S Asia F
28	0.2 ± 0.3	0.01 ± 0.09	2.2 ± 0.2	-1.4 ± 0.1	-0.3 ± 0.2	2.1 ± 0.3	2.0 ± 0.3	1.4 ± 0.1	2.1 ± 0.2	1.1 ± 0.1	1.4 ± 0.2	-0.4 ± 0.2	E Europe F	S Asia F
29	0.3 ± 0.3	-0.38 ± 0.09	2.3 ± 0.2	-1.5 ± 0.1	-0.7 ± 0.2	1.7 ± 0.3	1.9 ± 0.3	1.1 ± 0.1	1.8 ± 0.2	0.7 ± 0.1	0.9 ± 0.2	-0.3 ± 0.2	E Europe F	S Asia F
30	-0.1 ± 0.3	-0.81 ± 0.09	2.3 ± 0.2	-1.9 ± 0.1	-0.9 ± 0.2	1.2 ± 0.3	1.6 ± 0.3	0.7 ± 0.1	1.8 ± 0.2	0.2 ± 0.1	0.7 ± 0.2	-1.0 ± 0.2	E Europe F	S Asia F
31	-0.3 ± 0.3	-1.21 ± 0.10	2.6 ± 0.2	-2.3 ± 0.1	-1.3 ± 0.2	0.9 ± 0.3	1.3 ± 0.3	0.5 ± 0.1	1.7 ± 0.2	-0.2 ± 0.1	0.4 ± 0.3	-1.5 ± 0.2	E Europe F	S Asia F
32	-0.2 ± 0.3	-1.56 ± 0.10	2.4 ± 0.2	-2.5 ± 0.1	-1.6 ± 0.2	0.6 ± 0.3	0.9 ± 0.3	0.2 ± 0.1	1.8 ± 0.2	-0.5 ± 0.1	0.2 ± 0.2	-2.0 ± 0.2	E Europe F	S Asia F
33	-0.7 ± 0.4	-1.9 ± 0.1	2.5 ± 0.2	-2.7 ± 0.1	-2.0 ± 0.2	0.6 ± 0.4	0.5 ± 0.3	-0.3 ± 0.1	2.1 ± 0.2	-0.9 ± 0.1	-0.1 ± 0.3	-2.2 ± 0.2	E Europe F	S Asia F
34	-0.8 ± 0.4	-2.2 ± 0.1	2.5 ± 0.2	-2.9 ± 0.2	-2.3 ± 0.2	-0.1 ± 0.3	0.0 ± 0.3	-0.6 ± 0.1	1.9 ± 0.2	-1.1 ± 0.1	-0.6 ± 0.3	-2.7 ± 0.2	E Europe F	S Asia F
35	-0.9 ± 0.4	-2.6 ± 0.1	2.4 ± 0.3	-3.2 ± 0.2	-2.7 ± 0.2	-0.6 ± 0.4	-0.2 ± 0.3	-0.8 ± 0.1	1.5 ± 0.2	-1.4 ± 0.1	-0.7 ± 0.3	-2.9 ± 0.3	E Europe F	S Asia F
36	-1.2 ± 0.4	-2.8 ± 0.1	2.6 ± 0.3	-3.5 ± 0.2	-2.7 ± 0.2	-0.5 ± 0.4	-0.7 ± 0.3	-1.1 ± 0.1	1.6 ± 0.2	-1.7 ± 0.1	-1.0 ± 0.3	-3.5 ± 0.3	E Europe F	W Africa M
37	-1.2 ± 0.4	-3.1 ± 0.1	2.7 ± 0.3	-3.4 ± 0.2	-3.0 ± 0.2	-1.1 ± 0.4	-0.6 ± 0.3	-1.4 ± 0.1	1.3 ± 0.2	-1.9 ± 0.1	-1.3 ± 0.3	-3.8 ± 0.3	E Europe F	W Africa M
38	-1.2 ± 0.4	-3.4 ± 0.1	2.7 ± 0.3	-3.7 ± 0.2	-3.1 ± 0.2	-1.6 ± 0.4	-1.1 ± 0.3	-1.6 ± 0.1	1.2 ± 0.2	-2.2 ± 0.1	-0.9 ± 0.3	-4.2 ± 0.3	E Europe F	W Africa M
39	-1.3 ± 0.5	-3.7 ± 0.1	2.5 ± 0.3	-3.8 ± 0.2	-3.1 ± 0.2	-1.5 ± 0.4	-1.2 ± 0.3	-1.9 ± 0.1	1.0 ± 0.2	-2.3 ± 0.1	-1.1 ± 0.3	-4.7 ± 0.3	E Europe F	W Africa M
40	-1.8 ± 0.5	-3.9 ± 0.1	2.7 ± 0.3	-3.7 ± 0.2	-3.4 ± 0.2	-2.0 ± 0.4	-1.4 ± 0.4	-2.2 ± 0.1	1.1 ± 0.3	-2.5 ± 0.1	-1.3 ± 0.3	-5.0 ± 0.3	E Europe F	W Africa M
41	-2.4 ± 0.5	-4.1 ± 0.1	2.5 ± 0.3	-3.9 ± 0.2	-3.6 ± 0.3	-2.7 ± 0.4	-1.5 ± 0.4	-2.3 ± 0.1	0.8 ± 0.3	-2.7 ± 0.2	-1.5 ± 0.3	-5.2 ± 0.3	E Europe F	W Africa M
42	-2.1 ± 0.5	-4.1 ± 0.1	2.8 ± 0.3	-3.6 ± 0.2	-3.7 ± 0.3	-2.4 ± 0.4	-1.6 ± 0.4	-2.5 ± 0.1	0.8 ± 0.3	-3.0 ± 0.2	-1.4 ± 0.3	-5.5 ± 0.3	E Europe F	W Africa M
43	-2.0 ± 0.6	-4.4 ± 0.1	2.6 ± 0.3	-3.8 ± 0.3	-3.8 ± 0.3	-3.2 ± 0.5	-1.6 ± 0.4	-2.7 ± 0.1	0.6 ± 0.3	-2.9 ± 0.2	-1.7 ± 0.3	-5.9 ± 0.4	E Europe F	W Africa M
44	-1.9 ± 0.6	-4.6 ± 0.1	2.4 ± 0.3	-3.8 ± 0.3	-3.5 ± 0.3	-3.2 ± 0.5	-2.2 ± 0.4	-2.8 ± 0.2	0.8 ± 0.3	-3.1 ± 0.2	-1.6 ± 0.3	-5.9 ± 0.4	E Europe F	W Africa M
45	-2.4 ± 0.6	-4.6 ± 0.1	2.2 ± 0.3	-3.7 ± 0.3	-3.8 ± 0.3	-3.3 ± 0.5	-2.7 ± 0.5	-3.2 ± 0.2	0.6 ± 0.3	-3.0 ± 0.2	-1.9 ± 0.3	-6.2 ± 0.4	E Europe F	W Africa M
46	-1.6 ± 0.7	-4.9 ± 0.1	2.2 ± 0.3	-3.5 ± 0.3	-4.1 ± 0.3	-3.4 ± 0.5	-2.6 ± 0.5	-3.3 ± 0.2	0.7 ± 0.3	-2.9 ± 0.2	-1.9 ± 0.3	-6.6 ± 0.4	E Europe F	W Africa M
47	-1.6 ± 0.7	-4.8 ± 0.2	2.2 ± 0.3	-3.5 ± 0.3	-3.8 ± 0.3	-3.7 ± 0.5	-2.3 ± 0.5	-3.3 ± 0.2	0.3 ± 0.3	-2.8 ± 0.2	-1.8 ± 0.3	-6.1 ± 0.4	E Europe F	W Africa M
48	-2.5 ± 0.7	-4.9 ± 0.2	1.8 ± 0.3	-3.3 ± 0.3	-4.1 ± 0.3	-3.7 ± 0.5	-3.0 ± 0.6	-3.4 ± 0.2	0.4 ± 0.3	-2.8 ± 0.2	-2.2 ± 0.4	-6.8 ± 0.5	E Europe F	W Africa M
49	-2.3 ± 0.7	-5.0 ± 0.2	1.8 ± 0.3	-3.6 ± 0.3	-3.7 ± 0.3	-4.0 ± 0.5	-3.2 ± 0.6	-3.6 ± 0.2	0.3 ± 0.3	-3.0 ± 0.2	-2.0 ± 0.3	-6.9 ± 0.4	E Europe F	W Africa M
50	-2.9 ± 0.8	-5.1 ± 0.2	2.0 ± 0.3	-3.3 ± 0.3	-4.0 ± 0.3	-4.0 ± 0.5	-3.2 ± 0.6	-3.6 ± 0.2	-0.0 ± 0.3	-3.1 ± 0.3	-1.8 ± 0.3	-7.3 ± 0.4	E Europe F	W Africa M
51	-2.3 ± 0.7	-5.1 ± 0.2	1.6 ± 0.3	-3.5 ± 0.3	-4.3 ± 0.3	-4.5 ± 0.6	-3.5 ± 0.7	-3.6 ± 0.2	0.2 ± 0.3	-3.0 ± 0.3	-2.0 ± 0.3	-7.3 ± 0.5	E Europe F	W Africa M
52	-2.9 ± 0.8	-5.2 ± 0.2	1.5 ± 0.3	-3.6 ± 0.3	-3.7 ± 0.3	-5.0 ± 0.6	-2.9 ± 0.7	-3.9 ± 0.2	-0.1 ± 0.3	-3.1 ± 0.3	-2.3 ± 0.4	-7.3 ± 0.5	E Europe F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 94. *Mean raw error for Application-type images for algorithm viante-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.8 ± 0.5	5.3 ± 0.2	2.4 ± 0.3	5.8 ± 0.2	5.5 ± 0.4	7.1 ± 0.5	3.3 ± 0.4	3.6 ± 0.1	0.6 ± 0.1	3.2 ± 0.2	3.7 ± 0.3	4.8 ± 0.5	W Africa F	E Europe M
15	6.9 ± 0.5	5.9 ± 0.1	3.1 ± 0.3	6.8 ± 0.3	6.5 ± 0.4	7.5 ± 0.4	4.1 ± 0.4	4.7 ± 0.1	0.8 ± 0.2	4.7 ± 0.2	5.1 ± 0.3	6.2 ± 0.5	W Africa F	E Europe M
16	7.0 ± 0.5	6.0 ± 0.1	3.8 ± 0.3	7.1 ± 0.2	7.1 ± 0.3	7.4 ± 0.5	6.2 ± 0.4	5.3 ± 0.1	1.7 ± 0.3	5.7 ± 0.2	5.9 ± 0.3	6.4 ± 0.4	W Africa F	E Europe M
17	7.5 ± 0.4	5.9 ± 0.1	4.2 ± 0.3	7.1 ± 0.2	6.7 ± 0.3	7.3 ± 0.3	6.5 ± 0.3	5.4 ± 0.1	2.2 ± 0.3	6.2 ± 0.2	6.2 ± 0.3	7.2 ± 0.4	E Africa F	E Europe M
18	6.8 ± 0.3	5.3 ± 0.1	3.8 ± 0.3	6.4 ± 0.2	6.2 ± 0.2	6.6 ± 0.4	6.2 ± 0.3	5.0 ± 0.1	2.4 ± 0.2	5.8 ± 0.2	5.9 ± 0.2	6.3 ± 0.4	E Africa F	E Europe M
19	6.9 ± 0.3	4.9 ± 0.1	3.6 ± 0.2	6.4 ± 0.1	5.9 ± 0.2	6.8 ± 0.3	6.7 ± 0.3	5.0 ± 0.1	2.6 ± 0.2	6.2 ± 0.1	5.7 ± 0.2	6.6 ± 0.3	E Africa F	E Europe M
20	6.5 ± 0.3	4.7 ± 0.1	3.5 ± 0.2	6.0 ± 0.1	5.5 ± 0.1	6.5 ± 0.2	6.7 ± 0.3	4.9 ± 0.1	2.8 ± 0.2	6.2 ± 0.1	5.6 ± 0.2	6.5 ± 0.3	E Africa M	E Europe M
21	6.2 ± 0.2	4.30 ± 0.09	2.9 ± 0.1	5.7 ± 0.1	5.1 ± 0.1	6.0 ± 0.2	6.6 ± 0.2	4.66 ± 0.09	2.5 ± 0.2	6.0 ± 0.1	5.4 ± 0.2	6.2 ± 0.3	E Africa M	E Europe M
22	6.0 ± 0.2	3.71 ± 0.08	2.52 ± 0.10	5.4 ± 0.1	4.6 ± 0.1	5.4 ± 0.2	6.9 ± 0.2	4.34 ± 0.09	2.3 ± 0.2	5.9 ± 0.1	5.0 ± 0.1	5.9 ± 0.2	E Africa M	E Europe M
23	5.5 ± 0.2	3.29 ± 0.07	2.04 ± 0.09	5.1 ± 0.1	4.20 ± 0.10	5.1 ± 0.2	6.4 ± 0.2	3.95 ± 0.09	1.9 ± 0.1	5.6 ± 0.1	4.8 ± 0.2	5.8 ± 0.2	E Africa M	E Europe M
24	5.1 ± 0.2	2.70 ± 0.06	1.55 ± 0.07	4.70 ± 0.09	3.67 ± 0.08	4.6 ± 0.2	6.2 ± 0.2	3.57 ± 0.09	1.6 ± 0.1	5.5 ± 0.1	4.5 ± 0.1	5.4 ± 0.2	E Africa M	E Europe F
25	4.5 ± 0.2	2.14 ± 0.06	1.01 ± 0.07	4.17 ± 0.09	3.10 ± 0.09	4.2 ± 0.2	5.8 ± 0.2	3.25 ± 0.09	1.3 ± 0.1	5.2 ± 0.1	4.2 ± 0.1	5.1 ± 0.2	E Africa M	E Europe F
26	3.9 ± 0.2	1.62 ± 0.06	0.59 ± 0.07	3.67 ± 0.08	2.78 ± 0.09	3.7 ± 0.2	5.5 ± 0.2	2.85 ± 0.08	1.0 ± 0.1	4.95 ± 0.10	3.9 ± 0.1	4.4 ± 0.2	E Africa M	E Europe F
27	3.7 ± 0.2	1.08 ± 0.06	0.17 ± 0.08	3.19 ± 0.08	2.21 ± 0.09	3.3 ± 0.2	5.1 ± 0.2	2.48 ± 0.08	0.8 ± 0.1	4.65 ± 0.09	3.8 ± 0.1	4.0 ± 0.2	E Africa M	E Europe F
28	3.2 ± 0.2	0.57 ± 0.06	-0.15 ± 0.09	2.78 ± 0.08	1.83 ± 0.09	2.7 ± 0.2	4.7 ± 0.2	2.18 ± 0.09	0.7 ± 0.1	4.29 ± 0.09	3.3 ± 0.1	3.4 ± 0.2	E Africa M	E Europe F
29	3.0 ± 0.2	0.14 ± 0.06	-0.34 ± 0.10	2.32 ± 0.08	1.38 ± 0.10	2.3 ± 0.2	4.4 ± 0.2	1.90 ± 0.09	0.6 ± 0.1	4.04 ± 0.09	3.0 ± 0.2	3.3 ± 0.2	E Africa M	E Europe F
30	2.5 ± 0.2	-0.28 ± 0.06	-0.5 ± 0.1	1.86 ± 0.09	1.1 ± 0.1	1.8 ± 0.2	4.3 ± 0.2	1.48 ± 0.09	0.5 ± 0.2	3.76 ± 0.08	2.9 ± 0.2	2.8 ± 0.2	E Africa M	E Europe F
31	2.2 ± 0.2	-0.68 ± 0.06	-0.5 ± 0.1	1.40 ± 0.09	0.7 ± 0.1	1.4 ± 0.2	4.1 ± 0.2	1.26 ± 0.10	0.5 ± 0.2	3.51 ± 0.09	2.6 ± 0.2	2.3 ± 0.2	E Africa M	E Asia F
32	2.2 ± 0.3	-1.01 ± 0.07	-0.5 ± 0.1	1.06 ± 0.10	0.3 ± 0.1	1.3 ± 0.2	3.7 ± 0.2	1.07 ± 0.10	0.7 ± 0.2	3.41 ± 0.09	2.5 ± 0.2	2.0 ± 0.2	E Africa M	E Asia F
33	1.7 ± 0.3	-1.33 ± 0.07	-0.5 ± 0.1	0.8 ± 0.1	-0.0 ± 0.1	0.8 ± 0.2	3.7 ± 0.2	0.8 ± 0.1	0.9 ± 0.2	3.22 ± 0.10	2.3 ± 0.2	1.6 ± 0.2	E Africa M	E Asia F
34	1.6 ± 0.3	-1.56 ± 0.07	-0.6 ± 0.1	0.5 ± 0.1	-0.2 ± 0.1	0.5 ± 0.2	3.2 ± 0.3	0.6 ± 0.1	0.6 ± 0.2	3.2 ± 0.1	2.3 ± 0.2	1.6 ± 0.2	E Africa M	E Asia F
35	1.6 ± 0.3	-1.89 ± 0.08	-0.7 ± 0.1	0.1 ± 0.1	-0.6 ± 0.1	0.3 ± 0.3	3.4 ± 0.3	0.5 ± 0.1	0.6 ± 0.2	3.0 ± 0.1	2.2 ± 0.2	1.3 ± 0.2	E Africa M	E Asia F
36	1.3 ± 0.3	-1.96 ± 0.09	-0.7 ± 0.1	-0.2 ± 0.1	-0.5 ± 0.2	0.3 ± 0.3	3.0 ± 0.3	0.5 ± 0.1	0.6 ± 0.2	2.8 ± 0.1	2.2 ± 0.2	1.1 ± 0.2	E Africa M	E Asia F
37	1.3 ± 0.4	-2.19 ± 0.09	-0.9 ± 0.1	-0.3 ± 0.1	-0.8 ± 0.2	-0.1 ± 0.3	3.2 ± 0.3	0.5 ± 0.1	0.2 ± 0.2	2.7 ± 0.1	2.0 ± 0.2	0.9 ± 0.2	E Africa M	E Asia F
38	1.8 ± 0.4	-2.31 ± 0.09	-0.9 ± 0.2	-0.4 ± 0.1	-0.6 ± 0.2	-0.2 ± 0.3	2.7 ± 0.3	0.4 ± 0.1	0.2 ± 0.2	2.6 ± 0.1	2.5 ± 0.3	0.7 ± 0.2	E Africa M	E Asia F
39	1.4 ± 0.4	-2.40 ± 0.10	-1.0 ± 0.2	-0.6 ± 0.1	-0.6 ± 0.2	0.0 ± 0.3	3.0 ± 0.3	0.4 ± 0.1	0.3 ± 0.2	2.5 ± 0.1	2.5 ± 0.2	0.6 ± 0.2	E Africa M	E Asia F
40	1.4 ± 0.4	-2.4 ± 0.1	-0.7 ± 0.2	-0.5 ± 0.2	-0.7 ± 0.2	-0.4 ± 0.3	2.9 ± 0.3	0.4 ± 0.1	0.4 ± 0.2	2.5 ± 0.1	2.5 ± 0.2	0.4 ± 0.3	E Africa M	E Asia F
41	0.9 ± 0.4	-2.4 ± 0.1	-0.8 ± 0.2	-0.6 ± 0.2	-0.6 ± 0.2	-0.7 ± 0.4	2.8 ± 0.3	0.5 ± 0.1	0.5 ± 0.2	2.4 ± 0.1	2.4 ± 0.2	0.4 ± 0.3	E Africa M	E Asia F
42	1.5 ± 0.4	-2.2 ± 0.1	-0.4 ± 0.2	-0.3 ± 0.2	-0.7 ± 0.2	-0.4 ± 0.4	2.6 ± 0.3	0.6 ± 0.1	0.7 ± 0.2	2.2 ± 0.1	2.6 ± 0.2	0.2 ± 0.3	S E Asia M	E Asia F
43	1.5 ± 0.4	-2.2 ± 0.1	-0.3 ± 0.2	-0.6 ± 0.2	-0.5 ± 0.2	-0.7 ± 0.4	2.7 ± 0.3	0.7 ± 0.1	0.6 ± 0.2	2.1 ± 0.1	2.7 ± 0.2	-0.1 ± 0.3	E Africa M	E Asia F
44	1.4 ± 0.5	-2.2 ± 0.1	-0.5 ± 0.2	-0.6 ± 0.2	-0.1 ± 0.2	-0.8 ± 0.4	2.1 ± 0.3	0.7 ± 0.1	1.0 ± 0.2	1.9 ± 0.1	2.7 ± 0.2	0.1 ± 0.3	S E Asia M	E Asia F
45	1.2 ± 0.5	-1.9 ± 0.1	-0.2 ± 0.2	-0.7 ± 0.2	-0.3 ± 0.2	-0.6 ± 0.4	1.7 ± 0.3	0.7 ± 0.1	0.8 ± 0.2	1.7 ± 0.1	2.7 ± 0.3	-0.2 ± 0.3	S E Asia M	E Asia F
46	1.8 ± 0.5	-1.9 ± 0.1	-0.1 ± 0.2	-0.7 ± 0.2	-0.4 ± 0.2	-0.7 ± 0.4	1.7 ± 0.4	0.7 ± 0.1	0.9 ± 0.2	1.7 ± 0.1	2.7 ± 0.2	-0.4 ± 0.3	S E Asia M	E Asia F
47	1.5 ± 0.6	-1.6 ± 0.1	-0.1 ± 0.2	-0.9 ± 0.2	0.0 ± 0.2	-0.7 ± 0.4	1.9 ± 0.4	0.8 ± 0.1	0.6 ± 0.2	1.4 ± 0.1	2.7 ± 0.3	-0.2 ± 0.3	S E Asia M	E Asia F
48	1.2 ± 0.5	-1.4 ± 0.1	-0.0 ± 0.2	-0.9 ± 0.2	-0.0 ± 0.2	-1.0 ± 0.4	1.1 ± 0.4	0.8 ± 0.1	0.6 ± 0.2	1.1 ± 0.1	2.5 ± 0.2	-0.7 ± 0.4	S E Asia M	E Asia F
49	1.4 ± 0.6	-1.4 ± 0.1	-0.4 ± 0.2	-1.1 ± 0.2	0.2 ± 0.2	-1.2 ± 0.4	0.8 ± 0.4	0.8 ± 0.1	0.3 ± 0.2	0.8 ± 0.2	2.4 ± 0.2	-0.7 ± 0.3	S E Asia M	E Asia F
50	0.8 ± 0.6	-1.3 ± 0.1	-0.2 ± 0.2	-1.3 ± 0.2	-0.1 ± 0.2	-1.1 ± 0.4	0.7 ± 0.4	0.7 ± 0.1	-0.0 ± 0.2	0.6 ± 0.2	2.6 ± 0.2	-1.1 ± 0.3	S E Asia M	E Asia F
51	1.4 ± 0.5	-1.2 ± 0.1	-0.5 ± 0.2	-1.6 ± 0.2	-0.1 ± 0.2	-1.1 ± 0.5	0.3 ± 0.5	0.7 ± 0.1	0.0 ± 0.2	0.4 ± 0.2	2.3 ± 0.2	-1.4 ± 0.4	S E Asia M	S Asia F
52	1.0 ± 0.6	-1.2 ± 0.1	-0.4 ± 0.2	-1.7 ± 0.2	0.0 ± 0.2	-1.6 ± 0.4	0.5 ± 0.4	0.5 ± 0.1	-0.2 ± 0.3	0.1 ± 0.2	1.8 ± 0.2	-1.4 ± 0.4	S E Asia M	S Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 95. *Mean raw error for Application-type images for algorithm yoti-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.1 ± 0.3	2.0 ± 0.1	1.7 ± 0.3	1.8 ± 0.2	2.1 ± 0.3	3.9 ± 0.4	0.2 ± 0.3	0.59 ± 0.09	-0.0 ± 0.2	-0.5 ± 0.1	0.5 ± 0.1	1.1 ± 0.3	W Africa F	S Asia M
15	3.2 ± 0.4	2.2 ± 0.2	2.5 ± 0.4	2.3 ± 0.3	2.3 ± 0.4	4.1 ± 0.5	0.1 ± 0.3	0.6 ± 0.1	0.1 ± 0.2	-0.3 ± 0.1	0.4 ± 0.2	1.6 ± 0.4	W Africa F	S Asia M
16	3.3 ± 0.4	2.4 ± 0.2	2.7 ± 0.4	2.7 ± 0.3	3.1 ± 0.5	4.5 ± 0.6	1.2 ± 0.3	0.5 ± 0.1	0.4 ± 0.2	-0.3 ± 0.2	0.4 ± 0.2	1.7 ± 0.4	W Africa F	S Asia M
17	3.3 ± 0.5	2.6 ± 0.2	3.5 ± 0.5	3.1 ± 0.3	3.1 ± 0.5	4.2 ± 0.5	0.9 ± 0.3	0.7 ± 0.1	0.3 ± 0.2	-0.1 ± 0.2	0.3 ± 0.3	2.4 ± 0.4	W Africa F	S Asia M
18	3.1 ± 0.4	2.4 ± 0.2	3.2 ± 0.4	3.0 ± 0.2	3.6 ± 0.3	4.4 ± 0.5	1.1 ± 0.3	0.6 ± 0.1	0.2 ± 0.2	-0.1 ± 0.2	0.6 ± 0.3	2.0 ± 0.3	W Africa F	S Asia M
19	3.7 ± 0.4	2.8 ± 0.2	3.5 ± 0.4	3.6 ± 0.2	3.9 ± 0.3	4.7 ± 0.5	1.5 ± 0.3	1.1 ± 0.2	0.6 ± 0.3	0.4 ± 0.2	0.8 ± 0.3	2.5 ± 0.4	W Africa F	S Asia M
20	3.4 ± 0.4	3.2 ± 0.2	3.5 ± 0.3	3.4 ± 0.2	4.2 ± 0.3	4.6 ± 0.4	2.0 ± 0.3	1.5 ± 0.2	1.2 ± 0.3	1.0 ± 0.2	1.4 ± 0.3	2.7 ± 0.4	W Africa F	S Asia M
21	3.8 ± 0.4	3.5 ± 0.2	3.6 ± 0.3	3.8 ± 0.2	4.4 ± 0.2	4.8 ± 0.4	2.2 ± 0.3	1.8 ± 0.2	1.3 ± 0.2	1.5 ± 0.2	1.7 ± 0.3	2.8 ± 0.3	W Africa F	E Europe M
22	3.8 ± 0.4	3.6 ± 0.2	3.7 ± 0.2	3.7 ± 0.2	4.5 ± 0.2	4.5 ± 0.4	2.9 ± 0.3	2.0 ± 0.1	1.7 ± 0.2	1.8 ± 0.2	1.9 ± 0.2	2.7 ± 0.3	W Africa F	E Europe M
23	3.6 ± 0.3	3.7 ± 0.2	3.5 ± 0.2	3.8 ± 0.2	4.5 ± 0.2	4.7 ± 0.3	2.6 ± 0.3	2.0 ± 0.1	1.5 ± 0.2	2.1 ± 0.2	2.2 ± 0.2	3.3 ± 0.3	W Africa F	E Europe M
24	3.8 ± 0.4	3.7 ± 0.1	3.5 ± 0.1	3.7 ± 0.2	4.6 ± 0.2	4.4 ± 0.4	2.7 ± 0.3	2.1 ± 0.1	1.6 ± 0.1	2.3 ± 0.1	2.4 ± 0.2	2.9 ± 0.3	S E Asia F	E Europe M
25	3.6 ± 0.3	3.9 ± 0.1	3.2 ± 0.1	3.6 ± 0.1	4.7 ± 0.2	4.3 ± 0.3	2.6 ± 0.3	2.2 ± 0.1	1.4 ± 0.1	2.3 ± 0.1	2.5 ± 0.2	2.9 ± 0.3	S E Asia F	E Europe M
26	3.7 ± 0.3	3.8 ± 0.1	3.0 ± 0.1	3.4 ± 0.1	4.7 ± 0.2	4.1 ± 0.3	2.6 ± 0.2	2.1 ± 0.1	1.1 ± 0.1	2.3 ± 0.1	2.6 ± 0.2	2.7 ± 0.2	S E Asia F	E Europe M
27	3.9 ± 0.3	3.9 ± 0.1	2.9 ± 0.1	3.3 ± 0.1	4.5 ± 0.2	4.2 ± 0.3	2.4 ± 0.2	2.1 ± 0.1	1.0 ± 0.1	2.2 ± 0.1	2.7 ± 0.2	2.7 ± 0.2	S E Asia F	E Europe M
28	3.5 ± 0.3	3.8 ± 0.1	2.6 ± 0.1	3.2 ± 0.1	4.5 ± 0.2	3.8 ± 0.3	2.1 ± 0.2	2.2 ± 0.1	1.0 ± 0.1	2.1 ± 0.1	2.6 ± 0.2	2.4 ± 0.2	S E Asia F	E Europe M
29	3.9 ± 0.3	3.8 ± 0.1	2.5 ± 0.1	3.1 ± 0.1	4.6 ± 0.2	3.8 ± 0.3	2.2 ± 0.2	2.1 ± 0.1	0.7 ± 0.1	1.98 ± 0.10	2.4 ± 0.2	2.7 ± 0.2	S E Asia F	E Europe M
30	3.6 ± 0.3	3.8 ± 0.1	2.3 ± 0.1	2.9 ± 0.1	4.5 ± 0.2	3.5 ± 0.3	2.1 ± 0.2	2.1 ± 0.1	0.5 ± 0.1	1.98 ± 0.09	2.7 ± 0.2	2.4 ± 0.2	S E Asia F	E Europe M
31	3.4 ± 0.3	3.7 ± 0.1	2.2 ± 0.1	2.8 ± 0.1	4.5 ± 0.2	3.1 ± 0.3	2.2 ± 0.2	2.0 ± 0.1	0.4 ± 0.1	1.87 ± 0.09	2.5 ± 0.2	2.2 ± 0.2	S E Asia F	E Europe M
32	3.6 ± 0.3	3.6 ± 0.1	2.0 ± 0.1	2.7 ± 0.1	4.1 ± 0.2	3.3 ± 0.3	1.9 ± 0.2	2.1 ± 0.1	0.4 ± 0.2	1.87 ± 0.09	2.7 ± 0.2	2.2 ± 0.2	S E Asia F	E Europe M
33	3.4 ± 0.3	3.5 ± 0.1	1.8 ± 0.2	2.6 ± 0.1	4.2 ± 0.2	3.1 ± 0.3	2.0 ± 0.3	2.1 ± 0.1	0.5 ± 0.2	1.69 ± 0.09	2.4 ± 0.2	2.1 ± 0.2	S E Asia F	E Europe M
34	3.2 ± 0.3	3.4 ± 0.1	1.7 ± 0.2	2.5 ± 0.1	4.1 ± 0.2	2.8 ± 0.3	1.7 ± 0.3	2.1 ± 0.1	0.3 ± 0.2	1.68 ± 0.10	2.5 ± 0.2	2.1 ± 0.2	S E Asia F	E Europe M
35	3.7 ± 0.3	3.2 ± 0.1	1.7 ± 0.2	2.3 ± 0.1	3.7 ± 0.2	2.5 ± 0.3	2.1 ± 0.3	2.2 ± 0.1	0.4 ± 0.2	1.67 ± 0.10	2.6 ± 0.2	1.8 ± 0.2	S E Asia F	E Europe M
36	3.0 ± 0.4	3.1 ± 0.1	1.6 ± 0.2	2.2 ± 0.1	3.7 ± 0.2	2.8 ± 0.3	1.9 ± 0.3	2.2 ± 0.1	0.5 ± 0.2	1.57 ± 0.10	2.6 ± 0.2	1.7 ± 0.2	S E Asia F	E Europe M
37	2.9 ± 0.4	2.97 ± 0.10	1.7 ± 0.2	2.1 ± 0.1	3.4 ± 0.2	2.5 ± 0.4	2.0 ± 0.3	2.3 ± 0.1	0.3 ± 0.2	1.5 ± 0.1	2.3 ± 0.2	1.6 ± 0.2	S E Asia F	E Europe M
38	3.1 ± 0.4	2.79 ± 0.10	1.5 ± 0.2	2.0 ± 0.1	3.4 ± 0.2	2.3 ± 0.4	1.5 ± 0.3	2.1 ± 0.1	0.4 ± 0.2	1.4 ± 0.1	2.6 ± 0.2	1.6 ± 0.2	S E Asia F	E Europe M
39	2.6 ± 0.3	2.63 ± 0.10	1.4 ± 0.2	1.8 ± 0.1	3.3 ± 0.2	2.1 ± 0.4	1.8 ± 0.3	2.1 ± 0.1	0.5 ± 0.2	1.4 ± 0.1	2.6 ± 0.2	1.5 ± 0.2	S E Asia F	E Europe M
40	2.4 ± 0.4	2.47 ± 0.10	1.6 ± 0.2	1.7 ± 0.1	2.9 ± 0.2	2.0 ± 0.3	1.7 ± 0.3	2.1 ± 0.1	0.5 ± 0.2	1.3 ± 0.1	2.5 ± 0.2	1.3 ± 0.3	S E Asia F	E Europe M
41	2.0 ± 0.4	2.18 ± 0.10	1.4 ± 0.2	1.5 ± 0.1	2.7 ± 0.2	1.1 ± 0.4	1.7 ± 0.3	2.0 ± 0.1	0.6 ± 0.2	1.3 ± 0.1	2.3 ± 0.2	1.3 ± 0.3	S E Asia F	E Europe M
42	2.4 ± 0.4	2.19 ± 0.09	1.5 ± 0.2	1.6 ± 0.2	2.5 ± 0.2	1.6 ± 0.4	1.7 ± 0.3	1.9 ± 0.1	0.8 ± 0.2	1.2 ± 0.1	2.4 ± 0.2	0.9 ± 0.3	S E Asia F	E Europe M
43	2.2 ± 0.4	1.91 ± 0.09	1.3 ± 0.2	1.2 ± 0.2	2.3 ± 0.2	0.9 ± 0.4	1.6 ± 0.3	1.8 ± 0.1	0.6 ± 0.2	1.2 ± 0.1	2.4 ± 0.2	0.6 ± 0.3	S E Asia M	E Europe M
44	1.9 ± 0.5	1.63 ± 0.09	1.0 ± 0.2	1.1 ± 0.2	2.3 ± 0.2	0.9 ± 0.4	1.2 ± 0.3	1.7 ± 0.1	0.9 ± 0.2	1.0 ± 0.1	2.4 ± 0.2	0.7 ± 0.3	S E Asia M	W Africa M
45	1.4 ± 0.4	1.61 ± 0.10	1.2 ± 0.2	0.9 ± 0.2	2.1 ± 0.2	0.7 ± 0.4	1.1 ± 0.4	1.6 ± 0.1	0.8 ± 0.2	1.1 ± 0.1	1.9 ± 0.2	0.2 ± 0.3	S E Asia F	W Africa M
46	1.9 ± 0.5	1.32 ± 0.10	1.2 ± 0.2	0.9 ± 0.2	1.8 ± 0.2	0.4 ± 0.4	1.0 ± 0.4	1.5 ± 0.1	0.9 ± 0.3	1.2 ± 0.2	2.0 ± 0.2	-0.0 ± 0.3	S E Asia M	W Africa M
47	1.6 ± 0.5	1.3 ± 0.1	1.3 ± 0.3	0.8 ± 0.2	1.8 ± 0.2	0.3 ± 0.4	1.2 ± 0.4	1.3 ± 0.1	1.2 ± 0.3	1.2 ± 0.2	2.1 ± 0.2	0.2 ± 0.3	S E Asia M	W Africa M
48	0.6 ± 0.5	1.1 ± 0.1	1.3 ± 0.2	0.8 ± 0.2	1.7 ± 0.2	0.2 ± 0.4	0.6 ± 0.4	1.2 ± 0.1	1.2 ± 0.3	1.1 ± 0.2	1.8 ± 0.2	-0.3 ± 0.3	S E Asia M	W Africa M
49	0.8 ± 0.5	0.9 ± 0.1	1.1 ± 0.2	0.5 ± 0.2	1.8 ± 0.2	-0.0 ± 0.4	0.4 ± 0.5	1.0 ± 0.1	1.1 ± 0.3	1.1 ± 0.2	1.8 ± 0.2	-0.3 ± 0.3	S E Asia M	W Africa M
50	0.9 ± 0.6	0.9 ± 0.1	1.4 ± 0.2	0.4 ± 0.2	1.5 ± 0.2	-0.1 ± 0.5	0.4 ± 0.4	0.9 ± 0.1	0.9 ± 0.3	0.9 ± 0.2	1.9 ± 0.2	-0.9 ± 0.3	S E Asia M	W Africa M
51	0.3 ± 0.5	0.6 ± 0.1	1.2 ± 0.2	0.2 ± 0.2	1.4 ± 0.2	-0.4 ± 0.5	-0.3 ± 0.5	0.7 ± 0.1	1.2 ± 0.3	0.9 ± 0.2	1.7 ± 0.2	-1.1 ± 0.4	S E Asia M	W Africa M
52	0.5 ± 0.6	0.6 ± 0.1	1.3 ± 0.2	-0.1 ± 0.2	1.5 ± 0.2	-1.0 ± 0.5	-0.1 ± 0.5	0.5 ± 0.1	1.1 ± 0.3	0.6 ± 0.2	1.4 ± 0.3	-1.3 ± 0.4	S E Asia F	W Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 96. *Mean raw error for Application-type images for algorithm yoti-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.1 ± 0.3	2.2 ± 0.2	0.6 ± 0.2	1.6 ± 0.2	2.2 ± 0.3	2.8 ± 0.4	-0.4 ± 0.2	0.29 ± 0.09	-0.2 ± 0.1	-0.4 ± 0.1	0.0 ± 0.1	0.3 ± 0.3	W Africa F	S Asia M
15	2.4 ± 0.4	2.5 ± 0.2	1.0 ± 0.3	2.3 ± 0.2	2.5 ± 0.4	2.6 ± 0.4	-0.4 ± 0.3	0.3 ± 0.1	-0.3 ± 0.1	-0.4 ± 0.1	-0.0 ± 0.2	1.0 ± 0.4	W Africa F	S Asia M
16	2.1 ± 0.4	2.8 ± 0.2	1.1 ± 0.3	2.6 ± 0.3	3.2 ± 0.4	3.2 ± 0.6	0.4 ± 0.3	0.2 ± 0.1	-0.4 ± 0.2	-0.3 ± 0.1	-0.1 ± 0.2	0.9 ± 0.3	S E Asia F	E Europe M
17	2.1 ± 0.4	3.1 ± 0.2	1.0 ± 0.3	2.8 ± 0.3	3.1 ± 0.4	2.8 ± 0.4	0.3 ± 0.3	0.4 ± 0.1	-0.7 ± 0.2	-0.2 ± 0.2	-0.3 ± 0.3	1.5 ± 0.4	S E Asia F	E Europe M
18	1.6 ± 0.3	2.7 ± 0.2	0.7 ± 0.3	2.6 ± 0.2	3.3 ± 0.3	2.3 ± 0.4	0.2 ± 0.3	0.1 ± 0.1	-1.0 ± 0.2	-0.2 ± 0.1	-0.2 ± 0.3	0.8 ± 0.3	S E Asia F	E Europe M
19	2.2 ± 0.4	3.0 ± 0.2	1.0 ± 0.3	3.0 ± 0.2	3.5 ± 0.3	2.9 ± 0.4	0.7 ± 0.3	0.6 ± 0.1	-0.8 ± 0.2	0.3 ± 0.2	0.1 ± 0.3	1.5 ± 0.4	S E Asia F	E Europe M
20	2.0 ± 0.4	3.2 ± 0.2	1.0 ± 0.3	3.0 ± 0.2	3.7 ± 0.2	2.9 ± 0.4	1.0 ± 0.3	0.9 ± 0.2	-0.2 ± 0.3	0.8 ± 0.2	0.6 ± 0.3	1.6 ± 0.4	S E Asia F	E Europe M
21	2.1 ± 0.3	3.2 ± 0.1	1.1 ± 0.2	3.0 ± 0.2	3.8 ± 0.2	3.0 ± 0.4	1.5 ± 0.3	1.2 ± 0.2	-0.0 ± 0.2	1.3 ± 0.2	1.0 ± 0.3	1.9 ± 0.4	S E Asia F	E Europe M
22	2.5 ± 0.3	3.0 ± 0.1	1.1 ± 0.2	3.0 ± 0.1	3.5 ± 0.2	2.7 ± 0.4	2.4 ± 0.3	1.5 ± 0.1	0.6 ± 0.2	1.5 ± 0.2	1.1 ± 0.2	1.7 ± 0.3	S E Asia F	E Europe M
23	2.2 ± 0.3	3.0 ± 0.1	1.1 ± 0.2	2.9 ± 0.1	3.5 ± 0.2	3.2 ± 0.3	2.2 ± 0.3	1.4 ± 0.1	0.7 ± 0.2	1.9 ± 0.1	1.4 ± 0.2	2.4 ± 0.3	S E Asia F	E Europe M
24	2.5 ± 0.3	2.8 ± 0.1	1.1 ± 0.1	2.7 ± 0.1	3.3 ± 0.1	2.7 ± 0.3	2.2 ± 0.3	1.5 ± 0.1	0.8 ± 0.2	2.0 ± 0.1	1.5 ± 0.2	2.5 ± 0.3	S E Asia F	E Europe M
25	2.2 ± 0.3	2.68 ± 0.10	0.9 ± 0.1	2.4 ± 0.1	3.2 ± 0.1	2.9 ± 0.3	2.3 ± 0.3	1.5 ± 0.1	0.7 ± 0.1	2.0 ± 0.1	1.5 ± 0.2	2.7 ± 0.3	S E Asia F	E Europe M
26	2.2 ± 0.3	2.47 ± 0.10	0.8 ± 0.1	2.0 ± 0.1	3.2 ± 0.1	2.6 ± 0.3	2.4 ± 0.2	1.4 ± 0.1	0.6 ± 0.1	1.92 ± 0.10	1.5 ± 0.2	2.6 ± 0.2	S E Asia F	E Europe M
27	2.2 ± 0.3	2.38 ± 0.09	0.6 ± 0.1	1.78 ± 0.10	2.9 ± 0.1	2.9 ± 0.3	2.3 ± 0.2	1.3 ± 0.1	0.5 ± 0.1	1.68 ± 0.09	1.6 ± 0.2	2.6 ± 0.2	S E Asia F	E Europe M
28	2.0 ± 0.3	2.13 ± 0.09	0.37 ± 0.10	1.56 ± 0.10	2.8 ± 0.1	2.5 ± 0.3	2.1 ± 0.2	1.3 ± 0.1	0.3 ± 0.1	1.54 ± 0.09	1.5 ± 0.2	2.3 ± 0.2	S E Asia F	E Europe M
29	2.4 ± 0.3	2.02 ± 0.09	0.2 ± 0.1	1.19 ± 0.10	2.9 ± 0.1	2.4 ± 0.2	2.0 ± 0.2	1.1 ± 0.1	0.1 ± 0.1	1.35 ± 0.08	1.3 ± 0.2	2.8 ± 0.2	S E Asia F	E Europe M
30	2.0 ± 0.3	1.95 ± 0.09	-0.1 ± 0.1	0.96 ± 0.10	2.6 ± 0.1	2.0 ± 0.3	2.1 ± 0.2	1.1 ± 0.1	-0.1 ± 0.1	1.20 ± 0.08	1.5 ± 0.2	2.6 ± 0.2	S E Asia F	E Europe M
31	1.5 ± 0.3	1.84 ± 0.09	-0.1 ± 0.1	0.72 ± 0.10	2.5 ± 0.1	1.9 ± 0.3	2.1 ± 0.2	1.0 ± 0.1	-0.2 ± 0.1	1.08 ± 0.08	1.4 ± 0.2	2.5 ± 0.2	S E Asia F	E Europe M
32	1.9 ± 0.3	1.78 ± 0.09	-0.3 ± 0.1	0.5 ± 0.1	2.4 ± 0.2	1.9 ± 0.3	1.9 ± 0.2	1.2 ± 0.1	-0.3 ± 0.1	1.02 ± 0.08	1.4 ± 0.2	2.4 ± 0.2	W Africa M	E Europe F
33	1.7 ± 0.3	1.72 ± 0.09	-0.4 ± 0.1	0.3 ± 0.1	2.5 ± 0.1	1.7 ± 0.3	1.9 ± 0.2	1.2 ± 0.1	-0.1 ± 0.2	0.83 ± 0.08	1.3 ± 0.2	2.3 ± 0.2	S E Asia F	E Europe F
34	1.4 ± 0.3	1.70 ± 0.10	-0.4 ± 0.1	0.1 ± 0.1	2.2 ± 0.1	1.4 ± 0.3	1.7 ± 0.2	1.3 ± 0.1	-0.3 ± 0.2	0.80 ± 0.09	1.5 ± 0.2	2.4 ± 0.2	W Africa M	E Europe F
35	1.6 ± 0.3	1.55 ± 0.09	-0.4 ± 0.2	-0.1 ± 0.1	2.0 ± 0.2	0.9 ± 0.3	1.8 ± 0.3	1.5 ± 0.1	-0.1 ± 0.2	0.72 ± 0.09	1.6 ± 0.2	2.1 ± 0.2	W Africa M	E Europe F
36	1.2 ± 0.3	1.50 ± 0.09	-0.3 ± 0.2	-0.2 ± 0.1	2.0 ± 0.2	1.2 ± 0.3	1.6 ± 0.3	1.6 ± 0.1	0.1 ± 0.2	0.64 ± 0.09	1.6 ± 0.2	2.1 ± 0.2	W Africa M	E Europe F
37	1.2 ± 0.3	1.47 ± 0.09	-0.4 ± 0.2	-0.3 ± 0.1	1.9 ± 0.2	0.9 ± 0.3	1.7 ± 0.3	1.7 ± 0.1	-0.1 ± 0.2	0.66 ± 0.10	1.5 ± 0.2	1.9 ± 0.2	W Africa M	E Europe F
38	1.5 ± 0.3	1.29 ± 0.09	-0.4 ± 0.2	-0.4 ± 0.1	1.8 ± 0.1	0.6 ± 0.3	1.4 ± 0.3	1.7 ± 0.1	0.0 ± 0.2	0.50 ± 0.10	1.8 ± 0.2	1.7 ± 0.2	S E Asia M	E Europe F
39	1.0 ± 0.4	1.20 ± 0.09	-0.3 ± 0.2	-0.6 ± 0.1	1.7 ± 0.2	0.5 ± 0.3	1.6 ± 0.3	1.7 ± 0.1	0.1 ± 0.2	0.56 ± 0.10	1.8 ± 0.2	1.6 ± 0.2	S E Asia M	S Asia F
40	0.9 ± 0.4	1.01 ± 0.09	0.0 ± 0.2	-0.6 ± 0.1	1.5 ± 0.2	0.1 ± 0.3	1.5 ± 0.3	1.7 ± 0.1	0.1 ± 0.2	0.5 ± 0.1	1.6 ± 0.2	1.3 ± 0.2	E Asia M	S Asia F
41	0.4 ± 0.4	0.85 ± 0.09	-0.2 ± 0.2	-0.6 ± 0.1	1.3 ± 0.2	-0.2 ± 0.3	1.5 ± 0.3	1.7 ± 0.1	0.3 ± 0.2	0.4 ± 0.1	1.7 ± 0.2	1.3 ± 0.2	E Asia M	S Asia F
42	0.9 ± 0.4	0.84 ± 0.09	-0.1 ± 0.2	-0.3 ± 0.2	1.2 ± 0.2	0.0 ± 0.3	1.2 ± 0.3	1.7 ± 0.1	0.3 ± 0.2	0.4 ± 0.1	1.8 ± 0.2	0.8 ± 0.2	S E Asia M	S Asia F
43	0.8 ± 0.4	0.57 ± 0.09	-0.1 ± 0.2	-0.6 ± 0.2	1.0 ± 0.2	-0.7 ± 0.3	1.4 ± 0.3	1.7 ± 0.1	0.2 ± 0.2	0.4 ± 0.1	1.7 ± 0.2	0.6 ± 0.3	S E Asia M	W Africa F
44	0.9 ± 0.5	0.37 ± 0.09	-0.4 ± 0.2	-0.5 ± 0.2	1.3 ± 0.2	-0.9 ± 0.4	0.9 ± 0.3	1.6 ± 0.1	0.5 ± 0.2	0.2 ± 0.1	1.9 ± 0.2	0.6 ± 0.2	S E Asia M	W Africa F
45	0.5 ± 0.5	0.40 ± 0.09	-0.3 ± 0.2	-0.6 ± 0.2	1.1 ± 0.2	-1.0 ± 0.3	0.7 ± 0.4	1.6 ± 0.1	0.4 ± 0.2	0.4 ± 0.1	1.5 ± 0.2	0.2 ± 0.3	E Asia M	W Africa F
46	1.2 ± 0.5	0.18 ± 0.10	-0.2 ± 0.2	-0.4 ± 0.2	0.8 ± 0.2	-1.1 ± 0.4	0.7 ± 0.4	1.4 ± 0.1	0.5 ± 0.2	0.5 ± 0.1	1.6 ± 0.2	-0.2 ± 0.3	S E Asia M	W Africa F
47	0.7 ± 0.5	0.22 ± 0.10	-0.1 ± 0.2	-0.4 ± 0.2	1.0 ± 0.2	-1.3 ± 0.4	1.1 ± 0.4	1.3 ± 0.1	0.6 ± 0.2	0.5 ± 0.2	1.9 ± 0.2	-0.1 ± 0.3	S E Asia M	W Africa F
48	0.4 ± 0.6	0.1 ± 0.1	0.0 ± 0.2	-0.4 ± 0.2	0.8 ± 0.2	-1.5 ± 0.4	0.6 ± 0.5	1.2 ± 0.1	0.7 ± 0.3	0.5 ± 0.2	1.8 ± 0.2	-0.5 ± 0.3	S E Asia M	W Africa F
49	0.5 ± 0.6	-0.1 ± 0.1	-0.1 ± 0.2	-0.3 ± 0.2	1.1 ± 0.2	-1.6 ± 0.4	0.2 ± 0.4	1.1 ± 0.1	0.6 ± 0.2	0.5 ± 0.2	1.6 ± 0.2	-0.6 ± 0.3	S E Asia M	W Africa F
50	0.3 ± 0.6	-0.1 ± 0.1	0.2 ± 0.2	-0.2 ± 0.2	0.8 ± 0.2	-2.2 ± 0.4	0.1 ± 0.4	1.0 ± 0.1	0.4 ± 0.3	0.5 ± 0.2	1.9 ± 0.2	-1.2 ± 0.3	S E Asia M	W Africa F
51	-0.1 ± 0.6	-0.1 ± 0.1	0.1 ± 0.2	-0.1 ± 0.2	0.8 ± 0.2	-2.1 ± 0.5	-0.3 ± 0.5	0.7 ± 0.1	0.8 ± 0.2	0.5 ± 0.2	1.6 ± 0.2	-1.1 ± 0.3	S E Asia M	W Africa F
52	-0.3 ± 0.7	-0.1 ± 0.1	0.2 ± 0.2	-0.4 ± 0.2	1.0 ± 0.2	-2.2 ± 0.5	-0.2 ± 0.5	0.5 ± 0.1	0.7 ± 0.3	0.4 ± 0.2	1.3 ± 0.2	-1.3 ± 0.4	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 97. *Mean raw error for Application-type images for algorithm yoti-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.7 ± 0.3	2.5 ± 0.1	1.0 ± 0.2	2.3 ± 0.2	2.8 ± 0.3	3.3 ± 0.3	0.6 ± 0.2	1.0 ± 0.1	0.1 ± 0.1	0.3 ± 0.1	0.7 ± 0.2	1.1 ± 0.3	W Africa F	E Europe M
15	3.0 ± 0.3	2.8 ± 0.2	1.1 ± 0.2	2.8 ± 0.2	3.1 ± 0.4	3.0 ± 0.3	0.6 ± 0.2	1.2 ± 0.1	0.0 ± 0.1	0.5 ± 0.1	0.9 ± 0.2	1.5 ± 0.3	S E Asia F	E Europe M
16	2.9 ± 0.3	3.0 ± 0.2	1.1 ± 0.3	2.7 ± 0.2	3.4 ± 0.4	3.5 ± 0.5	1.1 ± 0.2	1.2 ± 0.1	-0.1 ± 0.2	0.6 ± 0.1	1.1 ± 0.2	1.1 ± 0.3	W Africa F	E Europe M
17	2.9 ± 0.4	3.2 ± 0.2	1.0 ± 0.3	3.0 ± 0.2	3.6 ± 0.4	3.1 ± 0.4	0.8 ± 0.2	1.3 ± 0.1	-0.4 ± 0.1	0.8 ± 0.1	1.3 ± 0.2	1.5 ± 0.3	S E Asia F	E Europe M
18	2.0 ± 0.3	2.7 ± 0.2	0.5 ± 0.3	2.6 ± 0.2	3.4 ± 0.2	2.5 ± 0.4	0.6 ± 0.2	1.0 ± 0.1	-0.7 ± 0.2	0.6 ± 0.1	1.1 ± 0.2	0.8 ± 0.3	S E Asia F	E Europe M
19	2.8 ± 0.4	3.0 ± 0.2	0.7 ± 0.3	3.0 ± 0.2	3.5 ± 0.2	2.9 ± 0.4	0.9 ± 0.3	1.4 ± 0.1	-0.6 ± 0.2	1.0 ± 0.1	1.3 ± 0.2	1.3 ± 0.4	S E Asia F	E Europe M
20	2.7 ± 0.4	3.2 ± 0.2	0.7 ± 0.2	3.0 ± 0.2	3.9 ± 0.2	2.9 ± 0.4	1.2 ± 0.3	1.7 ± 0.1	0.1 ± 0.2	1.4 ± 0.1	1.7 ± 0.2	1.3 ± 0.4	S E Asia F	E Europe M
21	3.1 ± 0.3	3.3 ± 0.1	0.9 ± 0.2	3.1 ± 0.1	3.8 ± 0.2	3.1 ± 0.4	1.6 ± 0.3	2.0 ± 0.1	0.1 ± 0.2	1.8 ± 0.1	2.0 ± 0.2	1.5 ± 0.4	S E Asia F	E Europe M
22	3.1 ± 0.3	3.1 ± 0.1	0.9 ± 0.2	3.0 ± 0.1	3.7 ± 0.2	2.7 ± 0.3	2.3 ± 0.3	2.0 ± 0.1	0.7 ± 0.2	2.0 ± 0.1	2.0 ± 0.2	1.5 ± 0.3	S E Asia F	E Europe M
23	3.2 ± 0.3	3.1 ± 0.1	0.9 ± 0.2	2.9 ± 0.1	3.6 ± 0.1	3.0 ± 0.3	2.2 ± 0.3	1.9 ± 0.1	0.8 ± 0.2	2.2 ± 0.1	2.2 ± 0.2	2.3 ± 0.3	S E Asia F	E Europe M
24	3.3 ± 0.3	2.9 ± 0.1	1.0 ± 0.1	2.9 ± 0.1	3.4 ± 0.1	2.8 ± 0.3	2.4 ± 0.3	2.0 ± 0.1	0.9 ± 0.1	2.3 ± 0.1	2.2 ± 0.2	2.2 ± 0.3	S E Asia F	E Europe M
25	2.9 ± 0.3	2.83 ± 0.09	0.8 ± 0.1	2.53 ± 0.10	3.2 ± 0.1	2.9 ± 0.3	2.5 ± 0.3	1.9 ± 0.1	0.9 ± 0.1	2.3 ± 0.1	2.2 ± 0.2	2.5 ± 0.3	S E Asia F	E Europe F
26	2.9 ± 0.3	2.62 ± 0.09	0.7 ± 0.1	2.23 ± 0.09	3.2 ± 0.1	2.6 ± 0.3	2.4 ± 0.2	1.78 ± 0.10	0.6 ± 0.1	2.27 ± 0.09	2.2 ± 0.2	2.4 ± 0.2	S E Asia F	E Europe M
27	2.9 ± 0.3	2.46 ± 0.09	0.6 ± 0.1	2.06 ± 0.09	2.9 ± 0.1	2.8 ± 0.3	2.4 ± 0.2	1.7 ± 0.1	0.5 ± 0.1	2.11 ± 0.09	2.2 ± 0.2	2.5 ± 0.2	S E Asia F	E Europe M
28	2.6 ± 0.3	2.24 ± 0.08	0.4 ± 0.1	1.83 ± 0.09	2.7 ± 0.1	2.6 ± 0.3	2.1 ± 0.2	1.7 ± 0.1	0.4 ± 0.1	2.03 ± 0.09	2.2 ± 0.2	2.2 ± 0.2	S E Asia F	E Europe F
29	2.7 ± 0.3	2.07 ± 0.08	0.2 ± 0.1	1.54 ± 0.09	2.7 ± 0.1	2.4 ± 0.2	2.1 ± 0.2	1.5 ± 0.1	0.2 ± 0.1	1.83 ± 0.08	1.9 ± 0.2	2.7 ± 0.2	E Africa F	E Europe M
30	2.5 ± 0.2	1.94 ± 0.08	-0.0 ± 0.1	1.37 ± 0.09	2.5 ± 0.1	2.1 ± 0.2	2.2 ± 0.2	1.4 ± 0.1	0.1 ± 0.1	1.75 ± 0.08	2.1 ± 0.2	2.5 ± 0.2	E Africa F	E Europe F
31	2.1 ± 0.3	1.76 ± 0.08	0.0 ± 0.1	1.13 ± 0.09	2.4 ± 0.1	2.1 ± 0.2	2.2 ± 0.2	1.4 ± 0.1	0.0 ± 0.1	1.65 ± 0.08	1.9 ± 0.2	2.3 ± 0.2	S E Asia F	E Europe M
32	2.3 ± 0.3	1.64 ± 0.08	-0.2 ± 0.1	1.04 ± 0.10	2.2 ± 0.1	2.0 ± 0.3	1.9 ± 0.2	1.4 ± 0.1	-0.1 ± 0.1	1.59 ± 0.08	1.8 ± 0.2	2.4 ± 0.2	W Africa M	E Europe F
33	2.1 ± 0.3	1.47 ± 0.09	-0.2 ± 0.1	0.80 ± 0.10	2.2 ± 0.1	1.8 ± 0.3	1.9 ± 0.2	1.3 ± 0.1	0.1 ± 0.1	1.40 ± 0.08	1.7 ± 0.2	2.2 ± 0.2	S E Asia F	E Europe F
34	1.8 ± 0.3	1.40 ± 0.09	-0.1 ± 0.1	0.73 ± 0.10	2.1 ± 0.1	1.8 ± 0.3	1.7 ± 0.2	1.4 ± 0.1	-0.1 ± 0.2	1.33 ± 0.08	1.8 ± 0.2	2.3 ± 0.2	W Africa M	E Europe M
35	2.1 ± 0.3	1.22 ± 0.09	-0.2 ± 0.1	0.45 ± 0.10	1.8 ± 0.1	1.4 ± 0.3	1.8 ± 0.2	1.5 ± 0.1	0.0 ± 0.2	1.24 ± 0.09	1.8 ± 0.2	2.0 ± 0.2	E Africa F	E Europe F
36	1.5 ± 0.3	1.16 ± 0.09	-0.0 ± 0.2	0.39 ± 0.10	1.7 ± 0.1	1.6 ± 0.3	1.6 ± 0.2	1.5 ± 0.1	0.2 ± 0.2	1.09 ± 0.09	1.8 ± 0.2	2.1 ± 0.2	W Africa M	E Europe F
37	1.6 ± 0.3	1.05 ± 0.09	-0.0 ± 0.2	0.3 ± 0.1	1.6 ± 0.1	1.3 ± 0.3	1.5 ± 0.3	1.6 ± 0.1	0.1 ± 0.2	1.04 ± 0.09	1.7 ± 0.2	1.8 ± 0.2	W Africa M	E Europe F
38	1.8 ± 0.3	0.86 ± 0.09	-0.1 ± 0.2	0.3 ± 0.1	1.5 ± 0.1	1.3 ± 0.3	1.3 ± 0.3	1.6 ± 0.1	0.1 ± 0.2	0.86 ± 0.09	2.0 ± 0.2	1.7 ± 0.2	S E Asia M	E Europe F
39	1.4 ± 0.3	0.81 ± 0.09	-0.0 ± 0.2	0.1 ± 0.1	1.4 ± 0.1	1.1 ± 0.3	1.6 ± 0.3	1.6 ± 0.1	0.2 ± 0.2	0.83 ± 0.09	1.8 ± 0.2	1.6 ± 0.2	S E Asia M	E Europe F
40	1.3 ± 0.3	0.67 ± 0.09	0.3 ± 0.2	0.1 ± 0.1	1.2 ± 0.2	1.0 ± 0.3	1.3 ± 0.3	1.7 ± 0.1	0.2 ± 0.2	0.76 ± 0.10	1.9 ± 0.2	1.3 ± 0.2	S E Asia M	S Asia F
41	1.0 ± 0.4	0.57 ± 0.09	0.1 ± 0.2	-0.0 ± 0.1	1.1 ± 0.2	0.5 ± 0.3	1.4 ± 0.3	1.7 ± 0.1	0.3 ± 0.2	0.65 ± 0.10	1.9 ± 0.2	1.4 ± 0.2	S E Asia M	S Asia F
42	1.3 ± 0.4	0.62 ± 0.09	0.2 ± 0.2	0.1 ± 0.2	1.0 ± 0.2	0.6 ± 0.3	1.3 ± 0.3	1.7 ± 0.1	0.3 ± 0.2	0.6 ± 0.1	2.0 ± 0.2	0.9 ± 0.2	S E Asia M	S Asia F
43	1.1 ± 0.4	0.38 ± 0.09	0.2 ± 0.2	-0.1 ± 0.2	0.9 ± 0.2	0.1 ± 0.3	1.3 ± 0.3	1.7 ± 0.1	0.3 ± 0.2	0.6 ± 0.1	1.9 ± 0.2	0.7 ± 0.3	S E Asia M	S Asia F
44	1.1 ± 0.4	0.26 ± 0.09	-0.1 ± 0.2	0.0 ± 0.2	1.1 ± 0.2	-0.0 ± 0.4	0.9 ± 0.3	1.7 ± 0.1	0.6 ± 0.2	0.4 ± 0.1	2.1 ± 0.2	0.8 ± 0.3	S E Asia M	E Europe F
45	1.0 ± 0.4	0.38 ± 0.10	0.0 ± 0.2	-0.0 ± 0.2	1.0 ± 0.2	-0.1 ± 0.3	0.7 ± 0.4	1.7 ± 0.1	0.4 ± 0.2	0.5 ± 0.1	1.7 ± 0.2	0.4 ± 0.3	S E Asia M	W Africa F
46	1.3 ± 0.5	0.17 ± 0.10	0.1 ± 0.2	0.0 ± 0.2	0.8 ± 0.2	-0.4 ± 0.4	0.7 ± 0.4	1.6 ± 0.1	0.5 ± 0.2	0.5 ± 0.1	2.0 ± 0.2	0.2 ± 0.3	S E Asia M	W Africa F
47	1.1 ± 0.5	0.2 ± 0.1	0.2 ± 0.2	-0.0 ± 0.2	0.9 ± 0.2	-0.5 ± 0.4	1.1 ± 0.4	1.5 ± 0.1	0.7 ± 0.2	0.5 ± 0.2	2.1 ± 0.2	0.4 ± 0.3	S E Asia M	W Africa F
48	0.6 ± 0.5	0.1 ± 0.1	0.3 ± 0.2	0.1 ± 0.2	0.8 ± 0.2	-0.4 ± 0.4	0.6 ± 0.4	1.4 ± 0.1	0.7 ± 0.3	0.5 ± 0.2	2.1 ± 0.2	0.1 ± 0.3	S E Asia M	W Africa F
49	0.9 ± 0.5	0.0 ± 0.1	0.3 ± 0.2	0.2 ± 0.2	1.0 ± 0.2	-0.5 ± 0.4	0.1 ± 0.4	1.3 ± 0.1	0.7 ± 0.2	0.5 ± 0.2	1.8 ± 0.2	0.2 ± 0.3	S E Asia M	W Africa F
50	0.8 ± 0.6	0.0 ± 0.1	0.5 ± 0.2	0.1 ± 0.2	0.8 ± 0.2	-1.1 ± 0.4	0.3 ± 0.4	1.2 ± 0.1	0.4 ± 0.2	0.4 ± 0.2	2.1 ± 0.2	-0.5 ± 0.3	S E Asia M	W Africa F
51	0.4 ± 0.5	-0.0 ± 0.1	0.4 ± 0.2	0.2 ± 0.2	0.8 ± 0.2	-1.0 ± 0.4	-0.1 ± 0.5	1.0 ± 0.1	0.9 ± 0.3	0.5 ± 0.2	1.9 ± 0.2	-0.2 ± 0.3	S E Asia M	W Africa F
52	0.5 ± 0.5	-0.1 ± 0.1	0.5 ± 0.2	0.0 ± 0.2	1.1 ± 0.2	-1.2 ± 0.4	-0.2 ± 0.5	0.8 ± 0.1	0.7 ± 0.3	0.4 ± 0.2	1.6 ± 0.2	-0.5 ± 0.4	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 98. *Mean raw error for Application-type images for algorithm yoti-004. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.6 ± 0.3	2.3 ± 0.1	1.2 ± 0.2	2.2 ± 0.2	2.5 ± 0.3	3.3 ± 0.3	1.0 ± 0.2	0.59 ± 0.09	0.2 ± 0.1	0.50 ± 0.10	0.7 ± 0.2	1.5 ± 0.3	W Africa F	E Europe M
15	2.8 ± 0.3	2.7 ± 0.2	1.3 ± 0.2	2.9 ± 0.2	3.1 ± 0.3	3.2 ± 0.4	1.0 ± 0.3	0.8 ± 0.1	0.2 ± 0.1	0.7 ± 0.1	1.0 ± 0.2	1.9 ± 0.3	W Africa F	E Europe M
16	2.6 ± 0.3	3.0 ± 0.2	1.4 ± 0.2	3.0 ± 0.2	3.4 ± 0.3	3.5 ± 0.4	1.7 ± 0.2	1.0 ± 0.1	0.2 ± 0.2	1.0 ± 0.1	1.2 ± 0.2	1.8 ± 0.3	W Africa F	E Europe M
17	2.7 ± 0.3	3.2 ± 0.2	1.4 ± 0.2	3.1 ± 0.2	3.5 ± 0.3	3.1 ± 0.3	1.5 ± 0.2	1.2 ± 0.1	0.0 ± 0.2	1.1 ± 0.1	1.5 ± 0.2	2.2 ± 0.3	S E Asia F	E Europe M
18	2.2 ± 0.3	2.8 ± 0.1	1.0 ± 0.3	2.8 ± 0.1	3.5 ± 0.2	2.6 ± 0.3	1.3 ± 0.2	1.1 ± 0.1	-0.2 ± 0.2	1.1 ± 0.1	1.5 ± 0.2	1.5 ± 0.3	S E Asia F	E Europe M
19	2.5 ± 0.3	2.9 ± 0.1	1.2 ± 0.3	2.9 ± 0.1	3.4 ± 0.2	2.9 ± 0.3	1.5 ± 0.2	1.4 ± 0.1	-0.0 ± 0.2	1.4 ± 0.1	1.6 ± 0.2	1.9 ± 0.3	S E Asia F	E Europe M
20	2.2 ± 0.3	2.9 ± 0.1	1.0 ± 0.2	2.7 ± 0.2	3.4 ± 0.2	2.8 ± 0.3	1.7 ± 0.2	1.5 ± 0.1	0.5 ± 0.2	1.6 ± 0.1	1.6 ± 0.2	1.8 ± 0.3	S E Asia F	E Europe M
21	2.2 ± 0.3	2.8 ± 0.1	0.8 ± 0.2	2.5 ± 0.1	3.1 ± 0.1	2.7 ± 0.3	1.8 ± 0.2	1.48 ± 0.09	0.4 ± 0.2	1.6 ± 0.1	1.7 ± 0.2	1.8 ± 0.3	S E Asia F	E Europe M
22	2.2 ± 0.3	2.4 ± 0.1	0.7 ± 0.1	2.2 ± 0.1	2.9 ± 0.1	2.3 ± 0.3	2.1 ± 0.2	1.39 ± 0.09	0.5 ± 0.2	1.6 ± 0.1	1.5 ± 0.1	1.5 ± 0.3	S E Asia F	E Europe M
23	2.0 ± 0.2	2.18 ± 0.09	0.4 ± 0.1	2.0 ± 0.1	2.6 ± 0.1	2.3 ± 0.2	1.7 ± 0.3	1.13 ± 0.09	0.4 ± 0.1	1.5 ± 0.1	1.4 ± 0.1	1.9 ± 0.3	S E Asia F	E Europe M
24	1.9 ± 0.3	1.82 ± 0.08	0.3 ± 0.1	1.67 ± 0.10	2.3 ± 0.1	1.8 ± 0.3	1.7 ± 0.2	0.97 ± 0.09	0.3 ± 0.1	1.38 ± 0.09	1.3 ± 0.1	1.7 ± 0.2	S E Asia F	E Europe F
25	1.5 ± 0.2	1.59 ± 0.08	0.01 ± 0.09	1.31 ± 0.09	2.0 ± 0.1	1.9 ± 0.2	1.6 ± 0.2	0.77 ± 0.09	0.0 ± 0.1	1.23 ± 0.09	1.1 ± 0.1	1.7 ± 0.2	S E Asia F	E Europe F
26	1.3 ± 0.2	1.30 ± 0.08	-0.27 ± 0.08	0.95 ± 0.09	1.9 ± 0.1	1.6 ± 0.2	1.4 ± 0.2	0.63 ± 0.09	-0.2 ± 0.1	1.08 ± 0.09	1.0 ± 0.1	1.5 ± 0.2	S E Asia F	E Europe F
27	1.3 ± 0.2	1.11 ± 0.08	-0.50 ± 0.09	0.71 ± 0.08	1.6 ± 0.1	1.7 ± 0.2	1.3 ± 0.2	0.44 ± 0.09	-0.4 ± 0.1	0.82 ± 0.09	1.0 ± 0.1	1.4 ± 0.2	W Africa F	E Europe F
28	1.0 ± 0.2	0.87 ± 0.08	-0.74 ± 0.09	0.49 ± 0.09	1.4 ± 0.1	1.5 ± 0.2	0.9 ± 0.2	0.4 ± 0.1	-0.6 ± 0.1	0.73 ± 0.08	0.9 ± 0.2	1.2 ± 0.2	W Africa F	E Europe F
29	1.2 ± 0.2	0.69 ± 0.08	-0.96 ± 0.10	0.23 ± 0.09	1.4 ± 0.1	1.2 ± 0.2	0.9 ± 0.2	0.26 ± 0.10	-0.8 ± 0.1	0.56 ± 0.08	0.5 ± 0.2	1.6 ± 0.2	W Africa M	E Europe F
30	1.0 ± 0.2	0.60 ± 0.08	-1.2 ± 0.1	0.06 ± 0.09	1.3 ± 0.1	1.0 ± 0.2	1.0 ± 0.2	0.2 ± 0.1	-0.9 ± 0.1	0.55 ± 0.08	0.8 ± 0.2	1.4 ± 0.2	W Africa M	E Europe F
31	0.5 ± 0.2	0.46 ± 0.08	-1.2 ± 0.1	-0.10 ± 0.09	1.2 ± 0.1	0.9 ± 0.2	0.9 ± 0.2	0.2 ± 0.1	-0.9 ± 0.1	0.48 ± 0.08	0.7 ± 0.2	1.3 ± 0.2	W Africa M	E Europe F
32	0.7 ± 0.3	0.41 ± 0.09	-1.3 ± 0.1	-0.13 ± 0.10	1.1 ± 0.1	0.8 ± 0.2	0.7 ± 0.2	0.3 ± 0.1	-0.9 ± 0.2	0.49 ± 0.08	0.7 ± 0.2	1.2 ± 0.2	W Africa M	E Europe F
33	0.5 ± 0.3	0.35 ± 0.09	-1.2 ± 0.1	-0.3 ± 0.1	1.2 ± 0.1	0.7 ± 0.3	0.9 ± 0.2	0.3 ± 0.1	-0.6 ± 0.2	0.41 ± 0.09	0.5 ± 0.2	1.2 ± 0.2	W Africa M	E Europe F
34	0.3 ± 0.3	0.37 ± 0.09	-1.1 ± 0.2	-0.2 ± 0.1	1.0 ± 0.1	0.6 ± 0.3	0.6 ± 0.2	0.5 ± 0.1	-0.6 ± 0.2	0.48 ± 0.09	0.8 ± 0.2	1.3 ± 0.2	W Africa M	E Europe F
35	0.6 ± 0.3	0.25 ± 0.09	-1.0 ± 0.2	-0.41 ± 0.10	0.9 ± 0.2	0.0 ± 0.3	0.8 ± 0.2	0.7 ± 0.1	-0.3 ± 0.2	0.51 ± 0.09	0.9 ± 0.2	1.1 ± 0.2	W Africa M	E Europe F
36	0.2 ± 0.3	0.26 ± 0.09	-0.7 ± 0.2	-0.4 ± 0.1	0.9 ± 0.2	0.3 ± 0.3	0.6 ± 0.3	0.7 ± 0.1	-0.1 ± 0.2	0.46 ± 0.09	0.9 ± 0.2	1.1 ± 0.2	W Africa M	E Europe F
37	0.3 ± 0.3	0.36 ± 0.09	-0.6 ± 0.2	-0.4 ± 0.1	0.8 ± 0.2	-0.0 ± 0.3	0.7 ± 0.3	0.9 ± 0.1	-0.1 ± 0.2	0.54 ± 0.09	0.9 ± 0.2	0.9 ± 0.2	S E Asia M	E Europe F
38	0.4 ± 0.3	0.24 ± 0.09	-0.6 ± 0.2	-0.3 ± 0.1	0.9 ± 0.2	-0.2 ± 0.3	0.4 ± 0.3	0.8 ± 0.1	-0.0 ± 0.2	0.43 ± 0.09	1.3 ± 0.2	0.7 ± 0.2	S E Asia M	E Europe F
39	-0.0 ± 0.3	0.29 ± 0.09	-0.4 ± 0.2	-0.5 ± 0.1	0.9 ± 0.2	-0.2 ± 0.3	0.7 ± 0.3	0.9 ± 0.1	0.1 ± 0.2	0.47 ± 0.09	1.2 ± 0.2	0.6 ± 0.2	S E Asia M	S Asia F
40	-0.3 ± 0.4	0.17 ± 0.09	-0.1 ± 0.2	-0.4 ± 0.1	0.7 ± 0.2	-0.5 ± 0.3	0.6 ± 0.3	1.0 ± 0.1	0.2 ± 0.2	0.4 ± 0.1	1.3 ± 0.2	0.4 ± 0.2	S E Asia M	W Africa F
41	-0.6 ± 0.4	0.12 ± 0.09	-0.2 ± 0.2	-0.5 ± 0.1	0.6 ± 0.2	-1.0 ± 0.3	0.7 ± 0.3	1.0 ± 0.1	0.3 ± 0.2	0.4 ± 0.1	1.3 ± 0.2	0.4 ± 0.2	S E Asia M	W Africa F
42	-0.3 ± 0.4	0.20 ± 0.09	-0.0 ± 0.2	-0.3 ± 0.1	0.5 ± 0.2	-0.8 ± 0.3	0.5 ± 0.3	1.0 ± 0.1	0.5 ± 0.2	0.3 ± 0.1	1.4 ± 0.2	0.1 ± 0.2	S E Asia M	W Africa F
43	-0.5 ± 0.4	0.00 ± 0.09	-0.2 ± 0.2	-0.5 ± 0.2	0.5 ± 0.2	-1.5 ± 0.3	0.6 ± 0.3	1.1 ± 0.1	0.3 ± 0.2	0.3 ± 0.1	1.5 ± 0.2	-0.3 ± 0.3	S E Asia M	W Africa F
44	-0.3 ± 0.5	-0.11 ± 0.09	-0.4 ± 0.2	-0.4 ± 0.2	0.7 ± 0.2	-1.6 ± 0.4	0.2 ± 0.3	1.1 ± 0.1	0.6 ± 0.2	0.2 ± 0.1	1.7 ± 0.2	-0.0 ± 0.3	S E Asia M	W Africa F
45	-0.6 ± 0.5	-0.05 ± 0.09	-0.2 ± 0.2	-0.6 ± 0.2	0.5 ± 0.2	-1.8 ± 0.3	0.1 ± 0.3	1.1 ± 0.1	0.4 ± 0.2	0.3 ± 0.1	1.3 ± 0.2	-0.5 ± 0.3	S E Asia M	W Africa F
46	-0.1 ± 0.5	-0.24 ± 0.09	-0.2 ± 0.2	-0.5 ± 0.2	0.3 ± 0.2	-1.8 ± 0.4	-0.0 ± 0.4	1.1 ± 0.1	0.4 ± 0.2	0.4 ± 0.1	1.4 ± 0.2	-0.8 ± 0.3	S E Asia M	W Africa F
47	-0.4 ± 0.6	-0.19 ± 0.10	-0.1 ± 0.2	-0.6 ± 0.2	0.3 ± 0.2	-2.1 ± 0.4	0.4 ± 0.4	1.0 ± 0.1	0.5 ± 0.2	0.4 ± 0.2	1.6 ± 0.2	-0.5 ± 0.3	S E Asia M	W Africa F
48	-0.8 ± 0.6	-0.30 ± 0.09	-0.0 ± 0.2	-0.4 ± 0.2	0.3 ± 0.2	-2.0 ± 0.4	-0.1 ± 0.4	0.9 ± 0.1	0.6 ± 0.2	0.3 ± 0.2	1.6 ± 0.2	-0.9 ± 0.3	S E Asia M	W Africa F
49	-0.5 ± 0.6	-0.5 ± 0.1	-0.1 ± 0.2	-0.4 ± 0.2	0.5 ± 0.2	-2.1 ± 0.4	-0.5 ± 0.4	0.8 ± 0.1	0.5 ± 0.2	0.3 ± 0.2	1.4 ± 0.2	-0.9 ± 0.3	S E Asia M	W Africa F
50	-0.9 ± 0.7	-0.44 ± 0.10	0.1 ± 0.2	-0.4 ± 0.2	0.3 ± 0.2	-2.7 ± 0.4	-0.5 ± 0.4	0.7 ± 0.1	0.2 ± 0.2	0.3 ± 0.2	1.5 ± 0.2	-1.3 ± 0.3	S E Asia M	W Africa F
51	-1.3 ± 0.6	-0.5 ± 0.1	0.0 ± 0.2	-0.3 ± 0.2	0.2 ± 0.2	-2.8 ± 0.5	-0.9 ± 0.5	0.5 ± 0.1	0.5 ± 0.2	0.4 ± 0.2	1.4 ± 0.2	-1.4 ± 0.3	S E Asia M	W Africa F
52	-1.0 ± 0.6	-0.6 ± 0.1	0.1 ± 0.2	-0.5 ± 0.2	0.5 ± 0.2	-2.8 ± 0.5	-0.7 ± 0.5	0.3 ± 0.1	0.5 ± 0.3	0.3 ± 0.2	1.2 ± 0.2	-1.4 ± 0.4	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 99. *Mean raw error for Application-type images for algorithm yoti-005. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.4 ± 0.3	2.2 ± 0.1	1.1 ± 0.2	2.1 ± 0.2	2.3 ± 0.3	3.1 ± 0.3	0.9 ± 0.2	0.55 ± 0.09	0.3 ± 0.1	0.45 ± 0.10	0.7 ± 0.2	1.5 ± 0.3	W Africa F	E Europe M
15	2.6 ± 0.3	2.6 ± 0.2	1.2 ± 0.2	2.7 ± 0.2	2.9 ± 0.3	2.9 ± 0.3	0.9 ± 0.2	0.66 ± 0.09	0.2 ± 0.1	0.6 ± 0.1	0.8 ± 0.2	1.8 ± 0.3	W Africa F	E Europe M
16	2.3 ± 0.3	2.8 ± 0.2	1.3 ± 0.2	2.7 ± 0.2	3.1 ± 0.3	3.2 ± 0.4	1.5 ± 0.2	0.83 ± 0.10	0.3 ± 0.2	0.8 ± 0.1	1.0 ± 0.2	1.6 ± 0.3	W Africa F	E Europe M
17	2.4 ± 0.3	3.0 ± 0.2	1.3 ± 0.2	2.9 ± 0.2	3.3 ± 0.3	2.8 ± 0.3	1.2 ± 0.2	1.0 ± 0.1	0.0 ± 0.1	0.9 ± 0.1	1.3 ± 0.2	2.0 ± 0.3	S E Asia F	E Europe M
18	1.9 ± 0.3	2.6 ± 0.1	0.9 ± 0.3	2.6 ± 0.1	3.3 ± 0.2	2.3 ± 0.3	1.0 ± 0.2	0.9 ± 0.1	-0.3 ± 0.2	0.9 ± 0.1	1.2 ± 0.2	1.2 ± 0.3	S E Asia F	E Europe M
19	2.1 ± 0.3	2.7 ± 0.1	1.1 ± 0.3	2.7 ± 0.1	3.2 ± 0.2	2.6 ± 0.3	1.3 ± 0.2	1.1 ± 0.1	-0.1 ± 0.2	1.2 ± 0.1	1.3 ± 0.2	1.7 ± 0.3	S E Asia F	E Europe M
20	2.0 ± 0.3	2.8 ± 0.1	0.9 ± 0.2	2.6 ± 0.2	3.3 ± 0.2	2.5 ± 0.3	1.5 ± 0.2	1.3 ± 0.1	0.4 ± 0.2	1.4 ± 0.1	1.4 ± 0.2	1.6 ± 0.3	S E Asia F	E Europe M
21	2.0 ± 0.3	2.7 ± 0.1	0.7 ± 0.2	2.4 ± 0.1	3.0 ± 0.1	2.4 ± 0.3	1.6 ± 0.2	1.30 ± 0.10	0.2 ± 0.2	1.5 ± 0.1	1.5 ± 0.2	1.6 ± 0.3	S E Asia F	E Europe M
22	2.0 ± 0.3	2.3 ± 0.1	0.7 ± 0.1	2.1 ± 0.1	2.8 ± 0.1	2.1 ± 0.3	2.0 ± 0.3	1.25 ± 0.10	0.4 ± 0.2	1.5 ± 0.1	1.4 ± 0.1	1.3 ± 0.3	S E Asia F	E Europe M
23	1.8 ± 0.3	2.10 ± 0.09	0.4 ± 0.1	2.0 ± 0.1	2.5 ± 0.1	2.2 ± 0.3	1.7 ± 0.3	1.01 ± 0.09	0.3 ± 0.1	1.5 ± 0.1	1.2 ± 0.1	1.8 ± 0.3	S E Asia F	E Europe M
24	1.8 ± 0.3	1.73 ± 0.08	0.3 ± 0.1	1.7 ± 0.1	2.3 ± 0.1	1.7 ± 0.3	1.6 ± 0.2	0.88 ± 0.09	0.2 ± 0.1	1.4 ± 0.1	1.2 ± 0.1	1.6 ± 0.2	S E Asia F	E Europe M
25	1.4 ± 0.2	1.51 ± 0.08	-0.01 ± 0.09	1.38 ± 0.09	2.0 ± 0.1	1.8 ± 0.3	1.6 ± 0.2	0.71 ± 0.09	-0.0 ± 0.1	1.30 ± 0.09	1.1 ± 0.1	1.6 ± 0.2	S E Asia F	E Europe M
26	1.3 ± 0.2	1.23 ± 0.08	-0.28 ± 0.09	1.04 ± 0.09	1.8 ± 0.1	1.5 ± 0.2	1.4 ± 0.2	0.60 ± 0.09	-0.3 ± 0.1	1.17 ± 0.09	1.0 ± 0.1	1.5 ± 0.2	S E Asia F	E Europe M
27	1.3 ± 0.2	1.01 ± 0.08	-0.50 ± 0.09	0.78 ± 0.08	1.5 ± 0.1	1.7 ± 0.2	1.3 ± 0.2	0.39 ± 0.09	-0.4 ± 0.1	0.93 ± 0.08	0.9 ± 0.1	1.4 ± 0.2	W Africa F	E Europe F
28	1.0 ± 0.2	0.78 ± 0.08	-0.76 ± 0.09	0.55 ± 0.09	1.4 ± 0.1	1.5 ± 0.2	1.0 ± 0.2	0.3 ± 0.1	-0.6 ± 0.1	0.84 ± 0.08	0.8 ± 0.2	1.2 ± 0.2	W Africa F	E Europe F
29	1.2 ± 0.2	0.56 ± 0.08	-0.97 ± 0.10	0.30 ± 0.09	1.3 ± 0.1	1.3 ± 0.2	1.0 ± 0.2	0.18 ± 0.10	-0.9 ± 0.1	0.66 ± 0.08	0.4 ± 0.2	1.6 ± 0.2	W Africa M	E Europe F
30	1.1 ± 0.2	0.47 ± 0.08	-1.2 ± 0.1	0.12 ± 0.09	1.2 ± 0.1	1.1 ± 0.2	1.1 ± 0.2	0.1 ± 0.1	-1.0 ± 0.1	0.64 ± 0.08	0.7 ± 0.2	1.4 ± 0.2	W Africa M	E Europe F
31	0.5 ± 0.3	0.34 ± 0.09	-1.2 ± 0.1	-0.03 ± 0.09	1.1 ± 0.1	1.0 ± 0.2	1.0 ± 0.2	0.1 ± 0.1	-1.0 ± 0.1	0.57 ± 0.08	0.6 ± 0.2	1.4 ± 0.2	W Africa M	E Europe F
32	0.8 ± 0.3	0.30 ± 0.09	-1.3 ± 0.1	-0.06 ± 0.10	1.0 ± 0.2	0.9 ± 0.2	0.8 ± 0.2	0.2 ± 0.1	-1.0 ± 0.2	0.61 ± 0.09	0.6 ± 0.2	1.4 ± 0.2	W Africa M	E Europe F
33	0.7 ± 0.3	0.26 ± 0.09	-1.3 ± 0.1	-0.2 ± 0.1	1.2 ± 0.1	0.8 ± 0.3	1.0 ± 0.2	0.2 ± 0.1	-0.7 ± 0.2	0.52 ± 0.09	0.4 ± 0.2	1.3 ± 0.2	W Africa M	E Europe F
34	0.5 ± 0.3	0.30 ± 0.09	-1.1 ± 0.2	-0.2 ± 0.1	1.0 ± 0.1	0.8 ± 0.3	0.8 ± 0.2	0.4 ± 0.1	-0.7 ± 0.2	0.60 ± 0.09	0.8 ± 0.2	1.5 ± 0.2	W Africa M	E Europe F
35	0.8 ± 0.3	0.20 ± 0.10	-1.0 ± 0.2	-0.3 ± 0.1	0.8 ± 0.2	0.2 ± 0.3	1.0 ± 0.3	0.6 ± 0.1	-0.4 ± 0.2	0.64 ± 0.09	0.8 ± 0.2	1.2 ± 0.2	W Africa M	E Europe F
36	0.3 ± 0.3	0.23 ± 0.10	-0.7 ± 0.2	-0.3 ± 0.1	0.9 ± 0.2	0.5 ± 0.3	0.8 ± 0.3	0.7 ± 0.1	-0.1 ± 0.2	0.59 ± 0.09	0.9 ± 0.2	1.2 ± 0.2	W Africa M	E Europe F
37	0.5 ± 0.3	0.33 ± 0.10	-0.6 ± 0.2	-0.3 ± 0.1	0.8 ± 0.2	0.1 ± 0.3	0.8 ± 0.3	0.8 ± 0.1	-0.1 ± 0.2	0.64 ± 0.09	0.9 ± 0.2	1.1 ± 0.2	W Africa M	E Europe F
38	0.6 ± 0.3	0.23 ± 0.10	-0.6 ± 0.2	-0.3 ± 0.1	0.9 ± 0.2	0.0 ± 0.3	0.6 ± 0.3	0.8 ± 0.1	-0.1 ± 0.2	0.53 ± 0.09	1.3 ± 0.2	0.9 ± 0.2	S E Asia M	E Europe F
39	0.2 ± 0.3	0.28 ± 0.10	-0.5 ± 0.2	-0.4 ± 0.1	0.9 ± 0.2	-0.0 ± 0.3	0.8 ± 0.3	0.9 ± 0.1	0.1 ± 0.2	0.55 ± 0.09	1.2 ± 0.2	0.8 ± 0.2	S E Asia M	E Europe F
40	-0.1 ± 0.4	0.17 ± 0.10	-0.1 ± 0.2	-0.4 ± 0.1	0.8 ± 0.2	-0.2 ± 0.3	0.8 ± 0.3	1.0 ± 0.1	0.1 ± 0.2	0.52 ± 0.10	1.3 ± 0.2	0.6 ± 0.2	S E Asia M	S Asia F
41	-0.4 ± 0.4	0.13 ± 0.10	-0.2 ± 0.2	-0.4 ± 0.1	0.7 ± 0.2	-0.8 ± 0.3	0.8 ± 0.3	1.0 ± 0.1	0.2 ± 0.2	0.44 ± 0.10	1.3 ± 0.2	0.6 ± 0.2	S E Asia M	W Africa F
42	-0.1 ± 0.4	0.23 ± 0.09	-0.0 ± 0.2	-0.2 ± 0.1	0.6 ± 0.2	-0.6 ± 0.3	0.7 ± 0.3	1.1 ± 0.1	0.4 ± 0.2	0.4 ± 0.1	1.5 ± 0.2	0.3 ± 0.2	S E Asia M	W Africa F
43	-0.2 ± 0.4	0.03 ± 0.09	-0.2 ± 0.2	-0.4 ± 0.2	0.6 ± 0.2	-1.3 ± 0.4	0.7 ± 0.3	1.1 ± 0.1	0.2 ± 0.2	0.4 ± 0.1	1.6 ± 0.2	-0.1 ± 0.3	S E Asia M	W Africa F
44	-0.0 ± 0.5	-0.05 ± 0.09	-0.4 ± 0.2	-0.3 ± 0.2	0.8 ± 0.2	-1.3 ± 0.4	0.4 ± 0.3	1.2 ± 0.1	0.5 ± 0.2	0.3 ± 0.1	1.8 ± 0.2	0.1 ± 0.3	S E Asia M	W Africa F
45	-0.3 ± 0.5	0.06 ± 0.10	-0.2 ± 0.2	-0.5 ± 0.2	0.6 ± 0.2	-1.6 ± 0.3	0.2 ± 0.3	1.2 ± 0.1	0.4 ± 0.2	0.4 ± 0.1	1.4 ± 0.2	-0.3 ± 0.3	S E Asia M	W Africa F
46	0.3 ± 0.5	-0.10 ± 0.10	-0.2 ± 0.2	-0.4 ± 0.2	0.5 ± 0.2	-1.5 ± 0.4	0.2 ± 0.4	1.1 ± 0.1	0.4 ± 0.2	0.5 ± 0.1	1.5 ± 0.2	-0.6 ± 0.3	S E Asia M	W Africa F
47	-0.0 ± 0.6	-0.05 ± 0.10	-0.1 ± 0.2	-0.4 ± 0.2	0.5 ± 0.2	-1.8 ± 0.4	0.6 ± 0.4	1.1 ± 0.1	0.5 ± 0.2	0.5 ± 0.2	1.7 ± 0.2	-0.4 ± 0.3	S E Asia M	W Africa F
48	-0.5 ± 0.6	-0.14 ± 0.10	0.1 ± 0.2	-0.2 ± 0.2	0.5 ± 0.2	-1.8 ± 0.4	0.1 ± 0.4	1.0 ± 0.1	0.6 ± 0.2	0.5 ± 0.2	1.7 ± 0.2	-0.7 ± 0.3	S E Asia M	W Africa F
49	-0.2 ± 0.6	-0.3 ± 0.1	-0.0 ± 0.2	-0.2 ± 0.2	0.7 ± 0.2	-1.8 ± 0.4	-0.2 ± 0.4	0.9 ± 0.1	0.5 ± 0.2	0.5 ± 0.2	1.5 ± 0.2	-0.6 ± 0.3	S E Asia M	W Africa F
50	-0.6 ± 0.6	-0.3 ± 0.1	0.2 ± 0.2	-0.2 ± 0.2	0.5 ± 0.2	-2.4 ± 0.5	-0.3 ± 0.4	0.9 ± 0.1	0.3 ± 0.2	0.5 ± 0.2	1.6 ± 0.2	-1.1 ± 0.3	S E Asia M	W Africa F
51	-1.0 ± 0.6	-0.3 ± 0.1	0.1 ± 0.2	-0.2 ± 0.2	0.4 ± 0.2	-2.5 ± 0.5	-0.6 ± 0.5	0.6 ± 0.1	0.6 ± 0.2	0.6 ± 0.2	1.5 ± 0.2	-1.2 ± 0.3	S E Asia M	W Africa F
52	-0.7 ± 0.7	-0.4 ± 0.1	0.3 ± 0.2	-0.3 ± 0.2	0.7 ± 0.2	-2.4 ± 0.5	-0.4 ± 0.5	0.4 ± 0.1	0.6 ± 0.3	0.5 ± 0.2	1.3 ± 0.2	-1.1 ± 0.4	S E Asia M	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 100. *Mean raw error for Application-type images for algorithm youverse-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.5 ± 0.3	2.7 ± 0.1	3.9 ± 0.3	3.9 ± 0.2	2.4 ± 0.2	4.2 ± 0.5	2.7 ± 0.3	2.40 ± 0.08	2.4 ± 0.2	2.9 ± 0.1	2.3 ± 0.2	2.9 ± 0.4	W Africa F	S E Asia M
15	3.6 ± 0.4	2.5 ± 0.1	4.0 ± 0.3	3.9 ± 0.2	2.1 ± 0.3	4.5 ± 0.5	2.5 ± 0.3	2.04 ± 0.09	2.3 ± 0.2	2.7 ± 0.1	2.2 ± 0.2	3.4 ± 0.4	W Africa F	E Asia M
16	3.7 ± 0.4	2.0 ± 0.1	4.1 ± 0.3	3.3 ± 0.2	2.0 ± 0.3	3.9 ± 0.5	3.0 ± 0.3	1.6 ± 0.1	2.4 ± 0.3	2.7 ± 0.2	2.2 ± 0.2	3.1 ± 0.5	E Europe F	E Asia M
17	3.8 ± 0.5	1.5 ± 0.1	3.8 ± 0.3	2.9 ± 0.2	1.3 ± 0.3	4.0 ± 0.5	3.2 ± 0.4	1.3 ± 0.1	2.0 ± 0.3	2.9 ± 0.2	1.8 ± 0.3	3.5 ± 0.5	W Africa F	E Asia M
18	3.0 ± 0.3	1.0 ± 0.1	3.2 ± 0.3	2.7 ± 0.2	1.3 ± 0.2	3.2 ± 0.4	3.6 ± 0.4	0.7 ± 0.1	1.8 ± 0.2	2.7 ± 0.1	1.3 ± 0.2	3.6 ± 0.4	E Africa M	E Asia M
19	2.8 ± 0.4	0.4 ± 0.1	2.6 ± 0.3	2.3 ± 0.2	0.6 ± 0.2	3.3 ± 0.4	3.5 ± 0.3	0.5 ± 0.1	1.7 ± 0.3	2.9 ± 0.2	0.9 ± 0.2	3.4 ± 0.4	E Africa M	E Asia F
20	2.7 ± 0.4	-0.0 ± 0.1	2.8 ± 0.2	1.8 ± 0.2	-0.1 ± 0.2	3.1 ± 0.4	3.7 ± 0.4	0.1 ± 0.1	1.7 ± 0.3	2.8 ± 0.2	0.8 ± 0.2	3.7 ± 0.4	E Africa M	S E Asia F
21	2.1 ± 0.3	-0.6 ± 0.1	2.1 ± 0.2	1.4 ± 0.1	-0.7 ± 0.2	2.5 ± 0.4	3.7 ± 0.3	-0.2 ± 0.1	1.5 ± 0.3	2.5 ± 0.2	0.6 ± 0.2	4.0 ± 0.4	W Africa M	S E Asia F
22	1.7 ± 0.3	-1.1 ± 0.1	2.0 ± 0.2	0.9 ± 0.1	-1.3 ± 0.2	2.1 ± 0.4	3.8 ± 0.3	-0.5 ± 0.1	1.6 ± 0.3	2.5 ± 0.2	0.1 ± 0.2	3.5 ± 0.3	E Africa M	S E Asia F
23	1.2 ± 0.3	-1.6 ± 0.1	1.6 ± 0.2	0.7 ± 0.1	-1.8 ± 0.1	1.9 ± 0.3	3.6 ± 0.3	-0.7 ± 0.1	1.5 ± 0.3	2.3 ± 0.2	-0.2 ± 0.2	3.2 ± 0.3	E Africa M	S E Asia F
24	0.8 ± 0.3	-2.3 ± 0.1	1.4 ± 0.2	0.2 ± 0.1	-2.2 ± 0.1	1.1 ± 0.3	3.2 ± 0.3	-1.0 ± 0.1	1.5 ± 0.2	2.1 ± 0.1	-0.4 ± 0.2	3.1 ± 0.3	E Africa M	E Asia F
25	0.5 ± 0.3	-2.8 ± 0.1	1.0 ± 0.1	-0.2 ± 0.1	-2.8 ± 0.1	0.8 ± 0.3	2.9 ± 0.3	-1.2 ± 0.1	1.3 ± 0.2	1.9 ± 0.1	-0.7 ± 0.2	2.6 ± 0.3	E Africa M	E Asia F
26	-0.2 ± 0.3	-3.4 ± 0.1	0.7 ± 0.1	-0.7 ± 0.1	-3.3 ± 0.1	0.0 ± 0.3	2.7 ± 0.2	-1.7 ± 0.1	0.9 ± 0.2	1.5 ± 0.1	-0.8 ± 0.2	2.5 ± 0.2	E Africa M	E Asia F
27	-0.5 ± 0.3	-3.93 ± 0.10	0.4 ± 0.1	-1.3 ± 0.1	-3.6 ± 0.1	-0.5 ± 0.3	2.2 ± 0.2	-1.9 ± 0.1	1.0 ± 0.2	1.2 ± 0.1	-1.2 ± 0.2	2.2 ± 0.2	W Africa M	E Asia F
28	-0.9 ± 0.3	-4.41 ± 0.10	0.2 ± 0.1	-1.7 ± 0.1	-4.2 ± 0.1	-0.9 ± 0.3	1.8 ± 0.2	-2.1 ± 0.1	0.9 ± 0.2	0.6 ± 0.1	-1.5 ± 0.2	1.5 ± 0.2	E Africa M	E Asia F
29	-1.2 ± 0.3	-4.82 ± 0.10	-0.1 ± 0.1	-2.1 ± 0.1	-4.6 ± 0.1	-1.6 ± 0.3	1.5 ± 0.2	-2.4 ± 0.1	0.7 ± 0.2	0.2 ± 0.1	-1.6 ± 0.2	1.3 ± 0.2	E Africa M	E Asia F
30	-1.8 ± 0.3	-5.36 ± 0.10	-0.3 ± 0.2	-2.6 ± 0.1	-4.9 ± 0.2	-2.1 ± 0.2	0.9 ± 0.2	-2.7 ± 0.1	0.4 ± 0.2	-0.27 ± 0.10	-2.0 ± 0.2	1.0 ± 0.2	W Africa M	E Asia F
31	-2.2 ± 0.3	-5.7 ± 0.1	-0.4 ± 0.2	-3.1 ± 0.1	-5.5 ± 0.2	-2.6 ± 0.3	0.8 ± 0.2	-2.9 ± 0.1	0.3 ± 0.2	-0.6 ± 0.1	-2.4 ± 0.3	0.5 ± 0.2	E Africa M	E Asia F
32	-2.3 ± 0.3	-6.1 ± 0.1	-0.7 ± 0.2	-3.4 ± 0.1	-5.9 ± 0.2	-3.1 ± 0.3	0.3 ± 0.2	-3.2 ± 0.1	0.2 ± 0.2	-1.0 ± 0.1	-2.4 ± 0.3	0.2 ± 0.2	E Africa M	E Asia F
33	-3.2 ± 0.3	-6.4 ± 0.1	-0.8 ± 0.2	-3.7 ± 0.1	-6.3 ± 0.2	-3.4 ± 0.3	-0.0 ± 0.3	-3.5 ± 0.2	0.1 ± 0.2	-1.45 ± 0.10	-2.9 ± 0.3	-0.2 ± 0.2	E Europe M	E Asia F
34	-3.6 ± 0.3	-6.8 ± 0.1	-1.1 ± 0.2	-4.0 ± 0.1	-6.8 ± 0.2	-4.0 ± 0.3	-0.5 ± 0.3	-3.9 ± 0.1	-0.3 ± 0.2	-1.8 ± 0.1	-3.0 ± 0.3	-0.6 ± 0.2	E Europe M	E Asia F
35	-3.9 ± 0.3	-7.3 ± 0.1	-1.3 ± 0.2	-4.5 ± 0.1	-7.2 ± 0.2	-4.6 ± 0.3	-0.8 ± 0.3	-4.0 ± 0.2	-0.5 ± 0.2	-2.1 ± 0.1	-3.2 ± 0.3	-1.1 ± 0.2	E Europe M	E Asia F
36	-4.3 ± 0.3	-7.7 ± 0.1	-1.4 ± 0.2	-4.8 ± 0.1	-7.3 ± 0.2	-5.0 ± 0.3	-1.4 ± 0.3	-4.2 ± 0.2	-0.3 ± 0.2	-2.4 ± 0.1	-3.4 ± 0.3	-1.8 ± 0.2	E Europe M	E Asia F
37	-4.6 ± 0.4	-8.0 ± 0.1	-1.6 ± 0.2	-5.0 ± 0.1	-7.8 ± 0.2	-5.5 ± 0.3	-1.5 ± 0.3	-4.5 ± 0.2	-0.8 ± 0.2	-2.6 ± 0.1	-3.6 ± 0.3	-2.3 ± 0.3	E Europe M	E Asia F
38	-4.9 ± 0.4	-8.3 ± 0.1	-1.6 ± 0.3	-5.3 ± 0.2	-8.0 ± 0.2	-5.8 ± 0.3	-2.2 ± 0.3	-4.6 ± 0.2	-0.9 ± 0.2	-3.0 ± 0.1	-3.5 ± 0.3	-2.4 ± 0.3	E Europe M	E Asia F
39	-5.1 ± 0.4	-8.6 ± 0.1	-2.1 ± 0.3	-5.8 ± 0.2	-8.2 ± 0.2	-6.2 ± 0.3	-2.0 ± 0.3	-4.9 ± 0.2	-1.1 ± 0.2	-3.3 ± 0.1	-3.6 ± 0.3	-3.1 ± 0.3	E Europe M	E Asia F
40	-5.5 ± 0.4	-8.9 ± 0.1	-2.1 ± 0.3	-5.9 ± 0.2	-8.2 ± 0.2	-6.9 ± 0.3	-2.4 ± 0.3	-5.1 ± 0.2	-1.1 ± 0.3	-3.6 ± 0.1	-3.7 ± 0.3	-3.5 ± 0.3	E Europe M	E Asia F
41	-6.2 ± 0.4	-9.2 ± 0.1	-2.4 ± 0.3	-6.2 ± 0.2	-8.7 ± 0.2	-7.8 ± 0.4	-2.8 ± 0.3	-5.2 ± 0.2	-1.5 ± 0.3	-3.9 ± 0.1	-3.8 ± 0.3	-3.7 ± 0.3	E Europe M	E Asia F
42	-6.0 ± 0.5	-9.4 ± 0.1	-2.4 ± 0.3	-6.2 ± 0.2	-8.7 ± 0.3	-8.0 ± 0.4	-3.3 ± 0.3	-5.4 ± 0.2	-1.4 ± 0.3	-4.2 ± 0.2	-3.6 ± 0.3	-4.2 ± 0.3	E Europe M	E Asia F
43	-6.8 ± 0.5	-9.8 ± 0.1	-2.7 ± 0.3	-6.6 ± 0.2	-9.2 ± 0.3	-8.7 ± 0.4	-3.3 ± 0.4	-5.6 ± 0.2	-2.2 ± 0.3	-4.3 ± 0.2	-3.9 ± 0.3	-5.2 ± 0.3	E Europe M	E Asia F
44	-6.7 ± 0.5	-10.2 ± 0.1	-3.3 ± 0.3	-6.8 ± 0.2	-9.2 ± 0.3	-8.4 ± 0.4	-4.1 ± 0.4	-5.8 ± 0.2	-1.9 ± 0.3	-4.7 ± 0.2	-3.8 ± 0.3	-5.3 ± 0.3	E Europe M	E Asia F
45	-7.1 ± 0.5	-10.3 ± 0.2	-3.2 ± 0.3	-6.8 ± 0.2	-9.6 ± 0.3	-9.0 ± 0.4	-4.8 ± 0.4	-6.0 ± 0.2	-2.5 ± 0.3	-4.7 ± 0.2	-4.1 ± 0.3	-6.0 ± 0.3	E Europe M	E Asia F
46	-6.7 ± 0.6	-10.7 ± 0.2	-3.9 ± 0.3	-6.9 ± 0.2	-9.8 ± 0.3	-9.6 ± 0.4	-4.7 ± 0.4	-6.3 ± 0.2	-2.1 ± 0.3	-4.9 ± 0.2	-4.4 ± 0.3	-6.1 ± 0.3	E Europe M	E Asia F
47	-7.5 ± 0.6	-10.9 ± 0.2	-4.0 ± 0.4	-7.3 ± 0.3	-10.1 ± 0.3	-9.9 ± 0.4	-4.9 ± 0.4	-6.5 ± 0.2	-2.6 ± 0.3	-5.1 ± 0.2	-4.1 ± 0.3	-6.5 ± 0.3	E Europe M	E Asia F
48	-8.1 ± 0.6	-11.2 ± 0.2	-4.3 ± 0.3	-7.4 ± 0.3	-10.1 ± 0.3	-10.4 ± 0.5	-5.6 ± 0.5	-6.8 ± 0.2	-2.4 ± 0.4	-5.2 ± 0.2	-4.5 ± 0.4	-6.9 ± 0.4	E Europe M	E Asia F
49	-7.9 ± 0.6	-11.6 ± 0.2	-4.5 ± 0.3	-7.6 ± 0.3	-10.4 ± 0.3	-10.7 ± 0.5	-6.0 ± 0.5	-7.0 ± 0.2	-3.0 ± 0.3	-5.5 ± 0.2	-4.6 ± 0.4	-7.6 ± 0.4	E Europe M	E Asia F
50	-8.6 ± 0.7	-11.7 ± 0.2	-4.6 ± 0.4	-7.6 ± 0.3	-10.7 ± 0.3	-11.0 ± 0.5	-6.5 ± 0.5	-7.1 ± 0.2	-3.0 ± 0.4	-5.7 ± 0.3	-4.9 ± 0.4	-7.8 ± 0.4	E Europe M	E Asia F
51	-9.1 ± 0.7	-12.0 ± 0.2	-4.9 ± 0.4	-8.1 ± 0.3	-11.0 ± 0.3	-11.5 ± 0.5	-6.7 ± 0.6	-7.3 ± 0.2	-3.0 ± 0.4	-5.8 ± 0.3	-4.7 ± 0.4	-8.8 ± 0.4	E Europe M	E Asia F
52	-8.9 ± 0.7	-12.2 ± 0.2	-5.1 ± 0.4	-8.4 ± 0.3	-10.9 ± 0.3	-11.8 ± 0.5	-6.5 ± 0.5	-7.7 ± 0.2	-3.1 ± 0.4	-6.2 ± 0.3	-5.2 ± 0.4	-8.8 ± 0.4	E Europe M	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 101. *Mean raw error for Application-type images for algorithm youverse-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.5 ± 0.2	2.03 ± 0.07	2.8 ± 0.1	2.7 ± 0.1	2.1 ± 0.1	3.1 ± 0.3	2.4 ± 0.2	2.45 ± 0.08	2.3 ± 0.1	2.77 ± 0.10	2.3 ± 0.1	2.4 ± 0.2	W Africa F	E Asia F
15	1.9 ± 0.2	1.65 ± 0.09	2.7 ± 0.2	2.6 ± 0.2	1.8 ± 0.2	2.8 ± 0.4	1.8 ± 0.2	2.22 ± 0.09	2.2 ± 0.2	2.9 ± 0.1	2.2 ± 0.2	2.2 ± 0.3	S Asia M	E Asia F
16	1.7 ± 0.2	1.2 ± 0.1	2.7 ± 0.2	2.1 ± 0.2	1.4 ± 0.2	2.5 ± 0.4	2.1 ± 0.3	2.00 ± 0.09	2.6 ± 0.2	2.9 ± 0.1	2.1 ± 0.2	1.9 ± 0.3	S Asia M	E Asia F
17	1.6 ± 0.3	0.7 ± 0.1	2.3 ± 0.3	1.9 ± 0.2	0.8 ± 0.2	2.2 ± 0.4	2.1 ± 0.3	1.8 ± 0.1	2.2 ± 0.2	3.3 ± 0.2	2.0 ± 0.2	2.1 ± 0.4	S Asia M	E Asia F
18	0.8 ± 0.3	0.0 ± 0.1	2.1 ± 0.3	1.5 ± 0.1	0.4 ± 0.2	1.9 ± 0.4	2.1 ± 0.3	1.2 ± 0.1	2.2 ± 0.2	3.3 ± 0.1	1.7 ± 0.2	2.1 ± 0.3	S Asia M	E Asia F
19	0.6 ± 0.3	-0.5 ± 0.1	1.5 ± 0.3	1.3 ± 0.2	-0.1 ± 0.2	2.3 ± 0.4	2.3 ± 0.3	1.1 ± 0.1	2.2 ± 0.2	3.4 ± 0.1	1.3 ± 0.2	2.3 ± 0.4	S Asia M	E Asia F
20	0.2 ± 0.3	-0.8 ± 0.1	1.7 ± 0.2	1.0 ± 0.2	-0.8 ± 0.2	2.0 ± 0.4	2.6 ± 0.3	0.7 ± 0.1	2.3 ± 0.2	3.5 ± 0.1	1.2 ± 0.2	2.5 ± 0.4	S Asia M	E Asia F
21	0.0 ± 0.3	-1.2 ± 0.1	1.1 ± 0.2	0.5 ± 0.1	-1.2 ± 0.2	1.7 ± 0.4	2.8 ± 0.3	0.6 ± 0.1	2.3 ± 0.2	3.4 ± 0.1	1.0 ± 0.2	2.5 ± 0.4	S Asia M	E Asia F
22	-0.2 ± 0.3	-1.8 ± 0.1	1.0 ± 0.2	-0.0 ± 0.1	-1.6 ± 0.2	1.5 ± 0.4	3.1 ± 0.3	0.2 ± 0.1	2.3 ± 0.2	3.3 ± 0.2	0.6 ± 0.2	2.4 ± 0.3	S Asia M	E Asia F
23	-0.6 ± 0.3	-2.2 ± 0.1	0.9 ± 0.2	-0.1 ± 0.1	-2.0 ± 0.2	1.3 ± 0.4	2.9 ± 0.3	-0.1 ± 0.1	2.3 ± 0.2	3.3 ± 0.1	0.3 ± 0.2	2.4 ± 0.3	S Asia M	E Asia F
24	-0.8 ± 0.3	-2.6 ± 0.1	0.9 ± 0.2	-0.5 ± 0.1	-2.3 ± 0.1	0.9 ± 0.4	2.8 ± 0.3	-0.3 ± 0.1	2.2 ± 0.2	3.2 ± 0.1	-0.2 ± 0.2	2.2 ± 0.3	S Asia M	E Asia F
25	-1.1 ± 0.3	-2.9 ± 0.1	0.6 ± 0.2	-0.8 ± 0.1	-2.7 ± 0.1	0.8 ± 0.3	2.7 ± 0.3	-0.4 ± 0.1	2.1 ± 0.2	3.1 ± 0.1	-0.3 ± 0.2	2.1 ± 0.3	S Asia M	E Asia F
26	-1.3 ± 0.3	-3.3 ± 0.1	0.6 ± 0.1	-1.3 ± 0.1	-2.9 ± 0.1	0.5 ± 0.3	2.5 ± 0.2	-0.8 ± 0.1	1.8 ± 0.2	2.8 ± 0.1	-0.5 ± 0.2	1.8 ± 0.2	S Asia M	E Asia F
27	-1.5 ± 0.3	-3.6 ± 0.1	0.5 ± 0.1	-1.6 ± 0.1	-3.1 ± 0.1	0.2 ± 0.3	2.2 ± 0.2	-0.9 ± 0.1	2.0 ± 0.2	2.5 ± 0.1	-0.7 ± 0.2	1.6 ± 0.2	S Asia M	E Asia F
28	-1.9 ± 0.3	-3.9 ± 0.1	0.5 ± 0.1	-1.9 ± 0.1	-3.5 ± 0.2	0.0 ± 0.3	1.9 ± 0.2	-1.1 ± 0.1	1.8 ± 0.2	2.1 ± 0.1	-0.9 ± 0.2	1.4 ± 0.2	S Asia M	E Asia F
29	-1.8 ± 0.3	-4.1 ± 0.1	0.4 ± 0.2	-2.2 ± 0.1	-3.7 ± 0.2	-0.4 ± 0.3	1.8 ± 0.2	-1.3 ± 0.1	1.5 ± 0.2	1.77 ± 0.09	-1.3 ± 0.2	1.3 ± 0.2	E Africa M	E Asia F
30	-2.2 ± 0.3	-4.4 ± 0.1	0.4 ± 0.2	-2.5 ± 0.1	-3.8 ± 0.2	-0.7 ± 0.3	1.6 ± 0.2	-1.7 ± 0.1	1.4 ± 0.2	1.34 ± 0.09	-1.4 ± 0.2	0.9 ± 0.2	E Africa M	E Asia F
31	-2.6 ± 0.3	-4.6 ± 0.1	0.4 ± 0.2	-2.8 ± 0.1	-4.2 ± 0.2	-1.0 ± 0.3	1.4 ± 0.2	-1.8 ± 0.1	1.2 ± 0.2	1.05 ± 0.09	-1.7 ± 0.2	0.7 ± 0.2	E Africa M	E Asia F
32	-2.3 ± 0.3	-4.8 ± 0.1	0.3 ± 0.2	-3.0 ± 0.1	-4.3 ± 0.2	-1.3 ± 0.3	1.0 ± 0.2	-2.1 ± 0.1	1.1 ± 0.2	0.78 ± 0.09	-1.7 ± 0.2	0.4 ± 0.2	E Europe M	E Asia F
33	-3.0 ± 0.3	-5.0 ± 0.1	0.3 ± 0.2	-3.2 ± 0.1	-4.6 ± 0.2	-1.2 ± 0.3	0.9 ± 0.2	-2.4 ± 0.1	1.2 ± 0.2	0.49 ± 0.09	-2.0 ± 0.2	0.1 ± 0.2	E Europe M	E Asia F
34	-3.1 ± 0.3	-5.1 ± 0.1	0.1 ± 0.2	-3.3 ± 0.1	-4.7 ± 0.2	-1.9 ± 0.3	0.3 ± 0.2	-2.7 ± 0.1	0.9 ± 0.2	0.21 ± 0.10	-2.2 ± 0.3	-0.2 ± 0.2	E Europe M	E Asia F
35	-3.1 ± 0.4	-5.4 ± 0.1	0.1 ± 0.2	-3.6 ± 0.1	-5.0 ± 0.2	-2.0 ± 0.3	0.3 ± 0.2	-2.7 ± 0.1	0.5 ± 0.2	-0.04 ± 0.10	-2.4 ± 0.3	-0.6 ± 0.2	E Europe M	E Asia F
36	-3.1 ± 0.4	-5.5 ± 0.1	0.1 ± 0.2	-3.7 ± 0.1	-4.8 ± 0.2	-2.3 ± 0.3	0.1 ± 0.3	-3.0 ± 0.1	0.8 ± 0.2	-0.3 ± 0.1	-2.5 ± 0.3	-0.9 ± 0.2	E Europe M	E Asia F
37	-3.3 ± 0.4	-5.6 ± 0.1	0.1 ± 0.2	-3.7 ± 0.1	-5.1 ± 0.2	-2.6 ± 0.3	-0.2 ± 0.3	-3.1 ± 0.1	0.4 ± 0.2	-0.4 ± 0.1	-2.7 ± 0.3	-1.3 ± 0.2	E Europe M	E Asia F
38	-3.2 ± 0.4	-5.9 ± 0.1	0.4 ± 0.2	-3.8 ± 0.2	-4.9 ± 0.2	-3.0 ± 0.4	-0.6 ± 0.3	-3.2 ± 0.1	0.3 ± 0.2	-0.7 ± 0.1	-2.4 ± 0.3	-1.5 ± 0.2	E Europe F	E Asia F
39	-3.5 ± 0.4	-5.9 ± 0.1	0.2 ± 0.2	-4.0 ± 0.2	-5.0 ± 0.2	-2.9 ± 0.3	-0.4 ± 0.3	-3.4 ± 0.1	0.3 ± 0.2	-0.9 ± 0.1	-2.5 ± 0.3	-1.9 ± 0.2	E Europe M	E Asia F
40	-3.6 ± 0.4	-6.0 ± 0.1	0.5 ± 0.2	-4.0 ± 0.2	-5.0 ± 0.2	-3.6 ± 0.3	-0.5 ± 0.3	-3.6 ± 0.1	0.2 ± 0.2	-1.1 ± 0.1	-2.7 ± 0.3	-2.2 ± 0.2	E Europe F	E Asia F
41	-4.2 ± 0.5	-6.0 ± 0.1	0.3 ± 0.2	-4.2 ± 0.2	-5.0 ± 0.2	-4.1 ± 0.4	-0.8 ± 0.3	-3.6 ± 0.1	0.1 ± 0.2	-1.2 ± 0.1	-2.7 ± 0.3	-2.5 ± 0.3	E Europe F	E Asia F
42	-3.8 ± 0.5	-6.0 ± 0.1	0.6 ± 0.3	-3.7 ± 0.2	-4.9 ± 0.2	-4.1 ± 0.4	-0.9 ± 0.3	-3.6 ± 0.1	0.3 ± 0.2	-1.4 ± 0.1	-2.3 ± 0.3	-2.8 ± 0.3	E Europe F	E Asia F
43	-4.0 ± 0.5	-6.1 ± 0.1	0.5 ± 0.3	-4.0 ± 0.2	-5.0 ± 0.3	-4.7 ± 0.4	-0.9 ± 0.4	-3.7 ± 0.1	-0.1 ± 0.3	-1.4 ± 0.2	-2.5 ± 0.3	-3.4 ± 0.3	E Europe F	E Asia F
44	-3.6 ± 0.5	-6.3 ± 0.1	0.3 ± 0.3	-3.9 ± 0.3	-4.5 ± 0.3	-4.7 ± 0.4	-1.4 ± 0.4	-3.7 ± 0.2	0.2 ± 0.3	-1.5 ± 0.2	-2.4 ± 0.3	-3.3 ± 0.3	E Europe F	E Asia F
45	-4.3 ± 0.6	-6.2 ± 0.1	0.5 ± 0.3	-3.9 ± 0.2	-4.8 ± 0.3	-4.9 ± 0.4	-1.9 ± 0.4	-3.9 ± 0.1	-0.0 ± 0.3	-1.5 ± 0.2	-2.4 ± 0.3	-3.8 ± 0.3	E Europe F	E Asia F
46	-3.5 ± 0.6	-6.4 ± 0.1	0.3 ± 0.3	-3.4 ± 0.3	-4.9 ± 0.3	-5.0 ± 0.4	-1.6 ± 0.4	-3.9 ± 0.2	0.3 ± 0.3	-1.3 ± 0.2	-2.4 ± 0.3	-4.0 ± 0.3	E Europe M	E Asia F
47	-3.5 ± 0.6	-6.2 ± 0.2	0.2 ± 0.3	-3.7 ± 0.3	-4.7 ± 0.3	-5.1 ± 0.4	-1.3 ± 0.4	-4.0 ± 0.2	0.2 ± 0.3	-1.3 ± 0.2	-2.2 ± 0.3	-3.9 ± 0.3	E Europe M	E Asia F
48	-4.0 ± 0.7	-6.2 ± 0.2	0.4 ± 0.3	-3.4 ± 0.3	-4.7 ± 0.3	-5.3 ± 0.4	-2.2 ± 0.5	-4.0 ± 0.2	0.2 ± 0.3	-1.4 ± 0.2	-2.3 ± 0.3	-4.6 ± 0.3	E Europe F	E Asia F
49	-3.8 ± 0.7	-6.4 ± 0.2	0.1 ± 0.3	-3.3 ± 0.3	-4.4 ± 0.3	-5.9 ± 0.4	-2.6 ± 0.5	-4.0 ± 0.2	0.1 ± 0.3	-1.4 ± 0.2	-2.2 ± 0.3	-4.7 ± 0.3	E Europe F	E Asia F
50	-4.2 ± 0.7	-6.3 ± 0.2	0.3 ± 0.3	-3.2 ± 0.3	-4.4 ± 0.3	-5.9 ± 0.4	-2.5 ± 0.5	-4.0 ± 0.2	0.1 ± 0.3	-1.4 ± 0.2	-1.9 ± 0.3	-4.9 ± 0.3	E Europe F	E Asia F
51	-4.0 ± 0.7	-6.4 ± 0.2	0.1 ± 0.3	-3.3 ± 0.3	-4.6 ± 0.3	-6.1 ± 0.5	-3.1 ± 0.5	-4.0 ± 0.2	0.2 ± 0.3	-1.5 ± 0.2	-2.0 ± 0.3	-5.3 ± 0.4	E Europe M	E Asia F
52	-4.4 ± 0.7	-6.3 ± 0.2	0.1 ± 0.3	-3.4 ± 0.3	-4.0 ± 0.3	-6.6 ± 0.5	-2.5 ± 0.5	-4.2 ± 0.2	0.0 ± 0.3	-1.6 ± 0.2	-2.5 ± 0.3	-5.4 ± 0.4	E Europe F	W Africa F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 102. *Mean absolute error for Application-type images for algorithm ayonix-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.3 ± 0.3	3.9 ± 0.2	2.4 ± 0.2	3.4 ± 0.1	3.8 ± 0.3	3.9 ± 0.4	2.9 ± 0.2	2.8 ± 0.1	2.5 ± 0.2	2.8 ± 0.1	2.5 ± 0.2	2.6 ± 0.3	E Asia F	E Europe F
15	3.6 ± 0.3	4.1 ± 0.2	2.5 ± 0.2	3.6 ± 0.2	4.1 ± 0.3	4.0 ± 0.4	3.0 ± 0.2	2.6 ± 0.1	2.2 ± 0.2	2.6 ± 0.1	2.5 ± 0.2	2.9 ± 0.3	S E Asia F	E Europe M
16	4.0 ± 0.3	4.3 ± 0.2	2.4 ± 0.2	3.4 ± 0.2	4.2 ± 0.3	4.5 ± 0.4	3.0 ± 0.2	2.3 ± 0.1	2.0 ± 0.2	2.5 ± 0.1	2.2 ± 0.2	2.8 ± 0.2	W Africa F	E Europe M
17	4.4 ± 0.3	4.5 ± 0.2	2.7 ± 0.2	3.4 ± 0.2	4.4 ± 0.3	4.8 ± 0.3	3.2 ± 0.3	2.3 ± 0.1	2.0 ± 0.2	2.4 ± 0.1	2.2 ± 0.2	2.9 ± 0.3	W Africa F	E Europe M
18	4.0 ± 0.2	4.4 ± 0.1	2.9 ± 0.2	3.3 ± 0.1	4.0 ± 0.2	4.7 ± 0.3	3.2 ± 0.2	2.28 ± 0.08	2.1 ± 0.2	2.28 ± 0.10	2.2 ± 0.2	3.0 ± 0.2	W Africa F	E Europe M
19	4.2 ± 0.3	4.4 ± 0.1	3.2 ± 0.2	3.2 ± 0.1	4.0 ± 0.2	4.7 ± 0.3	3.2 ± 0.2	2.33 ± 0.09	2.1 ± 0.2	2.10 ± 0.09	2.4 ± 0.1	2.9 ± 0.2	W Africa F	S Asia M
20	4.3 ± 0.2	4.5 ± 0.1	3.2 ± 0.2	3.3 ± 0.1	4.1 ± 0.2	4.7 ± 0.3	3.3 ± 0.3	2.60 ± 0.09	2.1 ± 0.2	2.10 ± 0.09	2.5 ± 0.1	3.3 ± 0.3	W Africa F	E Europe M
21	3.9 ± 0.2	4.4 ± 0.1	3.5 ± 0.2	3.3 ± 0.1	4.3 ± 0.2	4.7 ± 0.3	3.1 ± 0.2	2.88 ± 0.08	2.3 ± 0.1	2.13 ± 0.09	3.0 ± 0.1	3.1 ± 0.2	W Africa F	S Asia M
22	4.3 ± 0.2	4.5 ± 0.1	3.6 ± 0.1	3.4 ± 0.1	4.3 ± 0.2	4.4 ± 0.2	3.4 ± 0.2	3.42 ± 0.09	2.4 ± 0.1	2.31 ± 0.09	3.5 ± 0.1	2.8 ± 0.2	E Asia F	S Asia M
23	4.3 ± 0.2	4.4 ± 0.1	4.0 ± 0.1	3.55 ± 0.10	4.3 ± 0.1	4.3 ± 0.2	3.3 ± 0.2	3.81 ± 0.09	2.7 ± 0.1	2.53 ± 0.08	3.8 ± 0.1	2.8 ± 0.2	E Asia F	S Asia M
24	4.3 ± 0.2	4.7 ± 0.1	4.1 ± 0.1	3.67 ± 0.09	4.4 ± 0.1	4.4 ± 0.2	3.1 ± 0.2	4.2 ± 0.1	2.8 ± 0.1	2.78 ± 0.08	4.2 ± 0.1	2.8 ± 0.2	E Asia F	S Asia M
25	4.5 ± 0.2	4.6 ± 0.1	4.5 ± 0.1	3.86 ± 0.08	4.5 ± 0.1	4.4 ± 0.2	3.4 ± 0.2	4.6 ± 0.1	3.2 ± 0.1	3.02 ± 0.08	4.6 ± 0.1	3.0 ± 0.1	E Asia M	S Asia M
26	4.4 ± 0.2	4.76 ± 0.10	4.6 ± 0.1	4.08 ± 0.08	4.5 ± 0.1	4.2 ± 0.2	3.4 ± 0.1	4.9 ± 0.1	3.4 ± 0.1	3.28 ± 0.08	4.9 ± 0.2	3.1 ± 0.1	S E Asia M	W Africa M
27	4.6 ± 0.2	4.79 ± 0.10	4.8 ± 0.1	4.40 ± 0.08	4.6 ± 0.1	4.4 ± 0.2	3.5 ± 0.1	5.2 ± 0.1	3.5 ± 0.1	3.58 ± 0.07	5.2 ± 0.2	3.3 ± 0.1	E Asia M	W Africa M
28	4.9 ± 0.2	4.68 ± 0.09	5.0 ± 0.1	4.71 ± 0.08	4.7 ± 0.1	4.7 ± 0.2	3.7 ± 0.1	5.4 ± 0.1	3.6 ± 0.1	3.86 ± 0.07	5.4 ± 0.2	3.5 ± 0.1	E Asia M	W Africa M
29	4.9 ± 0.2	4.66 ± 0.09	5.0 ± 0.1	5.04 ± 0.08	4.8 ± 0.1	4.5 ± 0.2	3.8 ± 0.1	5.6 ± 0.1	4.0 ± 0.1	4.10 ± 0.07	5.7 ± 0.2	3.7 ± 0.1	S E Asia M	W Africa M
30	5.2 ± 0.2	4.79 ± 0.09	5.1 ± 0.1	5.29 ± 0.09	4.7 ± 0.1	5.0 ± 0.2	4.1 ± 0.1	5.8 ± 0.1	4.0 ± 0.1	4.30 ± 0.07	5.6 ± 0.2	4.0 ± 0.1	E Asia M	W Africa M
31	5.5 ± 0.2	4.72 ± 0.09	5.1 ± 0.1	5.76 ± 0.10	4.9 ± 0.1	5.0 ± 0.2	4.1 ± 0.2	6.0 ± 0.1	4.0 ± 0.1	4.54 ± 0.07	6.2 ± 0.2	4.3 ± 0.1	S E Asia M	E Europe M
32	5.5 ± 0.2	4.59 ± 0.09	5.1 ± 0.1	5.94 ± 0.10	4.9 ± 0.2	5.3 ± 0.2	4.3 ± 0.2	5.8 ± 0.1	4.0 ± 0.1	4.69 ± 0.08	5.9 ± 0.2	4.5 ± 0.1	S Asia F	E Europe M
33	5.9 ± 0.2	4.53 ± 0.10	5.2 ± 0.2	6.3 ± 0.1	5.0 ± 0.2	5.4 ± 0.2	4.5 ± 0.2	5.8 ± 0.1	3.6 ± 0.1	4.89 ± 0.08	6.0 ± 0.2	4.7 ± 0.2	S Asia F	E Europe M
34	6.1 ± 0.3	4.50 ± 0.10	5.3 ± 0.2	6.5 ± 0.1	4.9 ± 0.2	5.8 ± 0.2	4.8 ± 0.2	5.8 ± 0.1	4.0 ± 0.2	5.01 ± 0.09	5.9 ± 0.3	5.1 ± 0.2	S Asia F	E Europe M
35	6.6 ± 0.3	4.6 ± 0.1	5.1 ± 0.2	6.9 ± 0.1	5.0 ± 0.2	6.0 ± 0.3	4.9 ± 0.2	5.6 ± 0.1	3.8 ± 0.2	5.25 ± 0.09	5.7 ± 0.3	5.5 ± 0.2	S Asia F	E Europe M
36	6.8 ± 0.3	4.5 ± 0.1	4.9 ± 0.2	7.2 ± 0.1	5.0 ± 0.2	6.4 ± 0.3	5.4 ± 0.2	5.4 ± 0.1	3.8 ± 0.2	5.35 ± 0.10	5.6 ± 0.3	5.8 ± 0.2	S Asia F	E Europe M
37	7.1 ± 0.3	4.4 ± 0.1	5.1 ± 0.2	7.4 ± 0.1	5.2 ± 0.2	6.7 ± 0.3	5.3 ± 0.2	5.3 ± 0.1	3.9 ± 0.2	5.5 ± 0.1	5.5 ± 0.3	6.1 ± 0.2	S Asia F	E Europe M
38	7.1 ± 0.4	4.7 ± 0.1	4.9 ± 0.2	7.7 ± 0.1	5.1 ± 0.2	7.3 ± 0.3	5.4 ± 0.2	5.1 ± 0.1	3.8 ± 0.2	5.6 ± 0.1	5.3 ± 0.3	6.5 ± 0.2	S Asia F	E Europe M
39	7.1 ± 0.4	4.6 ± 0.1	4.8 ± 0.2	7.9 ± 0.2	5.2 ± 0.2	7.2 ± 0.3	5.4 ± 0.2	5.0 ± 0.1	3.8 ± 0.2	5.5 ± 0.1	4.9 ± 0.2	6.6 ± 0.2	S Asia F	E Europe M
40	8.0 ± 0.4	4.8 ± 0.1	4.7 ± 0.2	8.1 ± 0.2	5.6 ± 0.2	7.7 ± 0.3	5.5 ± 0.3	4.9 ± 0.1	3.9 ± 0.2	5.8 ± 0.1	4.6 ± 0.2	7.1 ± 0.2	S Asia F	E Europe M
41	8.3 ± 0.4	5.2 ± 0.1	4.9 ± 0.2	8.4 ± 0.2	6.0 ± 0.2	8.2 ± 0.4	5.6 ± 0.3	4.7 ± 0.1	3.9 ± 0.2	5.8 ± 0.1	4.9 ± 0.2	7.3 ± 0.2	S Asia F	E Europe M
42	8.3 ± 0.4	5.5 ± 0.1	5.0 ± 0.2	8.3 ± 0.2	6.0 ± 0.2	8.6 ± 0.4	5.9 ± 0.3	4.7 ± 0.1	3.9 ± 0.2	5.9 ± 0.1	4.6 ± 0.2	7.5 ± 0.2	W Africa F	E Europe M
43	8.5 ± 0.5	5.9 ± 0.1	5.2 ± 0.2	8.7 ± 0.2	6.5 ± 0.2	8.8 ± 0.4	5.9 ± 0.3	4.7 ± 0.1	4.4 ± 0.2	5.8 ± 0.1	4.6 ± 0.2	8.0 ± 0.3	W Africa F	E Europe M
44	8.6 ± 0.5	6.4 ± 0.1	5.6 ± 0.2	8.9 ± 0.2	6.6 ± 0.2	9.2 ± 0.4	6.4 ± 0.3	4.8 ± 0.1	4.3 ± 0.2	6.0 ± 0.2	4.6 ± 0.2	8.3 ± 0.3	W Africa F	E Europe M
45	9.3 ± 0.5	6.7 ± 0.1	5.8 ± 0.2	9.1 ± 0.2	7.2 ± 0.2	9.2 ± 0.4	6.4 ± 0.3	5.1 ± 0.1	4.6 ± 0.2	5.8 ± 0.1	4.6 ± 0.2	8.5 ± 0.3	E Africa F	E Europe M
46	9.0 ± 0.6	7.3 ± 0.1	6.0 ± 0.2	8.9 ± 0.2	7.6 ± 0.2	8.9 ± 0.4	6.0 ± 0.4	5.1 ± 0.1	4.7 ± 0.2	5.7 ± 0.2	4.8 ± 0.2	9.0 ± 0.3	W Africa M	E Europe M
47	8.4 ± 0.5	7.5 ± 0.1	6.4 ± 0.2	9.1 ± 0.2	8.0 ± 0.2	9.3 ± 0.4	6.1 ± 0.4	5.3 ± 0.1	4.8 ± 0.2	5.8 ± 0.2	4.6 ± 0.2	8.7 ± 0.3	W Africa F	S E Asia M
48	9.5 ± 0.7	8.0 ± 0.1	6.4 ± 0.2	9.4 ± 0.2	8.4 ± 0.2	9.7 ± 0.5	7.1 ± 0.4	5.4 ± 0.1	5.0 ± 0.2	5.8 ± 0.2	4.6 ± 0.2	9.6 ± 0.3	W Africa F	S E Asia M
49	9.2 ± 0.6	8.5 ± 0.1	6.8 ± 0.2	9.3 ± 0.3	8.6 ± 0.2	10.2 ± 0.5	6.9 ± 0.4	5.6 ± 0.1	5.1 ± 0.2	5.9 ± 0.2	4.8 ± 0.2	9.7 ± 0.3	W Africa F	S E Asia M
50	9.6 ± 0.7	8.9 ± 0.1	6.8 ± 0.2	9.3 ± 0.2	9.1 ± 0.2	10.1 ± 0.5	7.0 ± 0.5	5.7 ± 0.1	5.4 ± 0.2	5.8 ± 0.2	4.9 ± 0.2	10.0 ± 0.3	W Africa F	S E Asia M
51	8.9 ± 0.6	9.3 ± 0.1	7.1 ± 0.2	9.3 ± 0.3	9.5 ± 0.2	10.3 ± 0.5	7.5 ± 0.5	5.9 ± 0.1	5.3 ± 0.2	5.8 ± 0.2	4.8 ± 0.2	10.2 ± 0.4	W Africa F	S E Asia M
52	9.0 ± 0.7	9.7 ± 0.1	6.9 ± 0.3	9.4 ± 0.3	9.6 ± 0.2	10.6 ± 0.6	6.8 ± 0.5	6.1 ± 0.1	5.4 ± 0.3	5.8 ± 0.2	5.1 ± 0.2	10.5 ± 0.4	W Africa F	S E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 103. *Mean absolute error for Application-type images for algorithm bynn-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.1 ± 0.2	1.81 ± 0.09	1.4 ± 0.1	1.58 ± 0.10	2.0 ± 0.2	2.8 ± 0.3	2.1 ± 0.2	2.10 ± 0.10	1.4 ± 0.1	1.47 ± 0.07	1.7 ± 0.1	2.6 ± 0.3	W Africa F	E Europe F
15	2.3 ± 0.2	2.0 ± 0.1	1.6 ± 0.1	2.0 ± 0.2	2.2 ± 0.3	2.8 ± 0.3	2.0 ± 0.2	2.0 ± 0.1	1.2 ± 0.1	1.46 ± 0.10	1.9 ± 0.2	2.4 ± 0.3	W Africa F	E Europe M
16	2.6 ± 0.2	2.3 ± 0.1	1.9 ± 0.2	2.1 ± 0.1	2.7 ± 0.3	3.5 ± 0.4	2.3 ± 0.2	2.1 ± 0.1	1.4 ± 0.2	1.7 ± 0.1	1.9 ± 0.2	2.5 ± 0.3	W Africa F	E Europe M
17	3.0 ± 0.3	2.6 ± 0.1	2.7 ± 0.2	2.7 ± 0.1	2.9 ± 0.2	3.5 ± 0.3	2.2 ± 0.2	2.4 ± 0.1	1.4 ± 0.1	2.0 ± 0.1	2.4 ± 0.2	2.7 ± 0.4	W Africa F	E Europe M
18	3.5 ± 0.2	2.88 ± 0.08	3.0 ± 0.2	3.2 ± 0.1	3.2 ± 0.1	3.8 ± 0.3	2.8 ± 0.2	2.72 ± 0.08	2.2 ± 0.1	2.47 ± 0.10	2.8 ± 0.2	3.1 ± 0.2	W Africa F	E Europe M
19	3.8 ± 0.2	2.95 ± 0.08	3.4 ± 0.2	3.5 ± 0.1	3.4 ± 0.1	4.0 ± 0.3	3.4 ± 0.2	2.97 ± 0.09	2.4 ± 0.1	2.9 ± 0.1	3.3 ± 0.1	3.4 ± 0.3	W Africa F	E Europe M
20	4.4 ± 0.2	2.9 ± 0.1	3.5 ± 0.2	3.7 ± 0.1	3.2 ± 0.1	4.3 ± 0.3	3.6 ± 0.2	2.90 ± 0.09	2.7 ± 0.1	3.2 ± 0.1	3.2 ± 0.1	3.6 ± 0.3	E Africa F	E Europe M
21	4.2 ± 0.2	2.94 ± 0.09	3.7 ± 0.2	3.8 ± 0.1	3.1 ± 0.1	4.7 ± 0.3	3.9 ± 0.2	2.89 ± 0.09	3.0 ± 0.2	3.2 ± 0.1	3.2 ± 0.1	3.8 ± 0.3	W Africa F	E Asia M
22	4.3 ± 0.2	2.93 ± 0.09	3.8 ± 0.1	4.0 ± 0.1	3.2 ± 0.1	4.6 ± 0.3	4.3 ± 0.2	2.77 ± 0.09	2.9 ± 0.2	3.2 ± 0.1	2.9 ± 0.1	3.8 ± 0.2	W Africa F	E Asia M
23	4.8 ± 0.2	2.88 ± 0.08	3.8 ± 0.1	4.1 ± 0.1	3.0 ± 0.1	4.4 ± 0.2	4.2 ± 0.2	2.80 ± 0.10	3.0 ± 0.2	3.2 ± 0.1	3.0 ± 0.1	3.8 ± 0.2	E Africa F	E Asia M
24	4.9 ± 0.2	3.05 ± 0.08	3.7 ± 0.1	4.2 ± 0.1	3.1 ± 0.1	4.5 ± 0.2	4.1 ± 0.2	2.79 ± 0.10	2.9 ± 0.1	3.3 ± 0.1	2.7 ± 0.1	3.6 ± 0.2	E Africa F	S E Asia M
25	5.0 ± 0.2	3.13 ± 0.07	3.8 ± 0.1	4.31 ± 0.09	3.3 ± 0.1	4.6 ± 0.2	4.1 ± 0.2	2.94 ± 0.09	2.9 ± 0.1	3.30 ± 0.09	3.0 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
26	5.1 ± 0.2	3.44 ± 0.08	3.9 ± 0.1	4.43 ± 0.09	3.35 ± 0.10	4.5 ± 0.2	4.1 ± 0.2	2.85 ± 0.08	3.0 ± 0.1	3.32 ± 0.09	2.9 ± 0.1	3.5 ± 0.2	E Africa F	E Asia M
27	5.3 ± 0.2	3.60 ± 0.07	3.9 ± 0.1	4.57 ± 0.09	3.58 ± 0.10	4.7 ± 0.2	4.0 ± 0.2	2.98 ± 0.09	3.0 ± 0.1	3.34 ± 0.08	3.0 ± 0.1	3.4 ± 0.1	E Africa F	E Asia M
28	5.2 ± 0.2	3.81 ± 0.07	3.9 ± 0.1	4.69 ± 0.09	3.61 ± 0.10	4.5 ± 0.2	3.9 ± 0.2	3.04 ± 0.09	3.0 ± 0.1	3.27 ± 0.07	3.0 ± 0.1	3.3 ± 0.1	E Africa F	S E Asia M
29	5.3 ± 0.2	4.00 ± 0.07	3.9 ± 0.1	4.76 ± 0.09	3.9 ± 0.1	4.6 ± 0.2	3.7 ± 0.2	3.04 ± 0.08	3.1 ± 0.1	3.25 ± 0.07	3.1 ± 0.1	3.3 ± 0.1	E Africa F	E Asia M
30	5.3 ± 0.2	4.27 ± 0.07	4.1 ± 0.1	4.87 ± 0.09	4.0 ± 0.1	4.6 ± 0.2	3.8 ± 0.2	3.13 ± 0.08	3.0 ± 0.1	3.29 ± 0.06	3.2 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
31	5.2 ± 0.2	4.47 ± 0.08	4.0 ± 0.1	4.92 ± 0.09	4.0 ± 0.1	4.5 ± 0.2	3.7 ± 0.2	3.22 ± 0.09	3.0 ± 0.1	3.30 ± 0.06	3.2 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
32	5.4 ± 0.2	4.61 ± 0.08	4.0 ± 0.1	4.85 ± 0.09	4.2 ± 0.1	4.6 ± 0.2	3.7 ± 0.2	3.22 ± 0.08	3.1 ± 0.1	3.26 ± 0.06	3.3 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
33	5.3 ± 0.2	4.80 ± 0.09	4.1 ± 0.1	4.98 ± 0.10	4.2 ± 0.1	4.4 ± 0.2	3.7 ± 0.2	3.27 ± 0.09	2.9 ± 0.1	3.17 ± 0.06	3.3 ± 0.2	3.3 ± 0.1	E Africa F	E Europe M
34	5.2 ± 0.2	4.86 ± 0.09	3.9 ± 0.1	4.77 ± 0.10	4.1 ± 0.1	4.3 ± 0.2	3.6 ± 0.2	3.43 ± 0.09	3.1 ± 0.1	3.25 ± 0.07	3.2 ± 0.2	3.4 ± 0.1	E Africa F	E Europe M
35	5.0 ± 0.2	5.14 ± 0.10	4.0 ± 0.1	4.6 ± 0.1	4.1 ± 0.1	4.3 ± 0.2	3.6 ± 0.2	3.42 ± 0.09	3.0 ± 0.1	3.18 ± 0.07	3.5 ± 0.2	3.6 ± 0.1	E Asia F	E Europe M
36	5.2 ± 0.2	5.13 ± 0.10	3.7 ± 0.1	4.6 ± 0.1	4.1 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	3.44 ± 0.10	3.1 ± 0.1	3.19 ± 0.07	3.4 ± 0.2	3.6 ± 0.1	E Africa F	E Europe M
37	5.3 ± 0.3	5.1 ± 0.1	3.7 ± 0.1	4.5 ± 0.1	4.2 ± 0.2	4.5 ± 0.2	3.5 ± 0.2	3.6 ± 0.1	3.1 ± 0.1	3.23 ± 0.07	3.6 ± 0.2	3.6 ± 0.1	E Africa F	E Europe M
38	4.9 ± 0.3	5.3 ± 0.1	3.7 ± 0.1	4.4 ± 0.1	4.1 ± 0.2	4.9 ± 0.3	3.6 ± 0.2	3.63 ± 0.10	3.1 ± 0.1	3.23 ± 0.07	3.4 ± 0.2	3.7 ± 0.2	E Asia F	E Europe M
39	5.0 ± 0.3	5.4 ± 0.1	3.7 ± 0.1	4.4 ± 0.1	4.1 ± 0.2	4.5 ± 0.2	3.6 ± 0.2	4.0 ± 0.1	3.2 ± 0.1	3.33 ± 0.07	3.7 ± 0.2	4.0 ± 0.2	E Asia F	E Europe M
40	5.2 ± 0.3	5.5 ± 0.1	3.5 ± 0.1	4.2 ± 0.1	4.2 ± 0.2	4.8 ± 0.2	3.6 ± 0.2	4.06 ± 0.10	3.2 ± 0.1	3.54 ± 0.08	3.8 ± 0.2	4.0 ± 0.2	E Asia F	E Europe M
41	5.4 ± 0.3	5.6 ± 0.1	3.4 ± 0.1	4.3 ± 0.1	4.2 ± 0.2	5.2 ± 0.3	3.6 ± 0.2	4.22 ± 0.10	3.1 ± 0.1	3.54 ± 0.08	3.9 ± 0.2	4.3 ± 0.2	E Asia F	E Europe M
42	5.1 ± 0.3	5.5 ± 0.1	3.3 ± 0.2	3.9 ± 0.1	4.2 ± 0.2	5.0 ± 0.3	3.6 ± 0.2	4.27 ± 0.10	3.1 ± 0.2	3.54 ± 0.10	3.8 ± 0.2	4.4 ± 0.2	E Asia F	E Europe M
43	5.1 ± 0.4	5.7 ± 0.1	3.5 ± 0.2	4.1 ± 0.2	4.3 ± 0.2	5.1 ± 0.3	3.4 ± 0.2	4.4 ± 0.1	3.1 ± 0.2	3.48 ± 0.10	4.0 ± 0.2	4.6 ± 0.2	E Asia F	E Europe M
44	5.0 ± 0.4	5.9 ± 0.1	3.6 ± 0.2	4.3 ± 0.2	4.4 ± 0.2	5.2 ± 0.3	3.7 ± 0.2	4.4 ± 0.1	3.1 ± 0.2	3.7 ± 0.1	4.0 ± 0.2	4.5 ± 0.2	E Asia F	E Europe M
45	5.3 ± 0.4	5.9 ± 0.1	3.4 ± 0.2	4.3 ± 0.2	4.6 ± 0.2	5.3 ± 0.3	3.9 ± 0.3	4.6 ± 0.1	3.3 ± 0.2	3.8 ± 0.1	4.0 ± 0.2	5.0 ± 0.2	E Asia F	E Europe M
46	5.2 ± 0.4	6.1 ± 0.1	3.7 ± 0.2	4.4 ± 0.2	4.7 ± 0.2	5.4 ± 0.3	4.2 ± 0.3	4.7 ± 0.1	3.4 ± 0.2	3.7 ± 0.1	4.1 ± 0.2	5.4 ± 0.2	E Asia F	E Europe M
47	5.2 ± 0.4	6.0 ± 0.1	4.0 ± 0.2	4.6 ± 0.2	4.9 ± 0.2	5.6 ± 0.3	4.3 ± 0.3	4.7 ± 0.1	3.5 ± 0.2	4.1 ± 0.1	4.0 ± 0.2	5.5 ± 0.2	E Asia F	E Europe M
48	5.7 ± 0.5	6.3 ± 0.1	3.9 ± 0.2	4.9 ± 0.2	5.0 ± 0.2	5.6 ± 0.3	4.9 ± 0.3	4.8 ± 0.1	3.7 ± 0.2	4.2 ± 0.1	4.1 ± 0.2	6.1 ± 0.3	E Asia F	E Europe M
49	5.4 ± 0.5	6.5 ± 0.1	4.2 ± 0.2	4.9 ± 0.2	5.1 ± 0.2	5.9 ± 0.4	4.6 ± 0.3	4.8 ± 0.1	3.7 ± 0.2	4.3 ± 0.1	4.0 ± 0.2	6.2 ± 0.3	E Asia F	E Europe M
50	5.8 ± 0.5	6.5 ± 0.1	4.2 ± 0.2	5.0 ± 0.2	5.3 ± 0.2	6.0 ± 0.3	4.8 ± 0.3	4.9 ± 0.1	3.6 ± 0.2	4.5 ± 0.2	4.0 ± 0.2	6.5 ± 0.3	E Asia F	E Europe M
51	5.4 ± 0.4	6.6 ± 0.1	4.3 ± 0.2	5.2 ± 0.2	5.5 ± 0.2	6.1 ± 0.4	5.5 ± 0.4	4.9 ± 0.1	3.6 ± 0.2	4.7 ± 0.2	4.3 ± 0.2	6.8 ± 0.3	W Africa M	E Europe M
52	5.9 ± 0.5	6.7 ± 0.1	4.4 ± 0.2	5.4 ± 0.2	5.3 ± 0.2	6.6 ± 0.4	5.1 ± 0.4	5.0 ± 0.1	3.7 ± 0.2	4.7 ± 0.2	4.4 ± 0.2	7.1 ± 0.3	W Africa M	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 104. *Mean absolute error for Application-type images for algorithm cognitec-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.0 ± 0.2	2.01 ± 0.08	1.8 ± 0.1	1.93 ± 0.10	1.9 ± 0.2	3.4 ± 0.3	2.3 ± 0.2	1.86 ± 0.08	1.4 ± 0.1	1.92 ± 0.08	1.9 ± 0.1	2.1 ± 0.2	W Africa F	E Europe M
15	3.2 ± 0.3	2.02 ± 0.09	1.8 ± 0.1	2.1 ± 0.1	2.1 ± 0.2	3.2 ± 0.3	2.2 ± 0.2	1.82 ± 0.08	1.4 ± 0.1	1.88 ± 0.09	2.0 ± 0.1	2.2 ± 0.2	W Africa F	E Europe M
16	3.2 ± 0.3	2.2 ± 0.1	1.6 ± 0.1	2.0 ± 0.1	2.4 ± 0.2	3.8 ± 0.4	2.3 ± 0.2	1.71 ± 0.07	1.5 ± 0.1	1.94 ± 0.10	1.9 ± 0.2	2.4 ± 0.2	W Africa F	E Europe M
17	3.3 ± 0.3	2.15 ± 0.10	1.6 ± 0.2	2.1 ± 0.1	2.2 ± 0.2	3.6 ± 0.3	2.1 ± 0.2	1.72 ± 0.08	1.3 ± 0.1	1.9 ± 0.1	2.0 ± 0.2	2.5 ± 0.3	W Africa F	E Europe M
18	3.2 ± 0.2	2.24 ± 0.08	1.9 ± 0.2	2.34 ± 0.09	2.3 ± 0.1	3.5 ± 0.3	2.3 ± 0.2	1.77 ± 0.07	1.6 ± 0.1	2.02 ± 0.09	2.0 ± 0.2	2.3 ± 0.2	W Africa F	E Europe M
19	3.4 ± 0.2	2.23 ± 0.08	1.9 ± 0.2	2.4 ± 0.1	2.5 ± 0.1	3.5 ± 0.3	2.5 ± 0.2	1.93 ± 0.08	1.6 ± 0.1	2.10 ± 0.09	2.0 ± 0.1	2.4 ± 0.2	W Africa F	E Europe M
20	3.5 ± 0.2	2.37 ± 0.09	1.9 ± 0.1	2.5 ± 0.1	2.5 ± 0.1	3.3 ± 0.2	2.7 ± 0.2	1.98 ± 0.08	1.6 ± 0.1	2.22 ± 0.09	2.2 ± 0.1	2.5 ± 0.2	E Africa F	E Europe M
21	3.4 ± 0.2	2.43 ± 0.08	2.1 ± 0.1	2.63 ± 0.08	2.5 ± 0.1	3.5 ± 0.2	2.6 ± 0.2	2.06 ± 0.07	1.7 ± 0.1	2.34 ± 0.09	2.3 ± 0.1	2.5 ± 0.2	W Africa F	E Europe M
22	3.4 ± 0.2	2.57 ± 0.07	2.31 ± 0.09	2.69 ± 0.08	2.65 ± 0.10	3.4 ± 0.2	3.1 ± 0.2	2.27 ± 0.08	1.8 ± 0.1	2.42 ± 0.10	2.2 ± 0.1	2.5 ± 0.2	E Africa F	E Europe M
23	3.5 ± 0.2	2.59 ± 0.07	2.54 ± 0.09	2.84 ± 0.08	2.65 ± 0.09	3.3 ± 0.2	3.3 ± 0.2	2.42 ± 0.08	1.9 ± 0.1	2.52 ± 0.09	2.4 ± 0.1	2.7 ± 0.2	E Africa F	E Europe M
24	3.7 ± 0.2	2.66 ± 0.06	2.63 ± 0.08	2.99 ± 0.07	2.70 ± 0.08	3.4 ± 0.2	3.2 ± 0.2	2.53 ± 0.08	2.05 ± 0.09	2.67 ± 0.08	2.5 ± 0.1	2.8 ± 0.2	E Africa F	E Europe M
25	3.7 ± 0.2	2.77 ± 0.06	2.79 ± 0.08	3.09 ± 0.07	2.76 ± 0.08	3.4 ± 0.2	3.4 ± 0.2	2.66 ± 0.08	2.17 ± 0.10	2.64 ± 0.08	2.6 ± 0.1	3.0 ± 0.2	E Africa F	E Europe M
26	3.7 ± 0.2	2.84 ± 0.06	2.92 ± 0.08	3.23 ± 0.06	2.81 ± 0.08	3.4 ± 0.2	3.4 ± 0.1	2.65 ± 0.08	2.27 ± 0.10	2.69 ± 0.07	2.7 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
27	3.9 ± 0.2	2.88 ± 0.06	3.08 ± 0.08	3.38 ± 0.06	2.91 ± 0.08	3.6 ± 0.1	3.4 ± 0.1	2.72 ± 0.07	2.30 ± 0.09	2.70 ± 0.07	2.7 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
28	3.9 ± 0.2	2.92 ± 0.06	3.00 ± 0.08	3.51 ± 0.06	3.00 ± 0.08	3.6 ± 0.1	3.3 ± 0.1	2.76 ± 0.08	2.36 ± 0.09	2.73 ± 0.06	2.7 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
29	4.1 ± 0.2	2.97 ± 0.06	3.02 ± 0.08	3.62 ± 0.07	3.13 ± 0.08	3.7 ± 0.1	3.3 ± 0.1	2.69 ± 0.08	2.44 ± 0.09	2.75 ± 0.06	2.7 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
30	4.1 ± 0.2	3.05 ± 0.06	3.09 ± 0.09	3.78 ± 0.07	3.10 ± 0.09	3.8 ± 0.1	3.5 ± 0.1	2.82 ± 0.07	2.43 ± 0.10	2.77 ± 0.06	2.8 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
31	4.1 ± 0.2	3.07 ± 0.06	3.02 ± 0.09	3.91 ± 0.07	3.21 ± 0.09	3.9 ± 0.1	3.5 ± 0.1	2.82 ± 0.08	2.51 ± 0.10	2.80 ± 0.06	3.0 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
32	4.2 ± 0.2	3.13 ± 0.06	2.99 ± 0.09	3.98 ± 0.07	3.38 ± 0.10	4.1 ± 0.2	3.6 ± 0.1	2.77 ± 0.07	2.4 ± 0.1	2.83 ± 0.06	2.8 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
33	4.5 ± 0.2	3.23 ± 0.06	3.08 ± 0.10	4.00 ± 0.08	3.3 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.87 ± 0.08	2.30 ± 0.10	2.88 ± 0.06	2.9 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
34	4.5 ± 0.2	3.23 ± 0.06	3.0 ± 0.1	4.07 ± 0.08	3.4 ± 0.1	4.3 ± 0.2	3.6 ± 0.2	2.90 ± 0.07	2.5 ± 0.1	2.89 ± 0.06	3.0 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
35	4.6 ± 0.2	3.30 ± 0.07	3.1 ± 0.1	4.06 ± 0.08	3.5 ± 0.1	4.4 ± 0.2	3.6 ± 0.2	2.90 ± 0.08	2.5 ± 0.1	2.89 ± 0.06	3.1 ± 0.1	4.1 ± 0.1	E Africa F	E Europe M
36	4.8 ± 0.2	3.36 ± 0.07	3.0 ± 0.1	4.06 ± 0.09	3.4 ± 0.1	4.4 ± 0.2	3.7 ± 0.2	2.91 ± 0.08	2.5 ± 0.1	2.93 ± 0.06	3.0 ± 0.1	4.1 ± 0.2	E Africa F	E Europe M
37	4.6 ± 0.2	3.29 ± 0.07	3.0 ± 0.1	4.08 ± 0.09	3.4 ± 0.1	4.8 ± 0.2	3.8 ± 0.2	2.93 ± 0.08	2.6 ± 0.1	2.98 ± 0.06	2.9 ± 0.1	4.1 ± 0.2	W Africa F	E Europe M
38	4.5 ± 0.2	3.42 ± 0.07	2.9 ± 0.1	4.04 ± 0.10	3.4 ± 0.1	4.8 ± 0.2	3.7 ± 0.2	2.99 ± 0.08	2.5 ± 0.1	2.97 ± 0.06	3.0 ± 0.1	4.2 ± 0.2	W Africa F	E Europe M
39	4.6 ± 0.2	3.37 ± 0.07	3.0 ± 0.1	4.2 ± 0.1	3.4 ± 0.1	4.4 ± 0.2	3.6 ± 0.2	3.00 ± 0.08	2.6 ± 0.1	2.96 ± 0.07	3.1 ± 0.1	4.1 ± 0.2	E Africa F	E Europe M
40	4.6 ± 0.2	3.32 ± 0.07	3.0 ± 0.1	4.0 ± 0.1	3.5 ± 0.1	4.8 ± 0.2	3.4 ± 0.2	2.92 ± 0.08	2.7 ± 0.1	3.09 ± 0.07	2.9 ± 0.1	4.2 ± 0.2	W Africa F	E Europe M
41	4.7 ± 0.3	3.40 ± 0.07	2.9 ± 0.1	4.0 ± 0.1	3.4 ± 0.1	4.9 ± 0.2	3.7 ± 0.2	2.91 ± 0.08	2.7 ± 0.1	3.09 ± 0.07	3.0 ± 0.1	4.3 ± 0.2	W Africa F	E Europe M
42	4.6 ± 0.3	3.28 ± 0.07	3.0 ± 0.1	3.9 ± 0.1	3.4 ± 0.1	4.6 ± 0.2	3.5 ± 0.2	2.93 ± 0.08	2.6 ± 0.1	3.11 ± 0.08	2.9 ± 0.1	4.2 ± 0.2	W Africa F	E Europe M
43	4.5 ± 0.3	3.35 ± 0.07	3.1 ± 0.1	3.9 ± 0.1	3.4 ± 0.1	4.7 ± 0.2	3.5 ± 0.2	2.93 ± 0.08	2.8 ± 0.1	3.19 ± 0.09	3.1 ± 0.1	4.4 ± 0.2	W Africa F	E Europe M
44	4.7 ± 0.3	3.38 ± 0.07	3.2 ± 0.1	4.1 ± 0.1	3.4 ± 0.1	4.9 ± 0.3	3.5 ± 0.2	2.93 ± 0.08	2.6 ± 0.1	3.26 ± 0.09	3.1 ± 0.2	4.2 ± 0.2	W Africa F	E Europe M
45	4.7 ± 0.3	3.38 ± 0.07	2.9 ± 0.1	4.0 ± 0.1	3.3 ± 0.1	4.8 ± 0.3	3.6 ± 0.2	3.00 ± 0.08	2.8 ± 0.1	3.23 ± 0.10	3.1 ± 0.2	4.5 ± 0.2	W Africa F	E Europe M
46	4.8 ± 0.3	3.34 ± 0.08	3.1 ± 0.2	3.8 ± 0.1	3.5 ± 0.1	4.8 ± 0.3	3.7 ± 0.3	3.06 ± 0.08	2.9 ± 0.1	3.2 ± 0.1	3.2 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
47	4.7 ± 0.3	3.34 ± 0.08	3.2 ± 0.2	3.9 ± 0.1	3.3 ± 0.1	4.9 ± 0.3	3.8 ± 0.2	3.05 ± 0.09	2.7 ± 0.1	3.4 ± 0.1	3.2 ± 0.2	4.5 ± 0.2	W Africa F	E Europe M
48	4.6 ± 0.3	3.30 ± 0.08	3.2 ± 0.1	3.9 ± 0.1	3.3 ± 0.1	5.0 ± 0.3	4.0 ± 0.3	3.10 ± 0.08	2.7 ± 0.2	3.4 ± 0.1	3.2 ± 0.2	4.7 ± 0.3	W Africa F	E Europe M
49	4.6 ± 0.4	3.44 ± 0.08	3.2 ± 0.2	3.9 ± 0.1	3.4 ± 0.1	5.4 ± 0.3	4.0 ± 0.3	3.10 ± 0.09	2.7 ± 0.1	3.5 ± 0.1	3.2 ± 0.2	4.3 ± 0.2	W Africa F	E Europe M
50	5.0 ± 0.4	3.40 ± 0.08	3.1 ± 0.1	3.9 ± 0.1	3.4 ± 0.1	5.2 ± 0.3	3.8 ± 0.3	3.15 ± 0.09	2.8 ± 0.1	3.5 ± 0.1	3.3 ± 0.2	4.7 ± 0.2	W Africa F	E Europe M
51	4.6 ± 0.3	3.46 ± 0.09	3.2 ± 0.2	3.9 ± 0.1	3.3 ± 0.1	5.2 ± 0.3	4.3 ± 0.4	3.20 ± 0.09	2.7 ± 0.1	3.6 ± 0.1	3.4 ± 0.2	4.9 ± 0.3	W Africa F	E Europe M
52	4.9 ± 0.4	3.44 ± 0.09	3.2 ± 0.2	4.0 ± 0.1	3.4 ± 0.1	5.4 ± 0.3	4.0 ± 0.3	3.25 ± 0.09	2.8 ± 0.2	3.6 ± 0.1	3.4 ± 0.2	4.9 ± 0.3	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 105. *Mean absolute error for Application-type images for algorithm cognitec-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.9 ± 0.2	1.61 ± 0.07	1.4 ± 0.1	1.82 ± 0.09	1.8 ± 0.1	3.0 ± 0.3	1.8 ± 0.1	1.37 ± 0.07	1.05 ± 0.08	1.54 ± 0.07	1.4 ± 0.1	1.7 ± 0.2	W Africa F	E Europe M
15	3.0 ± 0.3	1.78 ± 0.08	1.5 ± 0.1	2.0 ± 0.1	2.0 ± 0.2	3.0 ± 0.3	1.8 ± 0.2	1.40 ± 0.07	1.15 ± 0.09	1.57 ± 0.08	1.5 ± 0.1	1.8 ± 0.2	E Africa F	E Europe M
16	3.0 ± 0.3	1.9 ± 0.1	1.6 ± 0.1	1.9 ± 0.1	2.2 ± 0.2	3.5 ± 0.4	2.0 ± 0.2	1.45 ± 0.06	1.4 ± 0.1	1.72 ± 0.09	1.6 ± 0.1	2.0 ± 0.2	W Africa F	E Europe M
17	3.2 ± 0.3	2.00 ± 0.09	1.7 ± 0.1	2.2 ± 0.1	2.3 ± 0.2	3.3 ± 0.3	2.0 ± 0.2	1.66 ± 0.09	1.3 ± 0.1	1.9 ± 0.1	1.8 ± 0.2	2.3 ± 0.3	W Africa F	E Europe M
18	3.1 ± 0.2	2.23 ± 0.08	2.1 ± 0.2	2.38 ± 0.10	2.3 ± 0.1	3.3 ± 0.2	2.2 ± 0.2	1.75 ± 0.07	1.7 ± 0.1	2.10 ± 0.09	2.1 ± 0.2	2.2 ± 0.2	W Africa F	E Europe M
19	3.2 ± 0.2	2.27 ± 0.08	2.2 ± 0.2	2.5 ± 0.1	2.4 ± 0.1	3.4 ± 0.2	2.6 ± 0.2	1.99 ± 0.08	1.7 ± 0.1	2.20 ± 0.09	2.2 ± 0.1	2.4 ± 0.2	W Africa F	E Europe M
20	3.2 ± 0.2	2.45 ± 0.10	2.2 ± 0.1	2.6 ± 0.1	2.5 ± 0.1	3.3 ± 0.2	2.7 ± 0.2	2.05 ± 0.08	1.7 ± 0.1	2.23 ± 0.09	2.2 ± 0.1	2.5 ± 0.2	W Africa F	E Europe M
21	3.1 ± 0.2	2.54 ± 0.08	2.3 ± 0.1	2.71 ± 0.09	2.4 ± 0.1	3.4 ± 0.2	2.7 ± 0.2	2.15 ± 0.07	1.7 ± 0.1	2.29 ± 0.09	2.3 ± 0.1	2.6 ± 0.2	W Africa F	E Europe M
22	3.2 ± 0.2	2.66 ± 0.08	2.4 ± 0.1	2.81 ± 0.08	2.7 ± 0.1	3.2 ± 0.2	3.2 ± 0.2	2.29 ± 0.08	1.7 ± 0.1	2.44 ± 0.10	2.2 ± 0.1	2.5 ± 0.2	W Africa F	E Europe M
23	3.2 ± 0.2	2.72 ± 0.07	2.68 ± 0.10	2.98 ± 0.08	2.69 ± 0.09	3.2 ± 0.2	3.1 ± 0.2	2.35 ± 0.08	1.8 ± 0.1	2.48 ± 0.09	2.3 ± 0.1	2.8 ± 0.2	E Africa F	E Europe M
24	3.4 ± 0.2	2.80 ± 0.07	2.63 ± 0.08	3.10 ± 0.07	2.80 ± 0.08	3.1 ± 0.2	3.1 ± 0.2	2.54 ± 0.08	1.98 ± 0.09	2.62 ± 0.08	2.4 ± 0.1	2.9 ± 0.2	E Africa F	E Europe M
25	3.5 ± 0.2	2.91 ± 0.06	2.79 ± 0.08	3.15 ± 0.07	2.88 ± 0.09	3.2 ± 0.2	3.2 ± 0.2	2.61 ± 0.08	2.09 ± 0.10	2.56 ± 0.07	2.5 ± 0.1	2.9 ± 0.2	E Africa F	E Europe M
26	3.6 ± 0.2	3.01 ± 0.06	2.83 ± 0.08	3.26 ± 0.07	2.98 ± 0.08	3.1 ± 0.1	3.1 ± 0.1	2.56 ± 0.07	2.19 ± 0.10	2.62 ± 0.07	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
27	3.8 ± 0.2	3.03 ± 0.06	2.96 ± 0.08	3.40 ± 0.06	2.98 ± 0.08	3.4 ± 0.1	3.1 ± 0.1	2.63 ± 0.08	2.29 ± 0.09	2.63 ± 0.06	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
28	3.9 ± 0.2	3.07 ± 0.06	2.89 ± 0.08	3.53 ± 0.07	3.06 ± 0.09	3.3 ± 0.1	3.0 ± 0.1	2.66 ± 0.08	2.34 ± 0.09	2.61 ± 0.06	2.6 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
29	4.0 ± 0.2	3.04 ± 0.06	2.87 ± 0.08	3.53 ± 0.07	3.08 ± 0.09	3.4 ± 0.1	3.1 ± 0.1	2.55 ± 0.07	2.38 ± 0.10	2.62 ± 0.06	2.5 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
30	4.1 ± 0.2	3.12 ± 0.06	2.88 ± 0.09	3.67 ± 0.07	3.10 ± 0.09	3.6 ± 0.1	3.2 ± 0.1	2.68 ± 0.07	2.34 ± 0.10	2.64 ± 0.05	2.6 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
31	4.2 ± 0.2	3.06 ± 0.06	2.83 ± 0.09	3.77 ± 0.07	3.14 ± 0.09	3.8 ± 0.1	3.3 ± 0.1	2.73 ± 0.08	2.47 ± 0.10	2.70 ± 0.06	2.8 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
32	4.4 ± 0.2	3.11 ± 0.06	2.87 ± 0.09	3.80 ± 0.07	3.2 ± 0.1	4.0 ± 0.2	3.5 ± 0.1	2.71 ± 0.08	2.5 ± 0.1	2.78 ± 0.06	2.8 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
33	4.6 ± 0.2	3.19 ± 0.06	2.96 ± 0.10	3.86 ± 0.08	3.3 ± 0.1	4.0 ± 0.2	3.7 ± 0.2	2.87 ± 0.08	2.4 ± 0.1	2.83 ± 0.06	2.8 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
34	4.7 ± 0.2	3.21 ± 0.06	3.0 ± 0.1	3.93 ± 0.08	3.4 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.90 ± 0.08	2.6 ± 0.1	2.96 ± 0.06	3.0 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
35	4.8 ± 0.2	3.29 ± 0.07	3.1 ± 0.1	3.95 ± 0.08	3.4 ± 0.1	4.4 ± 0.2	3.8 ± 0.2	3.00 ± 0.08	2.7 ± 0.1	3.06 ± 0.06	3.2 ± 0.1	4.1 ± 0.2	E Africa F	E Europe M
36	4.9 ± 0.2	3.36 ± 0.07	3.1 ± 0.1	4.00 ± 0.08	3.5 ± 0.1	4.3 ± 0.2	3.9 ± 0.2	3.02 ± 0.08	2.8 ± 0.1	3.13 ± 0.06	3.2 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
37	4.8 ± 0.2	3.31 ± 0.07	3.3 ± 0.1	4.03 ± 0.09	3.5 ± 0.1	4.7 ± 0.2	4.1 ± 0.2	3.12 ± 0.08	2.8 ± 0.1	3.20 ± 0.07	3.2 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
38	4.8 ± 0.2	3.44 ± 0.07	3.2 ± 0.1	4.00 ± 0.09	3.5 ± 0.1	5.0 ± 0.2	3.9 ± 0.2	3.16 ± 0.08	2.8 ± 0.1	3.18 ± 0.07	3.5 ± 0.2	4.2 ± 0.2	W Africa F	E Europe M
39	4.9 ± 0.3	3.43 ± 0.07	3.1 ± 0.1	4.0 ± 0.1	3.6 ± 0.1	4.6 ± 0.2	4.1 ± 0.2	3.21 ± 0.08	2.8 ± 0.1	3.22 ± 0.07	3.5 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
40	4.8 ± 0.3	3.41 ± 0.07	3.1 ± 0.1	3.9 ± 0.1	3.7 ± 0.1	4.9 ± 0.2	3.9 ± 0.2	3.13 ± 0.08	2.8 ± 0.1	3.25 ± 0.07	3.3 ± 0.1	4.3 ± 0.2	W Africa F	E Europe M
41	4.9 ± 0.3	3.42 ± 0.07	3.0 ± 0.1	3.9 ± 0.1	3.5 ± 0.1	4.9 ± 0.2	4.1 ± 0.2	3.13 ± 0.08	2.8 ± 0.1	3.21 ± 0.08	3.3 ± 0.1	4.6 ± 0.2	W Africa F	E Europe M
42	4.8 ± 0.3	3.29 ± 0.07	3.1 ± 0.1	3.9 ± 0.1	3.5 ± 0.1	4.9 ± 0.2	4.0 ± 0.2	3.06 ± 0.08	2.7 ± 0.1	3.21 ± 0.08	3.3 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
43	4.9 ± 0.3	3.29 ± 0.07	3.0 ± 0.1	3.8 ± 0.1	3.5 ± 0.1	4.8 ± 0.3	3.9 ± 0.2	3.03 ± 0.08	2.8 ± 0.1	3.21 ± 0.09	3.4 ± 0.2	4.5 ± 0.2	E Africa F	E Europe M
44	5.0 ± 0.3	3.33 ± 0.07	3.0 ± 0.1	4.0 ± 0.1	3.5 ± 0.1	4.9 ± 0.3	3.8 ± 0.2	2.93 ± 0.09	2.6 ± 0.1	3.13 ± 0.09	3.4 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
45	5.0 ± 0.3	3.21 ± 0.07	2.7 ± 0.1	3.8 ± 0.1	3.3 ± 0.1	4.9 ± 0.3	3.9 ± 0.2	2.98 ± 0.08	2.7 ± 0.1	3.1 ± 0.1	3.3 ± 0.2	4.6 ± 0.2	E Africa F	E Europe M
46	5.1 ± 0.4	3.12 ± 0.07	2.9 ± 0.1	3.6 ± 0.1	3.3 ± 0.1	4.7 ± 0.3	3.8 ± 0.3	2.91 ± 0.08	2.9 ± 0.2	3.1 ± 0.1	3.3 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
47	4.8 ± 0.4	3.16 ± 0.08	3.0 ± 0.2	3.7 ± 0.1	3.3 ± 0.1	4.8 ± 0.3	3.9 ± 0.3	2.84 ± 0.09	2.7 ± 0.2	3.4 ± 0.1	3.2 ± 0.2	4.4 ± 0.2	E Africa F	E Europe M
48	4.9 ± 0.4	3.05 ± 0.08	3.0 ± 0.2	3.9 ± 0.2	3.4 ± 0.1	4.9 ± 0.3	4.2 ± 0.3	2.92 ± 0.08	2.8 ± 0.2	3.3 ± 0.1	3.3 ± 0.2	4.5 ± 0.3	W Africa F	E Europe M
49	5.0 ± 0.4	3.13 ± 0.08	3.0 ± 0.2	3.8 ± 0.2	3.4 ± 0.2	5.3 ± 0.3	4.2 ± 0.3	2.96 ± 0.09	2.9 ± 0.2	3.4 ± 0.1	3.4 ± 0.2	4.0 ± 0.2	W Africa F	E Europe M
50	5.0 ± 0.4	3.19 ± 0.08	3.1 ± 0.2	3.7 ± 0.2	3.5 ± 0.2	5.2 ± 0.3	3.7 ± 0.3	3.04 ± 0.09	3.0 ± 0.2	3.4 ± 0.1	3.5 ± 0.2	4.2 ± 0.3	W Africa F	E Europe M
51	5.1 ± 0.4	3.27 ± 0.09	3.2 ± 0.2	4.1 ± 0.2	3.5 ± 0.2	5.0 ± 0.3	4.2 ± 0.4	3.09 ± 0.09	2.9 ± 0.2	3.7 ± 0.2	3.6 ± 0.2	4.3 ± 0.3	E Africa F	E Europe M
52	5.1 ± 0.4	3.21 ± 0.09	3.3 ± 0.2	4.2 ± 0.2	3.6 ± 0.2	4.9 ± 0.3	3.9 ± 0.3	3.21 ± 0.09	3.2 ± 0.2	3.6 ± 0.1	3.7 ± 0.2	4.4 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 106. *Mean absolute error for Application-type images for algorithm cvut-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	6.6 ± 0.4	3.4 ± 0.1	2.7 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	6.3 ± 0.4	3.8 ± 0.3	2.5 ± 0.1	1.9 ± 0.1	1.8 ± 0.1	2.2 ± 0.2	4.2 ± 0.4	E Africa F	S Asia M
15	6.5 ± 0.4	3.5 ± 0.1	2.5 ± 0.2	3.4 ± 0.2	3.2 ± 0.3	5.4 ± 0.4	3.4 ± 0.3	2.9 ± 0.1	1.7 ± 0.2	2.2 ± 0.1	2.8 ± 0.2	4.5 ± 0.4	E Africa F	E Europe M
16	6.3 ± 0.4	3.5 ± 0.2	2.3 ± 0.2	3.2 ± 0.2	3.2 ± 0.3	5.5 ± 0.6	3.8 ± 0.3	3.0 ± 0.1	1.8 ± 0.2	2.6 ± 0.1	3.0 ± 0.2	4.3 ± 0.4	E Africa F	E Europe M
17	6.4 ± 0.4	3.2 ± 0.1	1.9 ± 0.2	3.1 ± 0.2	2.8 ± 0.2	5.3 ± 0.4	3.9 ± 0.3	2.9 ± 0.1	1.7 ± 0.2	2.9 ± 0.2	3.0 ± 0.2	4.4 ± 0.4	E Africa F	E Europe M
18	5.8 ± 0.3	2.9 ± 0.1	1.9 ± 0.2	2.9 ± 0.1	2.6 ± 0.2	4.8 ± 0.4	4.0 ± 0.3	2.68 ± 0.08	2.1 ± 0.2	2.9 ± 0.1	2.5 ± 0.2	4.1 ± 0.3	E Africa F	E Europe F
19	6.2 ± 0.3	2.7 ± 0.1	2.3 ± 0.2	3.0 ± 0.1	2.5 ± 0.1	5.4 ± 0.4	4.2 ± 0.3	2.47 ± 0.09	2.6 ± 0.2	3.0 ± 0.1	2.3 ± 0.1	4.3 ± 0.3	E Africa F	S E Asia M
20	5.9 ± 0.3	2.7 ± 0.1	2.6 ± 0.1	3.1 ± 0.1	2.5 ± 0.1	5.3 ± 0.4	4.4 ± 0.3	2.07 ± 0.09	2.8 ± 0.2	3.1 ± 0.1	2.0 ± 0.2	4.4 ± 0.3	E Africa F	S E Asia M
21	5.7 ± 0.3	2.64 ± 0.09	2.9 ± 0.1	3.2 ± 0.1	2.5 ± 0.1	5.4 ± 0.3	4.4 ± 0.2	2.04 ± 0.10	3.1 ± 0.2	3.0 ± 0.1	1.9 ± 0.1	4.1 ± 0.2	E Africa F	S E Asia M
22	5.6 ± 0.2	2.46 ± 0.07	3.1 ± 0.1	3.32 ± 0.09	2.6 ± 0.1	5.5 ± 0.3	4.9 ± 0.2	2.15 ± 0.08	3.3 ± 0.2	3.2 ± 0.1	2.2 ± 0.1	4.2 ± 0.2	E Africa F	E Asia M
23	5.4 ± 0.2	2.52 ± 0.06	3.3 ± 0.1	3.37 ± 0.09	2.68 ± 0.09	5.5 ± 0.2	4.7 ± 0.2	2.41 ± 0.09	3.3 ± 0.2	3.4 ± 0.1	2.6 ± 0.1	4.3 ± 0.2	W Africa F	E Asia M
24	5.1 ± 0.2	2.50 ± 0.07	3.3 ± 0.1	3.35 ± 0.08	2.77 ± 0.08	5.4 ± 0.2	4.5 ± 0.2	2.74 ± 0.10	3.3 ± 0.1	3.4 ± 0.1	2.7 ± 0.1	4.0 ± 0.2	W Africa F	E Asia F
25	4.7 ± 0.2	2.55 ± 0.06	3.7 ± 0.1	3.45 ± 0.08	3.11 ± 0.09	5.0 ± 0.2	4.4 ± 0.2	3.21 ± 0.10	3.3 ± 0.1	3.39 ± 0.10	3.3 ± 0.1	3.7 ± 0.2	W Africa F	E Asia F
26	4.5 ± 0.2	2.59 ± 0.07	4.0 ± 0.1	3.28 ± 0.07	3.36 ± 0.09	4.9 ± 0.2	4.0 ± 0.2	3.30 ± 0.08	3.4 ± 0.1	3.30 ± 0.09	3.8 ± 0.1	3.5 ± 0.2	W Africa F	E Asia F
27	4.3 ± 0.2	2.84 ± 0.07	4.1 ± 0.1	3.37 ± 0.07	3.63 ± 0.10	4.7 ± 0.2	3.6 ± 0.2	3.62 ± 0.09	3.3 ± 0.1	3.23 ± 0.09	4.1 ± 0.1	3.2 ± 0.1	W Africa F	E Asia F
28	4.1 ± 0.2	3.26 ± 0.07	4.2 ± 0.1	3.55 ± 0.08	4.1 ± 0.1	4.7 ± 0.2	3.3 ± 0.1	3.9 ± 0.1	3.0 ± 0.1	3.05 ± 0.08	4.1 ± 0.1	2.9 ± 0.1	W Africa F	W Africa M
29	3.9 ± 0.2	3.69 ± 0.07	4.2 ± 0.1	3.80 ± 0.08	4.4 ± 0.1	4.3 ± 0.2	3.3 ± 0.2	3.8 ± 0.1	2.9 ± 0.1	3.01 ± 0.07	4.2 ± 0.2	3.0 ± 0.1	S E Asia F	E Europe M
30	3.8 ± 0.2	4.15 ± 0.06	4.3 ± 0.1	4.00 ± 0.08	4.8 ± 0.1	4.2 ± 0.2	3.3 ± 0.2	3.9 ± 0.1	2.7 ± 0.1	3.08 ± 0.07	4.3 ± 0.2	2.8 ± 0.1	S E Asia F	E Europe M
31	3.6 ± 0.2	4.66 ± 0.07	4.2 ± 0.1	4.38 ± 0.09	5.3 ± 0.1	4.0 ± 0.2	3.3 ± 0.1	4.2 ± 0.1	2.8 ± 0.1	3.12 ± 0.06	4.5 ± 0.2	2.9 ± 0.1	S E Asia F	E Europe M
32	3.4 ± 0.2	5.09 ± 0.07	4.3 ± 0.1	4.54 ± 0.09	5.7 ± 0.1	4.1 ± 0.2	3.2 ± 0.1	4.2 ± 0.1	3.0 ± 0.1	3.28 ± 0.06	4.6 ± 0.2	3.1 ± 0.1	S E Asia F	E Europe M
33	3.7 ± 0.2	5.55 ± 0.08	4.6 ± 0.1	4.89 ± 0.09	6.0 ± 0.1	3.9 ± 0.2	3.3 ± 0.1	4.3 ± 0.1	2.9 ± 0.1	3.30 ± 0.07	4.5 ± 0.2	3.1 ± 0.1	S E Asia F	E Europe M
34	3.6 ± 0.2	6.04 ± 0.08	4.6 ± 0.2	5.02 ± 0.10	6.2 ± 0.1	3.8 ± 0.2	3.1 ± 0.1	4.3 ± 0.1	2.9 ± 0.1	3.44 ± 0.08	4.4 ± 0.2	3.2 ± 0.1	S E Asia F	E Europe M
35	3.7 ± 0.2	6.47 ± 0.08	4.8 ± 0.2	5.3 ± 0.1	6.5 ± 0.2	3.6 ± 0.2	3.3 ± 0.2	4.2 ± 0.1	2.9 ± 0.1	3.57 ± 0.08	4.4 ± 0.2	3.3 ± 0.1	S E Asia F	E Europe M
36	3.9 ± 0.2	6.72 ± 0.09	4.6 ± 0.2	5.5 ± 0.1	6.7 ± 0.2	3.9 ± 0.2	3.5 ± 0.2	4.0 ± 0.1	2.9 ± 0.1	3.70 ± 0.08	4.3 ± 0.2	3.4 ± 0.1	E Asia F	E Europe M
37	4.3 ± 0.3	7.0 ± 0.1	4.9 ± 0.2	5.6 ± 0.1	6.9 ± 0.2	4.2 ± 0.2	3.6 ± 0.2	3.7 ± 0.1	2.9 ± 0.1	3.96 ± 0.08	3.9 ± 0.2	3.8 ± 0.1	E Asia F	E Europe M
38	4.2 ± 0.2	7.2 ± 0.1	5.0 ± 0.2	5.8 ± 0.1	6.8 ± 0.2	4.4 ± 0.2	3.9 ± 0.2	3.3 ± 0.1	3.1 ± 0.2	4.15 ± 0.09	3.5 ± 0.2	4.1 ± 0.2	E Asia F	E Europe M
39	4.4 ± 0.2	7.4 ± 0.1	5.0 ± 0.2	6.1 ± 0.1	6.7 ± 0.2	4.1 ± 0.2	3.9 ± 0.2	3.0 ± 0.1	2.9 ± 0.1	4.28 ± 0.09	3.3 ± 0.2	4.4 ± 0.2	E Asia F	E Europe M
40	4.7 ± 0.3	7.6 ± 0.1	5.0 ± 0.2	5.9 ± 0.1	7.0 ± 0.2	4.3 ± 0.2	4.1 ± 0.2	3.1 ± 0.1	3.0 ± 0.1	4.4 ± 0.1	3.4 ± 0.2	4.7 ± 0.2	E Asia F	E Europe M
41	5.3 ± 0.3	7.7 ± 0.1	5.2 ± 0.2	6.2 ± 0.2	7.1 ± 0.2	4.8 ± 0.2	4.1 ± 0.2	3.4 ± 0.1	3.2 ± 0.2	4.6 ± 0.1	3.8 ± 0.2	5.1 ± 0.2	E Asia F	E Europe M
42	5.0 ± 0.3	7.8 ± 0.1	5.1 ± 0.2	6.0 ± 0.2	7.1 ± 0.2	5.1 ± 0.2	4.3 ± 0.2	3.8 ± 0.1	3.3 ± 0.2	4.7 ± 0.1	3.9 ± 0.2	5.4 ± 0.2	E Asia F	E Europe M
43	5.4 ± 0.3	8.0 ± 0.1	5.4 ± 0.2	6.5 ± 0.2	7.1 ± 0.2	5.4 ± 0.2	4.1 ± 0.3	4.1 ± 0.1	3.6 ± 0.2	4.7 ± 0.1	4.3 ± 0.2	6.1 ± 0.2	E Asia F	E Europe M
44	5.4 ± 0.3	8.2 ± 0.1	5.4 ± 0.2	6.3 ± 0.2	6.7 ± 0.2	5.6 ± 0.3	4.7 ± 0.3	4.6 ± 0.1	3.8 ± 0.2	4.7 ± 0.1	4.7 ± 0.2	6.0 ± 0.2	E Asia F	E Europe M
45	5.8 ± 0.3	8.2 ± 0.1	5.3 ± 0.2	6.3 ± 0.2	6.7 ± 0.3	5.6 ± 0.3	4.9 ± 0.3	5.1 ± 0.1	4.0 ± 0.2	4.7 ± 0.2	5.0 ± 0.2	6.4 ± 0.2	E Asia F	E Europe M
46	5.9 ± 0.4	8.5 ± 0.1	5.3 ± 0.2	6.1 ± 0.2	6.7 ± 0.3	6.1 ± 0.3	5.1 ± 0.3	5.5 ± 0.1	4.2 ± 0.2	4.8 ± 0.2	5.3 ± 0.2	6.8 ± 0.2	E Asia F	E Europe M
47	6.2 ± 0.5	8.5 ± 0.1	5.1 ± 0.2	5.9 ± 0.2	6.7 ± 0.3	6.1 ± 0.3	5.0 ± 0.3	6.0 ± 0.1	4.5 ± 0.2	4.8 ± 0.2	5.5 ± 0.2	6.8 ± 0.3	E Asia F	E Europe M
48	6.3 ± 0.5	8.7 ± 0.1	5.0 ± 0.3	5.9 ± 0.2	6.6 ± 0.3	6.2 ± 0.3	5.5 ± 0.3	6.5 ± 0.1	4.5 ± 0.3	4.9 ± 0.2	5.9 ± 0.3	7.4 ± 0.3	E Asia F	E Europe M
49	5.9 ± 0.5	8.8 ± 0.1	4.8 ± 0.3	5.4 ± 0.2	6.5 ± 0.3	6.6 ± 0.4	5.7 ± 0.4	6.9 ± 0.1	4.3 ± 0.3	4.7 ± 0.2	5.9 ± 0.3	7.1 ± 0.3	E Asia F	E Europe M
50	6.6 ± 0.5	8.8 ± 0.2	4.4 ± 0.3	5.6 ± 0.2	6.5 ± 0.3	6.6 ± 0.4	5.7 ± 0.4	7.1 ± 0.1	4.3 ± 0.3	4.8 ± 0.2	6.1 ± 0.3	7.3 ± 0.3	E Asia F	E Europe M
51	6.1 ± 0.5	9.0 ± 0.2	4.5 ± 0.3	5.4 ± 0.2	6.7 ± 0.3	6.9 ± 0.4	5.8 ± 0.4	7.2 ± 0.1	4.0 ± 0.2	4.9 ± 0.2	6.2 ± 0.3	7.8 ± 0.4	E Asia F	E Europe M
52	6.7 ± 0.5	8.8 ± 0.2	4.7 ± 0.2	5.6 ± 0.2	6.4 ± 0.3	7.4 ± 0.4	5.7 ± 0.5	7.5 ± 0.2	3.8 ± 0.2	5.0 ± 0.2	6.3 ± 0.3	7.8 ± 0.4	E Asia F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 107. *Mean absolute error for Application-type images for algorithm cvut-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.5 ± 0.2	3.69 ± 0.09	2.9 ± 0.1	3.1 ± 0.1	3.3 ± 0.2	5.1 ± 0.3	2.6 ± 0.2	2.69 ± 0.09	1.68 ± 0.09	1.99 ± 0.09	2.2 ± 0.2	2.7 ± 0.3	W Africa F	E Europe M
15	4.4 ± 0.3	3.49 ± 0.10	2.9 ± 0.2	3.1 ± 0.2	3.3 ± 0.3	4.7 ± 0.3	2.3 ± 0.2	2.67 ± 0.09	1.7 ± 0.2	2.0 ± 0.1	2.4 ± 0.2	2.6 ± 0.3	W Africa F	E Europe M
16	4.0 ± 0.3	3.2 ± 0.1	2.6 ± 0.2	2.8 ± 0.1	3.0 ± 0.2	4.7 ± 0.4	2.8 ± 0.3	2.44 ± 0.08	1.7 ± 0.2	2.2 ± 0.1	2.3 ± 0.2	2.6 ± 0.3	W Africa F	E Europe M
17	3.9 ± 0.3	2.60 ± 0.09	2.4 ± 0.2	2.7 ± 0.1	2.5 ± 0.2	4.3 ± 0.3	2.8 ± 0.3	2.23 ± 0.08	1.6 ± 0.1	2.7 ± 0.1	2.4 ± 0.2	3.3 ± 0.4	W Africa F	E Europe M
18	3.5 ± 0.2	2.14 ± 0.08	2.2 ± 0.2	2.5 ± 0.1	2.0 ± 0.1	4.0 ± 0.3	2.9 ± 0.2	2.01 ± 0.07	2.1 ± 0.2	2.8 ± 0.1	2.1 ± 0.2	3.4 ± 0.3	W Africa F	E Asia M
19	3.5 ± 0.3	1.70 ± 0.08	2.1 ± 0.2	2.4 ± 0.1	2.0 ± 0.1	4.0 ± 0.3	3.0 ± 0.2	1.70 ± 0.07	2.1 ± 0.2	2.8 ± 0.1	1.9 ± 0.1	3.4 ± 0.3	W Africa F	E Asia M
20	3.5 ± 0.3	1.53 ± 0.10	2.2 ± 0.2	2.2 ± 0.1	1.8 ± 0.1	3.8 ± 0.3	3.2 ± 0.3	1.35 ± 0.08	2.2 ± 0.2	2.7 ± 0.1	1.7 ± 0.1	3.6 ± 0.3	W Africa F	E Asia M
21	3.3 ± 0.2	1.64 ± 0.08	2.2 ± 0.1	2.36 ± 0.09	1.90 ± 0.10	3.8 ± 0.3	3.4 ± 0.3	1.33 ± 0.07	2.3 ± 0.2	2.6 ± 0.1	1.5 ± 0.1	3.5 ± 0.3	W Africa F	E Asia M
22	3.7 ± 0.2	2.00 ± 0.06	2.4 ± 0.1	2.48 ± 0.08	2.34 ± 0.10	3.6 ± 0.2	3.5 ± 0.2	1.73 ± 0.06	2.3 ± 0.1	2.7 ± 0.1	1.84 ± 0.10	3.5 ± 0.2	E Africa F	E Asia M
23	3.6 ± 0.2	2.47 ± 0.06	2.6 ± 0.1	2.61 ± 0.08	2.71 ± 0.09	3.6 ± 0.2	3.7 ± 0.2	2.17 ± 0.06	2.3 ± 0.1	2.8 ± 0.1	2.2 ± 0.1	3.6 ± 0.2	E Africa M	E Asia M
24	3.5 ± 0.2	2.91 ± 0.06	2.51 ± 0.10	2.70 ± 0.07	2.96 ± 0.07	3.4 ± 0.2	3.6 ± 0.2	2.56 ± 0.08	2.3 ± 0.1	2.7 ± 0.1	2.4 ± 0.1	3.4 ± 0.2	E Africa M	E Europe M
25	3.6 ± 0.2	3.26 ± 0.07	2.73 ± 0.09	2.88 ± 0.07	3.39 ± 0.09	3.5 ± 0.2	3.7 ± 0.2	2.96 ± 0.08	2.4 ± 0.1	2.73 ± 0.09	2.8 ± 0.1	3.5 ± 0.2	E Africa M	E Europe M
26	3.6 ± 0.2	3.63 ± 0.07	2.89 ± 0.10	3.00 ± 0.06	3.65 ± 0.09	3.3 ± 0.2	3.6 ± 0.2	3.09 ± 0.07	2.6 ± 0.2	2.73 ± 0.08	3.1 ± 0.1	3.3 ± 0.2	S E Asia F	E Europe M
27	3.8 ± 0.2	3.89 ± 0.07	3.09 ± 0.10	3.35 ± 0.07	4.00 ± 0.10	3.3 ± 0.1	3.6 ± 0.2	3.42 ± 0.09	2.8 ± 0.1	2.86 ± 0.08	3.2 ± 0.1	3.3 ± 0.2	S E Asia F	E Europe M
28	4.0 ± 0.2	4.30 ± 0.08	3.42 ± 0.10	3.71 ± 0.07	4.3 ± 0.1	3.5 ± 0.1	3.5 ± 0.1	3.7 ± 0.1	2.9 ± 0.1	2.99 ± 0.07	3.4 ± 0.1	3.1 ± 0.1	S E Asia F	E Europe M
29	4.2 ± 0.2	4.60 ± 0.08	3.67 ± 0.10	4.06 ± 0.07	4.6 ± 0.1	3.7 ± 0.2	3.6 ± 0.2	3.81 ± 0.10	3.0 ± 0.1	3.09 ± 0.07	3.8 ± 0.1	3.3 ± 0.1	S E Asia F	E Europe M
30	4.3 ± 0.2	4.94 ± 0.08	3.9 ± 0.1	4.38 ± 0.08	4.9 ± 0.1	3.8 ± 0.1	3.5 ± 0.1	4.3 ± 0.1	3.0 ± 0.1	3.26 ± 0.07	4.0 ± 0.2	3.0 ± 0.1	E Asia F	E Europe M
31	4.4 ± 0.2	5.30 ± 0.08	3.9 ± 0.1	4.74 ± 0.08	5.3 ± 0.1	3.8 ± 0.2	3.5 ± 0.2	4.5 ± 0.1	3.1 ± 0.1	3.40 ± 0.07	4.3 ± 0.2	2.9 ± 0.1	E Asia F	W Africa M
32	4.4 ± 0.2	5.57 ± 0.09	4.1 ± 0.1	5.06 ± 0.09	5.5 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	4.7 ± 0.1	3.2 ± 0.2	3.64 ± 0.07	4.3 ± 0.2	2.9 ± 0.1	E Asia F	W Africa M
33	4.6 ± 0.2	5.82 ± 0.09	4.1 ± 0.1	5.29 ± 0.09	5.7 ± 0.2	4.0 ± 0.2	3.5 ± 0.2	4.9 ± 0.1	2.7 ± 0.1	3.78 ± 0.08	4.4 ± 0.2	2.8 ± 0.1	E Asia F	E Europe M
34	4.6 ± 0.2	6.00 ± 0.09	4.2 ± 0.1	5.4 ± 0.1	5.6 ± 0.2	4.1 ± 0.2	3.2 ± 0.2	5.2 ± 0.1	2.8 ± 0.1	3.91 ± 0.08	4.8 ± 0.2	3.0 ± 0.1	E Asia F	E Europe M
35	4.9 ± 0.2	6.3 ± 0.1	4.3 ± 0.1	5.7 ± 0.1	6.0 ± 0.2	4.1 ± 0.2	3.4 ± 0.2	5.2 ± 0.1	2.8 ± 0.1	3.99 ± 0.08	4.8 ± 0.2	3.2 ± 0.2	E Asia F	E Europe M
36	4.9 ± 0.2	6.4 ± 0.1	4.1 ± 0.2	6.0 ± 0.1	6.0 ± 0.2	4.1 ± 0.2	3.6 ± 0.2	5.2 ± 0.1	2.8 ± 0.2	4.15 ± 0.09	4.8 ± 0.2	3.2 ± 0.2	E Asia F	E Europe M
37	4.8 ± 0.2	6.5 ± 0.1	4.2 ± 0.2	6.1 ± 0.1	6.3 ± 0.2	4.6 ± 0.2	3.4 ± 0.2	5.3 ± 0.1	2.8 ± 0.1	4.39 ± 0.10	4.9 ± 0.2	3.4 ± 0.2	E Asia F	E Europe M
38	4.8 ± 0.3	6.7 ± 0.1	4.1 ± 0.2	6.2 ± 0.1	6.0 ± 0.2	4.8 ± 0.2	3.6 ± 0.2	5.3 ± 0.1	2.9 ± 0.2	4.42 ± 0.10	4.8 ± 0.2	3.6 ± 0.2	E Asia F	E Europe M
39	4.9 ± 0.3	6.9 ± 0.1	4.3 ± 0.2	6.3 ± 0.1	6.1 ± 0.2	4.7 ± 0.2	3.6 ± 0.2	5.5 ± 0.1	2.9 ± 0.1	4.6 ± 0.1	4.8 ± 0.2	3.9 ± 0.2	E Asia F	E Europe M
40	5.1 ± 0.3	7.0 ± 0.1	4.0 ± 0.2	6.4 ± 0.2	6.4 ± 0.2	5.0 ± 0.3	3.7 ± 0.2	5.7 ± 0.1	3.3 ± 0.2	4.7 ± 0.1	5.0 ± 0.2	4.4 ± 0.2	E Asia F	E Europe M
41	5.4 ± 0.3	7.1 ± 0.1	4.4 ± 0.2	6.5 ± 0.2	6.4 ± 0.2	5.3 ± 0.2	4.0 ± 0.2	5.7 ± 0.1	3.2 ± 0.2	4.9 ± 0.1	5.1 ± 0.2	4.7 ± 0.2	E Asia F	E Europe M
42	5.2 ± 0.3	7.3 ± 0.1	4.5 ± 0.2	6.3 ± 0.2	6.5 ± 0.2	5.3 ± 0.3	4.2 ± 0.2	5.9 ± 0.1	3.4 ± 0.2	5.0 ± 0.1	5.1 ± 0.2	4.7 ± 0.2	E Asia F	E Europe M
43	5.3 ± 0.3	7.5 ± 0.1	4.6 ± 0.2	6.6 ± 0.2	6.8 ± 0.2	5.7 ± 0.3	4.2 ± 0.3	6.0 ± 0.1	3.4 ± 0.2	4.9 ± 0.1	5.4 ± 0.3	5.5 ± 0.2	E Asia F	E Europe M
44	5.6 ± 0.3	7.7 ± 0.1	4.6 ± 0.2	6.5 ± 0.2	6.4 ± 0.2	6.2 ± 0.4	4.1 ± 0.2	6.1 ± 0.1	3.4 ± 0.2	5.1 ± 0.2	5.4 ± 0.3	5.5 ± 0.3	E Asia F	E Europe M
45	5.6 ± 0.3	7.8 ± 0.1	4.5 ± 0.2	6.4 ± 0.2	6.6 ± 0.2	6.2 ± 0.3	4.5 ± 0.3	6.2 ± 0.1	3.3 ± 0.2	4.9 ± 0.1	5.4 ± 0.3	5.9 ± 0.3	E Asia F	E Europe M
46	5.5 ± 0.3	7.9 ± 0.1	4.5 ± 0.2	6.1 ± 0.2	6.8 ± 0.2	6.3 ± 0.3	4.4 ± 0.3	6.4 ± 0.1	3.8 ± 0.3	5.0 ± 0.2	5.4 ± 0.3	6.1 ± 0.3	E Asia F	E Europe M
47	5.5 ± 0.4	7.8 ± 0.1	4.5 ± 0.3	6.0 ± 0.2	6.6 ± 0.3	6.4 ± 0.4	4.6 ± 0.4	6.4 ± 0.2	3.5 ± 0.2	5.1 ± 0.2	5.2 ± 0.3	6.0 ± 0.3	E Asia F	E Europe M
48	5.6 ± 0.5	7.9 ± 0.1	4.2 ± 0.3	6.1 ± 0.2	6.6 ± 0.2	6.5 ± 0.4	5.0 ± 0.4	6.3 ± 0.2	3.6 ± 0.2	5.1 ± 0.2	5.2 ± 0.3	6.7 ± 0.3	E Asia F	E Europe M
49	5.4 ± 0.4	8.1 ± 0.2	4.6 ± 0.3	6.0 ± 0.3	6.7 ± 0.3	6.9 ± 0.4	4.9 ± 0.3	6.3 ± 0.2	3.5 ± 0.2	5.1 ± 0.2	5.1 ± 0.3	6.7 ± 0.3	E Asia F	E Europe M
50	5.9 ± 0.5	8.1 ± 0.2	4.3 ± 0.3	5.7 ± 0.2	6.7 ± 0.3	6.7 ± 0.4	5.1 ± 0.4	6.3 ± 0.2	3.7 ± 0.2	5.2 ± 0.2	5.0 ± 0.3	6.8 ± 0.3	E Asia F	E Europe M
51	5.7 ± 0.5	8.1 ± 0.2	4.2 ± 0.2	5.8 ± 0.2	6.7 ± 0.3	7.1 ± 0.4	5.4 ± 0.4	6.4 ± 0.2	3.5 ± 0.2	5.4 ± 0.2	4.9 ± 0.2	7.0 ± 0.3	E Asia F	E Europe M
52	6.0 ± 0.6	8.2 ± 0.2	4.3 ± 0.2	5.7 ± 0.2	6.2 ± 0.2	7.4 ± 0.4	5.2 ± 0.5	6.3 ± 0.2	3.5 ± 0.2	5.3 ± 0.2	5.3 ± 0.3	7.5 ± 0.4	E Asia F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 108. *Mean absolute error for Application-type images for algorithm cvut-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.8 ± 0.2	3.73 ± 0.08	3.1 ± 0.1	3.4 ± 0.1	3.5 ± 0.2	5.5 ± 0.3	2.6 ± 0.2	2.46 ± 0.08	1.42 ± 0.10	1.90 ± 0.09	2.0 ± 0.1	2.8 ± 0.2	W Africa F	E Europe M
15	4.3 ± 0.2	3.57 ± 0.09	3.0 ± 0.2	3.4 ± 0.2	3.4 ± 0.2	5.1 ± 0.3	2.3 ± 0.2	2.54 ± 0.09	1.5 ± 0.1	2.1 ± 0.1	2.3 ± 0.2	2.7 ± 0.3	W Africa F	E Europe M
16	4.1 ± 0.3	3.24 ± 0.10	2.7 ± 0.2	2.9 ± 0.1	3.2 ± 0.2	5.0 ± 0.4	2.7 ± 0.2	2.44 ± 0.08	1.8 ± 0.2	2.4 ± 0.1	2.4 ± 0.2	2.6 ± 0.3	W Africa F	E Europe M
17	4.0 ± 0.3	2.80 ± 0.09	2.4 ± 0.2	2.8 ± 0.1	2.8 ± 0.2	4.7 ± 0.3	2.7 ± 0.2	2.30 ± 0.08	1.8 ± 0.1	2.8 ± 0.1	2.5 ± 0.2	3.1 ± 0.3	W Africa F	E Europe M
18	3.3 ± 0.2	2.24 ± 0.07	2.2 ± 0.2	2.42 ± 0.10	2.2 ± 0.1	4.3 ± 0.3	2.9 ± 0.2	1.97 ± 0.05	2.0 ± 0.1	2.74 ± 0.08	2.1 ± 0.1	3.1 ± 0.2	W Africa F	E Asia M
19	3.4 ± 0.3	1.81 ± 0.07	2.0 ± 0.2	2.4 ± 0.1	2.0 ± 0.1	4.4 ± 0.3	2.9 ± 0.2	1.64 ± 0.06	1.9 ± 0.1	2.63 ± 0.09	1.8 ± 0.1	3.2 ± 0.3	W Africa F	E Asia M
20	3.3 ± 0.3	1.57 ± 0.09	1.9 ± 0.1	2.2 ± 0.1	1.8 ± 0.1	4.3 ± 0.3	3.1 ± 0.3	1.34 ± 0.06	1.9 ± 0.2	2.5 ± 0.1	1.5 ± 0.1	3.3 ± 0.3	W Africa F	E Asia M
21	3.3 ± 0.2	1.63 ± 0.07	2.1 ± 0.1	2.26 ± 0.09	1.9 ± 0.1	4.1 ± 0.3	3.2 ± 0.2	1.24 ± 0.05	1.9 ± 0.1	2.32 ± 0.10	1.40 ± 0.10	3.4 ± 0.3	W Africa F	E Asia M
22	3.8 ± 0.2	1.82 ± 0.05	2.32 ± 0.10	2.38 ± 0.07	2.18 ± 0.08	4.0 ± 0.2	3.6 ± 0.2	1.56 ± 0.05	1.9 ± 0.1	2.3 ± 0.1	1.63 ± 0.09	3.4 ± 0.2	W Africa F	E Asia M
23	3.7 ± 0.2	2.16 ± 0.05	2.52 ± 0.09	2.42 ± 0.07	2.41 ± 0.08	4.0 ± 0.2	3.6 ± 0.2	1.84 ± 0.05	1.9 ± 0.1	2.4 ± 0.1	1.93 ± 0.09	3.6 ± 0.2	W Africa F	E Asia M
24	3.8 ± 0.2	2.51 ± 0.05	2.50 ± 0.08	2.55 ± 0.06	2.60 ± 0.06	3.9 ± 0.2	3.7 ± 0.2	2.13 ± 0.06	2.0 ± 0.1	2.48 ± 0.09	2.08 ± 0.09	3.5 ± 0.2	W Africa F	E Europe M
25	3.8 ± 0.2	2.72 ± 0.05	2.74 ± 0.08	2.67 ± 0.06	2.95 ± 0.07	3.8 ± 0.2	3.8 ± 0.2	2.49 ± 0.07	2.1 ± 0.1	2.53 ± 0.08	2.48 ± 0.10	3.5 ± 0.2	E Africa F	E Europe M
26	3.9 ± 0.2	3.05 ± 0.06	2.89 ± 0.08	2.79 ± 0.06	3.16 ± 0.08	3.6 ± 0.2	3.7 ± 0.2	2.61 ± 0.07	2.3 ± 0.1	2.61 ± 0.07	2.8 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
27	4.1 ± 0.2	3.27 ± 0.06	3.08 ± 0.09	3.17 ± 0.06	3.43 ± 0.08	3.6 ± 0.1	3.7 ± 0.2	2.90 ± 0.07	2.7 ± 0.1	2.83 ± 0.07	3.0 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
28	4.2 ± 0.2	3.61 ± 0.06	3.36 ± 0.08	3.56 ± 0.06	3.68 ± 0.09	3.7 ± 0.1	3.6 ± 0.1	3.15 ± 0.08	2.82 ± 0.10	2.99 ± 0.06	3.2 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
29	4.3 ± 0.2	3.83 ± 0.06	3.59 ± 0.09	3.87 ± 0.06	3.95 ± 0.09	3.7 ± 0.1	3.6 ± 0.1	3.30 ± 0.08	2.93 ± 0.10	3.09 ± 0.05	3.6 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
30	4.3 ± 0.2	4.16 ± 0.06	3.74 ± 0.09	4.17 ± 0.06	4.1 ± 0.1	3.6 ± 0.1	3.5 ± 0.1	3.53 ± 0.08	2.9 ± 0.1	3.27 ± 0.05	3.6 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
31	4.2 ± 0.2	4.38 ± 0.07	3.81 ± 0.10	4.50 ± 0.07	4.4 ± 0.1	3.5 ± 0.1	3.4 ± 0.1	3.72 ± 0.09	3.0 ± 0.1	3.40 ± 0.06	3.9 ± 0.2	2.9 ± 0.1	S Asia F	W Africa M
32	4.1 ± 0.2	4.60 ± 0.07	3.8 ± 0.1	4.68 ± 0.08	4.5 ± 0.1	3.6 ± 0.1	3.2 ± 0.1	3.78 ± 0.09	2.9 ± 0.1	3.50 ± 0.06	3.8 ± 0.1	2.9 ± 0.1	S Asia F	W Africa M
33	4.3 ± 0.2	4.71 ± 0.08	3.9 ± 0.1	4.89 ± 0.08	4.5 ± 0.1	3.4 ± 0.1	3.3 ± 0.1	3.79 ± 0.09	2.6 ± 0.1	3.55 ± 0.07	3.8 ± 0.2	2.7 ± 0.1	S Asia F	E Europe M
34	4.0 ± 0.2	4.81 ± 0.08	3.8 ± 0.1	4.96 ± 0.09	4.4 ± 0.1	3.5 ± 0.1	3.1 ± 0.1	3.81 ± 0.10	2.6 ± 0.1	3.68 ± 0.07	3.8 ± 0.2	2.7 ± 0.1	S Asia F	E Europe M
35	4.2 ± 0.2	5.00 ± 0.09	3.8 ± 0.1	5.12 ± 0.10	4.7 ± 0.2	3.5 ± 0.2	3.1 ± 0.2	3.8 ± 0.1	2.7 ± 0.1	3.82 ± 0.08	3.8 ± 0.2	2.9 ± 0.1	S Asia F	E Europe M
36	4.2 ± 0.2	4.91 ± 0.09	3.5 ± 0.1	5.3 ± 0.1	4.6 ± 0.2	3.4 ± 0.2	3.2 ± 0.2	3.8 ± 0.1	2.7 ± 0.1	3.97 ± 0.08	3.7 ± 0.2	2.9 ± 0.1	S Asia F	E Europe M
37	4.1 ± 0.2	4.99 ± 0.09	3.6 ± 0.1	5.4 ± 0.1	4.8 ± 0.2	3.8 ± 0.2	3.1 ± 0.2	3.8 ± 0.1	2.8 ± 0.1	4.18 ± 0.09	3.7 ± 0.2	3.0 ± 0.1	S Asia F	E Europe M
38	4.2 ± 0.2	5.10 ± 0.09	3.5 ± 0.1	5.4 ± 0.1	4.5 ± 0.2	3.9 ± 0.2	3.4 ± 0.2	3.86 ± 0.10	2.9 ± 0.1	4.32 ± 0.09	3.6 ± 0.2	3.2 ± 0.1	S Asia F	E Europe M
39	4.3 ± 0.2	5.20 ± 0.09	3.5 ± 0.2	5.6 ± 0.1	4.6 ± 0.2	4.0 ± 0.2	3.4 ± 0.2	4.0 ± 0.1	2.9 ± 0.1	4.44 ± 0.09	3.7 ± 0.2	3.6 ± 0.1	S Asia F	E Europe M
40	4.4 ± 0.3	5.31 ± 0.09	3.4 ± 0.1	5.5 ± 0.1	4.8 ± 0.2	4.2 ± 0.2	3.4 ± 0.2	4.25 ± 0.10	3.2 ± 0.1	4.49 ± 0.10	3.8 ± 0.2	3.9 ± 0.1	S Asia F	E Europe M
41	4.9 ± 0.3	5.41 ± 0.10	3.6 ± 0.1	5.7 ± 0.1	4.9 ± 0.2	4.6 ± 0.2	3.8 ± 0.2	4.36 ± 0.09	3.2 ± 0.1	4.7 ± 0.1	4.2 ± 0.2	4.3 ± 0.2	S Asia F	E Europe M
42	4.7 ± 0.3	5.53 ± 0.09	3.9 ± 0.2	5.5 ± 0.1	5.1 ± 0.2	4.6 ± 0.2	3.9 ± 0.2	4.58 ± 0.10	3.3 ± 0.2	4.8 ± 0.1	4.2 ± 0.2	4.5 ± 0.2	S Asia F	E Europe M
43	4.9 ± 0.3	5.79 ± 0.09	4.1 ± 0.2	5.8 ± 0.2	5.3 ± 0.2	5.1 ± 0.2	3.8 ± 0.2	4.68 ± 0.10	3.4 ± 0.2	4.7 ± 0.1	4.4 ± 0.2	5.0 ± 0.2	S Asia F	E Europe M
44	5.2 ± 0.3	6.01 ± 0.09	4.2 ± 0.2	5.7 ± 0.2	5.1 ± 0.2	5.3 ± 0.2	4.0 ± 0.2	4.8 ± 0.1	3.3 ± 0.2	4.8 ± 0.1	4.5 ± 0.2	5.0 ± 0.2	E Asia F	E Europe M
45	5.2 ± 0.3	6.14 ± 0.09	4.0 ± 0.2	5.8 ± 0.2	5.3 ± 0.2	5.3 ± 0.2	4.0 ± 0.2	5.0 ± 0.1	3.4 ± 0.2	4.6 ± 0.1	4.6 ± 0.2	5.4 ± 0.2	E Asia F	E Europe M
46	5.3 ± 0.3	6.3 ± 0.1	4.0 ± 0.2	5.5 ± 0.2	5.5 ± 0.2	5.7 ± 0.2	4.1 ± 0.3	5.1 ± 0.1	3.6 ± 0.2	4.6 ± 0.1	4.7 ± 0.2	5.7 ± 0.2	E Asia F	E Europe M
47	5.1 ± 0.4	6.3 ± 0.1	3.9 ± 0.2	5.5 ± 0.2	5.3 ± 0.2	5.7 ± 0.3	4.2 ± 0.3	5.2 ± 0.1	3.3 ± 0.2	4.7 ± 0.1	4.5 ± 0.2	5.7 ± 0.2	E Asia F	E Europe M
48	5.3 ± 0.4	6.4 ± 0.1	3.7 ± 0.2	5.5 ± 0.2	5.5 ± 0.2	5.9 ± 0.3	4.6 ± 0.3	5.2 ± 0.1	3.5 ± 0.2	4.7 ± 0.2	4.7 ± 0.2	6.5 ± 0.3	W Africa M	E Europe M
49	5.0 ± 0.4	6.5 ± 0.1	3.9 ± 0.2	5.4 ± 0.2	5.4 ± 0.2	6.4 ± 0.3	4.7 ± 0.3	5.4 ± 0.1	3.4 ± 0.2	4.8 ± 0.2	4.5 ± 0.2	6.4 ± 0.3	E Asia F	E Europe M
50	5.7 ± 0.5	6.6 ± 0.1	3.8 ± 0.2	5.3 ± 0.2	5.5 ± 0.2	6.1 ± 0.4	4.8 ± 0.3	5.4 ± 0.1	3.6 ± 0.2	4.9 ± 0.2	4.5 ± 0.2	6.6 ± 0.3	E Asia F	E Europe M
51	5.3 ± 0.4	6.6 ± 0.1	4.0 ± 0.2	5.4 ± 0.2	5.6 ± 0.2	6.6 ± 0.4	5.0 ± 0.4	5.4 ± 0.1	3.4 ± 0.2	5.0 ± 0.2	4.5 ± 0.2	6.9 ± 0.3	W Africa M	E Europe M
52	5.6 ± 0.5	6.7 ± 0.1	4.0 ± 0.2	5.4 ± 0.2	5.4 ± 0.2	6.8 ± 0.4	4.7 ± 0.4	5.4 ± 0.1	3.5 ± 0.2	5.0 ± 0.2	4.7 ± 0.2	7.1 ± 0.3	W Africa M	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 109. *Mean absolute error for Application-type images for algorithm cyberlink-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.9 ± 0.3	5.3 ± 0.1	4.7 ± 0.2	5.0 ± 0.1	5.6 ± 0.2	6.6 ± 0.3	5.1 ± 0.3	4.2 ± 0.1	3.2 ± 0.2	3.8 ± 0.1	4.1 ± 0.2	5.1 ± 0.3	W Africa F	E Europe M
15	5.6 ± 0.3	5.2 ± 0.1	4.7 ± 0.2	5.0 ± 0.2	5.7 ± 0.3	6.3 ± 0.4	4.7 ± 0.3	4.3 ± 0.1	3.3 ± 0.2	3.9 ± 0.1	4.5 ± 0.3	4.8 ± 0.4	W Africa F	E Europe M
16	5.5 ± 0.3	5.2 ± 0.1	4.9 ± 0.2	4.7 ± 0.2	5.3 ± 0.3	6.3 ± 0.5	5.0 ± 0.3	4.2 ± 0.1	3.6 ± 0.2	3.9 ± 0.2	4.5 ± 0.3	5.0 ± 0.3	W Africa F	E Europe M
17	5.7 ± 0.4	4.8 ± 0.1	4.3 ± 0.2	4.5 ± 0.2	5.1 ± 0.2	5.8 ± 0.4	5.0 ± 0.3	4.3 ± 0.1	3.3 ± 0.2	4.3 ± 0.2	4.5 ± 0.3	5.2 ± 0.3	W Africa F	E Europe M
18	4.9 ± 0.3	4.38 ± 0.10	4.0 ± 0.2	4.1 ± 0.1	4.7 ± 0.1	5.3 ± 0.3	4.9 ± 0.2	4.05 ± 0.10	3.3 ± 0.2	4.2 ± 0.1	4.4 ± 0.2	4.7 ± 0.2	W Africa F	E Europe M
19	4.9 ± 0.3	4.08 ± 0.09	3.5 ± 0.2	3.8 ± 0.1	4.4 ± 0.1	5.4 ± 0.3	4.8 ± 0.3	4.05 ± 0.10	3.3 ± 0.2	4.3 ± 0.1	4.3 ± 0.2	4.9 ± 0.3	W Africa F	E Europe M
20	4.7 ± 0.3	3.67 ± 0.10	3.1 ± 0.2	3.4 ± 0.1	3.9 ± 0.1	4.8 ± 0.3	4.9 ± 0.2	3.9 ± 0.1	3.0 ± 0.2	4.3 ± 0.1	4.3 ± 0.2	4.6 ± 0.3	E Africa M	E Europe M
21	4.5 ± 0.3	3.14 ± 0.09	2.8 ± 0.1	3.0 ± 0.1	3.3 ± 0.1	4.5 ± 0.3	4.7 ± 0.2	3.76 ± 0.10	2.8 ± 0.2	4.2 ± 0.1	4.1 ± 0.2	4.4 ± 0.3	E Africa M	E Europe F
22	4.4 ± 0.3	2.71 ± 0.08	2.5 ± 0.1	2.56 ± 0.10	3.0 ± 0.1	4.4 ± 0.3	5.0 ± 0.2	3.6 ± 0.1	2.8 ± 0.2	3.9 ± 0.1	3.7 ± 0.2	4.1 ± 0.2	E Africa M	E Europe F
23	3.9 ± 0.2	2.45 ± 0.07	2.3 ± 0.1	2.42 ± 0.09	2.67 ± 0.10	4.2 ± 0.3	4.5 ± 0.2	3.37 ± 0.10	2.5 ± 0.1	3.8 ± 0.1	3.5 ± 0.2	4.1 ± 0.2	E Africa M	E Europe F
24	3.9 ± 0.2	2.22 ± 0.06	2.41 ± 0.10	2.55 ± 0.07	2.53 ± 0.08	3.9 ± 0.2	4.5 ± 0.2	3.29 ± 0.09	2.5 ± 0.1	3.6 ± 0.1	3.4 ± 0.1	3.8 ± 0.2	E Africa M	E Asia F
25	3.8 ± 0.2	2.12 ± 0.05	2.58 ± 0.08	2.76 ± 0.06	2.41 ± 0.08	4.2 ± 0.2	4.4 ± 0.2	3.15 ± 0.09	2.5 ± 0.1	3.38 ± 0.09	3.3 ± 0.1	3.7 ± 0.2	E Africa M	E Asia F
26	3.8 ± 0.2	2.09 ± 0.05	2.54 ± 0.08	2.95 ± 0.06	2.44 ± 0.07	4.0 ± 0.2	4.1 ± 0.2	2.87 ± 0.08	2.2 ± 0.1	3.11 ± 0.08	3.1 ± 0.1	3.5 ± 0.2	E Africa M	E Asia F
27	4.0 ± 0.2	2.12 ± 0.05	2.49 ± 0.09	3.14 ± 0.06	2.32 ± 0.08	4.1 ± 0.2	4.0 ± 0.2	2.63 ± 0.08	2.0 ± 0.1	2.76 ± 0.08	3.0 ± 0.1	3.3 ± 0.2	W Africa F	E Europe M
28	4.0 ± 0.2	2.23 ± 0.05	2.58 ± 0.10	3.42 ± 0.07	2.43 ± 0.08	4.0 ± 0.2	3.7 ± 0.2	2.48 ± 0.08	2.1 ± 0.1	2.57 ± 0.07	2.7 ± 0.1	3.2 ± 0.2	W Africa F	E Europe M
29	4.2 ± 0.2	2.53 ± 0.05	2.66 ± 0.09	3.60 ± 0.07	2.66 ± 0.08	4.1 ± 0.2	3.7 ± 0.2	2.42 ± 0.07	2.19 ± 0.10	2.61 ± 0.07	2.7 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
30	4.1 ± 0.2	2.85 ± 0.05	2.97 ± 0.09	3.98 ± 0.07	3.04 ± 0.09	4.3 ± 0.2	3.9 ± 0.2	2.39 ± 0.06	2.4 ± 0.1	2.78 ± 0.06	2.7 ± 0.1	3.2 ± 0.1	W Africa F	E Asia M
31	4.3 ± 0.2	3.11 ± 0.05	3.34 ± 0.10	4.27 ± 0.07	3.22 ± 0.09	4.3 ± 0.2	4.0 ± 0.2	2.36 ± 0.07	2.7 ± 0.1	2.96 ± 0.06	2.8 ± 0.1	3.4 ± 0.1	W Africa F	E Asia M
32	4.5 ± 0.2	3.33 ± 0.06	3.6 ± 0.1	4.53 ± 0.08	3.5 ± 0.1	4.5 ± 0.2	3.9 ± 0.2	2.21 ± 0.07	2.9 ± 0.1	3.02 ± 0.06	2.7 ± 0.1	3.4 ± 0.1	E Africa F	E Asia M
33	4.8 ± 0.2	3.57 ± 0.07	3.9 ± 0.1	4.76 ± 0.08	3.6 ± 0.1	4.5 ± 0.2	4.1 ± 0.2	2.30 ± 0.08	2.9 ± 0.1	3.12 ± 0.06	2.7 ± 0.1	3.3 ± 0.1	E Africa F	E Asia M
34	4.7 ± 0.2	3.87 ± 0.07	4.2 ± 0.1	4.94 ± 0.09	3.8 ± 0.1	4.5 ± 0.2	3.9 ± 0.2	2.52 ± 0.07	3.1 ± 0.1	3.25 ± 0.06	2.8 ± 0.1	3.4 ± 0.1	S Asia F	E Asia M
35	5.1 ± 0.2	4.28 ± 0.07	4.5 ± 0.1	5.10 ± 0.10	4.1 ± 0.1	4.7 ± 0.2	3.6 ± 0.2	2.71 ± 0.07	3.1 ± 0.1	3.32 ± 0.07	3.1 ± 0.2	3.6 ± 0.2	S Asia F	E Asia M
36	5.5 ± 0.3	4.54 ± 0.08	4.4 ± 0.1	5.4 ± 0.1	4.4 ± 0.1	4.9 ± 0.2	3.8 ± 0.2	2.91 ± 0.08	2.9 ± 0.1	3.40 ± 0.07	3.1 ± 0.2	3.7 ± 0.2	E Africa F	E Asia M
37	5.5 ± 0.3	4.80 ± 0.07	4.8 ± 0.2	5.6 ± 0.1	4.7 ± 0.1	5.3 ± 0.2	3.9 ± 0.2	3.20 ± 0.08	3.1 ± 0.1	3.61 ± 0.08	3.3 ± 0.1	3.7 ± 0.1	S Asia F	E Europe M
38	5.7 ± 0.3	5.15 ± 0.08	4.8 ± 0.2	5.8 ± 0.1	4.9 ± 0.1	5.8 ± 0.2	4.1 ± 0.2	3.49 ± 0.08	3.1 ± 0.1	3.70 ± 0.08	3.6 ± 0.2	4.0 ± 0.2	S Asia F	E Europe M
39	5.8 ± 0.3	5.32 ± 0.08	4.9 ± 0.2	5.9 ± 0.1	5.1 ± 0.1	5.7 ± 0.3	4.3 ± 0.2	3.69 ± 0.08	3.1 ± 0.1	3.85 ± 0.08	3.8 ± 0.2	4.3 ± 0.2	S Asia F	E Europe M
40	6.1 ± 0.3	5.45 ± 0.08	4.9 ± 0.2	6.0 ± 0.1	5.2 ± 0.2	6.1 ± 0.2	4.5 ± 0.2	3.72 ± 0.08	3.2 ± 0.2	4.07 ± 0.09	3.5 ± 0.1	4.5 ± 0.2	W Africa F	E Europe M
41	6.5 ± 0.3	5.50 ± 0.09	5.0 ± 0.2	6.2 ± 0.1	5.1 ± 0.2	6.4 ± 0.3	4.6 ± 0.2	3.80 ± 0.08	3.4 ± 0.2	4.19 ± 0.09	3.8 ± 0.2	4.7 ± 0.2	E Africa F	E Europe M
42	6.2 ± 0.3	5.42 ± 0.09	4.9 ± 0.2	5.9 ± 0.2	5.0 ± 0.2	6.0 ± 0.3	4.6 ± 0.2	3.78 ± 0.09	3.3 ± 0.2	4.25 ± 0.10	3.8 ± 0.2	4.6 ± 0.2	E Africa F	E Europe M
43	6.2 ± 0.3	5.3 ± 0.1	4.8 ± 0.2	5.9 ± 0.2	5.1 ± 0.2	6.1 ± 0.3	4.4 ± 0.3	3.72 ± 0.10	3.4 ± 0.2	4.2 ± 0.1	3.7 ± 0.2	4.7 ± 0.2	E Africa F	E Europe M
44	6.7 ± 0.4	5.2 ± 0.1	4.7 ± 0.2	5.7 ± 0.2	4.9 ± 0.2	6.2 ± 0.3	4.0 ± 0.3	3.5 ± 0.1	3.4 ± 0.2	4.3 ± 0.1	3.8 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
45	6.3 ± 0.4	5.0 ± 0.1	4.4 ± 0.2	5.7 ± 0.2	4.5 ± 0.2	6.3 ± 0.3	4.2 ± 0.3	3.5 ± 0.1	3.4 ± 0.2	4.2 ± 0.1	3.8 ± 0.2	4.7 ± 0.3	E Africa F	E Europe M
46	6.5 ± 0.4	5.0 ± 0.1	4.4 ± 0.2	5.3 ± 0.2	4.5 ± 0.2	6.1 ± 0.3	4.2 ± 0.3	3.6 ± 0.1	3.7 ± 0.2	4.3 ± 0.1	3.9 ± 0.2	4.8 ± 0.2	E Africa F	E Asia M
47	6.2 ± 0.4	4.9 ± 0.1	4.4 ± 0.2	5.3 ± 0.2	4.5 ± 0.2	6.2 ± 0.3	4.6 ± 0.3	3.7 ± 0.1	3.8 ± 0.2	4.4 ± 0.1	3.9 ± 0.2	4.9 ± 0.3	W Africa F	E Asia M
48	6.1 ± 0.4	4.9 ± 0.1	4.2 ± 0.2	5.4 ± 0.2	4.4 ± 0.2	6.0 ± 0.3	4.7 ± 0.3	3.84 ± 0.09	4.0 ± 0.2	4.5 ± 0.1	4.0 ± 0.2	5.3 ± 0.3	E Africa F	E Asia M
49	6.0 ± 0.4	4.9 ± 0.1	4.1 ± 0.2	5.3 ± 0.2	4.4 ± 0.2	5.9 ± 0.4	4.6 ± 0.3	4.02 ± 0.10	4.1 ± 0.2	4.5 ± 0.1	3.8 ± 0.2	5.0 ± 0.2	E Africa F	S E Asia M
50	6.0 ± 0.5	4.8 ± 0.1	4.1 ± 0.2	5.0 ± 0.2	4.3 ± 0.2	5.7 ± 0.4	4.6 ± 0.3	3.93 ± 0.09	3.9 ± 0.2	4.6 ± 0.2	3.7 ± 0.2	5.4 ± 0.3	E Africa F	S E Asia M
51	5.5 ± 0.5	4.6 ± 0.1	4.0 ± 0.2	4.9 ± 0.2	4.1 ± 0.2	5.5 ± 0.4	4.7 ± 0.4	3.8 ± 0.1	3.6 ± 0.2	4.5 ± 0.2	3.5 ± 0.2	5.5 ± 0.3	E Africa F	S E Asia M
52	5.8 ± 0.6	4.2 ± 0.1	4.1 ± 0.3	4.8 ± 0.2	3.5 ± 0.2	5.6 ± 0.4	4.2 ± 0.4	3.6 ± 0.1	3.6 ± 0.2	4.3 ± 0.2	3.1 ± 0.2	5.6 ± 0.3	E Africa F	S E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 110. *Mean absolute error for Application-type images for algorithm cyberlink-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.7 ± 0.2	4.04 ± 0.10	3.2 ± 0.2	3.6 ± 0.1	4.0 ± 0.2	5.0 ± 0.3	3.8 ± 0.2	3.48 ± 0.09	2.3 ± 0.1	3.01 ± 0.09	3.2 ± 0.2	3.9 ± 0.2	W Africa F	E Europe M
15	4.2 ± 0.2	4.0 ± 0.1	3.3 ± 0.2	3.5 ± 0.2	3.8 ± 0.3	4.5 ± 0.3	3.2 ± 0.2	3.35 ± 0.09	2.4 ± 0.2	2.9 ± 0.1	3.3 ± 0.2	3.6 ± 0.2	W Africa F	E Europe M
16	3.7 ± 0.2	3.7 ± 0.1	3.2 ± 0.2	3.1 ± 0.1	3.7 ± 0.2	4.3 ± 0.4	3.4 ± 0.2	3.04 ± 0.08	2.6 ± 0.2	2.8 ± 0.1	3.0 ± 0.2	3.4 ± 0.2	W Africa F	E Europe M
17	3.9 ± 0.3	3.3 ± 0.1	3.0 ± 0.2	2.9 ± 0.1	3.4 ± 0.2	4.0 ± 0.3	3.0 ± 0.2	2.92 ± 0.10	2.4 ± 0.2	2.8 ± 0.1	2.9 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
18	3.2 ± 0.2	2.96 ± 0.08	2.7 ± 0.2	2.6 ± 0.1	3.0 ± 0.1	3.5 ± 0.3	2.8 ± 0.2	2.64 ± 0.08	2.4 ± 0.1	2.79 ± 0.10	2.7 ± 0.2	2.9 ± 0.2	W Africa F	E Europe M
19	3.1 ± 0.2	2.67 ± 0.08	2.4 ± 0.2	2.4 ± 0.1	2.7 ± 0.1	3.6 ± 0.3	2.9 ± 0.2	2.49 ± 0.08	2.3 ± 0.1	2.8 ± 0.1	2.6 ± 0.1	3.1 ± 0.3	W Africa F	E Europe M
20	3.1 ± 0.2	2.37 ± 0.09	2.2 ± 0.1	2.5 ± 0.1	2.5 ± 0.1	3.5 ± 0.3	2.9 ± 0.2	2.39 ± 0.08	2.1 ± 0.2	2.9 ± 0.1	2.6 ± 0.1	2.9 ± 0.2	W Africa F	E Europe M
21	2.9 ± 0.2	2.12 ± 0.08	2.1 ± 0.1	2.36 ± 0.08	2.20 ± 0.10	3.5 ± 0.3	3.0 ± 0.2	2.30 ± 0.08	2.1 ± 0.1	2.9 ± 0.1	2.6 ± 0.1	2.8 ± 0.2	W Africa F	E Europe F
22	3.0 ± 0.2	1.99 ± 0.06	2.10 ± 0.09	2.42 ± 0.08	2.16 ± 0.09	3.5 ± 0.3	3.4 ± 0.2	2.37 ± 0.09	2.2 ± 0.1	2.9 ± 0.1	2.5 ± 0.1	2.8 ± 0.2	W Africa F	E Asia F
23	3.1 ± 0.2	2.04 ± 0.06	2.13 ± 0.09	2.60 ± 0.07	2.20 ± 0.08	3.6 ± 0.2	3.4 ± 0.2	2.35 ± 0.08	2.1 ± 0.1	3.0 ± 0.1	2.6 ± 0.1	3.0 ± 0.2	W Africa F	E Asia F
24	3.3 ± 0.2	2.07 ± 0.06	2.06 ± 0.07	2.83 ± 0.07	2.19 ± 0.07	3.6 ± 0.2	3.4 ± 0.2	2.46 ± 0.08	2.2 ± 0.1	3.04 ± 0.09	2.6 ± 0.1	3.0 ± 0.2	W Africa F	E Europe F
25	3.5 ± 0.2	2.13 ± 0.06	2.28 ± 0.07	3.03 ± 0.07	2.39 ± 0.08	4.0 ± 0.2	3.4 ± 0.2	2.61 ± 0.08	2.2 ± 0.1	2.98 ± 0.09	2.9 ± 0.1	3.1 ± 0.1	W Africa F	E Asia F
26	3.6 ± 0.1	2.38 ± 0.06	2.34 ± 0.07	3.33 ± 0.06	2.58 ± 0.08	3.9 ± 0.2	3.2 ± 0.2	2.52 ± 0.08	2.3 ± 0.1	2.92 ± 0.08	2.9 ± 0.1	3.0 ± 0.1	W Africa F	E Europe M
27	3.9 ± 0.2	2.66 ± 0.05	2.45 ± 0.07	3.59 ± 0.07	2.82 ± 0.08	4.2 ± 0.2	3.3 ± 0.2	2.58 ± 0.08	2.33 ± 0.10	2.84 ± 0.07	3.0 ± 0.1	3.0 ± 0.1	W Africa F	E Europe M
28	4.0 ± 0.2	3.01 ± 0.05	2.65 ± 0.07	3.93 ± 0.07	3.08 ± 0.08	4.3 ± 0.2	3.2 ± 0.1	2.73 ± 0.08	2.42 ± 0.10	2.81 ± 0.07	2.9 ± 0.1	2.9 ± 0.1	W Africa F	E Europe M
29	4.1 ± 0.2	3.30 ± 0.05	2.81 ± 0.08	4.12 ± 0.07	3.34 ± 0.08	4.4 ± 0.2	3.1 ± 0.1	2.70 ± 0.07	2.45 ± 0.10	2.77 ± 0.06	2.9 ± 0.1	3.0 ± 0.1	W Africa F	E Europe M
30	4.2 ± 0.2	3.56 ± 0.06	3.06 ± 0.08	4.38 ± 0.08	3.56 ± 0.09	4.5 ± 0.2	3.2 ± 0.1	2.68 ± 0.07	2.39 ± 0.10	2.82 ± 0.06	2.8 ± 0.1	3.0 ± 0.1	W Africa F	E Europe M
31	4.6 ± 0.2	3.78 ± 0.06	3.24 ± 0.09	4.77 ± 0.08	3.77 ± 0.09	4.5 ± 0.2	3.3 ± 0.1	2.73 ± 0.08	2.5 ± 0.1	2.87 ± 0.06	3.0 ± 0.1	3.1 ± 0.1	S Asia F	E Europe M
32	4.7 ± 0.2	4.00 ± 0.07	3.40 ± 0.09	5.01 ± 0.08	3.9 ± 0.1	4.8 ± 0.2	3.2 ± 0.1	2.71 ± 0.07	2.59 ± 0.10	2.94 ± 0.06	3.0 ± 0.1	3.2 ± 0.1	S Asia F	E Europe M
33	5.1 ± 0.2	4.12 ± 0.07	3.7 ± 0.1	5.28 ± 0.09	4.1 ± 0.1	4.8 ± 0.2	3.5 ± 0.2	2.76 ± 0.08	2.40 ± 0.10	2.97 ± 0.06	3.0 ± 0.1	3.2 ± 0.1	S Asia F	E Europe M
34	5.0 ± 0.2	4.28 ± 0.07	4.0 ± 0.1	5.46 ± 0.10	4.1 ± 0.1	4.9 ± 0.2	3.6 ± 0.2	2.85 ± 0.08	2.7 ± 0.1	3.12 ± 0.06	2.9 ± 0.1	3.4 ± 0.1	S Asia F	E Europe M
35	5.4 ± 0.2	4.49 ± 0.08	4.2 ± 0.1	5.7 ± 0.1	4.3 ± 0.1	4.9 ± 0.2	3.6 ± 0.2	2.90 ± 0.08	2.7 ± 0.1	3.20 ± 0.06	3.1 ± 0.1	3.8 ± 0.1	S Asia F	E Europe M
36	5.7 ± 0.2	4.53 ± 0.08	4.2 ± 0.1	6.0 ± 0.1	4.4 ± 0.1	5.1 ± 0.2	4.1 ± 0.2	2.91 ± 0.08	2.7 ± 0.1	3.24 ± 0.07	3.1 ± 0.1	3.9 ± 0.1	S Asia F	E Europe M
37	6.0 ± 0.3	4.58 ± 0.08	4.5 ± 0.1	6.0 ± 0.1	4.6 ± 0.1	5.6 ± 0.2	4.0 ± 0.2	2.99 ± 0.08	2.9 ± 0.1	3.36 ± 0.07	3.1 ± 0.2	4.1 ± 0.1	S Asia F	E Europe M
38	5.7 ± 0.3	4.81 ± 0.09	4.6 ± 0.1	6.2 ± 0.1	4.6 ± 0.1	5.8 ± 0.3	4.2 ± 0.2	3.05 ± 0.08	3.1 ± 0.1	3.33 ± 0.07	3.1 ± 0.2	4.4 ± 0.2	S Asia F	E Asia M
39	6.0 ± 0.3	4.92 ± 0.09	4.6 ± 0.1	6.3 ± 0.1	4.8 ± 0.1	5.8 ± 0.3	4.1 ± 0.2	3.09 ± 0.08	3.2 ± 0.1	3.40 ± 0.07	3.3 ± 0.1	4.6 ± 0.2	S Asia F	E Asia M
40	6.2 ± 0.3	5.03 ± 0.09	4.5 ± 0.2	6.4 ± 0.1	5.0 ± 0.2	6.0 ± 0.3	4.3 ± 0.2	3.14 ± 0.08	3.3 ± 0.1	3.52 ± 0.08	3.1 ± 0.1	5.0 ± 0.2	S Asia F	S E Asia M
41	6.4 ± 0.3	5.06 ± 0.09	4.6 ± 0.2	6.6 ± 0.2	5.0 ± 0.2	6.2 ± 0.3	4.5 ± 0.2	3.25 ± 0.08	3.3 ± 0.1	3.59 ± 0.08	3.4 ± 0.1	5.2 ± 0.2	S Asia F	E Asia M
42	6.3 ± 0.3	5.01 ± 0.09	4.8 ± 0.2	6.3 ± 0.2	4.9 ± 0.2	6.1 ± 0.3	4.5 ± 0.2	3.36 ± 0.08	3.3 ± 0.2	3.66 ± 0.09	3.3 ± 0.2	5.1 ± 0.2	S Asia F	E Europe M
43	6.4 ± 0.4	5.21 ± 0.10	4.6 ± 0.2	6.5 ± 0.2	5.1 ± 0.2	6.3 ± 0.3	4.4 ± 0.2	3.37 ± 0.08	3.3 ± 0.2	3.67 ± 0.10	3.4 ± 0.2	5.5 ± 0.2	S Asia F	E Europe M
44	6.6 ± 0.4	5.30 ± 0.10	4.8 ± 0.2	6.4 ± 0.2	4.9 ± 0.2	6.5 ± 0.3	4.4 ± 0.2	3.32 ± 0.09	3.1 ± 0.2	3.7 ± 0.1	3.5 ± 0.2	5.3 ± 0.2	E Africa F	E Europe M
45	6.4 ± 0.4	5.2 ± 0.1	4.5 ± 0.2	6.4 ± 0.2	5.0 ± 0.2	6.4 ± 0.3	4.4 ± 0.2	3.32 ± 0.09	3.2 ± 0.2	3.7 ± 0.1	3.4 ± 0.2	5.7 ± 0.3	S Asia F	E Europe M
46	6.7 ± 0.4	5.3 ± 0.1	4.4 ± 0.2	6.0 ± 0.2	5.1 ± 0.2	6.2 ± 0.3	4.6 ± 0.3	3.24 ± 0.10	3.2 ± 0.2	3.6 ± 0.1	3.5 ± 0.2	5.6 ± 0.3	E Africa F	E Europe M
47	5.9 ± 0.4	5.1 ± 0.1	4.5 ± 0.2	6.1 ± 0.2	4.8 ± 0.2	6.2 ± 0.3	4.3 ± 0.2	3.2 ± 0.1	3.1 ± 0.2	3.7 ± 0.1	3.1 ± 0.2	5.4 ± 0.3	W Africa F	E Europe M
48	5.9 ± 0.5	5.0 ± 0.1	4.2 ± 0.2	5.9 ± 0.2	4.7 ± 0.2	6.0 ± 0.4	4.5 ± 0.3	3.29 ± 0.10	3.1 ± 0.2	3.7 ± 0.1	3.4 ± 0.2	5.8 ± 0.3	W Africa F	E Europe M
49	5.7 ± 0.5	5.1 ± 0.1	4.3 ± 0.2	5.6 ± 0.2	4.6 ± 0.2	6.2 ± 0.4	4.3 ± 0.3	3.5 ± 0.1	3.1 ± 0.2	3.6 ± 0.1	3.2 ± 0.2	5.5 ± 0.3	W Africa F	E Europe M
50	6.0 ± 0.5	5.0 ± 0.1	4.1 ± 0.2	5.4 ± 0.2	4.5 ± 0.2	6.0 ± 0.4	4.1 ± 0.3	3.49 ± 0.10	3.1 ± 0.2	3.6 ± 0.1	3.1 ± 0.2	5.6 ± 0.3	W Africa F	E Europe M
51	5.5 ± 0.5	4.8 ± 0.1	4.1 ± 0.2	5.4 ± 0.2	4.3 ± 0.2	6.1 ± 0.4	4.2 ± 0.4	3.56 ± 0.10	2.7 ± 0.1	3.7 ± 0.2	3.1 ± 0.2	5.6 ± 0.3	W Africa F	E Europe M
52	5.8 ± 0.6	4.7 ± 0.1	3.9 ± 0.2	5.3 ± 0.2	4.0 ± 0.2	6.2 ± 0.5	3.9 ± 0.4	3.6 ± 0.1	2.9 ± 0.2	3.7 ± 0.1	3.1 ± 0.2	5.8 ± 0.4	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 111. *Mean absolute error for Application-type images for algorithm daon-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.3 ± 0.3	2.9 ± 0.1	1.9 ± 0.2	3.0 ± 0.1	3.1 ± 0.2	3.3 ± 0.4	3.7 ± 0.3	4.3 ± 0.2	2.2 ± 0.2	4.2 ± 0.2	3.9 ± 0.3	2.6 ± 0.4	E Asia M	E Europe F
15	3.7 ± 0.3	3.4 ± 0.2	2.0 ± 0.2	3.6 ± 0.2	3.6 ± 0.3	3.6 ± 0.4	4.0 ± 0.3	4.7 ± 0.2	2.3 ± 0.2	4.6 ± 0.2	4.7 ± 0.3	3.4 ± 0.4	S E Asia M	E Europe F
16	4.4 ± 0.4	3.7 ± 0.2	2.4 ± 0.2	3.4 ± 0.2	4.0 ± 0.3	5.0 ± 0.5	4.8 ± 0.3	4.6 ± 0.2	2.6 ± 0.2	5.0 ± 0.2	4.9 ± 0.3	3.4 ± 0.3	W Africa F	E Europe F
17	5.0 ± 0.4	4.0 ± 0.1	2.5 ± 0.2	3.6 ± 0.2	4.1 ± 0.3	5.5 ± 0.5	5.3 ± 0.4	4.5 ± 0.2	2.3 ± 0.2	5.0 ± 0.2	4.5 ± 0.3	4.3 ± 0.5	W Africa F	E Europe M
18	4.6 ± 0.3	4.2 ± 0.1	2.6 ± 0.2	3.6 ± 0.1	4.0 ± 0.2	5.8 ± 0.4	5.2 ± 0.3	4.1 ± 0.1	2.4 ± 0.2	4.9 ± 0.1	4.1 ± 0.3	4.5 ± 0.3	W Africa F	E Europe M
19	5.2 ± 0.3	4.2 ± 0.1	2.8 ± 0.2	3.5 ± 0.1	4.2 ± 0.2	6.1 ± 0.4	5.5 ± 0.3	3.9 ± 0.1	2.5 ± 0.2	4.9 ± 0.1	3.9 ± 0.2	4.4 ± 0.3	W Africa F	E Europe M
20	5.1 ± 0.3	4.4 ± 0.1	2.7 ± 0.2	3.7 ± 0.1	4.3 ± 0.2	6.3 ± 0.4	5.5 ± 0.3	3.6 ± 0.1	2.5 ± 0.2	4.9 ± 0.1	3.7 ± 0.2	4.6 ± 0.3	W Africa F	E Europe M
21	4.8 ± 0.3	4.4 ± 0.1	2.8 ± 0.1	3.5 ± 0.1	4.3 ± 0.2	6.7 ± 0.4	5.6 ± 0.3	3.4 ± 0.1	2.5 ± 0.2	4.4 ± 0.1	3.7 ± 0.2	4.5 ± 0.3	W Africa F	E Europe M
22	5.0 ± 0.2	4.3 ± 0.1	2.9 ± 0.1	3.6 ± 0.1	4.4 ± 0.1	6.4 ± 0.3	5.7 ± 0.3	3.4 ± 0.1	2.5 ± 0.2	4.3 ± 0.1	3.4 ± 0.2	4.4 ± 0.3	W Africa F	E Europe M
23	4.9 ± 0.2	4.5 ± 0.1	3.0 ± 0.1	3.62 ± 0.10	4.4 ± 0.1	6.6 ± 0.3	5.6 ± 0.3	3.4 ± 0.1	2.5 ± 0.1	4.2 ± 0.1	3.6 ± 0.2	4.3 ± 0.3	W Africa F	E Europe M
24	5.0 ± 0.2	4.5 ± 0.1	3.0 ± 0.1	3.62 ± 0.09	4.3 ± 0.1	6.5 ± 0.3	5.4 ± 0.3	3.4 ± 0.1	2.6 ± 0.1	4.0 ± 0.1	3.3 ± 0.1	4.3 ± 0.2	W Africa F	E Europe M
25	5.0 ± 0.2	4.5 ± 0.1	3.2 ± 0.1	3.74 ± 0.09	4.3 ± 0.1	6.5 ± 0.3	5.4 ± 0.3	3.5 ± 0.1	2.6 ± 0.1	3.9 ± 0.1	3.6 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
26	4.7 ± 0.2	4.6 ± 0.1	3.25 ± 0.09	3.96 ± 0.08	4.4 ± 0.1	6.1 ± 0.2	5.1 ± 0.2	3.4 ± 0.1	2.7 ± 0.1	3.78 ± 0.10	3.6 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
27	4.7 ± 0.2	4.6 ± 0.1	3.35 ± 0.10	4.10 ± 0.08	4.3 ± 0.1	6.1 ± 0.2	4.9 ± 0.2	3.5 ± 0.1	2.8 ± 0.1	3.60 ± 0.09	3.7 ± 0.2	4.3 ± 0.2	W Africa F	E Europe M
28	4.6 ± 0.2	4.61 ± 0.10	3.46 ± 0.10	4.46 ± 0.09	4.4 ± 0.1	6.0 ± 0.2	4.9 ± 0.2	3.6 ± 0.1	2.9 ± 0.1	3.49 ± 0.08	3.7 ± 0.2	4.3 ± 0.2	W Africa F	E Europe M
29	4.8 ± 0.2	4.54 ± 0.10	3.6 ± 0.1	4.64 ± 0.09	4.3 ± 0.1	6.0 ± 0.2	4.9 ± 0.2	3.7 ± 0.1	3.0 ± 0.1	3.37 ± 0.07	3.8 ± 0.2	4.6 ± 0.2	W Africa F	E Europe M
30	4.9 ± 0.2	4.69 ± 0.10	3.7 ± 0.1	4.83 ± 0.09	4.5 ± 0.1	6.0 ± 0.2	4.8 ± 0.2	3.69 ± 0.10	3.0 ± 0.1	3.39 ± 0.07	3.8 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
31	5.0 ± 0.2	4.7 ± 0.1	3.8 ± 0.1	5.26 ± 0.09	4.5 ± 0.1	5.7 ± 0.2	4.8 ± 0.2	3.7 ± 0.1	3.1 ± 0.1	3.37 ± 0.07	4.0 ± 0.2	4.6 ± 0.2	W Africa F	E Europe M
32	5.0 ± 0.2	4.7 ± 0.1	3.9 ± 0.1	5.45 ± 0.10	4.6 ± 0.2	5.9 ± 0.2	4.6 ± 0.2	3.71 ± 0.10	3.1 ± 0.1	3.41 ± 0.07	4.0 ± 0.2	4.5 ± 0.2	W Africa F	E Europe M
33	5.3 ± 0.2	4.6 ± 0.1	4.1 ± 0.1	5.7 ± 0.1	4.5 ± 0.2	5.6 ± 0.2	4.6 ± 0.2	3.69 ± 0.10	3.0 ± 0.1	3.38 ± 0.07	3.9 ± 0.2	4.4 ± 0.2	S Asia F	E Europe M
34	5.2 ± 0.2	4.7 ± 0.1	4.1 ± 0.1	5.8 ± 0.1	4.5 ± 0.2	6.0 ± 0.2	4.4 ± 0.2	3.74 ± 0.10	3.2 ± 0.1	3.47 ± 0.07	4.1 ± 0.2	4.5 ± 0.2	W Africa F	E Europe M
35	5.4 ± 0.2	4.7 ± 0.1	4.3 ± 0.1	6.1 ± 0.1	4.6 ± 0.2	5.5 ± 0.2	4.5 ± 0.2	3.78 ± 0.10	3.1 ± 0.1	3.53 ± 0.07	4.2 ± 0.2	4.7 ± 0.2	S Asia F	E Europe M
36	5.5 ± 0.3	4.7 ± 0.1	4.0 ± 0.1	6.3 ± 0.1	4.5 ± 0.2	5.7 ± 0.3	4.5 ± 0.2	3.7 ± 0.1	3.3 ± 0.1	3.58 ± 0.07	4.1 ± 0.2	4.7 ± 0.2	S Asia F	E Europe M
37	5.6 ± 0.3	4.6 ± 0.1	4.2 ± 0.1	6.4 ± 0.1	4.5 ± 0.2	5.5 ± 0.3	4.3 ± 0.2	3.74 ± 0.10	3.1 ± 0.1	3.71 ± 0.08	3.9 ± 0.2	4.4 ± 0.2	S Asia F	E Europe M
38	5.6 ± 0.3	4.6 ± 0.1	4.2 ± 0.2	6.5 ± 0.1	4.5 ± 0.2	6.2 ± 0.3	4.2 ± 0.2	3.8 ± 0.1	3.2 ± 0.1	3.71 ± 0.08	4.2 ± 0.2	4.4 ± 0.2	S Asia F	E Europe M
39	5.6 ± 0.3	4.5 ± 0.1	4.1 ± 0.2	6.8 ± 0.1	4.4 ± 0.2	5.7 ± 0.3	4.2 ± 0.2	3.68 ± 0.10	3.2 ± 0.1	3.76 ± 0.08	4.3 ± 0.2	4.6 ± 0.2	S Asia F	E Europe M
40	5.8 ± 0.3	4.5 ± 0.1	4.0 ± 0.2	6.8 ± 0.2	4.4 ± 0.2	5.7 ± 0.3	4.1 ± 0.2	3.70 ± 0.10	3.2 ± 0.1	3.87 ± 0.09	4.0 ± 0.2	4.8 ± 0.2	S Asia F	E Europe M
41	5.9 ± 0.3	4.5 ± 0.1	3.8 ± 0.2	6.8 ± 0.2	4.5 ± 0.2	5.8 ± 0.3	4.3 ± 0.2	3.68 ± 0.10	3.3 ± 0.2	3.97 ± 0.09	4.1 ± 0.2	4.8 ± 0.2	S Asia F	E Europe M
42	5.8 ± 0.3	4.3 ± 0.1	3.8 ± 0.2	6.5 ± 0.2	4.2 ± 0.2	5.9 ± 0.3	4.1 ± 0.2	3.64 ± 0.10	3.2 ± 0.2	3.91 ± 0.10	4.1 ± 0.2	4.5 ± 0.2	S Asia F	E Europe M
43	6.0 ± 0.4	4.3 ± 0.1	3.8 ± 0.2	6.8 ± 0.2	4.3 ± 0.2	6.0 ± 0.4	4.0 ± 0.2	3.53 ± 0.09	3.2 ± 0.2	4.0 ± 0.1	4.1 ± 0.2	4.7 ± 0.2	S Asia F	E Europe M
44	5.8 ± 0.4	4.4 ± 0.1	3.7 ± 0.2	6.7 ± 0.2	4.3 ± 0.2	6.2 ± 0.4	3.9 ± 0.2	3.56 ± 0.10	3.2 ± 0.2	3.9 ± 0.1	4.1 ± 0.2	4.5 ± 0.2	S Asia F	E Europe M
45	5.7 ± 0.4	4.4 ± 0.1	3.7 ± 0.2	6.7 ± 0.2	4.2 ± 0.2	5.9 ± 0.4	3.8 ± 0.2	3.51 ± 0.09	3.1 ± 0.2	3.9 ± 0.1	3.9 ± 0.2	4.9 ± 0.2	S Asia F	E Europe M
46	5.8 ± 0.4	4.6 ± 0.1	3.7 ± 0.2	6.2 ± 0.2	4.4 ± 0.2	5.9 ± 0.3	3.8 ± 0.3	3.39 ± 0.10	3.2 ± 0.2	3.9 ± 0.1	4.0 ± 0.2	4.6 ± 0.2	S Asia F	E Europe M
47	5.4 ± 0.4	4.4 ± 0.1	3.8 ± 0.2	6.2 ± 0.2	4.3 ± 0.2	5.9 ± 0.4	3.8 ± 0.3	3.24 ± 0.10	3.1 ± 0.2	4.0 ± 0.1	3.6 ± 0.2	4.5 ± 0.2	S Asia F	E Europe M
48	5.7 ± 0.5	4.4 ± 0.1	3.7 ± 0.2	6.2 ± 0.2	4.2 ± 0.2	5.7 ± 0.4	4.0 ± 0.3	3.20 ± 0.09	3.3 ± 0.2	3.8 ± 0.1	3.4 ± 0.2	4.8 ± 0.3	S Asia F	E Asia M
49	5.7 ± 0.5	4.5 ± 0.1	3.6 ± 0.2	5.9 ± 0.2	4.2 ± 0.2	5.8 ± 0.4	4.1 ± 0.3	3.23 ± 0.10	3.2 ± 0.2	3.8 ± 0.1	3.4 ± 0.2	4.6 ± 0.3	S Asia F	E Europe M
50	5.7 ± 0.6	4.5 ± 0.1	3.6 ± 0.2	5.5 ± 0.2	4.2 ± 0.2	5.4 ± 0.4	4.2 ± 0.3	3.15 ± 0.10	3.2 ± 0.2	3.9 ± 0.1	3.5 ± 0.2	4.7 ± 0.3	E Africa F	E Asia M
51	5.0 ± 0.4	4.5 ± 0.1	3.6 ± 0.2	5.7 ± 0.2	4.4 ± 0.2	5.7 ± 0.4	4.4 ± 0.4	3.24 ± 0.10	3.2 ± 0.2	3.8 ± 0.2	3.4 ± 0.2	4.9 ± 0.3	S Asia F	E Europe M
52	5.6 ± 0.5	4.5 ± 0.1	3.9 ± 0.2	5.5 ± 0.2	4.2 ± 0.2	5.9 ± 0.4	4.0 ± 0.4	3.18 ± 0.10	3.4 ± 0.2	3.8 ± 0.1	3.3 ± 0.2	5.0 ± 0.3	W Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 112. *Mean absolute error for Application-type images for algorithm daon-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.7 ± 0.2	2.6 ± 0.1	1.8 ± 0.1	2.5 ± 0.1	2.7 ± 0.2	2.6 ± 0.3	3.1 ± 0.2	3.3 ± 0.1	1.9 ± 0.1	3.1 ± 0.1	2.9 ± 0.2	2.2 ± 0.2	E Asia M	E Europe F
15	3.0 ± 0.3	2.9 ± 0.1	1.9 ± 0.1	2.9 ± 0.2	3.1 ± 0.3	3.1 ± 0.4	3.1 ± 0.2	3.6 ± 0.1	1.9 ± 0.2	3.5 ± 0.2	3.4 ± 0.3	2.8 ± 0.3	E Asia M	E Europe M
16	3.7 ± 0.3	3.2 ± 0.1	2.2 ± 0.2	2.8 ± 0.2	3.4 ± 0.3	4.2 ± 0.5	3.7 ± 0.3	3.7 ± 0.1	2.2 ± 0.2	3.8 ± 0.2	3.6 ± 0.3	2.8 ± 0.3	W Africa F	E Europe F
17	4.0 ± 0.3	3.5 ± 0.1	2.4 ± 0.2	3.0 ± 0.1	3.6 ± 0.3	4.8 ± 0.4	4.1 ± 0.3	3.7 ± 0.1	2.0 ± 0.2	4.0 ± 0.2	3.7 ± 0.3	3.6 ± 0.4	W Africa F	E Europe M
18	4.0 ± 0.3	3.7 ± 0.1	2.6 ± 0.2	3.1 ± 0.1	3.5 ± 0.2	5.0 ± 0.4	4.2 ± 0.3	3.5 ± 0.1	2.3 ± 0.2	4.1 ± 0.1	3.3 ± 0.2	3.8 ± 0.3	W Africa F	E Europe M
19	4.4 ± 0.3	3.8 ± 0.1	2.7 ± 0.2	3.1 ± 0.1	3.7 ± 0.1	5.2 ± 0.4	4.7 ± 0.3	3.4 ± 0.1	2.3 ± 0.2	4.3 ± 0.1	3.2 ± 0.2	3.9 ± 0.3	W Africa F	E Europe M
20	4.5 ± 0.3	3.9 ± 0.1	2.7 ± 0.1	3.3 ± 0.1	3.8 ± 0.1	5.3 ± 0.3	5.1 ± 0.3	3.2 ± 0.1	2.3 ± 0.2	4.3 ± 0.1	3.2 ± 0.2	4.3 ± 0.3	W Africa F	E Europe M
21	4.3 ± 0.2	3.9 ± 0.1	2.8 ± 0.1	3.2 ± 0.1	3.8 ± 0.1	5.8 ± 0.3	5.2 ± 0.3	2.99 ± 0.10	2.2 ± 0.1	4.0 ± 0.1	3.1 ± 0.2	4.3 ± 0.3	W Africa F	E Europe M
22	4.5 ± 0.2	3.9 ± 0.1	2.9 ± 0.1	3.29 ± 0.09	3.9 ± 0.1	5.5 ± 0.3	5.5 ± 0.3	2.9 ± 0.1	2.3 ± 0.1	4.0 ± 0.1	2.8 ± 0.1	4.4 ± 0.3	E Africa M	E Europe M
23	4.5 ± 0.2	3.9 ± 0.1	2.9 ± 0.1	3.31 ± 0.09	3.8 ± 0.1	5.6 ± 0.3	5.5 ± 0.3	2.94 ± 0.10	2.3 ± 0.1	4.0 ± 0.1	3.1 ± 0.1	4.2 ± 0.2	W Africa F	E Europe M
24	4.6 ± 0.2	4.03 ± 0.10	2.86 ± 0.10	3.36 ± 0.08	3.7 ± 0.1	5.6 ± 0.2	5.4 ± 0.3	2.9 ± 0.1	2.3 ± 0.1	3.8 ± 0.1	2.8 ± 0.1	4.3 ± 0.2	W Africa F	E Europe M
25	4.7 ± 0.2	3.94 ± 0.09	3.02 ± 0.09	3.49 ± 0.08	3.7 ± 0.1	5.7 ± 0.2	5.4 ± 0.2	2.99 ± 0.10	2.3 ± 0.1	3.74 ± 0.10	3.0 ± 0.1	4.3 ± 0.2	W Africa F	E Europe M
26	4.4 ± 0.2	3.93 ± 0.09	3.00 ± 0.09	3.60 ± 0.08	3.8 ± 0.1	5.4 ± 0.2	5.2 ± 0.2	2.91 ± 0.09	2.4 ± 0.1	3.61 ± 0.09	3.1 ± 0.1	4.2 ± 0.2	W Africa F	E Europe M
27	4.6 ± 0.2	3.90 ± 0.09	3.05 ± 0.09	3.76 ± 0.08	3.7 ± 0.1	5.5 ± 0.2	4.9 ± 0.2	3.04 ± 0.09	2.5 ± 0.1	3.41 ± 0.08	3.3 ± 0.1	4.2 ± 0.2	W Africa F	E Europe M
28	4.4 ± 0.2	3.87 ± 0.09	3.10 ± 0.09	4.02 ± 0.08	3.7 ± 0.1	5.3 ± 0.2	4.9 ± 0.2	3.09 ± 0.09	2.7 ± 0.1	3.32 ± 0.08	3.2 ± 0.1	4.1 ± 0.2	W Africa F	E Europe M
29	4.5 ± 0.2	3.77 ± 0.08	3.14 ± 0.09	4.13 ± 0.08	3.6 ± 0.1	5.1 ± 0.2	4.8 ± 0.2	3.16 ± 0.09	2.7 ± 0.1	3.15 ± 0.07	3.2 ± 0.1	4.3 ± 0.2	W Africa F	E Europe M
30	4.4 ± 0.2	3.83 ± 0.08	3.25 ± 0.10	4.32 ± 0.08	3.7 ± 0.1	5.3 ± 0.2	4.7 ± 0.2	3.12 ± 0.08	2.6 ± 0.1	3.17 ± 0.06	3.3 ± 0.1	4.1 ± 0.1	W Africa F	E Europe M
31	4.5 ± 0.2	3.83 ± 0.08	3.29 ± 0.10	4.66 ± 0.08	3.7 ± 0.1	4.9 ± 0.2	4.7 ± 0.2	3.16 ± 0.09	2.8 ± 0.1	3.15 ± 0.06	3.4 ± 0.2	4.1 ± 0.1	W Africa F	E Europe M
32	4.5 ± 0.2	3.82 ± 0.08	3.3 ± 0.1	4.75 ± 0.09	3.9 ± 0.1	5.0 ± 0.2	4.4 ± 0.2	3.19 ± 0.08	2.8 ± 0.1	3.14 ± 0.06	3.5 ± 0.1	4.0 ± 0.1	W Africa F	E Europe M
33	4.7 ± 0.2	3.80 ± 0.09	3.5 ± 0.1	4.96 ± 0.09	3.8 ± 0.1	4.8 ± 0.2	4.5 ± 0.2	3.12 ± 0.08	2.8 ± 0.1	3.06 ± 0.06	3.4 ± 0.2	3.9 ± 0.1	S Asia F	E Europe M
34	4.5 ± 0.2	3.80 ± 0.08	3.5 ± 0.1	5.09 ± 0.10	3.7 ± 0.1	4.8 ± 0.2	4.2 ± 0.2	3.17 ± 0.08	2.8 ± 0.1	3.17 ± 0.06	3.4 ± 0.2	3.8 ± 0.1	S Asia F	E Europe M
35	4.7 ± 0.2	3.84 ± 0.08	3.7 ± 0.1	5.26 ± 0.10	3.8 ± 0.1	4.7 ± 0.2	4.2 ± 0.2	3.21 ± 0.08	2.8 ± 0.1	3.14 ± 0.06	3.5 ± 0.2	3.9 ± 0.2	S Asia F	E Europe M
36	4.7 ± 0.2	3.79 ± 0.08	3.4 ± 0.1	5.4 ± 0.1	3.8 ± 0.1	4.6 ± 0.2	4.1 ± 0.2	3.15 ± 0.08	2.9 ± 0.1	3.14 ± 0.07	3.5 ± 0.2	3.8 ± 0.1	S Asia F	E Europe M
37	4.7 ± 0.2	3.66 ± 0.08	3.6 ± 0.1	5.5 ± 0.1	3.7 ± 0.1	4.6 ± 0.2	4.0 ± 0.2	3.12 ± 0.08	2.8 ± 0.1	3.21 ± 0.07	3.2 ± 0.2	3.5 ± 0.1	S Asia F	E Europe M
38	4.6 ± 0.2	3.74 ± 0.08	3.6 ± 0.1	5.6 ± 0.1	3.8 ± 0.1	4.9 ± 0.2	3.8 ± 0.2	3.18 ± 0.08	2.8 ± 0.1	3.15 ± 0.07	3.5 ± 0.2	3.5 ± 0.1	S Asia F	E Europe M
39	4.6 ± 0.2	3.65 ± 0.08	3.3 ± 0.1	5.6 ± 0.1	3.6 ± 0.1	4.6 ± 0.2	3.7 ± 0.2	3.05 ± 0.08	2.9 ± 0.1	3.19 ± 0.07	3.5 ± 0.2	3.5 ± 0.1	S Asia F	E Europe M
40	4.6 ± 0.3	3.67 ± 0.08	3.4 ± 0.1	5.5 ± 0.1	3.6 ± 0.1	4.5 ± 0.2	3.7 ± 0.2	3.00 ± 0.08	3.0 ± 0.1	3.24 ± 0.07	3.3 ± 0.1	3.8 ± 0.2	S Asia F	E Europe M
41	4.8 ± 0.3	3.58 ± 0.08	3.2 ± 0.1	5.5 ± 0.1	3.6 ± 0.1	4.5 ± 0.2	3.9 ± 0.2	2.95 ± 0.08	2.9 ± 0.1	3.25 ± 0.08	3.3 ± 0.1	3.8 ± 0.2	S Asia F	E Europe M
42	4.5 ± 0.3	3.40 ± 0.08	3.2 ± 0.1	5.2 ± 0.2	3.4 ± 0.1	4.8 ± 0.3	3.6 ± 0.2	2.94 ± 0.08	2.9 ± 0.1	3.17 ± 0.08	3.3 ± 0.2	3.6 ± 0.2	S Asia F	E Europe M
43	4.6 ± 0.3	3.47 ± 0.08	3.1 ± 0.1	5.3 ± 0.2	3.6 ± 0.1	4.5 ± 0.3	3.5 ± 0.2	2.84 ± 0.08	2.8 ± 0.1	3.23 ± 0.09	3.3 ± 0.2	3.7 ± 0.2	S Asia F	E Europe M
44	4.9 ± 0.3	3.42 ± 0.08	3.1 ± 0.2	5.2 ± 0.2	3.5 ± 0.1	4.8 ± 0.3	3.4 ± 0.2	2.83 ± 0.08	2.9 ± 0.2	3.24 ± 0.09	3.3 ± 0.2	3.7 ± 0.2	S Asia F	E Asia M
45	4.6 ± 0.3	3.35 ± 0.08	3.0 ± 0.2	5.1 ± 0.2	3.4 ± 0.1	4.4 ± 0.3	3.5 ± 0.2	2.81 ± 0.08	2.8 ± 0.1	3.22 ± 0.10	3.1 ± 0.1	3.9 ± 0.2	S Asia F	E Europe M
46	4.8 ± 0.3	3.47 ± 0.08	3.1 ± 0.2	4.7 ± 0.2	3.5 ± 0.1	4.2 ± 0.3	3.4 ± 0.2	2.71 ± 0.08	3.0 ± 0.2	3.2 ± 0.1	3.2 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
47	4.4 ± 0.3	3.32 ± 0.08	3.2 ± 0.2	4.6 ± 0.2	3.4 ± 0.2	4.5 ± 0.3	3.6 ± 0.2	2.66 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	3.1 ± 0.2	3.8 ± 0.2	S Asia F	E Asia M
48	4.4 ± 0.3	3.34 ± 0.09	3.1 ± 0.2	4.6 ± 0.2	3.3 ± 0.2	4.4 ± 0.3	3.7 ± 0.3	2.64 ± 0.07	3.1 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	4.0 ± 0.2	S Asia F	E Asia M
49	4.5 ± 0.3	3.44 ± 0.09	3.1 ± 0.2	4.3 ± 0.2	3.4 ± 0.2	4.5 ± 0.3	3.6 ± 0.3	2.71 ± 0.08	3.0 ± 0.2	3.2 ± 0.1	2.9 ± 0.2	3.7 ± 0.2	E Africa F	E Asia M
50	4.6 ± 0.4	3.47 ± 0.09	3.1 ± 0.2	4.1 ± 0.2	3.3 ± 0.1	4.0 ± 0.3	3.3 ± 0.3	2.66 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	4.0 ± 0.2	E Africa F	E Asia M
51	4.1 ± 0.3	3.48 ± 0.09	3.1 ± 0.2	4.2 ± 0.2	3.4 ± 0.2	4.4 ± 0.3	3.8 ± 0.3	2.74 ± 0.08	3.0 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	4.3 ± 0.2	W Africa F	E Asia M
52	4.6 ± 0.4	3.46 ± 0.10	3.3 ± 0.2	4.1 ± 0.2	3.3 ± 0.1	4.5 ± 0.3	3.6 ± 0.3	2.72 ± 0.08	3.2 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	4.4 ± 0.3	E Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 113. *Mean absolute error for Application-type images for algorithm daon-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.2 ± 0.2	1.56 ± 0.06	1.35 ± 0.10	1.75 ± 0.08	1.8 ± 0.1	2.6 ± 0.3	2.3 ± 0.2	1.67 ± 0.07	1.29 ± 0.09	1.81 ± 0.07	1.7 ± 0.1	2.0 ± 0.2	W Africa F	E Europe M
15	2.5 ± 0.2	1.67 ± 0.08	1.4 ± 0.1	1.9 ± 0.1	2.0 ± 0.2	2.9 ± 0.3	2.3 ± 0.2	1.73 ± 0.07	1.20 ± 0.10	1.90 ± 0.09	1.7 ± 0.1	2.3 ± 0.2	W Africa F	E Europe M
16	2.8 ± 0.3	1.86 ± 0.09	1.5 ± 0.1	1.9 ± 0.1	2.2 ± 0.2	3.3 ± 0.4	2.7 ± 0.2	1.79 ± 0.08	1.4 ± 0.2	1.99 ± 0.10	1.7 ± 0.1	2.4 ± 0.3	W Africa F	E Europe M
17	3.0 ± 0.3	2.11 ± 0.10	1.7 ± 0.1	2.0 ± 0.1	2.2 ± 0.2	3.4 ± 0.3	2.7 ± 0.2	1.89 ± 0.09	1.3 ± 0.1	2.1 ± 0.1	1.8 ± 0.2	2.9 ± 0.4	W Africa F	E Europe M
18	3.0 ± 0.2	2.41 ± 0.08	1.9 ± 0.2	2.21 ± 0.09	2.4 ± 0.1	3.5 ± 0.3	3.0 ± 0.2	1.93 ± 0.08	1.6 ± 0.1	2.42 ± 0.09	1.8 ± 0.2	2.9 ± 0.2	W Africa F	E Europe M
19	3.4 ± 0.2	2.52 ± 0.08	2.2 ± 0.2	2.23 ± 0.09	2.6 ± 0.1	3.6 ± 0.3	3.2 ± 0.2	2.09 ± 0.09	1.8 ± 0.1	2.45 ± 0.10	1.9 ± 0.1	3.1 ± 0.3	W Africa F	E Europe M
20	3.4 ± 0.2	2.73 ± 0.10	2.2 ± 0.1	2.6 ± 0.1	2.7 ± 0.1	3.6 ± 0.2	3.5 ± 0.2	2.07 ± 0.08	1.7 ± 0.1	2.5 ± 0.1	2.1 ± 0.1	3.3 ± 0.3	W Africa F	E Europe M
21	3.3 ± 0.2	2.85 ± 0.09	2.4 ± 0.1	2.63 ± 0.09	2.9 ± 0.1	3.8 ± 0.2	3.6 ± 0.2	2.14 ± 0.08	1.8 ± 0.1	2.5 ± 0.1	2.2 ± 0.1	3.3 ± 0.2	W Africa F	E Europe M
22	3.5 ± 0.2	2.91 ± 0.08	2.6 ± 0.1	2.86 ± 0.08	3.1 ± 0.1	3.6 ± 0.2	3.9 ± 0.2	2.27 ± 0.08	1.9 ± 0.1	2.5 ± 0.1	2.2 ± 0.1	3.3 ± 0.2	E Africa M	E Europe M
23	3.5 ± 0.2	2.95 ± 0.08	2.77 ± 0.10	3.02 ± 0.08	3.03 ± 0.10	3.5 ± 0.2	3.9 ± 0.2	2.38 ± 0.08	2.0 ± 0.1	2.66 ± 0.10	2.5 ± 0.1	3.2 ± 0.2	E Africa M	E Europe M
24	3.8 ± 0.2	3.11 ± 0.07	2.70 ± 0.09	3.13 ± 0.07	3.09 ± 0.09	3.5 ± 0.2	3.9 ± 0.2	2.50 ± 0.08	2.06 ± 0.10	2.70 ± 0.09	2.4 ± 0.1	3.2 ± 0.2	E Africa M	E Europe M
25	3.7 ± 0.2	3.10 ± 0.07	2.87 ± 0.08	3.28 ± 0.07	3.18 ± 0.09	3.6 ± 0.2	3.9 ± 0.2	2.61 ± 0.08	2.13 ± 0.10	2.70 ± 0.08	2.7 ± 0.1	3.2 ± 0.2	E Africa M	E Europe M
26	3.6 ± 0.2	3.12 ± 0.07	2.84 ± 0.08	3.41 ± 0.07	3.19 ± 0.09	3.4 ± 0.1	3.7 ± 0.2	2.51 ± 0.08	2.25 ± 0.10	2.74 ± 0.07	2.8 ± 0.1	3.1 ± 0.1	E Africa M	E Europe M
27	3.7 ± 0.2	3.09 ± 0.07	2.89 ± 0.08	3.55 ± 0.07	3.18 ± 0.09	3.5 ± 0.1	3.6 ± 0.2	2.61 ± 0.07	2.28 ± 0.09	2.68 ± 0.07	2.8 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
28	3.7 ± 0.2	3.10 ± 0.06	2.86 ± 0.08	3.71 ± 0.07	3.14 ± 0.09	3.5 ± 0.1	3.4 ± 0.1	2.65 ± 0.08	2.33 ± 0.09	2.64 ± 0.06	2.8 ± 0.1	2.9 ± 0.1	S Asia F	E Europe M
29	3.7 ± 0.2	3.03 ± 0.06	2.82 ± 0.08	3.78 ± 0.07	3.10 ± 0.09	3.4 ± 0.1	3.4 ± 0.1	2.61 ± 0.07	2.33 ± 0.09	2.62 ± 0.06	2.8 ± 0.1	3.1 ± 0.1	S Asia F	E Europe M
30	3.6 ± 0.1	3.06 ± 0.06	2.85 ± 0.09	3.88 ± 0.07	3.10 ± 0.09	3.6 ± 0.1	3.3 ± 0.1	2.61 ± 0.07	2.24 ± 0.09	2.65 ± 0.05	2.8 ± 0.1	2.9 ± 0.1	S Asia F	E Europe M
31	3.7 ± 0.2	3.08 ± 0.06	2.83 ± 0.09	4.07 ± 0.08	3.12 ± 0.09	3.4 ± 0.1	3.2 ± 0.1	2.59 ± 0.07	2.37 ± 0.09	2.68 ± 0.05	2.8 ± 0.1	2.9 ± 0.1	S Asia F	E Europe M
32	3.8 ± 0.2	3.07 ± 0.06	2.81 ± 0.09	4.09 ± 0.08	3.2 ± 0.1	3.7 ± 0.1	3.1 ± 0.1	2.56 ± 0.07	2.37 ± 0.10	2.69 ± 0.05	2.8 ± 0.1	3.0 ± 0.1	S Asia F	E Europe M
33	3.9 ± 0.2	3.09 ± 0.06	2.89 ± 0.09	4.21 ± 0.08	3.1 ± 0.1	3.6 ± 0.1	3.3 ± 0.1	2.58 ± 0.07	2.27 ± 0.09	2.66 ± 0.05	2.8 ± 0.1	2.9 ± 0.1	S Asia F	E Europe M
34	3.8 ± 0.2	3.09 ± 0.06	2.88 ± 0.10	4.27 ± 0.08	3.1 ± 0.1	3.7 ± 0.2	3.1 ± 0.1	2.60 ± 0.07	2.34 ± 0.10	2.79 ± 0.06	2.9 ± 0.1	3.0 ± 0.1	S Asia F	E Europe M
35	4.0 ± 0.2	3.19 ± 0.07	3.0 ± 0.1	4.34 ± 0.08	3.2 ± 0.1	3.7 ± 0.2	3.1 ± 0.1	2.63 ± 0.07	2.29 ± 0.10	2.81 ± 0.06	3.0 ± 0.1	3.1 ± 0.1	S Asia F	E Europe M
36	4.1 ± 0.2	3.19 ± 0.07	2.76 ± 0.09	4.44 ± 0.09	3.2 ± 0.1	3.7 ± 0.2	3.2 ± 0.1	2.62 ± 0.07	2.4 ± 0.1	2.85 ± 0.06	2.9 ± 0.1	3.0 ± 0.1	S Asia F	E Europe M
37	4.1 ± 0.2	3.15 ± 0.06	2.8 ± 0.1	4.49 ± 0.09	3.2 ± 0.1	4.0 ± 0.2	3.2 ± 0.2	2.61 ± 0.07	2.4 ± 0.1	2.98 ± 0.06	2.8 ± 0.1	3.0 ± 0.1	S Asia F	E Europe M
38	3.9 ± 0.2	3.25 ± 0.07	2.9 ± 0.1	4.59 ± 0.10	3.2 ± 0.1	4.2 ± 0.2	3.1 ± 0.2	2.66 ± 0.07	2.4 ± 0.1	2.95 ± 0.06	3.0 ± 0.1	3.2 ± 0.1	S Asia F	E Europe M
39	4.1 ± 0.2	3.24 ± 0.07	2.7 ± 0.1	4.7 ± 0.1	3.1 ± 0.1	3.8 ± 0.2	3.1 ± 0.2	2.64 ± 0.07	2.5 ± 0.1	2.99 ± 0.07	3.0 ± 0.1	3.2 ± 0.1	S Asia F	E Europe M
40	4.2 ± 0.2	3.25 ± 0.07	2.7 ± 0.1	4.6 ± 0.1	3.3 ± 0.1	4.1 ± 0.2	3.2 ± 0.2	2.60 ± 0.07	2.6 ± 0.1	3.09 ± 0.07	2.8 ± 0.1	3.5 ± 0.2	S Asia F	E Europe M
41	4.4 ± 0.3	3.27 ± 0.07	2.7 ± 0.1	4.7 ± 0.1	3.2 ± 0.1	4.4 ± 0.2	3.3 ± 0.2	2.62 ± 0.07	2.5 ± 0.1	3.11 ± 0.07	2.9 ± 0.1	3.6 ± 0.2	S Asia F	E Europe M
42	4.1 ± 0.3	3.18 ± 0.07	2.8 ± 0.1	4.4 ± 0.1	3.1 ± 0.1	4.3 ± 0.2	3.2 ± 0.2	2.65 ± 0.07	2.5 ± 0.1	3.12 ± 0.08	2.9 ± 0.1	3.7 ± 0.2	S Asia F	E Europe M
43	4.1 ± 0.2	3.29 ± 0.07	2.7 ± 0.1	4.5 ± 0.1	3.3 ± 0.1	4.3 ± 0.2	3.1 ± 0.2	2.64 ± 0.07	2.5 ± 0.1	3.14 ± 0.09	3.0 ± 0.1	3.9 ± 0.2	S Asia F	E Europe M
44	4.6 ± 0.3	3.30 ± 0.07	2.8 ± 0.1	4.6 ± 0.1	3.3 ± 0.1	4.5 ± 0.2	3.3 ± 0.2	2.66 ± 0.08	2.5 ± 0.1	3.23 ± 0.09	3.1 ± 0.2	3.8 ± 0.2	S Asia F	E Europe M
45	4.3 ± 0.3	3.31 ± 0.07	2.6 ± 0.1	4.5 ± 0.1	3.2 ± 0.1	4.3 ± 0.2	3.4 ± 0.2	2.74 ± 0.07	2.5 ± 0.1	3.18 ± 0.10	2.9 ± 0.1	4.3 ± 0.2	S Asia F	E Europe M
46	4.5 ± 0.3	3.39 ± 0.07	2.8 ± 0.1	4.2 ± 0.1	3.3 ± 0.1	4.3 ± 0.2	3.5 ± 0.2	2.73 ± 0.08	2.7 ± 0.1	3.1 ± 0.1	3.1 ± 0.2	4.4 ± 0.2	E Africa F	E Asia M
47	4.3 ± 0.3	3.26 ± 0.08	2.9 ± 0.2	4.3 ± 0.2	3.2 ± 0.1	4.5 ± 0.3	3.7 ± 0.2	2.71 ± 0.08	2.6 ± 0.1	3.4 ± 0.1	3.0 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
48	4.4 ± 0.3	3.27 ± 0.08	2.9 ± 0.1	4.3 ± 0.2	3.1 ± 0.1	4.4 ± 0.3	4.0 ± 0.3	2.76 ± 0.07	2.8 ± 0.2	3.3 ± 0.1	3.1 ± 0.2	5.0 ± 0.2	W Africa M	E Asia M
49	4.4 ± 0.3	3.35 ± 0.08	2.9 ± 0.1	4.0 ± 0.2	3.2 ± 0.1	4.8 ± 0.3	3.9 ± 0.3	2.83 ± 0.08	2.8 ± 0.1	3.3 ± 0.1	3.0 ± 0.2	4.7 ± 0.2	W Africa F	E Europe M
50	4.6 ± 0.4	3.35 ± 0.08	2.9 ± 0.1	4.0 ± 0.1	3.2 ± 0.1	4.5 ± 0.3	3.9 ± 0.3	2.86 ± 0.08	2.8 ± 0.2	3.4 ± 0.1	3.0 ± 0.2	5.1 ± 0.2	W Africa M	E Europe M
51	4.3 ± 0.3	3.31 ± 0.08	2.9 ± 0.2	4.0 ± 0.2	3.2 ± 0.1	4.7 ± 0.3	4.4 ± 0.3	2.89 ± 0.08	2.8 ± 0.1	3.5 ± 0.1	3.1 ± 0.2	5.5 ± 0.3	W Africa M	E Europe M
52	4.6 ± 0.4	3.24 ± 0.08	3.1 ± 0.2	3.9 ± 0.1	3.0 ± 0.1	4.9 ± 0.3	4.0 ± 0.3	2.86 ± 0.08	3.0 ± 0.2	3.4 ± 0.1	3.1 ± 0.2	5.5 ± 0.3	W Africa M	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 114. *Mean absolute error for Application-type images for algorithm dermalog-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.4 ± 0.3	4.7 ± 0.1	5.1 ± 0.3	4.8 ± 0.2	5.3 ± 0.3	3.4 ± 0.3	2.4 ± 0.2	3.7 ± 0.1	2.9 ± 0.3	3.6 ± 0.2	3.6 ± 0.2	2.7 ± 0.3	S E Asia F	E Africa M
15	4.0 ± 0.3	4.6 ± 0.2	5.4 ± 0.3	5.4 ± 0.2	5.2 ± 0.4	3.4 ± 0.3	2.4 ± 0.2	3.9 ± 0.1	3.0 ± 0.3	4.1 ± 0.2	4.0 ± 0.2	3.0 ± 0.3	S Asia F	E Africa M
16	4.0 ± 0.3	4.6 ± 0.1	5.3 ± 0.3	5.2 ± 0.2	5.3 ± 0.3	3.4 ± 0.4	3.0 ± 0.3	3.8 ± 0.1	3.3 ± 0.3	4.3 ± 0.2	4.2 ± 0.3	3.3 ± 0.3	E Europe F	E Africa M
17	4.2 ± 0.3	4.2 ± 0.1	5.6 ± 0.3	5.1 ± 0.2	4.9 ± 0.3	3.2 ± 0.2	3.1 ± 0.3	3.4 ± 0.1	2.8 ± 0.2	4.2 ± 0.2	3.8 ± 0.2	3.6 ± 0.4	E Europe F	E Europe M
18	3.8 ± 0.2	3.7 ± 0.1	4.8 ± 0.3	4.5 ± 0.1	4.1 ± 0.2	3.1 ± 0.2	3.4 ± 0.2	2.88 ± 0.09	2.7 ± 0.2	4.1 ± 0.1	3.3 ± 0.2	3.4 ± 0.3	E Europe F	E Europe M
19	4.2 ± 0.3	3.3 ± 0.1	4.6 ± 0.3	4.4 ± 0.1	3.7 ± 0.2	3.2 ± 0.2	3.8 ± 0.3	2.52 ± 0.09	2.6 ± 0.2	3.9 ± 0.1	3.0 ± 0.2	3.6 ± 0.3	E Europe F	E Asia M
20	4.4 ± 0.3	3.1 ± 0.1	4.3 ± 0.2	4.0 ± 0.2	3.5 ± 0.2	3.0 ± 0.2	3.8 ± 0.3	2.32 ± 0.09	2.5 ± 0.2	3.8 ± 0.1	2.8 ± 0.2	3.3 ± 0.3	E Africa F	E Asia M
21	4.3 ± 0.2	2.8 ± 0.1	4.1 ± 0.2	3.9 ± 0.1	3.3 ± 0.2	3.3 ± 0.2	3.8 ± 0.3	2.06 ± 0.08	2.3 ± 0.2	3.5 ± 0.1	2.6 ± 0.2	3.5 ± 0.3	E Africa F	E Asia M
22	4.3 ± 0.2	2.59 ± 0.09	3.8 ± 0.2	3.7 ± 0.1	2.9 ± 0.1	3.3 ± 0.2	4.5 ± 0.3	2.14 ± 0.08	2.5 ± 0.2	3.4 ± 0.1	2.3 ± 0.1	3.4 ± 0.2	E Africa M	E Asia M
23	4.2 ± 0.2	2.68 ± 0.08	3.7 ± 0.1	3.6 ± 0.1	2.9 ± 0.1	3.3 ± 0.2	4.4 ± 0.3	2.22 ± 0.08	2.4 ± 0.1	3.2 ± 0.1	2.3 ± 0.1	3.6 ± 0.2	E Africa M	E Asia M
24	4.5 ± 0.2	2.82 ± 0.07	3.5 ± 0.1	3.52 ± 0.09	2.89 ± 0.09	3.7 ± 0.2	4.3 ± 0.2	2.36 ± 0.07	2.6 ± 0.1	3.1 ± 0.1	2.4 ± 0.1	3.4 ± 0.2	E Africa F	S E Asia M
25	4.6 ± 0.2	3.02 ± 0.07	3.5 ± 0.1	3.48 ± 0.08	2.97 ± 0.09	4.1 ± 0.2	4.5 ± 0.2	2.66 ± 0.08	2.6 ± 0.1	2.96 ± 0.09	2.7 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
26	4.6 ± 0.2	3.15 ± 0.06	3.52 ± 0.10	3.42 ± 0.07	3.19 ± 0.08	4.3 ± 0.2	4.1 ± 0.2	2.73 ± 0.07	2.8 ± 0.1	2.95 ± 0.08	2.8 ± 0.1	3.4 ± 0.2	E Africa F	E Asia M
27	4.8 ± 0.2	3.29 ± 0.06	3.43 ± 0.09	3.36 ± 0.06	3.30 ± 0.08	4.8 ± 0.2	4.3 ± 0.2	2.97 ± 0.08	2.8 ± 0.1	2.94 ± 0.07	3.0 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
28	5.0 ± 0.2	3.51 ± 0.06	3.34 ± 0.09	3.37 ± 0.06	3.40 ± 0.09	4.9 ± 0.2	3.9 ± 0.2	3.16 ± 0.09	3.0 ± 0.1	2.91 ± 0.07	3.0 ± 0.1	3.5 ± 0.1	E Africa F	S Asia M
29	5.0 ± 0.2	3.57 ± 0.06	3.34 ± 0.09	3.36 ± 0.06	3.52 ± 0.09	5.2 ± 0.2	4.1 ± 0.2	3.28 ± 0.08	3.2 ± 0.1	2.88 ± 0.06	3.2 ± 0.1	3.7 ± 0.1	W Africa F	S Asia M
30	5.1 ± 0.2	3.71 ± 0.06	3.37 ± 0.10	3.37 ± 0.07	3.62 ± 0.10	5.4 ± 0.2	4.0 ± 0.2	3.41 ± 0.09	3.1 ± 0.1	2.93 ± 0.06	3.2 ± 0.1	3.7 ± 0.1	W Africa F	S Asia M
31	5.3 ± 0.2	3.77 ± 0.07	3.3 ± 0.1	3.38 ± 0.07	3.7 ± 0.1	5.7 ± 0.2	4.1 ± 0.2	3.57 ± 0.09	3.4 ± 0.1	2.98 ± 0.06	3.5 ± 0.2	3.8 ± 0.1	W Africa F	S Asia M
32	5.4 ± 0.2	3.87 ± 0.07	3.3 ± 0.1	3.44 ± 0.07	3.8 ± 0.1	5.7 ± 0.2	4.1 ± 0.2	3.70 ± 0.09	3.5 ± 0.1	3.11 ± 0.06	3.6 ± 0.2	3.9 ± 0.2	W Africa F	S Asia M
33	5.7 ± 0.2	3.89 ± 0.08	3.3 ± 0.1	3.51 ± 0.08	3.9 ± 0.1	5.9 ± 0.2	4.2 ± 0.2	3.9 ± 0.1	3.5 ± 0.1	3.24 ± 0.07	3.6 ± 0.2	4.1 ± 0.1	W Africa F	S Asia M
34	5.7 ± 0.3	3.94 ± 0.08	3.4 ± 0.1	3.63 ± 0.08	3.9 ± 0.1	6.0 ± 0.2	4.2 ± 0.2	4.0 ± 0.1	3.6 ± 0.2	3.39 ± 0.07	3.9 ± 0.2	4.1 ± 0.2	W Africa F	E Europe F
35	6.0 ± 0.3	4.07 ± 0.09	3.5 ± 0.1	3.77 ± 0.09	3.9 ± 0.1	6.1 ± 0.2	4.3 ± 0.2	4.2 ± 0.1	3.8 ± 0.2	3.64 ± 0.08	4.2 ± 0.2	4.5 ± 0.2	W Africa F	E Europe F
36	6.0 ± 0.3	4.14 ± 0.09	3.5 ± 0.1	3.98 ± 0.09	4.2 ± 0.1	6.3 ± 0.3	4.5 ± 0.2	4.3 ± 0.1	4.0 ± 0.2	3.85 ± 0.08	4.3 ± 0.2	4.4 ± 0.2	W Africa F	E Europe F
37	6.2 ± 0.3	4.26 ± 0.09	3.7 ± 0.1	4.28 ± 0.09	4.2 ± 0.1	6.6 ± 0.3	4.4 ± 0.2	4.5 ± 0.1	4.2 ± 0.2	4.14 ± 0.08	4.3 ± 0.2	4.7 ± 0.2	W Africa F	E Europe F
38	6.1 ± 0.3	4.48 ± 0.09	3.7 ± 0.1	4.41 ± 0.10	4.3 ± 0.1	6.8 ± 0.3	4.6 ± 0.2	4.7 ± 0.1	4.2 ± 0.2	4.40 ± 0.08	4.4 ± 0.2	4.8 ± 0.2	W Africa F	E Europe F
39	6.2 ± 0.3	4.53 ± 0.09	3.9 ± 0.1	4.6 ± 0.1	4.3 ± 0.1	6.5 ± 0.3	4.6 ± 0.2	4.8 ± 0.1	4.3 ± 0.2	4.46 ± 0.09	4.5 ± 0.2	5.1 ± 0.2	W Africa F	E Europe F
40	6.0 ± 0.3	4.70 ± 0.09	3.8 ± 0.1	4.7 ± 0.1	4.5 ± 0.2	6.8 ± 0.3	4.6 ± 0.2	4.9 ± 0.1	4.5 ± 0.2	4.72 ± 0.09	4.5 ± 0.2	5.2 ± 0.2	W Africa F	E Europe F
41	6.5 ± 0.4	4.69 ± 0.10	3.8 ± 0.1	5.0 ± 0.1	4.5 ± 0.2	6.9 ± 0.3	4.9 ± 0.2	4.9 ± 0.1	4.6 ± 0.2	4.75 ± 0.10	4.6 ± 0.2	5.4 ± 0.2	W Africa F	E Europe F
42	5.9 ± 0.4	4.73 ± 0.09	3.7 ± 0.2	4.8 ± 0.1	4.5 ± 0.2	6.8 ± 0.3	4.7 ± 0.3	5.0 ± 0.1	4.2 ± 0.2	4.8 ± 0.1	4.5 ± 0.2	5.2 ± 0.2	W Africa F	E Europe F
43	5.9 ± 0.4	4.86 ± 0.10	4.0 ± 0.2	5.1 ± 0.2	4.7 ± 0.2	6.8 ± 0.3	4.6 ± 0.3	4.8 ± 0.1	4.5 ± 0.2	4.9 ± 0.1	4.2 ± 0.2	5.5 ± 0.3	W Africa F	E Europe F
44	6.1 ± 0.4	5.0 ± 0.1	4.0 ± 0.2	5.0 ± 0.2	4.5 ± 0.2	6.9 ± 0.4	4.3 ± 0.3	4.7 ± 0.1	4.1 ± 0.2	4.8 ± 0.1	4.2 ± 0.2	5.2 ± 0.2	W Africa F	E Europe F
45	6.0 ± 0.4	4.9 ± 0.1	3.8 ± 0.2	5.1 ± 0.2	4.4 ± 0.2	7.0 ± 0.4	4.5 ± 0.3	4.7 ± 0.1	4.2 ± 0.2	4.8 ± 0.1	4.1 ± 0.2	5.3 ± 0.3	W Africa F	E Europe F
46	5.7 ± 0.4	5.1 ± 0.1	3.9 ± 0.2	4.9 ± 0.2	4.7 ± 0.2	6.5 ± 0.4	4.3 ± 0.3	4.5 ± 0.1	4.1 ± 0.2	4.5 ± 0.1	3.9 ± 0.2	5.6 ± 0.3	W Africa F	E Europe F
47	5.7 ± 0.5	5.0 ± 0.1	3.8 ± 0.2	4.8 ± 0.2	4.4 ± 0.2	6.5 ± 0.4	4.4 ± 0.3	4.4 ± 0.1	3.7 ± 0.2	4.7 ± 0.2	3.7 ± 0.2	5.3 ± 0.3	W Africa F	E Europe M
48	5.6 ± 0.5	5.0 ± 0.1	3.8 ± 0.2	5.0 ± 0.2	4.5 ± 0.2	6.6 ± 0.4	4.5 ± 0.3	4.3 ± 0.1	3.9 ± 0.3	4.6 ± 0.2	3.9 ± 0.2	5.5 ± 0.3	W Africa F	E Europe F
49	5.7 ± 0.5	5.1 ± 0.1	3.8 ± 0.2	4.9 ± 0.2	4.3 ± 0.2	6.9 ± 0.4	4.7 ± 0.4	4.3 ± 0.1	3.8 ± 0.2	4.5 ± 0.2	3.8 ± 0.2	5.4 ± 0.3	W Africa F	E Europe F
50	5.9 ± 0.6	5.1 ± 0.1	3.7 ± 0.2	4.8 ± 0.2	4.6 ± 0.2	6.7 ± 0.4	4.3 ± 0.3	4.2 ± 0.1	3.9 ± 0.2	4.6 ± 0.2	3.8 ± 0.2	5.3 ± 0.3	W Africa F	E Europe F
51	5.2 ± 0.4	5.3 ± 0.1	3.6 ± 0.2	4.9 ± 0.2	4.5 ± 0.2	6.7 ± 0.4	4.7 ± 0.4	4.2 ± 0.1	3.6 ± 0.2	4.6 ± 0.2	3.7 ± 0.2	5.7 ± 0.3	W Africa F	E Europe M
52	5.6 ± 0.5	5.2 ± 0.1	3.9 ± 0.2	5.1 ± 0.2	4.4 ± 0.2	7.0 ± 0.5	4.7 ± 0.4	4.1 ± 0.1	3.9 ± 0.2	4.6 ± 0.2	3.9 ± 0.2	5.8 ± 0.4	W Africa F	E Europe F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 115. *Mean absolute error for Application-type images for algorithm dermalog-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.8 ± 0.3	5.5 ± 0.2	5.2 ± 0.3	4.8 ± 0.2	5.4 ± 0.3	3.7 ± 0.3	3.1 ± 0.2	3.0 ± 0.1	2.6 ± 0.2	3.1 ± 0.1	3.1 ± 0.2	3.2 ± 0.3	E Asia F	E Europe M
15	3.6 ± 0.3	5.8 ± 0.2	5.9 ± 0.3	5.2 ± 0.2	6.0 ± 0.4	4.0 ± 0.4	3.0 ± 0.2	3.2 ± 0.1	2.7 ± 0.2	3.3 ± 0.1	3.3 ± 0.2	3.3 ± 0.3	S E Asia F	E Europe M
16	4.1 ± 0.3	5.9 ± 0.2	5.8 ± 0.3	5.3 ± 0.2	5.9 ± 0.3	4.0 ± 0.4	3.1 ± 0.2	3.3 ± 0.1	2.9 ± 0.3	3.3 ± 0.1	3.6 ± 0.2	3.3 ± 0.3	S E Asia F	E Europe M
17	4.3 ± 0.3	5.6 ± 0.1	5.7 ± 0.4	5.3 ± 0.2	5.8 ± 0.3	4.1 ± 0.3	2.9 ± 0.3	3.1 ± 0.1	3.0 ± 0.2	3.4 ± 0.2	3.4 ± 0.2	3.1 ± 0.3	S E Asia F	E Africa M
18	4.3 ± 0.2	5.3 ± 0.1	5.7 ± 0.3	4.9 ± 0.1	5.2 ± 0.2	3.9 ± 0.3	3.1 ± 0.2	2.95 ± 0.09	3.1 ± 0.2	3.5 ± 0.1	3.2 ± 0.2	3.1 ± 0.2	E Europe F	E Asia M
19	4.3 ± 0.2	4.8 ± 0.1	5.2 ± 0.3	4.7 ± 0.1	4.9 ± 0.2	3.8 ± 0.3	3.1 ± 0.2	2.9 ± 0.1	3.0 ± 0.2	3.5 ± 0.1	3.0 ± 0.2	3.1 ± 0.3	E Europe F	E Asia M
20	4.5 ± 0.2	4.6 ± 0.1	4.9 ± 0.2	4.3 ± 0.2	4.7 ± 0.2	3.8 ± 0.3	3.3 ± 0.3	2.7 ± 0.1	3.0 ± 0.2	3.4 ± 0.1	3.0 ± 0.2	2.9 ± 0.3	E Europe F	E Asia M
21	4.4 ± 0.2	4.1 ± 0.1	4.5 ± 0.2	4.1 ± 0.1	4.1 ± 0.1	3.8 ± 0.2	3.1 ± 0.2	2.51 ± 0.09	3.1 ± 0.2	3.3 ± 0.1	2.8 ± 0.2	3.1 ± 0.3	E Europe F	E Asia M
22	4.5 ± 0.2	3.57 ± 0.10	4.1 ± 0.2	3.7 ± 0.1	3.7 ± 0.1	3.7 ± 0.2	3.5 ± 0.2	2.50 ± 0.09	3.2 ± 0.2	3.0 ± 0.1	2.5 ± 0.1	3.0 ± 0.2	E Africa F	E Asia M
23	4.8 ± 0.2	3.22 ± 0.09	4.1 ± 0.2	3.6 ± 0.1	3.4 ± 0.1	3.7 ± 0.2	3.4 ± 0.2	2.64 ± 0.09	3.0 ± 0.2	3.2 ± 0.1	2.6 ± 0.1	3.2 ± 0.2	E Africa F	S E Asia M
24	4.6 ± 0.2	2.98 ± 0.08	3.8 ± 0.1	3.41 ± 0.09	3.05 ± 0.10	3.8 ± 0.2	3.5 ± 0.2	2.72 ± 0.09	3.0 ± 0.2	3.2 ± 0.1	2.7 ± 0.1	3.2 ± 0.2	E Africa F	S E Asia M
25	5.0 ± 0.2	2.72 ± 0.07	3.7 ± 0.1	3.34 ± 0.09	2.92 ± 0.10	4.2 ± 0.2	3.7 ± 0.2	2.82 ± 0.09	3.0 ± 0.1	3.15 ± 0.09	2.9 ± 0.1	3.4 ± 0.2	E Africa F	E Asia F
26	5.1 ± 0.2	2.67 ± 0.07	3.6 ± 0.1	3.38 ± 0.08	2.89 ± 0.09	4.2 ± 0.2	3.7 ± 0.2	2.89 ± 0.09	3.0 ± 0.1	3.24 ± 0.08	3.0 ± 0.1	3.4 ± 0.2	E Africa F	E Asia F
27	5.3 ± 0.2	2.58 ± 0.06	3.5 ± 0.1	3.46 ± 0.08	2.83 ± 0.09	4.5 ± 0.2	3.7 ± 0.2	3.09 ± 0.09	3.2 ± 0.1	3.29 ± 0.08	3.2 ± 0.1	3.6 ± 0.1	E Africa F	E Asia F
28	5.5 ± 0.2	2.72 ± 0.06	3.5 ± 0.1	3.68 ± 0.08	2.95 ± 0.09	4.8 ± 0.2	3.8 ± 0.1	3.38 ± 0.10	3.2 ± 0.1	3.39 ± 0.08	3.3 ± 0.1	3.9 ± 0.1	E Africa F	E Asia F
29	5.7 ± 0.2	2.84 ± 0.06	3.5 ± 0.1	3.91 ± 0.08	3.16 ± 0.09	4.9 ± 0.2	4.0 ± 0.2	3.39 ± 0.09	3.3 ± 0.1	3.51 ± 0.07	3.5 ± 0.1	4.2 ± 0.1	E Africa F	E Asia F
30	5.9 ± 0.2	3.04 ± 0.06	3.7 ± 0.1	4.13 ± 0.08	3.24 ± 0.09	5.8 ± 0.2	4.3 ± 0.2	3.60 ± 0.09	3.2 ± 0.1	3.75 ± 0.07	3.6 ± 0.2	4.3 ± 0.1	E Africa F	E Asia F
31	6.2 ± 0.2	3.29 ± 0.06	3.8 ± 0.1	4.40 ± 0.08	3.52 ± 0.10	6.0 ± 0.2	4.2 ± 0.2	3.74 ± 0.09	3.4 ± 0.1	3.95 ± 0.07	3.9 ± 0.2	4.6 ± 0.1	E Africa F	E Asia F
32	6.5 ± 0.3	3.46 ± 0.06	3.8 ± 0.1	4.67 ± 0.09	3.7 ± 0.1	6.2 ± 0.2	4.6 ± 0.2	4.0 ± 0.1	3.4 ± 0.1	4.17 ± 0.08	3.9 ± 0.2	4.8 ± 0.2	E Africa F	E Europe M
33	6.8 ± 0.3	3.67 ± 0.07	3.8 ± 0.1	4.96 ± 0.10	3.9 ± 0.1	6.5 ± 0.2	4.8 ± 0.2	4.1 ± 0.1	3.5 ± 0.1	4.47 ± 0.08	4.0 ± 0.2	4.9 ± 0.2	E Africa F	E Europe M
34	7.0 ± 0.3	3.82 ± 0.07	3.8 ± 0.1	5.2 ± 0.1	4.0 ± 0.1	6.7 ± 0.2	5.0 ± 0.2	4.3 ± 0.1	3.4 ± 0.1	4.67 ± 0.09	4.1 ± 0.2	5.1 ± 0.2	E Africa F	E Europe M
35	7.1 ± 0.3	4.12 ± 0.08	3.9 ± 0.1	5.5 ± 0.1	4.2 ± 0.1	7.1 ± 0.3	5.1 ± 0.2	4.4 ± 0.1	3.6 ± 0.2	4.96 ± 0.10	4.5 ± 0.2	5.5 ± 0.2	E Africa F	E Europe M
36	7.6 ± 0.3	4.25 ± 0.08	3.9 ± 0.1	5.8 ± 0.1	4.4 ± 0.1	7.4 ± 0.3	5.4 ± 0.2	4.6 ± 0.1	3.5 ± 0.2	5.2 ± 0.1	4.6 ± 0.2	5.7 ± 0.2	E Africa F	E Europe M
37	7.8 ± 0.3	4.46 ± 0.08	4.1 ± 0.1	6.0 ± 0.1	4.5 ± 0.1	7.7 ± 0.3	5.4 ± 0.2	4.7 ± 0.1	3.7 ± 0.2	5.6 ± 0.1	4.6 ± 0.2	5.7 ± 0.2	E Africa F	E Europe M
38	7.4 ± 0.4	4.68 ± 0.09	4.0 ± 0.2	6.3 ± 0.1	4.6 ± 0.2	7.9 ± 0.3	5.5 ± 0.3	4.9 ± 0.1	3.5 ± 0.2	5.7 ± 0.1	4.6 ± 0.2	6.0 ± 0.2	W Africa F	E Europe M
39	7.8 ± 0.4	4.77 ± 0.09	4.1 ± 0.2	6.5 ± 0.1	4.8 ± 0.2	8.1 ± 0.3	5.5 ± 0.3	5.0 ± 0.1	3.7 ± 0.2	5.8 ± 0.1	4.8 ± 0.2	6.4 ± 0.2	W Africa F	E Europe M
40	8.1 ± 0.4	4.89 ± 0.09	4.1 ± 0.2	6.6 ± 0.2	5.0 ± 0.2	8.5 ± 0.3	5.7 ± 0.3	5.1 ± 0.1	3.9 ± 0.2	6.1 ± 0.1	4.9 ± 0.2	6.6 ± 0.3	W Africa F	E Europe M
41	8.4 ± 0.4	5.00 ± 0.10	4.2 ± 0.2	6.8 ± 0.2	5.1 ± 0.2	8.8 ± 0.4	6.1 ± 0.3	5.1 ± 0.1	4.1 ± 0.2	6.3 ± 0.1	5.2 ± 0.2	6.9 ± 0.3	W Africa F	E Europe M
42	7.8 ± 0.4	5.08 ± 0.10	4.3 ± 0.2	6.8 ± 0.2	5.0 ± 0.2	8.5 ± 0.4	6.0 ± 0.3	5.3 ± 0.1	3.9 ± 0.2	6.4 ± 0.1	5.0 ± 0.2	7.0 ± 0.3	W Africa F	E Europe M
43	8.2 ± 0.5	5.2 ± 0.1	4.4 ± 0.2	6.9 ± 0.2	5.2 ± 0.2	8.8 ± 0.4	6.0 ± 0.3	5.2 ± 0.1	4.1 ± 0.2	6.4 ± 0.2	5.1 ± 0.2	7.4 ± 0.3	W Africa F	E Europe M
44	8.4 ± 0.5	5.3 ± 0.1	4.3 ± 0.2	6.8 ± 0.2	5.1 ± 0.2	9.1 ± 0.4	6.4 ± 0.4	5.3 ± 0.1	4.0 ± 0.2	6.6 ± 0.2	5.1 ± 0.2	7.3 ± 0.3	W Africa F	E Europe M
45	8.4 ± 0.5	5.2 ± 0.1	4.2 ± 0.2	6.9 ± 0.2	5.1 ± 0.2	9.0 ± 0.4	6.2 ± 0.4	5.5 ± 0.1	4.1 ± 0.2	6.5 ± 0.2	5.2 ± 0.3	7.6 ± 0.3	W Africa F	E Europe M
46	7.8 ± 0.5	5.3 ± 0.1	4.3 ± 0.2	6.7 ± 0.2	5.3 ± 0.2	9.2 ± 0.5	6.1 ± 0.4	5.4 ± 0.1	4.3 ± 0.2	6.3 ± 0.2	5.0 ± 0.2	7.9 ± 0.3	W Africa F	E Europe M
47	8.0 ± 0.6	5.2 ± 0.1	4.4 ± 0.2	6.6 ± 0.2	5.0 ± 0.2	8.9 ± 0.5	6.2 ± 0.4	5.2 ± 0.1	4.3 ± 0.2	6.4 ± 0.2	5.0 ± 0.2	7.8 ± 0.4	W Africa F	E Europe M
48	8.1 ± 0.6	5.1 ± 0.1	4.2 ± 0.2	6.7 ± 0.3	5.2 ± 0.2	8.8 ± 0.5	6.8 ± 0.5	5.4 ± 0.1	4.2 ± 0.2	6.5 ± 0.2	5.0 ± 0.2	8.0 ± 0.4	W Africa F	E Europe F
49	8.1 ± 0.7	5.3 ± 0.1	4.3 ± 0.2	6.4 ± 0.2	5.0 ± 0.2	9.2 ± 0.5	6.6 ± 0.5	5.3 ± 0.1	4.6 ± 0.3	6.5 ± 0.2	4.9 ± 0.3	8.1 ± 0.4	W Africa F	E Europe F
50	7.6 ± 0.7	5.1 ± 0.1	4.3 ± 0.2	6.3 ± 0.2	4.9 ± 0.2	8.5 ± 0.5	7.2 ± 0.5	5.3 ± 0.1	4.6 ± 0.2	6.8 ± 0.2	4.8 ± 0.3	8.1 ± 0.4	W Africa F	E Europe F
51	7.6 ± 0.6	5.2 ± 0.1	4.2 ± 0.2	6.4 ± 0.2	5.0 ± 0.2	9.2 ± 0.6	7.2 ± 0.5	5.2 ± 0.2	4.3 ± 0.2	6.9 ± 0.2	4.8 ± 0.3	7.9 ± 0.4	W Africa F	E Europe F
52	7.8 ± 0.7	5.1 ± 0.1	4.2 ± 0.2	6.5 ± 0.2	4.6 ± 0.2	9.4 ± 0.6	6.9 ± 0.5	5.2 ± 0.2	4.5 ± 0.3	6.8 ± 0.3	5.0 ± 0.3	8.6 ± 0.5	W Africa F	E Europe F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 116. *Mean absolute error for Application-type images for algorithm dermalog-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.3 ± 0.2	2.7 ± 0.1	2.8 ± 0.2	2.9 ± 0.1	2.9 ± 0.2	3.6 ± 0.3	2.4 ± 0.2	1.54 ± 0.08	1.5 ± 0.1	1.76 ± 0.08	1.6 ± 0.1	2.5 ± 0.2	W Africa F	E Asia M
15	3.4 ± 0.2	3.0 ± 0.1	3.1 ± 0.2	3.2 ± 0.2	3.2 ± 0.3	3.4 ± 0.3	2.2 ± 0.2	1.76 ± 0.08	1.5 ± 0.1	1.77 ± 0.10	1.7 ± 0.1	2.5 ± 0.2	W Africa F	E Europe M
16	3.2 ± 0.2	3.1 ± 0.1	3.3 ± 0.2	3.2 ± 0.2	3.6 ± 0.2	3.5 ± 0.3	2.2 ± 0.2	1.93 ± 0.07	1.8 ± 0.2	2.0 ± 0.1	2.0 ± 0.1	2.4 ± 0.2	S E Asia F	E Europe M
17	3.2 ± 0.3	2.9 ± 0.1	3.0 ± 0.2	3.0 ± 0.1	3.3 ± 0.2	3.1 ± 0.2	2.1 ± 0.2	2.02 ± 0.08	1.6 ± 0.1	2.0 ± 0.1	2.1 ± 0.2	2.5 ± 0.3	S E Asia F	E Europe M
18	2.9 ± 0.2	2.76 ± 0.08	2.9 ± 0.2	2.86 ± 0.10	3.0 ± 0.1	2.9 ± 0.2	2.2 ± 0.2	1.97 ± 0.06	1.8 ± 0.1	2.20 ± 0.09	2.1 ± 0.2	2.3 ± 0.2	S E Asia F	E Europe M
19	2.6 ± 0.2	2.33 ± 0.09	2.5 ± 0.2	2.6 ± 0.1	2.5 ± 0.1	2.6 ± 0.2	2.3 ± 0.2	1.87 ± 0.07	1.8 ± 0.1	2.14 ± 0.09	2.0 ± 0.1	2.2 ± 0.2	E Africa F	E Europe M
20	2.8 ± 0.2	2.28 ± 0.09	2.3 ± 0.1	2.5 ± 0.1	2.4 ± 0.1	2.5 ± 0.2	2.5 ± 0.2	1.71 ± 0.07	1.8 ± 0.1	2.16 ± 0.09	1.8 ± 0.1	2.3 ± 0.2	E Africa F	E Asia M
21	2.7 ± 0.2	2.19 ± 0.07	2.3 ± 0.1	2.31 ± 0.08	2.27 ± 0.09	2.7 ± 0.2	2.7 ± 0.2	1.70 ± 0.05	2.0 ± 0.1	2.14 ± 0.08	1.9 ± 0.1	2.6 ± 0.2	W Africa F	E Asia M
22	2.8 ± 0.2	1.97 ± 0.06	2.3 ± 0.1	2.19 ± 0.07	2.03 ± 0.09	2.7 ± 0.2	3.1 ± 0.2	1.74 ± 0.06	1.8 ± 0.1	2.05 ± 0.09	1.72 ± 0.09	2.7 ± 0.2	E Africa M	S E Asia M
23	2.9 ± 0.2	1.67 ± 0.07	2.1 ± 0.1	2.09 ± 0.08	1.81 ± 0.10	2.7 ± 0.2	3.0 ± 0.2	1.67 ± 0.07	1.7 ± 0.1	1.9 ± 0.1	1.7 ± 0.1	2.4 ± 0.2	E Africa M	E Asia M
24	3.2 ± 0.2	1.88 ± 0.07	2.3 ± 0.1	2.32 ± 0.08	1.88 ± 0.08	2.9 ± 0.2	3.1 ± 0.2	1.93 ± 0.08	2.0 ± 0.1	2.18 ± 0.09	1.9 ± 0.1	2.6 ± 0.2	E Africa F	E Asia F
25	3.7 ± 0.2	2.52 ± 0.06	2.97 ± 0.09	2.94 ± 0.06	2.57 ± 0.08	3.5 ± 0.2	3.9 ± 0.2	2.56 ± 0.07	2.5 ± 0.1	2.75 ± 0.08	2.57 ± 0.10	3.4 ± 0.2	E Africa M	E Asia F
26	4.2 ± 0.1	3.14 ± 0.05	3.48 ± 0.08	3.47 ± 0.06	3.16 ± 0.07	3.9 ± 0.1	4.2 ± 0.2	2.96 ± 0.06	3.19 ± 0.10	3.23 ± 0.07	3.11 ± 0.10	3.8 ± 0.1	E Africa M	E Asia M
27	4.6 ± 0.1	3.58 ± 0.05	3.87 ± 0.08	3.92 ± 0.05	3.63 ± 0.07	4.4 ± 0.1	4.5 ± 0.1	3.39 ± 0.07	3.49 ± 0.10	3.57 ± 0.06	3.4 ± 0.1	4.3 ± 0.1	E Africa F	E Asia M
28	5.1 ± 0.2	3.96 ± 0.05	4.11 ± 0.08	4.35 ± 0.06	3.93 ± 0.07	4.8 ± 0.1	4.6 ± 0.1	3.61 ± 0.08	3.6 ± 0.1	3.80 ± 0.06	3.6 ± 0.1	4.7 ± 0.1	E Africa F	S E Asia M
29	5.3 ± 0.2	4.17 ± 0.06	4.30 ± 0.09	4.67 ± 0.06	4.25 ± 0.09	5.1 ± 0.1	4.8 ± 0.1	3.66 ± 0.08	3.8 ± 0.1	3.98 ± 0.07	3.8 ± 0.1	4.9 ± 0.1	E Africa F	E Asia M
30	5.5 ± 0.2	4.41 ± 0.06	4.5 ± 0.1	5.01 ± 0.07	4.3 ± 0.1	5.6 ± 0.2	4.9 ± 0.2	3.72 ± 0.09	3.7 ± 0.1	4.08 ± 0.07	3.7 ± 0.1	4.9 ± 0.1	W Africa F	E Europe M
31	5.7 ± 0.2	4.51 ± 0.08	4.6 ± 0.1	5.27 ± 0.08	4.7 ± 0.1	5.7 ± 0.2	4.8 ± 0.2	3.74 ± 0.10	3.6 ± 0.1	4.22 ± 0.07	3.9 ± 0.2	4.8 ± 0.1	W Africa F	E Europe M
32	5.9 ± 0.2	4.49 ± 0.08	4.6 ± 0.1	5.53 ± 0.09	4.6 ± 0.1	6.0 ± 0.2	4.5 ± 0.2	3.72 ± 0.10	3.5 ± 0.1	4.28 ± 0.08	3.8 ± 0.2	4.9 ± 0.2	W Africa F	E Europe M
33	6.2 ± 0.2	4.60 ± 0.09	4.5 ± 0.1	5.66 ± 0.10	4.7 ± 0.1	6.3 ± 0.2	4.7 ± 0.2	3.8 ± 0.1	3.3 ± 0.1	4.32 ± 0.08	3.8 ± 0.2	4.7 ± 0.2	W Africa F	E Europe M
34	6.2 ± 0.2	4.63 ± 0.09	4.6 ± 0.2	5.8 ± 0.1	4.7 ± 0.1	6.1 ± 0.2	4.5 ± 0.2	3.9 ± 0.1	3.3 ± 0.1	4.40 ± 0.09	3.9 ± 0.2	4.6 ± 0.2	E Africa F	E Europe M
35	6.1 ± 0.3	4.66 ± 0.10	4.4 ± 0.2	5.9 ± 0.1	4.7 ± 0.2	6.5 ± 0.2	4.4 ± 0.2	3.9 ± 0.1	3.5 ± 0.2	4.57 ± 0.10	4.1 ± 0.2	4.6 ± 0.2	W Africa F	E Europe M
36	6.5 ± 0.3	4.61 ± 0.10	4.3 ± 0.2	6.1 ± 0.1	4.8 ± 0.2	6.5 ± 0.3	4.6 ± 0.2	4.0 ± 0.1	3.4 ± 0.2	4.61 ± 0.10	4.1 ± 0.2	4.6 ± 0.2	W Africa F	E Europe M
37	6.6 ± 0.3	4.67 ± 0.10	4.4 ± 0.2	6.2 ± 0.1	4.8 ± 0.2	6.8 ± 0.3	4.2 ± 0.2	4.2 ± 0.1	3.5 ± 0.2	4.8 ± 0.1	4.1 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
38	6.2 ± 0.3	4.7 ± 0.1	4.2 ± 0.2	6.2 ± 0.1	4.8 ± 0.2	6.9 ± 0.3	4.3 ± 0.2	4.3 ± 0.1	3.4 ± 0.2	4.9 ± 0.1	4.1 ± 0.2	4.5 ± 0.2	W Africa F	E Europe M
39	6.2 ± 0.3	4.74 ± 0.10	4.3 ± 0.2	6.3 ± 0.1	4.8 ± 0.2	6.8 ± 0.3	4.1 ± 0.2	4.4 ± 0.1	3.6 ± 0.2	4.9 ± 0.1	4.3 ± 0.2	4.6 ± 0.2	W Africa F	E Europe M
40	6.4 ± 0.4	4.76 ± 0.10	4.2 ± 0.2	6.2 ± 0.2	5.0 ± 0.2	7.3 ± 0.3	4.3 ± 0.2	4.4 ± 0.1	3.9 ± 0.2	5.0 ± 0.1	4.4 ± 0.2	4.6 ± 0.2	W Africa F	E Europe M
41	7.0 ± 0.4	4.8 ± 0.1	4.2 ± 0.2	6.4 ± 0.2	4.9 ± 0.2	7.4 ± 0.3	4.5 ± 0.3	4.5 ± 0.1	3.9 ± 0.2	5.0 ± 0.1	4.7 ± 0.2	4.9 ± 0.2	W Africa F	E Europe M
42	6.2 ± 0.4	4.81 ± 0.10	4.3 ± 0.2	6.0 ± 0.2	4.9 ± 0.2	7.4 ± 0.4	4.4 ± 0.2	4.6 ± 0.1	3.8 ± 0.2	5.2 ± 0.1	4.5 ± 0.2	4.8 ± 0.2	W Africa F	E Europe M
43	6.3 ± 0.4	4.9 ± 0.1	4.4 ± 0.2	6.3 ± 0.2	5.0 ± 0.2	7.3 ± 0.4	4.3 ± 0.2	4.6 ± 0.1	4.1 ± 0.2	5.1 ± 0.1	4.4 ± 0.2	5.5 ± 0.3	W Africa F	E Europe M
44	6.6 ± 0.4	5.0 ± 0.1	4.3 ± 0.2	6.1 ± 0.2	4.8 ± 0.2	7.6 ± 0.4	4.5 ± 0.3	4.6 ± 0.1	3.8 ± 0.2	5.3 ± 0.1	4.4 ± 0.2	5.2 ± 0.2	W Africa F	E Europe M
45	6.4 ± 0.4	4.9 ± 0.1	4.3 ± 0.2	6.1 ± 0.2	4.8 ± 0.2	7.5 ± 0.4	4.5 ± 0.3	4.7 ± 0.1	4.0 ± 0.2	5.1 ± 0.1	4.6 ± 0.2	5.4 ± 0.3	W Africa F	E Europe M
46	6.0 ± 0.4	5.0 ± 0.1	4.2 ± 0.2	5.8 ± 0.2	5.1 ± 0.2	7.2 ± 0.4	4.6 ± 0.3	4.7 ± 0.1	4.1 ± 0.2	4.8 ± 0.1	4.5 ± 0.2	5.7 ± 0.3	W Africa F	E Europe M
47	6.2 ± 0.4	4.8 ± 0.1	4.2 ± 0.2	5.8 ± 0.2	4.7 ± 0.2	7.5 ± 0.4	4.7 ± 0.3	4.6 ± 0.1	4.1 ± 0.2	5.0 ± 0.2	4.5 ± 0.2	5.6 ± 0.3	W Africa F	E Europe M
48	6.2 ± 0.5	4.8 ± 0.1	4.0 ± 0.2	5.7 ± 0.2	4.9 ± 0.2	7.4 ± 0.4	4.9 ± 0.3	4.6 ± 0.1	4.1 ± 0.2	5.0 ± 0.2	4.5 ± 0.2	6.1 ± 0.3	W Africa F	E Europe F
49	6.2 ± 0.5	4.9 ± 0.1	4.2 ± 0.2	5.5 ± 0.2	4.7 ± 0.2	8.0 ± 0.5	4.9 ± 0.4	4.5 ± 0.1	4.2 ± 0.2	4.9 ± 0.2	4.3 ± 0.2	5.8 ± 0.3	W Africa F	E Europe M
50	6.3 ± 0.6	4.8 ± 0.1	3.9 ± 0.2	5.4 ± 0.2	4.6 ± 0.2	7.2 ± 0.4	4.9 ± 0.4	4.5 ± 0.1	4.1 ± 0.2	5.0 ± 0.2	4.4 ± 0.2	6.0 ± 0.3	W Africa F	E Europe F
51	5.8 ± 0.5	4.8 ± 0.1	3.9 ± 0.2	5.5 ± 0.2	4.7 ± 0.2	7.6 ± 0.5	5.3 ± 0.4	4.5 ± 0.1	3.8 ± 0.2	5.0 ± 0.2	4.1 ± 0.2	6.3 ± 0.3	W Africa F	E Europe M
52	5.9 ± 0.5	4.8 ± 0.1	3.9 ± 0.2	5.5 ± 0.2	4.3 ± 0.2	7.9 ± 0.5	5.1 ± 0.4	4.4 ± 0.1	4.0 ± 0.2	4.9 ± 0.2	4.3 ± 0.2	6.6 ± 0.4	W Africa F	E Europe F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 117. *Mean absolute error for Application-type images for algorithm facehawk-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	7.0 ± 0.5	5.8 ± 0.2	9.7 ± 0.6	9.9 ± 0.3	7.1 ± 0.4	7.3 ± 0.7	7.3 ± 0.5	5.2 ± 0.2	7.5 ± 0.5	7.8 ± 0.3	5.3 ± 0.3	7.2 ± 0.7	S Asia F	E Asia M
15	8.0 ± 0.6	5.6 ± 0.2	9.7 ± 0.6	9.9 ± 0.3	6.4 ± 0.5	6.6 ± 0.7	7.6 ± 0.6	4.6 ± 0.2	7.7 ± 0.5	7.4 ± 0.3	5.7 ± 0.4	6.9 ± 0.7	S Asia F	E Asia M
16	7.7 ± 0.5	5.4 ± 0.3	9.9 ± 0.6	9.3 ± 0.3	6.4 ± 0.5	7.3 ± 0.7	7.6 ± 0.6	4.1 ± 0.2	8.7 ± 0.6	7.1 ± 0.3	4.4 ± 0.5	6.8 ± 0.8	E Europe F	E Asia M
17	7.9 ± 0.6	5.0 ± 0.3	10.1 ± 0.6	8.5 ± 0.3	5.9 ± 0.5	6.7 ± 0.6	7.3 ± 0.6	3.8 ± 0.2	8.2 ± 0.5	7.2 ± 0.3	4.6 ± 0.5	7.1 ± 0.6	E Europe F	E Asia M
18	7.5 ± 0.4	5.4 ± 0.2	9.1 ± 0.4	8.2 ± 0.2	5.8 ± 0.3	6.7 ± 0.4	7.4 ± 0.4	4.3 ± 0.2	8.1 ± 0.3	6.9 ± 0.2	4.4 ± 0.3	7.1 ± 0.5	E Europe F	E Asia M
19	7.1 ± 0.4	5.7 ± 0.2	9.2 ± 0.4	7.8 ± 0.2	5.9 ± 0.3	7.2 ± 0.4	7.3 ± 0.4	4.9 ± 0.2	8.0 ± 0.3	7.0 ± 0.2	4.7 ± 0.3	6.7 ± 0.4	E Europe F	S E Asia M
20	7.8 ± 0.3	6.1 ± 0.2	8.7 ± 0.3	7.3 ± 0.1	6.3 ± 0.2	7.0 ± 0.4	7.1 ± 0.3	5.5 ± 0.2	8.0 ± 0.3	6.6 ± 0.1	5.2 ± 0.2	7.1 ± 0.4	E Europe F	S E Asia M
21	7.7 ± 0.3	6.2 ± 0.2	8.5 ± 0.3	6.9 ± 0.1	6.2 ± 0.2	7.5 ± 0.4	7.1 ± 0.3	6.0 ± 0.2	7.9 ± 0.3	6.3 ± 0.1	5.5 ± 0.2	6.6 ± 0.3	E Europe F	S E Asia M
22	7.9 ± 0.3	6.7 ± 0.2	8.3 ± 0.3	6.5 ± 0.1	6.3 ± 0.2	7.7 ± 0.4	6.6 ± 0.3	6.4 ± 0.2	7.7 ± 0.3	5.9 ± 0.1	5.7 ± 0.2	6.7 ± 0.3	E Europe F	S E Asia M
23	7.7 ± 0.3	6.8 ± 0.2	7.6 ± 0.2	6.0 ± 0.1	6.2 ± 0.2	7.6 ± 0.3	6.4 ± 0.3	6.9 ± 0.2	7.3 ± 0.3	5.27 ± 0.09	6.1 ± 0.2	6.5 ± 0.3	E Africa F	S Asia M
24	7.8 ± 0.3	7.1 ± 0.1	7.1 ± 0.2	5.6 ± 0.1	6.5 ± 0.2	7.8 ± 0.3	5.9 ± 0.2	7.4 ± 0.2	6.6 ± 0.3	4.9 ± 0.1	6.2 ± 0.2	6.1 ± 0.3	E Africa F	S Asia M
25	8.1 ± 0.3	7.2 ± 0.1	6.6 ± 0.2	5.2 ± 0.1	6.5 ± 0.2	8.0 ± 0.3	5.7 ± 0.3	7.8 ± 0.2	6.2 ± 0.3	4.3 ± 0.1	6.4 ± 0.2	6.2 ± 0.3	E Africa F	S Asia M
26	7.8 ± 0.3	7.5 ± 0.2	6.2 ± 0.2	4.6 ± 0.1	6.6 ± 0.2	8.1 ± 0.3	5.2 ± 0.3	7.9 ± 0.2	6.2 ± 0.3	3.5 ± 0.1	6.9 ± 0.3	5.4 ± 0.3	W Africa F	S Asia M
27	8.1 ± 0.3	7.6 ± 0.2	5.6 ± 0.2	4.3 ± 0.1	6.7 ± 0.2	8.2 ± 0.3	4.3 ± 0.3	8.2 ± 0.2	5.7 ± 0.3	3.1 ± 0.1	6.7 ± 0.3	4.9 ± 0.3	E Asia M	S Asia M
28	8.3 ± 0.4	8.0 ± 0.2	5.6 ± 0.2	3.9 ± 0.1	7.1 ± 0.2	8.6 ± 0.4	4.0 ± 0.3	8.5 ± 0.2	5.2 ± 0.4	2.8 ± 0.1	7.0 ± 0.3	4.7 ± 0.3	W Africa F	S Asia M
29	8.9 ± 0.4	8.8 ± 0.2	5.6 ± 0.2	4.7 ± 0.1	7.8 ± 0.2	8.8 ± 0.4	4.7 ± 0.3	9.1 ± 0.2	6.0 ± 0.4	3.5 ± 0.1	7.5 ± 0.3	5.5 ± 0.3	E Asia M	S Asia M
30	9.2 ± 0.4	9.7 ± 0.2	6.5 ± 0.2	5.4 ± 0.1	8.8 ± 0.2	9.6 ± 0.4	5.4 ± 0.3	9.8 ± 0.2	6.5 ± 0.4	4.3 ± 0.1	8.5 ± 0.3	6.1 ± 0.3	E Asia M	S Asia M
31	9.7 ± 0.4	10.5 ± 0.2	7.0 ± 0.2	6.3 ± 0.1	9.8 ± 0.2	10.8 ± 0.4	5.9 ± 0.3	10.6 ± 0.2	6.9 ± 0.3	5.2 ± 0.1	9.4 ± 0.4	6.5 ± 0.3	W Africa F	S Asia M
32	10.4 ± 0.4	11.3 ± 0.2	7.5 ± 0.2	7.0 ± 0.1	10.4 ± 0.3	11.3 ± 0.4	6.4 ± 0.3	11.4 ± 0.2	7.4 ± 0.3	6.0 ± 0.1	10.0 ± 0.4	7.2 ± 0.3	E Asia M	S Asia M
33	10.7 ± 0.4	12.3 ± 0.2	8.0 ± 0.3	7.7 ± 0.1	11.4 ± 0.3	11.9 ± 0.4	7.3 ± 0.3	12.0 ± 0.2	8.2 ± 0.4	6.7 ± 0.1	10.4 ± 0.4	7.6 ± 0.3	E Asia F	S Asia M
34	11.7 ± 0.4	13.3 ± 0.2	8.2 ± 0.3	8.4 ± 0.2	12.3 ± 0.3	12.8 ± 0.4	7.5 ± 0.3	12.7 ± 0.2	8.6 ± 0.4	7.5 ± 0.1	11.6 ± 0.4	8.2 ± 0.3	E Asia F	E Africa M
35	11.7 ± 0.4	13.9 ± 0.2	9.2 ± 0.3	9.0 ± 0.2	13.2 ± 0.3	13.0 ± 0.4	8.1 ± 0.3	13.3 ± 0.3	9.2 ± 0.4	8.2 ± 0.1	11.9 ± 0.4	9.2 ± 0.3	E Asia F	E Africa M
36	12.7 ± 0.5	14.7 ± 0.2	9.4 ± 0.3	9.7 ± 0.2	13.8 ± 0.3	13.0 ± 0.4	8.7 ± 0.3	13.9 ± 0.3	9.2 ± 0.4	8.9 ± 0.1	12.7 ± 0.5	9.5 ± 0.3	E Asia F	E Africa M
37	13.0 ± 0.5	15.6 ± 0.2	9.7 ± 0.4	10.2 ± 0.2	15.0 ± 0.3	14.5 ± 0.5	8.8 ± 0.4	14.5 ± 0.3	9.9 ± 0.4	9.4 ± 0.1	13.5 ± 0.5	10.0 ± 0.3	E Asia F	E Africa M
38	13.4 ± 0.6	16.6 ± 0.2	10.1 ± 0.4	11.1 ± 0.2	15.7 ± 0.3	14.7 ± 0.5	9.1 ± 0.4	15.1 ± 0.3	10.1 ± 0.5	9.8 ± 0.2	14.2 ± 0.5	11.0 ± 0.4	E Asia F	E Africa M
39	13.6 ± 0.7	17.3 ± 0.2	10.6 ± 0.5	11.6 ± 0.2	16.6 ± 0.4	15.4 ± 0.6	9.6 ± 0.4	16.0 ± 0.3	10.2 ± 0.5	10.3 ± 0.2	14.5 ± 0.5	11.5 ± 0.4	E Asia F	E Africa M
40	14.7 ± 0.7	18.4 ± 0.2	10.9 ± 0.5	12.2 ± 0.3	17.6 ± 0.4	15.5 ± 0.6	9.8 ± 0.5	16.3 ± 0.3	10.6 ± 0.6	10.8 ± 0.2	15.0 ± 0.6	11.5 ± 0.4	E Asia F	E Africa M
41	15.2 ± 0.8	19.2 ± 0.3	12.1 ± 0.5	13.4 ± 0.3	18.7 ± 0.4	16.8 ± 0.6	10.4 ± 0.5	16.9 ± 0.3	11.7 ± 0.6	11.6 ± 0.2	16.1 ± 0.6	12.2 ± 0.5	E Asia F	E Africa M
42	14.9 ± 0.8	20.1 ± 0.3	12.6 ± 0.6	14.0 ± 0.3	19.6 ± 0.4	17.3 ± 0.6	11.2 ± 0.6	17.7 ± 0.3	12.3 ± 0.6	12.3 ± 0.2	16.3 ± 0.6	13.8 ± 0.5	E Asia F	E Africa M
43	16.9 ± 0.8	21.2 ± 0.3	14.6 ± 0.6	14.6 ± 0.3	20.1 ± 0.4	17.6 ± 0.6	11.8 ± 0.6	18.0 ± 0.3	12.8 ± 0.7	12.7 ± 0.3	17.1 ± 0.6	14.0 ± 0.5	E Asia F	E Africa M
44	16.3 ± 0.8	22.0 ± 0.3	15.0 ± 0.6	15.6 ± 0.4	20.9 ± 0.4	18.7 ± 0.7	11.9 ± 0.6	18.6 ± 0.4	13.5 ± 0.6	13.7 ± 0.3	18.1 ± 0.6	14.5 ± 0.5	E Asia F	E Africa M
45	17.3 ± 0.8	23.0 ± 0.3	15.7 ± 0.7	16.5 ± 0.4	21.7 ± 0.5	19.6 ± 0.7	12.9 ± 0.6	19.3 ± 0.4	13.9 ± 0.7	14.5 ± 0.3	18.2 ± 0.6	15.3 ± 0.5	E Asia F	E Africa M
46	17.5 ± 0.9	23.7 ± 0.3	17.0 ± 0.7	17.4 ± 0.4	22.7 ± 0.5	19.8 ± 0.7	14.0 ± 0.7	20.0 ± 0.4	14.5 ± 0.7	15.0 ± 0.3	18.6 ± 0.7	16.3 ± 0.6	E Asia F	E Africa M
47	18.2 ± 1.0	24.6 ± 0.3	18.1 ± 0.8	18.0 ± 0.4	23.8 ± 0.5	20.7 ± 0.7	14.7 ± 0.7	20.2 ± 0.4	15.2 ± 0.7	15.8 ± 0.3	19.7 ± 0.7	16.9 ± 0.6	E Asia F	E Africa M
48	19.8 ± 1.0	25.7 ± 0.3	18.5 ± 0.7	18.0 ± 0.4	24.7 ± 0.5	21.2 ± 0.8	15.6 ± 0.7	21.3 ± 0.4	15.8 ± 0.7	16.6 ± 0.4	20.6 ± 0.7	17.2 ± 0.6	E Asia F	E Africa M
49	19.4 ± 1.1	26.4 ± 0.4	19.8 ± 0.7	18.9 ± 0.5	24.6 ± 0.6	22.4 ± 0.8	15.4 ± 0.8	22.0 ± 0.4	16.3 ± 0.7	17.1 ± 0.4	20.1 ± 0.7	17.7 ± 0.6	E Asia F	E Africa M
50	19.8 ± 1.1	27.4 ± 0.4	20.6 ± 0.8	19.4 ± 0.5	25.3 ± 0.6	22.8 ± 0.9	16.3 ± 0.8	21.7 ± 0.4	16.9 ± 0.7	17.7 ± 0.4	21.0 ± 0.8	19.0 ± 0.7	E Asia F	E Africa M
51	20.2 ± 1.0	28.2 ± 0.4	20.8 ± 0.8	20.2 ± 0.5	27.0 ± 0.6	23.6 ± 0.9	17.5 ± 0.9	23.1 ± 0.4	17.8 ± 0.7	18.3 ± 0.4	21.5 ± 0.8	18.7 ± 0.7	E Asia F	E Africa M
52	21.4 ± 1.1	29.2 ± 0.4	21.7 ± 0.8	20.7 ± 0.5	26.6 ± 0.6	24.7 ± 1.0	15.8 ± 0.8	23.3 ± 0.4	18.4 ± 0.8	18.7 ± 0.4	22.5 ± 0.8	20.4 ± 0.8	E Asia F	E Africa M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 118. *Mean absolute error for Application-type images for algorithm hzailu-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	6.1 ± 0.5	6.1 ± 0.2	8.4 ± 0.4	6.7 ± 0.2	6.4 ± 0.4	8.4 ± 0.6	6.1 ± 0.4	5.9 ± 0.2	5.5 ± 0.4	7.5 ± 0.2	6.2 ± 0.4	7.6 ± 0.8	E Europe F	E Europe M
15	6.3 ± 0.5	6.4 ± 0.2	8.6 ± 0.4	7.3 ± 0.3	6.7 ± 0.4	8.2 ± 0.8	6.4 ± 0.5	6.1 ± 0.2	6.3 ± 0.4	8.2 ± 0.2	6.9 ± 0.3	8.1 ± 0.8	E Europe F	E Asia M
16	6.2 ± 0.5	6.4 ± 0.2	8.5 ± 0.4	7.1 ± 0.3	7.2 ± 0.4	8.4 ± 0.7	8.3 ± 0.5	6.0 ± 0.2	6.8 ± 0.4	8.4 ± 0.2	7.3 ± 0.4	9.4 ± 0.8	W Africa M	E Asia M
17	6.4 ± 0.5	6.3 ± 0.2	8.5 ± 0.4	7.1 ± 0.3	6.8 ± 0.4	8.7 ± 0.6	8.3 ± 0.5	5.8 ± 0.2	6.6 ± 0.3	8.5 ± 0.2	7.4 ± 0.3	9.5 ± 0.7	W Africa M	E Asia M
18	6.6 ± 0.4	6.1 ± 0.1	8.2 ± 0.3	6.6 ± 0.2	6.5 ± 0.2	8.3 ± 0.5	9.0 ± 0.4	5.4 ± 0.1	6.6 ± 0.3	8.4 ± 0.2	6.6 ± 0.2	10.2 ± 0.5	W Africa M	E Asia M
19	6.4 ± 0.3	5.6 ± 0.1	7.8 ± 0.3	6.6 ± 0.2	6.3 ± 0.2	8.1 ± 0.4	8.9 ± 0.4	5.1 ± 0.1	6.3 ± 0.3	8.2 ± 0.2	6.2 ± 0.2	10.2 ± 0.5	W Africa M	E Asia M
20	6.4 ± 0.3	5.5 ± 0.1	7.5 ± 0.2	6.1 ± 0.2	5.9 ± 0.2	8.0 ± 0.4	9.1 ± 0.4	4.6 ± 0.1	6.3 ± 0.3	7.9 ± 0.2	6.0 ± 0.2	9.9 ± 0.5	W Africa M	E Asia M
21	6.2 ± 0.3	5.1 ± 0.1	7.0 ± 0.2	5.8 ± 0.1	5.6 ± 0.2	8.0 ± 0.4	8.7 ± 0.3	4.1 ± 0.1	6.5 ± 0.3	7.7 ± 0.1	5.6 ± 0.2	10.0 ± 0.4	W Africa M	E Asia M
22	6.0 ± 0.3	4.6 ± 0.1	6.5 ± 0.2	5.3 ± 0.1	5.1 ± 0.2	7.4 ± 0.3	8.9 ± 0.3	3.7 ± 0.1	6.3 ± 0.3	7.1 ± 0.1	4.9 ± 0.2	9.4 ± 0.4	W Africa M	E Asia M
23	5.5 ± 0.2	4.4 ± 0.1	6.1 ± 0.2	5.0 ± 0.1	4.7 ± 0.1	7.2 ± 0.3	8.1 ± 0.3	3.4 ± 0.1	6.0 ± 0.2	6.6 ± 0.1	4.5 ± 0.2	9.2 ± 0.3	W Africa M	E Asia M
24	5.3 ± 0.2	3.97 ± 0.09	5.7 ± 0.1	4.56 ± 0.10	4.4 ± 0.1	6.7 ± 0.3	7.8 ± 0.3	3.2 ± 0.1	5.5 ± 0.2	6.4 ± 0.1	4.0 ± 0.2	8.9 ± 0.3	W Africa M	E Asia M
25	5.1 ± 0.2	3.68 ± 0.08	5.3 ± 0.1	4.21 ± 0.09	4.0 ± 0.1	6.7 ± 0.3	7.6 ± 0.3	2.87 ± 0.09	5.3 ± 0.2	5.8 ± 0.1	3.7 ± 0.2	8.4 ± 0.3	W Africa M	E Asia M
26	5.1 ± 0.2	3.45 ± 0.08	4.8 ± 0.1	3.88 ± 0.08	3.7 ± 0.1	6.0 ± 0.2	7.2 ± 0.2	2.63 ± 0.08	5.0 ± 0.2	5.3 ± 0.1	3.3 ± 0.2	7.9 ± 0.2	W Africa M	E Asia M
27	5.1 ± 0.2	3.10 ± 0.07	4.4 ± 0.1	3.60 ± 0.08	3.5 ± 0.1	5.9 ± 0.2	6.8 ± 0.2	2.61 ± 0.09	4.9 ± 0.2	4.73 ± 0.10	3.3 ± 0.2	7.4 ± 0.2	W Africa M	E Asia M
28	4.9 ± 0.2	3.06 ± 0.07	3.9 ± 0.1	3.52 ± 0.08	3.22 ± 0.10	5.8 ± 0.2	6.3 ± 0.2	2.66 ± 0.09	4.5 ± 0.2	4.24 ± 0.09	3.1 ± 0.2	6.9 ± 0.2	W Africa M	E Asia M
29	4.7 ± 0.2	2.93 ± 0.07	3.6 ± 0.1	3.41 ± 0.08	3.2 ± 0.1	5.4 ± 0.2	6.1 ± 0.2	2.74 ± 0.09	4.2 ± 0.2	3.81 ± 0.08	3.0 ± 0.1	6.5 ± 0.2	W Africa M	E Asia M
30	5.0 ± 0.2	2.92 ± 0.06	3.5 ± 0.1	3.55 ± 0.08	3.2 ± 0.1	5.3 ± 0.2	5.5 ± 0.2	2.81 ± 0.08	3.9 ± 0.2	3.43 ± 0.08	3.1 ± 0.2	6.0 ± 0.2	W Africa M	E Asia M
31	4.9 ± 0.2	3.04 ± 0.07	3.5 ± 0.1	3.80 ± 0.08	3.3 ± 0.1	5.3 ± 0.2	5.2 ± 0.2	3.18 ± 0.09	3.8 ± 0.2	3.20 ± 0.07	3.3 ± 0.2	5.7 ± 0.2	W Africa M	E Asia F
32	5.1 ± 0.3	3.18 ± 0.07	3.4 ± 0.1	4.01 ± 0.09	3.2 ± 0.1	5.2 ± 0.2	4.8 ± 0.2	3.41 ± 0.09	3.9 ± 0.2	3.18 ± 0.07	3.7 ± 0.2	5.2 ± 0.2	W Africa M	E Asia F
33	5.4 ± 0.2	3.41 ± 0.07	3.5 ± 0.1	4.34 ± 0.10	3.4 ± 0.1	5.4 ± 0.2	4.7 ± 0.2	3.71 ± 0.10	3.7 ± 0.2	3.24 ± 0.07	3.6 ± 0.2	4.8 ± 0.2	W Africa F	S Asia M
34	5.4 ± 0.3	3.68 ± 0.07	3.6 ± 0.1	4.7 ± 0.1	3.6 ± 0.1	5.3 ± 0.2	4.2 ± 0.2	4.08 ± 0.10	3.8 ± 0.2	3.46 ± 0.08	4.1 ± 0.2	4.6 ± 0.2	E Africa F	S Asia M
35	5.9 ± 0.3	4.05 ± 0.08	3.9 ± 0.1	5.1 ± 0.1	3.9 ± 0.1	5.4 ± 0.2	4.2 ± 0.2	4.40 ± 0.10	4.0 ± 0.2	3.69 ± 0.08	4.4 ± 0.2	4.5 ± 0.2	E Africa F	S Asia M
36	6.2 ± 0.3	4.29 ± 0.08	4.4 ± 0.2	5.5 ± 0.1	4.2 ± 0.1	5.3 ± 0.2	4.4 ± 0.2	4.6 ± 0.1	4.3 ± 0.2	3.87 ± 0.08	4.7 ± 0.2	4.3 ± 0.2	E Africa F	S Asia M
37	6.5 ± 0.3	4.60 ± 0.08	4.6 ± 0.2	5.9 ± 0.1	4.7 ± 0.1	5.5 ± 0.3	4.3 ± 0.2	4.8 ± 0.1	4.6 ± 0.2	4.12 ± 0.08	4.7 ± 0.2	4.2 ± 0.2	E Africa F	S Asia M
38	6.4 ± 0.3	4.87 ± 0.09	4.8 ± 0.2	6.3 ± 0.1	4.6 ± 0.1	6.0 ± 0.3	4.3 ± 0.2	4.9 ± 0.1	4.6 ± 0.2	4.26 ± 0.08	4.7 ± 0.2	4.2 ± 0.2	E Africa F	W Africa M
39	6.5 ± 0.3	5.15 ± 0.09	5.1 ± 0.2	6.7 ± 0.1	4.8 ± 0.2	5.7 ± 0.3	4.4 ± 0.2	5.1 ± 0.1	4.8 ± 0.2	4.48 ± 0.09	5.0 ± 0.2	4.0 ± 0.2	S Asia F	W Africa M
40	6.9 ± 0.4	5.36 ± 0.10	5.3 ± 0.2	6.8 ± 0.1	5.3 ± 0.2	6.0 ± 0.3	4.4 ± 0.2	5.1 ± 0.1	5.1 ± 0.2	4.65 ± 0.10	4.7 ± 0.2	4.2 ± 0.2	E Africa F	W Africa M
41	7.3 ± 0.4	5.50 ± 0.10	5.5 ± 0.2	7.2 ± 0.2	5.3 ± 0.2	6.2 ± 0.3	4.5 ± 0.2	5.0 ± 0.1	5.1 ± 0.2	4.8 ± 0.1	4.9 ± 0.2	4.4 ± 0.2	E Africa F	W Africa M
42	7.0 ± 0.4	5.6 ± 0.1	5.6 ± 0.2	7.3 ± 0.2	5.4 ± 0.2	6.2 ± 0.3	4.5 ± 0.2	5.1 ± 0.1	5.1 ± 0.2	5.0 ± 0.1	5.0 ± 0.2	4.5 ± 0.2	S Asia F	E Africa M
43	7.6 ± 0.5	5.8 ± 0.1	5.9 ± 0.2	7.6 ± 0.2	5.7 ± 0.2	6.5 ± 0.4	4.7 ± 0.3	4.9 ± 0.1	5.2 ± 0.3	5.0 ± 0.1	5.0 ± 0.2	4.7 ± 0.2	E Africa F	E Africa M
44	7.6 ± 0.5	6.0 ± 0.1	6.0 ± 0.2	7.6 ± 0.2	5.7 ± 0.2	6.5 ± 0.4	4.8 ± 0.3	4.9 ± 0.1	5.2 ± 0.2	5.1 ± 0.1	5.0 ± 0.2	4.8 ± 0.2	S Asia F	W Africa M
45	7.9 ± 0.5	6.0 ± 0.1	5.7 ± 0.3	7.8 ± 0.2	5.8 ± 0.2	6.6 ± 0.4	4.9 ± 0.3	4.9 ± 0.1	4.8 ± 0.2	5.1 ± 0.2	5.0 ± 0.2	5.1 ± 0.2	E Africa F	E Europe M
46	7.6 ± 0.5	6.1 ± 0.1	5.9 ± 0.3	7.7 ± 0.3	6.2 ± 0.2	6.9 ± 0.4	4.9 ± 0.3	4.7 ± 0.1	5.1 ± 0.3	5.2 ± 0.2	5.1 ± 0.3	5.3 ± 0.2	S Asia F	E Asia M
47	7.5 ± 0.5	6.1 ± 0.1	5.8 ± 0.3	7.7 ± 0.3	5.8 ± 0.2	6.8 ± 0.4	5.3 ± 0.3	4.8 ± 0.1	5.1 ± 0.3	5.3 ± 0.2	4.9 ± 0.2	5.8 ± 0.3	S Asia F	E Asia M
48	7.8 ± 0.6	6.2 ± 0.1	5.8 ± 0.3	7.7 ± 0.3	6.0 ± 0.2	7.3 ± 0.5	5.4 ± 0.4	4.7 ± 0.1	5.3 ± 0.3	5.4 ± 0.2	5.1 ± 0.3	5.8 ± 0.3	E Africa F	E Asia M
49	7.9 ± 0.6	6.2 ± 0.1	5.7 ± 0.3	7.7 ± 0.3	5.9 ± 0.3	7.6 ± 0.5	5.9 ± 0.4	4.7 ± 0.1	5.3 ± 0.3	5.5 ± 0.2	4.9 ± 0.3	6.0 ± 0.3	E Africa F	E Asia M
50	8.0 ± 0.6	6.3 ± 0.1	5.5 ± 0.3	7.7 ± 0.3	6.1 ± 0.3	7.1 ± 0.5	5.9 ± 0.4	4.7 ± 0.1	5.1 ± 0.3	5.7 ± 0.2	4.8 ± 0.3	6.2 ± 0.3	E Africa F	E Asia M
51	7.4 ± 0.6	6.4 ± 0.2	5.7 ± 0.3	7.6 ± 0.3	6.0 ± 0.3	8.0 ± 0.5	6.4 ± 0.4	4.6 ± 0.1	5.1 ± 0.3	5.6 ± 0.2	4.7 ± 0.3	6.5 ± 0.3	W Africa F	E Asia M
52	8.2 ± 0.6	6.4 ± 0.2	5.4 ± 0.3	7.5 ± 0.3	5.9 ± 0.3	8.2 ± 0.5	6.1 ± 0.5	4.6 ± 0.1	4.9 ± 0.3	5.6 ± 0.2	4.7 ± 0.3	7.0 ± 0.4	W Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 119. *Mean absolute error for Application-type images for algorithm idemia-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.7 ± 0.2	2.34 ± 0.09	1.6 ± 0.1	2.2 ± 0.1	2.5 ± 0.2	2.9 ± 0.3	2.5 ± 0.2	1.89 ± 0.08	1.6 ± 0.1	1.89 ± 0.08	2.0 ± 0.1	2.0 ± 0.2	W Africa F	E Europe M
15	2.7 ± 0.2	2.44 ± 0.10	1.7 ± 0.1	2.4 ± 0.1	2.6 ± 0.2	3.2 ± 0.3	2.3 ± 0.2	1.92 ± 0.08	1.5 ± 0.1	1.81 ± 0.09	1.9 ± 0.1	2.2 ± 0.2	W Africa F	E Europe M
16	2.9 ± 0.2	2.52 ± 0.10	1.8 ± 0.1	2.4 ± 0.1	2.8 ± 0.3	3.5 ± 0.4	2.4 ± 0.2	1.94 ± 0.08	1.6 ± 0.2	1.85 ± 0.09	2.0 ± 0.2	2.3 ± 0.2	W Africa F	E Europe M
17	2.9 ± 0.2	2.5 ± 0.1	2.1 ± 0.2	2.5 ± 0.1	2.8 ± 0.2	3.5 ± 0.3	2.4 ± 0.2	2.03 ± 0.09	1.7 ± 0.1	2.1 ± 0.1	2.0 ± 0.2	2.6 ± 0.3	W Africa F	E Europe M
18	3.0 ± 0.2	2.43 ± 0.08	2.4 ± 0.2	2.46 ± 0.09	2.8 ± 0.1	3.6 ± 0.3	2.7 ± 0.2	2.13 ± 0.08	2.1 ± 0.1	2.41 ± 0.10	2.3 ± 0.2	2.6 ± 0.2	W Africa F	E Europe M
19	3.2 ± 0.2	2.35 ± 0.08	2.4 ± 0.2	2.4 ± 0.1	2.7 ± 0.1	3.2 ± 0.2	2.9 ± 0.2	2.23 ± 0.08	2.1 ± 0.1	2.41 ± 0.10	2.4 ± 0.1	3.0 ± 0.3	E Africa F	E Europe M
20	3.3 ± 0.2	2.39 ± 0.09	2.4 ± 0.1	2.6 ± 0.1	2.6 ± 0.1	3.3 ± 0.2	3.1 ± 0.2	2.15 ± 0.08	2.0 ± 0.1	2.54 ± 0.10	2.4 ± 0.1	3.1 ± 0.3	W Africa F	E Europe M
21	3.2 ± 0.2	2.30 ± 0.08	2.6 ± 0.1	2.53 ± 0.09	2.7 ± 0.1	3.2 ± 0.2	3.2 ± 0.2	2.17 ± 0.07	2.0 ± 0.1	2.7 ± 0.1	2.5 ± 0.1	3.2 ± 0.2	W Africa F	E Europe M
22	3.3 ± 0.2	2.27 ± 0.07	2.9 ± 0.1	2.62 ± 0.08	2.7 ± 0.1	3.1 ± 0.2	3.7 ± 0.2	2.18 ± 0.08	2.1 ± 0.1	2.7 ± 0.1	2.3 ± 0.1	3.0 ± 0.2	E Africa M	E Europe M
23	3.3 ± 0.2	2.32 ± 0.06	3.1 ± 0.1	2.69 ± 0.07	2.53 ± 0.09	3.2 ± 0.2	3.7 ± 0.2	2.17 ± 0.08	2.1 ± 0.1	2.9 ± 0.1	2.5 ± 0.1	3.3 ± 0.2	E Africa M	E Europe M
24	3.4 ± 0.2	2.34 ± 0.06	3.24 ± 0.09	2.78 ± 0.07	2.58 ± 0.08	3.3 ± 0.2	3.7 ± 0.2	2.26 ± 0.08	2.2 ± 0.1	2.99 ± 0.09	2.3 ± 0.1	3.3 ± 0.2	E Africa M	E Europe M
25	3.5 ± 0.2	2.43 ± 0.06	3.43 ± 0.09	2.80 ± 0.06	2.61 ± 0.08	3.4 ± 0.2	3.9 ± 0.2	2.35 ± 0.07	2.2 ± 0.1	2.95 ± 0.08	2.5 ± 0.1	3.4 ± 0.2	E Africa M	E Europe M
26	3.5 ± 0.1	2.49 ± 0.06	3.69 ± 0.09	2.94 ± 0.06	2.64 ± 0.08	3.2 ± 0.1	3.8 ± 0.2	2.31 ± 0.07	2.3 ± 0.1	3.06 ± 0.08	2.5 ± 0.1	3.2 ± 0.2	E Africa M	E Asia M
27	3.7 ± 0.2	2.53 ± 0.05	3.87 ± 0.09	3.08 ± 0.06	2.58 ± 0.07	3.4 ± 0.1	3.7 ± 0.2	2.35 ± 0.07	2.31 ± 0.09	3.00 ± 0.07	2.6 ± 0.1	3.3 ± 0.1	E Europe F	E Europe M
28	3.7 ± 0.2	2.66 ± 0.05	3.99 ± 0.09	3.23 ± 0.06	2.69 ± 0.07	3.3 ± 0.1	3.6 ± 0.2	2.46 ± 0.08	2.38 ± 0.09	3.00 ± 0.07	2.6 ± 0.1	3.3 ± 0.1	E Europe F	E Europe M
29	3.6 ± 0.1	2.62 ± 0.05	4.08 ± 0.10	3.31 ± 0.06	2.67 ± 0.08	3.5 ± 0.1	3.6 ± 0.2	2.34 ± 0.07	2.45 ± 0.10	2.99 ± 0.06	2.6 ± 0.1	3.4 ± 0.1	E Europe F	E Asia M
30	3.8 ± 0.1	2.68 ± 0.05	4.2 ± 0.1	3.44 ± 0.06	2.78 ± 0.08	3.7 ± 0.1	3.6 ± 0.2	2.36 ± 0.06	2.38 ± 0.09	2.96 ± 0.06	2.6 ± 0.1	3.4 ± 0.1	E Europe F	E Asia M
31	3.8 ± 0.2	2.76 ± 0.05	4.2 ± 0.1	3.57 ± 0.07	2.81 ± 0.08	3.6 ± 0.1	3.6 ± 0.1	2.39 ± 0.07	2.44 ± 0.10	2.94 ± 0.06	2.7 ± 0.1	3.4 ± 0.1	E Europe F	E Asia M
32	3.9 ± 0.2	2.83 ± 0.05	4.2 ± 0.1	3.72 ± 0.07	2.90 ± 0.09	3.8 ± 0.1	3.5 ± 0.2	2.37 ± 0.06	2.5 ± 0.1	2.92 ± 0.06	2.6 ± 0.1	3.5 ± 0.1	E Europe F	E Asia M
33	4.0 ± 0.2	2.86 ± 0.06	4.2 ± 0.1	3.76 ± 0.07	2.85 ± 0.09	3.7 ± 0.1	3.6 ± 0.2	2.40 ± 0.07	2.5 ± 0.1	2.89 ± 0.06	2.6 ± 0.1	3.3 ± 0.1	E Europe F	E Asia M
34	4.0 ± 0.2	2.87 ± 0.06	4.3 ± 0.1	3.78 ± 0.07	2.88 ± 0.09	3.7 ± 0.1	3.5 ± 0.2	2.39 ± 0.06	2.5 ± 0.1	2.93 ± 0.06	2.6 ± 0.1	3.3 ± 0.1	E Europe F	E Asia M
35	4.2 ± 0.2	2.94 ± 0.06	4.2 ± 0.1	3.90 ± 0.08	2.93 ± 0.09	3.8 ± 0.2	3.5 ± 0.2	2.38 ± 0.07	2.5 ± 0.1	2.90 ± 0.06	2.8 ± 0.1	3.4 ± 0.1	E Europe F	E Asia M
36	4.3 ± 0.2	2.96 ± 0.06	4.1 ± 0.1	3.98 ± 0.08	3.0 ± 0.1	3.8 ± 0.2	3.5 ± 0.2	2.36 ± 0.07	2.5 ± 0.1	2.83 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	E Africa F	E Asia M
37	4.3 ± 0.2	2.92 ± 0.06	4.1 ± 0.1	4.01 ± 0.09	3.02 ± 0.10	4.2 ± 0.2	3.5 ± 0.2	2.39 ± 0.07	2.5 ± 0.1	2.87 ± 0.06	2.7 ± 0.1	3.3 ± 0.1	E Africa F	E Asia M
38	4.0 ± 0.2	2.99 ± 0.06	4.0 ± 0.1	4.04 ± 0.09	3.0 ± 0.1	4.2 ± 0.2	3.5 ± 0.2	2.41 ± 0.07	2.5 ± 0.1	2.75 ± 0.06	2.9 ± 0.1	3.2 ± 0.1	W Africa F	E Asia M
39	4.3 ± 0.2	3.05 ± 0.06	4.0 ± 0.1	4.09 ± 0.10	3.0 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	2.39 ± 0.07	2.5 ± 0.1	2.77 ± 0.06	3.0 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
40	4.2 ± 0.2	3.03 ± 0.06	3.6 ± 0.1	4.0 ± 0.1	3.2 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	2.41 ± 0.07	2.6 ± 0.1	2.82 ± 0.07	2.7 ± 0.1	3.2 ± 0.1	E Africa F	E Asia M
41	4.4 ± 0.2	3.06 ± 0.06	3.7 ± 0.1	4.0 ± 0.1	3.0 ± 0.1	4.1 ± 0.2	3.5 ± 0.2	2.45 ± 0.07	2.5 ± 0.1	2.79 ± 0.07	2.8 ± 0.1	3.4 ± 0.2	E Africa F	E Asia M
42	4.1 ± 0.3	3.07 ± 0.06	3.6 ± 0.2	3.9 ± 0.1	2.9 ± 0.1	3.9 ± 0.2	3.3 ± 0.2	2.47 ± 0.07	2.6 ± 0.1	2.76 ± 0.07	2.9 ± 0.1	3.2 ± 0.2	E Africa F	E Asia M
43	4.1 ± 0.2	3.17 ± 0.07	3.6 ± 0.2	3.9 ± 0.1	3.1 ± 0.1	4.0 ± 0.2	3.5 ± 0.2	2.52 ± 0.07	2.5 ± 0.1	2.73 ± 0.08	2.9 ± 0.1	3.4 ± 0.2	E Africa F	E Asia M
44	4.4 ± 0.3	3.27 ± 0.07	3.7 ± 0.2	4.0 ± 0.1	3.1 ± 0.1	4.1 ± 0.2	3.3 ± 0.2	2.59 ± 0.07	2.6 ± 0.1	2.80 ± 0.08	3.0 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
45	4.2 ± 0.3	3.27 ± 0.07	3.4 ± 0.2	3.9 ± 0.1	3.0 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	2.64 ± 0.07	2.5 ± 0.1	2.81 ± 0.09	2.9 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
46	4.4 ± 0.3	3.41 ± 0.07	3.4 ± 0.2	3.7 ± 0.1	3.2 ± 0.1	4.0 ± 0.2	3.3 ± 0.2	2.66 ± 0.07	2.8 ± 0.1	2.85 ± 0.10	3.0 ± 0.2	3.3 ± 0.2	E Africa F	E Asia M
47	4.3 ± 0.3	3.38 ± 0.07	3.6 ± 0.2	3.8 ± 0.1	3.0 ± 0.1	4.0 ± 0.2	3.5 ± 0.2	2.66 ± 0.08	2.6 ± 0.1	3.1 ± 0.1	3.1 ± 0.2	3.4 ± 0.2	E Africa F	E Europe M
48	4.3 ± 0.3	3.44 ± 0.08	3.3 ± 0.2	3.9 ± 0.1	3.2 ± 0.1	4.2 ± 0.3	3.6 ± 0.3	2.73 ± 0.07	2.7 ± 0.2	2.9 ± 0.1	3.0 ± 0.2	3.5 ± 0.2	E Africa F	E Asia M
49	4.3 ± 0.3	3.59 ± 0.08	3.4 ± 0.2	3.7 ± 0.1	3.1 ± 0.1	4.6 ± 0.3	3.5 ± 0.3	2.82 ± 0.08	2.7 ± 0.1	3.0 ± 0.1	3.1 ± 0.2	3.4 ± 0.2	W Africa F	E Europe M
50	4.4 ± 0.4	3.65 ± 0.08	3.2 ± 0.2	3.6 ± 0.1	3.1 ± 0.1	4.2 ± 0.3	3.2 ± 0.3	2.72 ± 0.08	2.8 ± 0.2	3.0 ± 0.1	3.2 ± 0.2	3.5 ± 0.2	E Africa F	E Asia M
51	4.1 ± 0.3	3.66 ± 0.09	3.3 ± 0.2	3.6 ± 0.1	3.2 ± 0.1	4.4 ± 0.3	3.7 ± 0.3	2.84 ± 0.08	2.7 ± 0.1	3.2 ± 0.1	3.1 ± 0.2	3.7 ± 0.2	W Africa F	E Europe M
52	4.3 ± 0.4	3.76 ± 0.09	3.2 ± 0.2	3.7 ± 0.1	3.1 ± 0.1	4.5 ± 0.3	3.5 ± 0.3	2.82 ± 0.08	2.8 ± 0.2	3.0 ± 0.1	3.0 ± 0.2	3.8 ± 0.2	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 120. *Mean absolute error for Application-type images for algorithm idemia-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.0 ± 0.2	1.40 ± 0.06	1.6 ± 0.1	1.57 ± 0.09	1.6 ± 0.1	1.8 ± 0.2	2.1 ± 0.1	1.64 ± 0.07	1.5 ± 0.1	1.48 ± 0.07	1.7 ± 0.1	1.8 ± 0.2	E Africa M	E Asia F
15	2.2 ± 0.2	1.55 ± 0.08	1.9 ± 0.1	1.8 ± 0.1	1.8 ± 0.2	2.4 ± 0.3	2.0 ± 0.2	1.63 ± 0.07	1.4 ± 0.1	1.47 ± 0.08	1.7 ± 0.1	1.8 ± 0.2	W Africa F	E Europe M
16	2.6 ± 0.2	1.83 ± 0.08	2.3 ± 0.2	2.1 ± 0.1	2.1 ± 0.2	2.8 ± 0.4	2.0 ± 0.2	1.61 ± 0.06	1.6 ± 0.2	1.53 ± 0.08	1.7 ± 0.1	1.8 ± 0.2	W Africa F	S Asia M
17	2.7 ± 0.2	2.10 ± 0.09	2.6 ± 0.2	2.3 ± 0.1	2.4 ± 0.2	3.1 ± 0.3	2.0 ± 0.2	1.69 ± 0.08	1.5 ± 0.1	1.71 ± 0.10	1.7 ± 0.1	2.1 ± 0.3	W Africa F	E Europe M
18	3.2 ± 0.2	2.26 ± 0.07	2.9 ± 0.2	2.57 ± 0.09	2.5 ± 0.1	3.3 ± 0.3	2.2 ± 0.2	1.81 ± 0.07	1.9 ± 0.1	1.99 ± 0.08	1.9 ± 0.2	2.0 ± 0.2	W Africa F	E Asia M
19	3.4 ± 0.2	2.38 ± 0.08	2.7 ± 0.2	2.7 ± 0.1	2.6 ± 0.1	3.1 ± 0.2	2.3 ± 0.2	1.91 ± 0.08	1.9 ± 0.1	1.97 ± 0.08	2.1 ± 0.1	2.3 ± 0.2	E Africa F	E Asia M
20	3.7 ± 0.2	2.53 ± 0.09	2.8 ± 0.2	3.0 ± 0.1	2.6 ± 0.1	3.4 ± 0.2	2.5 ± 0.2	1.89 ± 0.07	1.9 ± 0.1	2.05 ± 0.09	2.1 ± 0.1	2.4 ± 0.2	E Africa F	E Europe M
21	3.6 ± 0.2	2.55 ± 0.08	2.9 ± 0.1	3.01 ± 0.09	2.7 ± 0.1	3.5 ± 0.2	2.7 ± 0.2	2.02 ± 0.06	1.8 ± 0.1	2.27 ± 0.09	2.2 ± 0.1	2.7 ± 0.2	E Africa F	E Europe M
22	3.8 ± 0.2	2.61 ± 0.08	3.1 ± 0.1	3.16 ± 0.09	2.8 ± 0.1	3.4 ± 0.2	3.2 ± 0.2	2.10 ± 0.07	1.9 ± 0.1	2.32 ± 0.10	2.2 ± 0.1	2.6 ± 0.2	E Africa F	E Europe M
23	3.9 ± 0.2	2.70 ± 0.07	3.1 ± 0.1	3.25 ± 0.09	2.69 ± 0.09	3.6 ± 0.2	3.4 ± 0.2	2.19 ± 0.07	1.9 ± 0.1	2.53 ± 0.09	2.4 ± 0.1	3.0 ± 0.2	E Africa F	E Europe M
24	4.0 ± 0.2	2.81 ± 0.07	3.10 ± 0.09	3.35 ± 0.08	2.82 ± 0.08	3.8 ± 0.2	3.5 ± 0.2	2.33 ± 0.08	2.03 ± 0.10	2.64 ± 0.08	2.3 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
25	4.2 ± 0.2	2.92 ± 0.06	3.08 ± 0.09	3.37 ± 0.07	2.93 ± 0.08	4.0 ± 0.2	3.6 ± 0.2	2.43 ± 0.07	2.1 ± 0.1	2.65 ± 0.07	2.5 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
26	4.2 ± 0.2	3.02 ± 0.06	3.14 ± 0.09	3.48 ± 0.07	2.96 ± 0.08	3.8 ± 0.2	3.6 ± 0.2	2.40 ± 0.07	2.2 ± 0.1	2.80 ± 0.07	2.5 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
27	4.3 ± 0.2	3.05 ± 0.06	3.19 ± 0.09	3.59 ± 0.07	2.94 ± 0.08	3.9 ± 0.2	3.7 ± 0.2	2.46 ± 0.07	2.17 ± 0.09	2.80 ± 0.07	2.6 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
28	4.3 ± 0.2	3.16 ± 0.06	3.10 ± 0.09	3.69 ± 0.07	3.06 ± 0.08	3.9 ± 0.2	3.5 ± 0.1	2.58 ± 0.08	2.25 ± 0.09	2.82 ± 0.07	2.6 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
29	4.2 ± 0.2	3.10 ± 0.06	3.08 ± 0.09	3.70 ± 0.07	3.06 ± 0.08	4.1 ± 0.2	3.6 ± 0.2	2.46 ± 0.07	2.31 ± 0.09	2.86 ± 0.06	2.7 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
30	4.4 ± 0.2	3.14 ± 0.06	3.07 ± 0.09	3.77 ± 0.07	3.16 ± 0.09	4.2 ± 0.2	3.5 ± 0.2	2.50 ± 0.07	2.27 ± 0.09	2.85 ± 0.06	2.7 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
31	4.3 ± 0.2	3.19 ± 0.06	3.09 ± 0.10	3.86 ± 0.07	3.20 ± 0.09	4.2 ± 0.2	3.6 ± 0.2	2.53 ± 0.07	2.30 ± 0.09	2.90 ± 0.06	2.8 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
32	4.4 ± 0.2	3.22 ± 0.06	3.02 ± 0.10	3.89 ± 0.07	3.3 ± 0.1	4.3 ± 0.2	3.6 ± 0.2	2.53 ± 0.07	2.37 ± 0.10	2.89 ± 0.06	2.7 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
33	4.5 ± 0.2	3.22 ± 0.06	3.08 ± 0.10	3.88 ± 0.07	3.2 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	2.56 ± 0.07	2.36 ± 0.10	2.87 ± 0.06	2.7 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
34	4.5 ± 0.2	3.20 ± 0.06	3.1 ± 0.1	3.82 ± 0.08	3.2 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.54 ± 0.07	2.4 ± 0.1	2.93 ± 0.06	2.7 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
35	4.6 ± 0.2	3.24 ± 0.07	3.2 ± 0.1	3.77 ± 0.08	3.3 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	2.51 ± 0.07	2.3 ± 0.1	2.92 ± 0.06	2.9 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
36	4.7 ± 0.2	3.22 ± 0.07	3.2 ± 0.1	3.69 ± 0.08	3.3 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	2.49 ± 0.07	2.4 ± 0.1	2.89 ± 0.06	2.9 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
37	4.6 ± 0.2	3.13 ± 0.06	3.1 ± 0.1	3.68 ± 0.09	3.3 ± 0.1	4.6 ± 0.2	3.7 ± 0.2	2.49 ± 0.07	2.35 ± 0.10	2.96 ± 0.06	2.8 ± 0.1	3.6 ± 0.1	W Africa F	E Europe M
38	4.5 ± 0.2	3.16 ± 0.07	3.1 ± 0.1	3.55 ± 0.09	3.3 ± 0.1	4.6 ± 0.2	3.7 ± 0.2	2.48 ± 0.07	2.31 ± 0.10	2.85 ± 0.06	2.9 ± 0.1	3.6 ± 0.1	W Africa F	E Europe M
39	4.5 ± 0.2	3.17 ± 0.07	3.1 ± 0.1	3.44 ± 0.09	3.3 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.44 ± 0.07	2.34 ± 0.10	2.88 ± 0.06	3.0 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
40	4.5 ± 0.2	3.10 ± 0.07	3.0 ± 0.1	3.33 ± 0.10	3.4 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.44 ± 0.07	2.4 ± 0.1	2.94 ± 0.07	2.8 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
41	4.6 ± 0.3	3.10 ± 0.07	3.1 ± 0.1	3.3 ± 0.1	3.2 ± 0.1	4.2 ± 0.2	3.8 ± 0.2	2.47 ± 0.07	2.4 ± 0.1	2.92 ± 0.07	2.8 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
42	4.4 ± 0.3	3.05 ± 0.06	3.1 ± 0.1	3.3 ± 0.1	3.1 ± 0.1	4.0 ± 0.2	3.6 ± 0.2	2.47 ± 0.07	2.4 ± 0.1	2.89 ± 0.07	2.9 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
43	4.3 ± 0.3	3.07 ± 0.07	3.0 ± 0.1	3.3 ± 0.1	3.3 ± 0.1	3.9 ± 0.2	3.8 ± 0.2	2.53 ± 0.07	2.4 ± 0.1	2.83 ± 0.08	2.9 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
44	4.6 ± 0.3	3.12 ± 0.07	3.0 ± 0.1	3.4 ± 0.1	3.3 ± 0.1	3.9 ± 0.2	3.7 ± 0.2	2.59 ± 0.07	2.5 ± 0.1	2.88 ± 0.08	3.0 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
45	4.3 ± 0.3	3.01 ± 0.07	2.8 ± 0.1	3.3 ± 0.1	3.1 ± 0.1	3.8 ± 0.2	3.7 ± 0.2	2.64 ± 0.07	2.4 ± 0.1	2.85 ± 0.09	2.9 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
46	4.5 ± 0.3	3.10 ± 0.07	2.9 ± 0.1	3.2 ± 0.1	3.2 ± 0.1	3.7 ± 0.2	3.7 ± 0.3	2.66 ± 0.07	2.8 ± 0.1	2.87 ± 0.10	3.0 ± 0.2	3.5 ± 0.2	E Africa F	E Asia M
47	4.5 ± 0.3	2.99 ± 0.07	3.1 ± 0.2	3.2 ± 0.1	3.1 ± 0.1	3.7 ± 0.2	3.8 ± 0.2	2.66 ± 0.08	2.6 ± 0.1	3.1 ± 0.1	3.2 ± 0.2	3.6 ± 0.2	E Africa F	E Europe M
48	4.4 ± 0.3	2.93 ± 0.07	2.9 ± 0.1	3.4 ± 0.1	3.1 ± 0.1	3.8 ± 0.2	4.0 ± 0.3	2.72 ± 0.07	2.7 ± 0.2	2.9 ± 0.1	3.0 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
49	4.4 ± 0.3	2.97 ± 0.08	2.9 ± 0.1	3.3 ± 0.1	3.0 ± 0.1	4.1 ± 0.3	3.8 ± 0.3	2.82 ± 0.08	2.7 ± 0.1	3.0 ± 0.1	3.1 ± 0.2	3.5 ± 0.2	E Africa F	E Europe M
50	4.3 ± 0.4	2.97 ± 0.08	2.9 ± 0.1	3.2 ± 0.1	3.0 ± 0.1	3.7 ± 0.2	3.5 ± 0.3	2.72 ± 0.08	2.8 ± 0.2	3.0 ± 0.1	3.2 ± 0.2	3.6 ± 0.2	E Africa F	E Asia M
51	4.3 ± 0.3	2.96 ± 0.08	2.9 ± 0.2	3.2 ± 0.1	2.9 ± 0.1	3.9 ± 0.3	3.9 ± 0.4	2.84 ± 0.08	2.6 ± 0.1	3.1 ± 0.1	3.1 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
52	4.4 ± 0.4	2.99 ± 0.08	2.9 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	3.8 ± 0.3	3.8 ± 0.3	2.82 ± 0.08	2.8 ± 0.2	3.0 ± 0.1	3.0 ± 0.2	3.9 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 121. *Mean absolute error for Application-type images for algorithm idemia-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.9 ± 0.1	1.30 ± 0.05	1.21 ± 0.09	1.46 ± 0.08	1.5 ± 0.1	2.2 ± 0.2	1.6 ± 0.1	1.05 ± 0.06	1.11 ± 0.09	1.26 ± 0.06	1.12 ± 0.10	1.3 ± 0.1	W Africa F	E Asia M
15	2.0 ± 0.2	1.33 ± 0.06	1.3 ± 0.1	1.6 ± 0.1	1.5 ± 0.2	2.2 ± 0.2	1.5 ± 0.1	1.00 ± 0.05	1.07 ± 0.08	1.19 ± 0.07	1.08 ± 0.10	1.2 ± 0.2	W Africa F	E Asia M
16	2.1 ± 0.2	1.45 ± 0.07	1.40 ± 0.10	1.60 ± 0.08	1.7 ± 0.2	2.5 ± 0.3	1.6 ± 0.2	1.09 ± 0.05	1.2 ± 0.1	1.25 ± 0.07	1.06 ± 0.10	1.4 ± 0.2	W Africa F	S E Asia M
17	2.2 ± 0.2	1.60 ± 0.08	1.7 ± 0.1	1.85 ± 0.10	1.8 ± 0.2	2.3 ± 0.2	1.6 ± 0.2	1.31 ± 0.07	1.18 ± 0.09	1.43 ± 0.09	1.3 ± 0.1	1.8 ± 0.3	W Africa F	E Europe M
18	2.6 ± 0.2	1.83 ± 0.07	2.1 ± 0.2	2.20 ± 0.08	2.0 ± 0.1	2.5 ± 0.2	2.0 ± 0.2	1.54 ± 0.06	1.6 ± 0.1	1.81 ± 0.08	1.6 ± 0.1	2.0 ± 0.2	E Africa F	E Asia M
19	2.9 ± 0.2	1.94 ± 0.07	2.3 ± 0.2	2.31 ± 0.09	2.1 ± 0.1	2.4 ± 0.2	2.3 ± 0.2	1.72 ± 0.06	1.8 ± 0.1	1.91 ± 0.08	1.7 ± 0.1	2.5 ± 0.2	E Africa F	E Asia M
20	3.1 ± 0.2	2.12 ± 0.08	2.3 ± 0.1	2.6 ± 0.1	2.22 ± 0.10	2.6 ± 0.2	2.6 ± 0.2	1.76 ± 0.07	1.8 ± 0.1	2.05 ± 0.08	1.9 ± 0.1	2.6 ± 0.2	E Africa F	E Asia M
21	3.1 ± 0.2	2.24 ± 0.07	2.6 ± 0.1	2.77 ± 0.08	2.40 ± 0.10	2.7 ± 0.2	2.7 ± 0.2	1.89 ± 0.06	1.9 ± 0.1	2.22 ± 0.08	2.0 ± 0.1	2.8 ± 0.2	E Africa F	E Asia M
22	3.3 ± 0.2	2.35 ± 0.07	2.8 ± 0.1	2.94 ± 0.08	2.57 ± 0.10	2.7 ± 0.2	3.3 ± 0.2	2.02 ± 0.07	1.9 ± 0.1	2.26 ± 0.09	2.05 ± 0.10	2.7 ± 0.2	E Africa F	E Europe M
23	3.4 ± 0.2	2.43 ± 0.06	3.0 ± 0.1	3.13 ± 0.08	2.53 ± 0.09	2.9 ± 0.2	3.3 ± 0.2	2.13 ± 0.07	2.0 ± 0.1	2.39 ± 0.09	2.3 ± 0.1	2.9 ± 0.2	E Africa F	E Europe M
24	3.6 ± 0.2	2.61 ± 0.06	3.07 ± 0.09	3.24 ± 0.07	2.74 ± 0.08	3.1 ± 0.2	3.3 ± 0.2	2.23 ± 0.07	2.08 ± 0.10	2.47 ± 0.08	2.16 ± 0.10	2.9 ± 0.2	E Africa F	E Europe M
25	3.9 ± 0.2	2.73 ± 0.06	3.23 ± 0.09	3.32 ± 0.07	2.85 ± 0.08	3.3 ± 0.1	3.4 ± 0.2	2.32 ± 0.07	2.15 ± 0.10	2.47 ± 0.07	2.30 ± 0.10	3.0 ± 0.2	E Africa F	E Europe M
26	3.8 ± 0.2	2.86 ± 0.06	3.31 ± 0.09	3.47 ± 0.07	2.97 ± 0.08	3.2 ± 0.1	3.4 ± 0.2	2.34 ± 0.07	2.2 ± 0.1	2.56 ± 0.07	2.4 ± 0.1	2.9 ± 0.1	E Africa F	E Europe M
27	4.0 ± 0.2	2.90 ± 0.06	3.41 ± 0.09	3.57 ± 0.07	2.99 ± 0.08	3.4 ± 0.1	3.4 ± 0.2	2.44 ± 0.07	2.17 ± 0.09	2.60 ± 0.06	2.5 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
28	4.1 ± 0.2	2.99 ± 0.06	3.42 ± 0.08	3.64 ± 0.07	3.09 ± 0.08	3.4 ± 0.1	3.2 ± 0.1	2.54 ± 0.08	2.27 ± 0.09	2.59 ± 0.06	2.5 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
29	3.9 ± 0.2	3.01 ± 0.06	3.35 ± 0.09	3.67 ± 0.07	3.08 ± 0.09	3.5 ± 0.1	3.3 ± 0.1	2.48 ± 0.07	2.30 ± 0.09	2.59 ± 0.06	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
30	4.0 ± 0.2	3.05 ± 0.06	3.32 ± 0.09	3.73 ± 0.07	3.12 ± 0.09	3.7 ± 0.1	3.3 ± 0.1	2.56 ± 0.07	2.27 ± 0.09	2.59 ± 0.05	2.6 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
31	4.2 ± 0.2	3.09 ± 0.06	3.27 ± 0.09	3.85 ± 0.07	3.09 ± 0.09	3.7 ± 0.1	3.3 ± 0.1	2.59 ± 0.07	2.37 ± 0.09	2.59 ± 0.05	2.7 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
32	4.1 ± 0.2	3.06 ± 0.06	3.26 ± 0.10	3.85 ± 0.07	3.15 ± 0.10	3.8 ± 0.1	3.3 ± 0.1	2.61 ± 0.07	2.35 ± 0.09	2.60 ± 0.05	2.5 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
33	4.1 ± 0.2	3.03 ± 0.06	3.2 ± 0.1	3.84 ± 0.08	3.03 ± 0.09	3.8 ± 0.2	3.5 ± 0.1	2.62 ± 0.07	2.27 ± 0.09	2.55 ± 0.05	2.6 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
34	4.2 ± 0.2	3.02 ± 0.06	3.2 ± 0.1	3.75 ± 0.08	3.02 ± 0.10	3.7 ± 0.2	3.4 ± 0.2	2.58 ± 0.07	2.36 ± 0.09	2.60 ± 0.05	2.6 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
35	4.3 ± 0.2	2.97 ± 0.06	3.3 ± 0.1	3.76 ± 0.08	3.0 ± 0.1	3.8 ± 0.2	3.3 ± 0.1	2.49 ± 0.07	2.28 ± 0.10	2.58 ± 0.06	2.7 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
36	4.4 ± 0.2	2.94 ± 0.06	3.0 ± 0.1	3.77 ± 0.08	2.96 ± 0.10	3.7 ± 0.2	3.4 ± 0.2	2.48 ± 0.07	2.30 ± 0.10	2.53 ± 0.05	2.5 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
37	4.4 ± 0.2	2.79 ± 0.06	3.1 ± 0.1	3.80 ± 0.09	2.87 ± 0.10	4.1 ± 0.2	3.5 ± 0.2	2.44 ± 0.07	2.22 ± 0.10	2.60 ± 0.06	2.4 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
38	4.2 ± 0.2	2.82 ± 0.06	2.9 ± 0.1	3.70 ± 0.09	2.81 ± 0.10	4.0 ± 0.2	3.3 ± 0.2	2.40 ± 0.07	2.21 ± 0.10	2.55 ± 0.06	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
39	4.2 ± 0.2	2.76 ± 0.06	2.9 ± 0.1	3.66 ± 0.09	2.71 ± 0.10	3.7 ± 0.2	3.4 ± 0.2	2.43 ± 0.07	2.22 ± 0.10	2.52 ± 0.06	2.5 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
40	4.2 ± 0.2	2.75 ± 0.06	2.8 ± 0.1	3.56 ± 0.10	2.9 ± 0.1	3.9 ± 0.2	3.3 ± 0.2	2.40 ± 0.07	2.3 ± 0.1	2.63 ± 0.06	2.4 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
41	4.3 ± 0.3	2.69 ± 0.06	2.8 ± 0.1	3.6 ± 0.1	2.7 ± 0.1	3.9 ± 0.2	3.4 ± 0.2	2.46 ± 0.07	2.2 ± 0.1	2.60 ± 0.06	2.5 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
42	4.2 ± 0.2	2.66 ± 0.06	2.9 ± 0.1	3.4 ± 0.1	2.6 ± 0.1	3.9 ± 0.2	3.3 ± 0.2	2.51 ± 0.07	2.3 ± 0.1	2.66 ± 0.07	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
43	4.2 ± 0.2	2.75 ± 0.06	2.9 ± 0.1	3.4 ± 0.1	2.8 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	2.61 ± 0.07	2.3 ± 0.1	2.67 ± 0.07	2.6 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
44	4.5 ± 0.3	2.84 ± 0.06	3.0 ± 0.1	3.6 ± 0.1	2.8 ± 0.1	4.1 ± 0.2	3.3 ± 0.2	2.69 ± 0.07	2.3 ± 0.1	2.73 ± 0.08	2.5 ± 0.1	3.1 ± 0.2	E Africa F	E Europe M
45	4.3 ± 0.3	2.87 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	2.8 ± 0.1	3.9 ± 0.2	3.4 ± 0.2	2.75 ± 0.07	2.2 ± 0.1	2.76 ± 0.09	2.7 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
46	4.5 ± 0.3	3.02 ± 0.06	2.8 ± 0.1	3.4 ± 0.1	2.9 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	2.81 ± 0.07	2.4 ± 0.1	2.75 ± 0.09	2.9 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
47	4.3 ± 0.3	2.96 ± 0.07	3.0 ± 0.1	3.4 ± 0.1	2.8 ± 0.1	3.9 ± 0.2	3.6 ± 0.3	2.83 ± 0.08	2.3 ± 0.1	3.0 ± 0.1	2.8 ± 0.2	3.5 ± 0.2	E Africa F	E Europe M
48	4.4 ± 0.3	3.04 ± 0.07	2.8 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	4.1 ± 0.3	3.8 ± 0.3	2.85 ± 0.07	2.4 ± 0.1	2.82 ± 0.10	2.8 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
49	4.4 ± 0.3	3.11 ± 0.07	2.9 ± 0.1	3.4 ± 0.1	2.8 ± 0.1	4.3 ± 0.3	3.6 ± 0.3	2.94 ± 0.08	2.4 ± 0.1	2.9 ± 0.1	2.8 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
50	4.4 ± 0.4	3.12 ± 0.07	2.7 ± 0.1	3.3 ± 0.1	2.9 ± 0.1	4.1 ± 0.3	3.2 ± 0.3	2.87 ± 0.08	2.5 ± 0.1	2.9 ± 0.1	2.7 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
51	4.3 ± 0.3	3.12 ± 0.08	2.8 ± 0.2	3.3 ± 0.1	2.8 ± 0.1	4.1 ± 0.3	3.8 ± 0.3	2.86 ± 0.08	2.3 ± 0.1	3.0 ± 0.1	2.7 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
52	4.3 ± 0.4	3.09 ± 0.08	2.7 ± 0.1	3.3 ± 0.1	2.8 ± 0.1	4.2 ± 0.3	3.4 ± 0.3	2.80 ± 0.08	2.5 ± 0.2	3.0 ± 0.1	2.7 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 122. *Mean absolute error for Application-type images for algorithm inbut-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	6.9 ± 0.4	4.0 ± 0.1	5.2 ± 0.4	4.6 ± 0.2	4.1 ± 0.2	7.7 ± 0.5	6.8 ± 0.5	3.5 ± 0.1	3.5 ± 0.3	4.1 ± 0.2	3.7 ± 0.3	6.0 ± 0.5	W Africa F	E Europe M
15	7.2 ± 0.4	3.7 ± 0.1	5.5 ± 0.4	4.6 ± 0.2	4.0 ± 0.3	7.3 ± 0.5	6.4 ± 0.5	3.5 ± 0.2	3.9 ± 0.3	4.0 ± 0.2	3.7 ± 0.3	6.3 ± 0.5	W Africa F	E Asia M
16	6.8 ± 0.4	3.4 ± 0.1	5.7 ± 0.4	4.2 ± 0.2	3.7 ± 0.3	7.8 ± 0.6	6.4 ± 0.4	3.3 ± 0.2	4.3 ± 0.3	4.0 ± 0.2	3.8 ± 0.4	6.1 ± 0.5	W Africa F	E Asia M
17	7.1 ± 0.4	3.1 ± 0.1	5.3 ± 0.4	4.2 ± 0.2	3.5 ± 0.3	7.1 ± 0.4	6.1 ± 0.4	3.2 ± 0.2	3.9 ± 0.3	3.8 ± 0.2	3.5 ± 0.4	6.0 ± 0.5	W Africa F	E Asia F
18	6.3 ± 0.3	2.8 ± 0.1	4.8 ± 0.3	3.7 ± 0.2	2.7 ± 0.2	6.8 ± 0.4	5.4 ± 0.3	3.0 ± 0.1	4.0 ± 0.3	3.5 ± 0.2	2.6 ± 0.2	4.9 ± 0.3	W Africa F	S E Asia M
19	6.4 ± 0.3	2.7 ± 0.1	4.5 ± 0.3	3.8 ± 0.2	3.0 ± 0.2	6.6 ± 0.4	5.7 ± 0.4	3.1 ± 0.1	4.1 ± 0.3	3.8 ± 0.2	2.8 ± 0.2	5.5 ± 0.4	W Africa F	E Asia F
20	6.1 ± 0.3	2.9 ± 0.1	4.2 ± 0.2	3.8 ± 0.2	2.9 ± 0.1	6.7 ± 0.4	5.5 ± 0.4	3.0 ± 0.1	3.9 ± 0.3	3.7 ± 0.2	2.8 ± 0.2	5.2 ± 0.4	W Africa F	S E Asia M
21	5.9 ± 0.3	2.88 ± 0.09	4.0 ± 0.2	3.8 ± 0.1	3.0 ± 0.1	6.2 ± 0.3	5.8 ± 0.3	2.96 ± 0.10	3.7 ± 0.2	3.8 ± 0.2	3.1 ± 0.2	5.1 ± 0.3	W Africa F	E Asia F
22	6.0 ± 0.3	2.70 ± 0.08	3.8 ± 0.2	3.7 ± 0.1	2.9 ± 0.1	5.9 ± 0.3	6.5 ± 0.3	2.79 ± 0.09	3.8 ± 0.2	4.0 ± 0.2	2.9 ± 0.2	4.8 ± 0.3	E Africa M	E Asia F
23	5.6 ± 0.2	2.67 ± 0.07	3.6 ± 0.1	3.66 ± 0.10	2.72 ± 0.10	5.9 ± 0.3	6.1 ± 0.3	2.59 ± 0.09	3.6 ± 0.2	4.0 ± 0.1	2.8 ± 0.2	5.2 ± 0.3	E Africa M	E Asia M
24	5.4 ± 0.2	2.50 ± 0.06	3.3 ± 0.1	3.69 ± 0.09	2.51 ± 0.08	5.6 ± 0.3	6.0 ± 0.3	2.44 ± 0.08	3.5 ± 0.2	4.0 ± 0.1	2.7 ± 0.1	4.9 ± 0.3	E Africa M	E Asia M
25	4.8 ± 0.2	2.29 ± 0.06	3.00 ± 0.10	3.48 ± 0.08	2.41 ± 0.08	5.2 ± 0.2	5.8 ± 0.3	2.36 ± 0.08	3.6 ± 0.2	3.8 ± 0.1	2.7 ± 0.1	4.8 ± 0.2	E Africa M	E Asia F
26	4.5 ± 0.2	2.17 ± 0.05	2.86 ± 0.09	3.30 ± 0.07	2.40 ± 0.08	5.1 ± 0.2	5.6 ± 0.2	2.20 ± 0.08	3.2 ± 0.1	3.8 ± 0.1	2.7 ± 0.1	4.4 ± 0.2	E Africa M	E Asia F
27	4.5 ± 0.2	2.08 ± 0.05	2.74 ± 0.09	3.19 ± 0.07	2.31 ± 0.07	4.9 ± 0.2	5.5 ± 0.2	2.18 ± 0.08	3.3 ± 0.1	3.69 ± 0.10	2.8 ± 0.1	4.6 ± 0.2	E Africa M	E Asia F
28	4.5 ± 0.2	2.17 ± 0.05	2.52 ± 0.08	3.08 ± 0.07	2.32 ± 0.07	4.7 ± 0.2	5.2 ± 0.2	2.24 ± 0.08	3.2 ± 0.1	3.67 ± 0.09	2.8 ± 0.1	4.4 ± 0.2	E Africa M	E Asia F
29	4.2 ± 0.2	2.22 ± 0.05	2.47 ± 0.08	2.93 ± 0.06	2.42 ± 0.07	4.5 ± 0.2	5.1 ± 0.2	2.37 ± 0.07	3.3 ± 0.1	3.59 ± 0.09	2.8 ± 0.1	4.5 ± 0.2	E Africa M	E Asia F
30	4.1 ± 0.2	2.44 ± 0.05	2.52 ± 0.08	2.78 ± 0.06	2.49 ± 0.08	4.3 ± 0.2	5.4 ± 0.2	2.43 ± 0.07	3.1 ± 0.1	3.59 ± 0.08	2.8 ± 0.1	4.5 ± 0.2	E Africa M	E Asia M
31	4.0 ± 0.2	2.61 ± 0.05	2.56 ± 0.09	2.85 ± 0.06	2.64 ± 0.08	4.3 ± 0.2	5.2 ± 0.2	2.63 ± 0.08	3.1 ± 0.1	3.61 ± 0.08	3.0 ± 0.1	4.3 ± 0.2	E Africa M	E Europe F
32	4.0 ± 0.2	2.83 ± 0.05	2.51 ± 0.08	2.81 ± 0.06	2.80 ± 0.08	4.3 ± 0.2	5.0 ± 0.2	2.73 ± 0.07	3.2 ± 0.1	3.57 ± 0.08	2.8 ± 0.1	4.4 ± 0.2	E Africa M	E Europe F
33	3.9 ± 0.2	2.98 ± 0.05	2.58 ± 0.09	2.92 ± 0.06	2.90 ± 0.09	4.1 ± 0.2	5.3 ± 0.2	2.81 ± 0.07	3.2 ± 0.1	3.52 ± 0.08	2.8 ± 0.1	4.4 ± 0.2	E Africa M	E Europe F
34	3.9 ± 0.2	3.08 ± 0.06	2.68 ± 0.10	2.95 ± 0.06	2.91 ± 0.09	3.8 ± 0.2	5.0 ± 0.2	2.92 ± 0.07	3.0 ± 0.1	3.55 ± 0.08	3.0 ± 0.2	4.5 ± 0.2	E Africa M	E Europe F
35	4.0 ± 0.2	3.28 ± 0.06	2.72 ± 0.09	3.13 ± 0.06	3.14 ± 0.10	3.7 ± 0.2	5.1 ± 0.2	2.88 ± 0.08	2.9 ± 0.1	3.47 ± 0.08	2.9 ± 0.1	4.5 ± 0.2	E Africa M	E Europe F
36	4.0 ± 0.2	3.30 ± 0.06	2.7 ± 0.1	3.25 ± 0.07	3.2 ± 0.1	3.8 ± 0.2	5.1 ± 0.2	2.78 ± 0.07	3.0 ± 0.1	3.39 ± 0.08	2.8 ± 0.1	4.5 ± 0.2	E Africa M	E Europe F
37	3.9 ± 0.2	3.29 ± 0.06	2.8 ± 0.1	3.47 ± 0.07	3.3 ± 0.1	3.8 ± 0.2	5.1 ± 0.2	2.72 ± 0.07	2.8 ± 0.1	3.26 ± 0.07	2.7 ± 0.1	4.3 ± 0.2	E Africa M	E Asia M
38	4.1 ± 0.2	3.41 ± 0.07	2.9 ± 0.1	3.61 ± 0.08	3.4 ± 0.1	3.8 ± 0.2	4.8 ± 0.2	2.57 ± 0.07	2.8 ± 0.1	3.27 ± 0.08	2.7 ± 0.1	4.2 ± 0.2	E Africa M	E Asia M
39	4.0 ± 0.2	3.38 ± 0.07	2.9 ± 0.1	3.73 ± 0.09	3.2 ± 0.1	3.7 ± 0.2	4.8 ± 0.2	2.53 ± 0.08	3.1 ± 0.2	3.21 ± 0.07	2.6 ± 0.1	4.3 ± 0.2	E Africa M	E Asia M
40	4.2 ± 0.2	3.43 ± 0.07	3.0 ± 0.1	3.79 ± 0.09	3.3 ± 0.1	3.5 ± 0.2	5.0 ± 0.3	2.44 ± 0.07	3.1 ± 0.2	3.30 ± 0.08	2.5 ± 0.1	4.2 ± 0.2	E Africa M	E Asia M
41	4.3 ± 0.2	3.45 ± 0.07	3.1 ± 0.1	3.88 ± 0.10	3.3 ± 0.1	3.6 ± 0.2	4.9 ± 0.3	2.47 ± 0.07	3.2 ± 0.2	3.26 ± 0.08	2.6 ± 0.1	4.5 ± 0.2	E Africa M	E Asia M
42	4.2 ± 0.2	3.44 ± 0.07	3.2 ± 0.1	3.8 ± 0.1	3.3 ± 0.1	3.6 ± 0.2	5.0 ± 0.3	2.44 ± 0.07	3.3 ± 0.2	3.32 ± 0.09	2.6 ± 0.1	4.2 ± 0.2	E Africa M	E Asia M
43	4.2 ± 0.3	3.57 ± 0.07	3.2 ± 0.1	3.9 ± 0.1	3.4 ± 0.1	3.7 ± 0.2	5.2 ± 0.3	2.55 ± 0.07	3.2 ± 0.2	3.32 ± 0.09	2.7 ± 0.1	4.2 ± 0.2	E Africa M	E Asia M
44	4.6 ± 0.3	3.70 ± 0.07	3.3 ± 0.1	3.9 ± 0.1	3.4 ± 0.1	3.8 ± 0.2	4.8 ± 0.3	2.66 ± 0.07	3.2 ± 0.2	3.35 ± 0.10	2.8 ± 0.1	4.1 ± 0.2	E Africa M	E Asia M
45	4.3 ± 0.3	3.76 ± 0.08	3.1 ± 0.1	3.8 ± 0.1	3.4 ± 0.1	3.9 ± 0.2	4.9 ± 0.3	2.84 ± 0.07	3.3 ± 0.2	3.26 ± 0.10	2.8 ± 0.1	4.3 ± 0.2	E Africa M	E Asia M
46	4.7 ± 0.3	3.95 ± 0.08	3.2 ± 0.2	3.6 ± 0.1	3.4 ± 0.1	3.7 ± 0.2	5.0 ± 0.3	2.85 ± 0.07	3.4 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	4.0 ± 0.2	E Africa M	E Asia M
47	4.4 ± 0.3	3.88 ± 0.08	3.3 ± 0.2	3.6 ± 0.1	3.3 ± 0.1	4.0 ± 0.2	5.1 ± 0.3	2.98 ± 0.08	3.1 ± 0.2	3.4 ± 0.1	3.0 ± 0.2	4.2 ± 0.2	E Africa M	E Asia M
48	4.7 ± 0.3	4.04 ± 0.08	3.2 ± 0.2	3.6 ± 0.1	3.5 ± 0.1	3.9 ± 0.2	5.1 ± 0.3	2.99 ± 0.08	3.2 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	4.2 ± 0.2	E Africa M	E Asia M
49	4.8 ± 0.3	4.15 ± 0.09	3.4 ± 0.2	3.4 ± 0.1	3.4 ± 0.1	4.2 ± 0.2	4.9 ± 0.3	3.08 ± 0.08	3.2 ± 0.2	3.2 ± 0.1	2.9 ± 0.2	3.8 ± 0.2	E Africa M	S E Asia M
50	4.5 ± 0.4	4.18 ± 0.09	3.1 ± 0.2	3.4 ± 0.1	3.6 ± 0.1	4.0 ± 0.3	4.4 ± 0.3	3.04 ± 0.09	3.0 ± 0.2	3.1 ± 0.1	3.0 ± 0.2	3.8 ± 0.2	E Africa F	S E Asia M
51	4.2 ± 0.3	4.20 ± 0.09	3.2 ± 0.2	3.4 ± 0.1	3.6 ± 0.2	4.2 ± 0.3	4.6 ± 0.4	3.12 ± 0.09	2.8 ± 0.2	3.2 ± 0.1	2.9 ± 0.1	4.1 ± 0.2	E Africa M	E Europe M
52	4.4 ± 0.3	4.2 ± 0.1	3.4 ± 0.2	3.4 ± 0.1	3.4 ± 0.1	4.1 ± 0.3	4.4 ± 0.3	3.09 ± 0.09	3.1 ± 0.2	3.1 ± 0.1	2.9 ± 0.2	4.1 ± 0.2	E Africa M	S E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 123. *Mean absolute error for Application-type images for algorithm incode-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.7 ± 0.2	2.39 ± 0.09	2.4 ± 0.2	2.3 ± 0.1	2.6 ± 0.2	2.9 ± 0.3	2.6 ± 0.2	1.67 ± 0.07	1.6 ± 0.1	1.81 ± 0.08	1.8 ± 0.1	2.2 ± 0.2	W Africa F	E Europe M
15	2.8 ± 0.3	2.5 ± 0.1	2.2 ± 0.2	2.6 ± 0.1	2.9 ± 0.3	2.7 ± 0.3	2.5 ± 0.2	1.74 ± 0.06	1.4 ± 0.1	1.81 ± 0.08	2.0 ± 0.1	2.2 ± 0.2	S E Asia F	E Europe M
16	2.9 ± 0.3	2.5 ± 0.1	2.6 ± 0.3	2.5 ± 0.2	2.8 ± 0.3	3.0 ± 0.5	2.5 ± 0.2	1.60 ± 0.06	1.5 ± 0.2	1.71 ± 0.08	1.8 ± 0.1	2.0 ± 0.2	W Africa F	E Europe M
17	3.4 ± 0.4	2.6 ± 0.1	2.5 ± 0.3	2.6 ± 0.2	2.8 ± 0.2	2.9 ± 0.3	2.1 ± 0.2	1.50 ± 0.08	1.3 ± 0.1	1.7 ± 0.1	1.6 ± 0.2	2.0 ± 0.3	E Africa F	E Europe M
18	3.4 ± 0.3	2.7 ± 0.1	2.7 ± 0.3	2.5 ± 0.1	2.9 ± 0.2	3.0 ± 0.3	2.1 ± 0.2	1.67 ± 0.08	1.6 ± 0.2	1.80 ± 0.10	1.7 ± 0.2	2.0 ± 0.2	E Africa F	E Europe M
19	4.1 ± 0.3	2.9 ± 0.1	3.1 ± 0.2	2.9 ± 0.1	3.0 ± 0.2	3.3 ± 0.3	2.8 ± 0.2	2.01 ± 0.08	1.9 ± 0.2	2.07 ± 0.10	2.0 ± 0.1	2.6 ± 0.3	E Africa F	E Europe M
20	4.6 ± 0.3	3.1 ± 0.1	3.4 ± 0.2	3.2 ± 0.1	3.1 ± 0.1	3.7 ± 0.2	3.2 ± 0.2	2.28 ± 0.08	2.2 ± 0.1	2.54 ± 0.09	2.2 ± 0.1	3.1 ± 0.2	E Africa F	E Europe M
21	4.6 ± 0.2	3.18 ± 0.09	3.6 ± 0.1	3.32 ± 0.09	3.3 ± 0.1	4.3 ± 0.3	3.5 ± 0.2	2.47 ± 0.07	2.4 ± 0.1	2.64 ± 0.09	2.5 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
22	5.0 ± 0.2	3.10 ± 0.08	3.5 ± 0.1	3.36 ± 0.09	3.2 ± 0.1	4.3 ± 0.2	4.0 ± 0.2	2.58 ± 0.08	2.5 ± 0.1	2.75 ± 0.10	2.5 ± 0.1	3.4 ± 0.2	E Africa F	S E Asia M
23	4.9 ± 0.2	2.94 ± 0.08	3.5 ± 0.1	3.36 ± 0.08	3.0 ± 0.1	4.3 ± 0.2	4.0 ± 0.2	2.58 ± 0.08	2.3 ± 0.1	2.80 ± 0.10	2.4 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
24	5.0 ± 0.2	2.87 ± 0.08	3.3 ± 0.1	3.32 ± 0.08	2.84 ± 0.09	4.3 ± 0.2	3.8 ± 0.2	2.48 ± 0.08	2.3 ± 0.1	2.79 ± 0.09	2.3 ± 0.1	3.4 ± 0.2	E Africa F	S E Asia M
25	4.9 ± 0.2	2.74 ± 0.07	3.1 ± 0.1	3.31 ± 0.07	2.80 ± 0.09	4.3 ± 0.2	3.9 ± 0.2	2.52 ± 0.08	2.3 ± 0.1	2.74 ± 0.08	2.3 ± 0.1	3.6 ± 0.2	E Africa F	S E Asia M
26	4.8 ± 0.2	2.75 ± 0.07	3.06 ± 0.10	3.17 ± 0.07	2.80 ± 0.09	4.2 ± 0.2	3.7 ± 0.2	2.43 ± 0.08	2.3 ± 0.1	2.75 ± 0.08	2.3 ± 0.1	3.4 ± 0.2	E Africa F	S E Asia M
27	4.7 ± 0.2	2.74 ± 0.07	3.1 ± 0.1	3.19 ± 0.07	2.77 ± 0.09	4.3 ± 0.2	3.8 ± 0.2	2.52 ± 0.08	2.3 ± 0.1	2.77 ± 0.07	2.4 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
28	4.6 ± 0.2	2.81 ± 0.06	2.97 ± 0.09	3.25 ± 0.07	2.77 ± 0.09	4.2 ± 0.2	3.6 ± 0.2	2.57 ± 0.08	2.4 ± 0.1	2.83 ± 0.07	2.5 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
29	4.6 ± 0.2	2.83 ± 0.06	3.01 ± 0.10	3.32 ± 0.07	2.85 ± 0.09	4.3 ± 0.2	3.6 ± 0.2	2.67 ± 0.08	2.5 ± 0.1	2.89 ± 0.07	2.6 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
30	4.6 ± 0.2	3.02 ± 0.06	3.11 ± 0.10	3.38 ± 0.07	2.92 ± 0.09	4.3 ± 0.2	3.8 ± 0.2	2.80 ± 0.08	2.4 ± 0.1	2.96 ± 0.06	2.8 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
31	4.7 ± 0.2	3.15 ± 0.06	3.2 ± 0.1	3.46 ± 0.07	3.02 ± 0.09	4.3 ± 0.2	3.8 ± 0.2	2.89 ± 0.08	2.5 ± 0.1	3.11 ± 0.06	2.9 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
32	4.8 ± 0.2	3.29 ± 0.06	3.2 ± 0.1	3.69 ± 0.07	3.19 ± 0.10	4.4 ± 0.2	3.8 ± 0.2	3.05 ± 0.08	2.6 ± 0.1	3.24 ± 0.06	2.9 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
33	4.7 ± 0.2	3.44 ± 0.07	3.4 ± 0.1	3.70 ± 0.07	3.29 ± 0.10	4.5 ± 0.2	4.1 ± 0.2	3.24 ± 0.08	2.7 ± 0.1	3.26 ± 0.06	3.0 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
34	4.6 ± 0.2	3.52 ± 0.06	3.4 ± 0.1	3.70 ± 0.07	3.2 ± 0.1	4.4 ± 0.2	3.8 ± 0.2	3.33 ± 0.08	2.8 ± 0.1	3.40 ± 0.06	3.0 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
35	4.9 ± 0.2	3.65 ± 0.07	3.6 ± 0.1	3.79 ± 0.08	3.4 ± 0.1	4.4 ± 0.2	4.0 ± 0.2	3.40 ± 0.09	2.8 ± 0.1	3.46 ± 0.07	3.2 ± 0.1	4.1 ± 0.2	E Africa F	E Europe M
36	4.7 ± 0.2	3.66 ± 0.07	3.4 ± 0.1	3.78 ± 0.08	3.4 ± 0.1	4.4 ± 0.2	4.1 ± 0.2	3.32 ± 0.08	2.9 ± 0.1	3.39 ± 0.07	3.2 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
37	4.7 ± 0.2	3.56 ± 0.07	3.6 ± 0.1	3.74 ± 0.08	3.3 ± 0.1	4.7 ± 0.2	4.0 ± 0.2	3.27 ± 0.09	2.9 ± 0.1	3.44 ± 0.07	3.1 ± 0.1	3.9 ± 0.1	W Africa F	E Europe M
38	4.5 ± 0.2	3.55 ± 0.07	3.4 ± 0.1	3.63 ± 0.09	3.3 ± 0.1	4.5 ± 0.2	3.7 ± 0.2	3.32 ± 0.09	2.7 ± 0.1	3.28 ± 0.07	3.0 ± 0.1	4.0 ± 0.2	E Africa F	E Europe M
39	4.4 ± 0.2	3.48 ± 0.07	3.2 ± 0.1	3.56 ± 0.09	3.1 ± 0.1	4.3 ± 0.2	3.6 ± 0.2	3.14 ± 0.09	2.7 ± 0.1	3.15 ± 0.07	2.9 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
40	4.2 ± 0.2	3.33 ± 0.08	3.2 ± 0.1	3.36 ± 0.09	3.0 ± 0.1	4.4 ± 0.2	3.5 ± 0.2	2.96 ± 0.09	2.7 ± 0.1	3.12 ± 0.07	2.7 ± 0.1	3.7 ± 0.2	W Africa F	E Europe M
41	4.1 ± 0.3	3.17 ± 0.08	3.0 ± 0.1	3.3 ± 0.1	2.9 ± 0.1	4.2 ± 0.2	3.4 ± 0.2	2.88 ± 0.09	2.6 ± 0.1	2.92 ± 0.08	2.6 ± 0.1	3.8 ± 0.2	W Africa F	E Europe M
42	4.3 ± 0.3	3.00 ± 0.07	3.1 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	4.2 ± 0.2	3.3 ± 0.2	2.76 ± 0.09	2.5 ± 0.1	2.79 ± 0.08	2.5 ± 0.1	3.6 ± 0.2	E Africa F	S E Asia M
43	4.2 ± 0.3	3.02 ± 0.07	3.0 ± 0.1	3.1 ± 0.1	2.8 ± 0.1	4.1 ± 0.2	3.3 ± 0.2	2.72 ± 0.08	2.4 ± 0.1	2.84 ± 0.09	2.7 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
44	4.5 ± 0.3	3.05 ± 0.07	2.8 ± 0.1	3.1 ± 0.1	2.9 ± 0.1	4.4 ± 0.3	3.4 ± 0.2	2.66 ± 0.08	2.6 ± 0.1	2.86 ± 0.09	2.7 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
45	4.3 ± 0.3	3.01 ± 0.07	2.7 ± 0.1	3.1 ± 0.1	2.8 ± 0.1	3.9 ± 0.2	3.5 ± 0.2	2.78 ± 0.08	2.7 ± 0.1	2.92 ± 0.09	2.7 ± 0.1	3.9 ± 0.2	E Africa F	S E Asia M
46	4.7 ± 0.4	3.12 ± 0.08	2.9 ± 0.1	3.1 ± 0.1	2.9 ± 0.1	4.0 ± 0.3	3.8 ± 0.3	2.83 ± 0.08	2.8 ± 0.1	2.90 ± 0.10	2.8 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
47	4.4 ± 0.4	3.04 ± 0.08	2.9 ± 0.1	3.1 ± 0.1	2.9 ± 0.1	4.2 ± 0.3	4.0 ± 0.3	2.82 ± 0.08	2.7 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
48	4.5 ± 0.4	3.04 ± 0.08	3.0 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	4.3 ± 0.3	4.3 ± 0.3	2.85 ± 0.08	3.0 ± 0.2	3.1 ± 0.1	2.9 ± 0.2	4.3 ± 0.3	E Africa F	E Asia M
49	4.8 ± 0.4	3.14 ± 0.09	2.8 ± 0.2	3.2 ± 0.1	3.0 ± 0.1	4.3 ± 0.3	4.0 ± 0.3	2.93 ± 0.09	2.9 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	4.1 ± 0.2	E Africa F	E Europe F
50	4.8 ± 0.4	3.15 ± 0.09	2.9 ± 0.2	3.2 ± 0.1	3.1 ± 0.1	4.5 ± 0.3	3.9 ± 0.3	3.02 ± 0.09	3.0 ± 0.2	3.3 ± 0.1	3.2 ± 0.2	4.3 ± 0.2	E Africa F	E Europe F
51	5.0 ± 0.4	3.17 ± 0.09	3.0 ± 0.2	3.3 ± 0.1	3.2 ± 0.2	4.6 ± 0.3	4.3 ± 0.4	3.14 ± 0.10	3.1 ± 0.2	3.6 ± 0.2	3.3 ± 0.2	4.4 ± 0.3	E Africa F	E Europe F
52	5.1 ± 0.4	3.24 ± 0.09	3.3 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	4.6 ± 0.3	4.2 ± 0.3	3.14 ± 0.10	3.4 ± 0.2	3.7 ± 0.1	3.5 ± 0.2	4.7 ± 0.3	E Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 124. *Mean absolute error for Application-type images for algorithm incode-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.5 ± 0.2	2.6 ± 0.1	2.6 ± 0.2	2.8 ± 0.1	2.9 ± 0.2	3.6 ± 0.3	2.5 ± 0.2	1.72 ± 0.08	1.5 ± 0.1	1.76 ± 0.08	1.7 ± 0.1	2.1 ± 0.2	W Africa F	E Europe M
15	3.5 ± 0.3	2.7 ± 0.1	2.6 ± 0.2	3.0 ± 0.2	3.3 ± 0.3	3.4 ± 0.3	2.4 ± 0.2	1.88 ± 0.07	1.50 ± 0.10	1.76 ± 0.08	1.9 ± 0.1	2.3 ± 0.2	E Africa F	E Europe M
16	3.5 ± 0.3	2.8 ± 0.1	2.7 ± 0.2	2.9 ± 0.1	3.4 ± 0.3	3.8 ± 0.5	2.4 ± 0.2	1.76 ± 0.07	1.5 ± 0.2	1.68 ± 0.08	1.7 ± 0.1	1.9 ± 0.2	W Africa F	E Europe M
17	3.6 ± 0.3	3.0 ± 0.1	2.7 ± 0.3	2.9 ± 0.2	3.2 ± 0.3	3.9 ± 0.4	2.1 ± 0.2	1.70 ± 0.09	1.2 ± 0.1	1.5 ± 0.1	1.6 ± 0.2	2.0 ± 0.3	W Africa F	E Europe M
18	3.4 ± 0.3	3.1 ± 0.1	2.6 ± 0.3	2.8 ± 0.1	3.4 ± 0.2	3.7 ± 0.3	1.9 ± 0.2	1.82 ± 0.08	1.3 ± 0.1	1.66 ± 0.09	1.7 ± 0.2	1.9 ± 0.2	W Africa F	E Europe M
19	4.0 ± 0.3	3.2 ± 0.1	2.9 ± 0.2	2.9 ± 0.1	3.4 ± 0.2	3.9 ± 0.3	2.5 ± 0.2	2.16 ± 0.09	1.6 ± 0.1	1.87 ± 0.10	2.0 ± 0.1	2.6 ± 0.3	E Africa F	E Europe M
20	4.5 ± 0.3	3.4 ± 0.1	2.9 ± 0.2	3.1 ± 0.1	3.4 ± 0.2	4.2 ± 0.3	3.1 ± 0.3	2.29 ± 0.09	1.9 ± 0.1	2.4 ± 0.1	2.3 ± 0.1	3.0 ± 0.3	E Africa F	E Europe M
21	4.5 ± 0.3	3.4 ± 0.1	3.1 ± 0.2	3.2 ± 0.1	3.6 ± 0.1	4.5 ± 0.3	3.6 ± 0.2	2.59 ± 0.08	2.1 ± 0.1	2.67 ± 0.10	2.7 ± 0.1	3.4 ± 0.3	W Africa F	E Europe M
22	4.9 ± 0.3	3.41 ± 0.09	3.1 ± 0.1	3.26 ± 0.09	3.5 ± 0.1	4.4 ± 0.3	4.4 ± 0.3	2.85 ± 0.09	2.2 ± 0.1	2.8 ± 0.1	2.7 ± 0.1	3.5 ± 0.3	E Africa F	E Europe M
23	5.0 ± 0.2	3.27 ± 0.08	3.1 ± 0.1	3.28 ± 0.08	3.5 ± 0.1	4.7 ± 0.2	4.5 ± 0.3	2.87 ± 0.09	2.2 ± 0.1	3.0 ± 0.1	2.9 ± 0.1	4.0 ± 0.2	E Africa F	E Europe M
24	5.2 ± 0.3	3.21 ± 0.08	2.98 ± 0.10	3.28 ± 0.08	3.49 ± 0.10	4.6 ± 0.2	4.4 ± 0.2	2.92 ± 0.09	2.2 ± 0.1	3.03 ± 0.09	2.8 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
25	5.1 ± 0.2	3.16 ± 0.07	2.88 ± 0.09	3.22 ± 0.07	3.43 ± 0.10	4.7 ± 0.2	4.6 ± 0.2	2.95 ± 0.08	2.2 ± 0.1	3.02 ± 0.09	3.0 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
26	5.1 ± 0.2	3.12 ± 0.07	2.81 ± 0.09	3.18 ± 0.07	3.41 ± 0.09	4.6 ± 0.2	4.5 ± 0.2	2.88 ± 0.08	2.2 ± 0.1	3.05 ± 0.08	2.9 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
27	5.1 ± 0.2	2.99 ± 0.06	2.90 ± 0.09	3.19 ± 0.06	3.26 ± 0.09	4.9 ± 0.2	4.4 ± 0.2	2.95 ± 0.08	2.3 ± 0.1	3.00 ± 0.07	3.0 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
28	5.1 ± 0.2	2.98 ± 0.06	2.68 ± 0.08	3.24 ± 0.06	3.27 ± 0.09	4.7 ± 0.2	4.3 ± 0.2	2.93 ± 0.09	2.34 ± 0.10	3.00 ± 0.07	2.9 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
29	5.3 ± 0.2	2.83 ± 0.06	2.80 ± 0.08	3.16 ± 0.06	3.32 ± 0.09	4.8 ± 0.2	4.3 ± 0.2	2.79 ± 0.08	2.30 ± 0.09	2.97 ± 0.07	2.8 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
30	5.3 ± 0.2	2.91 ± 0.06	2.74 ± 0.08	3.16 ± 0.06	3.19 ± 0.09	4.6 ± 0.2	4.2 ± 0.2	2.84 ± 0.08	2.29 ± 0.09	2.97 ± 0.06	2.9 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
31	5.2 ± 0.2	2.91 ± 0.06	2.78 ± 0.09	3.14 ± 0.07	3.24 ± 0.09	4.5 ± 0.2	4.3 ± 0.2	2.76 ± 0.08	2.33 ± 0.09	3.03 ± 0.06	2.9 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
32	5.3 ± 0.2	2.90 ± 0.06	2.75 ± 0.09	3.23 ± 0.07	3.22 ± 0.10	4.8 ± 0.2	4.1 ± 0.2	2.79 ± 0.07	2.4 ± 0.1	3.05 ± 0.06	2.9 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
33	5.3 ± 0.2	2.89 ± 0.06	2.82 ± 0.09	3.21 ± 0.07	3.3 ± 0.1	4.6 ± 0.2	4.3 ± 0.2	2.78 ± 0.08	2.5 ± 0.1	3.00 ± 0.06	2.7 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
34	5.1 ± 0.2	2.94 ± 0.06	2.85 ± 0.09	3.13 ± 0.07	3.2 ± 0.1	4.6 ± 0.2	4.0 ± 0.2	2.78 ± 0.08	2.5 ± 0.1	3.10 ± 0.06	2.9 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
35	5.4 ± 0.2	2.96 ± 0.06	2.95 ± 0.10	3.16 ± 0.07	3.3 ± 0.1	4.6 ± 0.2	4.2 ± 0.2	2.86 ± 0.08	2.5 ± 0.1	3.08 ± 0.06	2.9 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
36	5.3 ± 0.2	2.94 ± 0.06	2.86 ± 0.10	3.15 ± 0.07	3.2 ± 0.1	4.5 ± 0.2	4.1 ± 0.2	2.82 ± 0.08	2.5 ± 0.1	3.04 ± 0.06	3.0 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
37	5.2 ± 0.2	2.90 ± 0.06	3.0 ± 0.1	3.20 ± 0.07	3.1 ± 0.1	4.8 ± 0.2	4.1 ± 0.2	2.82 ± 0.08	2.5 ± 0.1	3.07 ± 0.06	2.8 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
38	5.4 ± 0.3	2.94 ± 0.06	2.9 ± 0.1	3.15 ± 0.08	3.2 ± 0.1	4.5 ± 0.2	4.0 ± 0.2	2.91 ± 0.08	2.5 ± 0.1	2.99 ± 0.06	2.8 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
39	5.1 ± 0.3	2.98 ± 0.06	2.9 ± 0.1	3.17 ± 0.09	3.1 ± 0.1	4.5 ± 0.2	4.1 ± 0.2	2.88 ± 0.08	2.6 ± 0.1	2.93 ± 0.06	2.9 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
40	5.1 ± 0.3	2.95 ± 0.06	3.0 ± 0.1	3.06 ± 0.09	3.1 ± 0.1	4.4 ± 0.2	4.0 ± 0.2	2.83 ± 0.08	2.5 ± 0.1	2.98 ± 0.07	2.8 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
41	4.9 ± 0.3	2.86 ± 0.06	3.0 ± 0.1	3.09 ± 0.09	3.0 ± 0.1	4.3 ± 0.2	4.1 ± 0.2	2.80 ± 0.08	2.5 ± 0.1	2.86 ± 0.07	2.7 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
42	5.2 ± 0.3	2.93 ± 0.06	3.1 ± 0.1	3.1 ± 0.1	2.9 ± 0.1	4.4 ± 0.2	4.0 ± 0.2	2.87 ± 0.08	2.6 ± 0.1	2.83 ± 0.08	2.8 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
43	5.4 ± 0.3	2.95 ± 0.06	3.1 ± 0.1	3.0 ± 0.1	3.0 ± 0.1	4.2 ± 0.2	4.2 ± 0.3	2.91 ± 0.08	2.5 ± 0.1	2.86 ± 0.08	3.0 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
44	5.4 ± 0.3	2.94 ± 0.06	2.8 ± 0.1	3.1 ± 0.1	3.1 ± 0.1	4.4 ± 0.2	4.1 ± 0.3	2.94 ± 0.08	2.7 ± 0.1	2.89 ± 0.09	3.1 ± 0.2	3.6 ± 0.2	E Africa F	E Europe M
45	5.3 ± 0.3	2.91 ± 0.07	2.9 ± 0.1	3.1 ± 0.1	3.0 ± 0.1	3.9 ± 0.2	4.2 ± 0.3	3.02 ± 0.08	2.8 ± 0.2	2.97 ± 0.09	3.1 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
46	5.7 ± 0.4	2.91 ± 0.07	3.0 ± 0.1	3.0 ± 0.1	2.9 ± 0.1	4.1 ± 0.2	4.4 ± 0.3	2.94 ± 0.08	2.9 ± 0.2	3.0 ± 0.1	3.1 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
47	5.5 ± 0.4	2.85 ± 0.07	3.0 ± 0.2	3.1 ± 0.1	2.9 ± 0.1	4.1 ± 0.2	4.7 ± 0.3	2.98 ± 0.09	2.8 ± 0.2	3.3 ± 0.1	3.3 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
48	5.4 ± 0.4	2.73 ± 0.07	3.0 ± 0.2	3.1 ± 0.1	2.9 ± 0.1	4.0 ± 0.3	4.6 ± 0.3	2.88 ± 0.08	3.0 ± 0.2	3.2 ± 0.1	3.2 ± 0.2	4.1 ± 0.2	E Africa F	E Asia F
49	5.8 ± 0.4	2.83 ± 0.08	2.9 ± 0.2	3.2 ± 0.1	3.0 ± 0.1	4.2 ± 0.3	4.5 ± 0.3	3.04 ± 0.09	3.0 ± 0.2	3.2 ± 0.1	3.3 ± 0.2	3.7 ± 0.2	E Africa F	E Asia F
50	5.2 ± 0.4	2.84 ± 0.07	3.0 ± 0.2	3.2 ± 0.1	3.1 ± 0.1	4.1 ± 0.3	4.4 ± 0.3	3.02 ± 0.09	3.0 ± 0.2	3.3 ± 0.1	3.6 ± 0.2	4.0 ± 0.2	E Africa F	E Asia F
51	5.5 ± 0.4	2.83 ± 0.08	3.1 ± 0.2	3.2 ± 0.1	3.1 ± 0.1	4.3 ± 0.3	4.4 ± 0.3	3.04 ± 0.09	3.2 ± 0.2	3.6 ± 0.1	3.5 ± 0.2	4.2 ± 0.2	E Africa F	E Asia F
52	5.4 ± 0.4	2.78 ± 0.07	3.2 ± 0.2	3.3 ± 0.1	3.3 ± 0.1	4.0 ± 0.3	4.6 ± 0.3	3.06 ± 0.09	3.4 ± 0.2	3.5 ± 0.1	3.5 ± 0.2	4.1 ± 0.2	E Africa F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 125. *Mean absolute error for Application-type images for algorithm incode-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.1 ± 0.2	1.88 ± 0.08	1.6 ± 0.1	2.2 ± 0.1	2.2 ± 0.2	3.1 ± 0.2	2.2 ± 0.1	1.26 ± 0.07	1.15 ± 0.09	1.50 ± 0.07	1.3 ± 0.1	2.0 ± 0.2	E Africa F	E Europe M
15	3.1 ± 0.2	2.2 ± 0.1	1.7 ± 0.2	2.6 ± 0.2	2.6 ± 0.2	3.1 ± 0.3	2.1 ± 0.1	1.42 ± 0.06	1.10 ± 0.08	1.55 ± 0.08	1.6 ± 0.1	2.1 ± 0.2	E Africa F	E Europe M
16	3.1 ± 0.3	2.4 ± 0.1	2.1 ± 0.2	2.6 ± 0.1	2.9 ± 0.3	3.3 ± 0.4	2.0 ± 0.2	1.43 ± 0.06	1.3 ± 0.1	1.55 ± 0.08	1.5 ± 0.1	1.9 ± 0.1	W Africa F	E Europe M
17	3.3 ± 0.3	2.8 ± 0.1	2.4 ± 0.2	2.8 ± 0.1	2.9 ± 0.2	3.2 ± 0.3	1.8 ± 0.2	1.52 ± 0.08	1.2 ± 0.1	1.6 ± 0.1	1.6 ± 0.1	1.9 ± 0.3	E Africa F	E Europe M
18	3.0 ± 0.2	3.03 ± 0.09	2.8 ± 0.2	2.9 ± 0.1	3.2 ± 0.1	3.2 ± 0.3	1.9 ± 0.2	1.69 ± 0.07	1.6 ± 0.1	1.95 ± 0.09	1.8 ± 0.2	1.9 ± 0.2	W Africa F	E Europe M
19	3.5 ± 0.3	3.11 ± 0.09	2.9 ± 0.2	2.9 ± 0.1	3.1 ± 0.1	3.4 ± 0.3	2.4 ± 0.2	1.92 ± 0.08	1.8 ± 0.1	2.02 ± 0.08	1.9 ± 0.1	2.3 ± 0.2	E Africa F	E Europe M
20	3.9 ± 0.2	3.11 ± 0.10	3.0 ± 0.1	2.9 ± 0.1	3.1 ± 0.1	3.4 ± 0.2	2.8 ± 0.2	2.01 ± 0.07	2.1 ± 0.1	2.26 ± 0.09	2.1 ± 0.1	2.5 ± 0.2	E Africa F	E Asia M
21	3.7 ± 0.2	2.92 ± 0.08	2.9 ± 0.1	2.81 ± 0.09	2.9 ± 0.1	3.7 ± 0.3	3.0 ± 0.2	2.13 ± 0.06	2.1 ± 0.1	2.32 ± 0.09	2.2 ± 0.1	2.8 ± 0.2	E Africa F	E Europe M
22	4.1 ± 0.2	2.79 ± 0.07	2.8 ± 0.1	2.74 ± 0.08	2.79 ± 0.10	3.4 ± 0.2	3.5 ± 0.2	2.21 ± 0.07	2.0 ± 0.1	2.34 ± 0.09	2.13 ± 0.10	2.7 ± 0.2	E Africa F	E Europe M
23	4.1 ± 0.2	2.43 ± 0.07	2.7 ± 0.1	2.65 ± 0.07	2.53 ± 0.09	3.6 ± 0.2	3.4 ± 0.2	2.13 ± 0.07	1.9 ± 0.1	2.34 ± 0.09	2.2 ± 0.1	3.0 ± 0.2	E Africa F	E Europe M
24	4.0 ± 0.2	2.28 ± 0.06	2.43 ± 0.09	2.55 ± 0.07	2.28 ± 0.07	3.5 ± 0.2	3.3 ± 0.2	2.08 ± 0.07	1.80 ± 0.09	2.28 ± 0.07	1.97 ± 0.10	2.8 ± 0.2	E Africa F	E Europe M
25	3.9 ± 0.2	2.12 ± 0.06	2.26 ± 0.08	2.48 ± 0.06	2.21 ± 0.07	3.4 ± 0.2	3.3 ± 0.2	2.02 ± 0.07	1.78 ± 0.10	2.20 ± 0.07	1.92 ± 0.09	2.9 ± 0.2	E Africa F	E Europe M
26	3.7 ± 0.2	2.11 ± 0.05	2.17 ± 0.08	2.50 ± 0.06	2.16 ± 0.07	3.3 ± 0.2	3.2 ± 0.2	1.96 ± 0.06	1.80 ± 0.09	2.24 ± 0.06	1.90 ± 0.09	2.8 ± 0.1	E Africa F	E Europe M
27	4.0 ± 0.2	2.07 ± 0.05	2.23 ± 0.08	2.52 ± 0.06	2.12 ± 0.07	3.5 ± 0.2	3.2 ± 0.2	2.01 ± 0.07	1.84 ± 0.09	2.23 ± 0.06	2.01 ± 0.09	2.8 ± 0.1	E Africa F	E Europe M
28	3.8 ± 0.2	2.16 ± 0.05	2.14 ± 0.07	2.72 ± 0.06	2.15 ± 0.07	3.4 ± 0.2	3.0 ± 0.1	2.04 ± 0.07	1.89 ± 0.09	2.30 ± 0.06	2.04 ± 0.10	2.8 ± 0.1	E Africa F	E Europe M
29	4.0 ± 0.2	2.32 ± 0.05	2.34 ± 0.07	2.83 ± 0.06	2.35 ± 0.07	3.5 ± 0.2	3.2 ± 0.2	2.18 ± 0.06	2.02 ± 0.08	2.41 ± 0.06	2.20 ± 0.10	3.0 ± 0.1	E Africa F	E Europe M
30	4.0 ± 0.2	2.55 ± 0.05	2.50 ± 0.07	3.02 ± 0.06	2.49 ± 0.07	3.8 ± 0.2	3.3 ± 0.2	2.36 ± 0.06	2.10 ± 0.09	2.52 ± 0.05	2.3 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
31	4.3 ± 0.2	2.87 ± 0.05	2.65 ± 0.08	3.22 ± 0.06	2.67 ± 0.08	3.8 ± 0.2	3.5 ± 0.2	2.51 ± 0.07	2.25 ± 0.08	2.70 ± 0.05	2.5 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
32	4.4 ± 0.2	3.09 ± 0.06	2.80 ± 0.08	3.43 ± 0.06	2.92 ± 0.09	4.0 ± 0.2	3.5 ± 0.2	2.68 ± 0.07	2.39 ± 0.10	2.89 ± 0.05	2.6 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
33	4.4 ± 0.2	3.27 ± 0.06	2.99 ± 0.09	3.56 ± 0.07	3.06 ± 0.09	4.1 ± 0.2	3.8 ± 0.2	2.81 ± 0.07	2.42 ± 0.10	2.93 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
34	4.4 ± 0.2	3.48 ± 0.06	3.01 ± 0.10	3.61 ± 0.07	3.09 ± 0.09	4.2 ± 0.2	3.6 ± 0.2	2.85 ± 0.07	2.5 ± 0.1	3.06 ± 0.06	2.8 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
35	4.6 ± 0.2	3.65 ± 0.07	3.2 ± 0.1	3.77 ± 0.07	3.3 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	2.99 ± 0.07	2.5 ± 0.1	3.11 ± 0.06	2.9 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
36	4.6 ± 0.2	3.71 ± 0.07	3.15 ± 0.10	3.80 ± 0.07	3.39 ± 0.10	4.2 ± 0.2	3.9 ± 0.2	3.01 ± 0.07	2.6 ± 0.1	3.14 ± 0.06	3.0 ± 0.1	4.0 ± 0.1	E Africa F	E Europe M
37	4.5 ± 0.2	3.62 ± 0.07	3.2 ± 0.1	3.80 ± 0.08	3.2 ± 0.1	4.5 ± 0.2	3.9 ± 0.2	2.97 ± 0.07	2.5 ± 0.1	3.08 ± 0.06	2.9 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
38	4.6 ± 0.2	3.58 ± 0.07	3.1 ± 0.1	3.67 ± 0.08	3.2 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	2.96 ± 0.08	2.39 ± 0.10	2.96 ± 0.06	2.8 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
39	4.4 ± 0.2	3.47 ± 0.07	2.8 ± 0.1	3.57 ± 0.10	3.0 ± 0.1	4.1 ± 0.2	3.5 ± 0.2	2.74 ± 0.08	2.28 ± 0.10	2.79 ± 0.06	2.7 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
40	4.2 ± 0.3	3.33 ± 0.08	2.8 ± 0.1	3.34 ± 0.10	3.0 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	2.55 ± 0.08	2.2 ± 0.1	2.75 ± 0.07	2.5 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
41	4.2 ± 0.3	3.11 ± 0.08	2.7 ± 0.1	3.4 ± 0.1	2.8 ± 0.1	3.9 ± 0.2	3.5 ± 0.2	2.45 ± 0.08	2.1 ± 0.1	2.63 ± 0.07	2.4 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
42	4.4 ± 0.3	3.03 ± 0.07	2.7 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	3.9 ± 0.2	3.4 ± 0.2	2.45 ± 0.07	2.3 ± 0.1	2.58 ± 0.08	2.4 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
43	4.5 ± 0.3	3.08 ± 0.07	2.8 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	3.9 ± 0.2	3.7 ± 0.2	2.51 ± 0.07	2.2 ± 0.1	2.69 ± 0.08	2.6 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
44	4.8 ± 0.3	3.11 ± 0.07	2.7 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	4.1 ± 0.2	3.6 ± 0.2	2.55 ± 0.07	2.4 ± 0.1	2.73 ± 0.08	2.7 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
45	4.4 ± 0.3	3.03 ± 0.07	2.6 ± 0.1	3.2 ± 0.1	2.8 ± 0.1	3.7 ± 0.2	3.6 ± 0.2	2.55 ± 0.07	2.4 ± 0.1	2.77 ± 0.09	2.7 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
46	4.9 ± 0.3	3.05 ± 0.07	2.6 ± 0.1	3.1 ± 0.1	2.8 ± 0.1	3.8 ± 0.2	3.8 ± 0.3	2.53 ± 0.07	2.5 ± 0.1	2.71 ± 0.09	2.7 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
47	4.6 ± 0.4	2.90 ± 0.07	2.6 ± 0.1	3.1 ± 0.1	2.8 ± 0.1	4.0 ± 0.3	4.0 ± 0.3	2.57 ± 0.08	2.4 ± 0.1	3.0 ± 0.1	2.8 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
48	4.5 ± 0.4	2.77 ± 0.07	2.6 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	3.9 ± 0.2	4.1 ± 0.3	2.53 ± 0.07	2.6 ± 0.2	2.9 ± 0.1	2.8 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
49	4.8 ± 0.4	2.87 ± 0.08	2.6 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	3.9 ± 0.3	4.0 ± 0.3	2.63 ± 0.08	2.6 ± 0.1	2.9 ± 0.1	2.9 ± 0.2	3.4 ± 0.2	E Africa F	E Europe F
50	4.6 ± 0.4	2.87 ± 0.08	2.6 ± 0.1	3.1 ± 0.1	2.8 ± 0.1	3.9 ± 0.3	3.8 ± 0.3	2.63 ± 0.08	2.6 ± 0.2	3.1 ± 0.1	3.1 ± 0.2	3.7 ± 0.2	E Africa F	E Europe F
51	5.0 ± 0.3	2.84 ± 0.08	2.7 ± 0.1	3.1 ± 0.1	2.8 ± 0.1	4.1 ± 0.3	3.9 ± 0.3	2.69 ± 0.08	2.7 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	3.9 ± 0.2	E Africa F	E Europe F
52	4.7 ± 0.4	2.85 ± 0.08	2.7 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	3.9 ± 0.2	4.1 ± 0.3	2.76 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.0 ± 0.3	E Africa F	E Europe F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 126. *Mean absolute error for Application-type images for algorithm innovatrics-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.3 ± 0.2	3.20 ± 0.08	3.0 ± 0.2	3.9 ± 0.1	3.0 ± 0.1	5.8 ± 0.3	3.7 ± 0.2	2.36 ± 0.07	2.1 ± 0.1	2.69 ± 0.08	2.2 ± 0.1	3.5 ± 0.2	W Africa F	E Europe M
15	5.3 ± 0.2	3.05 ± 0.09	3.0 ± 0.2	3.8 ± 0.2	2.8 ± 0.2	5.7 ± 0.3	3.5 ± 0.2	2.27 ± 0.07	1.8 ± 0.1	2.59 ± 0.09	2.1 ± 0.1	3.6 ± 0.3	W Africa F	E Europe M
16	5.0 ± 0.3	2.9 ± 0.1	2.9 ± 0.2	3.5 ± 0.1	2.7 ± 0.2	5.8 ± 0.4	3.8 ± 0.2	2.12 ± 0.07	2.2 ± 0.2	2.50 ± 0.10	1.8 ± 0.1	3.5 ± 0.2	W Africa F	S E Asia M
17	5.3 ± 0.3	2.6 ± 0.1	2.8 ± 0.2	3.4 ± 0.2	2.4 ± 0.2	5.3 ± 0.3	3.4 ± 0.2	2.00 ± 0.09	1.9 ± 0.1	2.5 ± 0.1	1.7 ± 0.1	3.9 ± 0.4	E Africa F	S E Asia M
18	4.7 ± 0.2	2.37 ± 0.08	2.6 ± 0.2	3.1 ± 0.1	2.1 ± 0.1	5.0 ± 0.3	3.5 ± 0.2	1.93 ± 0.07	2.1 ± 0.1	2.62 ± 0.09	1.6 ± 0.1	3.6 ± 0.2	W Africa F	S E Asia M
19	4.6 ± 0.2	2.28 ± 0.08	2.4 ± 0.2	3.1 ± 0.1	2.1 ± 0.1	4.9 ± 0.2	3.5 ± 0.2	1.95 ± 0.07	2.1 ± 0.1	2.68 ± 0.10	1.6 ± 0.1	3.6 ± 0.3	W Africa F	S E Asia M
20	4.4 ± 0.2	2.22 ± 0.09	2.1 ± 0.1	2.9 ± 0.1	2.02 ± 0.09	4.7 ± 0.2	3.4 ± 0.2	1.85 ± 0.07	2.0 ± 0.2	2.73 ± 0.10	1.6 ± 0.1	3.6 ± 0.3	W Africa F	S E Asia M
21	4.1 ± 0.2	2.22 ± 0.07	2.1 ± 0.1	2.83 ± 0.08	2.03 ± 0.09	4.2 ± 0.2	3.4 ± 0.2	1.81 ± 0.06	2.0 ± 0.1	2.69 ± 0.09	1.80 ± 0.10	3.6 ± 0.3	W Africa F	S E Asia M
22	4.0 ± 0.2	2.13 ± 0.06	2.07 ± 0.09	2.56 ± 0.07	2.05 ± 0.08	4.0 ± 0.2	3.8 ± 0.2	1.82 ± 0.06	2.1 ± 0.1	2.70 ± 0.09	1.79 ± 0.08	3.3 ± 0.2	E Africa F	S E Asia M
23	3.7 ± 0.2	2.04 ± 0.05	2.04 ± 0.08	2.48 ± 0.07	2.04 ± 0.07	3.8 ± 0.2	3.6 ± 0.2	1.86 ± 0.06	1.9 ± 0.1	2.76 ± 0.09	1.84 ± 0.09	3.5 ± 0.2	W Africa F	S E Asia M
24	3.6 ± 0.2	2.05 ± 0.05	2.05 ± 0.07	2.30 ± 0.06	2.08 ± 0.06	3.5 ± 0.2	3.6 ± 0.2	1.89 ± 0.06	1.88 ± 0.09	2.65 ± 0.07	1.84 ± 0.09	3.3 ± 0.2	E Africa F	S E Asia M
25	3.4 ± 0.2	2.07 ± 0.05	2.06 ± 0.06	2.18 ± 0.05	2.16 ± 0.06	3.5 ± 0.2	3.5 ± 0.2	1.96 ± 0.06	1.86 ± 0.09	2.53 ± 0.07	2.01 ± 0.09	3.3 ± 0.2	E Africa M	E Europe M
26	3.2 ± 0.1	2.16 ± 0.05	2.17 ± 0.06	2.18 ± 0.05	2.26 ± 0.06	3.3 ± 0.2	3.4 ± 0.2	1.93 ± 0.06	1.91 ± 0.09	2.42 ± 0.07	2.15 ± 0.09	3.1 ± 0.1	E Africa M	E Europe M
27	3.3 ± 0.2	2.21 ± 0.05	2.26 ± 0.07	2.28 ± 0.05	2.43 ± 0.06	3.3 ± 0.1	3.3 ± 0.2	2.08 ± 0.06	1.93 ± 0.08	2.34 ± 0.06	2.25 ± 0.09	3.1 ± 0.1	W Africa F	E Europe M
28	3.3 ± 0.2	2.40 ± 0.05	2.28 ± 0.06	2.44 ± 0.05	2.64 ± 0.07	3.2 ± 0.1	3.2 ± 0.1	2.19 ± 0.07	1.92 ± 0.08	2.25 ± 0.06	2.3 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
29	3.3 ± 0.1	2.63 ± 0.05	2.38 ± 0.07	2.59 ± 0.05	2.88 ± 0.08	3.2 ± 0.1	3.2 ± 0.1	2.30 ± 0.06	1.97 ± 0.08	2.23 ± 0.05	2.5 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
30	3.3 ± 0.1	2.86 ± 0.05	2.50 ± 0.07	2.80 ± 0.05	2.98 ± 0.08	3.2 ± 0.1	3.3 ± 0.2	2.54 ± 0.06	1.99 ± 0.08	2.31 ± 0.05	2.7 ± 0.1	3.1 ± 0.1	E Africa M	E Europe M
31	3.3 ± 0.1	3.11 ± 0.05	2.61 ± 0.08	3.10 ± 0.06	3.21 ± 0.08	3.2 ± 0.1	3.4 ± 0.1	2.81 ± 0.07	2.15 ± 0.08	2.40 ± 0.05	3.0 ± 0.1	3.1 ± 0.1	E Africa M	E Europe M
32	3.4 ± 0.1	3.27 ± 0.06	2.66 ± 0.08	3.30 ± 0.06	3.44 ± 0.09	3.3 ± 0.1	3.3 ± 0.1	2.90 ± 0.07	2.30 ± 0.09	2.54 ± 0.05	3.0 ± 0.1	3.0 ± 0.1	S E Asia F	E Europe M
33	3.5 ± 0.2	3.47 ± 0.06	2.84 ± 0.09	3.47 ± 0.06	3.52 ± 0.10	3.1 ± 0.1	3.5 ± 0.2	3.11 ± 0.07	2.28 ± 0.09	2.64 ± 0.05	3.1 ± 0.1	3.0 ± 0.1	S E Asia F	E Europe M
34	3.6 ± 0.2	3.57 ± 0.06	2.97 ± 0.09	3.63 ± 0.07	3.6 ± 0.1	3.2 ± 0.1	3.4 ± 0.2	3.18 ± 0.08	2.38 ± 0.09	2.80 ± 0.05	3.2 ± 0.1	3.0 ± 0.1	S E Asia F	E Europe M
35	3.7 ± 0.2	3.83 ± 0.07	3.09 ± 0.10	3.84 ± 0.07	3.8 ± 0.1	3.2 ± 0.1	3.5 ± 0.2	3.26 ± 0.08	2.37 ± 0.10	2.89 ± 0.06	3.4 ± 0.2	3.2 ± 0.1	S Asia F	E Europe M
36	3.8 ± 0.2	3.89 ± 0.07	3.0 ± 0.1	4.04 ± 0.08	3.8 ± 0.1	3.2 ± 0.1	3.6 ± 0.2	3.27 ± 0.08	2.4 ± 0.1	3.02 ± 0.06	3.2 ± 0.2	3.1 ± 0.1	S Asia F	E Europe M
37	3.8 ± 0.2	3.94 ± 0.07	3.2 ± 0.1	4.12 ± 0.08	3.9 ± 0.1	3.6 ± 0.2	3.6 ± 0.2	3.27 ± 0.08	2.5 ± 0.1	3.19 ± 0.06	3.3 ± 0.2	3.1 ± 0.1	S Asia F	E Europe M
38	3.8 ± 0.2	4.13 ± 0.07	3.1 ± 0.1	4.25 ± 0.09	3.9 ± 0.1	3.7 ± 0.2	3.6 ± 0.2	3.31 ± 0.09	2.4 ± 0.1	3.17 ± 0.07	3.3 ± 0.2	3.1 ± 0.1	S Asia F	E Europe M
39	3.8 ± 0.2	4.14 ± 0.08	3.1 ± 0.1	4.33 ± 0.10	3.9 ± 0.1	3.5 ± 0.2	3.6 ± 0.2	3.32 ± 0.09	2.6 ± 0.1	3.23 ± 0.07	3.2 ± 0.2	3.2 ± 0.1	S Asia F	E Europe M
40	3.9 ± 0.2	4.27 ± 0.08	3.1 ± 0.1	4.4 ± 0.1	4.1 ± 0.1	3.7 ± 0.2	3.7 ± 0.2	3.38 ± 0.09	2.7 ± 0.1	3.29 ± 0.07	3.2 ± 0.1	3.6 ± 0.2	S Asia F	E Europe M
41	4.2 ± 0.2	4.32 ± 0.08	3.2 ± 0.1	4.5 ± 0.1	4.1 ± 0.1	3.9 ± 0.2	3.8 ± 0.2	3.38 ± 0.09	2.7 ± 0.1	3.34 ± 0.08	3.4 ± 0.2	3.8 ± 0.2	S Asia F	E Europe M
42	4.0 ± 0.2	4.32 ± 0.08	3.3 ± 0.1	4.3 ± 0.1	4.1 ± 0.1	4.0 ± 0.2	3.8 ± 0.2	3.32 ± 0.09	2.6 ± 0.1	3.32 ± 0.09	3.2 ± 0.1	3.6 ± 0.2	E Asia F	E Europe M
43	4.0 ± 0.2	4.51 ± 0.08	3.3 ± 0.1	4.5 ± 0.1	4.2 ± 0.1	4.0 ± 0.2	3.9 ± 0.2	3.41 ± 0.09	2.6 ± 0.1	3.26 ± 0.09	3.3 ± 0.2	3.9 ± 0.2	E Asia F	E Europe M
44	4.2 ± 0.3	4.68 ± 0.08	3.4 ± 0.1	4.4 ± 0.1	4.2 ± 0.1	4.4 ± 0.2	3.7 ± 0.2	3.41 ± 0.09	2.6 ± 0.1	3.31 ± 0.10	3.3 ± 0.2	3.8 ± 0.2	E Asia F	E Europe M
45	4.1 ± 0.3	4.70 ± 0.08	3.4 ± 0.1	4.4 ± 0.1	4.2 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	3.55 ± 0.09	2.6 ± 0.1	3.24 ± 0.10	3.3 ± 0.2	4.0 ± 0.2	E Asia F	E Europe M
46	4.2 ± 0.3	4.92 ± 0.09	3.4 ± 0.2	4.1 ± 0.1	4.4 ± 0.2	4.3 ± 0.2	3.8 ± 0.2	3.52 ± 0.09	2.9 ± 0.1	3.1 ± 0.1	3.4 ± 0.2	4.0 ± 0.2	E Asia F	E Europe M
47	4.1 ± 0.3	4.79 ± 0.09	3.5 ± 0.2	4.1 ± 0.1	4.2 ± 0.2	4.4 ± 0.2	3.7 ± 0.2	3.52 ± 0.10	2.8 ± 0.1	3.3 ± 0.1	3.2 ± 0.2	4.1 ± 0.2	E Asia F	E Europe M
48	4.1 ± 0.3	4.85 ± 0.09	3.4 ± 0.2	4.1 ± 0.2	4.3 ± 0.2	4.4 ± 0.3	3.7 ± 0.3	3.51 ± 0.09	2.9 ± 0.2	3.2 ± 0.1	3.2 ± 0.2	4.1 ± 0.2	E Asia F	E Europe M
49	3.9 ± 0.3	5.03 ± 0.10	3.7 ± 0.2	3.8 ± 0.1	4.1 ± 0.2	4.7 ± 0.3	3.6 ± 0.3	3.52 ± 0.10	2.9 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	3.6 ± 0.2	E Asia F	E Europe M
50	3.9 ± 0.3	5.0 ± 0.1	3.5 ± 0.2	3.8 ± 0.1	4.2 ± 0.2	4.5 ± 0.3	3.4 ± 0.3	3.45 ± 0.10	2.8 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	3.7 ± 0.2	E Asia F	E Europe M
51	3.7 ± 0.3	5.0 ± 0.1	3.7 ± 0.2	3.8 ± 0.1	4.1 ± 0.2	4.5 ± 0.3	3.5 ± 0.3	3.45 ± 0.10	2.8 ± 0.1	3.3 ± 0.1	3.0 ± 0.2	3.9 ± 0.2	E Asia F	E Europe M
52	3.9 ± 0.3	5.0 ± 0.1	3.6 ± 0.2	3.8 ± 0.1	3.8 ± 0.2	4.6 ± 0.3	3.2 ± 0.3	3.50 ± 0.10	2.9 ± 0.2	3.3 ± 0.1	3.2 ± 0.2	3.8 ± 0.3	E Asia F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 127. *Mean absolute error for Application-type images for algorithm innovatrics-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.2 ± 0.2	3.05 ± 0.07	3.0 ± 0.2	3.7 ± 0.1	3.0 ± 0.1	5.9 ± 0.3	3.7 ± 0.2	2.34 ± 0.07	2.0 ± 0.1	2.62 ± 0.07	2.2 ± 0.1	3.5 ± 0.2	W Africa F	E Europe M
15	5.2 ± 0.2	2.83 ± 0.09	3.0 ± 0.2	3.6 ± 0.1	2.7 ± 0.2	5.8 ± 0.3	3.4 ± 0.2	2.20 ± 0.07	1.9 ± 0.1	2.51 ± 0.09	2.0 ± 0.1	3.7 ± 0.3	W Africa F	E Europe M
16	4.9 ± 0.3	2.59 ± 0.10	2.9 ± 0.2	3.2 ± 0.1	2.5 ± 0.2	5.8 ± 0.4	3.8 ± 0.2	2.00 ± 0.07	2.1 ± 0.2	2.42 ± 0.10	1.8 ± 0.1	3.5 ± 0.2	W Africa F	S E Asia M
17	5.1 ± 0.3	2.36 ± 0.10	2.8 ± 0.2	3.1 ± 0.1	2.2 ± 0.2	5.5 ± 0.3	3.5 ± 0.2	1.82 ± 0.08	1.7 ± 0.1	2.4 ± 0.1	1.6 ± 0.1	3.8 ± 0.4	W Africa F	S E Asia M
18	4.5 ± 0.2	2.19 ± 0.08	2.5 ± 0.2	2.84 ± 0.10	2.0 ± 0.1	5.0 ± 0.3	3.4 ± 0.2	1.71 ± 0.07	1.9 ± 0.1	2.41 ± 0.09	1.5 ± 0.1	3.6 ± 0.2	W Africa F	S E Asia M
19	4.4 ± 0.2	2.13 ± 0.08	2.2 ± 0.2	2.7 ± 0.1	2.0 ± 0.1	4.9 ± 0.2	3.5 ± 0.2	1.69 ± 0.07	1.8 ± 0.1	2.39 ± 0.09	1.4 ± 0.1	3.7 ± 0.3	W Africa F	S E Asia M
20	4.2 ± 0.2	2.05 ± 0.08	2.0 ± 0.1	2.6 ± 0.1	1.91 ± 0.09	4.7 ± 0.2	3.3 ± 0.2	1.61 ± 0.07	1.8 ± 0.1	2.45 ± 0.09	1.50 ± 0.09	3.5 ± 0.3	W Africa F	S E Asia M
21	3.8 ± 0.2	2.04 ± 0.07	1.87 ± 0.10	2.51 ± 0.08	1.88 ± 0.08	4.2 ± 0.2	3.3 ± 0.2	1.62 ± 0.05	1.8 ± 0.1	2.42 ± 0.09	1.69 ± 0.09	3.5 ± 0.3	W Africa F	E Asia M
22	3.8 ± 0.2	1.94 ± 0.06	1.93 ± 0.08	2.30 ± 0.07	1.93 ± 0.08	4.0 ± 0.2	3.6 ± 0.2	1.67 ± 0.06	1.8 ± 0.1	2.43 ± 0.09	1.69 ± 0.08	3.2 ± 0.2	W Africa F	E Asia M
23	3.4 ± 0.2	1.91 ± 0.05	1.84 ± 0.08	2.27 ± 0.06	1.93 ± 0.07	3.7 ± 0.2	3.4 ± 0.2	1.80 ± 0.06	1.71 ± 0.10	2.54 ± 0.08	1.82 ± 0.08	3.3 ± 0.2	W Africa F	E Europe M
24	3.4 ± 0.2	1.97 ± 0.05	1.81 ± 0.06	2.17 ± 0.06	2.04 ± 0.06	3.4 ± 0.2	3.4 ± 0.2	1.84 ± 0.06	1.72 ± 0.08	2.46 ± 0.07	1.81 ± 0.08	3.2 ± 0.2	W Africa F	E Europe M
25	3.2 ± 0.2	2.06 ± 0.05	1.94 ± 0.06	2.12 ± 0.05	2.16 ± 0.06	3.3 ± 0.2	3.3 ± 0.2	1.99 ± 0.06	1.74 ± 0.08	2.39 ± 0.07	2.01 ± 0.08	3.2 ± 0.2	E Africa M	E Europe M
26	3.1 ± 0.1	2.25 ± 0.05	2.06 ± 0.06	2.19 ± 0.05	2.32 ± 0.06	3.1 ± 0.1	3.2 ± 0.2	1.97 ± 0.06	1.78 ± 0.08	2.31 ± 0.06	2.15 ± 0.09	2.9 ± 0.1	E Africa M	E Europe M
27	3.1 ± 0.1	2.34 ± 0.05	2.23 ± 0.07	2.37 ± 0.05	2.55 ± 0.07	3.2 ± 0.1	3.1 ± 0.2	2.13 ± 0.06	1.80 ± 0.08	2.25 ± 0.06	2.25 ± 0.09	3.0 ± 0.1	W Africa F	E Europe M
28	3.1 ± 0.1	2.55 ± 0.05	2.32 ± 0.06	2.55 ± 0.05	2.73 ± 0.07	3.0 ± 0.1	3.0 ± 0.1	2.22 ± 0.07	1.79 ± 0.08	2.18 ± 0.05	2.3 ± 0.1	2.9 ± 0.1	E Africa F	E Europe M
29	3.2 ± 0.1	2.79 ± 0.05	2.40 ± 0.07	2.71 ± 0.05	2.96 ± 0.08	3.0 ± 0.1	3.1 ± 0.1	2.35 ± 0.06	1.92 ± 0.08	2.15 ± 0.05	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
30	3.1 ± 0.1	3.06 ± 0.05	2.62 ± 0.07	2.98 ± 0.05	3.15 ± 0.08	3.1 ± 0.1	3.2 ± 0.1	2.67 ± 0.06	2.02 ± 0.08	2.23 ± 0.05	2.8 ± 0.1	3.0 ± 0.1	E Africa M	E Europe M
31	3.2 ± 0.1	3.38 ± 0.05	2.73 ± 0.08	3.30 ± 0.06	3.44 ± 0.09	3.0 ± 0.1	3.2 ± 0.1	2.96 ± 0.07	2.17 ± 0.08	2.32 ± 0.05	3.1 ± 0.1	3.0 ± 0.1	S E Asia F	E Europe M
32	3.3 ± 0.1	3.63 ± 0.06	2.85 ± 0.08	3.51 ± 0.06	3.68 ± 0.10	3.1 ± 0.1	3.2 ± 0.1	3.18 ± 0.07	2.29 ± 0.09	2.47 ± 0.05	3.2 ± 0.1	3.0 ± 0.1	S E Asia F	E Europe M
33	3.4 ± 0.1	3.92 ± 0.06	3.06 ± 0.09	3.72 ± 0.06	3.8 ± 0.1	3.0 ± 0.1	3.4 ± 0.2	3.45 ± 0.07	2.34 ± 0.09	2.60 ± 0.05	3.4 ± 0.1	3.0 ± 0.1	E Asia F	E Europe M
34	3.5 ± 0.1	4.09 ± 0.06	3.18 ± 0.09	3.87 ± 0.07	3.9 ± 0.1	3.0 ± 0.1	3.4 ± 0.2	3.65 ± 0.08	2.52 ± 0.10	2.81 ± 0.05	3.5 ± 0.2	3.0 ± 0.1	E Asia F	E Europe M
35	3.7 ± 0.2	4.38 ± 0.07	3.3 ± 0.1	4.09 ± 0.07	4.1 ± 0.1	3.1 ± 0.1	3.4 ± 0.2	3.73 ± 0.08	2.5 ± 0.1	2.96 ± 0.06	3.7 ± 0.2	3.2 ± 0.1	E Asia F	E Europe M
36	3.8 ± 0.2	4.45 ± 0.07	3.3 ± 0.1	4.31 ± 0.08	4.1 ± 0.1	3.0 ± 0.1	3.6 ± 0.2	3.78 ± 0.09	2.6 ± 0.1	3.12 ± 0.06	3.6 ± 0.2	3.1 ± 0.1	E Asia F	E Europe M
37	3.8 ± 0.2	4.54 ± 0.08	3.4 ± 0.1	4.46 ± 0.09	4.2 ± 0.1	3.4 ± 0.2	3.6 ± 0.2	3.86 ± 0.09	2.6 ± 0.1	3.30 ± 0.06	3.6 ± 0.2	3.1 ± 0.1	E Asia F	E Europe M
38	3.7 ± 0.2	4.71 ± 0.08	3.3 ± 0.1	4.59 ± 0.09	4.1 ± 0.1	3.6 ± 0.2	3.6 ± 0.2	3.88 ± 0.09	2.6 ± 0.1	3.32 ± 0.07	3.6 ± 0.2	3.1 ± 0.1	E Asia F	E Europe M
39	3.8 ± 0.2	4.76 ± 0.08	3.4 ± 0.1	4.82 ± 0.10	4.2 ± 0.1	3.4 ± 0.2	3.7 ± 0.2	3.96 ± 0.10	2.7 ± 0.1	3.41 ± 0.07	3.6 ± 0.2	3.2 ± 0.1	S Asia F	E Europe M
40	4.0 ± 0.2	4.90 ± 0.08	3.3 ± 0.1	4.8 ± 0.1	4.5 ± 0.1	3.8 ± 0.2	3.7 ± 0.2	4.00 ± 0.09	2.9 ± 0.1	3.49 ± 0.07	3.5 ± 0.2	3.4 ± 0.2	E Asia F	E Europe M
41	4.4 ± 0.2	5.02 ± 0.08	3.5 ± 0.1	5.0 ± 0.1	4.5 ± 0.1	4.1 ± 0.2	3.9 ± 0.2	4.02 ± 0.09	2.8 ± 0.1	3.55 ± 0.08	3.8 ± 0.2	3.7 ± 0.2	S Asia F	E Europe M
42	4.3 ± 0.3	5.06 ± 0.08	3.5 ± 0.2	4.9 ± 0.1	4.6 ± 0.1	4.2 ± 0.2	4.0 ± 0.2	4.01 ± 0.09	2.7 ± 0.1	3.61 ± 0.09	3.6 ± 0.1	3.6 ± 0.2	E Asia F	E Europe M
43	4.3 ± 0.3	5.34 ± 0.08	3.6 ± 0.2	5.1 ± 0.1	4.8 ± 0.1	4.2 ± 0.2	4.0 ± 0.2	4.09 ± 0.09	2.8 ± 0.1	3.56 ± 0.09	3.7 ± 0.2	3.8 ± 0.2	E Asia F	E Europe M
44	4.8 ± 0.3	5.58 ± 0.08	3.8 ± 0.2	5.1 ± 0.1	4.7 ± 0.2	4.6 ± 0.2	3.9 ± 0.2	4.16 ± 0.10	2.7 ± 0.1	3.6 ± 0.1	3.7 ± 0.2	3.8 ± 0.2	E Asia F	E Europe M
45	4.7 ± 0.3	5.70 ± 0.08	3.8 ± 0.2	5.1 ± 0.2	4.9 ± 0.1	4.6 ± 0.2	4.2 ± 0.2	4.27 ± 0.09	2.7 ± 0.1	3.6 ± 0.1	3.7 ± 0.2	4.1 ± 0.2	E Asia F	E Europe M
46	5.1 ± 0.4	5.96 ± 0.09	3.7 ± 0.2	4.9 ± 0.2	5.1 ± 0.2	4.7 ± 0.2	4.3 ± 0.3	4.32 ± 0.10	3.0 ± 0.1	3.5 ± 0.1	3.9 ± 0.2	4.2 ± 0.2	E Asia F	E Europe M
47	5.0 ± 0.4	5.88 ± 0.09	3.9 ± 0.2	4.9 ± 0.2	5.0 ± 0.2	4.7 ± 0.2	4.5 ± 0.3	4.3 ± 0.1	2.9 ± 0.2	3.8 ± 0.1	3.8 ± 0.2	4.3 ± 0.2	E Asia F	E Europe M
48	4.9 ± 0.4	6.04 ± 0.10	3.9 ± 0.2	4.9 ± 0.2	5.2 ± 0.2	5.0 ± 0.3	4.4 ± 0.3	4.4 ± 0.1	3.0 ± 0.2	3.6 ± 0.1	3.8 ± 0.2	4.4 ± 0.2	E Asia F	E Europe M
49	4.9 ± 0.4	6.2 ± 0.1	4.1 ± 0.2	4.7 ± 0.2	5.1 ± 0.2	5.2 ± 0.3	4.5 ± 0.3	4.4 ± 0.1	3.2 ± 0.2	3.7 ± 0.1	3.7 ± 0.2	4.0 ± 0.2	E Asia F	E Europe M
50	5.1 ± 0.4	6.2 ± 0.1	3.9 ± 0.2	4.7 ± 0.2	5.2 ± 0.2	5.2 ± 0.3	4.2 ± 0.3	4.3 ± 0.1	3.1 ± 0.2	3.8 ± 0.1	3.8 ± 0.2	4.3 ± 0.2	E Asia F	E Europe M
51	5.2 ± 0.4	6.1 ± 0.1	4.2 ± 0.2	4.7 ± 0.2	5.2 ± 0.2	5.3 ± 0.3	4.4 ± 0.4	4.3 ± 0.1	3.1 ± 0.2	3.8 ± 0.1	3.8 ± 0.2	4.4 ± 0.3	E Asia F	E Europe M
52	5.4 ± 0.5	6.1 ± 0.1	4.1 ± 0.2	4.7 ± 0.2	4.9 ± 0.2	5.2 ± 0.3	4.3 ± 0.3	4.3 ± 0.1	3.4 ± 0.2	3.7 ± 0.1	3.9 ± 0.2	4.5 ± 0.3	E Asia F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 128. *Mean absolute error for Application-type images for algorithm innovatrics-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.2 ± 0.3	2.11 ± 0.07	2.0 ± 0.1	2.5 ± 0.1	1.9 ± 0.1	5.4 ± 0.4	2.4 ± 0.2	1.48 ± 0.07	1.06 ± 0.07	1.56 ± 0.07	1.29 ± 0.10	2.5 ± 0.2	W Africa F	E Europe M
15	4.4 ± 0.3	2.0 ± 0.1	2.0 ± 0.2	2.5 ± 0.2	1.7 ± 0.2	5.5 ± 0.4	2.3 ± 0.2	1.34 ± 0.07	0.87 ± 0.08	1.39 ± 0.09	1.07 ± 0.09	2.8 ± 0.3	W Africa F	E Europe M
16	4.4 ± 0.3	2.0 ± 0.1	2.2 ± 0.2	2.4 ± 0.2	1.8 ± 0.2	5.8 ± 0.4	3.0 ± 0.3	1.31 ± 0.07	1.2 ± 0.1	1.5 ± 0.1	1.0 ± 0.1	2.9 ± 0.3	W Africa F	S E Asia M
17	5.0 ± 0.3	2.2 ± 0.1	2.3 ± 0.2	2.6 ± 0.2	1.9 ± 0.2	5.8 ± 0.3	3.1 ± 0.2	1.55 ± 0.09	1.3 ± 0.1	1.9 ± 0.1	1.4 ± 0.1	3.6 ± 0.4	W Africa F	E Europe M
18	4.6 ± 0.2	2.27 ± 0.08	2.4 ± 0.2	2.7 ± 0.1	2.1 ± 0.1	5.3 ± 0.3	3.4 ± 0.2	1.87 ± 0.07	1.8 ± 0.1	2.46 ± 0.09	1.8 ± 0.1	3.6 ± 0.3	W Africa F	S E Asia M
19	4.7 ± 0.3	2.44 ± 0.08	2.5 ± 0.2	2.8 ± 0.1	2.4 ± 0.1	5.6 ± 0.3	3.7 ± 0.2	2.16 ± 0.07	2.0 ± 0.1	2.72 ± 0.10	2.0 ± 0.1	4.0 ± 0.3	W Africa F	S E Asia M
20	4.6 ± 0.2	2.56 ± 0.09	2.5 ± 0.1	2.9 ± 0.1	2.40 ± 0.10	5.4 ± 0.3	3.8 ± 0.2	2.18 ± 0.07	2.1 ± 0.1	2.88 ± 0.10	2.2 ± 0.1	3.9 ± 0.3	W Africa F	E Europe M
21	4.3 ± 0.2	2.62 ± 0.08	2.5 ± 0.1	2.88 ± 0.08	2.49 ± 0.09	5.0 ± 0.3	3.8 ± 0.2	2.25 ± 0.07	2.2 ± 0.1	2.91 ± 0.10	2.4 ± 0.1	4.0 ± 0.3	W Africa F	E Europe M
22	4.3 ± 0.2	2.52 ± 0.07	2.6 ± 0.1	2.68 ± 0.07	2.52 ± 0.09	4.8 ± 0.2	4.3 ± 0.2	2.25 ± 0.07	2.3 ± 0.1	2.91 ± 0.10	2.2 ± 0.1	4.0 ± 0.2	W Africa F	S E Asia M
23	3.9 ± 0.2	2.39 ± 0.06	2.44 ± 0.10	2.60 ± 0.07	2.46 ± 0.08	4.6 ± 0.2	4.1 ± 0.2	2.24 ± 0.07	2.1 ± 0.1	2.97 ± 0.09	2.3 ± 0.1	4.2 ± 0.2	W Africa F	E Europe M
24	3.9 ± 0.2	2.35 ± 0.06	2.31 ± 0.09	2.44 ± 0.06	2.45 ± 0.07	4.2 ± 0.2	4.1 ± 0.2	2.19 ± 0.07	2.07 ± 0.10	2.83 ± 0.08	2.2 ± 0.1	3.9 ± 0.2	W Africa F	E Europe M
25	3.7 ± 0.2	2.32 ± 0.06	2.41 ± 0.08	2.38 ± 0.06	2.52 ± 0.08	4.1 ± 0.2	4.0 ± 0.2	2.24 ± 0.07	2.0 ± 0.1	2.62 ± 0.08	2.3 ± 0.1	3.9 ± 0.2	W Africa F	E Europe M
26	3.5 ± 0.2	2.40 ± 0.06	2.42 ± 0.08	2.36 ± 0.05	2.59 ± 0.08	3.9 ± 0.2	4.0 ± 0.2	2.14 ± 0.07	2.12 ± 0.10	2.53 ± 0.07	2.4 ± 0.1	3.6 ± 0.2	E Africa M	E Europe M
27	3.5 ± 0.2	2.43 ± 0.05	2.47 ± 0.08	2.60 ± 0.05	2.74 ± 0.08	3.8 ± 0.2	3.9 ± 0.2	2.28 ± 0.07	2.14 ± 0.09	2.52 ± 0.07	2.5 ± 0.1	3.6 ± 0.2	E Africa M	E Europe M
28	3.5 ± 0.2	2.64 ± 0.05	2.58 ± 0.07	2.83 ± 0.05	2.90 ± 0.08	3.6 ± 0.2	3.7 ± 0.2	2.37 ± 0.07	2.17 ± 0.09	2.43 ± 0.06	2.5 ± 0.1	3.5 ± 0.1	E Africa M	E Europe M
29	3.4 ± 0.2	2.78 ± 0.05	2.60 ± 0.07	3.03 ± 0.06	3.07 ± 0.08	3.4 ± 0.1	3.7 ± 0.2	2.43 ± 0.07	2.16 ± 0.09	2.41 ± 0.05	2.6 ± 0.1	3.5 ± 0.1	E Africa M	E Europe M
30	3.3 ± 0.1	2.99 ± 0.06	2.76 ± 0.08	3.27 ± 0.06	3.14 ± 0.09	3.3 ± 0.1	3.7 ± 0.2	2.53 ± 0.07	2.17 ± 0.09	2.44 ± 0.05	2.7 ± 0.1	3.3 ± 0.1	E Africa M	E Europe M
31	3.4 ± 0.1	3.19 ± 0.06	2.87 ± 0.09	3.55 ± 0.06	3.35 ± 0.09	3.2 ± 0.1	3.7 ± 0.2	2.64 ± 0.07	2.24 ± 0.09	2.52 ± 0.05	2.9 ± 0.1	3.3 ± 0.1	E Africa M	E Europe M
32	3.4 ± 0.2	3.35 ± 0.06	2.91 ± 0.09	3.76 ± 0.07	3.5 ± 0.1	3.2 ± 0.1	3.5 ± 0.2	2.74 ± 0.07	2.37 ± 0.10	2.65 ± 0.05	2.9 ± 0.1	3.2 ± 0.1	S Asia F	E Europe M
33	3.5 ± 0.1	3.54 ± 0.07	3.02 ± 0.10	4.03 ± 0.07	3.6 ± 0.1	3.1 ± 0.1	3.7 ± 0.2	2.89 ± 0.08	2.40 ± 0.10	2.74 ± 0.05	3.0 ± 0.1	3.1 ± 0.1	S Asia F	E Europe M
34	3.6 ± 0.2	3.68 ± 0.07	3.2 ± 0.1	4.20 ± 0.08	3.7 ± 0.1	3.1 ± 0.1	3.6 ± 0.2	3.00 ± 0.08	2.47 ± 0.10	2.94 ± 0.06	3.1 ± 0.1	3.1 ± 0.1	S Asia F	E Europe M
35	3.8 ± 0.2	4.01 ± 0.07	3.3 ± 0.1	4.45 ± 0.08	3.9 ± 0.1	3.2 ± 0.1	3.8 ± 0.2	3.08 ± 0.08	2.6 ± 0.1	3.06 ± 0.06	3.3 ± 0.1	3.5 ± 0.1	S Asia F	E Europe M
36	4.0 ± 0.2	4.09 ± 0.07	3.4 ± 0.1	4.62 ± 0.08	4.0 ± 0.1	3.1 ± 0.1	3.9 ± 0.2	3.18 ± 0.08	2.7 ± 0.1	3.24 ± 0.06	3.3 ± 0.1	3.4 ± 0.1	S Asia F	E Europe M
37	3.9 ± 0.2	4.26 ± 0.07	3.4 ± 0.1	4.80 ± 0.09	4.2 ± 0.1	3.6 ± 0.2	3.9 ± 0.2	3.26 ± 0.08	2.8 ± 0.1	3.41 ± 0.06	3.2 ± 0.1	3.4 ± 0.1	S Asia F	E Europe M
38	3.9 ± 0.2	4.50 ± 0.08	3.4 ± 0.1	4.9 ± 0.1	4.1 ± 0.1	3.7 ± 0.2	4.0 ± 0.2	3.29 ± 0.08	2.8 ± 0.1	3.41 ± 0.07	3.3 ± 0.2	3.4 ± 0.1	S Asia F	E Europe M
39	3.9 ± 0.2	4.55 ± 0.08	3.3 ± 0.1	5.0 ± 0.1	4.2 ± 0.1	3.5 ± 0.2	3.9 ± 0.2	3.37 ± 0.09	2.9 ± 0.1	3.44 ± 0.07	3.3 ± 0.2	3.5 ± 0.1	S Asia F	E Europe M
40	4.1 ± 0.2	4.69 ± 0.08	3.3 ± 0.1	5.0 ± 0.1	4.4 ± 0.1	3.9 ± 0.2	4.2 ± 0.2	3.34 ± 0.09	3.0 ± 0.1	3.48 ± 0.08	3.3 ± 0.2	3.7 ± 0.2	S Asia F	E Europe M
41	4.3 ± 0.2	4.78 ± 0.09	3.3 ± 0.1	5.1 ± 0.1	4.4 ± 0.1	4.0 ± 0.2	4.2 ± 0.2	3.35 ± 0.09	2.9 ± 0.1	3.58 ± 0.08	3.5 ± 0.2	3.9 ± 0.2	S Asia F	E Europe M
42	4.3 ± 0.3	4.82 ± 0.08	3.3 ± 0.2	4.8 ± 0.1	4.3 ± 0.2	4.1 ± 0.2	4.3 ± 0.2	3.47 ± 0.09	2.9 ± 0.1	3.55 ± 0.09	3.5 ± 0.2	3.9 ± 0.2	E Asia F	E Europe M
43	4.3 ± 0.3	4.96 ± 0.09	3.3 ± 0.1	5.0 ± 0.1	4.5 ± 0.2	4.1 ± 0.2	4.3 ± 0.3	3.60 ± 0.09	2.8 ± 0.1	3.54 ± 0.09	3.6 ± 0.2	4.0 ± 0.2	S Asia F	E Europe M
44	4.9 ± 0.3	5.14 ± 0.09	3.3 ± 0.2	4.9 ± 0.2	4.4 ± 0.2	4.4 ± 0.2	4.2 ± 0.3	3.63 ± 0.09	2.8 ± 0.1	3.7 ± 0.1	3.7 ± 0.2	4.0 ± 0.2	E Asia F	E Europe M
45	4.5 ± 0.3	5.19 ± 0.09	3.4 ± 0.2	4.9 ± 0.2	4.4 ± 0.2	4.4 ± 0.2	4.5 ± 0.3	3.76 ± 0.09	2.9 ± 0.1	3.6 ± 0.1	3.8 ± 0.2	4.4 ± 0.2	E Asia F	E Europe M
46	5.1 ± 0.4	5.40 ± 0.10	3.4 ± 0.2	4.6 ± 0.2	4.8 ± 0.2	4.3 ± 0.2	4.6 ± 0.3	3.76 ± 0.09	3.2 ± 0.2	3.5 ± 0.1	3.8 ± 0.2	4.3 ± 0.2	E Asia F	E Europe M
47	5.0 ± 0.4	5.3 ± 0.1	3.5 ± 0.2	4.7 ± 0.2	4.5 ± 0.2	4.6 ± 0.2	5.0 ± 0.4	3.8 ± 0.1	3.0 ± 0.2	3.7 ± 0.1	3.8 ± 0.2	4.5 ± 0.2	E Asia F	E Europe M
48	4.9 ± 0.4	5.4 ± 0.1	3.6 ± 0.2	4.8 ± 0.2	4.7 ± 0.2	4.7 ± 0.3	4.9 ± 0.4	3.81 ± 0.10	3.3 ± 0.2	3.7 ± 0.1	3.9 ± 0.2	4.6 ± 0.2	E Asia F	E Europe M
49	4.9 ± 0.4	5.5 ± 0.1	4.0 ± 0.2	4.6 ± 0.2	4.6 ± 0.2	5.2 ± 0.3	4.9 ± 0.4	3.9 ± 0.1	3.4 ± 0.2	3.8 ± 0.1	3.6 ± 0.2	4.3 ± 0.2	E Asia F	E Europe M
50	5.3 ± 0.4	5.5 ± 0.1	3.9 ± 0.2	4.6 ± 0.2	4.7 ± 0.2	5.0 ± 0.3	4.8 ± 0.4	4.0 ± 0.1	3.5 ± 0.2	4.0 ± 0.1	3.9 ± 0.2	4.5 ± 0.2	E Asia F	E Europe M
51	5.5 ± 0.4	5.6 ± 0.1	4.2 ± 0.2	4.6 ± 0.2	4.9 ± 0.2	5.2 ± 0.3	5.1 ± 0.4	4.0 ± 0.1	3.4 ± 0.2	4.2 ± 0.2	3.8 ± 0.2	4.8 ± 0.3	E Asia F	E Europe M
52	5.7 ± 0.4	5.6 ± 0.1	4.2 ± 0.2	4.9 ± 0.2	4.7 ± 0.2	5.1 ± 0.3	5.0 ± 0.4	3.9 ± 0.1	3.8 ± 0.2	4.1 ± 0.1	4.0 ± 0.2	5.0 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 129. *Mean absolute error for Application-type images for algorithm innovatrics-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.6 ± 0.2	1.82 ± 0.08	1.7 ± 0.2	2.0 ± 0.1	1.6 ± 0.1	2.1 ± 0.2	1.5 ± 0.1	1.51 ± 0.07	1.38 ± 0.10	1.71 ± 0.07	1.4 ± 0.1	1.4 ± 0.2	W Africa F	E Europe M
15	1.8 ± 0.2	2.1 ± 0.1	2.1 ± 0.2	2.4 ± 0.2	1.8 ± 0.2	2.5 ± 0.3	1.4 ± 0.1	1.73 ± 0.07	1.5 ± 0.1	1.84 ± 0.08	1.5 ± 0.1	1.6 ± 0.2	W Africa F	E Africa M
16	2.3 ± 0.2	2.3 ± 0.1	2.4 ± 0.2	2.5 ± 0.1	2.2 ± 0.2	2.8 ± 0.4	1.7 ± 0.1	1.73 ± 0.07	1.8 ± 0.1	1.81 ± 0.09	1.5 ± 0.1	1.5 ± 0.2	W Africa F	S E Asia M
17	2.7 ± 0.2	2.4 ± 0.1	2.6 ± 0.2	2.7 ± 0.1	2.2 ± 0.2	3.1 ± 0.3	1.6 ± 0.1	1.74 ± 0.08	1.5 ± 0.1	1.8 ± 0.1	1.5 ± 0.1	1.9 ± 0.3	W Africa F	E Europe M
18	2.8 ± 0.2	2.38 ± 0.08	2.6 ± 0.2	2.73 ± 0.10	2.2 ± 0.1	3.2 ± 0.3	1.6 ± 0.1	1.70 ± 0.06	1.7 ± 0.1	1.89 ± 0.08	1.5 ± 0.1	1.8 ± 0.2	W Africa F	S E Asia M
19	3.1 ± 0.2	2.33 ± 0.08	2.4 ± 0.2	2.7 ± 0.1	2.3 ± 0.1	3.2 ± 0.2	1.8 ± 0.2	1.80 ± 0.07	1.7 ± 0.1	1.90 ± 0.08	1.5 ± 0.1	2.0 ± 0.2	W Africa F	S E Asia M
20	3.2 ± 0.2	2.33 ± 0.09	2.3 ± 0.1	2.7 ± 0.1	2.2 ± 0.1	3.3 ± 0.3	2.0 ± 0.2	1.77 ± 0.07	1.7 ± 0.1	2.03 ± 0.09	1.63 ± 0.10	2.1 ± 0.2	W Africa F	S E Asia M
21	3.2 ± 0.2	2.39 ± 0.08	2.2 ± 0.1	2.79 ± 0.09	2.28 ± 0.10	3.4 ± 0.3	2.2 ± 0.2	1.82 ± 0.06	1.8 ± 0.1	2.11 ± 0.09	1.87 ± 0.10	2.6 ± 0.2	W Africa F	E Europe M
22	3.5 ± 0.2	2.29 ± 0.07	2.35 ± 0.10	2.67 ± 0.08	2.33 ± 0.09	3.6 ± 0.2	2.9 ± 0.2	1.90 ± 0.06	1.9 ± 0.1	2.19 ± 0.09	1.85 ± 0.08	2.6 ± 0.2	W Africa F	S E Asia M
23	3.5 ± 0.2	2.25 ± 0.06	2.25 ± 0.09	2.68 ± 0.07	2.27 ± 0.08	3.8 ± 0.2	3.1 ± 0.2	1.94 ± 0.06	1.9 ± 0.1	2.34 ± 0.09	2.00 ± 0.09	3.1 ± 0.2	W Africa F	E Europe M
24	3.9 ± 0.2	2.25 ± 0.06	2.09 ± 0.08	2.63 ± 0.07	2.29 ± 0.07	3.9 ± 0.2	3.3 ± 0.2	1.90 ± 0.07	1.93 ± 0.09	2.40 ± 0.08	1.91 ± 0.09	3.2 ± 0.2	W Africa F	E Asia M
25	4.0 ± 0.2	2.32 ± 0.06	2.21 ± 0.07	2.55 ± 0.06	2.46 ± 0.08	4.1 ± 0.2	3.5 ± 0.2	2.00 ± 0.07	2.01 ± 0.09	2.39 ± 0.07	2.11 ± 0.10	3.5 ± 0.2	W Africa F	E Asia M
26	4.0 ± 0.2	2.51 ± 0.05	2.31 ± 0.07	2.62 ± 0.05	2.63 ± 0.07	3.9 ± 0.2	3.7 ± 0.1	2.02 ± 0.06	2.05 ± 0.09	2.48 ± 0.06	2.3 ± 0.1	3.4 ± 0.1	E Africa F	E Asia M
27	4.1 ± 0.2	2.60 ± 0.05	2.44 ± 0.07	2.80 ± 0.05	2.85 ± 0.07	4.1 ± 0.2	3.8 ± 0.1	2.26 ± 0.07	2.09 ± 0.08	2.55 ± 0.06	2.5 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
28	4.1 ± 0.2	2.66 ± 0.05	2.54 ± 0.07	2.88 ± 0.05	2.86 ± 0.07	3.9 ± 0.1	3.8 ± 0.1	2.40 ± 0.07	2.08 ± 0.08	2.52 ± 0.06	2.5 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
29	4.0 ± 0.2	2.69 ± 0.05	2.56 ± 0.07	2.89 ± 0.05	2.95 ± 0.08	3.8 ± 0.1	3.8 ± 0.2	2.49 ± 0.06	2.13 ± 0.08	2.50 ± 0.05	2.7 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
30	3.8 ± 0.2	2.75 ± 0.06	2.74 ± 0.08	2.95 ± 0.06	2.91 ± 0.09	3.8 ± 0.1	3.9 ± 0.2	2.65 ± 0.06	2.05 ± 0.09	2.56 ± 0.05	2.8 ± 0.1	3.6 ± 0.1	E Africa M	E Europe M
31	3.9 ± 0.2	2.84 ± 0.06	2.84 ± 0.08	3.10 ± 0.06	3.05 ± 0.09	3.6 ± 0.1	3.8 ± 0.2	2.79 ± 0.07	2.18 ± 0.08	2.61 ± 0.05	3.0 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
32	3.8 ± 0.2	2.95 ± 0.06	2.84 ± 0.08	3.19 ± 0.06	3.12 ± 0.10	3.6 ± 0.1	3.8 ± 0.2	2.81 ± 0.07	2.28 ± 0.09	2.72 ± 0.05	2.9 ± 0.1	3.5 ± 0.1	E Africa M	E Europe M
33	3.8 ± 0.2	3.08 ± 0.06	2.89 ± 0.09	3.32 ± 0.07	3.2 ± 0.1	3.3 ± 0.1	3.9 ± 0.2	2.87 ± 0.08	2.25 ± 0.09	2.78 ± 0.05	3.0 ± 0.1	3.4 ± 0.1	E Africa M	E Europe M
34	3.7 ± 0.2	3.12 ± 0.06	2.91 ± 0.10	3.41 ± 0.07	3.2 ± 0.1	3.2 ± 0.1	3.8 ± 0.2	2.88 ± 0.08	2.34 ± 0.09	2.93 ± 0.06	3.0 ± 0.1	3.3 ± 0.1	E Africa M	E Europe M
35	3.9 ± 0.2	3.37 ± 0.06	2.97 ± 0.10	3.62 ± 0.07	3.3 ± 0.1	3.3 ± 0.2	3.8 ± 0.2	2.85 ± 0.08	2.33 ± 0.10	3.03 ± 0.06	3.1 ± 0.2	3.5 ± 0.1	E Africa F	E Europe M
36	3.9 ± 0.2	3.40 ± 0.07	2.87 ± 0.10	3.80 ± 0.08	3.4 ± 0.1	3.1 ± 0.2	3.9 ± 0.2	2.85 ± 0.08	2.35 ± 0.10	3.14 ± 0.06	2.9 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
37	3.9 ± 0.2	3.49 ± 0.07	2.9 ± 0.1	3.98 ± 0.08	3.4 ± 0.1	3.5 ± 0.2	3.8 ± 0.2	2.89 ± 0.08	2.34 ± 0.10	3.26 ± 0.07	2.9 ± 0.1	3.2 ± 0.1	S Asia F	E Europe M
38	3.8 ± 0.2	3.68 ± 0.07	2.8 ± 0.1	4.15 ± 0.09	3.4 ± 0.1	3.7 ± 0.2	3.8 ± 0.2	2.92 ± 0.08	2.3 ± 0.1	3.24 ± 0.07	2.9 ± 0.2	3.2 ± 0.1	S Asia F	E Europe M
39	3.9 ± 0.2	3.74 ± 0.07	2.7 ± 0.1	4.32 ± 0.09	3.4 ± 0.1	3.4 ± 0.2	3.7 ± 0.2	2.94 ± 0.08	2.4 ± 0.1	3.27 ± 0.07	3.0 ± 0.1	3.2 ± 0.1	S Asia F	E Europe M
40	4.1 ± 0.2	3.87 ± 0.07	2.7 ± 0.1	4.36 ± 0.10	3.7 ± 0.1	3.8 ± 0.2	3.8 ± 0.2	2.99 ± 0.08	2.4 ± 0.1	3.35 ± 0.08	2.9 ± 0.1	3.5 ± 0.2	S Asia F	E Europe M
41	4.4 ± 0.3	3.98 ± 0.07	2.8 ± 0.1	4.6 ± 0.1	3.7 ± 0.1	3.9 ± 0.2	3.9 ± 0.2	3.03 ± 0.08	2.5 ± 0.1	3.42 ± 0.08	3.1 ± 0.1	3.7 ± 0.2	S Asia F	E Europe M
42	4.3 ± 0.3	4.03 ± 0.07	2.9 ± 0.1	4.4 ± 0.1	3.7 ± 0.1	4.0 ± 0.2	4.0 ± 0.2	3.10 ± 0.08	2.5 ± 0.1	3.39 ± 0.09	3.1 ± 0.1	3.6 ± 0.2	S Asia F	E Europe M
43	4.3 ± 0.3	4.21 ± 0.08	3.0 ± 0.1	4.6 ± 0.1	4.0 ± 0.1	4.0 ± 0.2	4.1 ± 0.3	3.19 ± 0.08	2.6 ± 0.1	3.41 ± 0.09	3.1 ± 0.1	3.9 ± 0.2	S Asia F	E Europe M
44	4.8 ± 0.3	4.38 ± 0.08	3.1 ± 0.1	4.6 ± 0.1	3.9 ± 0.1	4.3 ± 0.2	4.0 ± 0.2	3.27 ± 0.08	2.6 ± 0.1	3.48 ± 0.10	3.3 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
45	4.6 ± 0.3	4.44 ± 0.08	3.1 ± 0.1	4.5 ± 0.1	3.9 ± 0.1	4.3 ± 0.2	4.3 ± 0.3	3.40 ± 0.08	2.7 ± 0.1	3.5 ± 0.1	3.3 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
46	5.2 ± 0.4	4.63 ± 0.08	3.2 ± 0.1	4.3 ± 0.1	4.1 ± 0.1	4.4 ± 0.2	4.4 ± 0.3	3.41 ± 0.09	3.1 ± 0.2	3.4 ± 0.1	3.4 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
47	4.9 ± 0.4	4.54 ± 0.09	3.3 ± 0.2	4.3 ± 0.1	4.0 ± 0.2	4.5 ± 0.2	4.7 ± 0.3	3.44 ± 0.09	3.0 ± 0.2	3.6 ± 0.1	3.3 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
48	4.9 ± 0.4	4.59 ± 0.09	3.3 ± 0.1	4.3 ± 0.2	4.1 ± 0.2	4.6 ± 0.3	4.7 ± 0.3	3.44 ± 0.09	3.1 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	4.7 ± 0.2	E Africa F	E Europe M
49	5.1 ± 0.4	4.71 ± 0.10	3.5 ± 0.2	4.0 ± 0.2	4.0 ± 0.2	5.0 ± 0.3	4.6 ± 0.3	3.48 ± 0.10	3.2 ± 0.2	3.6 ± 0.1	3.3 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
50	5.1 ± 0.4	4.69 ± 0.10	3.3 ± 0.2	3.9 ± 0.1	4.1 ± 0.2	4.8 ± 0.3	4.4 ± 0.3	3.48 ± 0.09	3.3 ± 0.2	3.6 ± 0.1	3.4 ± 0.2	4.4 ± 0.2	E Africa F	E Europe M
51	5.2 ± 0.4	4.7 ± 0.1	3.4 ± 0.2	3.8 ± 0.2	4.0 ± 0.2	4.9 ± 0.3	4.7 ± 0.4	3.47 ± 0.10	3.1 ± 0.2	3.7 ± 0.1	3.4 ± 0.2	4.7 ± 0.3	E Africa F	E Europe M
52	5.3 ± 0.4	4.5 ± 0.1	3.4 ± 0.2	3.8 ± 0.2	3.8 ± 0.2	4.9 ± 0.3	4.6 ± 0.4	3.5 ± 0.1	3.4 ± 0.2	3.6 ± 0.1	3.5 ± 0.2	4.7 ± 0.3	E Africa F	E Europe F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 130. *Mean absolute error for Application-type images for algorithm innovatrics-004. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.0 ± 0.1	1.04 ± 0.07	1.0 ± 0.1	1.12 ± 0.09	0.9 ± 0.1	1.3 ± 0.2	1.0 ± 0.1	0.88 ± 0.06	0.75 ± 0.06	0.88 ± 0.05	0.74 ± 0.07	0.9 ± 0.1	W Africa F	S E Asia M
15	1.6 ± 0.1	1.68 ± 0.08	1.7 ± 0.1	1.9 ± 0.1	1.6 ± 0.2	2.0 ± 0.3	1.30 ± 0.10	1.26 ± 0.06	0.99 ± 0.08	1.15 ± 0.06	1.02 ± 0.08	1.4 ± 0.2	W Africa F	E Europe M
16	2.4 ± 0.2	2.16 ± 0.09	2.3 ± 0.2	2.2 ± 0.1	2.2 ± 0.2	2.5 ± 0.4	1.6 ± 0.1	1.44 ± 0.06	1.3 ± 0.1	1.29 ± 0.07	1.30 ± 0.09	1.5 ± 0.1	W Africa F	S Asia M
17	2.6 ± 0.2	2.40 ± 0.10	2.6 ± 0.2	2.5 ± 0.1	2.2 ± 0.2	2.9 ± 0.3	1.6 ± 0.1	1.59 ± 0.08	1.28 ± 0.10	1.46 ± 0.09	1.5 ± 0.1	2.0 ± 0.3	W Africa F	E Europe M
18	2.9 ± 0.2	2.51 ± 0.08	2.7 ± 0.2	2.68 ± 0.10	2.4 ± 0.1	3.1 ± 0.3	1.6 ± 0.1	1.73 ± 0.06	1.5 ± 0.1	1.68 ± 0.07	1.8 ± 0.1	1.9 ± 0.2	W Africa F	E Europe M
19	3.3 ± 0.2	2.59 ± 0.08	2.6 ± 0.2	2.8 ± 0.1	2.7 ± 0.1	3.1 ± 0.3	2.0 ± 0.2	1.96 ± 0.07	1.6 ± 0.1	1.80 ± 0.08	1.9 ± 0.1	2.2 ± 0.2	E Africa F	E Europe M
20	3.5 ± 0.2	2.72 ± 0.09	2.6 ± 0.1	2.9 ± 0.1	2.7 ± 0.1	3.4 ± 0.3	2.2 ± 0.2	2.06 ± 0.07	1.7 ± 0.1	2.03 ± 0.09	2.0 ± 0.1	2.3 ± 0.2	E Africa F	E Europe M
21	3.6 ± 0.2	2.82 ± 0.08	2.6 ± 0.1	3.03 ± 0.09	2.8 ± 0.1	3.8 ± 0.2	2.5 ± 0.2	2.14 ± 0.06	1.8 ± 0.1	2.19 ± 0.09	2.3 ± 0.1	2.8 ± 0.2	W Africa F	E Europe M
22	4.1 ± 0.2	2.71 ± 0.07	2.7 ± 0.1	2.99 ± 0.08	2.79 ± 0.10	4.0 ± 0.2	3.1 ± 0.2	2.23 ± 0.07	2.0 ± 0.1	2.28 ± 0.09	2.27 ± 0.10	2.9 ± 0.2	E Africa F	E Europe M
23	4.0 ± 0.2	2.59 ± 0.07	2.6 ± 0.1	3.03 ± 0.08	2.65 ± 0.09	4.2 ± 0.2	3.4 ± 0.2	2.21 ± 0.07	2.0 ± 0.1	2.49 ± 0.09	2.3 ± 0.1	3.4 ± 0.2	W Africa F	E Europe M
24	4.4 ± 0.2	2.52 ± 0.07	2.35 ± 0.09	3.03 ± 0.08	2.60 ± 0.08	4.4 ± 0.2	3.6 ± 0.2	2.12 ± 0.08	2.1 ± 0.1	2.63 ± 0.08	2.2 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
25	4.6 ± 0.2	2.51 ± 0.06	2.42 ± 0.08	2.98 ± 0.07	2.70 ± 0.09	4.5 ± 0.2	3.8 ± 0.2	2.21 ± 0.08	2.22 ± 0.10	2.69 ± 0.07	2.3 ± 0.1	3.7 ± 0.2	E Africa F	E Asia M
26	4.5 ± 0.2	2.67 ± 0.06	2.48 ± 0.08	3.03 ± 0.06	2.81 ± 0.08	4.2 ± 0.2	3.9 ± 0.2	2.21 ± 0.07	2.28 ± 0.10	2.82 ± 0.07	2.5 ± 0.1	3.5 ± 0.1	E Africa F	E Asia M
27	4.5 ± 0.2	2.72 ± 0.05	2.59 ± 0.08	3.18 ± 0.06	3.02 ± 0.08	4.3 ± 0.2	4.0 ± 0.2	2.48 ± 0.07	2.26 ± 0.09	2.88 ± 0.06	2.7 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
28	4.5 ± 0.2	2.80 ± 0.06	2.67 ± 0.07	3.24 ± 0.06	3.04 ± 0.08	4.1 ± 0.2	3.9 ± 0.1	2.59 ± 0.08	2.21 ± 0.09	2.81 ± 0.06	2.7 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
29	4.3 ± 0.2	2.84 ± 0.06	2.67 ± 0.08	3.22 ± 0.07	3.17 ± 0.09	4.0 ± 0.1	3.9 ± 0.2	2.63 ± 0.07	2.24 ± 0.09	2.78 ± 0.06	2.9 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
30	4.1 ± 0.2	2.96 ± 0.06	2.85 ± 0.08	3.29 ± 0.07	3.19 ± 0.10	4.0 ± 0.2	3.9 ± 0.2	2.73 ± 0.07	2.13 ± 0.09	2.82 ± 0.06	3.0 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
31	4.2 ± 0.2	3.12 ± 0.06	2.97 ± 0.09	3.48 ± 0.07	3.41 ± 0.10	3.8 ± 0.1	3.9 ± 0.2	2.87 ± 0.07	2.25 ± 0.09	2.85 ± 0.06	3.2 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
32	4.0 ± 0.2	3.28 ± 0.06	2.98 ± 0.09	3.57 ± 0.07	3.6 ± 0.1	3.8 ± 0.2	3.9 ± 0.2	2.93 ± 0.07	2.35 ± 0.10	2.94 ± 0.06	3.1 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
33	4.0 ± 0.2	3.43 ± 0.06	3.00 ± 0.09	3.70 ± 0.07	3.6 ± 0.1	3.5 ± 0.2	4.0 ± 0.2	2.99 ± 0.08	2.31 ± 0.09	2.96 ± 0.06	3.2 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
34	4.0 ± 0.2	3.46 ± 0.06	3.01 ± 0.10	3.70 ± 0.07	3.7 ± 0.1	3.3 ± 0.2	3.9 ± 0.2	2.96 ± 0.08	2.40 ± 0.10	3.10 ± 0.06	3.2 ± 0.2	3.4 ± 0.1	E Africa F	E Europe M
35	4.1 ± 0.2	3.61 ± 0.07	3.1 ± 0.1	3.80 ± 0.08	3.7 ± 0.1	3.5 ± 0.2	3.8 ± 0.2	2.89 ± 0.08	2.42 ± 0.10	3.16 ± 0.06	3.3 ± 0.2	3.6 ± 0.1	E Africa F	E Europe M
36	4.2 ± 0.2	3.61 ± 0.07	2.9 ± 0.1	3.84 ± 0.08	3.8 ± 0.1	3.3 ± 0.2	4.0 ± 0.2	2.84 ± 0.08	2.5 ± 0.1	3.23 ± 0.07	3.1 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
37	4.1 ± 0.2	3.56 ± 0.07	2.9 ± 0.1	3.94 ± 0.09	3.7 ± 0.1	3.7 ± 0.2	3.8 ± 0.2	2.82 ± 0.07	2.43 ± 0.10	3.30 ± 0.07	3.0 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
38	4.0 ± 0.2	3.64 ± 0.07	2.9 ± 0.1	3.97 ± 0.09	3.8 ± 0.1	3.9 ± 0.2	3.8 ± 0.2	2.79 ± 0.08	2.4 ± 0.1	3.20 ± 0.07	3.0 ± 0.2	3.2 ± 0.1	E Africa F	E Europe M
39	4.1 ± 0.2	3.56 ± 0.07	2.7 ± 0.1	3.92 ± 0.10	3.6 ± 0.1	3.6 ± 0.2	3.8 ± 0.2	2.71 ± 0.08	2.4 ± 0.1	3.18 ± 0.07	3.0 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
40	4.2 ± 0.2	3.49 ± 0.07	2.7 ± 0.1	3.8 ± 0.1	3.7 ± 0.1	3.9 ± 0.2	3.8 ± 0.2	2.61 ± 0.07	2.5 ± 0.1	3.20 ± 0.07	2.8 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
41	4.5 ± 0.3	3.37 ± 0.07	2.8 ± 0.1	3.9 ± 0.1	3.5 ± 0.1	4.0 ± 0.2	3.9 ± 0.2	2.54 ± 0.08	2.4 ± 0.1	3.21 ± 0.08	2.9 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
42	4.4 ± 0.3	3.28 ± 0.07	2.9 ± 0.1	3.8 ± 0.1	3.3 ± 0.1	4.0 ± 0.2	4.0 ± 0.2	2.62 ± 0.07	2.5 ± 0.1	3.13 ± 0.08	2.9 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
43	4.4 ± 0.3	3.18 ± 0.07	2.9 ± 0.1	3.9 ± 0.1	3.4 ± 0.1	3.9 ± 0.2	4.1 ± 0.3	2.64 ± 0.07	2.5 ± 0.1	3.08 ± 0.09	2.9 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
44	4.8 ± 0.3	3.10 ± 0.07	2.9 ± 0.1	3.9 ± 0.1	3.3 ± 0.1	4.2 ± 0.2	3.9 ± 0.2	2.64 ± 0.08	2.5 ± 0.1	3.10 ± 0.10	3.0 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
45	4.5 ± 0.3	2.94 ± 0.07	2.7 ± 0.1	3.7 ± 0.1	3.1 ± 0.1	4.1 ± 0.2	4.2 ± 0.3	2.70 ± 0.07	2.5 ± 0.1	3.08 ± 0.10	3.0 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
46	5.1 ± 0.4	2.90 ± 0.07	2.9 ± 0.1	3.5 ± 0.1	3.0 ± 0.1	4.1 ± 0.2	4.3 ± 0.3	2.67 ± 0.08	2.9 ± 0.1	3.01 ± 0.10	3.0 ± 0.2	4.3 ± 0.2	E Africa F	E Asia M
47	4.8 ± 0.4	2.78 ± 0.07	3.0 ± 0.2	3.5 ± 0.1	2.9 ± 0.1	4.2 ± 0.2	4.7 ± 0.3	2.72 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.3 ± 0.2	E Africa F	E Asia M
48	4.8 ± 0.4	2.67 ± 0.07	2.8 ± 0.1	3.7 ± 0.1	2.8 ± 0.1	4.3 ± 0.3	4.7 ± 0.3	2.73 ± 0.07	3.0 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	4.6 ± 0.2	E Africa F	E Asia F
49	4.9 ± 0.4	2.66 ± 0.07	3.0 ± 0.2	3.4 ± 0.1	2.7 ± 0.1	4.7 ± 0.3	4.6 ± 0.3	2.80 ± 0.08	3.1 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	4.3 ± 0.2	E Africa F	E Asia F
50	4.8 ± 0.4	2.62 ± 0.07	2.7 ± 0.1	3.3 ± 0.1	2.7 ± 0.1	4.5 ± 0.3	4.4 ± 0.3	2.80 ± 0.08	3.1 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.4 ± 0.2	E Africa F	E Asia F
51	5.0 ± 0.4	2.55 ± 0.07	2.8 ± 0.2	3.2 ± 0.1	2.5 ± 0.1	4.6 ± 0.3	4.6 ± 0.4	2.81 ± 0.08	3.0 ± 0.2	3.4 ± 0.1	3.0 ± 0.2	4.7 ± 0.3	E Africa F	S E Asia F
52	5.1 ± 0.4	2.49 ± 0.08	2.8 ± 0.2	3.2 ± 0.1	2.4 ± 0.1	4.5 ± 0.3	4.6 ± 0.4	2.82 ± 0.08	3.3 ± 0.2	3.3 ± 0.1	3.1 ± 0.2	4.7 ± 0.3	E Africa F	S E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 131. *Mean absolute error for Application-type images for algorithm intellicheck-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.8 ± 0.2	3.81 ± 0.09	3.0 ± 0.1	3.2 ± 0.1	3.3 ± 0.2	3.0 ± 0.3	2.4 ± 0.1	3.07 ± 0.08	2.1 ± 0.1	2.31 ± 0.08	2.7 ± 0.1	2.9 ± 0.2	E Asia F	E Europe M
15	2.5 ± 0.2	2.97 ± 0.09	2.29 ± 0.08	2.6 ± 0.1	2.8 ± 0.3	2.8 ± 0.3	2.2 ± 0.2	2.46 ± 0.08	1.73 ± 0.10	1.96 ± 0.09	2.2 ± 0.2	2.5 ± 0.3	E Asia F	E Europe M
16	2.0 ± 0.2	2.3 ± 0.1	1.54 ± 0.08	1.9 ± 0.1	2.0 ± 0.2	2.6 ± 0.4	1.7 ± 0.2	1.75 ± 0.07	1.33 ± 0.10	1.47 ± 0.09	1.5 ± 0.1	2.1 ± 0.3	W Africa F	E Europe M
17	2.2 ± 0.3	1.5 ± 0.1	0.8 ± 0.1	1.4 ± 0.1	1.3 ± 0.2	2.1 ± 0.3	1.4 ± 0.2	1.11 ± 0.09	0.84 ± 0.08	1.3 ± 0.1	1.0 ± 0.1	1.7 ± 0.4	E Africa F	E Europe F
18	2.0 ± 0.2	1.3 ± 0.1	0.9 ± 0.2	1.3 ± 0.1	1.2 ± 0.2	2.6 ± 0.4	1.7 ± 0.2	1.14 ± 0.07	1.2 ± 0.1	1.6 ± 0.1	1.3 ± 0.2	1.9 ± 0.3	W Africa F	E Europe F
19	2.7 ± 0.3	1.8 ± 0.1	1.7 ± 0.1	2.1 ± 0.2	2.1 ± 0.2	2.9 ± 0.3	2.3 ± 0.2	1.81 ± 0.08	1.9 ± 0.1	2.2 ± 0.1	2.1 ± 0.2	2.6 ± 0.3	W Africa F	E Europe F
20	3.4 ± 0.2	2.7 ± 0.1	2.7 ± 0.1	3.1 ± 0.2	2.8 ± 0.1	3.5 ± 0.3	3.2 ± 0.2	2.54 ± 0.08	2.6 ± 0.2	3.2 ± 0.1	2.9 ± 0.1	3.6 ± 0.4	W Africa M	E Asia M
21	4.3 ± 0.2	3.5 ± 0.1	3.55 ± 0.10	3.9 ± 0.1	3.7 ± 0.1	4.7 ± 0.3	4.2 ± 0.2	3.42 ± 0.08	3.4 ± 0.1	4.0 ± 0.1	3.8 ± 0.1	4.1 ± 0.3	W Africa F	E Asia M
22	5.0 ± 0.2	4.52 ± 0.10	4.6 ± 0.1	5.0 ± 0.1	4.8 ± 0.1	5.4 ± 0.3	5.2 ± 0.3	4.34 ± 0.09	4.2 ± 0.1	5.0 ± 0.1	4.6 ± 0.1	4.9 ± 0.3	W Africa F	E Europe M
23	6.0 ± 0.2	5.42 ± 0.09	5.49 ± 0.09	5.9 ± 0.1	5.7 ± 0.1	6.1 ± 0.3	5.8 ± 0.3	5.24 ± 0.10	5.1 ± 0.1	5.6 ± 0.1	5.7 ± 0.1	5.4 ± 0.3	W Africa F	E Europe M
24	6.8 ± 0.2	6.33 ± 0.08	6.50 ± 0.09	6.72 ± 0.10	6.7 ± 0.1	6.7 ± 0.2	6.4 ± 0.3	6.07 ± 0.09	5.7 ± 0.1	6.5 ± 0.1	6.3 ± 0.1	6.2 ± 0.2	E Africa F	E Europe M
25	7.8 ± 0.2	7.22 ± 0.07	7.40 ± 0.09	7.59 ± 0.09	7.5 ± 0.1	7.8 ± 0.3	7.1 ± 0.2	6.9 ± 0.1	6.4 ± 0.1	7.1 ± 0.1	7.2 ± 0.1	6.9 ± 0.2	E Africa F	E Europe M
26	8.3 ± 0.2	8.15 ± 0.07	8.21 ± 0.08	8.37 ± 0.09	8.5 ± 0.1	8.2 ± 0.2	7.7 ± 0.2	7.6 ± 0.1	7.2 ± 0.2	7.7 ± 0.1	8.2 ± 0.2	7.2 ± 0.2	S E Asia F	E Europe M
27	9.3 ± 0.2	8.99 ± 0.07	9.13 ± 0.09	9.08 ± 0.08	9.2 ± 0.1	9.0 ± 0.2	8.1 ± 0.2	8.3 ± 0.1	7.6 ± 0.2	8.4 ± 0.1	9.2 ± 0.2	7.5 ± 0.2	E Africa F	W Africa M
28	9.8 ± 0.2	9.75 ± 0.07	9.92 ± 0.10	9.92 ± 0.08	10.1 ± 0.1	9.7 ± 0.2	8.5 ± 0.2	9.1 ± 0.1	7.9 ± 0.2	8.9 ± 0.1	9.3 ± 0.2	7.8 ± 0.2	S E Asia F	W Africa M
29	10.1 ± 0.2	10.47 ± 0.08	10.6 ± 0.1	10.47 ± 0.09	10.8 ± 0.1	9.9 ± 0.2	8.7 ± 0.3	9.9 ± 0.1	8.4 ± 0.2	9.4 ± 0.1	10.1 ± 0.2	8.2 ± 0.2	S E Asia F	W Africa M
30	10.8 ± 0.2	11.36 ± 0.08	11.3 ± 0.1	11.01 ± 0.09	11.6 ± 0.1	10.2 ± 0.2	9.1 ± 0.3	10.3 ± 0.1	8.8 ± 0.2	10.0 ± 0.1	10.7 ± 0.2	8.3 ± 0.2	S E Asia F	W Africa M
31	11.3 ± 0.2	11.97 ± 0.09	11.9 ± 0.1	11.5 ± 0.1	12.1 ± 0.1	10.7 ± 0.2	9.3 ± 0.3	10.8 ± 0.2	9.1 ± 0.3	10.5 ± 0.1	11.0 ± 0.3	8.4 ± 0.2	S E Asia F	W Africa M
32	11.8 ± 0.2	12.63 ± 0.09	12.3 ± 0.2	11.9 ± 0.1	12.7 ± 0.1	11.2 ± 0.3	9.5 ± 0.3	11.3 ± 0.2	9.7 ± 0.3	11.1 ± 0.1	11.7 ± 0.3	8.7 ± 0.3	S E Asia F	W Africa M
33	12.1 ± 0.3	13.2 ± 0.1	12.8 ± 0.2	12.3 ± 0.1	12.9 ± 0.2	11.6 ± 0.3	9.7 ± 0.3	12.0 ± 0.2	9.9 ± 0.3	11.4 ± 0.1	11.9 ± 0.3	8.7 ± 0.3	E Asia F	W Africa M
34	12.0 ± 0.3	13.7 ± 0.1	13.2 ± 0.2	12.5 ± 0.1	13.4 ± 0.2	11.4 ± 0.3	9.5 ± 0.3	12.4 ± 0.2	9.8 ± 0.3	11.7 ± 0.1	12.3 ± 0.3	8.9 ± 0.3	E Asia F	W Africa M
35	12.2 ± 0.3	14.0 ± 0.1	13.5 ± 0.2	12.6 ± 0.1	13.6 ± 0.2	11.6 ± 0.3	9.5 ± 0.3	12.8 ± 0.2	10.1 ± 0.3	11.9 ± 0.2	12.5 ± 0.4	9.1 ± 0.3	E Asia F	W Africa M
36	12.6 ± 0.4	14.3 ± 0.1	13.4 ± 0.3	12.6 ± 0.2	13.8 ± 0.2	11.9 ± 0.3	9.8 ± 0.4	12.9 ± 0.2	9.9 ± 0.4	11.9 ± 0.2	12.9 ± 0.4	9.4 ± 0.3	E Asia F	W Africa M
37	12.5 ± 0.4	14.4 ± 0.2	13.2 ± 0.3	12.8 ± 0.2	13.3 ± 0.3	11.4 ± 0.4	10.0 ± 0.4	13.1 ± 0.2	10.0 ± 0.4	11.7 ± 0.2	12.3 ± 0.4	9.2 ± 0.3	E Asia F	W Africa M
38	12.5 ± 0.5	14.4 ± 0.2	13.3 ± 0.3	12.5 ± 0.2	13.5 ± 0.3	11.7 ± 0.4	9.9 ± 0.4	13.0 ± 0.2	10.2 ± 0.4	11.6 ± 0.2	12.7 ± 0.4	9.4 ± 0.3	E Asia F	W Africa M
39	12.3 ± 0.5	14.3 ± 0.2	13.2 ± 0.3	12.3 ± 0.2	13.6 ± 0.3	11.7 ± 0.4	9.9 ± 0.4	12.8 ± 0.3	10.5 ± 0.4	11.6 ± 0.2	12.3 ± 0.4	9.3 ± 0.4	E Asia F	W Africa M
40	13.0 ± 0.5	14.2 ± 0.2	12.6 ± 0.4	11.9 ± 0.2	13.1 ± 0.3	11.5 ± 0.5	9.5 ± 0.4	12.5 ± 0.3	9.7 ± 0.4	11.4 ± 0.2	11.7 ± 0.4	9.5 ± 0.4	E Asia F	E Africa M
41	12.8 ± 0.6	14.1 ± 0.2	12.7 ± 0.4	11.8 ± 0.3	13.1 ± 0.3	11.9 ± 0.5	9.8 ± 0.5	12.3 ± 0.3	10.1 ± 0.4	11.0 ± 0.2	12.0 ± 0.4	9.6 ± 0.4	E Asia F	W Africa M
42	12.1 ± 0.6	13.7 ± 0.2	12.0 ± 0.4	11.1 ± 0.3	12.2 ± 0.4	11.2 ± 0.5	9.0 ± 0.5	12.1 ± 0.3	9.5 ± 0.4	10.8 ± 0.3	11.5 ± 0.4	9.4 ± 0.4	E Asia F	E Africa M
43	12.1 ± 0.7	13.6 ± 0.2	11.9 ± 0.5	10.9 ± 0.3	12.5 ± 0.4	10.8 ± 0.6	9.4 ± 0.5	11.8 ± 0.3	10.0 ± 0.5	10.4 ± 0.3	11.9 ± 0.5	9.0 ± 0.4	E Asia F	W Africa M
44	12.2 ± 0.7	13.2 ± 0.2	11.2 ± 0.5	10.6 ± 0.4	11.9 ± 0.4	11.8 ± 0.6	8.9 ± 0.5	11.4 ± 0.3	9.3 ± 0.5	10.2 ± 0.3	11.3 ± 0.5	8.9 ± 0.5	E Asia F	E Africa M
45	12.0 ± 0.8	12.6 ± 0.3	10.8 ± 0.5	9.9 ± 0.3	11.3 ± 0.4	10.4 ± 0.6	9.0 ± 0.6	11.3 ± 0.3	9.0 ± 0.5	9.8 ± 0.3	11.2 ± 0.4	8.9 ± 0.5	E Asia F	W Africa M
46	11.7 ± 0.8	12.4 ± 0.3	11.0 ± 0.5	9.4 ± 0.4	10.8 ± 0.4	10.0 ± 0.7	8.8 ± 0.6	11.1 ± 0.3	8.5 ± 0.5	9.4 ± 0.3	11.2 ± 0.5	8.7 ± 0.5	E Asia F	E Europe M
47	11.1 ± 0.8	11.6 ± 0.3	10.3 ± 0.5	9.1 ± 0.4	11.1 ± 0.4	10.0 ± 0.7	9.2 ± 0.6	11.1 ± 0.3	8.6 ± 0.5	9.7 ± 0.3	10.9 ± 0.4	9.0 ± 0.5	E Asia F	E Europe M
48	11.4 ± 0.9	11.5 ± 0.3	9.9 ± 0.5	9.1 ± 0.4	10.0 ± 0.4	9.4 ± 0.7	8.5 ± 0.6	10.8 ± 0.3	8.7 ± 0.5	9.3 ± 0.3	10.5 ± 0.5	8.1 ± 0.5	E Asia F	W Africa M
49	11.0 ± 0.9	11.1 ± 0.3	9.7 ± 0.5	8.8 ± 0.4	10.3 ± 0.4	9.6 ± 0.7	8.5 ± 0.7	10.4 ± 0.3	8.2 ± 0.5	8.9 ± 0.3	10.8 ± 0.5	8.5 ± 0.5	E Asia F	E Europe M
50	10.8 ± 0.9	10.5 ± 0.3	9.9 ± 0.5	8.5 ± 0.4	9.5 ± 0.4	9.1 ± 0.7	8.7 ± 0.7	10.1 ± 0.3	8.2 ± 0.5	8.9 ± 0.3	10.7 ± 0.5	7.8 ± 0.5	E Africa F	W Africa M
51	11.6 ± 0.9	10.0 ± 0.3	9.5 ± 0.5	8.3 ± 0.3	9.7 ± 0.4	9.8 ± 0.7	8.8 ± 0.7	9.6 ± 0.3	8.2 ± 0.4	8.7 ± 0.3	10.2 ± 0.4	7.9 ± 0.5	E Africa F	W Africa M
52	10.6 ± 0.9	9.6 ± 0.3	9.8 ± 0.5	8.1 ± 0.3	9.6 ± 0.4	8.6 ± 0.7	9.2 ± 0.7	9.5 ± 0.3	7.7 ± 0.4	8.6 ± 0.3	9.7 ± 0.4	8.1 ± 0.5	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 132. *Mean absolute error for Application-type images for algorithm ionetworks-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.0 ± 0.3	4.2 ± 0.1	2.9 ± 0.2	3.6 ± 0.1	3.3 ± 0.2	5.8 ± 0.4	3.6 ± 0.2	3.18 ± 0.09	1.7 ± 0.1	3.0 ± 0.1	2.6 ± 0.2	3.4 ± 0.3	W Africa F	E Europe M
15	5.3 ± 0.3	4.1 ± 0.1	2.7 ± 0.2	3.7 ± 0.2	3.5 ± 0.3	6.4 ± 0.5	3.8 ± 0.3	3.26 ± 0.10	1.7 ± 0.2	3.4 ± 0.1	3.0 ± 0.2	3.7 ± 0.3	W Africa F	E Europe M
16	5.2 ± 0.3	3.9 ± 0.1	2.9 ± 0.2	3.7 ± 0.2	3.5 ± 0.3	6.4 ± 0.4	4.4 ± 0.3	3.22 ± 0.09	2.1 ± 0.2	3.6 ± 0.2	3.0 ± 0.2	4.1 ± 0.3	W Africa F	E Europe M
17	5.6 ± 0.3	3.6 ± 0.1	2.9 ± 0.2	3.6 ± 0.2	3.3 ± 0.2	6.4 ± 0.4	4.5 ± 0.3	3.2 ± 0.1	2.1 ± 0.2	4.1 ± 0.2	3.1 ± 0.2	4.6 ± 0.4	W Africa F	E Europe M
18	5.1 ± 0.3	3.17 ± 0.09	2.8 ± 0.2	3.5 ± 0.1	3.0 ± 0.2	5.8 ± 0.3	4.7 ± 0.2	3.02 ± 0.08	2.4 ± 0.2	4.4 ± 0.1	3.0 ± 0.2	4.7 ± 0.3	W Africa F	E Europe M
19	5.2 ± 0.3	2.90 ± 0.09	2.7 ± 0.2	3.3 ± 0.1	2.8 ± 0.1	5.8 ± 0.3	4.7 ± 0.3	2.98 ± 0.09	2.6 ± 0.2	4.4 ± 0.1	2.9 ± 0.1	4.7 ± 0.3	W Africa F	E Europe M
20	4.8 ± 0.3	2.74 ± 0.10	2.6 ± 0.2	3.2 ± 0.1	2.7 ± 0.1	5.6 ± 0.3	4.8 ± 0.3	2.74 ± 0.08	2.8 ± 0.2	4.3 ± 0.1	2.9 ± 0.1	4.6 ± 0.3	W Africa F	E Europe F
21	4.5 ± 0.2	2.46 ± 0.09	2.6 ± 0.1	3.0 ± 0.1	2.6 ± 0.1	5.4 ± 0.3	4.7 ± 0.2	2.56 ± 0.08	2.8 ± 0.2	4.2 ± 0.1	2.7 ± 0.1	4.6 ± 0.3	W Africa F	E Asia F
22	4.6 ± 0.2	2.24 ± 0.07	2.6 ± 0.1	2.79 ± 0.09	2.5 ± 0.1	5.0 ± 0.3	5.1 ± 0.2	2.41 ± 0.08	3.1 ± 0.2	4.0 ± 0.1	2.3 ± 0.1	4.3 ± 0.2	E Africa M	E Asia F
23	4.2 ± 0.2	2.20 ± 0.07	2.6 ± 0.1	2.74 ± 0.08	2.42 ± 0.09	4.8 ± 0.2	4.7 ± 0.2	2.21 ± 0.07	2.9 ± 0.2	3.9 ± 0.1	2.2 ± 0.1	4.3 ± 0.2	W Africa F	E Asia F
24	4.2 ± 0.2	2.22 ± 0.06	2.55 ± 0.09	2.61 ± 0.07	2.42 ± 0.08	4.4 ± 0.2	4.5 ± 0.2	2.06 ± 0.07	3.1 ± 0.1	3.8 ± 0.1	2.2 ± 0.1	4.2 ± 0.2	E Africa M	E Asia M
25	3.9 ± 0.2	2.27 ± 0.06	2.72 ± 0.08	2.62 ± 0.06	2.58 ± 0.08	4.3 ± 0.2	4.4 ± 0.2	2.00 ± 0.07	3.2 ± 0.1	3.51 ± 0.10	2.08 ± 0.10	4.0 ± 0.2	E Africa M	E Asia M
26	3.9 ± 0.2	2.42 ± 0.06	2.83 ± 0.08	2.68 ± 0.06	2.70 ± 0.08	4.2 ± 0.2	4.0 ± 0.2	1.91 ± 0.06	3.2 ± 0.1	3.30 ± 0.09	2.2 ± 0.1	3.6 ± 0.2	W Africa F	E Asia M
27	3.9 ± 0.2	2.50 ± 0.05	2.92 ± 0.08	2.85 ± 0.06	2.84 ± 0.08	4.0 ± 0.2	3.8 ± 0.2	2.06 ± 0.07	3.2 ± 0.1	3.18 ± 0.08	2.3 ± 0.1	3.4 ± 0.1	W Africa F	E Asia M
28	3.8 ± 0.2	2.70 ± 0.05	2.98 ± 0.08	3.13 ± 0.06	3.05 ± 0.08	3.9 ± 0.2	3.5 ± 0.1	2.15 ± 0.07	3.2 ± 0.1	2.99 ± 0.07	2.4 ± 0.1	3.3 ± 0.1	W Africa F	E Asia M
29	3.7 ± 0.2	2.83 ± 0.05	2.98 ± 0.08	3.28 ± 0.06	3.28 ± 0.08	3.6 ± 0.1	3.4 ± 0.1	2.23 ± 0.06	3.1 ± 0.1	2.91 ± 0.06	2.5 ± 0.1	3.3 ± 0.1	E Africa F	E Asia M
30	3.8 ± 0.1	3.03 ± 0.05	3.01 ± 0.09	3.58 ± 0.06	3.41 ± 0.09	3.6 ± 0.1	3.2 ± 0.1	2.37 ± 0.06	2.9 ± 0.1	2.88 ± 0.06	2.6 ± 0.1	3.2 ± 0.1	E Africa F	E Asia M
31	3.6 ± 0.1	3.17 ± 0.06	3.12 ± 0.09	3.87 ± 0.07	3.54 ± 0.09	3.4 ± 0.1	3.2 ± 0.1	2.60 ± 0.07	3.0 ± 0.1	2.91 ± 0.06	2.9 ± 0.1	3.0 ± 0.1	S Asia F	E Asia M
32	3.7 ± 0.1	3.32 ± 0.06	3.04 ± 0.09	4.09 ± 0.07	3.7 ± 0.1	3.6 ± 0.1	3.1 ± 0.1	2.73 ± 0.07	3.0 ± 0.1	2.97 ± 0.05	3.0 ± 0.1	3.0 ± 0.1	S Asia F	E Asia M
33	3.7 ± 0.2	3.37 ± 0.06	3.1 ± 0.1	4.36 ± 0.08	3.7 ± 0.1	3.4 ± 0.1	3.2 ± 0.1	2.88 ± 0.07	2.9 ± 0.1	3.06 ± 0.06	3.1 ± 0.1	3.0 ± 0.1	S Asia F	E Asia M
34	3.7 ± 0.2	3.39 ± 0.06	3.1 ± 0.1	4.58 ± 0.08	3.7 ± 0.1	3.5 ± 0.1	3.2 ± 0.1	2.93 ± 0.07	2.8 ± 0.1	3.23 ± 0.06	3.2 ± 0.1	3.0 ± 0.1	S Asia F	E Europe M
35	4.0 ± 0.2	3.52 ± 0.07	3.2 ± 0.1	4.83 ± 0.09	3.8 ± 0.1	3.5 ± 0.1	3.2 ± 0.1	3.06 ± 0.08	2.8 ± 0.1	3.30 ± 0.07	3.4 ± 0.2	3.2 ± 0.1	S Asia F	E Europe M
36	4.0 ± 0.2	3.50 ± 0.07	3.2 ± 0.1	5.15 ± 0.09	3.8 ± 0.1	3.7 ± 0.2	3.4 ± 0.2	3.13 ± 0.08	2.8 ± 0.1	3.48 ± 0.07	3.3 ± 0.2	3.3 ± 0.1	S Asia F	E Europe M
37	4.1 ± 0.2	3.48 ± 0.07	3.2 ± 0.1	5.3 ± 0.1	3.8 ± 0.1	4.2 ± 0.2	3.4 ± 0.2	3.15 ± 0.08	2.7 ± 0.1	3.64 ± 0.07	3.3 ± 0.2	3.3 ± 0.1	S Asia F	E Europe M
38	4.1 ± 0.2	3.60 ± 0.07	3.2 ± 0.1	5.5 ± 0.1	3.6 ± 0.1	4.5 ± 0.2	3.6 ± 0.2	3.21 ± 0.08	2.8 ± 0.1	3.69 ± 0.08	3.4 ± 0.2	3.7 ± 0.1	S Asia F	E Europe M
39	4.3 ± 0.2	3.61 ± 0.07	3.3 ± 0.1	5.7 ± 0.1	3.7 ± 0.1	4.2 ± 0.2	3.4 ± 0.2	3.19 ± 0.09	2.9 ± 0.1	3.84 ± 0.08	3.4 ± 0.2	3.8 ± 0.1	S Asia F	E Europe M
40	4.3 ± 0.2	3.68 ± 0.08	3.4 ± 0.1	5.8 ± 0.1	3.9 ± 0.1	4.7 ± 0.2	3.8 ± 0.2	3.17 ± 0.08	3.1 ± 0.1	3.98 ± 0.09	3.3 ± 0.2	4.2 ± 0.2	S Asia F	E Europe M
41	4.6 ± 0.2	3.70 ± 0.07	3.5 ± 0.1	5.9 ± 0.1	3.9 ± 0.1	5.1 ± 0.2	3.8 ± 0.2	3.23 ± 0.08	3.1 ± 0.1	4.09 ± 0.09	3.5 ± 0.2	4.4 ± 0.2	S Asia F	E Europe M
42	4.5 ± 0.3	3.72 ± 0.07	3.6 ± 0.2	5.8 ± 0.1	3.8 ± 0.1	5.1 ± 0.2	3.9 ± 0.2	3.28 ± 0.08	3.2 ± 0.2	4.2 ± 0.1	3.3 ± 0.2	4.7 ± 0.2	S Asia F	E Europe M
43	4.7 ± 0.3	3.89 ± 0.08	3.7 ± 0.2	6.1 ± 0.2	4.1 ± 0.2	5.4 ± 0.3	4.0 ± 0.2	3.32 ± 0.09	3.2 ± 0.2	4.1 ± 0.1	3.4 ± 0.2	5.0 ± 0.2	S Asia F	E Europe M
44	5.2 ± 0.3	4.02 ± 0.08	3.8 ± 0.2	6.0 ± 0.2	4.0 ± 0.1	6.0 ± 0.3	4.2 ± 0.2	3.36 ± 0.09	3.2 ± 0.2	4.2 ± 0.1	3.6 ± 0.2	5.0 ± 0.2	S Asia F	E Europe M
45	5.3 ± 0.3	4.10 ± 0.08	3.8 ± 0.2	6.0 ± 0.2	4.1 ± 0.2	6.1 ± 0.3	4.2 ± 0.2	3.40 ± 0.09	3.2 ± 0.2	4.2 ± 0.1	3.5 ± 0.2	5.5 ± 0.2	W Africa F	E Europe M
46	5.3 ± 0.3	4.38 ± 0.09	3.9 ± 0.2	5.8 ± 0.2	4.4 ± 0.2	6.0 ± 0.3	4.4 ± 0.3	3.51 ± 0.09	3.5 ± 0.2	4.2 ± 0.1	3.7 ± 0.2	5.7 ± 0.2	W Africa F	E Europe M
47	5.3 ± 0.4	4.30 ± 0.09	4.0 ± 0.2	5.9 ± 0.2	4.3 ± 0.2	6.5 ± 0.3	4.4 ± 0.3	3.51 ± 0.10	3.5 ± 0.2	4.2 ± 0.1	3.5 ± 0.2	5.8 ± 0.2	W Africa F	E Europe M
48	5.6 ± 0.4	4.40 ± 0.09	3.9 ± 0.2	5.9 ± 0.2	4.4 ± 0.2	6.8 ± 0.3	4.9 ± 0.3	3.52 ± 0.09	3.6 ± 0.2	4.2 ± 0.1	3.7 ± 0.2	6.4 ± 0.3	W Africa F	E Asia M
49	5.2 ± 0.4	4.64 ± 0.10	4.0 ± 0.2	5.7 ± 0.2	4.4 ± 0.2	7.3 ± 0.4	4.8 ± 0.3	3.60 ± 0.10	3.5 ± 0.2	4.5 ± 0.2	3.5 ± 0.2	6.3 ± 0.3	W Africa F	S E Asia M
50	5.9 ± 0.4	4.65 ± 0.10	3.8 ± 0.2	5.6 ± 0.2	4.5 ± 0.2	7.2 ± 0.4	4.8 ± 0.3	3.54 ± 0.10	3.4 ± 0.2	4.4 ± 0.2	3.5 ± 0.2	6.7 ± 0.3	W Africa F	E Europe M
51	5.6 ± 0.4	4.7 ± 0.1	3.9 ± 0.2	5.6 ± 0.2	4.5 ± 0.2	7.7 ± 0.4	5.2 ± 0.4	3.5 ± 0.1	3.5 ± 0.2	4.4 ± 0.2	3.6 ± 0.2	6.7 ± 0.3	W Africa F	E Asia M
52	5.9 ± 0.5	4.7 ± 0.1	3.8 ± 0.2	5.5 ± 0.2	4.4 ± 0.2	8.2 ± 0.4	4.8 ± 0.4	3.6 ± 0.1	3.5 ± 0.2	4.3 ± 0.2	3.6 ± 0.2	6.9 ± 0.3	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 133. *Mean absolute error for Application-type images for algorithm jumio-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.6 ± 0.3	4.6 ± 0.1	4.7 ± 0.3	4.8 ± 0.1	4.9 ± 0.3	6.0 ± 0.3	4.3 ± 0.2	3.23 ± 0.10	4.0 ± 0.4	3.1 ± 0.1	3.2 ± 0.2	3.8 ± 0.3	W Africa F	S Asia M
15	5.9 ± 0.3	4.5 ± 0.1	4.7 ± 0.3	4.9 ± 0.2	4.9 ± 0.3	6.0 ± 0.4	3.4 ± 0.2	3.09 ± 0.08	4.0 ± 0.5	2.7 ± 0.1	3.1 ± 0.1	3.5 ± 0.3	W Africa F	S Asia M
16	5.4 ± 0.4	4.2 ± 0.1	4.7 ± 0.3	4.7 ± 0.2	4.9 ± 0.3	6.2 ± 0.5	3.1 ± 0.2	2.73 ± 0.08	4.0 ± 0.5	2.39 ± 0.10	2.6 ± 0.2	3.1 ± 0.3	W Africa F	S Asia M
17	5.5 ± 0.4	4.1 ± 0.1	4.6 ± 0.3	4.6 ± 0.2	4.7 ± 0.3	5.9 ± 0.4	2.6 ± 0.2	2.50 ± 0.10	3.6 ± 0.5	2.3 ± 0.1	2.5 ± 0.2	3.2 ± 0.4	W Africa F	S Asia M
18	5.0 ± 0.3	3.8 ± 0.1	4.1 ± 0.3	4.1 ± 0.1	4.3 ± 0.2	5.8 ± 0.4	2.6 ± 0.2	2.30 ± 0.08	3.3 ± 0.3	2.13 ± 0.10	2.2 ± 0.2	2.9 ± 0.2	W Africa F	S Asia M
19	5.3 ± 0.3	3.7 ± 0.1	3.9 ± 0.2	4.1 ± 0.1	4.2 ± 0.2	6.0 ± 0.4	2.9 ± 0.2	2.36 ± 0.09	2.8 ± 0.3	2.3 ± 0.1	2.4 ± 0.1	3.3 ± 0.3	W Africa F	S Asia M
20	5.5 ± 0.3	3.6 ± 0.1	3.7 ± 0.2	3.9 ± 0.1	4.1 ± 0.2	5.7 ± 0.3	3.3 ± 0.2	2.39 ± 0.09	2.9 ± 0.3	2.5 ± 0.1	2.5 ± 0.1	3.4 ± 0.3	W Africa F	E Asia M
21	5.3 ± 0.3	3.5 ± 0.1	3.5 ± 0.2	3.7 ± 0.1	4.0 ± 0.1	5.9 ± 0.3	3.4 ± 0.2	2.53 ± 0.08	2.7 ± 0.2	2.63 ± 0.10	2.6 ± 0.1	3.7 ± 0.3	W Africa F	E Asia M
22	5.3 ± 0.3	3.38 ± 0.10	3.3 ± 0.1	3.6 ± 0.1	4.0 ± 0.1	5.7 ± 0.3	4.1 ± 0.2	2.60 ± 0.09	2.6 ± 0.2	2.7 ± 0.1	2.6 ± 0.1	3.5 ± 0.2	W Africa F	S E Asia M
23	5.3 ± 0.2	3.26 ± 0.09	3.3 ± 0.1	3.54 ± 0.10	3.8 ± 0.1	5.9 ± 0.3	3.8 ± 0.2	2.55 ± 0.08	2.4 ± 0.1	2.72 ± 0.10	2.6 ± 0.1	3.8 ± 0.2	W Africa F	E Europe M
24	5.4 ± 0.2	3.22 ± 0.08	3.2 ± 0.1	3.39 ± 0.08	3.7 ± 0.1	5.4 ± 0.2	3.8 ± 0.2	2.57 ± 0.08	2.4 ± 0.1	2.76 ± 0.09	2.6 ± 0.1	3.9 ± 0.2	W Africa F	E Europe M
25	5.3 ± 0.2	3.16 ± 0.07	3.08 ± 0.09	3.30 ± 0.08	3.7 ± 0.1	5.4 ± 0.2	3.9 ± 0.2	2.58 ± 0.08	2.4 ± 0.1	2.66 ± 0.08	2.6 ± 0.1	3.8 ± 0.2	W Africa F	E Europe M
26	5.2 ± 0.2	3.14 ± 0.07	2.95 ± 0.09	3.16 ± 0.07	3.66 ± 0.10	5.2 ± 0.2	3.8 ± 0.2	2.45 ± 0.07	2.3 ± 0.1	2.70 ± 0.07	2.6 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
27	5.3 ± 0.2	3.08 ± 0.06	2.97 ± 0.09	3.10 ± 0.06	3.56 ± 0.10	5.4 ± 0.2	3.8 ± 0.2	2.50 ± 0.07	2.14 ± 0.09	2.68 ± 0.07	2.8 ± 0.1	3.6 ± 0.2	W Africa F	E Europe M
28	5.0 ± 0.2	3.04 ± 0.06	2.82 ± 0.08	3.11 ± 0.06	3.46 ± 0.09	5.1 ± 0.2	3.5 ± 0.1	2.46 ± 0.08	2.32 ± 0.09	2.65 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	W Africa F	E Europe M
29	5.2 ± 0.2	2.95 ± 0.06	2.84 ± 0.09	3.13 ± 0.06	3.49 ± 0.09	5.0 ± 0.2	3.6 ± 0.2	2.37 ± 0.07	2.17 ± 0.09	2.64 ± 0.06	2.5 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
30	4.9 ± 0.2	2.89 ± 0.06	2.81 ± 0.08	3.15 ± 0.06	3.42 ± 0.09	4.8 ± 0.2	3.5 ± 0.2	2.39 ± 0.06	2.10 ± 0.09	2.70 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
31	4.9 ± 0.2	2.96 ± 0.06	2.68 ± 0.09	3.11 ± 0.06	3.32 ± 0.09	4.6 ± 0.2	3.5 ± 0.2	2.26 ± 0.07	2.15 ± 0.09	2.75 ± 0.06	2.6 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
32	5.1 ± 0.2	2.91 ± 0.06	2.72 ± 0.09	3.17 ± 0.07	3.34 ± 0.10	4.8 ± 0.2	3.4 ± 0.2	2.33 ± 0.06	2.15 ± 0.09	2.79 ± 0.05	2.6 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
33	4.8 ± 0.2	2.88 ± 0.06	2.78 ± 0.10	3.23 ± 0.07	3.25 ± 0.10	4.5 ± 0.2	3.6 ± 0.2	2.35 ± 0.07	2.19 ± 0.09	2.82 ± 0.06	2.5 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
34	4.8 ± 0.2	2.90 ± 0.06	2.69 ± 0.09	3.19 ± 0.07	3.07 ± 0.09	4.6 ± 0.2	3.5 ± 0.2	2.36 ± 0.07	2.25 ± 0.09	2.91 ± 0.06	2.5 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
35	4.8 ± 0.2	2.93 ± 0.06	2.76 ± 0.10	3.28 ± 0.07	3.02 ± 0.10	4.4 ± 0.2	3.5 ± 0.2	2.45 ± 0.07	2.2 ± 0.1	2.97 ± 0.06	2.6 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
36	4.7 ± 0.2	2.86 ± 0.06	2.76 ± 0.10	3.26 ± 0.07	3.00 ± 0.10	4.4 ± 0.2	3.7 ± 0.2	2.42 ± 0.07	2.3 ± 0.1	2.94 ± 0.06	2.6 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
37	4.7 ± 0.2	2.75 ± 0.06	2.8 ± 0.1	3.41 ± 0.08	2.9 ± 0.1	4.4 ± 0.2	3.6 ± 0.2	2.47 ± 0.07	2.33 ± 0.10	3.03 ± 0.07	2.5 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
38	4.9 ± 0.2	2.81 ± 0.06	2.8 ± 0.1	3.42 ± 0.08	2.9 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	2.56 ± 0.07	2.4 ± 0.1	3.08 ± 0.07	2.6 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
39	4.5 ± 0.2	2.85 ± 0.06	2.8 ± 0.1	3.43 ± 0.09	2.82 ± 0.10	4.2 ± 0.2	3.9 ± 0.2	2.58 ± 0.07	2.5 ± 0.1	3.11 ± 0.07	2.6 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
40	4.5 ± 0.2	2.89 ± 0.06	2.9 ± 0.1	3.38 ± 0.09	2.8 ± 0.1	4.2 ± 0.2	3.9 ± 0.2	2.58 ± 0.07	2.6 ± 0.1	3.22 ± 0.08	2.5 ± 0.1	4.1 ± 0.2	E Africa F	S E Asia M
41	4.6 ± 0.3	2.88 ± 0.06	3.0 ± 0.1	3.46 ± 0.10	2.8 ± 0.1	4.1 ± 0.2	4.0 ± 0.2	2.65 ± 0.07	2.6 ± 0.1	3.13 ± 0.08	2.7 ± 0.1	4.2 ± 0.2	E Africa F	E Europe M
42	4.8 ± 0.3	2.90 ± 0.06	3.0 ± 0.1	3.5 ± 0.1	2.7 ± 0.1	4.1 ± 0.2	4.0 ± 0.2	2.74 ± 0.07	2.7 ± 0.1	3.22 ± 0.08	2.7 ± 0.1	4.1 ± 0.2	E Africa F	S E Asia F
43	4.8 ± 0.3	2.96 ± 0.06	3.2 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	4.1 ± 0.2	4.1 ± 0.2	2.79 ± 0.07	2.7 ± 0.1	3.22 ± 0.09	2.9 ± 0.1	4.3 ± 0.2	E Africa F	E Europe M
44	5.0 ± 0.3	3.02 ± 0.07	3.1 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	4.2 ± 0.2	4.1 ± 0.2	2.89 ± 0.08	2.8 ± 0.1	3.24 ± 0.09	2.9 ± 0.1	4.2 ± 0.2	E Africa F	E Europe M
45	4.7 ± 0.3	3.04 ± 0.07	3.0 ± 0.1	3.4 ± 0.1	2.8 ± 0.1	4.0 ± 0.2	4.2 ± 0.3	2.95 ± 0.08	2.7 ± 0.1	3.25 ± 0.10	3.0 ± 0.1	4.4 ± 0.2	E Africa F	E Europe M
46	4.9 ± 0.3	3.16 ± 0.07	3.1 ± 0.1	3.4 ± 0.1	3.0 ± 0.1	4.0 ± 0.2	4.1 ± 0.3	2.95 ± 0.08	3.0 ± 0.2	3.2 ± 0.1	3.1 ± 0.2	4.3 ± 0.2	E Africa F	E Asia M
47	4.7 ± 0.4	3.14 ± 0.07	3.1 ± 0.2	3.3 ± 0.1	2.9 ± 0.1	4.2 ± 0.2	4.2 ± 0.3	2.98 ± 0.09	2.7 ± 0.2	3.4 ± 0.1	3.1 ± 0.2	4.5 ± 0.2	E Africa F	E Europe M
48	4.6 ± 0.3	3.10 ± 0.08	3.1 ± 0.1	3.4 ± 0.1	3.0 ± 0.1	3.8 ± 0.2	4.4 ± 0.3	2.99 ± 0.08	2.8 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.4 ± 0.2	E Africa F	E Europe M
49	4.7 ± 0.3	3.21 ± 0.08	3.0 ± 0.1	3.2 ± 0.1	3.0 ± 0.1	4.0 ± 0.3	4.3 ± 0.3	3.09 ± 0.09	3.0 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
50	4.8 ± 0.4	3.20 ± 0.08	2.9 ± 0.1	3.2 ± 0.1	3.0 ± 0.1	3.9 ± 0.2	3.9 ± 0.3	2.99 ± 0.08	2.9 ± 0.2	3.2 ± 0.1	3.1 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
51	4.4 ± 0.3	3.22 ± 0.08	2.9 ± 0.2	3.1 ± 0.1	3.0 ± 0.1	4.0 ± 0.3	4.2 ± 0.4	3.07 ± 0.09	2.7 ± 0.1	3.5 ± 0.1	3.0 ± 0.2	4.5 ± 0.3	W Africa M	E Europe M
52	4.4 ± 0.4	3.15 ± 0.08	2.9 ± 0.1	3.1 ± 0.1	3.0 ± 0.1	3.8 ± 0.3	4.1 ± 0.3	3.05 ± 0.09	2.9 ± 0.2	3.2 ± 0.1	3.1 ± 0.2	4.4 ± 0.3	W Africa M	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 134. *Mean absolute error for Application-type images for algorithm neurotechnology-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	6.3 ± 0.4	6.0 ± 0.2	4.3 ± 0.2	4.5 ± 0.2	5.1 ± 0.3	9.5 ± 0.5	8.9 ± 0.4	6.7 ± 0.2	4.0 ± 0.2	5.3 ± 0.1	5.8 ± 0.3	11.1 ± 0.5	W Africa M	E Europe M
15	5.7 ± 0.4	6.2 ± 0.2	3.8 ± 0.2	4.5 ± 0.2	5.2 ± 0.3	8.6 ± 0.5	9.0 ± 0.4	6.8 ± 0.1	3.8 ± 0.2	5.4 ± 0.2	6.2 ± 0.3	10.4 ± 0.4	W Africa M	E Europe F
16	6.1 ± 0.4	5.5 ± 0.2	3.9 ± 0.3	4.2 ± 0.2	5.2 ± 0.3	8.6 ± 0.5	9.3 ± 0.3	6.5 ± 0.1	3.9 ± 0.2	5.3 ± 0.2	6.0 ± 0.3	9.9 ± 0.4	W Africa M	E Europe F
17	6.1 ± 0.4	5.2 ± 0.1	3.7 ± 0.3	3.9 ± 0.2	4.8 ± 0.3	8.4 ± 0.4	9.2 ± 0.3	5.9 ± 0.1	3.3 ± 0.2	5.1 ± 0.2	5.6 ± 0.2	9.8 ± 0.4	W Africa M	E Europe M
18	5.3 ± 0.3	4.5 ± 0.1	3.2 ± 0.2	3.4 ± 0.1	4.2 ± 0.2	7.4 ± 0.3	8.6 ± 0.3	5.34 ± 0.10	3.1 ± 0.2	4.7 ± 0.1	5.1 ± 0.2	9.0 ± 0.3	W Africa M	E Europe M
19	5.2 ± 0.3	3.93 ± 0.10	3.0 ± 0.2	3.3 ± 0.1	3.7 ± 0.2	7.1 ± 0.3	8.4 ± 0.3	4.69 ± 0.10	2.5 ± 0.2	4.4 ± 0.1	4.4 ± 0.2	8.5 ± 0.3	W Africa M	E Europe M
20	4.8 ± 0.2	3.4 ± 0.1	2.8 ± 0.2	3.0 ± 0.1	3.3 ± 0.1	6.4 ± 0.3	7.9 ± 0.3	4.06 ± 0.09	2.4 ± 0.2	4.1 ± 0.1	3.7 ± 0.1	8.2 ± 0.3	W Africa M	E Europe M
21	4.6 ± 0.2	3.11 ± 0.09	2.7 ± 0.2	2.90 ± 0.09	3.0 ± 0.1	6.1 ± 0.3	7.4 ± 0.3	3.33 ± 0.08	2.5 ± 0.2	3.6 ± 0.1	3.3 ± 0.1	7.6 ± 0.3	W Africa M	E Europe M
22	4.6 ± 0.2	2.86 ± 0.09	2.8 ± 0.1	2.83 ± 0.09	2.7 ± 0.1	5.5 ± 0.3	7.2 ± 0.2	2.75 ± 0.08	2.5 ± 0.2	3.2 ± 0.1	2.7 ± 0.1	7.0 ± 0.2	E Africa M	E Europe M
23	4.1 ± 0.2	2.72 ± 0.08	3.0 ± 0.1	2.95 ± 0.08	2.7 ± 0.1	4.8 ± 0.2	6.4 ± 0.2	2.43 ± 0.07	2.3 ± 0.1	3.0 ± 0.1	2.3 ± 0.1	6.3 ± 0.2	E Africa M	S E Asia M
24	3.9 ± 0.2	2.82 ± 0.08	3.0 ± 0.1	3.05 ± 0.08	2.61 ± 0.09	4.5 ± 0.2	6.1 ± 0.2	2.09 ± 0.07	2.4 ± 0.1	2.80 ± 0.09	1.94 ± 0.10	5.7 ± 0.2	E Africa M	S E Asia M
25	3.9 ± 0.2	2.98 ± 0.08	3.3 ± 0.1	3.32 ± 0.07	3.0 ± 0.1	4.1 ± 0.2	5.5 ± 0.2	1.90 ± 0.07	2.5 ± 0.1	2.65 ± 0.08	1.99 ± 0.09	5.2 ± 0.2	E Africa M	E Asia M
26	3.9 ± 0.2	3.33 ± 0.08	3.44 ± 0.09	3.70 ± 0.07	3.18 ± 0.10	3.7 ± 0.2	5.0 ± 0.2	1.86 ± 0.07	2.8 ± 0.1	2.64 ± 0.07	2.1 ± 0.1	4.6 ± 0.2	E Africa M	E Asia M
27	4.0 ± 0.2	3.76 ± 0.09	3.62 ± 0.09	4.11 ± 0.08	3.5 ± 0.1	3.4 ± 0.2	4.3 ± 0.2	2.08 ± 0.07	2.9 ± 0.1	2.68 ± 0.06	2.3 ± 0.1	4.0 ± 0.1	E Africa M	E Asia M
28	4.0 ± 0.2	4.16 ± 0.08	3.87 ± 0.10	4.61 ± 0.08	4.0 ± 0.1	3.4 ± 0.2	3.9 ± 0.2	2.46 ± 0.07	3.0 ± 0.1	2.86 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	S Asia F	E Asia M
29	4.0 ± 0.2	4.66 ± 0.08	4.1 ± 0.1	4.98 ± 0.08	4.6 ± 0.1	3.4 ± 0.2	3.6 ± 0.2	2.82 ± 0.07	3.3 ± 0.1	3.09 ± 0.06	3.1 ± 0.1	3.2 ± 0.1	S Asia F	E Asia M
30	4.4 ± 0.2	5.18 ± 0.08	4.4 ± 0.1	5.50 ± 0.08	4.9 ± 0.1	3.5 ± 0.2	3.5 ± 0.2	3.35 ± 0.07	3.3 ± 0.1	3.37 ± 0.06	3.5 ± 0.1	2.9 ± 0.1	S Asia F	W Africa M
31	4.6 ± 0.2	5.72 ± 0.08	4.7 ± 0.1	6.01 ± 0.09	5.4 ± 0.1	3.7 ± 0.2	3.2 ± 0.1	3.89 ± 0.08	3.6 ± 0.1	3.68 ± 0.07	4.1 ± 0.1	2.7 ± 0.1	S Asia F	W Africa M
32	4.7 ± 0.2	6.29 ± 0.09	4.8 ± 0.1	6.49 ± 0.10	5.9 ± 0.1	4.1 ± 0.2	3.1 ± 0.1	4.40 ± 0.08	3.7 ± 0.1	4.01 ± 0.07	4.4 ± 0.1	2.6 ± 0.1	S Asia F	W Africa M
33	5.1 ± 0.2	6.81 ± 0.09	5.1 ± 0.1	7.0 ± 0.1	6.4 ± 0.1	4.2 ± 0.2	3.3 ± 0.2	5.03 ± 0.09	3.6 ± 0.1	4.39 ± 0.07	4.7 ± 0.2	2.7 ± 0.1	S Asia F	W Africa M
34	5.2 ± 0.2	7.27 ± 0.09	5.3 ± 0.2	7.4 ± 0.1	6.8 ± 0.2	4.7 ± 0.2	3.2 ± 0.1	5.47 ± 0.09	3.8 ± 0.1	4.69 ± 0.08	5.3 ± 0.2	2.8 ± 0.1	S Asia F	W Africa M
35	5.5 ± 0.2	7.79 ± 0.10	5.5 ± 0.2	7.9 ± 0.1	7.3 ± 0.2	4.8 ± 0.2	3.4 ± 0.1	5.96 ± 0.10	3.9 ± 0.2	5.10 ± 0.09	5.6 ± 0.2	3.2 ± 0.1	S Asia F	W Africa M
36	6.1 ± 0.3	8.2 ± 0.1	5.6 ± 0.2	8.3 ± 0.1	7.4 ± 0.2	5.2 ± 0.2	3.8 ± 0.2	6.3 ± 0.1	4.1 ± 0.2	5.41 ± 0.09	5.9 ± 0.2	3.6 ± 0.1	S Asia F	W Africa M
37	5.9 ± 0.3	8.6 ± 0.1	5.8 ± 0.2	8.5 ± 0.1	8.0 ± 0.2	5.7 ± 0.2	3.9 ± 0.2	6.6 ± 0.1	4.3 ± 0.2	5.76 ± 0.10	6.2 ± 0.2	3.8 ± 0.1	E Asia F	W Africa M
38	6.2 ± 0.3	9.0 ± 0.1	5.7 ± 0.2	8.8 ± 0.1	8.2 ± 0.2	6.3 ± 0.2	4.2 ± 0.2	7.0 ± 0.1	4.3 ± 0.2	6.1 ± 0.1	6.2 ± 0.2	4.2 ± 0.1	E Asia F	E Africa M
39	6.3 ± 0.3	9.5 ± 0.1	5.9 ± 0.2	9.3 ± 0.2	8.2 ± 0.2	6.1 ± 0.2	4.4 ± 0.2	7.4 ± 0.1	4.4 ± 0.2	6.2 ± 0.1	6.5 ± 0.2	4.7 ± 0.2	E Asia F	E Africa M
40	6.6 ± 0.3	9.7 ± 0.1	5.9 ± 0.2	9.4 ± 0.2	8.7 ± 0.2	6.5 ± 0.2	4.6 ± 0.2	7.6 ± 0.1	4.6 ± 0.2	6.4 ± 0.1	6.5 ± 0.2	5.2 ± 0.2	E Asia F	E Europe M
41	7.2 ± 0.3	9.9 ± 0.1	6.1 ± 0.2	9.6 ± 0.2	9.0 ± 0.2	7.3 ± 0.3	5.0 ± 0.2	7.7 ± 0.1	4.7 ± 0.2	6.6 ± 0.1	6.9 ± 0.2	5.8 ± 0.2	E Asia F	E Europe M
42	6.7 ± 0.3	10.2 ± 0.1	6.1 ± 0.3	9.5 ± 0.2	8.9 ± 0.2	7.1 ± 0.3	5.1 ± 0.3	7.9 ± 0.1	4.5 ± 0.2	6.7 ± 0.1	6.8 ± 0.2	5.8 ± 0.2	E Asia F	E Europe M
43	7.6 ± 0.4	10.3 ± 0.1	6.0 ± 0.3	9.8 ± 0.2	9.2 ± 0.2	7.5 ± 0.3	5.2 ± 0.3	7.9 ± 0.2	4.7 ± 0.2	6.8 ± 0.2	6.9 ± 0.3	6.5 ± 0.2	E Asia F	E Europe M
44	7.6 ± 0.4	10.7 ± 0.1	6.1 ± 0.3	9.8 ± 0.3	8.9 ± 0.3	7.7 ± 0.4	5.4 ± 0.3	8.0 ± 0.2	4.6 ± 0.2	6.8 ± 0.2	6.8 ± 0.3	6.4 ± 0.2	E Asia F	E Europe M
45	7.9 ± 0.4	10.8 ± 0.2	6.1 ± 0.3	9.7 ± 0.3	9.1 ± 0.3	7.6 ± 0.4	5.5 ± 0.3	8.2 ± 0.2	4.6 ± 0.2	6.8 ± 0.2	6.7 ± 0.3	6.9 ± 0.3	E Asia F	E Europe M
46	7.4 ± 0.5	11.1 ± 0.2	5.9 ± 0.3	9.5 ± 0.3	9.3 ± 0.3	8.0 ± 0.4	5.5 ± 0.3	8.1 ± 0.2	4.9 ± 0.3	6.6 ± 0.2	6.3 ± 0.3	7.1 ± 0.3	E Asia F	E Europe M
47	7.2 ± 0.5	10.8 ± 0.2	5.9 ± 0.3	9.6 ± 0.3	8.9 ± 0.3	7.9 ± 0.4	5.6 ± 0.3	8.0 ± 0.2	5.0 ± 0.3	6.5 ± 0.2	6.4 ± 0.3	7.2 ± 0.3	E Asia F	E Europe M
48	7.5 ± 0.5	10.7 ± 0.2	5.7 ± 0.3	9.5 ± 0.3	9.0 ± 0.3	8.0 ± 0.4	6.2 ± 0.4	8.0 ± 0.2	5.0 ± 0.3	6.6 ± 0.2	6.6 ± 0.3	7.9 ± 0.3	E Asia F	E Europe M
49	7.3 ± 0.5	10.9 ± 0.2	6.0 ± 0.3	9.3 ± 0.3	8.5 ± 0.3	8.4 ± 0.5	6.1 ± 0.4	7.9 ± 0.2	5.2 ± 0.3	6.4 ± 0.2	6.0 ± 0.3	7.8 ± 0.3	E Asia F	E Europe M
50	7.8 ± 0.6	10.6 ± 0.2	5.5 ± 0.3	9.1 ± 0.3	8.7 ± 0.3	7.9 ± 0.5	6.3 ± 0.4	7.7 ± 0.2	5.0 ± 0.3	6.6 ± 0.2	6.1 ± 0.3	7.6 ± 0.3	E Asia F	E Europe M
51	7.1 ± 0.5	10.6 ± 0.2	5.7 ± 0.3	8.9 ± 0.3	8.5 ± 0.3	8.2 ± 0.5	6.6 ± 0.5	7.6 ± 0.2	4.8 ± 0.3	6.6 ± 0.2	6.0 ± 0.3	8.2 ± 0.4	E Asia F	E Europe M
52	7.2 ± 0.6	10.5 ± 0.2	5.4 ± 0.3	9.1 ± 0.3	7.7 ± 0.3	8.1 ± 0.5	6.0 ± 0.4	7.3 ± 0.2	4.9 ± 0.3	6.4 ± 0.2	5.9 ± 0.3	8.0 ± 0.4	E Asia F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 135. *Mean absolute error for Application-type images for algorithm neurotechnology-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.5 ± 0.2	6.1 ± 0.2	4.3 ± 0.2	4.5 ± 0.2	5.2 ± 0.3	5.7 ± 0.3	4.8 ± 0.3	6.8 ± 0.1	4.0 ± 0.2	5.3 ± 0.1	5.8 ± 0.3	4.7 ± 0.3	E Asia M	E Europe M
15	4.3 ± 0.3	6.2 ± 0.2	3.8 ± 0.2	4.6 ± 0.2	5.3 ± 0.3	5.0 ± 0.3	4.5 ± 0.3	6.9 ± 0.1	3.8 ± 0.2	5.4 ± 0.2	6.2 ± 0.3	4.9 ± 0.4	E Asia M	E Europe M
16	4.1 ± 0.3	5.6 ± 0.2	4.0 ± 0.3	4.2 ± 0.2	5.3 ± 0.3	5.0 ± 0.4	4.4 ± 0.2	6.5 ± 0.1	4.0 ± 0.2	5.3 ± 0.2	6.1 ± 0.3	4.6 ± 0.3	E Asia M	E Europe M
17	3.7 ± 0.3	5.2 ± 0.1	3.7 ± 0.3	3.9 ± 0.2	4.8 ± 0.3	4.4 ± 0.3	4.6 ± 0.3	6.0 ± 0.1	3.3 ± 0.2	5.0 ± 0.2	5.6 ± 0.2	4.9 ± 0.4	E Asia M	E Europe M
18	3.3 ± 0.2	4.5 ± 0.1	3.3 ± 0.2	3.4 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	4.4 ± 0.3	5.36 ± 0.10	3.1 ± 0.2	4.6 ± 0.1	5.1 ± 0.2	4.1 ± 0.3	E Asia M	E Europe M
19	3.1 ± 0.2	3.96 ± 0.10	3.1 ± 0.2	3.2 ± 0.1	3.7 ± 0.1	3.2 ± 0.2	4.1 ± 0.3	4.73 ± 0.10	2.5 ± 0.2	4.2 ± 0.1	4.4 ± 0.2	3.7 ± 0.3	E Asia M	E Europe M
20	2.9 ± 0.2	3.4 ± 0.1	2.8 ± 0.2	3.0 ± 0.1	3.3 ± 0.1	2.8 ± 0.2	4.1 ± 0.3	4.10 ± 0.09	2.5 ± 0.2	3.9 ± 0.1	3.7 ± 0.1	3.6 ± 0.3	E Asia M	E Europe M
21	2.7 ± 0.2	3.12 ± 0.09	2.8 ± 0.1	2.85 ± 0.09	3.0 ± 0.1	2.6 ± 0.3	3.7 ± 0.3	3.38 ± 0.08	2.5 ± 0.2	3.5 ± 0.1	3.3 ± 0.1	3.3 ± 0.3	E Africa M	E Europe M
22	2.8 ± 0.2	2.85 ± 0.09	2.8 ± 0.1	2.82 ± 0.09	2.7 ± 0.1	2.6 ± 0.2	3.8 ± 0.3	2.79 ± 0.08	2.5 ± 0.2	3.1 ± 0.1	2.7 ± 0.1	3.1 ± 0.3	E Africa M	E Europe M
23	2.7 ± 0.2	2.70 ± 0.08	3.1 ± 0.1	2.94 ± 0.08	2.6 ± 0.1	2.5 ± 0.2	3.4 ± 0.3	2.44 ± 0.07	2.3 ± 0.1	2.8 ± 0.1	2.3 ± 0.1	3.0 ± 0.2	E Africa M	S E Asia M
24	2.9 ± 0.2	2.78 ± 0.08	3.1 ± 0.1	3.03 ± 0.07	2.61 ± 0.09	2.9 ± 0.2	3.4 ± 0.3	2.10 ± 0.07	2.4 ± 0.1	2.73 ± 0.09	1.94 ± 0.10	2.6 ± 0.2	E Africa M	S E Asia M
25	3.4 ± 0.2	2.94 ± 0.08	3.3 ± 0.1	3.31 ± 0.07	2.9 ± 0.1	3.3 ± 0.2	3.4 ± 0.2	1.92 ± 0.07	2.5 ± 0.1	2.59 ± 0.08	1.97 ± 0.09	2.8 ± 0.2	E Africa M	E Asia M
26	3.8 ± 0.2	3.27 ± 0.08	3.45 ± 0.10	3.67 ± 0.07	3.16 ± 0.10	3.5 ± 0.2	3.5 ± 0.2	1.86 ± 0.07	2.8 ± 0.1	2.62 ± 0.07	2.2 ± 0.1	2.9 ± 0.2	E Africa F	E Asia M
27	4.3 ± 0.2	3.72 ± 0.08	3.63 ± 0.10	4.09 ± 0.07	3.5 ± 0.1	4.3 ± 0.1	3.6 ± 0.2	2.06 ± 0.06	2.9 ± 0.1	2.70 ± 0.06	2.3 ± 0.1	3.3 ± 0.2	E Africa F	E Asia M
28	4.9 ± 0.2	4.10 ± 0.08	3.86 ± 0.10	4.59 ± 0.08	4.0 ± 0.1	4.9 ± 0.1	4.0 ± 0.2	2.44 ± 0.07	3.0 ± 0.1	2.89 ± 0.06	2.7 ± 0.1	3.8 ± 0.1	E Africa F	E Asia M
29	5.3 ± 0.1	4.60 ± 0.08	4.1 ± 0.1	4.94 ± 0.08	4.6 ± 0.1	5.4 ± 0.1	4.4 ± 0.1	2.78 ± 0.07	3.3 ± 0.1	3.14 ± 0.06	3.1 ± 0.1	4.2 ± 0.1	W Africa F	E Asia M
30	5.8 ± 0.1	5.14 ± 0.08	4.4 ± 0.1	5.48 ± 0.08	4.9 ± 0.1	5.9 ± 0.1	4.8 ± 0.1	3.31 ± 0.07	3.3 ± 0.1	3.47 ± 0.06	3.5 ± 0.1	4.61 ± 0.10	W Africa F	E Asia M
31	6.3 ± 0.2	5.66 ± 0.08	4.7 ± 0.1	5.98 ± 0.09	5.4 ± 0.1	6.3 ± 0.1	4.8 ± 0.1	3.85 ± 0.08	3.6 ± 0.1	3.79 ± 0.07	4.1 ± 0.1	4.91 ± 0.09	W Africa F	E Europe M
32	6.6 ± 0.2	6.24 ± 0.09	4.8 ± 0.1	6.47 ± 0.10	5.9 ± 0.1	6.6 ± 0.1	5.0 ± 0.1	4.35 ± 0.08	3.6 ± 0.1	4.15 ± 0.07	4.4 ± 0.1	5.1 ± 0.1	W Africa F	E Europe M
33	6.7 ± 0.2	6.75 ± 0.09	5.1 ± 0.1	7.0 ± 0.1	6.4 ± 0.1	6.9 ± 0.2	5.0 ± 0.2	4.98 ± 0.09	3.6 ± 0.1	4.52 ± 0.07	4.7 ± 0.2	5.0 ± 0.1	S Asia F	E Europe M
34	6.8 ± 0.2	7.20 ± 0.09	5.3 ± 0.2	7.4 ± 0.1	6.7 ± 0.2	7.2 ± 0.2	4.9 ± 0.2	5.43 ± 0.09	3.8 ± 0.1	4.84 ± 0.08	5.3 ± 0.2	4.9 ± 0.2	S Asia F	E Europe M
35	6.9 ± 0.2	7.70 ± 0.10	5.4 ± 0.2	7.9 ± 0.1	7.2 ± 0.2	7.2 ± 0.2	4.8 ± 0.2	5.90 ± 0.10	3.8 ± 0.2	5.22 ± 0.09	5.6 ± 0.2	5.1 ± 0.2	S Asia F	E Europe M
36	7.5 ± 0.3	8.11 ± 0.10	5.5 ± 0.2	8.3 ± 0.1	7.3 ± 0.2	7.3 ± 0.3	5.2 ± 0.2	6.2 ± 0.1	4.1 ± 0.2	5.53 ± 0.09	5.8 ± 0.2	5.4 ± 0.2	S Asia F	E Europe M
37	7.3 ± 0.3	8.5 ± 0.1	5.7 ± 0.2	8.5 ± 0.1	8.0 ± 0.2	7.7 ± 0.3	5.0 ± 0.2	6.6 ± 0.1	4.3 ± 0.2	5.9 ± 0.1	6.2 ± 0.2	5.3 ± 0.2	E Asia F	E Europe M
38	7.4 ± 0.3	8.9 ± 0.1	5.7 ± 0.2	8.8 ± 0.2	8.0 ± 0.2	8.0 ± 0.3	5.1 ± 0.3	6.9 ± 0.1	4.2 ± 0.2	6.2 ± 0.1	6.1 ± 0.2	5.4 ± 0.2	E Asia F	E Europe M
39	7.2 ± 0.3	9.4 ± 0.1	5.8 ± 0.2	9.2 ± 0.2	8.2 ± 0.2	7.8 ± 0.3	5.2 ± 0.3	7.3 ± 0.1	4.4 ± 0.2	6.3 ± 0.1	6.4 ± 0.2	5.9 ± 0.2	E Asia F	E Europe M
40	7.4 ± 0.4	9.7 ± 0.1	5.9 ± 0.2	9.3 ± 0.2	8.6 ± 0.2	8.0 ± 0.3	5.3 ± 0.3	7.6 ± 0.1	4.6 ± 0.2	6.5 ± 0.1	6.5 ± 0.2	6.3 ± 0.3	E Asia F	E Europe M
41	8.1 ± 0.4	9.8 ± 0.1	6.1 ± 0.2	9.6 ± 0.2	8.9 ± 0.2	8.8 ± 0.4	5.5 ± 0.3	7.6 ± 0.1	4.6 ± 0.2	6.6 ± 0.1	6.9 ± 0.3	6.8 ± 0.3	E Asia F	E Europe M
42	7.4 ± 0.4	10.1 ± 0.1	6.0 ± 0.3	9.4 ± 0.2	8.8 ± 0.2	8.2 ± 0.4	5.6 ± 0.3	7.8 ± 0.1	4.4 ± 0.2	6.8 ± 0.1	6.7 ± 0.3	6.5 ± 0.3	E Asia F	E Europe M
43	8.1 ± 0.5	10.3 ± 0.1	5.9 ± 0.3	9.7 ± 0.2	9.0 ± 0.2	8.5 ± 0.4	5.4 ± 0.3	7.8 ± 0.2	4.7 ± 0.2	6.9 ± 0.2	6.9 ± 0.3	7.1 ± 0.3	E Asia F	E Europe M
44	8.3 ± 0.5	10.6 ± 0.1	6.0 ± 0.3	9.7 ± 0.3	8.8 ± 0.3	8.4 ± 0.4	5.6 ± 0.3	8.0 ± 0.2	4.7 ± 0.2	6.8 ± 0.2	6.8 ± 0.3	6.9 ± 0.3	E Asia F	E Europe M
45	8.4 ± 0.5	10.6 ± 0.2	6.0 ± 0.3	9.7 ± 0.3	9.0 ± 0.3	8.1 ± 0.4	5.7 ± 0.3	8.1 ± 0.2	4.6 ± 0.2	6.8 ± 0.2	6.7 ± 0.3	7.4 ± 0.3	E Asia F	E Europe M
46	7.8 ± 0.5	10.9 ± 0.2	5.8 ± 0.3	9.4 ± 0.3	9.2 ± 0.3	8.6 ± 0.4	5.7 ± 0.4	8.1 ± 0.2	4.9 ± 0.3	6.6 ± 0.2	6.3 ± 0.3	7.5 ± 0.3	E Asia F	E Europe M
47	7.3 ± 0.5	10.7 ± 0.2	5.8 ± 0.3	9.5 ± 0.3	8.7 ± 0.3	8.3 ± 0.5	5.6 ± 0.3	7.9 ± 0.2	5.0 ± 0.3	6.6 ± 0.2	6.4 ± 0.3	7.5 ± 0.3	E Asia F	E Europe M
48	7.8 ± 0.6	10.6 ± 0.2	5.7 ± 0.3	9.4 ± 0.3	8.8 ± 0.3	8.3 ± 0.5	6.3 ± 0.4	7.8 ± 0.2	4.9 ± 0.3	6.6 ± 0.2	6.5 ± 0.3	8.2 ± 0.4	E Asia F	E Europe M
49	7.7 ± 0.6	10.8 ± 0.2	5.9 ± 0.3	9.2 ± 0.3	8.4 ± 0.3	8.8 ± 0.5	6.3 ± 0.4	7.8 ± 0.2	5.1 ± 0.3	6.4 ± 0.2	6.1 ± 0.3	8.0 ± 0.4	E Asia F	E Europe M
50	7.9 ± 0.7	10.5 ± 0.2	5.4 ± 0.3	9.1 ± 0.3	8.6 ± 0.3	8.2 ± 0.5	6.4 ± 0.4	7.7 ± 0.2	5.0 ± 0.3	6.6 ± 0.2	6.0 ± 0.3	7.8 ± 0.3	E Asia F	E Europe M
51	7.2 ± 0.6	10.5 ± 0.2	5.7 ± 0.3	8.9 ± 0.3	8.3 ± 0.3	8.5 ± 0.5	6.7 ± 0.5	7.5 ± 0.2	4.8 ± 0.3	6.5 ± 0.2	5.8 ± 0.3	8.4 ± 0.4	E Asia F	E Europe M
52	7.3 ± 0.6	10.4 ± 0.2	5.4 ± 0.3	9.0 ± 0.3	7.5 ± 0.3	8.3 ± 0.5	5.9 ± 0.4	7.2 ± 0.2	4.8 ± 0.3	6.4 ± 0.2	5.8 ± 0.3	8.1 ± 0.4	E Asia F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 136. Mean absolute error for Application-type images for algorithm neurotechnology-003. Values closer to zero are better.

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.5 ± 0.3	3.3 ± 0.1	5.4 ± 0.2	4.1 ± 0.2	3.4 ± 0.2	5.2 ± 0.4	4.5 ± 0.3	2.6 ± 0.1	3.3 ± 0.2	4.1 ± 0.1	2.9 ± 0.2	4.9 ± 0.4	E Europe F	E Asia M
15	4.8 ± 0.3	3.5 ± 0.1	5.3 ± 0.2	4.6 ± 0.2	3.7 ± 0.3	5.7 ± 0.5	4.8 ± 0.3	3.1 ± 0.1	3.4 ± 0.2	4.7 ± 0.2	3.7 ± 0.2	4.7 ± 0.4	W Africa F	E Asia M
16	4.8 ± 0.3	3.7 ± 0.1	5.1 ± 0.3	4.7 ± 0.2	4.2 ± 0.3	6.0 ± 0.5	5.5 ± 0.3	3.6 ± 0.1	3.7 ± 0.2	5.1 ± 0.2	4.2 ± 0.2	5.2 ± 0.4	W Africa F	E Asia M
17	5.0 ± 0.3	3.6 ± 0.1	5.3 ± 0.3	4.6 ± 0.2	4.1 ± 0.2	5.9 ± 0.4	5.5 ± 0.3	3.7 ± 0.1	3.3 ± 0.2	5.3 ± 0.2	4.4 ± 0.3	5.8 ± 0.4	W Africa F	E Europe M
18	4.7 ± 0.2	3.55 ± 0.09	5.0 ± 0.2	4.7 ± 0.1	3.9 ± 0.2	5.7 ± 0.3	5.9 ± 0.3	3.82 ± 0.10	3.7 ± 0.2	5.8 ± 0.1	4.3 ± 0.2	5.7 ± 0.3	E Africa M	E Asia F
19	4.7 ± 0.3	3.23 ± 0.09	4.7 ± 0.2	4.6 ± 0.2	3.6 ± 0.1	5.8 ± 0.3	6.1 ± 0.3	3.7 ± 0.1	3.7 ± 0.2	5.9 ± 0.1	4.2 ± 0.2	5.9 ± 0.3	E Africa M	E Asia F
20	4.6 ± 0.3	2.94 ± 0.10	4.5 ± 0.2	4.4 ± 0.2	3.3 ± 0.1	5.7 ± 0.3	6.3 ± 0.3	3.6 ± 0.1	3.8 ± 0.2	5.9 ± 0.1	4.2 ± 0.2	5.9 ± 0.3	E Africa M	E Asia F
21	4.3 ± 0.2	2.68 ± 0.09	4.2 ± 0.2	4.2 ± 0.1	2.9 ± 0.1	5.5 ± 0.3	6.1 ± 0.2	3.29 ± 0.09	4.0 ± 0.2	5.8 ± 0.1	4.0 ± 0.2	5.6 ± 0.2	E Africa M	E Asia F
22	4.2 ± 0.2	2.36 ± 0.07	4.0 ± 0.2	4.0 ± 0.1	2.7 ± 0.1	5.2 ± 0.3	6.1 ± 0.2	3.08 ± 0.09	4.1 ± 0.2	5.8 ± 0.1	3.6 ± 0.1	5.3 ± 0.2	E Africa M	E Asia F
23	4.0 ± 0.2	2.16 ± 0.06	3.9 ± 0.1	4.00 ± 0.10	2.42 ± 0.08	5.2 ± 0.2	5.7 ± 0.2	2.94 ± 0.09	3.9 ± 0.2	5.6 ± 0.1	3.5 ± 0.1	5.0 ± 0.2	E Africa M	E Asia F
24	3.9 ± 0.2	2.12 ± 0.06	3.7 ± 0.1	3.75 ± 0.09	2.28 ± 0.07	4.8 ± 0.2	5.5 ± 0.2	2.71 ± 0.09	3.9 ± 0.1	5.4 ± 0.1	3.2 ± 0.1	4.6 ± 0.2	E Africa M	E Asia F
25	3.8 ± 0.2	2.09 ± 0.05	3.50 ± 0.10	3.54 ± 0.07	2.25 ± 0.07	4.6 ± 0.2	5.2 ± 0.2	2.64 ± 0.08	3.8 ± 0.1	5.12 ± 0.09	3.1 ± 0.1	4.4 ± 0.2	E Africa M	E Asia F
26	3.6 ± 0.1	2.19 ± 0.05	3.28 ± 0.09	3.34 ± 0.06	2.32 ± 0.07	4.3 ± 0.2	4.7 ± 0.2	2.34 ± 0.07	3.6 ± 0.1	4.73 ± 0.08	2.9 ± 0.1	3.9 ± 0.1	S Asia M	E Asia F
27	3.6 ± 0.2	2.26 ± 0.05	3.13 ± 0.08	3.17 ± 0.06	2.35 ± 0.07	4.0 ± 0.2	4.3 ± 0.2	2.28 ± 0.07	3.6 ± 0.1	4.30 ± 0.07	2.7 ± 0.1	3.5 ± 0.1	S Asia M	E Asia F
28	3.6 ± 0.1	2.44 ± 0.05	2.93 ± 0.08	3.08 ± 0.06	2.47 ± 0.07	3.8 ± 0.2	3.8 ± 0.1	2.23 ± 0.07	3.5 ± 0.1	3.79 ± 0.07	2.5 ± 0.1	2.9 ± 0.1	S Asia M	E Asia M
29	3.4 ± 0.1	2.64 ± 0.05	2.81 ± 0.08	2.94 ± 0.06	2.65 ± 0.07	3.6 ± 0.1	3.5 ± 0.1	2.15 ± 0.06	3.2 ± 0.1	3.35 ± 0.06	2.3 ± 0.1	2.8 ± 0.1	W Africa F	E Asia M
30	3.2 ± 0.1	2.92 ± 0.05	2.70 ± 0.08	2.84 ± 0.06	2.75 ± 0.08	3.4 ± 0.1	3.2 ± 0.1	2.11 ± 0.06	3.0 ± 0.1	2.98 ± 0.06	2.3 ± 0.1	2.5 ± 0.1	W Africa F	E Asia M
31	3.2 ± 0.1	3.29 ± 0.05	2.60 ± 0.08	2.89 ± 0.06	3.06 ± 0.08	3.2 ± 0.1	2.9 ± 0.1	2.23 ± 0.06	2.9 ± 0.1	2.72 ± 0.05	2.3 ± 0.1	2.27 ± 0.10	E Asia F	E Asia M
32	3.4 ± 0.1	3.55 ± 0.06	2.43 ± 0.08	2.85 ± 0.06	3.30 ± 0.09	3.2 ± 0.1	2.7 ± 0.1	2.30 ± 0.06	2.8 ± 0.1	2.53 ± 0.05	2.21 ± 0.10	2.24 ± 0.09	E Asia F	S E Asia M
33	3.4 ± 0.1	3.86 ± 0.06	2.55 ± 0.09	2.95 ± 0.06	3.38 ± 0.10	3.2 ± 0.1	2.7 ± 0.1	2.49 ± 0.06	2.7 ± 0.1	2.37 ± 0.05	2.4 ± 0.1	2.27 ± 0.09	E Asia F	W Africa M
34	3.3 ± 0.1	4.08 ± 0.06	2.46 ± 0.08	2.98 ± 0.06	3.5 ± 0.1	2.9 ± 0.1	2.7 ± 0.1	2.69 ± 0.07	2.6 ± 0.1	2.40 ± 0.05	2.6 ± 0.1	2.46 ± 0.09	E Asia F	S Asia M
35	3.5 ± 0.2	4.46 ± 0.07	2.57 ± 0.09	3.14 ± 0.07	3.8 ± 0.1	3.1 ± 0.1	2.9 ± 0.1	2.87 ± 0.07	2.6 ± 0.1	2.44 ± 0.05	2.8 ± 0.1	2.7 ± 0.1	E Asia F	S Asia M
36	3.6 ± 0.2	4.61 ± 0.08	2.52 ± 0.09	3.34 ± 0.07	3.9 ± 0.1	3.1 ± 0.1	3.0 ± 0.1	3.05 ± 0.07	2.7 ± 0.1	2.52 ± 0.05	2.8 ± 0.1	2.9 ± 0.1	E Asia F	E Europe F
37	3.8 ± 0.2	4.84 ± 0.08	2.72 ± 0.10	3.60 ± 0.08	4.2 ± 0.1	3.3 ± 0.2	3.1 ± 0.1	3.27 ± 0.08	2.6 ± 0.1	2.68 ± 0.05	3.1 ± 0.1	3.1 ± 0.1	E Asia F	E Europe M
38	3.7 ± 0.2	5.11 ± 0.08	2.8 ± 0.1	3.79 ± 0.08	4.2 ± 0.1	3.7 ± 0.2	3.2 ± 0.1	3.42 ± 0.08	2.6 ± 0.1	2.80 ± 0.06	3.1 ± 0.1	3.5 ± 0.1	E Asia F	E Europe M
39	3.9 ± 0.2	5.31 ± 0.09	2.8 ± 0.1	4.03 ± 0.09	4.4 ± 0.1	3.6 ± 0.2	3.3 ± 0.2	3.65 ± 0.09	2.7 ± 0.1	2.95 ± 0.06	3.3 ± 0.1	3.8 ± 0.1	E Asia F	E Europe M
40	4.3 ± 0.2	5.46 ± 0.09	2.8 ± 0.1	4.25 ± 0.10	4.6 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	3.85 ± 0.09	2.9 ± 0.1	3.14 ± 0.07	3.4 ± 0.1	4.2 ± 0.2	E Asia F	E Europe F
41	4.5 ± 0.2	5.68 ± 0.09	3.0 ± 0.1	4.6 ± 0.1	4.8 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	3.94 ± 0.09	2.8 ± 0.1	3.32 ± 0.07	3.6 ± 0.2	4.6 ± 0.2	E Asia F	E Europe M
42	4.6 ± 0.3	5.76 ± 0.09	3.2 ± 0.1	4.5 ± 0.1	5.0 ± 0.2	4.4 ± 0.2	3.7 ± 0.2	4.14 ± 0.09	2.9 ± 0.1	3.45 ± 0.08	3.6 ± 0.2	4.7 ± 0.2	E Asia F	E Europe M
43	4.5 ± 0.2	6.00 ± 0.09	3.3 ± 0.1	4.9 ± 0.1	5.3 ± 0.2	4.9 ± 0.2	3.8 ± 0.2	4.16 ± 0.10	2.9 ± 0.2	3.53 ± 0.09	3.7 ± 0.2	5.1 ± 0.2	E Asia F	E Europe M
44	5.0 ± 0.3	6.28 ± 0.10	3.6 ± 0.2	4.9 ± 0.1	5.2 ± 0.2	5.2 ± 0.2	4.2 ± 0.2	4.4 ± 0.1	2.9 ± 0.2	3.64 ± 0.10	3.9 ± 0.2	5.2 ± 0.2	E Asia F	E Europe M
45	5.2 ± 0.3	6.4 ± 0.1	3.5 ± 0.2	5.1 ± 0.2	5.4 ± 0.2	5.3 ± 0.2	4.3 ± 0.2	4.5 ± 0.1	2.9 ± 0.1	3.7 ± 0.1	3.9 ± 0.2	5.6 ± 0.2	E Asia F	E Europe M
46	5.2 ± 0.3	6.7 ± 0.1	3.6 ± 0.2	5.1 ± 0.2	5.7 ± 0.2	5.7 ± 0.3	4.1 ± 0.3	4.6 ± 0.1	3.1 ± 0.2	3.8 ± 0.1	4.0 ± 0.2	5.8 ± 0.2	E Asia F	E Europe M
47	5.2 ± 0.4	6.7 ± 0.1	4.0 ± 0.2	5.1 ± 0.2	5.8 ± 0.2	5.8 ± 0.3	4.5 ± 0.3	4.8 ± 0.1	3.0 ± 0.2	3.9 ± 0.1	3.9 ± 0.2	5.7 ± 0.3	E Asia F	E Europe M
48	5.5 ± 0.4	6.8 ± 0.1	3.7 ± 0.2	5.2 ± 0.2	5.9 ± 0.2	6.2 ± 0.3	4.8 ± 0.3	4.8 ± 0.1	3.1 ± 0.2	4.0 ± 0.1	3.9 ± 0.2	6.3 ± 0.3	E Asia F	E Europe M
49	5.5 ± 0.4	7.0 ± 0.1	4.0 ± 0.2	5.3 ± 0.2	5.9 ± 0.2	6.7 ± 0.3	4.8 ± 0.3	4.9 ± 0.1	3.0 ± 0.2	4.1 ± 0.1	4.1 ± 0.2	6.3 ± 0.3	E Asia F	E Europe M
50	6.0 ± 0.4	7.0 ± 0.1	3.8 ± 0.2	5.1 ± 0.2	6.2 ± 0.2	6.8 ± 0.3	4.9 ± 0.3	5.0 ± 0.1	3.2 ± 0.2	4.3 ± 0.2	4.1 ± 0.2	6.5 ± 0.3	E Asia F	E Europe M
51	5.6 ± 0.4	7.1 ± 0.1	3.8 ± 0.2	5.2 ± 0.2	6.3 ± 0.2	7.2 ± 0.3	5.3 ± 0.4	5.2 ± 0.1	3.0 ± 0.2	4.3 ± 0.2	4.1 ± 0.2	6.7 ± 0.3	W Africa F	E Europe M
52	5.9 ± 0.5	7.2 ± 0.1	3.8 ± 0.2	5.2 ± 0.2	5.9 ± 0.2	7.8 ± 0.4	4.9 ± 0.4	5.2 ± 0.1	3.3 ± 0.2	4.4 ± 0.2	4.3 ± 0.2	6.8 ± 0.3	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 137. *Mean absolute error for Application-type images for algorithm nominder-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.9 ± 0.3	3.7 ± 0.1	2.8 ± 0.2	2.5 ± 0.1	3.2 ± 0.3	4.6 ± 0.5	2.2 ± 0.2	2.5 ± 0.1	1.8 ± 0.2	1.8 ± 0.1	2.0 ± 0.2	2.5 ± 0.3	W Africa F	E Europe M
15	4.1 ± 0.3	4.0 ± 0.1	2.8 ± 0.2	3.1 ± 0.2	3.6 ± 0.3	4.8 ± 0.5	2.3 ± 0.2	2.9 ± 0.1	1.8 ± 0.2	2.3 ± 0.1	2.7 ± 0.2	2.9 ± 0.3	W Africa F	E Europe M
16	4.0 ± 0.3	4.1 ± 0.1	2.9 ± 0.2	3.2 ± 0.2	3.8 ± 0.3	5.3 ± 0.5	2.8 ± 0.3	3.2 ± 0.1	2.0 ± 0.2	2.7 ± 0.1	3.0 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
17	4.6 ± 0.3	4.0 ± 0.1	3.0 ± 0.2	3.4 ± 0.1	3.7 ± 0.3	5.3 ± 0.4	3.1 ± 0.3	3.4 ± 0.1	1.8 ± 0.2	3.2 ± 0.2	3.0 ± 0.2	3.7 ± 0.4	W Africa F	E Europe M
18	4.2 ± 0.2	3.71 ± 0.10	2.8 ± 0.2	3.1 ± 0.1	3.3 ± 0.2	5.2 ± 0.4	3.3 ± 0.2	3.36 ± 0.09	2.1 ± 0.2	3.4 ± 0.1	3.2 ± 0.2	3.7 ± 0.2	W Africa F	E Europe M
19	4.1 ± 0.3	3.43 ± 0.09	2.8 ± 0.2	3.0 ± 0.1	3.2 ± 0.1	5.5 ± 0.3	3.4 ± 0.2	3.3 ± 0.1	2.3 ± 0.2	3.5 ± 0.1	3.1 ± 0.2	3.9 ± 0.3	W Africa F	E Europe M
20	4.0 ± 0.2	3.2 ± 0.1	2.6 ± 0.2	3.0 ± 0.1	3.0 ± 0.1	5.3 ± 0.3	3.6 ± 0.2	3.13 ± 0.10	2.3 ± 0.2	3.5 ± 0.1	3.0 ± 0.2	4.1 ± 0.3	W Africa F	E Europe M
21	3.9 ± 0.2	2.78 ± 0.09	2.5 ± 0.1	2.84 ± 0.09	2.7 ± 0.1	5.3 ± 0.3	3.6 ± 0.2	2.88 ± 0.09	2.4 ± 0.2	3.4 ± 0.1	2.8 ± 0.2	4.0 ± 0.3	W Africa F	E Europe M
22	3.9 ± 0.2	2.49 ± 0.08	2.5 ± 0.1	2.72 ± 0.09	2.6 ± 0.1	4.9 ± 0.3	4.0 ± 0.2	2.69 ± 0.10	2.6 ± 0.2	3.4 ± 0.1	2.5 ± 0.1	3.8 ± 0.3	W Africa F	E Europe F
23	3.6 ± 0.2	2.35 ± 0.07	2.5 ± 0.1	2.70 ± 0.08	2.39 ± 0.10	5.0 ± 0.3	3.8 ± 0.2	2.58 ± 0.09	2.6 ± 0.2	3.4 ± 0.1	2.6 ± 0.1	3.8 ± 0.2	W Africa F	E Asia F
24	3.8 ± 0.2	2.32 ± 0.06	2.45 ± 0.09	2.75 ± 0.07	2.42 ± 0.08	4.6 ± 0.2	3.8 ± 0.2	2.54 ± 0.09	2.6 ± 0.1	3.5 ± 0.1	2.4 ± 0.1	3.8 ± 0.2	W Africa F	E Asia F
25	3.8 ± 0.2	2.44 ± 0.06	2.62 ± 0.08	2.97 ± 0.06	2.67 ± 0.08	4.8 ± 0.2	4.0 ± 0.2	2.83 ± 0.09	2.7 ± 0.1	3.49 ± 0.09	2.8 ± 0.1	3.8 ± 0.2	W Africa F	E Asia F
26	3.8 ± 0.2	2.60 ± 0.05	2.74 ± 0.08	3.12 ± 0.06	2.78 ± 0.07	4.5 ± 0.2	3.9 ± 0.2	2.72 ± 0.08	2.9 ± 0.1	3.58 ± 0.08	2.9 ± 0.1	3.8 ± 0.2	W Africa F	E Asia F
27	3.9 ± 0.2	2.69 ± 0.05	2.87 ± 0.09	3.30 ± 0.06	2.86 ± 0.08	4.3 ± 0.2	3.8 ± 0.2	2.87 ± 0.08	3.0 ± 0.1	3.43 ± 0.08	3.0 ± 0.1	3.7 ± 0.2	W Africa F	E Asia F
28	3.8 ± 0.2	2.83 ± 0.05	2.81 ± 0.08	3.52 ± 0.06	3.05 ± 0.08	4.2 ± 0.2	3.9 ± 0.2	2.96 ± 0.08	3.0 ± 0.1	3.32 ± 0.07	3.0 ± 0.1	3.7 ± 0.1	W Africa F	E Europe F
29	3.9 ± 0.2	2.89 ± 0.05	2.94 ± 0.09	3.64 ± 0.07	3.19 ± 0.08	3.9 ± 0.1	3.8 ± 0.2	2.82 ± 0.07	2.9 ± 0.1	3.19 ± 0.06	3.1 ± 0.1	3.7 ± 0.1	E Africa F	E Asia M
30	3.8 ± 0.2	3.06 ± 0.06	3.00 ± 0.09	3.90 ± 0.07	3.20 ± 0.09	3.9 ± 0.2	3.8 ± 0.2	2.90 ± 0.07	2.8 ± 0.1	3.09 ± 0.06	3.0 ± 0.1	3.7 ± 0.1	S Asia F	E Europe M
31	3.8 ± 0.2	3.20 ± 0.06	3.14 ± 0.10	4.10 ± 0.08	3.33 ± 0.09	3.7 ± 0.1	3.8 ± 0.2	2.91 ± 0.08	2.7 ± 0.1	3.02 ± 0.06	3.1 ± 0.1	3.6 ± 0.1	S Asia F	E Europe M
32	3.9 ± 0.2	3.33 ± 0.06	3.13 ± 0.10	4.26 ± 0.08	3.4 ± 0.1	3.7 ± 0.1	3.6 ± 0.2	2.89 ± 0.08	2.6 ± 0.1	2.92 ± 0.06	3.0 ± 0.1	3.5 ± 0.1	S Asia F	E Europe M
33	4.0 ± 0.2	3.49 ± 0.07	3.3 ± 0.1	4.42 ± 0.08	3.6 ± 0.1	3.5 ± 0.2	3.7 ± 0.2	2.85 ± 0.08	2.4 ± 0.1	2.93 ± 0.06	3.0 ± 0.1	3.4 ± 0.1	S Asia F	E Europe M
34	4.0 ± 0.2	3.63 ± 0.07	3.4 ± 0.1	4.66 ± 0.09	3.7 ± 0.1	3.5 ± 0.1	3.6 ± 0.2	2.97 ± 0.08	2.6 ± 0.1	3.06 ± 0.06	3.1 ± 0.2	3.6 ± 0.1	S Asia F	E Europe M
35	4.2 ± 0.2	3.92 ± 0.07	3.5 ± 0.1	4.85 ± 0.09	3.9 ± 0.1	3.6 ± 0.2	3.7 ± 0.2	2.96 ± 0.08	2.5 ± 0.1	3.16 ± 0.06	3.2 ± 0.2	3.7 ± 0.1	S Asia F	E Europe M
36	4.4 ± 0.2	4.06 ± 0.08	3.5 ± 0.1	5.11 ± 0.10	3.9 ± 0.1	3.5 ± 0.2	3.9 ± 0.2	3.06 ± 0.08	2.5 ± 0.1	3.25 ± 0.06	3.2 ± 0.2	3.6 ± 0.1	S Asia F	E Europe M
37	4.4 ± 0.2	4.23 ± 0.08	3.5 ± 0.1	5.2 ± 0.1	4.2 ± 0.1	3.8 ± 0.2	3.8 ± 0.2	3.14 ± 0.08	2.6 ± 0.1	3.33 ± 0.07	3.3 ± 0.2	3.5 ± 0.1	S Asia F	E Europe M
38	4.5 ± 0.2	4.38 ± 0.08	3.6 ± 0.1	5.3 ± 0.1	4.3 ± 0.1	4.1 ± 0.2	3.8 ± 0.2	3.20 ± 0.09	2.6 ± 0.1	3.31 ± 0.07	3.4 ± 0.2	3.8 ± 0.2	S Asia F	E Europe M
39	4.4 ± 0.2	4.57 ± 0.08	3.4 ± 0.1	5.5 ± 0.1	4.3 ± 0.1	4.0 ± 0.2	3.8 ± 0.2	3.20 ± 0.09	2.7 ± 0.1	3.42 ± 0.07	3.5 ± 0.2	3.9 ± 0.2	S Asia F	E Europe M
40	4.8 ± 0.3	4.67 ± 0.09	3.4 ± 0.1	5.5 ± 0.1	4.5 ± 0.1	4.3 ± 0.2	4.0 ± 0.2	3.23 ± 0.09	2.8 ± 0.1	3.42 ± 0.08	3.4 ± 0.2	3.9 ± 0.2	S Asia F	E Europe M
41	5.0 ± 0.3	4.78 ± 0.09	3.4 ± 0.1	5.7 ± 0.1	4.5 ± 0.2	4.6 ± 0.2	4.1 ± 0.2	3.35 ± 0.09	2.8 ± 0.1	3.53 ± 0.09	3.6 ± 0.2	4.2 ± 0.2	S Asia F	E Europe M
42	4.9 ± 0.3	4.93 ± 0.09	3.5 ± 0.2	5.4 ± 0.2	4.6 ± 0.2	4.6 ± 0.2	3.9 ± 0.2	3.34 ± 0.09	3.0 ± 0.1	3.52 ± 0.09	3.5 ± 0.2	4.2 ± 0.2	S Asia F	E Europe M
43	5.0 ± 0.3	5.19 ± 0.09	3.4 ± 0.1	5.7 ± 0.2	4.9 ± 0.2	4.9 ± 0.2	4.1 ± 0.2	3.41 ± 0.09	3.0 ± 0.2	3.52 ± 0.10	3.7 ± 0.2	4.5 ± 0.2	S Asia F	E Europe M
44	5.5 ± 0.3	5.41 ± 0.09	3.4 ± 0.2	5.7 ± 0.2	4.9 ± 0.2	5.5 ± 0.3	3.9 ± 0.2	3.53 ± 0.09	3.0 ± 0.2	3.6 ± 0.1	3.7 ± 0.2	4.3 ± 0.2	S Asia F	E Europe M
45	5.5 ± 0.3	5.58 ± 0.10	3.4 ± 0.2	5.8 ± 0.2	5.0 ± 0.2	5.3 ± 0.3	4.1 ± 0.2	3.73 ± 0.10	2.9 ± 0.2	3.6 ± 0.1	3.8 ± 0.2	4.7 ± 0.2	S Asia F	E Europe M
46	5.6 ± 0.3	5.84 ± 0.10	3.4 ± 0.2	5.6 ± 0.2	5.3 ± 0.2	5.5 ± 0.3	4.3 ± 0.3	3.81 ± 0.10	3.3 ± 0.2	3.6 ± 0.1	3.9 ± 0.2	4.6 ± 0.2	E Asia F	E Europe M
47	5.2 ± 0.4	5.8 ± 0.1	3.5 ± 0.2	5.6 ± 0.2	5.3 ± 0.2	5.6 ± 0.3	4.0 ± 0.2	3.9 ± 0.1	3.1 ± 0.2	3.8 ± 0.1	3.8 ± 0.2	4.7 ± 0.2	E Asia F	E Europe M
48	5.6 ± 0.4	5.9 ± 0.1	3.4 ± 0.2	5.6 ± 0.2	5.3 ± 0.2	5.8 ± 0.3	4.2 ± 0.3	3.85 ± 0.10	3.2 ± 0.2	3.6 ± 0.1	3.8 ± 0.2	5.0 ± 0.3	E Asia F	E Europe M
49	5.4 ± 0.4	6.1 ± 0.1	3.4 ± 0.2	5.5 ± 0.2	5.1 ± 0.2	6.2 ± 0.3	3.9 ± 0.3	3.8 ± 0.1	3.2 ± 0.2	3.6 ± 0.1	3.6 ± 0.2	4.9 ± 0.3	W Africa F	E Europe M
50	5.9 ± 0.5	6.1 ± 0.1	3.3 ± 0.2	5.3 ± 0.2	5.5 ± 0.2	6.2 ± 0.3	3.9 ± 0.3	3.8 ± 0.1	3.1 ± 0.2	3.5 ± 0.1	3.6 ± 0.2	5.1 ± 0.3	W Africa F	E Europe M
51	5.2 ± 0.4	6.1 ± 0.1	3.3 ± 0.2	5.3 ± 0.2	5.5 ± 0.2	6.3 ± 0.4	4.2 ± 0.4	3.8 ± 0.1	2.8 ± 0.2	3.5 ± 0.2	3.6 ± 0.2	5.3 ± 0.3	W Africa F	E Europe M
52	5.4 ± 0.4	6.2 ± 0.1	3.4 ± 0.2	5.5 ± 0.2	5.3 ± 0.2	6.7 ± 0.4	3.8 ± 0.4	3.8 ± 0.1	3.1 ± 0.2	3.4 ± 0.1	3.5 ± 0.2	5.1 ± 0.3	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 138. *Mean absolute error for Application-type images for algorithm nominder-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.2 ± 0.2	4.1 ± 0.1	3.8 ± 0.2	3.7 ± 0.1	3.8 ± 0.2	5.4 ± 0.3	3.0 ± 0.2	3.2 ± 0.1	2.5 ± 0.2	2.47 ± 0.09	2.8 ± 0.2	3.2 ± 0.2	W Africa F	E Europe M
15	4.0 ± 0.2	4.1 ± 0.1	3.4 ± 0.2	3.8 ± 0.2	4.0 ± 0.2	5.3 ± 0.3	2.7 ± 0.2	3.5 ± 0.1	2.3 ± 0.2	2.5 ± 0.1	3.2 ± 0.2	3.1 ± 0.2	W Africa F	E Europe M
16	3.8 ± 0.2	4.0 ± 0.1	3.4 ± 0.2	3.6 ± 0.1	3.9 ± 0.2	5.3 ± 0.4	2.7 ± 0.2	3.28 ± 0.09	2.1 ± 0.2	2.5 ± 0.1	3.0 ± 0.2	2.6 ± 0.2	W Africa F	E Europe M
17	3.9 ± 0.3	3.6 ± 0.1	2.9 ± 0.2	3.4 ± 0.1	3.4 ± 0.2	5.0 ± 0.3	2.3 ± 0.2	3.1 ± 0.1	1.7 ± 0.2	2.4 ± 0.1	2.7 ± 0.2	2.8 ± 0.3	W Africa F	E Europe M
18	3.3 ± 0.2	3.14 ± 0.08	2.5 ± 0.2	2.85 ± 0.09	3.1 ± 0.1	4.7 ± 0.3	2.3 ± 0.2	2.82 ± 0.08	1.6 ± 0.1	2.21 ± 0.09	2.5 ± 0.2	2.5 ± 0.2	W Africa F	E Europe M
19	3.4 ± 0.2	2.71 ± 0.08	2.3 ± 0.2	2.56 ± 0.10	2.7 ± 0.1	4.7 ± 0.3	2.4 ± 0.2	2.61 ± 0.09	1.6 ± 0.1	2.17 ± 0.09	2.2 ± 0.1	2.7 ± 0.3	W Africa F	E Europe M
20	3.2 ± 0.2	2.46 ± 0.09	2.0 ± 0.1	2.3 ± 0.1	2.4 ± 0.1	4.3 ± 0.3	2.6 ± 0.2	2.32 ± 0.08	1.7 ± 0.2	2.24 ± 0.10	2.2 ± 0.1	2.9 ± 0.3	W Africa F	E Europe M
21	3.0 ± 0.2	2.08 ± 0.07	2.0 ± 0.1	2.17 ± 0.09	2.1 ± 0.1	4.1 ± 0.3	2.7 ± 0.2	2.17 ± 0.07	1.8 ± 0.1	2.23 ± 0.09	2.1 ± 0.1	3.0 ± 0.2	W Africa F	E Europe M
22	3.1 ± 0.2	1.80 ± 0.06	2.05 ± 0.10	2.06 ± 0.07	2.07 ± 0.09	3.8 ± 0.2	3.3 ± 0.2	2.05 ± 0.07	1.9 ± 0.1	2.35 ± 0.10	1.83 ± 0.10	2.9 ± 0.2	W Africa F	E Asia F
23	2.9 ± 0.2	1.78 ± 0.06	2.15 ± 0.09	2.12 ± 0.07	1.98 ± 0.08	3.9 ± 0.2	3.4 ± 0.2	2.00 ± 0.07	1.9 ± 0.1	2.46 ± 0.09	2.0 ± 0.1	3.2 ± 0.2	W Africa F	E Asia F
24	3.0 ± 0.2	1.88 ± 0.05	2.20 ± 0.07	2.28 ± 0.06	2.07 ± 0.07	3.7 ± 0.2	3.4 ± 0.2	2.01 ± 0.07	2.1 ± 0.1	2.60 ± 0.09	1.92 ± 0.09	3.2 ± 0.2	W Africa F	E Asia F
25	3.1 ± 0.1	2.06 ± 0.05	2.39 ± 0.07	2.47 ± 0.05	2.31 ± 0.07	3.7 ± 0.2	3.5 ± 0.2	2.16 ± 0.07	2.1 ± 0.1	2.63 ± 0.08	2.08 ± 0.09	3.3 ± 0.2	W Africa F	E Asia F
26	3.1 ± 0.1	2.31 ± 0.05	2.54 ± 0.07	2.70 ± 0.05	2.50 ± 0.07	3.6 ± 0.2	3.4 ± 0.2	2.07 ± 0.06	2.17 ± 0.10	2.76 ± 0.07	2.19 ± 0.09	3.3 ± 0.2	W Africa F	E Asia M
27	3.2 ± 0.1	2.51 ± 0.05	2.67 ± 0.08	2.94 ± 0.05	2.71 ± 0.07	3.8 ± 0.2	3.4 ± 0.2	2.27 ± 0.06	2.31 ± 0.10	2.73 ± 0.07	2.34 ± 0.10	3.3 ± 0.1	W Africa F	E Asia M
28	3.2 ± 0.1	2.79 ± 0.05	2.78 ± 0.07	3.21 ± 0.05	2.84 ± 0.07	3.6 ± 0.2	3.4 ± 0.1	2.35 ± 0.07	2.40 ± 0.10	2.72 ± 0.06	2.39 ± 0.10	3.3 ± 0.1	W Africa F	E Asia M
29	3.4 ± 0.1	3.02 ± 0.05	2.83 ± 0.08	3.38 ± 0.06	3.07 ± 0.08	3.6 ± 0.1	3.5 ± 0.1	2.37 ± 0.06	2.44 ± 0.09	2.72 ± 0.06	2.5 ± 0.1	3.4 ± 0.1	W Africa F	E Asia M
30	3.3 ± 0.1	3.29 ± 0.05	2.91 ± 0.08	3.59 ± 0.06	3.19 ± 0.08	3.6 ± 0.1	3.4 ± 0.1	2.48 ± 0.06	2.40 ± 0.09	2.77 ± 0.05	2.6 ± 0.1	3.4 ± 0.1	W Africa F	E Europe M
31	3.6 ± 0.1	3.54 ± 0.06	3.05 ± 0.09	3.83 ± 0.07	3.30 ± 0.09	3.5 ± 0.1	3.4 ± 0.1	2.61 ± 0.07	2.46 ± 0.09	2.78 ± 0.05	2.7 ± 0.1	3.4 ± 0.1	S Asia F	E Europe M
32	3.7 ± 0.1	3.74 ± 0.06	3.11 ± 0.09	4.00 ± 0.07	3.48 ± 0.10	3.6 ± 0.1	3.3 ± 0.1	2.72 ± 0.07	2.5 ± 0.1	2.74 ± 0.05	2.7 ± 0.1	3.3 ± 0.1	S Asia F	E Europe M
33	3.7 ± 0.1	4.04 ± 0.07	3.18 ± 0.10	4.04 ± 0.07	3.6 ± 0.1	3.4 ± 0.1	3.6 ± 0.2	2.84 ± 0.07	2.31 ± 0.09	2.74 ± 0.06	2.8 ± 0.1	3.3 ± 0.1	S Asia F	E Europe M
34	3.7 ± 0.2	4.19 ± 0.07	3.3 ± 0.1	4.16 ± 0.08	3.6 ± 0.1	3.4 ± 0.1	3.4 ± 0.2	3.07 ± 0.08	2.5 ± 0.1	2.86 ± 0.06	2.9 ± 0.1	3.3 ± 0.1	E Asia F	E Europe M
35	4.0 ± 0.2	4.50 ± 0.08	3.4 ± 0.1	4.28 ± 0.08	3.9 ± 0.1	3.5 ± 0.2	3.5 ± 0.2	3.09 ± 0.08	2.4 ± 0.1	2.93 ± 0.06	3.2 ± 0.1	3.5 ± 0.1	E Asia F	E Europe M
36	4.0 ± 0.2	4.58 ± 0.08	3.4 ± 0.1	4.42 ± 0.09	3.9 ± 0.1	3.6 ± 0.2	3.6 ± 0.2	3.21 ± 0.08	2.4 ± 0.1	3.00 ± 0.06	3.1 ± 0.1	3.6 ± 0.1	E Asia F	E Europe M
37	4.0 ± 0.2	4.72 ± 0.08	3.4 ± 0.1	4.47 ± 0.10	3.9 ± 0.1	3.8 ± 0.2	3.7 ± 0.2	3.41 ± 0.08	2.5 ± 0.1	3.06 ± 0.06	3.3 ± 0.2	3.4 ± 0.1	E Asia F	E Europe M
38	3.9 ± 0.2	4.96 ± 0.08	3.4 ± 0.1	4.54 ± 0.10	4.0 ± 0.1	3.8 ± 0.2	3.5 ± 0.2	3.50 ± 0.09	2.4 ± 0.1	3.13 ± 0.07	3.3 ± 0.2	3.5 ± 0.2	E Asia F	E Europe M
39	4.0 ± 0.2	5.01 ± 0.09	3.5 ± 0.1	4.7 ± 0.1	4.1 ± 0.1	3.9 ± 0.2	3.6 ± 0.2	3.68 ± 0.09	2.6 ± 0.1	3.13 ± 0.07	3.3 ± 0.1	3.5 ± 0.2	E Asia F	E Europe M
40	4.1 ± 0.2	5.11 ± 0.09	3.4 ± 0.1	4.6 ± 0.1	4.1 ± 0.1	3.9 ± 0.2	3.7 ± 0.2	3.71 ± 0.09	2.7 ± 0.1	3.28 ± 0.07	3.3 ± 0.2	3.7 ± 0.2	E Asia F	E Europe M
41	4.3 ± 0.2	5.18 ± 0.09	3.5 ± 0.1	4.9 ± 0.1	4.1 ± 0.1	4.2 ± 0.2	3.8 ± 0.2	3.81 ± 0.09	2.7 ± 0.1	3.30 ± 0.08	3.6 ± 0.2	3.7 ± 0.2	E Asia F	E Europe M
42	4.1 ± 0.2	5.17 ± 0.09	3.5 ± 0.1	4.5 ± 0.1	4.0 ± 0.1	4.1 ± 0.2	3.7 ± 0.2	3.82 ± 0.09	2.7 ± 0.1	3.36 ± 0.08	3.5 ± 0.2	3.7 ± 0.2	E Asia F	E Europe M
43	4.3 ± 0.3	5.38 ± 0.09	3.6 ± 0.2	4.8 ± 0.1	4.3 ± 0.2	4.2 ± 0.2	3.8 ± 0.2	3.98 ± 0.09	2.7 ± 0.1	3.37 ± 0.09	3.6 ± 0.2	3.9 ± 0.2	E Asia F	E Europe M
44	4.5 ± 0.3	5.45 ± 0.10	3.7 ± 0.2	4.8 ± 0.1	4.3 ± 0.2	4.5 ± 0.3	3.7 ± 0.2	4.04 ± 0.09	2.8 ± 0.1	3.47 ± 0.10	3.7 ± 0.2	3.7 ± 0.2	E Asia F	E Europe M
45	4.5 ± 0.3	5.5 ± 0.1	3.5 ± 0.2	4.8 ± 0.2	4.3 ± 0.2	4.3 ± 0.2	3.8 ± 0.2	4.16 ± 0.10	2.9 ± 0.1	3.51 ± 0.10	3.7 ± 0.2	4.0 ± 0.2	E Asia F	E Europe M
46	4.7 ± 0.3	5.7 ± 0.1	3.4 ± 0.2	4.7 ± 0.1	4.5 ± 0.2	4.4 ± 0.2	4.0 ± 0.3	4.2 ± 0.1	3.0 ± 0.1	3.5 ± 0.1	3.8 ± 0.2	3.8 ± 0.2	E Asia F	E Europe M
47	4.4 ± 0.3	5.5 ± 0.1	3.7 ± 0.2	4.7 ± 0.2	4.4 ± 0.2	4.4 ± 0.2	3.9 ± 0.2	4.2 ± 0.1	3.0 ± 0.2	3.7 ± 0.1	3.7 ± 0.2	4.1 ± 0.2	E Asia F	E Europe M
48	4.7 ± 0.4	5.5 ± 0.1	3.5 ± 0.2	4.8 ± 0.2	4.4 ± 0.2	4.5 ± 0.2	4.1 ± 0.3	4.3 ± 0.1	3.0 ± 0.2	3.6 ± 0.1	3.7 ± 0.2	4.0 ± 0.2	E Asia F	E Europe M
49	4.8 ± 0.4	5.6 ± 0.1	3.5 ± 0.2	4.6 ± 0.2	4.2 ± 0.2	4.9 ± 0.3	3.7 ± 0.3	4.3 ± 0.1	3.1 ± 0.2	3.6 ± 0.1	3.6 ± 0.2	3.8 ± 0.2	E Asia F	E Europe M
50	4.8 ± 0.4	5.5 ± 0.1	3.3 ± 0.2	4.6 ± 0.2	4.5 ± 0.2	4.7 ± 0.3	3.6 ± 0.3	4.2 ± 0.1	3.0 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	3.8 ± 0.2	E Asia F	E Europe M
51	4.3 ± 0.3	5.4 ± 0.1	3.4 ± 0.2	4.5 ± 0.2	4.4 ± 0.2	4.8 ± 0.3	3.8 ± 0.3	4.3 ± 0.1	2.7 ± 0.2	3.6 ± 0.2	3.5 ± 0.2	3.7 ± 0.2	E Asia F	E Europe M
52	5.0 ± 0.4	5.4 ± 0.1	3.3 ± 0.2	4.7 ± 0.2	4.3 ± 0.2	4.7 ± 0.3	3.6 ± 0.3	4.3 ± 0.1	3.0 ± 0.2	3.5 ± 0.1	3.6 ± 0.2	3.8 ± 0.3	E Asia F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 139. *Mean absolute error for Application-type images for algorithm ondato-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.5 ± 0.3	5.0 ± 0.1	3.5 ± 0.2	4.6 ± 0.1	4.9 ± 0.2	5.8 ± 0.4	4.1 ± 0.3	3.3 ± 0.1	2.3 ± 0.2	2.8 ± 0.1	3.0 ± 0.2	4.0 ± 0.3	W Africa F	E Europe M
15	5.4 ± 0.3	4.9 ± 0.1	3.4 ± 0.2	4.4 ± 0.2	4.8 ± 0.3	5.9 ± 0.5	3.4 ± 0.3	3.1 ± 0.1	1.9 ± 0.2	2.5 ± 0.1	3.0 ± 0.2	3.6 ± 0.4	W Africa F	E Europe M
16	4.9 ± 0.3	4.6 ± 0.1	3.6 ± 0.3	4.1 ± 0.2	4.7 ± 0.3	6.0 ± 0.5	3.2 ± 0.3	2.9 ± 0.1	1.9 ± 0.2	2.5 ± 0.1	2.8 ± 0.2	3.4 ± 0.4	W Africa F	E Europe M
17	5.1 ± 0.4	4.2 ± 0.1	3.3 ± 0.3	3.9 ± 0.2	4.3 ± 0.3	5.8 ± 0.4	3.1 ± 0.3	3.0 ± 0.1	1.8 ± 0.2	2.8 ± 0.2	2.9 ± 0.2	3.7 ± 0.4	W Africa F	E Europe M
18	4.6 ± 0.3	3.8 ± 0.1	2.9 ± 0.2	3.5 ± 0.1	3.8 ± 0.2	5.6 ± 0.4	3.3 ± 0.2	2.82 ± 0.09	2.0 ± 0.1	2.7 ± 0.1	2.9 ± 0.2	3.7 ± 0.3	W Africa F	E Europe M
19	4.6 ± 0.3	3.50 ± 0.10	2.9 ± 0.2	3.3 ± 0.1	3.4 ± 0.2	5.5 ± 0.4	3.8 ± 0.3	2.83 ± 0.09	2.1 ± 0.1	2.9 ± 0.1	2.9 ± 0.2	4.0 ± 0.4	W Africa F	E Europe M
20	4.5 ± 0.3	3.2 ± 0.1	2.7 ± 0.2	3.1 ± 0.1	3.2 ± 0.1	5.5 ± 0.4	4.0 ± 0.3	2.68 ± 0.09	2.1 ± 0.2	3.0 ± 0.1	2.9 ± 0.1	4.3 ± 0.3	W Africa F	E Europe M
21	4.2 ± 0.2	2.96 ± 0.10	2.5 ± 0.1	2.9 ± 0.1	3.0 ± 0.1	5.5 ± 0.4	4.3 ± 0.3	2.59 ± 0.08	2.0 ± 0.1	3.1 ± 0.1	2.9 ± 0.1	4.5 ± 0.3	W Africa F	E Europe M
22	4.5 ± 0.3	2.66 ± 0.08	2.6 ± 0.1	2.73 ± 0.09	2.8 ± 0.1	5.3 ± 0.3	4.8 ± 0.3	2.51 ± 0.09	2.1 ± 0.1	3.1 ± 0.1	2.6 ± 0.1	4.3 ± 0.3	W Africa F	E Europe M
23	4.4 ± 0.2	2.43 ± 0.07	2.6 ± 0.1	2.74 ± 0.08	2.66 ± 0.10	5.4 ± 0.3	4.7 ± 0.3	2.43 ± 0.08	2.0 ± 0.1	3.1 ± 0.1	2.6 ± 0.1	4.5 ± 0.3	W Africa F	E Europe M
24	4.5 ± 0.2	2.26 ± 0.06	2.51 ± 0.09	2.67 ± 0.07	2.50 ± 0.08	5.0 ± 0.3	4.4 ± 0.2	2.34 ± 0.09	2.1 ± 0.1	3.1 ± 0.1	2.5 ± 0.1	4.4 ± 0.2	W Africa F	E Europe M
25	4.5 ± 0.2	2.25 ± 0.06	2.48 ± 0.08	2.71 ± 0.07	2.50 ± 0.09	5.2 ± 0.3	4.7 ± 0.2	2.34 ± 0.08	2.2 ± 0.1	3.07 ± 0.09	2.4 ± 0.1	4.4 ± 0.2	W Africa F	E Europe M
26	4.5 ± 0.2	2.23 ± 0.05	2.50 ± 0.08	2.77 ± 0.06	2.53 ± 0.08	5.0 ± 0.2	4.5 ± 0.2	2.26 ± 0.07	2.2 ± 0.1	3.00 ± 0.08	2.5 ± 0.1	4.4 ± 0.2	W Africa F	E Europe M
27	4.6 ± 0.2	2.28 ± 0.05	2.65 ± 0.08	2.90 ± 0.06	2.55 ± 0.08	5.1 ± 0.2	4.5 ± 0.2	2.35 ± 0.07	2.26 ± 0.10	2.99 ± 0.08	2.6 ± 0.1	4.3 ± 0.2	W Africa F	E Europe M
28	4.3 ± 0.2	2.37 ± 0.05	2.65 ± 0.08	3.14 ± 0.06	2.70 ± 0.08	4.9 ± 0.2	4.4 ± 0.2	2.45 ± 0.08	2.35 ± 0.10	2.97 ± 0.07	2.7 ± 0.1	4.2 ± 0.2	W Africa F	E Europe M
29	4.6 ± 0.2	2.60 ± 0.05	2.80 ± 0.08	3.28 ± 0.06	2.87 ± 0.08	4.9 ± 0.2	4.4 ± 0.2	2.53 ± 0.07	2.42 ± 0.10	3.00 ± 0.07	2.7 ± 0.1	4.7 ± 0.2	W Africa F	E Europe M
30	4.7 ± 0.2	2.78 ± 0.05	2.83 ± 0.08	3.47 ± 0.06	3.02 ± 0.08	4.9 ± 0.2	4.4 ± 0.2	2.63 ± 0.07	2.5 ± 0.1	3.06 ± 0.06	2.8 ± 0.1	4.5 ± 0.2	W Africa F	E Europe M
31	4.7 ± 0.2	3.00 ± 0.05	2.96 ± 0.09	3.67 ± 0.07	3.15 ± 0.09	5.1 ± 0.2	4.5 ± 0.2	2.76 ± 0.08	2.6 ± 0.1	3.16 ± 0.06	3.0 ± 0.1	4.4 ± 0.2	W Africa F	E Europe M
32	4.9 ± 0.2	3.27 ± 0.06	3.07 ± 0.09	3.88 ± 0.07	3.33 ± 0.10	5.2 ± 0.2	4.2 ± 0.2	2.82 ± 0.07	2.6 ± 0.1	3.21 ± 0.06	3.0 ± 0.1	4.6 ± 0.2	W Africa F	E Europe M
33	5.1 ± 0.2	3.47 ± 0.06	3.16 ± 0.10	4.07 ± 0.08	3.34 ± 0.10	5.1 ± 0.2	4.7 ± 0.2	2.93 ± 0.08	2.6 ± 0.1	3.21 ± 0.06	3.0 ± 0.1	4.6 ± 0.2	W Africa F	E Europe M
34	4.9 ± 0.2	3.68 ± 0.07	3.3 ± 0.1	4.15 ± 0.08	3.4 ± 0.1	5.2 ± 0.2	4.5 ± 0.2	3.02 ± 0.08	2.7 ± 0.1	3.34 ± 0.07	3.0 ± 0.1	4.6 ± 0.2	W Africa F	E Europe M
35	5.2 ± 0.2	3.90 ± 0.07	3.4 ± 0.1	4.34 ± 0.08	3.7 ± 0.1	4.9 ± 0.2	4.7 ± 0.2	3.11 ± 0.08	2.6 ± 0.1	3.41 ± 0.07	3.3 ± 0.2	4.6 ± 0.2	E Africa F	E Europe M
36	5.0 ± 0.2	4.02 ± 0.07	3.5 ± 0.1	4.49 ± 0.09	3.6 ± 0.1	5.2 ± 0.2	4.7 ± 0.2	3.09 ± 0.09	2.8 ± 0.1	3.36 ± 0.07	3.2 ± 0.2	4.7 ± 0.2	W Africa F	E Europe M
37	5.1 ± 0.2	4.12 ± 0.08	3.5 ± 0.1	4.49 ± 0.09	3.5 ± 0.1	5.2 ± 0.2	4.6 ± 0.2	3.07 ± 0.08	2.8 ± 0.1	3.46 ± 0.07	3.2 ± 0.2	4.5 ± 0.2	W Africa F	E Europe M
38	5.1 ± 0.2	4.33 ± 0.08	3.5 ± 0.1	4.6 ± 0.1	3.8 ± 0.1	5.0 ± 0.2	4.5 ± 0.2	3.23 ± 0.09	2.6 ± 0.1	3.40 ± 0.07	3.3 ± 0.2	4.5 ± 0.2	E Africa F	E Europe M
39	5.0 ± 0.2	4.34 ± 0.08	3.5 ± 0.1	4.6 ± 0.1	3.8 ± 0.1	5.2 ± 0.2	4.5 ± 0.2	3.24 ± 0.09	2.9 ± 0.1	3.39 ± 0.08	3.4 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
40	5.1 ± 0.3	4.49 ± 0.09	3.6 ± 0.1	4.6 ± 0.1	3.9 ± 0.1	5.1 ± 0.2	4.4 ± 0.2	3.30 ± 0.09	2.8 ± 0.1	3.59 ± 0.08	3.2 ± 0.2	4.4 ± 0.2	E Africa F	E Europe M
41	5.0 ± 0.3	4.54 ± 0.09	3.6 ± 0.1	4.6 ± 0.1	4.0 ± 0.1	4.9 ± 0.2	4.5 ± 0.2	3.34 ± 0.09	3.0 ± 0.1	3.54 ± 0.08	3.4 ± 0.2	4.5 ± 0.2	E Africa F	E Europe M
42	5.0 ± 0.3	4.44 ± 0.09	3.7 ± 0.2	4.5 ± 0.1	3.7 ± 0.1	4.8 ± 0.2	4.5 ± 0.2	3.35 ± 0.09	3.1 ± 0.1	3.54 ± 0.09	3.4 ± 0.2	4.5 ± 0.2	E Africa F	E Europe M
43	4.9 ± 0.3	4.56 ± 0.09	3.7 ± 0.2	4.3 ± 0.1	4.1 ± 0.2	4.8 ± 0.2	4.6 ± 0.2	3.38 ± 0.09	3.0 ± 0.1	3.52 ± 0.09	3.5 ± 0.2	4.5 ± 0.2	E Africa F	E Europe M
44	5.1 ± 0.3	4.62 ± 0.09	3.5 ± 0.2	4.4 ± 0.1	3.9 ± 0.1	4.8 ± 0.3	4.2 ± 0.2	3.41 ± 0.09	3.0 ± 0.2	3.50 ± 0.10	3.5 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
45	4.8 ± 0.3	4.49 ± 0.10	3.5 ± 0.2	4.4 ± 0.1	3.8 ± 0.2	4.4 ± 0.2	4.3 ± 0.2	3.44 ± 0.09	3.0 ± 0.2	3.5 ± 0.1	3.5 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
46	5.0 ± 0.3	4.48 ± 0.10	3.3 ± 0.2	4.1 ± 0.1	3.8 ± 0.2	4.2 ± 0.2	4.4 ± 0.3	3.36 ± 0.09	3.1 ± 0.2	3.4 ± 0.1	3.5 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
47	4.5 ± 0.3	4.2 ± 0.1	3.5 ± 0.2	3.9 ± 0.2	3.8 ± 0.2	4.4 ± 0.3	4.3 ± 0.3	3.25 ± 0.09	3.0 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
48	4.5 ± 0.4	4.1 ± 0.1	3.3 ± 0.2	3.9 ± 0.2	3.6 ± 0.2	4.1 ± 0.2	4.4 ± 0.3	3.27 ± 0.09	3.1 ± 0.2	3.4 ± 0.1	3.3 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
49	4.2 ± 0.3	4.1 ± 0.1	3.2 ± 0.2	3.6 ± 0.2	3.6 ± 0.2	4.2 ± 0.3	4.1 ± 0.3	3.23 ± 0.09	2.9 ± 0.2	3.3 ± 0.1	3.4 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
50	4.5 ± 0.4	3.9 ± 0.1	3.1 ± 0.2	3.6 ± 0.1	3.4 ± 0.2	3.9 ± 0.3	3.6 ± 0.3	3.00 ± 0.09	2.9 ± 0.2	3.3 ± 0.1	3.2 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
51	4.2 ± 0.3	3.8 ± 0.1	3.0 ± 0.2	3.5 ± 0.1	3.3 ± 0.2	4.1 ± 0.3	4.0 ± 0.4	3.03 ± 0.09	2.9 ± 0.2	3.4 ± 0.1	3.2 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
52	4.4 ± 0.4	3.7 ± 0.1	3.1 ± 0.2	3.6 ± 0.1	3.4 ± 0.2	3.6 ± 0.3	3.7 ± 0.3	2.98 ± 0.09	2.9 ± 0.2	3.1 ± 0.1	3.1 ± 0.2	3.7 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 140. *Mean absolute error for Application-type images for algorithm ondato-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.0 ± 0.3	4.98 ± 0.10	3.8 ± 0.2	4.4 ± 0.1	4.7 ± 0.2	5.8 ± 0.3	4.0 ± 0.2	3.61 ± 0.09	2.4 ± 0.2	2.70 ± 0.10	3.1 ± 0.2	3.7 ± 0.3	W Africa F	E Europe M
15	5.2 ± 0.3	4.9 ± 0.1	3.7 ± 0.2	4.5 ± 0.2	4.8 ± 0.3	5.3 ± 0.4	3.4 ± 0.2	3.41 ± 0.09	2.1 ± 0.2	2.7 ± 0.1	3.1 ± 0.2	3.5 ± 0.3	W Africa F	E Europe M
16	4.8 ± 0.3	4.6 ± 0.1	3.6 ± 0.2	4.2 ± 0.2	4.5 ± 0.3	5.4 ± 0.4	3.3 ± 0.3	3.12 ± 0.09	2.1 ± 0.2	2.6 ± 0.1	2.9 ± 0.2	3.2 ± 0.3	W Africa F	E Europe M
17	4.8 ± 0.3	4.2 ± 0.1	3.3 ± 0.2	4.0 ± 0.2	4.3 ± 0.2	5.2 ± 0.3	3.2 ± 0.2	2.90 ± 0.10	1.8 ± 0.1	2.7 ± 0.1	2.9 ± 0.2	3.4 ± 0.4	W Africa F	E Europe M
18	4.3 ± 0.2	3.79 ± 0.09	3.0 ± 0.2	3.6 ± 0.1	4.0 ± 0.2	4.9 ± 0.3	3.1 ± 0.2	2.56 ± 0.07	1.9 ± 0.1	2.65 ± 0.10	2.6 ± 0.2	3.2 ± 0.2	W Africa F	E Europe M
19	4.3 ± 0.3	3.47 ± 0.10	2.9 ± 0.2	3.4 ± 0.1	3.6 ± 0.1	4.8 ± 0.3	3.3 ± 0.3	2.39 ± 0.08	1.9 ± 0.1	2.6 ± 0.1	2.6 ± 0.1	3.5 ± 0.3	W Africa F	E Europe M
20	4.2 ± 0.3	3.2 ± 0.1	2.7 ± 0.2	3.3 ± 0.1	3.4 ± 0.1	4.5 ± 0.3	3.5 ± 0.2	2.27 ± 0.08	1.9 ± 0.2	2.8 ± 0.1	2.5 ± 0.1	3.7 ± 0.3	W Africa F	E Europe M
21	3.9 ± 0.2	3.08 ± 0.10	2.5 ± 0.1	2.92 ± 0.10	3.3 ± 0.1	4.4 ± 0.3	3.6 ± 0.2	2.16 ± 0.07	1.9 ± 0.1	2.70 ± 0.10	2.5 ± 0.1	3.6 ± 0.3	W Africa F	E Europe M
22	4.0 ± 0.2	2.80 ± 0.08	2.5 ± 0.1	2.71 ± 0.08	3.0 ± 0.1	4.0 ± 0.2	4.1 ± 0.2	2.10 ± 0.08	2.0 ± 0.1	2.7 ± 0.1	2.2 ± 0.1	3.4 ± 0.2	E Africa M	E Europe M
23	3.9 ± 0.2	2.62 ± 0.07	2.53 ± 0.10	2.68 ± 0.08	2.82 ± 0.10	4.1 ± 0.2	3.8 ± 0.2	2.10 ± 0.07	1.9 ± 0.1	2.67 ± 0.10	2.3 ± 0.1	3.6 ± 0.2	W Africa F	E Europe M
24	3.9 ± 0.2	2.46 ± 0.06	2.46 ± 0.08	2.58 ± 0.07	2.65 ± 0.08	3.8 ± 0.2	3.6 ± 0.2	2.09 ± 0.07	1.97 ± 0.10	2.70 ± 0.09	2.3 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
25	3.8 ± 0.2	2.37 ± 0.06	2.43 ± 0.08	2.54 ± 0.06	2.68 ± 0.08	3.8 ± 0.2	3.8 ± 0.2	2.12 ± 0.07	1.99 ± 0.10	2.60 ± 0.08	2.2 ± 0.1	3.4 ± 0.2	W Africa F	E Europe M
26	3.9 ± 0.2	2.38 ± 0.05	2.42 ± 0.07	2.56 ± 0.06	2.62 ± 0.08	3.7 ± 0.2	3.5 ± 0.2	2.06 ± 0.07	2.03 ± 0.10	2.58 ± 0.07	2.2 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
27	4.0 ± 0.2	2.32 ± 0.05	2.50 ± 0.08	2.70 ± 0.05	2.55 ± 0.08	3.8 ± 0.2	3.6 ± 0.2	2.18 ± 0.07	2.10 ± 0.09	2.57 ± 0.07	2.4 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
28	3.9 ± 0.2	2.35 ± 0.05	2.45 ± 0.07	2.88 ± 0.05	2.63 ± 0.07	3.8 ± 0.2	3.4 ± 0.2	2.26 ± 0.07	2.21 ± 0.09	2.60 ± 0.06	2.5 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
29	4.1 ± 0.2	2.45 ± 0.05	2.56 ± 0.07	3.02 ± 0.06	2.74 ± 0.08	3.9 ± 0.2	3.5 ± 0.2	2.34 ± 0.06	2.24 ± 0.09	2.67 ± 0.06	2.4 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
30	4.1 ± 0.2	2.60 ± 0.05	2.56 ± 0.08	3.16 ± 0.06	2.82 ± 0.08	3.9 ± 0.2	3.5 ± 0.2	2.40 ± 0.06	2.30 ± 0.09	2.73 ± 0.05	2.6 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
31	4.1 ± 0.2	2.72 ± 0.05	2.64 ± 0.08	3.30 ± 0.06	2.86 ± 0.08	3.9 ± 0.2	3.5 ± 0.2	2.48 ± 0.07	2.39 ± 0.09	2.79 ± 0.05	2.7 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
32	4.3 ± 0.2	2.88 ± 0.05	2.68 ± 0.08	3.52 ± 0.06	2.96 ± 0.09	4.1 ± 0.2	3.4 ± 0.1	2.53 ± 0.06	2.35 ± 0.10	2.91 ± 0.05	2.7 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
33	4.4 ± 0.2	2.94 ± 0.06	2.74 ± 0.09	3.65 ± 0.07	2.96 ± 0.09	4.1 ± 0.2	3.7 ± 0.2	2.64 ± 0.07	2.40 ± 0.09	2.89 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
34	4.3 ± 0.2	3.14 ± 0.06	2.82 ± 0.10	3.77 ± 0.07	2.92 ± 0.09	4.1 ± 0.2	3.6 ± 0.2	2.72 ± 0.07	2.33 ± 0.10	3.04 ± 0.06	2.6 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
35	4.4 ± 0.2	3.30 ± 0.07	2.90 ± 0.10	3.89 ± 0.08	3.0 ± 0.1	4.1 ± 0.2	3.7 ± 0.2	2.78 ± 0.07	2.3 ± 0.1	3.08 ± 0.06	2.9 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
36	4.4 ± 0.2	3.39 ± 0.07	2.8 ± 0.1	4.01 ± 0.08	3.1 ± 0.1	4.1 ± 0.2	3.8 ± 0.2	2.82 ± 0.08	2.4 ± 0.1	3.05 ± 0.06	2.8 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
37	4.4 ± 0.2	3.43 ± 0.07	2.9 ± 0.1	4.05 ± 0.09	3.0 ± 0.1	4.4 ± 0.2	3.8 ± 0.2	2.78 ± 0.08	2.5 ± 0.1	3.24 ± 0.07	2.8 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
38	4.4 ± 0.2	3.62 ± 0.07	2.9 ± 0.1	4.16 ± 0.09	3.2 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	2.94 ± 0.08	2.3 ± 0.1	3.19 ± 0.07	2.8 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
39	4.4 ± 0.2	3.67 ± 0.07	2.9 ± 0.1	4.3 ± 0.1	3.2 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	2.98 ± 0.08	2.5 ± 0.1	3.17 ± 0.07	2.9 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
40	4.6 ± 0.2	3.80 ± 0.08	3.1 ± 0.1	4.2 ± 0.1	3.4 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	2.96 ± 0.08	2.5 ± 0.1	3.40 ± 0.08	2.8 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
41	4.6 ± 0.3	3.89 ± 0.08	3.2 ± 0.1	4.4 ± 0.1	3.4 ± 0.1	4.4 ± 0.2	3.8 ± 0.2	3.05 ± 0.08	2.7 ± 0.1	3.46 ± 0.08	3.1 ± 0.1	4.0 ± 0.2	E Africa F	E Europe M
42	4.5 ± 0.3	3.91 ± 0.08	3.3 ± 0.1	4.3 ± 0.1	3.4 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	3.17 ± 0.08	2.8 ± 0.1	3.46 ± 0.09	3.1 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
43	4.6 ± 0.3	4.11 ± 0.08	3.4 ± 0.1	4.4 ± 0.1	3.8 ± 0.1	4.4 ± 0.2	3.9 ± 0.2	3.24 ± 0.08	2.8 ± 0.1	3.54 ± 0.09	3.4 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
44	4.8 ± 0.3	4.25 ± 0.08	3.4 ± 0.1	4.4 ± 0.1	3.8 ± 0.1	4.8 ± 0.3	3.9 ± 0.2	3.28 ± 0.09	2.8 ± 0.1	3.59 ± 0.10	3.3 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
45	4.6 ± 0.3	4.25 ± 0.09	3.3 ± 0.2	4.5 ± 0.1	3.7 ± 0.1	4.4 ± 0.2	3.9 ± 0.2	3.45 ± 0.09	2.9 ± 0.1	3.6 ± 0.1	3.3 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
46	4.9 ± 0.3	4.41 ± 0.09	3.3 ± 0.1	4.2 ± 0.1	3.8 ± 0.1	4.2 ± 0.2	4.2 ± 0.3	3.45 ± 0.09	3.2 ± 0.2	3.5 ± 0.1	3.6 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
47	4.7 ± 0.3	4.24 ± 0.09	3.6 ± 0.2	4.2 ± 0.2	3.8 ± 0.2	4.4 ± 0.3	4.1 ± 0.3	3.39 ± 0.10	2.9 ± 0.2	3.7 ± 0.1	3.5 ± 0.2	4.4 ± 0.2	E Africa F	E Europe M
48	4.6 ± 0.3	4.20 ± 0.10	3.4 ± 0.2	4.4 ± 0.2	3.8 ± 0.2	4.4 ± 0.3	4.3 ± 0.3	3.45 ± 0.09	3.2 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	4.4 ± 0.2	E Africa F	E Europe M
49	4.5 ± 0.3	4.3 ± 0.1	3.3 ± 0.2	3.9 ± 0.2	3.9 ± 0.2	4.6 ± 0.3	4.1 ± 0.3	3.48 ± 0.10	3.2 ± 0.2	3.5 ± 0.1	3.5 ± 0.2	4.3 ± 0.2	W Africa F	E Europe M
50	4.7 ± 0.4	4.2 ± 0.1	3.3 ± 0.2	4.0 ± 0.2	3.8 ± 0.2	4.5 ± 0.3	3.8 ± 0.3	3.35 ± 0.10	3.2 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
51	4.5 ± 0.3	4.2 ± 0.1	3.4 ± 0.2	3.9 ± 0.2	3.7 ± 0.2	4.6 ± 0.3	4.0 ± 0.4	3.37 ± 0.10	3.1 ± 0.2	3.6 ± 0.1	3.4 ± 0.2	4.5 ± 0.3	W Africa F	E Europe M
52	4.5 ± 0.4	4.1 ± 0.1	3.3 ± 0.2	4.0 ± 0.2	3.7 ± 0.2	4.5 ± 0.3	4.0 ± 0.3	3.4 ± 0.1	3.1 ± 0.2	3.4 ± 0.1	3.3 ± 0.2	4.3 ± 0.3	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 141. *Mean absolute error for Application-type images for algorithm onfido-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.4 ± 0.2	3.8 ± 0.1	4.4 ± 0.2	4.7 ± 0.1	4.2 ± 0.3	5.6 ± 0.2	3.6 ± 0.2	2.10 ± 0.09	2.0 ± 0.1	2.00 ± 0.08	1.9 ± 0.1	3.2 ± 0.2	W Africa F	S E Asia M
15	5.4 ± 0.3	4.2 ± 0.2	4.3 ± 0.2	5.2 ± 0.2	4.7 ± 0.4	5.2 ± 0.3	2.9 ± 0.2	2.21 ± 0.09	1.8 ± 0.1	2.2 ± 0.1	2.2 ± 0.2	3.0 ± 0.2	E Africa F	E Europe M
16	5.0 ± 0.3	4.4 ± 0.2	4.3 ± 0.3	5.0 ± 0.2	5.2 ± 0.4	5.5 ± 0.4	2.9 ± 0.2	2.33 ± 0.10	1.7 ± 0.2	2.2 ± 0.1	2.3 ± 0.2	2.5 ± 0.2	W Africa F	E Europe M
17	5.1 ± 0.3	4.7 ± 0.2	4.4 ± 0.3	5.2 ± 0.2	5.1 ± 0.3	5.3 ± 0.3	2.6 ± 0.2	2.7 ± 0.1	1.4 ± 0.1	2.5 ± 0.1	2.8 ± 0.2	2.9 ± 0.3	W Africa F	E Europe M
18	4.5 ± 0.2	4.6 ± 0.1	3.9 ± 0.3	4.9 ± 0.1	5.3 ± 0.2	5.0 ± 0.3	2.6 ± 0.2	2.89 ± 0.08	1.6 ± 0.1	2.7 ± 0.1	3.0 ± 0.2	2.7 ± 0.2	S E Asia F	E Europe M
19	4.9 ± 0.3	4.7 ± 0.1	3.9 ± 0.2	4.9 ± 0.1	5.3 ± 0.2	5.1 ± 0.3	2.9 ± 0.2	3.11 ± 0.09	1.7 ± 0.1	2.9 ± 0.1	3.3 ± 0.2	3.1 ± 0.3	S E Asia F	E Europe M
20	4.8 ± 0.3	4.6 ± 0.1	3.6 ± 0.2	4.7 ± 0.1	5.2 ± 0.2	5.0 ± 0.3	3.1 ± 0.2	3.11 ± 0.09	1.9 ± 0.1	3.0 ± 0.1	3.4 ± 0.2	3.2 ± 0.3	S E Asia F	E Europe M
21	4.7 ± 0.2	4.5 ± 0.1	3.4 ± 0.2	4.4 ± 0.1	5.1 ± 0.1	5.1 ± 0.3	3.4 ± 0.2	3.13 ± 0.08	1.9 ± 0.1	3.1 ± 0.1	3.4 ± 0.1	3.3 ± 0.3	W Africa F	E Europe M
22	4.6 ± 0.3	4.26 ± 0.10	3.3 ± 0.1	4.1 ± 0.1	4.8 ± 0.1	4.6 ± 0.3	3.8 ± 0.2	3.05 ± 0.09	2.0 ± 0.1	3.2 ± 0.1	3.2 ± 0.1	3.3 ± 0.2	S E Asia F	E Europe M
23	4.6 ± 0.2	4.00 ± 0.09	3.2 ± 0.1	4.03 ± 0.10	4.6 ± 0.1	4.8 ± 0.2	3.8 ± 0.2	2.89 ± 0.09	2.0 ± 0.1	3.3 ± 0.1	3.1 ± 0.1	3.6 ± 0.2	W Africa F	E Europe M
24	4.7 ± 0.2	3.79 ± 0.08	3.1 ± 0.1	3.78 ± 0.09	4.3 ± 0.1	4.4 ± 0.2	3.7 ± 0.2	2.86 ± 0.08	2.00 ± 0.10	3.29 ± 0.10	3.1 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
25	4.5 ± 0.2	3.69 ± 0.08	2.90 ± 0.09	3.58 ± 0.08	4.3 ± 0.1	4.6 ± 0.2	3.9 ± 0.2	2.80 ± 0.08	2.1 ± 0.1	3.24 ± 0.09	3.2 ± 0.1	3.6 ± 0.2	W Africa F	E Europe M
26	4.5 ± 0.2	3.53 ± 0.07	2.80 ± 0.09	3.42 ± 0.07	4.1 ± 0.1	4.4 ± 0.2	3.7 ± 0.2	2.70 ± 0.08	2.10 ± 0.10	3.34 ± 0.08	3.1 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
27	4.5 ± 0.2	3.39 ± 0.07	2.79 ± 0.09	3.29 ± 0.07	3.86 ± 0.10	4.6 ± 0.2	3.8 ± 0.2	2.70 ± 0.08	2.18 ± 0.10	3.22 ± 0.08	3.2 ± 0.1	3.5 ± 0.2	W Africa F	E Europe M
28	4.5 ± 0.2	3.32 ± 0.07	2.68 ± 0.08	3.28 ± 0.07	3.87 ± 0.10	4.3 ± 0.2	3.5 ± 0.2	2.75 ± 0.09	2.27 ± 0.09	3.24 ± 0.07	3.2 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
29	4.7 ± 0.2	3.21 ± 0.06	2.68 ± 0.08	3.19 ± 0.06	3.9 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	2.73 ± 0.08	2.22 ± 0.09	3.24 ± 0.07	3.0 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
30	4.7 ± 0.2	3.26 ± 0.06	2.68 ± 0.08	3.22 ± 0.06	3.8 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.78 ± 0.08	2.23 ± 0.09	3.26 ± 0.06	3.2 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
31	4.6 ± 0.2	3.20 ± 0.06	2.76 ± 0.09	3.21 ± 0.06	3.76 ± 0.10	4.1 ± 0.2	3.8 ± 0.2	2.74 ± 0.08	2.34 ± 0.09	3.27 ± 0.06	3.2 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
32	4.7 ± 0.2	3.20 ± 0.06	2.76 ± 0.09	3.27 ± 0.07	3.8 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	2.85 ± 0.07	2.38 ± 0.09	3.25 ± 0.06	3.3 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
33	4.7 ± 0.2	3.20 ± 0.06	2.81 ± 0.09	3.27 ± 0.07	3.7 ± 0.1	4.0 ± 0.2	3.9 ± 0.2	2.89 ± 0.08	2.50 ± 0.10	3.16 ± 0.06	3.0 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
34	4.7 ± 0.2	3.27 ± 0.06	2.75 ± 0.09	3.30 ± 0.07	3.6 ± 0.1	4.0 ± 0.2	3.6 ± 0.2	2.93 ± 0.07	2.38 ± 0.10	3.14 ± 0.06	3.3 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
35	4.9 ± 0.2	3.17 ± 0.06	2.82 ± 0.09	3.22 ± 0.06	3.6 ± 0.1	4.1 ± 0.2	3.7 ± 0.2	3.01 ± 0.08	2.4 ± 0.1	3.09 ± 0.06	3.2 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
36	4.7 ± 0.2	3.11 ± 0.06	2.74 ± 0.10	3.14 ± 0.07	3.5 ± 0.1	4.0 ± 0.2	3.6 ± 0.2	2.96 ± 0.08	2.5 ± 0.1	2.96 ± 0.06	3.3 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
37	4.7 ± 0.2	3.07 ± 0.06	2.75 ± 0.10	3.27 ± 0.07	3.4 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.97 ± 0.08	2.4 ± 0.1	2.89 ± 0.06	3.0 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
38	4.8 ± 0.2	3.00 ± 0.06	2.6 ± 0.1	3.14 ± 0.08	3.3 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	2.86 ± 0.08	2.4 ± 0.1	2.80 ± 0.06	3.2 ± 0.2	3.3 ± 0.1	E Africa F	E Europe M
39	4.7 ± 0.2	3.01 ± 0.06	2.6 ± 0.1	3.10 ± 0.08	3.3 ± 0.1	4.0 ± 0.2	3.6 ± 0.2	2.86 ± 0.08	2.4 ± 0.1	2.75 ± 0.06	3.1 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
40	4.6 ± 0.3	2.93 ± 0.06	2.8 ± 0.1	3.11 ± 0.09	3.3 ± 0.1	3.9 ± 0.2	3.7 ± 0.2	2.86 ± 0.08	2.5 ± 0.1	2.81 ± 0.07	3.0 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
41	4.6 ± 0.3	2.89 ± 0.06	2.8 ± 0.1	3.12 ± 0.09	3.2 ± 0.1	3.9 ± 0.2	3.7 ± 0.2	2.86 ± 0.08	2.6 ± 0.1	2.78 ± 0.07	3.0 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
42	4.9 ± 0.3	2.97 ± 0.06	3.0 ± 0.1	3.3 ± 0.1	3.1 ± 0.1	4.1 ± 0.2	3.7 ± 0.2	2.93 ± 0.08	2.8 ± 0.1	2.86 ± 0.08	3.2 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
43	4.9 ± 0.3	2.96 ± 0.06	3.0 ± 0.1	3.2 ± 0.1	3.2 ± 0.1	4.0 ± 0.2	3.9 ± 0.2	3.01 ± 0.08	2.7 ± 0.1	2.91 ± 0.08	3.4 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
44	5.2 ± 0.3	2.91 ± 0.06	2.9 ± 0.1	3.3 ± 0.1	3.3 ± 0.1	4.1 ± 0.2	3.7 ± 0.2	3.02 ± 0.08	2.9 ± 0.1	2.95 ± 0.09	3.4 ± 0.2	3.4 ± 0.2	E Africa F	E Asia F
45	4.9 ± 0.3	2.87 ± 0.06	2.8 ± 0.1	3.3 ± 0.1	3.1 ± 0.1	3.9 ± 0.2	3.8 ± 0.2	2.98 ± 0.07	2.8 ± 0.1	3.04 ± 0.09	3.3 ± 0.2	3.4 ± 0.2	E Africa F	E Europe F
46	5.4 ± 0.4	2.79 ± 0.06	3.0 ± 0.1	3.2 ± 0.1	3.1 ± 0.1	4.0 ± 0.2	4.0 ± 0.3	2.85 ± 0.07	2.9 ± 0.2	2.98 ± 0.09	3.4 ± 0.2	3.5 ± 0.2	E Africa F	E Asia F
47	5.2 ± 0.4	2.71 ± 0.06	3.0 ± 0.1	3.3 ± 0.1	3.0 ± 0.1	4.1 ± 0.2	4.2 ± 0.3	2.87 ± 0.08	2.8 ± 0.2	3.2 ± 0.1	3.5 ± 0.2	3.6 ± 0.2	E Africa F	E Asia F
48	5.1 ± 0.4	2.56 ± 0.06	2.9 ± 0.1	3.3 ± 0.1	2.9 ± 0.1	4.0 ± 0.2	4.2 ± 0.3	2.72 ± 0.07	2.9 ± 0.2	3.1 ± 0.1	3.3 ± 0.2	3.7 ± 0.2	E Africa F	E Asia F
49	5.3 ± 0.4	2.59 ± 0.07	2.7 ± 0.1	3.4 ± 0.1	3.0 ± 0.1	4.3 ± 0.3	4.1 ± 0.3	2.77 ± 0.08	2.8 ± 0.2	3.1 ± 0.1	3.3 ± 0.2	3.3 ± 0.2	E Africa F	E Asia F
50	5.1 ± 0.4	2.55 ± 0.07	2.8 ± 0.2	3.3 ± 0.1	3.0 ± 0.1	3.8 ± 0.3	3.8 ± 0.3	2.76 ± 0.08	2.9 ± 0.2	3.2 ± 0.1	3.6 ± 0.2	3.4 ± 0.2	E Africa F	E Asia F
51	5.2 ± 0.3	2.59 ± 0.07	2.8 ± 0.1	3.4 ± 0.1	3.1 ± 0.1	4.1 ± 0.3	4.0 ± 0.4	2.71 ± 0.08	3.0 ± 0.2	3.4 ± 0.1	3.4 ± 0.2	3.8 ± 0.2	E Africa F	E Asia F
52	5.1 ± 0.4	2.60 ± 0.07	3.0 ± 0.1	3.5 ± 0.1	3.2 ± 0.1	3.8 ± 0.3	3.9 ± 0.3	2.68 ± 0.08	3.2 ± 0.2	3.4 ± 0.1	3.4 ± 0.2	3.8 ± 0.2	E Africa F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 142. *Mean absolute error for Application-type images for algorithm paravision-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.5 ± 0.1	0.97 ± 0.05	0.78 ± 0.06	1.08 ± 0.07	1.3 ± 0.1	1.2 ± 0.1	1.9 ± 0.1	1.07 ± 0.06	1.05 ± 0.08	1.41 ± 0.07	1.2 ± 0.1	1.6 ± 0.2	E Africa M	E Europe F
15	1.8 ± 0.1	1.20 ± 0.06	1.19 ± 0.07	1.49 ± 0.10	1.7 ± 0.2	1.5 ± 0.2	2.3 ± 0.1	1.11 ± 0.05	1.28 ± 0.09	1.54 ± 0.07	1.25 ± 0.10	1.7 ± 0.2	E Africa M	E Asia M
16	2.7 ± 0.1	1.87 ± 0.07	1.98 ± 0.10	2.03 ± 0.07	2.1 ± 0.2	2.7 ± 0.3	2.6 ± 0.2	1.64 ± 0.05	1.9 ± 0.1	2.02 ± 0.07	1.82 ± 0.10	2.3 ± 0.2	W Africa F	E Asia M
17	3.5 ± 0.1	2.61 ± 0.08	2.71 ± 0.09	2.95 ± 0.08	2.9 ± 0.2	3.3 ± 0.2	3.1 ± 0.1	2.39 ± 0.08	2.59 ± 0.09	2.68 ± 0.09	2.6 ± 0.1	3.4 ± 0.3	E Africa F	E Asia M
18	4.2 ± 0.1	3.22 ± 0.07	3.7 ± 0.1	3.74 ± 0.06	3.5 ± 0.1	4.2 ± 0.2	3.9 ± 0.1	2.97 ± 0.07	3.3 ± 0.1	3.41 ± 0.07	3.2 ± 0.1	3.9 ± 0.2	E Africa F	E Asia M
19	5.1 ± 0.2	3.60 ± 0.08	4.4 ± 0.2	4.37 ± 0.08	4.0 ± 0.1	4.7 ± 0.2	4.6 ± 0.1	3.35 ± 0.08	3.7 ± 0.1	3.88 ± 0.08	3.5 ± 0.1	4.3 ± 0.2	E Africa F	E Asia M
20	5.7 ± 0.1	4.0 ± 0.1	4.9 ± 0.1	5.1 ± 0.1	4.4 ± 0.1	5.2 ± 0.2	5.2 ± 0.2	3.51 ± 0.09	4.2 ± 0.2	4.2 ± 0.1	3.9 ± 0.1	4.7 ± 0.2	E Africa F	E Asia M
21	6.3 ± 0.2	4.0 ± 0.1	5.6 ± 0.1	5.61 ± 0.10	4.7 ± 0.1	5.8 ± 0.2	5.5 ± 0.2	3.49 ± 0.10	4.2 ± 0.2	4.2 ± 0.1	4.1 ± 0.2	4.6 ± 0.2	E Africa F	E Asia M
22	7.0 ± 0.2	4.2 ± 0.1	5.8 ± 0.1	6.0 ± 0.1	4.9 ± 0.1	6.2 ± 0.2	6.2 ± 0.2	3.6 ± 0.1	4.0 ± 0.2	4.3 ± 0.1	4.0 ± 0.2	4.8 ± 0.2	E Africa F	E Asia M
23	7.4 ± 0.2	4.16 ± 0.10	6.0 ± 0.2	6.4 ± 0.1	4.9 ± 0.1	6.4 ± 0.2	6.0 ± 0.2	3.6 ± 0.1	4.0 ± 0.2	4.3 ± 0.1	4.1 ± 0.2	4.9 ± 0.2	E Africa F	E Asia M
24	7.8 ± 0.2	4.1 ± 0.1	5.8 ± 0.2	6.5 ± 0.1	4.9 ± 0.1	6.8 ± 0.2	5.9 ± 0.2	3.3 ± 0.1	4.0 ± 0.2	4.1 ± 0.1	3.8 ± 0.2	4.6 ± 0.2	E Africa F	E Asia M
25	8.0 ± 0.2	3.98 ± 0.10	5.6 ± 0.2	6.6 ± 0.1	4.7 ± 0.1	6.9 ± 0.2	5.7 ± 0.2	3.2 ± 0.1	3.7 ± 0.2	4.0 ± 0.1	3.7 ± 0.2	4.3 ± 0.2	E Africa F	E Asia M
26	8.2 ± 0.2	3.84 ± 0.10	5.4 ± 0.2	6.6 ± 0.1	4.6 ± 0.1	6.7 ± 0.3	5.4 ± 0.2	3.0 ± 0.1	3.5 ± 0.2	4.0 ± 0.1	3.7 ± 0.2	3.9 ± 0.2	E Africa F	E Asia M
27	8.6 ± 0.3	3.57 ± 0.09	5.1 ± 0.2	6.6 ± 0.1	4.5 ± 0.1	6.9 ± 0.3	5.3 ± 0.2	2.9 ± 0.1	3.1 ± 0.1	3.7 ± 0.1	3.5 ± 0.2	3.7 ± 0.2	E Africa F	E Asia M
28	8.7 ± 0.3	3.46 ± 0.09	4.6 ± 0.2	6.4 ± 0.1	4.4 ± 0.1	6.9 ± 0.3	4.8 ± 0.2	2.9 ± 0.1	3.1 ± 0.1	3.76 ± 0.10	3.6 ± 0.2	3.6 ± 0.2	E Africa F	E Asia M
29	8.5 ± 0.3	3.32 ± 0.08	4.4 ± 0.2	6.1 ± 0.1	4.2 ± 0.1	7.1 ± 0.3	4.5 ± 0.2	2.82 ± 0.10	2.8 ± 0.1	3.58 ± 0.09	3.4 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
30	8.4 ± 0.3	3.28 ± 0.08	4.1 ± 0.1	5.8 ± 0.1	3.9 ± 0.1	7.0 ± 0.3	4.3 ± 0.2	2.95 ± 0.09	2.7 ± 0.1	3.58 ± 0.08	3.5 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
31	8.3 ± 0.3	3.24 ± 0.08	4.0 ± 0.1	5.6 ± 0.1	3.9 ± 0.1	6.8 ± 0.3	4.2 ± 0.2	3.04 ± 0.09	2.8 ± 0.1	3.57 ± 0.07	3.7 ± 0.2	3.7 ± 0.1	E Africa F	E Europe M
32	8.1 ± 0.3	3.25 ± 0.07	3.8 ± 0.1	5.3 ± 0.1	3.9 ± 0.1	6.7 ± 0.3	4.1 ± 0.2	3.18 ± 0.08	2.8 ± 0.1	3.52 ± 0.07	3.8 ± 0.2	3.7 ± 0.1	E Africa F	E Europe M
33	7.5 ± 0.4	3.26 ± 0.07	3.6 ± 0.1	4.9 ± 0.1	3.7 ± 0.1	6.4 ± 0.3	4.2 ± 0.2	3.25 ± 0.08	2.8 ± 0.1	3.41 ± 0.07	3.8 ± 0.2	3.7 ± 0.1	E Africa F	E Europe M
34	7.5 ± 0.4	3.19 ± 0.07	3.3 ± 0.1	4.6 ± 0.1	3.6 ± 0.1	6.2 ± 0.3	3.7 ± 0.2	3.25 ± 0.08	2.6 ± 0.1	3.25 ± 0.07	3.7 ± 0.2	3.6 ± 0.1	E Africa F	E Europe M
35	6.9 ± 0.4	3.18 ± 0.07	3.2 ± 0.1	4.1 ± 0.1	3.5 ± 0.1	6.1 ± 0.3	3.7 ± 0.2	3.22 ± 0.08	2.5 ± 0.1	3.08 ± 0.07	3.8 ± 0.2	3.6 ± 0.1	E Africa F	E Europe M
36	6.8 ± 0.4	3.11 ± 0.07	2.8 ± 0.1	3.9 ± 0.1	3.2 ± 0.1	5.7 ± 0.3	3.6 ± 0.2	3.16 ± 0.08	2.6 ± 0.1	2.92 ± 0.06	3.6 ± 0.2	3.4 ± 0.1	E Africa F	E Europe M
37	6.2 ± 0.4	3.03 ± 0.07	2.7 ± 0.1	3.8 ± 0.1	3.1 ± 0.1	5.6 ± 0.3	3.5 ± 0.2	3.12 ± 0.08	2.4 ± 0.1	2.93 ± 0.07	3.4 ± 0.2	3.2 ± 0.1	E Africa F	E Europe M
38	5.9 ± 0.4	3.06 ± 0.07	2.8 ± 0.1	3.6 ± 0.1	3.1 ± 0.1	5.5 ± 0.3	3.4 ± 0.2	3.07 ± 0.08	2.4 ± 0.1	2.79 ± 0.07	3.6 ± 0.2	3.3 ± 0.1	E Africa F	E Europe M
39	5.8 ± 0.4	3.11 ± 0.07	2.6 ± 0.1	3.6 ± 0.1	3.0 ± 0.1	5.2 ± 0.3	3.5 ± 0.2	3.04 ± 0.08	2.6 ± 0.1	2.83 ± 0.07	3.6 ± 0.2	3.2 ± 0.1	E Africa F	E Europe M
40	5.7 ± 0.4	3.12 ± 0.07	2.7 ± 0.1	3.4 ± 0.1	3.2 ± 0.1	5.5 ± 0.3	3.5 ± 0.2	2.93 ± 0.08	2.5 ± 0.1	2.88 ± 0.07	3.2 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
41	5.5 ± 0.4	3.09 ± 0.07	2.6 ± 0.1	3.6 ± 0.1	3.0 ± 0.1	5.6 ± 0.4	3.6 ± 0.2	2.82 ± 0.07	2.5 ± 0.1	2.88 ± 0.07	3.1 ± 0.1	3.4 ± 0.2	W Africa F	E Europe M
42	5.0 ± 0.4	3.06 ± 0.06	2.6 ± 0.1	3.5 ± 0.1	3.0 ± 0.1	5.3 ± 0.3	3.4 ± 0.2	2.76 ± 0.08	2.6 ± 0.1	2.95 ± 0.08	3.1 ± 0.1	3.2 ± 0.2	W Africa F	E Europe M
43	5.2 ± 0.4	3.09 ± 0.07	2.5 ± 0.1	3.5 ± 0.1	3.1 ± 0.1	5.2 ± 0.3	3.6 ± 0.2	2.74 ± 0.07	2.5 ± 0.1	2.96 ± 0.08	3.0 ± 0.1	3.5 ± 0.2	E Africa F	E Europe F
44	5.5 ± 0.4	3.12 ± 0.07	2.4 ± 0.1	3.7 ± 0.1	3.1 ± 0.1	5.5 ± 0.4	3.6 ± 0.2	2.71 ± 0.08	2.5 ± 0.1	3.02 ± 0.09	3.1 ± 0.2	3.3 ± 0.2	E Africa F	E Europe F
45	4.9 ± 0.4	3.08 ± 0.07	2.3 ± 0.1	3.5 ± 0.1	3.0 ± 0.1	5.1 ± 0.3	3.7 ± 0.2	2.67 ± 0.08	2.4 ± 0.1	3.06 ± 0.09	3.0 ± 0.2	3.6 ± 0.2	W Africa F	E Europe F
46	5.0 ± 0.4	3.06 ± 0.07	2.5 ± 0.1	3.5 ± 0.1	3.0 ± 0.1	5.3 ± 0.3	3.7 ± 0.3	2.66 ± 0.08	2.7 ± 0.2	3.0 ± 0.1	3.1 ± 0.2	3.7 ± 0.2	W Africa F	E Europe F
47	4.8 ± 0.4	3.05 ± 0.07	2.8 ± 0.2	3.5 ± 0.1	3.0 ± 0.1	5.3 ± 0.3	3.9 ± 0.3	2.72 ± 0.09	2.5 ± 0.1	3.2 ± 0.1	3.2 ± 0.2	3.8 ± 0.2	W Africa F	E Europe M
48	5.1 ± 0.4	3.02 ± 0.08	2.8 ± 0.1	3.7 ± 0.1	3.1 ± 0.1	5.4 ± 0.3	4.2 ± 0.3	2.85 ± 0.08	2.8 ± 0.2	3.2 ± 0.1	3.1 ± 0.2	4.2 ± 0.2	W Africa F	E Europe M
49	4.7 ± 0.4	3.18 ± 0.08	2.9 ± 0.1	3.5 ± 0.1	3.2 ± 0.1	5.6 ± 0.3	3.9 ± 0.3	3.03 ± 0.08	2.8 ± 0.1	3.3 ± 0.1	3.2 ± 0.2	4.1 ± 0.2	W Africa F	E Europe M
50	5.1 ± 0.4	3.27 ± 0.08	3.0 ± 0.1	3.6 ± 0.1	3.3 ± 0.1	5.4 ± 0.3	3.9 ± 0.3	3.07 ± 0.08	2.9 ± 0.1	3.3 ± 0.1	3.3 ± 0.2	4.4 ± 0.2	W Africa F	E Europe M
51	4.7 ± 0.3	3.14 ± 0.08	2.9 ± 0.1	3.6 ± 0.1	3.3 ± 0.1	5.5 ± 0.3	4.3 ± 0.3	3.04 ± 0.08	2.7 ± 0.1	3.3 ± 0.1	3.3 ± 0.2	4.8 ± 0.2	W Africa F	E Europe M
52	4.9 ± 0.4	3.12 ± 0.08	3.0 ± 0.1	3.5 ± 0.1	3.3 ± 0.1	5.7 ± 0.3	4.0 ± 0.3	2.97 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	3.2 ± 0.2	4.6 ± 0.3	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 143. *Mean absolute error for Application-type images for algorithm paravision-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	1.8 ± 0.2	1.44 ± 0.05	0.9 ± 0.1	1.26 ± 0.09	1.3 ± 0.1	2.7 ± 0.3	1.4 ± 0.1	1.53 ± 0.07	1.20 ± 0.10	1.22 ± 0.07	1.32 ± 0.10	1.8 ± 0.2	W Africa F	E Europe F
15	1.8 ± 0.2	1.22 ± 0.06	1.1 ± 0.1	1.4 ± 0.1	1.3 ± 0.2	3.2 ± 0.4	1.3 ± 0.1	1.25 ± 0.05	0.96 ± 0.10	1.10 ± 0.08	1.06 ± 0.09	1.8 ± 0.2	W Africa F	E Europe M
16	2.6 ± 0.2	1.29 ± 0.07	1.7 ± 0.1	1.47 ± 0.09	1.7 ± 0.2	3.7 ± 0.4	1.7 ± 0.2	1.10 ± 0.06	1.2 ± 0.1	1.37 ± 0.09	1.1 ± 0.1	1.9 ± 0.2	W Africa F	S E Asia M
17	3.3 ± 0.2	1.50 ± 0.08	2.4 ± 0.1	2.1 ± 0.1	1.7 ± 0.1	3.8 ± 0.2	2.0 ± 0.2	1.25 ± 0.08	1.3 ± 0.1	1.7 ± 0.1	1.4 ± 0.1	2.6 ± 0.3	W Africa F	E Asia M
18	3.7 ± 0.2	1.74 ± 0.07	3.2 ± 0.2	2.44 ± 0.09	1.9 ± 0.1	3.8 ± 0.2	2.4 ± 0.2	1.62 ± 0.07	1.8 ± 0.1	2.32 ± 0.10	1.8 ± 0.1	2.7 ± 0.2	W Africa F	E Asia M
19	4.0 ± 0.2	2.00 ± 0.07	3.6 ± 0.2	2.8 ± 0.1	2.2 ± 0.1	3.7 ± 0.2	2.8 ± 0.2	1.98 ± 0.07	2.2 ± 0.1	2.6 ± 0.1	2.0 ± 0.1	3.0 ± 0.3	E Africa F	E Asia M
20	4.0 ± 0.2	2.28 ± 0.09	3.6 ± 0.1	3.2 ± 0.1	2.4 ± 0.1	3.7 ± 0.2	3.2 ± 0.2	2.19 ± 0.08	2.6 ± 0.2	3.0 ± 0.1	2.3 ± 0.1	3.2 ± 0.3	E Africa F	E Asia M
21	4.1 ± 0.2	2.50 ± 0.08	3.4 ± 0.1	3.42 ± 0.10	2.7 ± 0.1	3.6 ± 0.3	3.2 ± 0.2	2.26 ± 0.07	2.9 ± 0.1	3.2 ± 0.1	2.5 ± 0.1	3.3 ± 0.3	E Africa F	E Asia M
22	4.2 ± 0.2	2.77 ± 0.07	3.2 ± 0.1	3.52 ± 0.09	3.0 ± 0.1	3.4 ± 0.3	3.8 ± 0.2	2.32 ± 0.09	3.0 ± 0.1	3.2 ± 0.1	2.4 ± 0.1	3.1 ± 0.2	E Africa F	E Asia M
23	4.2 ± 0.2	2.92 ± 0.07	3.1 ± 0.1	3.64 ± 0.09	3.15 ± 0.10	3.4 ± 0.2	3.9 ± 0.2	2.48 ± 0.09	2.9 ± 0.1	3.3 ± 0.1	2.6 ± 0.1	3.5 ± 0.2	E Africa F	E Asia M
24	4.4 ± 0.2	3.22 ± 0.06	2.9 ± 0.1	3.56 ± 0.09	3.29 ± 0.09	3.8 ± 0.2	3.9 ± 0.2	2.58 ± 0.09	2.8 ± 0.1	3.33 ± 0.10	2.6 ± 0.1	3.5 ± 0.2	E Africa F	S E Asia M
25	4.6 ± 0.2	3.26 ± 0.06	2.76 ± 0.09	3.60 ± 0.09	3.41 ± 0.09	3.9 ± 0.2	4.0 ± 0.2	2.83 ± 0.08	2.8 ± 0.1	3.25 ± 0.09	2.8 ± 0.1	3.6 ± 0.2	E Africa F	E Europe F
26	4.6 ± 0.2	3.22 ± 0.06	2.74 ± 0.08	3.63 ± 0.08	3.34 ± 0.08	4.0 ± 0.2	3.9 ± 0.2	2.80 ± 0.07	2.8 ± 0.1	3.33 ± 0.09	2.9 ± 0.1	3.6 ± 0.2	E Africa F	E Europe F
27	4.9 ± 0.2	3.05 ± 0.06	2.75 ± 0.09	3.75 ± 0.08	3.20 ± 0.09	4.4 ± 0.2	4.0 ± 0.2	2.84 ± 0.08	2.7 ± 0.1	3.21 ± 0.08	2.9 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
28	4.8 ± 0.2	2.96 ± 0.06	2.66 ± 0.08	3.87 ± 0.08	3.15 ± 0.09	4.4 ± 0.2	3.9 ± 0.2	2.76 ± 0.09	2.7 ± 0.1	3.23 ± 0.08	2.9 ± 0.1	3.7 ± 0.2	E Africa F	E Europe F
29	4.9 ± 0.2	2.90 ± 0.06	2.72 ± 0.08	3.93 ± 0.08	3.10 ± 0.09	4.5 ± 0.2	3.9 ± 0.2	2.68 ± 0.08	2.6 ± 0.1	3.19 ± 0.07	2.8 ± 0.1	4.0 ± 0.2	E Africa F	E Europe M
30	4.8 ± 0.2	2.90 ± 0.06	2.73 ± 0.08	4.04 ± 0.08	3.04 ± 0.09	4.5 ± 0.2	3.9 ± 0.2	2.80 ± 0.08	2.6 ± 0.1	3.19 ± 0.06	3.0 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
31	4.9 ± 0.2	2.94 ± 0.06	2.75 ± 0.08	4.05 ± 0.08	3.09 ± 0.09	4.5 ± 0.2	3.9 ± 0.2	2.78 ± 0.08	2.7 ± 0.1	3.22 ± 0.06	3.0 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
32	5.0 ± 0.2	2.98 ± 0.06	2.73 ± 0.08	4.06 ± 0.08	3.2 ± 0.1	4.5 ± 0.2	3.9 ± 0.2	2.86 ± 0.08	2.8 ± 0.1	3.21 ± 0.06	3.1 ± 0.1	3.9 ± 0.1	E Africa F	E Europe F
33	5.0 ± 0.2	2.99 ± 0.06	2.67 ± 0.08	4.12 ± 0.08	3.13 ± 0.09	4.6 ± 0.2	4.0 ± 0.2	2.95 ± 0.08	2.8 ± 0.1	3.19 ± 0.06	3.1 ± 0.1	3.8 ± 0.1	E Africa F	E Europe F
34	4.9 ± 0.2	3.04 ± 0.06	2.67 ± 0.09	4.06 ± 0.08	3.06 ± 0.10	4.5 ± 0.2	3.8 ± 0.2	2.97 ± 0.08	2.8 ± 0.1	3.24 ± 0.06	3.2 ± 0.1	3.7 ± 0.1	E Africa F	E Europe F
35	5.0 ± 0.2	3.11 ± 0.06	2.68 ± 0.09	3.99 ± 0.08	3.1 ± 0.1	4.5 ± 0.2	3.8 ± 0.2	3.03 ± 0.08	2.8 ± 0.1	3.21 ± 0.06	3.2 ± 0.2	3.8 ± 0.1	E Africa F	E Europe F
36	4.9 ± 0.2	3.17 ± 0.07	2.62 ± 0.09	3.90 ± 0.08	3.2 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	2.99 ± 0.08	3.0 ± 0.1	3.16 ± 0.06	3.2 ± 0.2	3.7 ± 0.1	E Africa F	E Europe F
37	4.9 ± 0.2	3.07 ± 0.07	2.60 ± 0.10	3.95 ± 0.09	3.1 ± 0.1	4.6 ± 0.2	3.8 ± 0.2	2.97 ± 0.08	2.8 ± 0.1	3.15 ± 0.07	3.1 ± 0.1	3.5 ± 0.1	E Africa F	E Europe F
38	4.8 ± 0.2	3.16 ± 0.07	2.68 ± 0.10	3.76 ± 0.09	3.1 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.97 ± 0.08	2.8 ± 0.1	3.02 ± 0.07	3.2 ± 0.2	3.5 ± 0.1	E Africa F	E Europe F
39	4.6 ± 0.2	3.23 ± 0.07	2.6 ± 0.1	3.76 ± 0.10	3.1 ± 0.1	3.8 ± 0.2	3.7 ± 0.2	3.01 ± 0.08	2.9 ± 0.1	3.02 ± 0.07	3.3 ± 0.1	3.3 ± 0.1	E Africa F	E Europe F
40	4.5 ± 0.2	3.19 ± 0.07	2.7 ± 0.1	3.52 ± 0.10	3.3 ± 0.1	4.0 ± 0.2	3.6 ± 0.2	3.03 ± 0.08	2.9 ± 0.1	2.98 ± 0.07	3.1 ± 0.1	3.5 ± 0.2	E Africa F	E Europe F
41	4.5 ± 0.3	3.24 ± 0.07	2.7 ± 0.1	3.5 ± 0.1	3.2 ± 0.1	3.9 ± 0.2	3.7 ± 0.2	2.99 ± 0.08	2.8 ± 0.1	2.91 ± 0.07	3.2 ± 0.2	3.5 ± 0.2	E Africa F	E Europe F
42	4.6 ± 0.3	3.22 ± 0.07	2.9 ± 0.1	3.5 ± 0.1	3.1 ± 0.1	4.0 ± 0.2	3.5 ± 0.2	3.08 ± 0.09	3.0 ± 0.1	2.90 ± 0.08	3.2 ± 0.2	3.5 ± 0.2	E Africa F	S Asia M
43	4.6 ± 0.3	3.30 ± 0.07	2.9 ± 0.1	3.4 ± 0.1	3.3 ± 0.1	3.7 ± 0.2	3.6 ± 0.2	3.16 ± 0.09	2.8 ± 0.1	2.96 ± 0.08	3.2 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
44	4.7 ± 0.3	3.36 ± 0.07	2.9 ± 0.1	3.5 ± 0.1	3.4 ± 0.1	4.0 ± 0.2	3.7 ± 0.2	3.13 ± 0.09	3.1 ± 0.2	3.01 ± 0.09	3.4 ± 0.2	3.4 ± 0.2	E Africa F	E Europe F
45	4.4 ± 0.3	3.25 ± 0.07	2.9 ± 0.1	3.4 ± 0.1	3.2 ± 0.1	3.8 ± 0.2	3.7 ± 0.2	3.20 ± 0.09	2.9 ± 0.1	3.06 ± 0.09	3.4 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
46	4.7 ± 0.3	3.26 ± 0.07	2.9 ± 0.1	3.4 ± 0.1	3.2 ± 0.1	3.9 ± 0.2	3.6 ± 0.2	3.24 ± 0.09	3.1 ± 0.2	3.07 ± 0.10	3.4 ± 0.2	3.8 ± 0.2	E Africa F	E Europe F
47	4.6 ± 0.4	3.31 ± 0.08	3.1 ± 0.2	3.3 ± 0.1	3.2 ± 0.1	3.9 ± 0.2	3.9 ± 0.3	3.34 ± 0.10	2.8 ± 0.2	3.3 ± 0.1	3.6 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
48	4.5 ± 0.3	3.22 ± 0.08	3.0 ± 0.1	3.6 ± 0.1	3.2 ± 0.1	4.0 ± 0.2	4.1 ± 0.3	3.41 ± 0.09	3.0 ± 0.2	3.2 ± 0.1	3.5 ± 0.2	4.0 ± 0.2	E Africa F	E Europe F
49	4.6 ± 0.3	3.28 ± 0.08	2.9 ± 0.1	3.4 ± 0.1	3.3 ± 0.1	4.3 ± 0.3	3.8 ± 0.3	3.58 ± 0.10	2.9 ± 0.1	3.3 ± 0.1	3.5 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
50	4.6 ± 0.4	3.33 ± 0.08	3.1 ± 0.2	3.4 ± 0.1	3.3 ± 0.1	4.0 ± 0.2	3.7 ± 0.3	3.48 ± 0.10	2.9 ± 0.2	3.3 ± 0.1	3.7 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
51	4.6 ± 0.3	3.28 ± 0.08	3.0 ± 0.2	3.5 ± 0.1	3.2 ± 0.1	4.1 ± 0.3	4.1 ± 0.4	3.6 ± 0.1	2.8 ± 0.2	3.5 ± 0.1	3.7 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
52	4.7 ± 0.4	3.25 ± 0.08	3.2 ± 0.2	3.5 ± 0.1	3.4 ± 0.1	3.8 ± 0.2	4.0 ± 0.4	3.5 ± 0.1	3.0 ± 0.2	3.4 ± 0.1	3.7 ± 0.2	4.3 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 144. *Mean absolute error for Application-type images for algorithm privately-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.2 ± 0.2	4.0 ± 0.1	1.9 ± 0.2	2.8 ± 0.1	3.9 ± 0.3	3.2 ± 0.3	2.9 ± 0.2	3.6 ± 0.1	1.5 ± 0.1	2.5 ± 0.1	3.0 ± 0.2	2.6 ± 0.2	E Asia F	E Europe M
15	3.6 ± 0.3	4.3 ± 0.2	2.6 ± 0.2	3.3 ± 0.2	4.3 ± 0.3	3.3 ± 0.4	2.7 ± 0.2	3.6 ± 0.1	1.7 ± 0.1	2.5 ± 0.1	3.0 ± 0.2	2.7 ± 0.2	S E Asia F	E Europe M
16	3.7 ± 0.3	4.5 ± 0.2	3.1 ± 0.2	3.4 ± 0.2	4.4 ± 0.3	3.8 ± 0.4	2.6 ± 0.2	3.4 ± 0.1	2.0 ± 0.2	2.4 ± 0.1	3.1 ± 0.2	2.3 ± 0.2	E Asia F	E Europe M
17	3.9 ± 0.3	4.3 ± 0.1	3.7 ± 0.2	3.6 ± 0.2	4.3 ± 0.3	3.6 ± 0.3	2.4 ± 0.2	3.2 ± 0.1	2.2 ± 0.1	2.3 ± 0.1	2.7 ± 0.2	2.1 ± 0.3	E Asia F	W Africa M
18	3.7 ± 0.2	4.2 ± 0.1	3.6 ± 0.2	3.4 ± 0.1	4.1 ± 0.2	3.6 ± 0.2	2.4 ± 0.2	2.72 ± 0.08	2.5 ± 0.2	2.20 ± 0.09	2.4 ± 0.2	2.2 ± 0.2	E Asia F	W Africa M
19	3.7 ± 0.2	3.8 ± 0.1	3.5 ± 0.2	3.4 ± 0.1	3.8 ± 0.2	3.6 ± 0.2	2.5 ± 0.2	2.46 ± 0.09	2.5 ± 0.2	2.19 ± 0.09	2.1 ± 0.1	2.1 ± 0.2	E Asia F	W Africa M
20	3.8 ± 0.2	3.7 ± 0.1	3.4 ± 0.2	3.4 ± 0.1	3.6 ± 0.2	3.7 ± 0.2	2.7 ± 0.2	2.20 ± 0.09	2.5 ± 0.2	2.08 ± 0.09	2.0 ± 0.1	2.3 ± 0.2	E Africa F	S E Asia M
21	3.5 ± 0.2	3.4 ± 0.1	3.2 ± 0.2	3.3 ± 0.1	3.5 ± 0.1	3.9 ± 0.2	2.7 ± 0.2	1.91 ± 0.08	2.3 ± 0.2	1.99 ± 0.08	1.9 ± 0.1	2.6 ± 0.2	W Africa F	S E Asia M
22	3.6 ± 0.2	3.24 ± 0.10	3.0 ± 0.1	3.18 ± 0.10	3.3 ± 0.1	3.8 ± 0.2	3.0 ± 0.2	1.89 ± 0.08	2.1 ± 0.1	2.03 ± 0.08	1.9 ± 0.1	2.7 ± 0.2	W Africa F	E Asia M
23	3.5 ± 0.2	3.01 ± 0.08	2.9 ± 0.1	3.29 ± 0.09	3.1 ± 0.1	3.7 ± 0.2	3.1 ± 0.2	2.03 ± 0.07	2.2 ± 0.1	2.21 ± 0.08	2.2 ± 0.1	2.9 ± 0.1	W Africa F	E Asia M
24	3.7 ± 0.2	2.90 ± 0.07	2.9 ± 0.1	3.34 ± 0.08	2.98 ± 0.09	3.8 ± 0.2	3.1 ± 0.2	2.32 ± 0.07	2.4 ± 0.1	2.37 ± 0.07	2.39 ± 0.09	3.1 ± 0.2	W Africa F	E Asia M
25	3.6 ± 0.2	2.84 ± 0.07	3.1 ± 0.1	3.46 ± 0.08	2.92 ± 0.09	3.8 ± 0.2	3.3 ± 0.2	2.63 ± 0.07	2.6 ± 0.1	2.62 ± 0.07	2.83 ± 0.10	3.4 ± 0.1	W Africa F	E Europe M
26	3.7 ± 0.2	2.73 ± 0.06	3.2 ± 0.1	3.70 ± 0.08	3.03 ± 0.09	4.0 ± 0.2	3.3 ± 0.1	2.90 ± 0.07	3.1 ± 0.1	2.89 ± 0.07	3.1 ± 0.1	3.5 ± 0.1	W Africa F	E Asia F
27	3.9 ± 0.2	2.73 ± 0.06	3.31 ± 0.10	3.88 ± 0.08	3.02 ± 0.09	4.1 ± 0.2	3.5 ± 0.1	3.14 ± 0.08	3.1 ± 0.1	3.15 ± 0.07	3.3 ± 0.1	3.7 ± 0.1	W Africa F	E Asia F
28	4.2 ± 0.2	2.77 ± 0.06	3.46 ± 0.10	4.25 ± 0.08	3.06 ± 0.09	4.3 ± 0.2	3.6 ± 0.1	3.36 ± 0.09	3.2 ± 0.1	3.46 ± 0.07	3.5 ± 0.1	4.1 ± 0.1	W Africa F	E Asia F
29	4.2 ± 0.2	2.80 ± 0.06	3.6 ± 0.1	4.36 ± 0.08	3.15 ± 0.09	4.7 ± 0.2	3.7 ± 0.1	3.46 ± 0.08	3.6 ± 0.1	3.78 ± 0.07	3.7 ± 0.1	4.3 ± 0.1	W Africa F	E Asia F
30	4.5 ± 0.2	2.94 ± 0.06	3.8 ± 0.1	4.69 ± 0.09	3.22 ± 0.09	5.1 ± 0.2	4.1 ± 0.2	3.68 ± 0.09	3.6 ± 0.1	4.12 ± 0.07	3.8 ± 0.1	4.6 ± 0.1	W Africa F	E Asia F
31	4.8 ± 0.2	3.12 ± 0.06	4.0 ± 0.1	5.04 ± 0.09	3.34 ± 0.10	5.2 ± 0.2	4.3 ± 0.2	3.83 ± 0.09	3.9 ± 0.1	4.43 ± 0.07	4.2 ± 0.2	5.0 ± 0.2	W Africa F	E Asia F
32	5.1 ± 0.2	3.23 ± 0.07	4.3 ± 0.1	5.31 ± 0.10	3.6 ± 0.1	5.7 ± 0.2	4.4 ± 0.2	3.87 ± 0.10	3.9 ± 0.1	4.64 ± 0.07	4.1 ± 0.2	5.4 ± 0.2	W Africa F	E Asia F
33	5.4 ± 0.2	3.45 ± 0.07	4.5 ± 0.1	5.7 ± 0.1	3.6 ± 0.1	6.1 ± 0.2	4.8 ± 0.2	4.1 ± 0.1	3.9 ± 0.1	5.02 ± 0.08	4.3 ± 0.2	5.5 ± 0.2	W Africa F	E Asia F
34	5.6 ± 0.2	3.66 ± 0.07	4.8 ± 0.1	5.9 ± 0.1	3.8 ± 0.1	6.3 ± 0.2	5.2 ± 0.2	4.3 ± 0.1	4.1 ± 0.1	5.31 ± 0.09	4.5 ± 0.2	5.9 ± 0.2	W Africa F	E Asia F
35	5.7 ± 0.2	4.04 ± 0.08	5.2 ± 0.1	6.3 ± 0.1	4.1 ± 0.1	6.8 ± 0.2	5.2 ± 0.2	4.4 ± 0.1	4.4 ± 0.2	5.71 ± 0.09	4.8 ± 0.2	6.2 ± 0.2	W Africa F	E Asia F
36	6.3 ± 0.2	4.25 ± 0.08	5.3 ± 0.1	6.7 ± 0.1	4.4 ± 0.1	7.0 ± 0.2	5.8 ± 0.2	4.7 ± 0.1	4.4 ± 0.2	5.95 ± 0.10	5.0 ± 0.2	6.6 ± 0.2	W Africa F	E Asia F
37	6.8 ± 0.3	4.63 ± 0.08	5.7 ± 0.2	6.8 ± 0.1	4.8 ± 0.1	7.5 ± 0.3	5.7 ± 0.2	4.8 ± 0.1	4.7 ± 0.2	6.3 ± 0.1	5.2 ± 0.2	6.9 ± 0.2	W Africa F	E Asia F
38	6.7 ± 0.3	4.93 ± 0.08	5.8 ± 0.2	7.2 ± 0.1	4.9 ± 0.1	8.1 ± 0.3	5.9 ± 0.2	5.2 ± 0.1	4.9 ± 0.2	6.6 ± 0.1	5.1 ± 0.2	7.1 ± 0.2	W Africa F	E Europe M
39	7.0 ± 0.3	5.24 ± 0.08	6.1 ± 0.2	7.5 ± 0.1	5.2 ± 0.1	8.1 ± 0.3	6.1 ± 0.2	5.5 ± 0.1	5.1 ± 0.2	6.7 ± 0.1	5.2 ± 0.2	7.4 ± 0.2	W Africa F	E Europe M
40	7.4 ± 0.3	5.56 ± 0.09	6.1 ± 0.2	7.6 ± 0.1	5.8 ± 0.2	8.6 ± 0.3	6.2 ± 0.3	5.7 ± 0.1	5.4 ± 0.2	7.0 ± 0.1	5.7 ± 0.2	7.8 ± 0.2	W Africa F	E Europe M
41	7.7 ± 0.3	5.82 ± 0.09	6.5 ± 0.2	8.0 ± 0.2	5.9 ± 0.2	9.4 ± 0.3	6.4 ± 0.3	5.8 ± 0.1	5.3 ± 0.2	7.2 ± 0.1	5.8 ± 0.2	8.2 ± 0.3	W Africa F	E Europe M
42	7.5 ± 0.4	5.93 ± 0.09	6.5 ± 0.2	7.9 ± 0.2	6.1 ± 0.2	9.1 ± 0.3	6.3 ± 0.3	6.0 ± 0.1	5.2 ± 0.2	7.2 ± 0.1	5.6 ± 0.2	8.1 ± 0.3	W Africa F	E Europe M
43	7.9 ± 0.4	6.13 ± 0.10	6.8 ± 0.2	8.3 ± 0.2	6.5 ± 0.2	9.6 ± 0.3	6.2 ± 0.3	6.0 ± 0.1	5.4 ± 0.2	7.2 ± 0.1	5.7 ± 0.2	8.5 ± 0.3	W Africa F	E Europe M
44	7.9 ± 0.4	6.4 ± 0.1	6.7 ± 0.2	8.2 ± 0.2	6.3 ± 0.2	9.7 ± 0.4	6.4 ± 0.3	6.0 ± 0.1	5.4 ± 0.2	7.3 ± 0.2	5.6 ± 0.2	8.0 ± 0.3	W Africa F	E Europe M
45	8.2 ± 0.4	6.4 ± 0.1	6.8 ± 0.2	8.3 ± 0.2	6.5 ± 0.2	9.8 ± 0.4	6.5 ± 0.4	6.2 ± 0.1	5.5 ± 0.2	7.1 ± 0.2	5.6 ± 0.2	8.3 ± 0.3	W Africa F	E Europe M
46	7.9 ± 0.5	6.5 ± 0.1	6.8 ± 0.3	8.0 ± 0.2	6.6 ± 0.2	10.0 ± 0.4	6.2 ± 0.4	6.0 ± 0.1	5.4 ± 0.3	6.9 ± 0.2	5.4 ± 0.2	8.5 ± 0.3	W Africa F	E Europe M
47	7.5 ± 0.5	6.2 ± 0.1	6.8 ± 0.3	8.0 ± 0.2	6.4 ± 0.2	10.0 ± 0.4	6.1 ± 0.4	5.9 ± 0.2	5.3 ± 0.3	6.9 ± 0.2	5.1 ± 0.3	8.2 ± 0.4	W Africa F	S E Asia M
48	8.0 ± 0.6	6.2 ± 0.1	6.4 ± 0.3	8.1 ± 0.3	6.5 ± 0.3	9.9 ± 0.5	6.2 ± 0.4	5.8 ± 0.2	5.0 ± 0.3	6.7 ± 0.2	5.0 ± 0.3	8.4 ± 0.4	W Africa F	E Europe M
49	8.1 ± 0.6	6.3 ± 0.2	6.7 ± 0.3	7.7 ± 0.3	6.2 ± 0.3	10.2 ± 0.5	6.2 ± 0.5	5.6 ± 0.2	5.4 ± 0.3	6.6 ± 0.2	4.8 ± 0.3	8.4 ± 0.4	W Africa F	S E Asia M
50	8.0 ± 0.6	6.3 ± 0.2	6.4 ± 0.3	7.6 ± 0.3	6.4 ± 0.3	10.0 ± 0.5	5.8 ± 0.5	5.6 ± 0.2	5.3 ± 0.3	6.7 ± 0.2	4.6 ± 0.3	8.1 ± 0.4	W Africa F	S E Asia M
51	7.6 ± 0.6	6.3 ± 0.2	6.4 ± 0.3	7.8 ± 0.3	6.6 ± 0.3	10.5 ± 0.5	6.6 ± 0.5	5.6 ± 0.2	5.1 ± 0.3	6.6 ± 0.3	4.6 ± 0.3	8.6 ± 0.5	W Africa F	S E Asia M
52	7.6 ± 0.6	6.4 ± 0.2	6.4 ± 0.3	7.7 ± 0.3	6.2 ± 0.3	10.9 ± 0.6	6.2 ± 0.5	5.5 ± 0.2	5.3 ± 0.3	6.4 ± 0.2	5.0 ± 0.3	8.4 ± 0.5	W Africa F	S E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 145. *Mean absolute error for Application-type images for algorithm regula-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.8 ± 0.2	2.26 ± 0.07	1.8 ± 0.1	2.7 ± 0.1	2.4 ± 0.2	2.8 ± 0.3	1.8 ± 0.1	1.76 ± 0.07	1.17 ± 0.09	1.69 ± 0.07	1.6 ± 0.1	1.4 ± 0.2	E Africa F	E Europe M
15	3.1 ± 0.2	1.97 ± 0.07	1.8 ± 0.1	2.8 ± 0.1	2.5 ± 0.2	2.9 ± 0.3	1.6 ± 0.1	1.53 ± 0.05	1.01 ± 0.08	1.53 ± 0.07	1.50 ± 0.10	1.7 ± 0.2	E Africa F	E Europe M
16	2.9 ± 0.2	1.78 ± 0.08	1.9 ± 0.2	2.6 ± 0.1	2.4 ± 0.2	3.5 ± 0.4	1.7 ± 0.2	1.31 ± 0.05	1.2 ± 0.1	1.46 ± 0.08	1.3 ± 0.1	1.7 ± 0.2	W Africa F	E Europe M
17	3.2 ± 0.3	1.65 ± 0.09	2.0 ± 0.2	2.5 ± 0.1	2.3 ± 0.2	3.5 ± 0.3	1.7 ± 0.2	1.19 ± 0.07	1.09 ± 0.10	1.38 ± 0.09	1.3 ± 0.1	2.2 ± 0.3	W Africa F	E Europe M
18	3.0 ± 0.2	1.67 ± 0.07	2.0 ± 0.2	2.37 ± 0.10	2.2 ± 0.1	3.6 ± 0.3	1.9 ± 0.2	1.21 ± 0.06	1.3 ± 0.1	1.54 ± 0.08	1.4 ± 0.2	2.3 ± 0.2	W Africa F	E Asia M
19	3.3 ± 0.2	1.76 ± 0.07	2.1 ± 0.2	2.3 ± 0.1	2.3 ± 0.1	3.7 ± 0.3	2.2 ± 0.2	1.37 ± 0.06	1.4 ± 0.1	1.60 ± 0.08	1.6 ± 0.1	2.5 ± 0.2	W Africa F	E Asia M
20	3.3 ± 0.2	1.98 ± 0.09	2.1 ± 0.1	2.4 ± 0.1	2.4 ± 0.1	3.6 ± 0.2	2.4 ± 0.2	1.49 ± 0.06	1.6 ± 0.1	1.85 ± 0.08	1.7 ± 0.1	2.8 ± 0.2	W Africa F	E Asia M
21	3.1 ± 0.2	2.16 ± 0.07	2.2 ± 0.1	2.29 ± 0.08	2.5 ± 0.1	3.7 ± 0.2	2.5 ± 0.2	1.61 ± 0.05	1.7 ± 0.1	1.98 ± 0.08	1.9 ± 0.1	2.9 ± 0.2	W Africa F	E Asia M
22	3.3 ± 0.2	2.22 ± 0.07	2.28 ± 0.09	2.29 ± 0.07	2.5 ± 0.1	3.4 ± 0.2	3.0 ± 0.2	1.80 ± 0.06	1.9 ± 0.1	2.08 ± 0.08	1.96 ± 0.09	2.8 ± 0.2	W Africa F	E Asia M
23	3.2 ± 0.2	2.37 ± 0.06	2.36 ± 0.09	2.31 ± 0.07	2.46 ± 0.09	3.5 ± 0.2	3.0 ± 0.2	2.00 ± 0.06	1.82 ± 0.10	2.09 ± 0.08	2.14 ± 0.10	3.0 ± 0.2	W Africa F	E Europe M
24	3.3 ± 0.2	2.44 ± 0.06	2.24 ± 0.07	2.35 ± 0.06	2.42 ± 0.07	3.4 ± 0.2	2.9 ± 0.2	2.06 ± 0.07	1.88 ± 0.09	2.18 ± 0.07	2.14 ± 0.10	3.0 ± 0.2	W Africa F	E Europe M
25	3.3 ± 0.2	2.58 ± 0.06	2.21 ± 0.07	2.39 ± 0.06	2.51 ± 0.08	3.3 ± 0.2	3.0 ± 0.2	2.22 ± 0.07	1.82 ± 0.09	2.13 ± 0.07	2.19 ± 0.09	3.0 ± 0.2	W Africa F	E Europe M
26	3.2 ± 0.1	2.63 ± 0.06	2.25 ± 0.07	2.50 ± 0.05	2.58 ± 0.07	3.1 ± 0.2	3.0 ± 0.1	2.22 ± 0.06	1.88 ± 0.09	2.25 ± 0.06	2.19 ± 0.10	2.9 ± 0.1	E Africa F	E Europe M
27	3.3 ± 0.2	2.60 ± 0.05	2.26 ± 0.07	2.66 ± 0.05	2.54 ± 0.07	3.3 ± 0.1	3.1 ± 0.1	2.37 ± 0.07	1.82 ± 0.08	2.30 ± 0.06	2.28 ± 0.10	2.9 ± 0.1	E Africa F	E Europe M
28	3.3 ± 0.1	2.64 ± 0.05	2.24 ± 0.07	2.83 ± 0.05	2.57 ± 0.07	3.1 ± 0.1	2.9 ± 0.1	2.39 ± 0.07	1.92 ± 0.08	2.39 ± 0.06	2.23 ± 0.10	2.9 ± 0.1	E Africa F	E Europe M
29	3.5 ± 0.1	2.65 ± 0.05	2.27 ± 0.07	2.98 ± 0.05	2.65 ± 0.08	3.1 ± 0.1	3.0 ± 0.1	2.44 ± 0.07	2.03 ± 0.08	2.50 ± 0.05	2.4 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
30	3.4 ± 0.1	2.76 ± 0.05	2.36 ± 0.07	3.14 ± 0.06	2.68 ± 0.08	3.2 ± 0.1	3.1 ± 0.1	2.53 ± 0.07	2.09 ± 0.08	2.64 ± 0.05	2.4 ± 0.1	2.9 ± 0.1	E Africa F	E Europe M
31	3.5 ± 0.1	2.84 ± 0.06	2.47 ± 0.07	3.26 ± 0.06	2.77 ± 0.08	3.1 ± 0.1	3.1 ± 0.1	2.61 ± 0.07	2.22 ± 0.08	2.77 ± 0.05	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
32	3.5 ± 0.2	2.88 ± 0.05	2.49 ± 0.07	3.44 ± 0.06	2.85 ± 0.09	3.4 ± 0.1	3.2 ± 0.1	2.62 ± 0.07	2.32 ± 0.09	2.86 ± 0.05	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
33	3.7 ± 0.2	2.90 ± 0.06	2.54 ± 0.08	3.46 ± 0.07	2.90 ± 0.09	3.3 ± 0.1	3.4 ± 0.1	2.68 ± 0.07	2.28 ± 0.09	2.90 ± 0.06	2.6 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
34	3.7 ± 0.2	2.93 ± 0.06	2.60 ± 0.09	3.55 ± 0.07	2.85 ± 0.09	3.2 ± 0.1	3.3 ± 0.1	2.75 ± 0.07	2.39 ± 0.10	3.04 ± 0.06	2.7 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
35	3.9 ± 0.2	2.95 ± 0.06	2.66 ± 0.09	3.58 ± 0.07	2.94 ± 0.10	3.4 ± 0.1	3.4 ± 0.2	2.74 ± 0.07	2.4 ± 0.1	2.97 ± 0.06	2.8 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
36	3.9 ± 0.2	2.90 ± 0.06	2.58 ± 0.09	3.57 ± 0.08	2.94 ± 0.10	3.3 ± 0.2	3.6 ± 0.2	2.78 ± 0.08	2.4 ± 0.1	2.98 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
37	4.0 ± 0.2	2.85 ± 0.06	2.63 ± 0.10	3.63 ± 0.08	2.9 ± 0.1	3.7 ± 0.2	3.5 ± 0.2	2.79 ± 0.07	2.5 ± 0.1	3.04 ± 0.07	2.8 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
38	3.9 ± 0.2	2.92 ± 0.06	2.63 ± 0.10	3.59 ± 0.09	2.9 ± 0.1	3.6 ± 0.2	3.5 ± 0.2	2.83 ± 0.08	2.5 ± 0.1	2.96 ± 0.06	2.9 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
39	4.0 ± 0.2	2.86 ± 0.06	2.5 ± 0.1	3.56 ± 0.09	2.9 ± 0.1	3.4 ± 0.2	3.6 ± 0.2	2.86 ± 0.08	2.5 ± 0.1	2.92 ± 0.07	2.9 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
40	3.9 ± 0.2	2.86 ± 0.06	2.6 ± 0.1	3.48 ± 0.10	3.1 ± 0.1	3.6 ± 0.2	3.6 ± 0.2	2.85 ± 0.07	2.7 ± 0.1	3.04 ± 0.07	2.8 ± 0.1	3.4 ± 0.2	E Africa F	E Europe F
41	4.1 ± 0.2	2.90 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	3.0 ± 0.1	3.8 ± 0.2	3.6 ± 0.2	2.83 ± 0.07	2.6 ± 0.1	2.99 ± 0.07	3.0 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
42	4.2 ± 0.2	2.88 ± 0.06	2.8 ± 0.1	3.4 ± 0.1	2.9 ± 0.1	3.8 ± 0.2	3.6 ± 0.2	2.86 ± 0.08	2.5 ± 0.1	2.94 ± 0.08	2.9 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
43	4.2 ± 0.3	2.93 ± 0.06	2.7 ± 0.1	3.4 ± 0.1	3.1 ± 0.1	4.0 ± 0.2	3.6 ± 0.2	2.99 ± 0.08	2.6 ± 0.1	2.99 ± 0.08	3.1 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
44	4.4 ± 0.3	3.04 ± 0.06	2.7 ± 0.1	3.6 ± 0.1	3.2 ± 0.1	4.1 ± 0.2	3.6 ± 0.2	2.95 ± 0.08	2.5 ± 0.1	3.06 ± 0.09	3.2 ± 0.2	3.5 ± 0.2	E Africa F	E Europe M
45	4.2 ± 0.3	2.99 ± 0.07	2.6 ± 0.1	3.5 ± 0.1	3.0 ± 0.1	3.9 ± 0.2	3.8 ± 0.2	3.02 ± 0.08	2.6 ± 0.1	3.03 ± 0.09	3.2 ± 0.2	3.8 ± 0.2	E Africa F	E Europe F
46	4.4 ± 0.3	3.06 ± 0.07	2.7 ± 0.1	3.2 ± 0.1	3.1 ± 0.1	4.0 ± 0.2	3.7 ± 0.3	2.93 ± 0.08	2.6 ± 0.1	3.0 ± 0.1	3.2 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
47	4.4 ± 0.3	3.01 ± 0.07	2.8 ± 0.1	3.4 ± 0.1	2.9 ± 0.1	4.0 ± 0.2	4.0 ± 0.3	2.98 ± 0.09	2.7 ± 0.1	3.2 ± 0.1	3.2 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
48	4.3 ± 0.3	2.96 ± 0.07	2.7 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	4.0 ± 0.2	4.2 ± 0.3	2.90 ± 0.08	2.8 ± 0.2	3.2 ± 0.1	3.3 ± 0.2	4.0 ± 0.2	E Africa F	E Europe F
49	4.3 ± 0.3	3.08 ± 0.08	2.8 ± 0.1	3.2 ± 0.1	3.1 ± 0.1	4.3 ± 0.3	4.2 ± 0.3	2.92 ± 0.09	2.8 ± 0.2	3.2 ± 0.1	3.2 ± 0.2	3.7 ± 0.2	E Africa F	E Europe F
50	4.3 ± 0.3	3.03 ± 0.08	2.7 ± 0.1	3.3 ± 0.1	3.1 ± 0.1	4.0 ± 0.3	3.8 ± 0.3	2.89 ± 0.08	2.8 ± 0.2	3.2 ± 0.1	3.3 ± 0.2	3.8 ± 0.2	E Africa F	E Europe F
51	4.3 ± 0.3	2.95 ± 0.08	2.8 ± 0.1	3.3 ± 0.1	2.9 ± 0.1	4.0 ± 0.3	4.3 ± 0.4	2.87 ± 0.09	2.7 ± 0.2	3.4 ± 0.1	3.3 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
52	4.3 ± 0.4	2.94 ± 0.08	2.8 ± 0.1	3.3 ± 0.1	2.9 ± 0.1	3.9 ± 0.3	4.0 ± 0.3	2.92 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	3.3 ± 0.2	4.2 ± 0.3	E Africa F	E Europe F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 146. *Mean absolute error for Application-type images for algorithm rigrai-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.3 ± 0.2	1.53 ± 0.08	1.8 ± 0.1	1.87 ± 0.09	2.0 ± 0.2	2.1 ± 0.3	1.9 ± 0.1	1.24 ± 0.06	1.5 ± 0.1	1.59 ± 0.08	1.17 ± 0.10	1.6 ± 0.2	E Africa F	S E Asia M
15	2.2 ± 0.2	1.84 ± 0.10	1.8 ± 0.2	2.2 ± 0.1	2.1 ± 0.2	2.2 ± 0.3	1.8 ± 0.2	1.13 ± 0.06	1.3 ± 0.1	1.56 ± 0.10	1.1 ± 0.1	1.7 ± 0.2	W Africa F	S E Asia M
16	2.6 ± 0.2	2.20 ± 0.10	1.8 ± 0.2	2.5 ± 0.1	2.6 ± 0.2	2.7 ± 0.4	1.5 ± 0.2	1.21 ± 0.07	1.3 ± 0.2	1.7 ± 0.1	1.4 ± 0.1	1.7 ± 0.2	W Africa F	E Asia M
17	2.8 ± 0.2	2.46 ± 0.09	1.8 ± 0.2	2.9 ± 0.1	2.6 ± 0.2	3.1 ± 0.3	1.5 ± 0.2	1.63 ± 0.09	1.2 ± 0.1	2.1 ± 0.1	1.9 ± 0.2	2.4 ± 0.4	W Africa F	E Europe M
18	3.3 ± 0.2	2.77 ± 0.08	2.4 ± 0.2	3.2 ± 0.1	2.9 ± 0.1	3.7 ± 0.3	2.2 ± 0.1	2.05 ± 0.06	1.9 ± 0.1	2.51 ± 0.10	2.3 ± 0.2	2.6 ± 0.2	W Africa F	E Europe M
19	3.8 ± 0.2	2.88 ± 0.08	2.6 ± 0.2	3.2 ± 0.1	3.1 ± 0.1	3.9 ± 0.2	2.5 ± 0.2	2.35 ± 0.07	2.0 ± 0.1	2.7 ± 0.1	2.5 ± 0.1	3.0 ± 0.3	W Africa F	E Europe M
20	4.4 ± 0.2	2.84 ± 0.09	2.5 ± 0.1	3.5 ± 0.1	3.0 ± 0.1	4.2 ± 0.2	3.1 ± 0.2	2.53 ± 0.08	2.0 ± 0.2	2.9 ± 0.1	2.7 ± 0.1	3.1 ± 0.2	E Africa F	E Europe M
21	4.7 ± 0.2	2.72 ± 0.08	2.7 ± 0.1	3.44 ± 0.10	2.8 ± 0.1	4.6 ± 0.2	3.2 ± 0.2	2.52 ± 0.08	2.2 ± 0.2	2.95 ± 0.10	2.9 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
22	5.0 ± 0.2	2.60 ± 0.08	2.8 ± 0.1	3.46 ± 0.10	2.8 ± 0.1	4.4 ± 0.2	3.9 ± 0.2	2.62 ± 0.09	2.2 ± 0.1	2.9 ± 0.1	2.9 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
23	5.3 ± 0.2	2.51 ± 0.08	2.8 ± 0.1	3.35 ± 0.09	2.7 ± 0.1	4.7 ± 0.2	4.0 ± 0.2	2.67 ± 0.09	2.3 ± 0.1	2.88 ± 0.10	2.7 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
24	5.7 ± 0.2	2.57 ± 0.07	2.87 ± 0.09	3.22 ± 0.09	2.67 ± 0.09	4.8 ± 0.2	4.1 ± 0.2	2.75 ± 0.09	2.4 ± 0.1	2.81 ± 0.09	2.7 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
25	5.9 ± 0.2	2.68 ± 0.07	2.94 ± 0.09	3.23 ± 0.08	2.9 ± 0.1	4.8 ± 0.2	4.2 ± 0.2	2.80 ± 0.09	2.4 ± 0.1	2.69 ± 0.08	2.8 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
26	6.2 ± 0.2	2.92 ± 0.07	3.02 ± 0.09	3.26 ± 0.08	3.07 ± 0.09	5.0 ± 0.2	4.2 ± 0.2	2.76 ± 0.09	2.5 ± 0.1	2.66 ± 0.08	2.8 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
27	6.4 ± 0.2	3.21 ± 0.07	3.02 ± 0.09	3.52 ± 0.08	3.5 ± 0.1	5.1 ± 0.2	4.1 ± 0.2	2.82 ± 0.08	2.6 ± 0.1	2.66 ± 0.07	3.0 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
28	6.8 ± 0.2	3.41 ± 0.06	3.14 ± 0.09	3.81 ± 0.08	3.8 ± 0.1	5.5 ± 0.2	4.1 ± 0.2	2.92 ± 0.09	2.7 ± 0.1	2.70 ± 0.07	3.0 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
29	6.7 ± 0.3	3.72 ± 0.06	3.20 ± 0.09	4.02 ± 0.08	4.2 ± 0.1	5.4 ± 0.2	4.0 ± 0.2	2.90 ± 0.08	2.9 ± 0.1	2.78 ± 0.06	3.1 ± 0.1	3.9 ± 0.1	E Africa F	S Asia M
30	6.9 ± 0.3	4.04 ± 0.06	3.24 ± 0.09	4.32 ± 0.09	4.5 ± 0.1	5.9 ± 0.2	4.1 ± 0.2	2.96 ± 0.08	2.8 ± 0.1	2.90 ± 0.06	3.3 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
31	7.4 ± 0.3	4.38 ± 0.07	3.4 ± 0.1	4.60 ± 0.09	5.0 ± 0.1	5.8 ± 0.2	4.1 ± 0.2	2.97 ± 0.08	2.9 ± 0.1	2.98 ± 0.06	3.2 ± 0.2	4.0 ± 0.1	E Africa F	E Europe M
32	7.3 ± 0.3	4.63 ± 0.08	3.5 ± 0.1	4.72 ± 0.09	5.3 ± 0.1	6.0 ± 0.2	4.1 ± 0.2	3.04 ± 0.08	2.8 ± 0.1	3.06 ± 0.06	3.3 ± 0.1	4.0 ± 0.1	E Africa F	E Europe M
33	7.3 ± 0.3	4.97 ± 0.08	3.7 ± 0.1	4.99 ± 0.10	5.5 ± 0.1	6.0 ± 0.2	4.3 ± 0.2	2.99 ± 0.08	2.7 ± 0.1	3.16 ± 0.06	3.4 ± 0.2	4.0 ± 0.1	E Africa F	E Europe M
34	7.2 ± 0.3	5.23 ± 0.08	3.7 ± 0.1	5.01 ± 0.10	5.6 ± 0.1	5.8 ± 0.2	4.2 ± 0.2	3.23 ± 0.08	2.8 ± 0.1	3.43 ± 0.07	3.5 ± 0.2	4.1 ± 0.1	E Africa F	E Europe M
35	7.4 ± 0.3	5.62 ± 0.09	3.9 ± 0.1	5.2 ± 0.1	6.0 ± 0.2	6.0 ± 0.3	4.2 ± 0.2	3.18 ± 0.08	2.8 ± 0.1	3.58 ± 0.07	3.7 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
36	7.6 ± 0.4	5.76 ± 0.09	3.9 ± 0.1	5.2 ± 0.1	6.0 ± 0.2	5.9 ± 0.3	4.4 ± 0.2	3.33 ± 0.08	2.9 ± 0.1	3.69 ± 0.07	3.7 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
37	7.3 ± 0.3	5.98 ± 0.10	4.0 ± 0.1	5.4 ± 0.1	6.1 ± 0.2	6.0 ± 0.3	4.3 ± 0.2	3.28 ± 0.08	3.0 ± 0.1	3.78 ± 0.07	3.7 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
38	7.6 ± 0.4	6.1 ± 0.1	4.0 ± 0.1	5.4 ± 0.1	6.1 ± 0.2	5.9 ± 0.3	4.4 ± 0.2	3.28 ± 0.09	3.0 ± 0.1	3.71 ± 0.08	3.7 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
39	7.5 ± 0.4	6.2 ± 0.1	3.9 ± 0.1	5.5 ± 0.1	6.1 ± 0.2	5.6 ± 0.3	4.4 ± 0.2	3.33 ± 0.09	3.0 ± 0.1	3.64 ± 0.08	3.8 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
40	7.3 ± 0.4	6.3 ± 0.1	3.8 ± 0.2	5.3 ± 0.1	6.2 ± 0.2	5.8 ± 0.3	4.3 ± 0.2	3.17 ± 0.09	3.0 ± 0.1	3.67 ± 0.09	3.5 ± 0.2	4.3 ± 0.2	E Africa F	E Europe M
41	7.9 ± 0.5	6.5 ± 0.1	3.9 ± 0.2	5.5 ± 0.2	6.2 ± 0.2	5.9 ± 0.3	4.5 ± 0.2	3.27 ± 0.09	2.8 ± 0.1	3.66 ± 0.09	3.7 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
42	7.7 ± 0.5	6.4 ± 0.1	3.8 ± 0.2	5.4 ± 0.2	6.2 ± 0.2	5.9 ± 0.3	4.4 ± 0.2	3.26 ± 0.09	2.9 ± 0.1	3.65 ± 0.10	3.6 ± 0.2	4.4 ± 0.2	E Africa F	E Europe M
43	7.4 ± 0.5	6.5 ± 0.1	3.9 ± 0.2	5.7 ± 0.2	6.2 ± 0.2	5.9 ± 0.4	4.5 ± 0.3	3.48 ± 0.09	2.7 ± 0.1	3.5 ± 0.1	3.7 ± 0.2	4.6 ± 0.2	E Africa F	E Europe M
44	7.5 ± 0.5	6.7 ± 0.1	3.9 ± 0.2	5.6 ± 0.2	6.0 ± 0.2	5.9 ± 0.4	4.8 ± 0.3	3.6 ± 0.1	2.7 ± 0.1	3.6 ± 0.1	3.9 ± 0.2	4.4 ± 0.2	E Africa F	E Europe M
45	7.6 ± 0.5	6.6 ± 0.1	3.6 ± 0.2	5.8 ± 0.2	5.9 ± 0.2	5.9 ± 0.3	4.7 ± 0.3	3.75 ± 0.10	2.7 ± 0.1	3.6 ± 0.1	3.9 ± 0.2	4.6 ± 0.2	E Africa F	E Europe M
46	7.6 ± 0.6	6.8 ± 0.1	3.6 ± 0.2	5.5 ± 0.2	5.9 ± 0.2	5.8 ± 0.4	4.6 ± 0.3	3.81 ± 0.10	2.7 ± 0.1	3.5 ± 0.1	3.9 ± 0.2	4.8 ± 0.2	E Africa F	E Europe M
47	7.3 ± 0.5	6.6 ± 0.1	3.7 ± 0.2	5.6 ± 0.2	5.6 ± 0.2	5.6 ± 0.4	4.6 ± 0.3	4.0 ± 0.1	2.7 ± 0.2	3.8 ± 0.1	3.9 ± 0.2	4.7 ± 0.2	E Africa F	E Europe M
48	7.5 ± 0.6	6.6 ± 0.1	3.2 ± 0.2	5.7 ± 0.2	5.7 ± 0.2	5.8 ± 0.4	4.7 ± 0.3	4.1 ± 0.1	2.6 ± 0.2	3.7 ± 0.1	4.0 ± 0.2	5.1 ± 0.3	E Africa F	E Europe M
49	7.1 ± 0.6	6.5 ± 0.1	3.4 ± 0.2	5.6 ± 0.2	5.3 ± 0.2	5.9 ± 0.4	5.1 ± 0.4	4.2 ± 0.1	2.7 ± 0.1	3.8 ± 0.2	3.7 ± 0.2	4.6 ± 0.3	E Africa F	E Europe M
50	7.2 ± 0.6	6.5 ± 0.1	3.1 ± 0.2	5.7 ± 0.2	5.2 ± 0.2	5.7 ± 0.4	4.7 ± 0.4	4.3 ± 0.1	2.8 ± 0.2	3.9 ± 0.2	4.1 ± 0.2	5.0 ± 0.3	E Africa F	E Europe M
51	7.1 ± 0.6	6.4 ± 0.1	3.2 ± 0.2	5.6 ± 0.2	5.2 ± 0.3	5.8 ± 0.4	5.2 ± 0.5	4.3 ± 0.1	2.7 ± 0.2	4.0 ± 0.2	4.1 ± 0.2	5.3 ± 0.3	E Africa F	E Europe M
52	7.7 ± 0.7	6.3 ± 0.2	3.5 ± 0.2	5.9 ± 0.2	5.1 ± 0.2	6.2 ± 0.4	5.1 ± 0.5	4.4 ± 0.1	2.9 ± 0.2	4.1 ± 0.2	4.4 ± 0.2	5.3 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 147. *Mean absolute error for Application-type images for algorithm roc-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.3 ± 0.2	5.5 ± 0.1	3.8 ± 0.1	4.0 ± 0.1	4.8 ± 0.3	5.7 ± 0.3	4.4 ± 0.2	5.5 ± 0.1	3.0 ± 0.1	3.62 ± 0.09	4.8 ± 0.2	4.7 ± 0.2	W Africa F	E Europe M
15	4.9 ± 0.3	5.5 ± 0.1	3.3 ± 0.1	3.9 ± 0.2	5.0 ± 0.3	5.5 ± 0.3	4.3 ± 0.2	5.4 ± 0.1	2.74 ± 0.10	3.4 ± 0.1	4.7 ± 0.2	4.7 ± 0.3	E Asia F	E Europe M
16	4.8 ± 0.3	5.4 ± 0.1	2.8 ± 0.1	3.5 ± 0.1	4.9 ± 0.3	5.7 ± 0.4	4.2 ± 0.2	4.9 ± 0.1	2.4 ± 0.1	3.1 ± 0.1	4.4 ± 0.2	4.3 ± 0.3	W Africa F	E Europe M
17	5.0 ± 0.3	5.1 ± 0.1	2.3 ± 0.2	3.2 ± 0.2	4.6 ± 0.3	5.2 ± 0.3	3.7 ± 0.2	4.7 ± 0.1	1.59 ± 0.09	2.9 ± 0.1	4.2 ± 0.2	4.5 ± 0.4	W Africa F	E Europe M
18	4.2 ± 0.2	4.6 ± 0.1	1.9 ± 0.2	2.5 ± 0.1	4.4 ± 0.2	4.8 ± 0.3	3.6 ± 0.2	4.30 ± 0.10	1.3 ± 0.1	2.4 ± 0.1	4.0 ± 0.2	4.0 ± 0.3	W Africa F	E Europe M
19	4.2 ± 0.3	4.3 ± 0.1	1.8 ± 0.2	2.4 ± 0.1	4.2 ± 0.2	4.8 ± 0.3	3.8 ± 0.2	4.2 ± 0.1	1.1 ± 0.1	2.4 ± 0.1	3.8 ± 0.2	4.2 ± 0.3	W Africa F	E Europe M
20	4.1 ± 0.3	4.1 ± 0.1	1.9 ± 0.1	2.5 ± 0.1	4.0 ± 0.2	4.5 ± 0.3	3.8 ± 0.3	4.0 ± 0.1	1.4 ± 0.1	2.7 ± 0.1	3.8 ± 0.2	4.2 ± 0.3	W Africa F	E Europe M
21	3.9 ± 0.2	4.0 ± 0.1	2.3 ± 0.1	2.6 ± 0.1	3.8 ± 0.1	4.5 ± 0.3	4.0 ± 0.3	3.88 ± 0.10	1.7 ± 0.1	2.9 ± 0.1	3.9 ± 0.2	4.3 ± 0.3	W Africa F	E Europe M
22	4.2 ± 0.3	3.7 ± 0.1	2.6 ± 0.1	2.79 ± 0.09	3.9 ± 0.1	4.2 ± 0.3	4.6 ± 0.3	3.7 ± 0.1	2.2 ± 0.1	3.1 ± 0.1	3.5 ± 0.2	4.1 ± 0.3	E Africa M	E Europe M
23	4.2 ± 0.2	3.67 ± 0.09	3.1 ± 0.1	3.08 ± 0.08	3.8 ± 0.1	4.4 ± 0.2	4.5 ± 0.3	3.56 ± 0.10	2.4 ± 0.1	3.2 ± 0.1	3.6 ± 0.1	4.3 ± 0.2	E Africa M	E Europe M
24	4.3 ± 0.2	3.48 ± 0.08	3.12 ± 0.09	3.21 ± 0.07	3.7 ± 0.1	4.3 ± 0.2	4.4 ± 0.2	3.41 ± 0.10	2.7 ± 0.1	3.3 ± 0.1	3.4 ± 0.1	4.2 ± 0.2	E Africa M	E Europe M
25	4.4 ± 0.2	3.46 ± 0.08	3.41 ± 0.09	3.35 ± 0.07	3.6 ± 0.1	4.2 ± 0.2	4.5 ± 0.2	3.34 ± 0.09	2.8 ± 0.1	3.25 ± 0.09	3.4 ± 0.1	4.2 ± 0.2	E Africa M	E Europe M
26	4.4 ± 0.2	3.33 ± 0.07	3.56 ± 0.09	3.49 ± 0.06	3.57 ± 0.10	4.2 ± 0.2	4.6 ± 0.2	3.15 ± 0.09	2.9 ± 0.1	3.29 ± 0.08	3.3 ± 0.1	3.9 ± 0.2	E Africa M	E Europe M
27	4.8 ± 0.2	3.13 ± 0.06	3.53 ± 0.09	3.66 ± 0.07	3.42 ± 0.10	4.3 ± 0.2	4.3 ± 0.2	3.09 ± 0.09	2.9 ± 0.1	3.21 ± 0.08	3.3 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
28	4.5 ± 0.2	3.07 ± 0.06	3.61 ± 0.10	3.87 ± 0.07	3.38 ± 0.09	4.1 ± 0.2	4.3 ± 0.2	2.96 ± 0.09	2.8 ± 0.1	3.13 ± 0.07	3.1 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
29	4.7 ± 0.2	2.99 ± 0.06	3.6 ± 0.1	3.94 ± 0.07	3.34 ± 0.10	4.1 ± 0.2	4.2 ± 0.2	2.87 ± 0.08	2.9 ± 0.1	3.09 ± 0.07	3.0 ± 0.1	3.8 ± 0.1	E Africa F	E Asia M
30	4.5 ± 0.2	2.96 ± 0.06	3.7 ± 0.1	4.04 ± 0.07	3.26 ± 0.10	4.1 ± 0.2	4.3 ± 0.2	2.74 ± 0.08	2.8 ± 0.1	3.09 ± 0.06	3.0 ± 0.1	3.5 ± 0.1	E Africa F	E Asia M
31	4.6 ± 0.2	2.96 ± 0.06	3.7 ± 0.1	4.15 ± 0.08	3.21 ± 0.09	4.1 ± 0.2	4.3 ± 0.2	2.65 ± 0.08	2.9 ± 0.1	3.03 ± 0.06	2.9 ± 0.1	3.6 ± 0.1	E Africa F	E Asia M
32	4.8 ± 0.2	2.97 ± 0.06	3.7 ± 0.1	4.29 ± 0.08	3.3 ± 0.1	4.3 ± 0.2	4.1 ± 0.2	2.69 ± 0.07	2.9 ± 0.1	3.07 ± 0.06	2.9 ± 0.1	3.5 ± 0.1	E Africa F	E Asia M
33	4.8 ± 0.2	2.93 ± 0.06	3.8 ± 0.1	4.31 ± 0.08	3.2 ± 0.1	4.1 ± 0.2	4.3 ± 0.2	2.59 ± 0.07	2.9 ± 0.1	3.05 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	E Africa F	E Asia M
34	4.8 ± 0.2	2.98 ± 0.06	3.8 ± 0.1	4.34 ± 0.09	3.2 ± 0.1	4.0 ± 0.2	4.0 ± 0.2	2.60 ± 0.07	2.9 ± 0.1	3.08 ± 0.06	3.0 ± 0.1	3.5 ± 0.1	E Africa F	E Asia M
35	5.1 ± 0.2	3.01 ± 0.06	4.0 ± 0.1	4.41 ± 0.09	3.2 ± 0.1	4.2 ± 0.2	4.1 ± 0.2	2.66 ± 0.07	2.8 ± 0.1	3.07 ± 0.06	2.9 ± 0.1	3.6 ± 0.1	E Africa F	E Asia M
36	5.0 ± 0.2	3.10 ± 0.06	3.9 ± 0.1	4.36 ± 0.09	3.3 ± 0.1	4.1 ± 0.2	4.2 ± 0.2	2.66 ± 0.07	3.0 ± 0.1	3.10 ± 0.07	3.1 ± 0.2	3.5 ± 0.1	E Africa F	E Asia M
37	5.0 ± 0.2	3.08 ± 0.07	4.0 ± 0.1	4.5 ± 0.1	3.3 ± 0.1	4.4 ± 0.2	4.0 ± 0.2	2.70 ± 0.07	2.9 ± 0.1	3.13 ± 0.07	2.9 ± 0.1	3.5 ± 0.1	E Africa F	E Asia M
38	4.9 ± 0.3	3.20 ± 0.07	4.1 ± 0.2	4.4 ± 0.1	3.4 ± 0.1	4.4 ± 0.2	3.9 ± 0.2	2.71 ± 0.08	2.7 ± 0.1	3.08 ± 0.07	3.2 ± 0.2	3.4 ± 0.1	E Africa F	E Asia M
39	4.8 ± 0.3	3.22 ± 0.07	3.9 ± 0.2	4.5 ± 0.1	3.4 ± 0.1	4.1 ± 0.2	3.8 ± 0.2	2.76 ± 0.08	2.9 ± 0.1	3.10 ± 0.07	3.3 ± 0.1	3.5 ± 0.1	E Africa F	E Asia M
40	4.9 ± 0.3	3.30 ± 0.07	4.1 ± 0.2	4.4 ± 0.1	3.5 ± 0.1	4.3 ± 0.2	3.9 ± 0.2	2.74 ± 0.08	2.9 ± 0.1	3.20 ± 0.07	3.1 ± 0.1	3.5 ± 0.2	E Africa F	E Asia M
41	4.8 ± 0.3	3.34 ± 0.07	4.2 ± 0.2	4.4 ± 0.1	3.5 ± 0.1	4.3 ± 0.2	4.0 ± 0.2	2.89 ± 0.08	2.9 ± 0.1	3.20 ± 0.08	3.2 ± 0.2	3.6 ± 0.2	E Africa F	E Asia M
42	5.2 ± 0.3	3.44 ± 0.07	4.3 ± 0.2	4.3 ± 0.1	3.5 ± 0.1	4.6 ± 0.2	3.8 ± 0.2	2.96 ± 0.08	2.9 ± 0.2	3.20 ± 0.09	3.1 ± 0.2	3.6 ± 0.2	E Africa F	E Europe M
43	5.1 ± 0.3	3.55 ± 0.07	4.4 ± 0.2	4.3 ± 0.1	3.7 ± 0.1	4.4 ± 0.2	4.0 ± 0.2	3.00 ± 0.08	2.9 ± 0.2	3.21 ± 0.09	3.4 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
44	5.3 ± 0.4	3.58 ± 0.08	4.4 ± 0.2	4.5 ± 0.2	3.8 ± 0.1	4.5 ± 0.2	3.7 ± 0.2	3.11 ± 0.09	3.0 ± 0.2	3.30 ± 0.10	3.4 ± 0.2	3.5 ± 0.2	E Africa F	E Europe M
45	5.0 ± 0.3	3.62 ± 0.08	4.3 ± 0.2	4.4 ± 0.2	3.6 ± 0.1	4.4 ± 0.2	3.8 ± 0.2	3.10 ± 0.08	3.0 ± 0.2	3.29 ± 0.10	3.4 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
46	5.5 ± 0.4	3.61 ± 0.08	4.6 ± 0.2	4.1 ± 0.2	3.7 ± 0.2	4.4 ± 0.3	3.8 ± 0.2	3.11 ± 0.09	3.4 ± 0.2	3.2 ± 0.1	3.5 ± 0.2	3.7 ± 0.2	E Africa F	E Asia M
47	5.2 ± 0.4	3.76 ± 0.09	4.7 ± 0.2	4.2 ± 0.2	3.7 ± 0.2	4.4 ± 0.3	4.0 ± 0.3	3.21 ± 0.09	3.2 ± 0.2	3.5 ± 0.1	3.5 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
48	5.1 ± 0.4	3.80 ± 0.09	4.7 ± 0.2	4.3 ± 0.2	3.7 ± 0.2	4.5 ± 0.3	3.9 ± 0.3	3.26 ± 0.09	3.5 ± 0.2	3.5 ± 0.1	3.7 ± 0.2	4.0 ± 0.2	E Africa F	E Asia M
49	5.2 ± 0.4	3.82 ± 0.09	4.7 ± 0.2	4.1 ± 0.2	3.8 ± 0.2	4.8 ± 0.3	3.8 ± 0.3	3.34 ± 0.10	3.3 ± 0.2	3.4 ± 0.1	3.6 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
50	4.9 ± 0.4	3.91 ± 0.09	5.0 ± 0.2	4.1 ± 0.2	3.7 ± 0.2	4.4 ± 0.3	3.6 ± 0.3	3.32 ± 0.09	3.6 ± 0.2	3.6 ± 0.1	3.7 ± 0.2	3.9 ± 0.2	E Europe F	E Asia M
51	5.1 ± 0.4	3.9 ± 0.1	5.0 ± 0.2	4.2 ± 0.2	3.8 ± 0.2	4.4 ± 0.3	3.8 ± 0.3	3.5 ± 0.1	3.5 ± 0.2	3.7 ± 0.1	3.8 ± 0.2	4.0 ± 0.2	E Africa F	E Asia M
52	5.1 ± 0.4	4.0 ± 0.1	5.0 ± 0.2	4.1 ± 0.2	3.9 ± 0.2	4.5 ± 0.3	3.6 ± 0.3	3.5 ± 0.1	3.5 ± 0.2	3.6 ± 0.1	3.7 ± 0.2	4.1 ± 0.3	E Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 148. *Mean absolute error for Application-type images for algorithm roc-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.8 ± 0.2	4.99 ± 0.09	3.4 ± 0.1	4.27 ± 0.10	4.8 ± 0.2	4.9 ± 0.2	3.7 ± 0.1	4.73 ± 0.08	2.82 ± 0.08	3.60 ± 0.07	4.3 ± 0.1	3.7 ± 0.2	E Asia F	E Europe M
15	4.8 ± 0.2	4.9 ± 0.1	2.8 ± 0.1	4.1 ± 0.1	4.7 ± 0.2	4.9 ± 0.3	3.4 ± 0.2	4.44 ± 0.07	2.33 ± 0.09	3.24 ± 0.08	4.0 ± 0.1	3.4 ± 0.2	W Africa F	E Europe M
16	4.6 ± 0.3	4.8 ± 0.1	2.4 ± 0.1	3.8 ± 0.1	4.5 ± 0.3	4.7 ± 0.4	3.4 ± 0.2	4.05 ± 0.08	1.9 ± 0.1	2.84 ± 0.09	3.7 ± 0.2	3.1 ± 0.2	E Asia F	E Europe M
17	4.9 ± 0.3	4.5 ± 0.1	2.0 ± 0.1	3.8 ± 0.2	4.4 ± 0.2	4.6 ± 0.3	3.2 ± 0.2	3.9 ± 0.1	1.3 ± 0.1	2.5 ± 0.1	3.5 ± 0.2	3.6 ± 0.4	E Africa F	E Europe M
18	4.1 ± 0.2	4.16 ± 0.10	1.8 ± 0.2	3.3 ± 0.1	4.1 ± 0.1	4.3 ± 0.3	3.0 ± 0.2	3.66 ± 0.08	1.13 ± 0.10	2.23 ± 0.09	3.3 ± 0.2	3.3 ± 0.3	W Africa F	E Europe M
19	4.4 ± 0.3	3.95 ± 0.10	1.7 ± 0.2	3.2 ± 0.1	3.9 ± 0.1	4.5 ± 0.3	3.4 ± 0.2	3.65 ± 0.09	1.1 ± 0.1	2.3 ± 0.1	3.1 ± 0.1	3.5 ± 0.3	W Africa F	E Europe M
20	4.6 ± 0.3	3.8 ± 0.1	1.9 ± 0.1	3.2 ± 0.1	3.8 ± 0.1	4.6 ± 0.3	3.5 ± 0.2	3.59 ± 0.09	1.5 ± 0.1	2.6 ± 0.1	3.2 ± 0.1	3.8 ± 0.3	W Africa F	E Europe M
21	4.5 ± 0.2	3.65 ± 0.10	2.1 ± 0.1	3.1 ± 0.1	3.6 ± 0.1	4.3 ± 0.3	3.7 ± 0.2	3.49 ± 0.08	1.8 ± 0.1	2.7 ± 0.1	3.2 ± 0.1	3.9 ± 0.3	E Africa F	E Europe M
22	4.6 ± 0.2	3.43 ± 0.09	2.24 ± 0.09	3.10 ± 0.09	3.5 ± 0.1	4.1 ± 0.2	4.4 ± 0.2	3.38 ± 0.09	1.8 ± 0.1	2.8 ± 0.1	3.0 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
23	4.6 ± 0.2	3.19 ± 0.08	2.39 ± 0.09	3.09 ± 0.08	3.3 ± 0.1	4.1 ± 0.2	4.2 ± 0.2	3.20 ± 0.08	2.0 ± 0.1	2.85 ± 0.10	3.0 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
24	4.7 ± 0.2	3.02 ± 0.07	2.44 ± 0.08	2.95 ± 0.07	3.08 ± 0.09	4.0 ± 0.2	4.2 ± 0.2	3.02 ± 0.08	2.01 ± 0.09	2.80 ± 0.09	2.8 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
25	4.5 ± 0.2	2.86 ± 0.06	2.48 ± 0.07	2.88 ± 0.07	2.92 ± 0.09	4.0 ± 0.2	4.2 ± 0.2	2.86 ± 0.08	2.22 ± 0.10	2.73 ± 0.08	2.7 ± 0.1	3.7 ± 0.2	E Africa F	E Europe M
26	4.2 ± 0.2	2.73 ± 0.06	2.58 ± 0.07	2.82 ± 0.06	2.80 ± 0.08	3.7 ± 0.2	4.2 ± 0.2	2.63 ± 0.08	2.2 ± 0.1	2.78 ± 0.08	2.6 ± 0.1	3.5 ± 0.2	E Africa M	E Europe M
27	4.6 ± 0.2	2.62 ± 0.05	2.61 ± 0.08	2.82 ± 0.06	2.67 ± 0.08	3.7 ± 0.2	4.1 ± 0.2	2.54 ± 0.07	2.21 ± 0.09	2.63 ± 0.07	2.5 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
28	4.4 ± 0.2	2.53 ± 0.05	2.63 ± 0.08	2.90 ± 0.06	2.68 ± 0.08	3.6 ± 0.2	3.9 ± 0.2	2.42 ± 0.08	2.34 ± 0.09	2.63 ± 0.06	2.5 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
29	4.6 ± 0.2	2.47 ± 0.05	2.63 ± 0.07	2.87 ± 0.06	2.63 ± 0.08	3.6 ± 0.1	3.9 ± 0.2	2.34 ± 0.07	2.35 ± 0.09	2.61 ± 0.06	2.4 ± 0.1	3.3 ± 0.1	E Africa F	E Asia M
30	4.3 ± 0.2	2.47 ± 0.05	2.68 ± 0.08	2.88 ± 0.06	2.63 ± 0.08	3.6 ± 0.1	3.9 ± 0.2	2.25 ± 0.06	2.24 ± 0.09	2.57 ± 0.05	2.4 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
31	4.3 ± 0.2	2.46 ± 0.05	2.62 ± 0.08	2.93 ± 0.06	2.66 ± 0.08	3.5 ± 0.1	3.9 ± 0.2	2.24 ± 0.06	2.42 ± 0.09	2.56 ± 0.05	2.4 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
32	4.5 ± 0.2	2.47 ± 0.05	2.75 ± 0.08	2.97 ± 0.06	2.72 ± 0.09	3.7 ± 0.2	3.9 ± 0.2	2.31 ± 0.06	2.40 ± 0.10	2.59 ± 0.05	2.4 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
33	4.3 ± 0.2	2.54 ± 0.05	2.73 ± 0.09	2.99 ± 0.06	2.67 ± 0.08	3.7 ± 0.2	4.0 ± 0.2	2.28 ± 0.06	2.4 ± 0.1	2.64 ± 0.05	2.4 ± 0.1	3.0 ± 0.1	E Africa F	E Asia M
34	4.4 ± 0.2	2.58 ± 0.05	2.78 ± 0.09	3.01 ± 0.06	2.78 ± 0.09	3.7 ± 0.2	3.8 ± 0.2	2.35 ± 0.06	2.5 ± 0.1	2.72 ± 0.06	2.5 ± 0.1	3.0 ± 0.1	E Africa F	E Asia M
35	4.7 ± 0.2	2.54 ± 0.05	2.85 ± 0.10	3.04 ± 0.06	2.65 ± 0.09	3.6 ± 0.2	3.9 ± 0.2	2.36 ± 0.07	2.4 ± 0.1	2.76 ± 0.06	2.7 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
36	4.5 ± 0.2	2.58 ± 0.05	2.82 ± 0.10	3.04 ± 0.07	2.77 ± 0.09	3.6 ± 0.2	4.0 ± 0.2	2.37 ± 0.07	2.6 ± 0.1	2.73 ± 0.06	2.7 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
37	4.6 ± 0.2	2.55 ± 0.05	2.9 ± 0.1	3.25 ± 0.07	2.76 ± 0.10	3.8 ± 0.2	4.0 ± 0.2	2.44 ± 0.07	2.5 ± 0.1	2.83 ± 0.06	2.7 ± 0.1	3.0 ± 0.1	E Africa F	E Asia M
38	4.8 ± 0.2	2.62 ± 0.06	3.1 ± 0.1	3.23 ± 0.08	2.85 ± 0.10	3.7 ± 0.2	3.9 ± 0.2	2.44 ± 0.07	2.8 ± 0.1	2.87 ± 0.06	2.9 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
39	4.6 ± 0.2	2.67 ± 0.06	3.0 ± 0.1	3.21 ± 0.08	2.9 ± 0.1	3.6 ± 0.2	3.9 ± 0.2	2.55 ± 0.07	2.8 ± 0.1	2.93 ± 0.07	2.9 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
40	4.6 ± 0.3	2.66 ± 0.06	3.2 ± 0.1	3.24 ± 0.09	3.0 ± 0.1	3.6 ± 0.2	3.9 ± 0.2	2.53 ± 0.07	2.9 ± 0.1	3.03 ± 0.07	2.9 ± 0.1	3.2 ± 0.1	E Africa F	E Asia M
41	4.6 ± 0.3	2.72 ± 0.06	3.3 ± 0.1	3.40 ± 0.10	3.0 ± 0.1	3.6 ± 0.2	4.0 ± 0.2	2.60 ± 0.07	2.9 ± 0.1	3.03 ± 0.07	2.9 ± 0.1	3.4 ± 0.1	E Africa F	E Asia M
42	4.8 ± 0.3	2.77 ± 0.06	3.5 ± 0.1	3.4 ± 0.1	2.9 ± 0.1	3.7 ± 0.2	4.0 ± 0.2	2.68 ± 0.08	3.2 ± 0.2	3.07 ± 0.08	3.1 ± 0.1	3.3 ± 0.1	E Africa F	E Asia M
43	4.9 ± 0.3	2.80 ± 0.06	3.4 ± 0.1	3.4 ± 0.1	3.1 ± 0.1	3.6 ± 0.2	4.2 ± 0.3	2.79 ± 0.08	3.2 ± 0.2	3.16 ± 0.08	3.3 ± 0.2	3.4 ± 0.2	E Africa F	E Asia M
44	5.2 ± 0.3	2.88 ± 0.06	3.5 ± 0.2	3.7 ± 0.1	3.3 ± 0.1	3.7 ± 0.2	4.0 ± 0.2	2.90 ± 0.08	3.4 ± 0.2	3.26 ± 0.09	3.4 ± 0.2	3.3 ± 0.2	E Africa F	E Asia F
45	4.9 ± 0.3	2.91 ± 0.06	3.4 ± 0.2	3.7 ± 0.1	3.1 ± 0.1	3.6 ± 0.2	4.0 ± 0.2	2.98 ± 0.08	3.4 ± 0.2	3.20 ± 0.10	3.4 ± 0.2	3.6 ± 0.2	E Africa F	E Asia F
46	5.5 ± 0.4	2.93 ± 0.06	3.7 ± 0.2	3.5 ± 0.1	3.3 ± 0.1	3.6 ± 0.2	4.0 ± 0.3	2.95 ± 0.08	3.7 ± 0.2	3.2 ± 0.1	3.4 ± 0.2	3.5 ± 0.2	E Africa F	E Asia F
47	5.2 ± 0.4	3.02 ± 0.07	3.8 ± 0.2	3.6 ± 0.1	3.1 ± 0.1	3.8 ± 0.2	4.2 ± 0.3	3.05 ± 0.09	3.6 ± 0.2	3.4 ± 0.1	3.6 ± 0.2	3.6 ± 0.2	E Africa F	E Asia F
48	5.1 ± 0.4	2.98 ± 0.07	3.7 ± 0.2	3.7 ± 0.1	3.1 ± 0.1	3.8 ± 0.2	3.8 ± 0.3	3.03 ± 0.09	4.1 ± 0.2	3.3 ± 0.1	3.5 ± 0.2	3.8 ± 0.2	E Africa F	E Asia F
49	5.3 ± 0.4	3.03 ± 0.07	3.6 ± 0.2	3.7 ± 0.1	3.3 ± 0.1	3.9 ± 0.3	4.2 ± 0.3	3.17 ± 0.09	3.8 ± 0.2	3.3 ± 0.1	3.5 ± 0.2	3.5 ± 0.2	E Africa F	E Asia F
50	5.0 ± 0.4	3.10 ± 0.08	3.7 ± 0.2	3.7 ± 0.1	3.2 ± 0.1	3.7 ± 0.2	3.8 ± 0.3	3.12 ± 0.09	3.8 ± 0.2	3.3 ± 0.1	3.7 ± 0.2	3.7 ± 0.2	E Africa F	E Asia F
51	5.4 ± 0.4	3.16 ± 0.08	3.7 ± 0.2	3.8 ± 0.1	3.2 ± 0.1	3.8 ± 0.3	4.0 ± 0.3	3.14 ± 0.09	3.8 ± 0.2	3.5 ± 0.1	3.6 ± 0.2	3.9 ± 0.2	E Africa F	E Asia M
52	5.4 ± 0.4	3.08 ± 0.08	3.7 ± 0.2	3.7 ± 0.1	3.3 ± 0.1	3.4 ± 0.2	4.2 ± 0.3	3.11 ± 0.09	3.7 ± 0.2	3.5 ± 0.1	3.6 ± 0.2	3.9 ± 0.2	E Africa F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 149. *Mean absolute error for Application-type images for algorithm roc-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.8 ± 0.2	3.49 ± 0.09	2.6 ± 0.1	2.60 ± 0.09	3.0 ± 0.2	3.0 ± 0.2	1.9 ± 0.1	2.86 ± 0.09	1.8 ± 0.1	2.13 ± 0.07	2.1 ± 0.1	1.9 ± 0.2	E Asia F	E Europe M
15	2.9 ± 0.2	3.50 ± 0.10	2.1 ± 0.1	2.5 ± 0.1	2.9 ± 0.2	2.8 ± 0.2	1.8 ± 0.1	2.91 ± 0.09	1.6 ± 0.1	1.96 ± 0.08	2.3 ± 0.1	1.9 ± 0.2	E Asia F	E Europe M
16	2.6 ± 0.2	3.4 ± 0.1	1.78 ± 0.10	2.0 ± 0.1	3.0 ± 0.2	2.8 ± 0.4	1.8 ± 0.2	2.82 ± 0.08	1.5 ± 0.1	1.77 ± 0.08	2.1 ± 0.2	1.8 ± 0.2	E Asia F	E Europe M
17	2.7 ± 0.3	3.1 ± 0.1	1.4 ± 0.1	1.9 ± 0.1	2.9 ± 0.2	2.5 ± 0.2	1.7 ± 0.2	2.70 ± 0.10	1.09 ± 0.09	1.52 ± 0.10	2.0 ± 0.2	2.1 ± 0.3	E Asia F	E Europe M
18	2.4 ± 0.2	2.91 ± 0.10	1.3 ± 0.2	1.72 ± 0.09	2.6 ± 0.1	2.6 ± 0.2	1.8 ± 0.1	2.57 ± 0.08	1.1 ± 0.1	1.48 ± 0.08	2.0 ± 0.2	2.2 ± 0.2	E Asia F	E Europe M
19	2.9 ± 0.2	2.80 ± 0.09	1.4 ± 0.1	1.84 ± 0.10	2.6 ± 0.1	2.7 ± 0.2	2.3 ± 0.2	2.50 ± 0.09	1.3 ± 0.1	1.59 ± 0.08	1.9 ± 0.1	2.4 ± 0.3	E Africa F	E Europe M
20	3.2 ± 0.2	2.9 ± 0.1	1.6 ± 0.1	2.0 ± 0.1	2.7 ± 0.1	2.9 ± 0.2	2.6 ± 0.2	2.48 ± 0.09	1.4 ± 0.1	1.93 ± 0.09	2.1 ± 0.1	2.6 ± 0.2	E Africa F	E Europe M
21	3.1 ± 0.2	2.86 ± 0.09	2.03 ± 0.09	2.31 ± 0.08	2.7 ± 0.1	3.0 ± 0.2	2.9 ± 0.2	2.45 ± 0.08	1.8 ± 0.1	2.16 ± 0.09	2.2 ± 0.1	2.8 ± 0.2	E Africa F	E Europe M
22	3.4 ± 0.2	2.85 ± 0.08	2.30 ± 0.08	2.48 ± 0.07	2.8 ± 0.1	3.0 ± 0.2	3.4 ± 0.2	2.44 ± 0.08	1.9 ± 0.1	2.37 ± 0.09	2.2 ± 0.1	2.7 ± 0.2	E Africa M	E Europe M
23	3.5 ± 0.2	2.71 ± 0.07	2.52 ± 0.09	2.68 ± 0.07	2.72 ± 0.09	3.0 ± 0.2	3.4 ± 0.2	2.39 ± 0.08	2.1 ± 0.1	2.59 ± 0.09	2.3 ± 0.1	3.0 ± 0.2	E Africa F	E Europe M
24	3.5 ± 0.2	2.69 ± 0.06	2.48 ± 0.07	2.70 ± 0.06	2.65 ± 0.08	3.0 ± 0.2	3.3 ± 0.2	2.29 ± 0.08	2.11 ± 0.09	2.59 ± 0.08	2.3 ± 0.1	3.0 ± 0.2	E Africa F	E Europe M
25	3.5 ± 0.2	2.59 ± 0.06	2.55 ± 0.07	2.80 ± 0.06	2.67 ± 0.08	3.1 ± 0.2	3.4 ± 0.2	2.35 ± 0.07	2.15 ± 0.10	2.55 ± 0.07	2.30 ± 0.10	2.9 ± 0.2	E Africa F	E Europe M
26	3.5 ± 0.2	2.49 ± 0.05	2.59 ± 0.07	2.84 ± 0.06	2.61 ± 0.07	3.0 ± 0.1	3.4 ± 0.2	2.23 ± 0.07	2.09 ± 0.09	2.53 ± 0.07	2.4 ± 0.1	2.7 ± 0.1	E Africa F	E Europe M
27	3.7 ± 0.2	2.40 ± 0.05	2.54 ± 0.07	2.91 ± 0.06	2.52 ± 0.07	3.2 ± 0.1	3.3 ± 0.2	2.21 ± 0.07	2.11 ± 0.09	2.40 ± 0.06	2.4 ± 0.1	2.8 ± 0.1	E Africa F	E Europe M
28	3.6 ± 0.2	2.37 ± 0.05	2.55 ± 0.07	3.03 ± 0.06	2.59 ± 0.07	3.1 ± 0.1	3.2 ± 0.1	2.20 ± 0.07	2.05 ± 0.09	2.36 ± 0.06	2.4 ± 0.1	2.7 ± 0.1	E Africa F	E Europe M
29	3.8 ± 0.2	2.29 ± 0.05	2.48 ± 0.07	3.08 ± 0.06	2.56 ± 0.08	3.1 ± 0.1	3.1 ± 0.1	2.08 ± 0.06	2.04 ± 0.08	2.31 ± 0.05	2.3 ± 0.1	2.8 ± 0.1	E Africa F	E Europe M
30	3.7 ± 0.2	2.34 ± 0.05	2.55 ± 0.07	3.13 ± 0.06	2.57 ± 0.08	3.3 ± 0.1	3.2 ± 0.1	2.19 ± 0.06	2.05 ± 0.08	2.35 ± 0.05	2.3 ± 0.1	2.8 ± 0.1	E Africa F	E Europe M
31	3.9 ± 0.2	2.40 ± 0.05	2.61 ± 0.08	3.25 ± 0.06	2.57 ± 0.07	3.4 ± 0.1	3.3 ± 0.1	2.17 ± 0.06	2.21 ± 0.09	2.40 ± 0.05	2.5 ± 0.1	2.9 ± 0.1	E Africa F	E Asia M
32	4.0 ± 0.2	2.44 ± 0.05	2.67 ± 0.08	3.30 ± 0.06	2.62 ± 0.08	3.5 ± 0.1	3.3 ± 0.1	2.22 ± 0.06	2.24 ± 0.09	2.50 ± 0.05	2.4 ± 0.1	3.0 ± 0.1	E Africa F	E Asia M
33	4.0 ± 0.2	2.51 ± 0.05	2.67 ± 0.08	3.33 ± 0.07	2.69 ± 0.09	3.5 ± 0.1	3.4 ± 0.1	2.22 ± 0.06	2.22 ± 0.09	2.56 ± 0.05	2.4 ± 0.1	3.0 ± 0.1	E Africa F	E Asia M
34	4.0 ± 0.2	2.54 ± 0.05	2.68 ± 0.08	3.29 ± 0.07	2.61 ± 0.08	3.5 ± 0.1	3.3 ± 0.1	2.25 ± 0.06	2.29 ± 0.09	2.64 ± 0.05	2.5 ± 0.1	3.0 ± 0.1	E Africa F	E Asia M
35	4.3 ± 0.2	2.54 ± 0.05	2.74 ± 0.09	3.35 ± 0.07	2.65 ± 0.09	3.7 ± 0.2	3.3 ± 0.2	2.29 ± 0.06	2.34 ± 0.10	2.73 ± 0.06	2.5 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
36	4.4 ± 0.2	2.60 ± 0.05	2.76 ± 0.09	3.36 ± 0.07	2.68 ± 0.09	3.5 ± 0.2	3.4 ± 0.2	2.32 ± 0.06	2.3 ± 0.1	2.78 ± 0.06	2.4 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
37	4.3 ± 0.2	2.61 ± 0.05	2.66 ± 0.10	3.47 ± 0.08	2.62 ± 0.09	3.9 ± 0.2	3.4 ± 0.2	2.34 ± 0.06	2.39 ± 0.10	2.89 ± 0.06	2.4 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
38	4.3 ± 0.2	2.64 ± 0.05	2.7 ± 0.1	3.40 ± 0.08	2.68 ± 0.10	3.8 ± 0.2	3.2 ± 0.2	2.38 ± 0.07	2.31 ± 0.10	2.91 ± 0.06	2.7 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
39	4.3 ± 0.2	2.67 ± 0.06	2.6 ± 0.1	3.45 ± 0.09	2.64 ± 0.09	3.6 ± 0.2	3.4 ± 0.2	2.41 ± 0.07	2.3 ± 0.1	2.92 ± 0.06	2.6 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
40	4.3 ± 0.2	2.68 ± 0.06	2.7 ± 0.1	3.35 ± 0.09	2.8 ± 0.1	3.9 ± 0.2	3.3 ± 0.2	2.38 ± 0.07	2.4 ± 0.1	3.03 ± 0.07	2.4 ± 0.1	3.4 ± 0.1	E Africa F	E Asia M
41	4.4 ± 0.2	2.72 ± 0.06	2.8 ± 0.1	3.44 ± 0.10	2.8 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	2.48 ± 0.06	2.4 ± 0.1	2.99 ± 0.07	2.7 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
42	4.4 ± 0.3	2.77 ± 0.06	2.8 ± 0.1	3.4 ± 0.1	2.7 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	2.50 ± 0.07	2.6 ± 0.1	3.02 ± 0.08	2.7 ± 0.1	3.4 ± 0.2	E Africa F	E Asia M
43	4.4 ± 0.3	2.81 ± 0.06	3.0 ± 0.1	3.3 ± 0.1	2.9 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	2.58 ± 0.07	2.6 ± 0.1	3.15 ± 0.08	2.8 ± 0.1	3.7 ± 0.2	E Africa F	E Asia M
44	4.6 ± 0.3	2.82 ± 0.06	2.9 ± 0.1	3.6 ± 0.1	2.9 ± 0.1	4.0 ± 0.2	3.5 ± 0.2	2.66 ± 0.07	2.6 ± 0.1	3.22 ± 0.09	2.8 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
45	4.6 ± 0.3	2.87 ± 0.06	2.7 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	3.9 ± 0.2	3.5 ± 0.2	2.75 ± 0.07	2.6 ± 0.1	3.19 ± 0.10	2.9 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
46	4.8 ± 0.3	2.94 ± 0.06	3.0 ± 0.1	3.4 ± 0.1	3.0 ± 0.1	4.0 ± 0.2	3.5 ± 0.2	2.78 ± 0.07	2.8 ± 0.1	3.15 ± 0.10	3.0 ± 0.1	4.0 ± 0.2	E Africa F	E Asia M
47	4.6 ± 0.4	2.93 ± 0.07	3.2 ± 0.2	3.5 ± 0.1	2.9 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	2.76 ± 0.08	2.8 ± 0.1	3.4 ± 0.1	2.9 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
48	4.7 ± 0.4	2.88 ± 0.07	3.2 ± 0.2	3.5 ± 0.1	2.9 ± 0.1	4.1 ± 0.3	3.7 ± 0.3	2.77 ± 0.07	2.9 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.2 ± 0.2	E Africa F	E Asia M
49	4.6 ± 0.4	2.94 ± 0.08	3.3 ± 0.1	3.4 ± 0.1	3.0 ± 0.1	4.4 ± 0.3	3.6 ± 0.3	2.94 ± 0.08	3.0 ± 0.2	3.3 ± 0.1	2.9 ± 0.2	4.1 ± 0.2	E Africa F	S E Asia M
50	4.3 ± 0.4	3.02 ± 0.07	3.3 ± 0.1	3.3 ± 0.1	3.0 ± 0.1	4.2 ± 0.3	3.4 ± 0.3	2.93 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	3.1 ± 0.2	4.2 ± 0.2	E Africa F	E Europe M
51	4.7 ± 0.3	3.08 ± 0.08	3.2 ± 0.2	3.4 ± 0.1	2.9 ± 0.1	4.1 ± 0.3	3.9 ± 0.3	3.00 ± 0.09	2.7 ± 0.1	3.4 ± 0.1	3.1 ± 0.2	4.6 ± 0.3	E Africa F	E Europe M
52	4.6 ± 0.4	3.06 ± 0.08	3.3 ± 0.1	3.4 ± 0.1	3.0 ± 0.1	4.1 ± 0.3	3.6 ± 0.3	2.97 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.5 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 150. *Mean absolute error for Application-type images for algorithm roc-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.2 ± 0.2	3.22 ± 0.09	2.2 ± 0.1	2.71 ± 0.10	2.9 ± 0.2	3.3 ± 0.2	2.1 ± 0.1	2.59 ± 0.08	1.59 ± 0.09	2.07 ± 0.07	2.0 ± 0.1	2.1 ± 0.2	W Africa F	E Europe M
15	3.3 ± 0.2	3.35 ± 0.09	2.0 ± 0.1	2.7 ± 0.1	3.1 ± 0.2	3.2 ± 0.3	2.2 ± 0.2	2.69 ± 0.07	1.43 ± 0.10	2.01 ± 0.08	2.3 ± 0.1	2.4 ± 0.3	E Asia F	E Europe M
16	3.1 ± 0.2	3.2 ± 0.1	1.8 ± 0.1	2.5 ± 0.1	3.2 ± 0.2	3.3 ± 0.4	2.4 ± 0.2	2.58 ± 0.07	1.4 ± 0.1	1.94 ± 0.09	2.2 ± 0.1	2.2 ± 0.2	W Africa F	E Europe M
17	3.3 ± 0.2	3.0 ± 0.1	1.6 ± 0.1	2.3 ± 0.1	3.0 ± 0.2	3.0 ± 0.2	2.3 ± 0.2	2.52 ± 0.09	1.10 ± 0.09	1.85 ± 0.10	2.2 ± 0.2	2.6 ± 0.3	E Africa F	E Europe M
18	2.9 ± 0.2	2.79 ± 0.09	1.6 ± 0.2	2.10 ± 0.09	2.8 ± 0.1	2.9 ± 0.2	2.5 ± 0.2	2.37 ± 0.07	1.3 ± 0.1	1.94 ± 0.08	2.1 ± 0.2	2.7 ± 0.2	E Africa F	E Europe M
19	3.0 ± 0.2	2.69 ± 0.09	1.5 ± 0.2	2.01 ± 0.10	2.7 ± 0.1	3.0 ± 0.2	2.6 ± 0.2	2.25 ± 0.08	1.3 ± 0.1	1.88 ± 0.08	1.9 ± 0.1	2.8 ± 0.3	E Africa F	E Europe M
20	2.9 ± 0.2	2.6 ± 0.1	1.5 ± 0.1	2.1 ± 0.1	2.5 ± 0.1	2.9 ± 0.2	2.7 ± 0.2	2.20 ± 0.08	1.4 ± 0.1	1.98 ± 0.08	2.0 ± 0.1	2.9 ± 0.3	W Africa F	E Europe M
21	2.9 ± 0.2	2.62 ± 0.09	1.72 ± 0.09	2.13 ± 0.08	2.5 ± 0.1	2.9 ± 0.2	2.9 ± 0.2	2.18 ± 0.07	1.5 ± 0.1	2.01 ± 0.08	2.1 ± 0.1	3.0 ± 0.2	W Africa M	E Europe M
22	3.0 ± 0.2	2.55 ± 0.07	1.98 ± 0.08	2.15 ± 0.06	2.56 ± 0.10	2.8 ± 0.2	3.3 ± 0.2	2.25 ± 0.07	1.6 ± 0.1	2.04 ± 0.08	2.0 ± 0.1	3.0 ± 0.2	E Africa M	E Europe M
23	2.9 ± 0.2	2.46 ± 0.07	2.15 ± 0.08	2.25 ± 0.06	2.41 ± 0.08	2.9 ± 0.2	3.3 ± 0.2	2.17 ± 0.07	1.74 ± 0.09	2.19 ± 0.08	2.10 ± 0.10	3.1 ± 0.2	E Africa M	E Europe M
24	3.0 ± 0.2	2.38 ± 0.06	2.09 ± 0.06	2.32 ± 0.06	2.28 ± 0.07	2.8 ± 0.2	3.3 ± 0.2	2.15 ± 0.07	1.85 ± 0.09	2.14 ± 0.07	2.04 ± 0.09	3.0 ± 0.2	E Africa M	E Europe M
25	2.9 ± 0.1	2.38 ± 0.05	2.13 ± 0.06	2.32 ± 0.05	2.22 ± 0.07	2.9 ± 0.1	3.2 ± 0.2	2.13 ± 0.07	1.79 ± 0.08	2.11 ± 0.06	2.02 ± 0.09	3.0 ± 0.2	E Africa M	E Europe M
26	2.9 ± 0.1	2.27 ± 0.05	2.18 ± 0.06	2.39 ± 0.05	2.18 ± 0.06	2.8 ± 0.1	3.2 ± 0.2	2.03 ± 0.06	1.85 ± 0.09	2.09 ± 0.06	2.06 ± 0.09	2.8 ± 0.1	E Africa M	E Europe M
27	3.1 ± 0.1	2.20 ± 0.05	2.22 ± 0.07	2.48 ± 0.05	2.13 ± 0.06	3.0 ± 0.1	3.1 ± 0.1	2.01 ± 0.06	1.77 ± 0.08	2.00 ± 0.05	2.03 ± 0.09	2.9 ± 0.1	E Africa F	E Europe M
28	3.2 ± 0.1	2.21 ± 0.05	2.18 ± 0.06	2.58 ± 0.05	2.19 ± 0.06	2.9 ± 0.1	3.0 ± 0.1	1.98 ± 0.07	1.83 ± 0.08	1.98 ± 0.05	2.05 ± 0.09	2.8 ± 0.1	E Africa F	E Europe M
29	3.3 ± 0.1	2.22 ± 0.04	2.26 ± 0.07	2.69 ± 0.05	2.18 ± 0.06	3.0 ± 0.1	3.1 ± 0.1	1.92 ± 0.06	1.87 ± 0.08	2.01 ± 0.05	2.02 ± 0.09	2.9 ± 0.1	E Africa F	E Europe M
30	3.3 ± 0.1	2.28 ± 0.04	2.30 ± 0.07	2.80 ± 0.05	2.28 ± 0.07	3.1 ± 0.1	3.1 ± 0.1	1.97 ± 0.05	1.85 ± 0.08	2.08 ± 0.04	2.10 ± 0.09	2.9 ± 0.1	E Africa F	E Europe M
31	3.6 ± 0.1	2.29 ± 0.04	2.41 ± 0.07	2.99 ± 0.06	2.32 ± 0.06	3.3 ± 0.1	3.0 ± 0.1	1.98 ± 0.05	2.04 ± 0.08	2.17 ± 0.04	2.1 ± 0.1	2.8 ± 0.1	E Africa F	E Asia M
32	3.7 ± 0.1	2.32 ± 0.04	2.51 ± 0.07	3.06 ± 0.06	2.50 ± 0.08	3.3 ± 0.1	3.1 ± 0.1	2.10 ± 0.06	2.06 ± 0.08	2.28 ± 0.04	2.13 ± 0.10	2.9 ± 0.1	E Africa F	E Europe M
33	3.7 ± 0.2	2.44 ± 0.05	2.56 ± 0.07	3.16 ± 0.06	2.44 ± 0.08	3.3 ± 0.1	3.3 ± 0.1	2.15 ± 0.06	2.10 ± 0.08	2.36 ± 0.05	2.18 ± 0.10	2.9 ± 0.1	E Africa F	E Europe M
34	3.8 ± 0.2	2.46 ± 0.05	2.65 ± 0.08	3.21 ± 0.06	2.54 ± 0.08	3.4 ± 0.1	3.2 ± 0.1	2.14 ± 0.06	2.17 ± 0.09	2.50 ± 0.05	2.3 ± 0.1	2.9 ± 0.1	E Africa F	E Asia M
35	3.9 ± 0.2	2.53 ± 0.05	2.72 ± 0.09	3.32 ± 0.07	2.59 ± 0.09	3.5 ± 0.1	3.2 ± 0.2	2.19 ± 0.06	2.15 ± 0.09	2.56 ± 0.05	2.4 ± 0.1	3.0 ± 0.1	E Africa F	E Europe M
36	4.0 ± 0.2	2.55 ± 0.05	2.68 ± 0.09	3.38 ± 0.07	2.64 ± 0.09	3.3 ± 0.2	3.3 ± 0.2	2.24 ± 0.06	2.20 ± 0.09	2.60 ± 0.05	2.3 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
37	3.9 ± 0.2	2.56 ± 0.05	2.75 ± 0.10	3.47 ± 0.08	2.67 ± 0.09	3.8 ± 0.2	3.4 ± 0.2	2.30 ± 0.06	2.25 ± 0.10	2.72 ± 0.06	2.3 ± 0.1	2.9 ± 0.1	E Africa F	E Europe M
38	4.0 ± 0.2	2.66 ± 0.06	2.7 ± 0.1	3.47 ± 0.08	2.66 ± 0.09	3.7 ± 0.2	3.2 ± 0.2	2.32 ± 0.06	2.28 ± 0.09	2.83 ± 0.06	2.6 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
39	3.9 ± 0.2	2.71 ± 0.06	2.8 ± 0.1	3.53 ± 0.09	2.79 ± 0.10	3.4 ± 0.2	3.4 ± 0.2	2.47 ± 0.07	2.32 ± 0.10	2.83 ± 0.06	2.6 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
40	4.0 ± 0.2	2.72 ± 0.06	2.7 ± 0.1	3.51 ± 0.09	3.0 ± 0.1	3.6 ± 0.2	3.3 ± 0.2	2.41 ± 0.06	2.3 ± 0.1	2.95 ± 0.06	2.5 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
41	4.1 ± 0.2	2.77 ± 0.06	2.8 ± 0.1	3.60 ± 0.09	2.90 ± 0.10	3.7 ± 0.2	3.3 ± 0.2	2.52 ± 0.07	2.4 ± 0.1	2.99 ± 0.07	2.6 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
42	4.2 ± 0.2	2.81 ± 0.06	2.8 ± 0.1	3.5 ± 0.1	2.8 ± 0.1	3.7 ± 0.2	3.5 ± 0.2	2.54 ± 0.07	2.4 ± 0.1	3.00 ± 0.08	2.7 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
43	4.0 ± 0.2	2.90 ± 0.06	2.9 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	3.9 ± 0.2	3.4 ± 0.2	2.62 ± 0.07	2.4 ± 0.1	3.09 ± 0.08	2.7 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
44	4.4 ± 0.3	2.98 ± 0.06	2.9 ± 0.1	3.6 ± 0.1	3.0 ± 0.1	3.9 ± 0.2	3.5 ± 0.2	2.70 ± 0.07	2.4 ± 0.1	3.20 ± 0.09	2.8 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
45	4.1 ± 0.3	2.91 ± 0.06	2.8 ± 0.1	3.6 ± 0.1	2.9 ± 0.1	3.9 ± 0.2	3.4 ± 0.2	2.79 ± 0.07	2.4 ± 0.1	3.14 ± 0.09	2.8 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
46	4.3 ± 0.3	2.98 ± 0.07	2.8 ± 0.1	3.4 ± 0.1	3.0 ± 0.1	3.9 ± 0.2	3.5 ± 0.2	2.81 ± 0.07	2.5 ± 0.1	3.16 ± 0.10	2.8 ± 0.1	3.6 ± 0.2	E Africa F	E Europe M
47	4.2 ± 0.3	2.96 ± 0.07	3.1 ± 0.2	3.5 ± 0.1	2.9 ± 0.1	4.1 ± 0.2	3.6 ± 0.2	2.86 ± 0.08	2.4 ± 0.1	3.4 ± 0.1	2.8 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
48	4.2 ± 0.3	2.96 ± 0.07	3.1 ± 0.1	3.7 ± 0.1	3.0 ± 0.1	3.9 ± 0.2	3.7 ± 0.3	2.87 ± 0.08	2.6 ± 0.2	3.2 ± 0.1	2.8 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
49	4.2 ± 0.3	3.03 ± 0.08	3.1 ± 0.1	3.4 ± 0.1	2.9 ± 0.1	4.2 ± 0.3	3.5 ± 0.3	2.98 ± 0.09	2.6 ± 0.1	3.3 ± 0.1	2.8 ± 0.2	3.6 ± 0.2	E Africa F	E Europe M
50	4.0 ± 0.3	3.05 ± 0.08	3.0 ± 0.1	3.4 ± 0.1	3.0 ± 0.1	4.1 ± 0.3	3.4 ± 0.2	2.95 ± 0.08	2.6 ± 0.1	3.3 ± 0.1	2.9 ± 0.2	3.6 ± 0.2	W Africa F	E Europe M
51	4.2 ± 0.3	3.06 ± 0.08	3.0 ± 0.2	3.5 ± 0.1	3.0 ± 0.1	4.0 ± 0.3	3.7 ± 0.3	2.97 ± 0.08	2.5 ± 0.1	3.4 ± 0.1	2.8 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
52	4.2 ± 0.3	3.07 ± 0.08	3.0 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	4.0 ± 0.3	3.5 ± 0.3	2.92 ± 0.08	2.6 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	3.8 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 151. *Mean absolute error for Application-type images for algorithm shufti-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.2 ± 0.3	3.9 ± 0.1	3.6 ± 0.3	4.2 ± 0.1	3.8 ± 0.2	4.8 ± 0.3	3.7 ± 0.2	3.0 ± 0.1	2.5 ± 0.1	2.8 ± 0.1	2.7 ± 0.2	3.6 ± 0.3	E Africa F	E Europe M
15	5.1 ± 0.3	3.9 ± 0.1	4.0 ± 0.3	4.4 ± 0.2	3.9 ± 0.3	4.7 ± 0.4	3.5 ± 0.3	3.0 ± 0.1	2.5 ± 0.2	2.9 ± 0.1	2.8 ± 0.2	3.5 ± 0.3	E Africa F	E Europe M
16	4.9 ± 0.3	3.6 ± 0.1	4.2 ± 0.3	4.1 ± 0.2	3.9 ± 0.3	4.7 ± 0.4	3.9 ± 0.3	2.9 ± 0.1	2.7 ± 0.2	3.1 ± 0.1	2.8 ± 0.2	3.5 ± 0.3	E Africa F	E Europe M
17	5.1 ± 0.4	3.4 ± 0.2	4.2 ± 0.3	4.2 ± 0.2	3.4 ± 0.3	4.6 ± 0.3	3.6 ± 0.3	2.9 ± 0.1	2.2 ± 0.2	3.0 ± 0.2	2.8 ± 0.2	3.6 ± 0.4	E Africa F	E Europe M
18	4.7 ± 0.3	3.3 ± 0.1	3.9 ± 0.3	3.9 ± 0.1	3.4 ± 0.2	4.3 ± 0.3	3.7 ± 0.3	3.0 ± 0.1	2.4 ± 0.2	3.4 ± 0.1	3.0 ± 0.2	3.1 ± 0.3	E Africa F	E Europe M
19	5.2 ± 0.3	3.3 ± 0.1	4.2 ± 0.3	4.0 ± 0.2	3.6 ± 0.2	4.4 ± 0.3	3.9 ± 0.3	3.3 ± 0.1	2.9 ± 0.3	3.7 ± 0.2	3.3 ± 0.2	3.9 ± 0.4	E Africa F	E Europe M
20	5.1 ± 0.3	3.4 ± 0.1	4.4 ± 0.2	3.9 ± 0.2	3.8 ± 0.2	4.2 ± 0.3	4.1 ± 0.3	3.5 ± 0.1	3.2 ± 0.3	4.0 ± 0.2	3.5 ± 0.2	3.9 ± 0.3	E Africa F	E Europe M
21	5.0 ± 0.3	3.5 ± 0.1	4.4 ± 0.2	4.1 ± 0.1	3.8 ± 0.2	4.6 ± 0.3	4.8 ± 0.3	3.7 ± 0.1	3.6 ± 0.3	4.3 ± 0.2	3.9 ± 0.2	4.2 ± 0.3	E Africa F	E Asia F
22	5.2 ± 0.3	3.6 ± 0.1	4.4 ± 0.2	4.1 ± 0.1	3.8 ± 0.2	4.2 ± 0.3	5.6 ± 0.3	4.0 ± 0.1	3.9 ± 0.3	4.5 ± 0.2	3.8 ± 0.2	4.0 ± 0.3	E Africa M	E Asia F
23	5.3 ± 0.3	3.6 ± 0.1	4.5 ± 0.2	4.2 ± 0.1	3.9 ± 0.1	4.7 ± 0.3	5.5 ± 0.3	4.0 ± 0.1	4.3 ± 0.3	4.7 ± 0.1	3.9 ± 0.2	4.8 ± 0.3	E Africa M	E Asia F
24	5.4 ± 0.3	3.78 ± 0.09	4.4 ± 0.1	4.2 ± 0.1	3.9 ± 0.1	4.6 ± 0.2	5.6 ± 0.3	4.1 ± 0.1	4.3 ± 0.2	4.8 ± 0.1	3.9 ± 0.2	4.8 ± 0.3	E Africa M	E Asia F
25	5.3 ± 0.2	3.64 ± 0.08	4.3 ± 0.1	4.17 ± 0.09	4.0 ± 0.1	4.4 ± 0.2	5.6 ± 0.2	4.0 ± 0.1	4.3 ± 0.2	5.0 ± 0.1	4.0 ± 0.2	4.7 ± 0.2	E Africa M	E Asia F
26	5.3 ± 0.2	3.75 ± 0.08	4.4 ± 0.1	4.13 ± 0.08	4.1 ± 0.1	4.4 ± 0.2	5.4 ± 0.2	3.9 ± 0.1	4.3 ± 0.2	5.0 ± 0.1	3.9 ± 0.2	4.9 ± 0.2	E Africa M	E Asia F
27	5.5 ± 0.2	3.80 ± 0.08	4.5 ± 0.1	4.13 ± 0.08	3.9 ± 0.1	4.6 ± 0.2	5.4 ± 0.2	4.0 ± 0.1	4.3 ± 0.2	5.0 ± 0.1	3.9 ± 0.2	4.7 ± 0.2	E Africa F	E Asia F
28	5.1 ± 0.2	3.63 ± 0.07	4.3 ± 0.1	4.14 ± 0.08	4.0 ± 0.1	4.3 ± 0.2	5.2 ± 0.2	3.9 ± 0.1	4.6 ± 0.2	4.98 ± 0.10	3.9 ± 0.2	4.6 ± 0.2	E Africa M	E Asia F
29	5.3 ± 0.2	3.60 ± 0.07	4.1 ± 0.1	4.07 ± 0.08	4.0 ± 0.1	4.3 ± 0.2	5.2 ± 0.2	3.8 ± 0.1	4.3 ± 0.2	4.96 ± 0.09	3.8 ± 0.2	4.8 ± 0.2	E Africa F	E Asia F
30	5.3 ± 0.2	3.70 ± 0.07	4.0 ± 0.1	4.09 ± 0.08	4.0 ± 0.1	4.5 ± 0.2	5.1 ± 0.2	3.8 ± 0.1	4.2 ± 0.2	4.98 ± 0.08	3.9 ± 0.2	4.5 ± 0.2	E Africa F	E Asia F
31	5.1 ± 0.2	3.64 ± 0.07	4.0 ± 0.1	3.99 ± 0.08	3.9 ± 0.1	4.4 ± 0.2	4.9 ± 0.2	3.65 ± 0.10	4.1 ± 0.2	4.90 ± 0.08	3.9 ± 0.2	4.4 ± 0.2	E Africa F	E Asia F
32	5.4 ± 0.2	3.60 ± 0.07	3.9 ± 0.1	3.99 ± 0.08	4.0 ± 0.1	4.4 ± 0.2	4.9 ± 0.2	3.67 ± 0.09	4.0 ± 0.1	4.78 ± 0.08	3.9 ± 0.2	4.4 ± 0.2	E Africa F	E Asia F
33	5.2 ± 0.2	3.53 ± 0.07	3.9 ± 0.1	3.96 ± 0.08	3.9 ± 0.1	4.2 ± 0.2	5.0 ± 0.2	3.70 ± 0.10	3.9 ± 0.1	4.66 ± 0.08	3.6 ± 0.2	4.3 ± 0.2	E Africa F	E Asia F
34	4.9 ± 0.2	3.59 ± 0.07	3.7 ± 0.1	3.89 ± 0.08	3.7 ± 0.1	4.2 ± 0.2	4.6 ± 0.2	3.59 ± 0.09	3.9 ± 0.1	4.57 ± 0.08	3.8 ± 0.2	4.1 ± 0.2	E Africa F	E Asia M
35	5.1 ± 0.2	3.57 ± 0.08	3.8 ± 0.1	3.80 ± 0.08	3.7 ± 0.1	4.3 ± 0.2	4.7 ± 0.2	3.59 ± 0.09	3.7 ± 0.2	4.45 ± 0.08	3.6 ± 0.2	4.0 ± 0.2	E Africa F	E Asia F
36	5.0 ± 0.2	3.46 ± 0.07	3.7 ± 0.1	3.84 ± 0.08	3.8 ± 0.1	4.4 ± 0.2	4.7 ± 0.2	3.42 ± 0.09	3.9 ± 0.1	4.28 ± 0.08	3.7 ± 0.2	4.0 ± 0.2	E Africa F	E Asia M
37	5.0 ± 0.2	3.49 ± 0.07	3.7 ± 0.1	3.89 ± 0.09	3.5 ± 0.1	4.6 ± 0.2	4.6 ± 0.2	3.42 ± 0.09	3.6 ± 0.1	4.14 ± 0.08	3.5 ± 0.2	3.9 ± 0.2	E Africa F	E Asia M
38	5.0 ± 0.3	3.47 ± 0.07	3.6 ± 0.1	3.81 ± 0.09	3.5 ± 0.1	4.4 ± 0.2	4.3 ± 0.2	3.43 ± 0.09	3.6 ± 0.2	4.05 ± 0.08	3.7 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
39	4.7 ± 0.2	3.46 ± 0.08	3.7 ± 0.2	3.79 ± 0.10	3.5 ± 0.1	4.4 ± 0.2	4.4 ± 0.2	3.32 ± 0.09	3.6 ± 0.2	3.97 ± 0.08	3.6 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
40	4.8 ± 0.3	3.44 ± 0.08	3.7 ± 0.2	3.7 ± 0.1	3.6 ± 0.1	4.2 ± 0.2	4.6 ± 0.3	3.24 ± 0.09	3.5 ± 0.2	3.87 ± 0.08	3.4 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
41	4.7 ± 0.3	3.41 ± 0.08	3.8 ± 0.2	3.7 ± 0.1	3.3 ± 0.1	4.3 ± 0.2	4.5 ± 0.3	3.22 ± 0.09	3.6 ± 0.2	3.78 ± 0.08	3.4 ± 0.2	3.9 ± 0.2	E Africa F	E Asia M
42	4.8 ± 0.3	3.37 ± 0.08	3.7 ± 0.2	3.7 ± 0.1	3.3 ± 0.1	4.4 ± 0.2	4.6 ± 0.3	3.13 ± 0.08	3.6 ± 0.2	3.72 ± 0.09	3.3 ± 0.2	3.7 ± 0.2	E Africa F	E Asia M
43	4.8 ± 0.3	3.33 ± 0.08	3.8 ± 0.2	3.6 ± 0.1	3.3 ± 0.1	4.5 ± 0.3	4.7 ± 0.3	3.11 ± 0.08	3.4 ± 0.2	3.71 ± 0.10	3.4 ± 0.2	3.9 ± 0.2	E Africa F	E Asia M
44	5.0 ± 0.3	3.27 ± 0.07	3.7 ± 0.2	3.7 ± 0.1	3.4 ± 0.1	4.5 ± 0.3	4.4 ± 0.3	3.11 ± 0.09	3.7 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
45	4.9 ± 0.3	3.24 ± 0.08	3.5 ± 0.2	3.7 ± 0.1	3.4 ± 0.1	4.2 ± 0.3	4.5 ± 0.3	3.03 ± 0.09	3.6 ± 0.2	3.6 ± 0.1	3.3 ± 0.2	3.9 ± 0.2	E Africa F	E Asia M
46	5.1 ± 0.4	3.24 ± 0.08	3.9 ± 0.2	3.6 ± 0.1	3.3 ± 0.1	4.5 ± 0.3	4.8 ± 0.3	2.88 ± 0.09	3.7 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	4.1 ± 0.2	E Africa F	E Asia M
47	4.9 ± 0.4	3.29 ± 0.08	4.0 ± 0.3	3.6 ± 0.1	3.5 ± 0.2	4.4 ± 0.3	4.7 ± 0.3	2.97 ± 0.09	3.6 ± 0.2	3.8 ± 0.1	3.5 ± 0.2	4.2 ± 0.2	E Africa F	E Asia M
48	5.0 ± 0.4	3.26 ± 0.09	3.9 ± 0.2	3.8 ± 0.1	3.4 ± 0.1	4.2 ± 0.3	4.5 ± 0.3	2.87 ± 0.09	3.6 ± 0.2	3.7 ± 0.1	3.4 ± 0.2	4.2 ± 0.2	E Africa F	E Asia M
49	5.4 ± 0.4	3.24 ± 0.09	3.9 ± 0.2	3.8 ± 0.2	3.5 ± 0.2	4.4 ± 0.3	4.4 ± 0.3	2.95 ± 0.09	3.7 ± 0.2	3.6 ± 0.1	3.3 ± 0.2	4.0 ± 0.2	E Africa F	E Asia M
50	5.0 ± 0.4	3.28 ± 0.09	3.9 ± 0.2	3.8 ± 0.1	3.5 ± 0.2	4.3 ± 0.3	4.4 ± 0.3	2.90 ± 0.09	3.6 ± 0.2	3.7 ± 0.1	3.5 ± 0.2	4.1 ± 0.3	E Africa F	E Asia M
51	4.9 ± 0.3	3.25 ± 0.09	3.8 ± 0.2	3.7 ± 0.1	3.4 ± 0.1	4.5 ± 0.3	4.6 ± 0.4	2.99 ± 0.09	3.5 ± 0.2	3.7 ± 0.1	3.6 ± 0.2	4.4 ± 0.2	E Africa F	E Asia M
52	4.6 ± 0.4	3.14 ± 0.09	4.1 ± 0.2	3.6 ± 0.1	3.7 ± 0.2	4.4 ± 0.3	4.5 ± 0.4	2.88 ± 0.08	3.6 ± 0.2	3.5 ± 0.1	3.4 ± 0.2	4.3 ± 0.3	E Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 152. *Mean absolute error for Application-type images for algorithm shufti-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	5.5 ± 0.2	4.0 ± 0.1	5.4 ± 0.2	4.7 ± 0.1	4.3 ± 0.2	5.4 ± 0.2	3.6 ± 0.2	2.11 ± 0.09	3.0 ± 0.1	2.7 ± 0.1	2.2 ± 0.2	3.6 ± 0.3	E Africa F	E Asia M
15	5.2 ± 0.3	3.8 ± 0.1	5.3 ± 0.3	4.6 ± 0.2	4.1 ± 0.3	4.8 ± 0.3	2.9 ± 0.2	2.21 ± 0.08	2.7 ± 0.2	2.4 ± 0.1	2.3 ± 0.1	3.1 ± 0.2	E Europe F	E Asia M
16	4.9 ± 0.3	3.7 ± 0.1	5.3 ± 0.3	4.3 ± 0.2	4.3 ± 0.3	4.4 ± 0.3	2.8 ± 0.2	2.07 ± 0.07	2.7 ± 0.2	2.2 ± 0.1	2.2 ± 0.2	2.7 ± 0.2	E Europe F	E Asia M
17	4.9 ± 0.3	3.5 ± 0.1	5.2 ± 0.4	4.2 ± 0.2	3.9 ± 0.3	4.0 ± 0.3	2.2 ± 0.2	1.88 ± 0.09	2.1 ± 0.2	2.2 ± 0.1	2.1 ± 0.2	2.7 ± 0.3	E Europe F	E Asia M
18	4.3 ± 0.3	3.3 ± 0.1	4.6 ± 0.3	3.9 ± 0.1	3.7 ± 0.2	3.4 ± 0.3	2.3 ± 0.2	1.77 ± 0.06	2.2 ± 0.1	2.35 ± 0.10	2.0 ± 0.2	2.4 ± 0.2	E Europe F	E Asia M
19	4.5 ± 0.3	3.0 ± 0.1	4.6 ± 0.3	4.1 ± 0.1	3.6 ± 0.2	3.5 ± 0.3	2.7 ± 0.2	1.82 ± 0.07	2.1 ± 0.2	2.4 ± 0.1	2.1 ± 0.1	2.7 ± 0.3	E Europe F	E Asia M
20	4.6 ± 0.3	3.1 ± 0.1	4.6 ± 0.3	3.9 ± 0.2	3.7 ± 0.2	3.3 ± 0.3	3.2 ± 0.3	1.84 ± 0.08	2.1 ± 0.2	2.6 ± 0.1	2.2 ± 0.1	2.9 ± 0.3	E Africa F	E Asia M
21	4.6 ± 0.3	3.1 ± 0.1	4.4 ± 0.2	3.8 ± 0.1	3.6 ± 0.2	3.4 ± 0.3	3.4 ± 0.2	1.96 ± 0.07	2.2 ± 0.2	2.8 ± 0.1	2.3 ± 0.1	3.2 ± 0.3	E Africa F	E Asia M
22	4.6 ± 0.3	2.99 ± 0.10	4.5 ± 0.2	3.8 ± 0.1	3.6 ± 0.1	3.3 ± 0.2	4.2 ± 0.3	2.15 ± 0.08	2.5 ± 0.2	2.8 ± 0.1	2.2 ± 0.1	3.3 ± 0.2	E Africa F	E Asia M
23	4.7 ± 0.2	3.01 ± 0.09	4.7 ± 0.2	3.9 ± 0.1	3.5 ± 0.1	3.7 ± 0.2	4.3 ± 0.2	2.30 ± 0.08	2.6 ± 0.2	3.0 ± 0.1	2.4 ± 0.1	3.7 ± 0.2	E Europe F	E Asia M
24	4.7 ± 0.2	3.04 ± 0.08	4.7 ± 0.2	3.85 ± 0.09	3.4 ± 0.1	3.7 ± 0.2	4.3 ± 0.2	2.43 ± 0.08	2.9 ± 0.1	3.2 ± 0.1	2.5 ± 0.1	3.8 ± 0.2	E Africa F	E Asia M
25	4.5 ± 0.2	3.03 ± 0.07	4.6 ± 0.1	3.67 ± 0.08	3.4 ± 0.1	3.8 ± 0.2	4.4 ± 0.2	2.51 ± 0.08	3.1 ± 0.1	3.20 ± 0.09	2.7 ± 0.1	3.9 ± 0.2	E Europe F	E Asia M
26	4.5 ± 0.2	3.09 ± 0.07	4.7 ± 0.1	3.55 ± 0.07	3.5 ± 0.1	3.8 ± 0.2	4.4 ± 0.2	2.55 ± 0.08	3.2 ± 0.1	3.29 ± 0.08	2.7 ± 0.1	4.0 ± 0.2	E Europe F	E Asia M
27	4.5 ± 0.2	3.06 ± 0.07	4.7 ± 0.1	3.44 ± 0.07	3.33 ± 0.09	4.2 ± 0.2	4.4 ± 0.2	2.71 ± 0.08	3.4 ± 0.1	3.28 ± 0.08	3.0 ± 0.1	3.9 ± 0.2	E Europe F	E Asia M
28	4.4 ± 0.2	3.09 ± 0.06	4.6 ± 0.1	3.35 ± 0.07	3.32 ± 0.09	4.1 ± 0.1	4.1 ± 0.2	2.75 ± 0.08	3.5 ± 0.1	3.24 ± 0.07	3.0 ± 0.1	3.9 ± 0.1	E Europe F	E Asia M
29	4.4 ± 0.2	3.10 ± 0.06	4.5 ± 0.1	3.25 ± 0.06	3.47 ± 0.09	4.0 ± 0.1	4.0 ± 0.2	2.78 ± 0.07	3.6 ± 0.1	3.21 ± 0.07	3.0 ± 0.1	3.9 ± 0.1	E Europe F	E Asia M
30	4.2 ± 0.2	3.17 ± 0.06	4.5 ± 0.1	3.23 ± 0.06	3.34 ± 0.10	4.0 ± 0.1	4.1 ± 0.2	2.75 ± 0.07	3.5 ± 0.1	3.25 ± 0.06	2.9 ± 0.1	3.7 ± 0.1	E Europe F	E Asia M
31	4.2 ± 0.2	3.18 ± 0.06	4.4 ± 0.1	3.14 ± 0.06	3.29 ± 0.09	3.8 ± 0.1	3.9 ± 0.2	2.66 ± 0.07	3.5 ± 0.1	3.21 ± 0.06	3.0 ± 0.1	3.5 ± 0.1	E Europe F	E Asia M
32	4.1 ± 0.2	3.11 ± 0.06	4.2 ± 0.1	3.07 ± 0.06	3.3 ± 0.1	3.9 ± 0.2	3.6 ± 0.2	2.60 ± 0.07	3.4 ± 0.1	3.11 ± 0.06	2.8 ± 0.1	3.5 ± 0.1	E Europe F	E Asia M
33	4.0 ± 0.2	3.07 ± 0.06	4.1 ± 0.1	2.99 ± 0.06	3.3 ± 0.1	3.8 ± 0.2	3.6 ± 0.2	2.61 ± 0.07	3.3 ± 0.1	2.92 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	E Europe F	E Asia M
34	4.0 ± 0.2	3.20 ± 0.06	3.9 ± 0.1	2.90 ± 0.07	3.1 ± 0.1	3.8 ± 0.2	3.3 ± 0.2	2.65 ± 0.07	3.1 ± 0.1	2.89 ± 0.06	2.9 ± 0.1	3.1 ± 0.1	E Africa F	E Asia M
35	4.0 ± 0.2	3.17 ± 0.06	3.9 ± 0.1	2.94 ± 0.06	3.1 ± 0.1	3.8 ± 0.2	3.5 ± 0.2	2.67 ± 0.07	3.1 ± 0.1	2.85 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	E Africa F	E Asia M
36	3.9 ± 0.2	3.16 ± 0.06	3.7 ± 0.1	3.00 ± 0.07	3.1 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	2.64 ± 0.07	3.1 ± 0.1	2.74 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	E Africa F	E Asia M
37	4.0 ± 0.2	3.14 ± 0.06	3.6 ± 0.1	3.07 ± 0.07	3.1 ± 0.1	4.1 ± 0.2	3.5 ± 0.2	2.61 ± 0.07	3.0 ± 0.1	2.78 ± 0.06	2.7 ± 0.1	3.2 ± 0.1	W Africa F	E Asia M
38	4.0 ± 0.2	3.07 ± 0.06	3.6 ± 0.1	3.18 ± 0.07	3.0 ± 0.1	3.9 ± 0.2	3.4 ± 0.2	2.68 ± 0.07	2.9 ± 0.1	2.72 ± 0.06	2.7 ± 0.1	3.3 ± 0.1	E Africa F	E Asia M
39	3.9 ± 0.2	2.99 ± 0.06	3.4 ± 0.1	3.15 ± 0.08	3.0 ± 0.1	4.0 ± 0.2	3.3 ± 0.2	2.62 ± 0.07	3.0 ± 0.1	2.69 ± 0.06	2.7 ± 0.1	3.1 ± 0.1	W Africa F	E Asia M
40	4.0 ± 0.2	2.92 ± 0.06	3.4 ± 0.1	3.09 ± 0.08	3.0 ± 0.1	3.8 ± 0.2	3.3 ± 0.2	2.51 ± 0.07	2.9 ± 0.1	2.76 ± 0.07	2.6 ± 0.1	3.2 ± 0.1	E Africa F	E Asia M
41	4.0 ± 0.2	2.85 ± 0.07	3.3 ± 0.1	3.13 ± 0.09	2.9 ± 0.1	4.1 ± 0.2	3.3 ± 0.2	2.50 ± 0.07	2.8 ± 0.1	2.70 ± 0.07	2.5 ± 0.1	3.5 ± 0.2	W Africa F	E Asia M
42	4.0 ± 0.2	2.85 ± 0.06	3.2 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	4.0 ± 0.2	3.3 ± 0.2	2.58 ± 0.07	2.8 ± 0.1	2.79 ± 0.08	2.5 ± 0.1	3.5 ± 0.2	W Africa F	S E Asia M
43	3.8 ± 0.2	2.84 ± 0.06	3.1 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	4.0 ± 0.2	3.6 ± 0.2	2.63 ± 0.07	2.8 ± 0.2	2.84 ± 0.08	2.7 ± 0.1	3.7 ± 0.2	W Africa F	E Asia M
44	4.3 ± 0.3	2.82 ± 0.06	3.0 ± 0.1	3.3 ± 0.1	3.0 ± 0.1	4.5 ± 0.3	3.5 ± 0.2	2.73 ± 0.08	2.9 ± 0.2	2.96 ± 0.09	2.8 ± 0.1	3.7 ± 0.2	W Africa F	E Asia M
45	4.0 ± 0.3	2.80 ± 0.06	2.9 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	4.1 ± 0.2	3.5 ± 0.2	2.79 ± 0.08	2.9 ± 0.2	3.02 ± 0.09	2.9 ± 0.1	4.0 ± 0.2	W Africa F	E Asia M
46	4.2 ± 0.3	2.87 ± 0.07	2.9 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	4.1 ± 0.2	3.9 ± 0.2	2.85 ± 0.08	3.0 ± 0.2	3.05 ± 0.09	3.0 ± 0.2	4.0 ± 0.2	E Africa F	E Asia M
47	4.1 ± 0.3	2.81 ± 0.07	3.0 ± 0.2	3.3 ± 0.1	2.8 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.96 ± 0.08	2.9 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.0 ± 0.2	W Africa F	S E Asia F
48	4.3 ± 0.4	2.74 ± 0.07	3.0 ± 0.2	3.3 ± 0.1	2.8 ± 0.1	4.2 ± 0.3	4.0 ± 0.3	2.99 ± 0.08	3.0 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	4.2 ± 0.2	E Africa F	E Asia F
49	4.1 ± 0.3	2.83 ± 0.08	3.0 ± 0.2	3.3 ± 0.1	2.8 ± 0.1	4.4 ± 0.3	3.8 ± 0.3	3.01 ± 0.09	3.0 ± 0.2	3.3 ± 0.1	3.0 ± 0.2	3.9 ± 0.2	W Africa F	S E Asia F
50	4.3 ± 0.4	2.91 ± 0.08	3.0 ± 0.2	3.2 ± 0.1	2.9 ± 0.1	4.4 ± 0.3	3.7 ± 0.3	2.97 ± 0.09	2.9 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	4.0 ± 0.2	W Africa F	E Europe M
51	4.2 ± 0.3	3.02 ± 0.08	3.2 ± 0.2	3.3 ± 0.1	3.1 ± 0.1	4.5 ± 0.3	4.2 ± 0.4	3.16 ± 0.10	3.0 ± 0.2	3.5 ± 0.1	3.1 ± 0.2	4.4 ± 0.3	W Africa F	E Europe M
52	4.1 ± 0.3	3.16 ± 0.08	3.5 ± 0.2	3.5 ± 0.1	3.2 ± 0.1	4.5 ± 0.3	3.9 ± 0.3	3.33 ± 0.09	3.3 ± 0.2	3.6 ± 0.1	3.3 ± 0.2	4.5 ± 0.3	W Africa F	E Asia F

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 153. *Mean absolute error for Application-type images for algorithm tsight-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.4 ± 0.3	4.2 ± 0.1	4.5 ± 0.2	3.9 ± 0.1	3.5 ± 0.2	5.9 ± 0.4	3.5 ± 0.2	4.4 ± 0.1	4.1 ± 0.2	3.5 ± 0.1	3.5 ± 0.2	4.7 ± 0.4	W Africa F	S Asia M
15	4.7 ± 0.3	4.2 ± 0.1	4.5 ± 0.2	4.1 ± 0.2	3.8 ± 0.3	6.2 ± 0.5	3.7 ± 0.3	4.7 ± 0.1	4.2 ± 0.2	4.1 ± 0.2	4.1 ± 0.2	5.1 ± 0.4	W Africa F	E Africa M
16	4.6 ± 0.3	4.0 ± 0.1	4.2 ± 0.2	4.0 ± 0.2	3.7 ± 0.2	6.5 ± 0.5	4.5 ± 0.3	4.5 ± 0.1	4.3 ± 0.2	4.3 ± 0.1	4.1 ± 0.2	5.6 ± 0.3	W Africa F	S E Asia F
17	4.8 ± 0.3	3.5 ± 0.1	3.8 ± 0.2	3.7 ± 0.2	3.3 ± 0.2	6.3 ± 0.4	4.4 ± 0.3	4.3 ± 0.1	3.8 ± 0.1	4.5 ± 0.2	4.0 ± 0.2	6.1 ± 0.4	W Africa F	S E Asia F
18	4.5 ± 0.2	3.07 ± 0.08	3.4 ± 0.2	3.4 ± 0.1	3.0 ± 0.1	6.0 ± 0.3	4.7 ± 0.2	3.79 ± 0.08	3.4 ± 0.1	4.4 ± 0.1	3.5 ± 0.2	5.8 ± 0.3	W Africa F	S E Asia F
19	4.5 ± 0.3	2.60 ± 0.08	2.9 ± 0.2	3.1 ± 0.1	2.6 ± 0.1	5.9 ± 0.3	4.5 ± 0.2	3.44 ± 0.08	3.1 ± 0.1	4.3 ± 0.1	3.1 ± 0.1	5.6 ± 0.3	W Africa F	E Asia F
20	4.3 ± 0.2	2.29 ± 0.09	2.5 ± 0.1	2.9 ± 0.1	2.3 ± 0.1	5.5 ± 0.3	4.6 ± 0.3	2.90 ± 0.08	2.6 ± 0.1	4.1 ± 0.1	2.9 ± 0.1	5.6 ± 0.3	W Africa M	S E Asia F
21	3.9 ± 0.2	2.05 ± 0.07	2.3 ± 0.1	2.66 ± 0.09	2.10 ± 0.09	5.3 ± 0.3	4.2 ± 0.2	2.50 ± 0.07	2.3 ± 0.1	3.8 ± 0.1	2.4 ± 0.1	5.2 ± 0.2	W Africa F	E Asia F
22	3.8 ± 0.2	1.82 ± 0.06	2.1 ± 0.1	2.44 ± 0.08	2.03 ± 0.09	5.0 ± 0.3	4.4 ± 0.2	2.16 ± 0.07	2.1 ± 0.1	3.6 ± 0.1	2.1 ± 0.1	4.8 ± 0.2	W Africa F	E Asia F
23	3.5 ± 0.2	1.81 ± 0.06	2.12 ± 0.09	2.42 ± 0.07	1.95 ± 0.07	4.7 ± 0.2	4.1 ± 0.2	1.98 ± 0.07	1.7 ± 0.1	3.5 ± 0.1	2.0 ± 0.1	4.6 ± 0.2	W Africa F	E Europe M
24	3.5 ± 0.2	1.99 ± 0.05	2.00 ± 0.07	2.41 ± 0.06	2.08 ± 0.06	4.3 ± 0.2	3.8 ± 0.2	1.84 ± 0.07	1.73 ± 0.09	3.43 ± 0.10	1.95 ± 0.09	4.2 ± 0.2	W Africa F	E Europe M
25	3.3 ± 0.1	2.20 ± 0.05	2.09 ± 0.07	2.44 ± 0.06	2.39 ± 0.07	4.2 ± 0.2	3.7 ± 0.2	1.90 ± 0.07	1.81 ± 0.09	3.14 ± 0.08	2.04 ± 0.09	3.9 ± 0.2	W Africa F	E Europe M
26	3.1 ± 0.1	2.52 ± 0.05	2.18 ± 0.07	2.60 ± 0.05	2.65 ± 0.07	3.9 ± 0.2	3.5 ± 0.1	1.91 ± 0.06	1.89 ± 0.09	3.07 ± 0.08	2.14 ± 0.10	3.5 ± 0.1	W Africa F	E Europe M
27	3.3 ± 0.1	2.80 ± 0.05	2.35 ± 0.07	2.83 ± 0.05	2.99 ± 0.07	3.7 ± 0.1	3.3 ± 0.1	2.12 ± 0.06	1.94 ± 0.09	2.95 ± 0.07	2.28 ± 0.10	3.2 ± 0.1	W Africa F	E Europe M
28	3.3 ± 0.1	3.21 ± 0.05	2.44 ± 0.07	3.05 ± 0.06	3.26 ± 0.08	3.5 ± 0.1	3.1 ± 0.1	2.32 ± 0.07	2.09 ± 0.09	2.83 ± 0.07	2.4 ± 0.1	3.0 ± 0.1	W Africa F	E Europe M
29	3.3 ± 0.1	3.51 ± 0.06	2.59 ± 0.07	3.25 ± 0.06	3.59 ± 0.08	3.4 ± 0.1	3.0 ± 0.1	2.50 ± 0.06	2.19 ± 0.09	2.78 ± 0.06	2.7 ± 0.1	3.1 ± 0.1	S E Asia F	E Europe M
30	3.5 ± 0.1	3.82 ± 0.06	2.60 ± 0.07	3.52 ± 0.06	3.85 ± 0.09	3.3 ± 0.1	2.9 ± 0.1	2.70 ± 0.06	2.25 ± 0.09	2.74 ± 0.06	2.8 ± 0.1	2.8 ± 0.1	S E Asia F	E Europe M
31	3.5 ± 0.1	4.15 ± 0.06	2.63 ± 0.08	3.77 ± 0.07	4.10 ± 0.10	3.3 ± 0.1	2.9 ± 0.1	3.04 ± 0.07	2.31 ± 0.09	2.79 ± 0.06	3.2 ± 0.1	2.8 ± 0.1	E Asia F	E Europe M
32	3.7 ± 0.2	4.38 ± 0.07	2.71 ± 0.08	3.98 ± 0.07	4.4 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	3.18 ± 0.07	2.43 ± 0.10	2.80 ± 0.05	3.2 ± 0.1	2.8 ± 0.1	E Asia F	E Europe M
33	4.0 ± 0.2	4.62 ± 0.07	2.67 ± 0.08	4.14 ± 0.08	4.5 ± 0.1	3.5 ± 0.1	3.2 ± 0.1	3.37 ± 0.08	2.41 ± 0.10	2.81 ± 0.06	3.4 ± 0.1	2.8 ± 0.1	E Asia F	E Europe M
34	4.0 ± 0.2	4.81 ± 0.07	2.74 ± 0.09	4.35 ± 0.08	4.6 ± 0.1	3.5 ± 0.1	3.2 ± 0.1	3.58 ± 0.08	2.49 ± 0.10	2.95 ± 0.06	3.4 ± 0.1	2.9 ± 0.1	E Asia F	E Europe M
35	4.2 ± 0.2	5.12 ± 0.08	2.81 ± 0.09	4.54 ± 0.08	4.9 ± 0.1	3.6 ± 0.1	3.2 ± 0.1	3.68 ± 0.09	2.5 ± 0.1	2.93 ± 0.06	3.7 ± 0.2	3.1 ± 0.1	E Asia F	E Europe M
36	4.4 ± 0.2	5.14 ± 0.09	2.70 ± 0.09	4.75 ± 0.09	4.8 ± 0.1	3.7 ± 0.2	3.4 ± 0.1	3.82 ± 0.09	2.6 ± 0.1	3.01 ± 0.06	3.7 ± 0.2	3.2 ± 0.1	E Asia F	E Europe M
37	4.4 ± 0.2	5.26 ± 0.09	2.73 ± 0.10	4.80 ± 0.10	5.0 ± 0.1	4.0 ± 0.2	3.5 ± 0.2	3.94 ± 0.09	2.6 ± 0.1	3.10 ± 0.06	3.9 ± 0.2	3.3 ± 0.1	E Asia F	E Europe M
38	4.4 ± 0.2	5.41 ± 0.09	2.6 ± 0.1	4.9 ± 0.1	5.0 ± 0.2	4.2 ± 0.2	3.4 ± 0.2	3.95 ± 0.09	2.5 ± 0.1	3.08 ± 0.07	3.8 ± 0.2	3.6 ± 0.1	E Asia F	E Europe M
39	4.5 ± 0.2	5.46 ± 0.09	2.6 ± 0.1	5.0 ± 0.1	5.0 ± 0.2	4.0 ± 0.2	3.5 ± 0.2	4.07 ± 0.10	2.6 ± 0.1	3.09 ± 0.07	3.9 ± 0.2	3.8 ± 0.1	E Asia F	E Europe F
40	4.7 ± 0.2	5.52 ± 0.10	2.6 ± 0.1	4.9 ± 0.1	5.2 ± 0.2	4.4 ± 0.2	3.4 ± 0.2	4.03 ± 0.10	2.7 ± 0.1	3.18 ± 0.07	3.9 ± 0.2	4.1 ± 0.2	E Asia F	E Europe F
41	5.0 ± 0.3	5.51 ± 0.10	2.7 ± 0.1	5.1 ± 0.1	5.1 ± 0.2	4.8 ± 0.2	3.7 ± 0.2	4.05 ± 0.10	2.6 ± 0.1	3.24 ± 0.07	4.0 ± 0.2	4.3 ± 0.2	E Asia F	E Europe M
42	4.8 ± 0.3	5.53 ± 0.09	2.7 ± 0.1	4.8 ± 0.1	5.3 ± 0.2	4.7 ± 0.2	3.7 ± 0.2	4.0 ± 0.1	2.6 ± 0.1	3.31 ± 0.08	3.8 ± 0.2	4.5 ± 0.2	E Asia F	E Europe M
43	4.9 ± 0.3	5.64 ± 0.09	2.7 ± 0.1	5.0 ± 0.1	5.4 ± 0.2	5.1 ± 0.2	3.8 ± 0.2	4.0 ± 0.1	2.6 ± 0.1	3.24 ± 0.09	3.8 ± 0.2	4.8 ± 0.2	E Asia F	E Europe M
44	5.3 ± 0.3	5.9 ± 0.1	2.8 ± 0.1	5.0 ± 0.2	5.1 ± 0.2	5.5 ± 0.3	3.9 ± 0.2	4.1 ± 0.1	2.5 ± 0.1	3.27 ± 0.10	4.0 ± 0.2	5.0 ± 0.2	E Asia F	E Europe M
45	5.2 ± 0.3	5.94 ± 0.10	2.7 ± 0.1	5.0 ± 0.2	5.4 ± 0.2	5.5 ± 0.3	4.0 ± 0.2	4.1 ± 0.1	2.5 ± 0.1	3.3 ± 0.1	4.0 ± 0.2	5.4 ± 0.2	E Asia F	E Europe M
46	5.5 ± 0.3	6.1 ± 0.1	2.7 ± 0.1	4.8 ± 0.2	5.6 ± 0.2	5.7 ± 0.3	4.2 ± 0.3	4.2 ± 0.1	2.6 ± 0.1	3.3 ± 0.1	4.0 ± 0.2	5.5 ± 0.2	E Asia F	E Europe M
47	5.4 ± 0.4	6.0 ± 0.1	3.0 ± 0.2	4.8 ± 0.2	5.5 ± 0.2	6.0 ± 0.3	4.2 ± 0.3	4.3 ± 0.1	2.5 ± 0.1	3.4 ± 0.1	4.0 ± 0.2	5.7 ± 0.2	E Asia F	E Europe M
48	5.6 ± 0.4	6.2 ± 0.1	3.0 ± 0.1	5.0 ± 0.2	5.7 ± 0.2	6.4 ± 0.3	4.8 ± 0.3	4.3 ± 0.1	2.7 ± 0.2	3.4 ± 0.1	4.0 ± 0.2	6.3 ± 0.3	W Africa F	E Europe M
49	5.3 ± 0.4	6.4 ± 0.1	3.1 ± 0.1	4.8 ± 0.2	5.6 ± 0.2	6.8 ± 0.3	4.9 ± 0.3	4.5 ± 0.1	2.6 ± 0.1	3.6 ± 0.1	4.1 ± 0.2	6.4 ± 0.3	W Africa F	E Europe M
50	6.2 ± 0.5	6.5 ± 0.1	2.9 ± 0.1	4.7 ± 0.2	6.0 ± 0.2	6.8 ± 0.3	5.1 ± 0.4	4.5 ± 0.1	2.6 ± 0.1	3.7 ± 0.1	4.2 ± 0.2	6.7 ± 0.3	W Africa F	E Europe M
51	5.9 ± 0.4	6.5 ± 0.1	3.1 ± 0.2	4.8 ± 0.2	5.9 ± 0.2	7.3 ± 0.4	5.5 ± 0.4	4.6 ± 0.1	2.4 ± 0.1	3.7 ± 0.1	4.1 ± 0.2	7.1 ± 0.3	W Africa F	E Europe M
52	6.3 ± 0.4	6.7 ± 0.1	3.1 ± 0.2	4.8 ± 0.2	5.8 ± 0.2	7.8 ± 0.3	5.2 ± 0.4	4.8 ± 0.1	2.8 ± 0.2	3.9 ± 0.1	4.4 ± 0.2	7.4 ± 0.3	W Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 154. *Mean absolute error for Application-type images for algorithm unissey-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.1 ± 0.3	4.1 ± 0.2	2.8 ± 0.2	2.8 ± 0.1	3.4 ± 0.3	4.4 ± 0.5	3.0 ± 0.2	3.7 ± 0.2	2.1 ± 0.2	2.6 ± 0.1	3.2 ± 0.3	3.1 ± 0.3	W Africa F	E Europe M
15	3.2 ± 0.3	4.3 ± 0.2	3.0 ± 0.3	3.1 ± 0.2	3.6 ± 0.4	4.3 ± 0.5	3.0 ± 0.3	3.9 ± 0.2	2.2 ± 0.2	3.0 ± 0.2	3.6 ± 0.3	3.1 ± 0.3	E Asia F	E Europe M
16	3.3 ± 0.3	4.4 ± 0.2	3.1 ± 0.3	3.2 ± 0.2	4.0 ± 0.3	4.5 ± 0.5	3.6 ± 0.3	4.2 ± 0.2	2.7 ± 0.3	3.3 ± 0.2	4.1 ± 0.3	3.0 ± 0.3	W Africa F	E Europe M
17	3.6 ± 0.4	4.3 ± 0.2	3.7 ± 0.4	3.3 ± 0.2	3.7 ± 0.3	4.9 ± 0.5	3.7 ± 0.3	4.3 ± 0.2	2.2 ± 0.2	3.5 ± 0.2	3.8 ± 0.3	3.5 ± 0.4	W Africa F	E Europe M
18	3.7 ± 0.3	4.2 ± 0.1	3.5 ± 0.3	3.2 ± 0.1	3.6 ± 0.2	4.8 ± 0.4	4.1 ± 0.3	4.3 ± 0.1	2.7 ± 0.2	3.8 ± 0.1	3.9 ± 0.3	3.6 ± 0.3	W Africa F	E Europe M
19	4.0 ± 0.3	4.2 ± 0.1	3.4 ± 0.3	3.5 ± 0.1	3.7 ± 0.2	4.9 ± 0.4	4.4 ± 0.3	4.3 ± 0.1	3.0 ± 0.2	3.9 ± 0.2	3.9 ± 0.2	3.5 ± 0.3	W Africa F	E Europe M
20	4.4 ± 0.3	4.2 ± 0.1	4.0 ± 0.2	3.6 ± 0.1	3.8 ± 0.2	5.4 ± 0.4	4.7 ± 0.3	4.3 ± 0.1	3.1 ± 0.2	4.1 ± 0.1	4.2 ± 0.2	3.9 ± 0.3	W Africa F	E Europe M
21	4.4 ± 0.3	4.1 ± 0.1	4.0 ± 0.2	3.8 ± 0.1	3.8 ± 0.1	5.5 ± 0.3	4.7 ± 0.3	4.3 ± 0.1	3.5 ± 0.2	4.0 ± 0.1	4.4 ± 0.2	4.0 ± 0.3	W Africa F	E Europe M
22	4.7 ± 0.2	3.83 ± 0.09	4.5 ± 0.2	3.82 ± 0.10	3.7 ± 0.1	5.7 ± 0.3	4.9 ± 0.2	4.2 ± 0.1	3.9 ± 0.2	4.0 ± 0.1	4.1 ± 0.2	3.8 ± 0.2	W Africa F	S E Asia F
23	4.6 ± 0.2	3.72 ± 0.08	4.5 ± 0.2	3.93 ± 0.09	3.7 ± 0.1	5.4 ± 0.3	4.7 ± 0.2	4.1 ± 0.1	3.7 ± 0.2	4.0 ± 0.1	4.1 ± 0.2	3.7 ± 0.2	W Africa F	S E Asia F
24	4.7 ± 0.2	3.48 ± 0.08	4.5 ± 0.1	3.86 ± 0.09	3.54 ± 0.09	5.5 ± 0.3	4.7 ± 0.2	3.9 ± 0.1	3.8 ± 0.2	3.7 ± 0.1	3.8 ± 0.1	3.6 ± 0.2	W Africa F	E Asia F
25	4.8 ± 0.2	3.23 ± 0.07	4.7 ± 0.1	3.97 ± 0.08	3.36 ± 0.09	5.5 ± 0.2	4.6 ± 0.2	3.8 ± 0.1	3.7 ± 0.2	3.57 ± 0.10	3.8 ± 0.1	3.7 ± 0.2	W Africa F	E Asia F
26	4.7 ± 0.2	3.08 ± 0.07	4.6 ± 0.1	3.92 ± 0.08	3.33 ± 0.09	5.4 ± 0.2	4.6 ± 0.2	3.48 ± 0.09	3.8 ± 0.2	3.55 ± 0.09	3.6 ± 0.2	3.4 ± 0.2	W Africa F	E Asia F
27	4.9 ± 0.2	2.86 ± 0.06	4.6 ± 0.1	3.99 ± 0.08	3.17 ± 0.09	5.3 ± 0.2	4.3 ± 0.2	3.28 ± 0.09	3.8 ± 0.2	3.35 ± 0.09	3.6 ± 0.2	3.5 ± 0.2	W Africa F	E Asia F
28	4.8 ± 0.2	2.72 ± 0.06	4.6 ± 0.1	4.13 ± 0.08	3.1 ± 0.1	5.3 ± 0.2	4.1 ± 0.2	3.2 ± 0.1	3.7 ± 0.2	3.17 ± 0.08	3.4 ± 0.2	3.4 ± 0.1	W Africa F	E Asia F
29	4.7 ± 0.2	2.68 ± 0.06	4.6 ± 0.1	4.18 ± 0.09	3.2 ± 0.1	5.0 ± 0.2	4.1 ± 0.2	2.97 ± 0.09	3.7 ± 0.2	3.19 ± 0.07	3.2 ± 0.2	3.5 ± 0.1	W Africa F	E Asia F
30	4.8 ± 0.2	2.83 ± 0.06	4.8 ± 0.1	4.40 ± 0.09	3.2 ± 0.1	5.2 ± 0.2	4.2 ± 0.2	2.89 ± 0.09	3.6 ± 0.2	3.26 ± 0.07	3.2 ± 0.2	3.7 ± 0.1	W Africa F	E Asia F
31	4.9 ± 0.2	3.06 ± 0.07	4.9 ± 0.1	4.56 ± 0.09	3.5 ± 0.1	5.4 ± 0.2	4.2 ± 0.2	2.99 ± 0.09	3.7 ± 0.1	3.43 ± 0.07	3.3 ± 0.2	3.9 ± 0.1	W Africa F	E Asia M
32	5.2 ± 0.2	3.31 ± 0.07	5.0 ± 0.1	4.80 ± 0.09	3.8 ± 0.1	5.3 ± 0.2	4.2 ± 0.2	3.14 ± 0.08	3.8 ± 0.1	3.58 ± 0.06	3.4 ± 0.1	4.2 ± 0.1	W Africa F	E Asia M
33	5.3 ± 0.2	3.66 ± 0.06	5.3 ± 0.2	5.01 ± 0.09	4.0 ± 0.1	5.4 ± 0.2	4.5 ± 0.2	3.26 ± 0.08	4.0 ± 0.1	3.79 ± 0.06	3.5 ± 0.1	4.4 ± 0.1	W Africa F	E Asia M
34	5.3 ± 0.2	3.93 ± 0.06	5.3 ± 0.2	5.22 ± 0.09	4.2 ± 0.1	5.4 ± 0.2	4.3 ± 0.2	3.44 ± 0.08	3.9 ± 0.1	3.99 ± 0.07	3.8 ± 0.2	4.8 ± 0.1	W Africa F	E Asia M
35	5.5 ± 0.2	4.25 ± 0.07	5.2 ± 0.2	5.31 ± 0.10	4.5 ± 0.1	5.4 ± 0.2	4.4 ± 0.2	3.43 ± 0.08	3.8 ± 0.1	4.10 ± 0.07	3.8 ± 0.2	5.0 ± 0.2	E Africa F	E Asia M
36	5.6 ± 0.2	4.34 ± 0.08	5.1 ± 0.2	5.5 ± 0.1	4.5 ± 0.1	5.5 ± 0.2	4.5 ± 0.2	3.40 ± 0.08	3.8 ± 0.1	4.14 ± 0.07	3.8 ± 0.2	5.2 ± 0.2	E Africa F	E Asia M
37	5.2 ± 0.3	4.35 ± 0.08	5.0 ± 0.2	5.4 ± 0.1	4.5 ± 0.1	5.4 ± 0.2	4.1 ± 0.2	3.32 ± 0.09	3.3 ± 0.1	4.03 ± 0.09	3.6 ± 0.2	5.2 ± 0.2	S Asia F	E Europe M
38	5.0 ± 0.3	4.51 ± 0.09	5.0 ± 0.2	5.5 ± 0.1	4.5 ± 0.2	5.6 ± 0.3	4.3 ± 0.2	3.3 ± 0.1	3.1 ± 0.2	4.07 ± 0.09	3.5 ± 0.2	5.5 ± 0.2	W Africa F	E Europe M
39	5.3 ± 0.3	4.68 ± 0.10	4.8 ± 0.2	5.6 ± 0.1	4.6 ± 0.2	5.3 ± 0.3	4.1 ± 0.2	3.4 ± 0.1	3.1 ± 0.2	4.09 ± 0.10	3.6 ± 0.2	5.9 ± 0.2	W Africa M	E Europe M
40	5.2 ± 0.3	4.88 ± 0.10	5.0 ± 0.2	5.5 ± 0.1	4.9 ± 0.2	5.5 ± 0.3	4.4 ± 0.2	3.5 ± 0.1	3.3 ± 0.2	4.3 ± 0.1	3.5 ± 0.2	6.2 ± 0.2	W Africa M	E Europe M
41	5.9 ± 0.3	5.03 ± 0.10	5.0 ± 0.2	5.8 ± 0.2	5.2 ± 0.2	5.6 ± 0.3	4.6 ± 0.3	3.65 ± 0.10	3.3 ± 0.2	4.4 ± 0.1	3.9 ± 0.2	6.4 ± 0.3	W Africa M	E Europe M
42	5.5 ± 0.3	5.17 ± 0.10	5.1 ± 0.2	5.7 ± 0.2	5.1 ± 0.2	5.4 ± 0.3	4.7 ± 0.3	3.92 ± 0.10	3.3 ± 0.2	4.6 ± 0.1	3.9 ± 0.2	6.6 ± 0.3	W Africa M	E Europe M
43	5.7 ± 0.3	5.4 ± 0.1	4.9 ± 0.2	5.8 ± 0.2	5.4 ± 0.2	5.9 ± 0.3	4.8 ± 0.3	4.0 ± 0.1	3.5 ± 0.2	4.7 ± 0.1	4.1 ± 0.2	6.9 ± 0.3	W Africa M	E Europe M
44	5.9 ± 0.4	5.7 ± 0.1	4.9 ± 0.2	5.9 ± 0.2	5.4 ± 0.2	6.1 ± 0.3	4.8 ± 0.3	4.3 ± 0.1	3.5 ± 0.2	4.8 ± 0.1	4.4 ± 0.2	7.0 ± 0.3	W Africa M	E Europe M
45	5.9 ± 0.4	5.7 ± 0.1	4.6 ± 0.2	6.0 ± 0.2	5.4 ± 0.2	6.1 ± 0.3	5.0 ± 0.3	4.6 ± 0.1	3.4 ± 0.2	4.7 ± 0.1	4.4 ± 0.2	7.3 ± 0.3	W Africa M	E Europe M
46	6.0 ± 0.4	5.9 ± 0.1	4.6 ± 0.2	5.6 ± 0.2	5.8 ± 0.2	5.9 ± 0.3	5.0 ± 0.3	4.6 ± 0.1	3.5 ± 0.2	4.7 ± 0.1	4.3 ± 0.2	7.7 ± 0.3	W Africa M	E Europe M
47	5.8 ± 0.4	5.8 ± 0.1	4.6 ± 0.2	5.6 ± 0.2	5.5 ± 0.2	5.9 ± 0.4	5.0 ± 0.3	4.6 ± 0.1	3.4 ± 0.2	4.8 ± 0.2	4.2 ± 0.2	7.3 ± 0.3	W Africa M	E Europe M
48	5.9 ± 0.5	5.9 ± 0.1	4.4 ± 0.2	5.7 ± 0.2	5.5 ± 0.2	5.6 ± 0.4	5.6 ± 0.4	4.6 ± 0.1	3.3 ± 0.2	4.7 ± 0.2	4.4 ± 0.2	7.7 ± 0.4	W Africa M	E Europe M
49	5.8 ± 0.4	6.0 ± 0.1	4.2 ± 0.2	5.6 ± 0.2	5.3 ± 0.2	6.1 ± 0.4	5.3 ± 0.4	4.8 ± 0.1	3.4 ± 0.2	4.7 ± 0.2	4.2 ± 0.2	7.8 ± 0.4	W Africa M	E Europe M
50	6.1 ± 0.6	6.0 ± 0.1	4.3 ± 0.2	5.3 ± 0.2	5.6 ± 0.2	5.8 ± 0.4	5.4 ± 0.4	4.8 ± 0.1	3.3 ± 0.2	4.8 ± 0.2	4.2 ± 0.2	8.0 ± 0.4	W Africa M	E Europe M
51	5.4 ± 0.5	6.0 ± 0.1	4.1 ± 0.2	5.4 ± 0.2	5.6 ± 0.2	6.2 ± 0.4	5.6 ± 0.4	4.9 ± 0.1	3.3 ± 0.2	4.7 ± 0.2	4.4 ± 0.2	8.2 ± 0.4	W Africa M	E Europe M
52	6.2 ± 0.5	6.0 ± 0.2	4.1 ± 0.2	5.5 ± 0.2	5.2 ± 0.2	6.4 ± 0.4	5.1 ± 0.4	5.0 ± 0.1	3.6 ± 0.2	4.8 ± 0.2	4.3 ± 0.2	8.2 ± 0.4	W Africa M	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 155. *Mean absolute error for Application-type images for algorithm viante-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	6.5 ± 0.4	5.4 ± 0.1	2.7 ± 0.3	6.2 ± 0.2	5.9 ± 0.3	7.3 ± 0.4	4.8 ± 0.3	4.0 ± 0.1	1.1 ± 0.1	3.9 ± 0.2	4.3 ± 0.3	5.4 ± 0.4	W Africa F	E Europe M
15	7.6 ± 0.4	6.0 ± 0.1	3.4 ± 0.3	7.1 ± 0.2	6.8 ± 0.3	7.6 ± 0.4	5.2 ± 0.3	4.9 ± 0.1	1.4 ± 0.2	5.1 ± 0.2	5.4 ± 0.3	6.5 ± 0.4	W Africa F	E Europe M
16	7.5 ± 0.4	6.1 ± 0.1	4.2 ± 0.3	7.3 ± 0.2	7.2 ± 0.3	7.6 ± 0.4	6.5 ± 0.3	5.4 ± 0.1	2.3 ± 0.2	5.9 ± 0.2	6.0 ± 0.3	6.7 ± 0.3	W Africa F	E Europe M
17	7.8 ± 0.3	6.0 ± 0.1	4.5 ± 0.2	7.2 ± 0.2	6.8 ± 0.3	7.4 ± 0.3	6.7 ± 0.3	5.5 ± 0.1	2.8 ± 0.2	6.3 ± 0.2	6.2 ± 0.3	7.2 ± 0.4	E Africa F	E Europe M
18	7.3 ± 0.2	5.54 ± 0.09	4.5 ± 0.2	6.7 ± 0.1	6.3 ± 0.1	7.1 ± 0.3	6.6 ± 0.2	5.36 ± 0.09	3.2 ± 0.2	6.2 ± 0.1	6.0 ± 0.2	6.8 ± 0.3	E Africa F	E Europe M
19	7.2 ± 0.2	5.13 ± 0.08	4.1 ± 0.2	6.5 ± 0.1	6.0 ± 0.1	7.0 ± 0.3	6.8 ± 0.2	5.30 ± 0.09	3.2 ± 0.1	6.4 ± 0.1	5.9 ± 0.2	6.7 ± 0.3	E Africa F	E Europe M
20	6.8 ± 0.2	4.83 ± 0.09	3.8 ± 0.1	6.1 ± 0.1	5.6 ± 0.1	6.5 ± 0.2	6.7 ± 0.2	5.02 ± 0.09	3.0 ± 0.1	6.3 ± 0.1	5.8 ± 0.2	6.6 ± 0.2	E Africa F	E Europe M
21	6.4 ± 0.2	4.35 ± 0.08	3.1 ± 0.1	5.8 ± 0.1	5.1 ± 0.1	6.0 ± 0.2	6.6 ± 0.2	4.73 ± 0.08	2.8 ± 0.1	6.1 ± 0.1	5.5 ± 0.2	6.3 ± 0.2	E Africa M	E Europe M
22	6.1 ± 0.2	3.77 ± 0.07	2.70 ± 0.09	5.4 ± 0.1	4.7 ± 0.1	5.5 ± 0.2	6.9 ± 0.2	4.41 ± 0.09	2.6 ± 0.1	5.9 ± 0.1	5.0 ± 0.1	5.9 ± 0.2	E Africa M	E Europe M
23	5.6 ± 0.2	3.36 ± 0.06	2.24 ± 0.08	5.2 ± 0.1	4.26 ± 0.09	5.2 ± 0.2	6.5 ± 0.2	4.02 ± 0.09	2.1 ± 0.1	5.7 ± 0.1	4.9 ± 0.1	5.8 ± 0.2	E Africa M	E Europe M
24	5.3 ± 0.2	2.83 ± 0.06	1.80 ± 0.06	4.78 ± 0.09	3.74 ± 0.08	4.8 ± 0.2	6.2 ± 0.2	3.65 ± 0.09	1.89 ± 0.09	5.6 ± 0.1	4.5 ± 0.1	5.4 ± 0.2	E Africa M	E Europe F
25	4.7 ± 0.2	2.37 ± 0.05	1.45 ± 0.05	4.35 ± 0.08	3.29 ± 0.08	4.4 ± 0.2	5.9 ± 0.2	3.38 ± 0.08	1.75 ± 0.10	5.23 ± 0.10	4.3 ± 0.1	5.1 ± 0.2	E Africa M	E Europe F
26	4.3 ± 0.2	2.08 ± 0.05	1.37 ± 0.06	3.93 ± 0.07	3.00 ± 0.08	4.0 ± 0.2	5.6 ± 0.2	3.04 ± 0.07	1.65 ± 0.10	5.03 ± 0.09	4.0 ± 0.1	4.5 ± 0.1	E Africa M	E Europe F
27	4.2 ± 0.2	1.85 ± 0.04	1.52 ± 0.06	3.60 ± 0.07	2.65 ± 0.07	3.7 ± 0.2	5.2 ± 0.2	2.77 ± 0.07	1.82 ± 0.10	4.76 ± 0.09	3.9 ± 0.1	4.1 ± 0.1	E Africa M	E Europe F
28	3.8 ± 0.2	1.79 ± 0.04	1.84 ± 0.06	3.37 ± 0.07	2.47 ± 0.07	3.4 ± 0.2	4.8 ± 0.2	2.57 ± 0.08	2.11 ± 0.09	4.45 ± 0.08	3.5 ± 0.1	3.6 ± 0.1	E Africa M	E Asia F
29	3.7 ± 0.2	1.79 ± 0.04	2.29 ± 0.06	3.11 ± 0.06	2.31 ± 0.07	3.2 ± 0.1	4.6 ± 0.2	2.41 ± 0.07	2.40 ± 0.09	4.22 ± 0.08	3.3 ± 0.1	3.5 ± 0.1	E Africa M	E Asia F
30	3.4 ± 0.2	1.88 ± 0.04	2.59 ± 0.06	2.94 ± 0.06	2.28 ± 0.07	3.0 ± 0.2	4.5 ± 0.2	2.19 ± 0.07	2.57 ± 0.09	4.04 ± 0.08	3.3 ± 0.1	3.1 ± 0.1	E Africa M	E Asia F
31	3.5 ± 0.2	2.05 ± 0.04	2.79 ± 0.06	2.84 ± 0.07	2.24 ± 0.07	2.9 ± 0.1	4.5 ± 0.2	2.23 ± 0.07	2.73 ± 0.09	3.89 ± 0.08	3.1 ± 0.2	3.0 ± 0.1	E Africa M	E Asia F
32	3.7 ± 0.2	2.27 ± 0.04	2.80 ± 0.07	2.82 ± 0.07	2.40 ± 0.08	3.3 ± 0.2	4.3 ± 0.2	2.32 ± 0.07	2.72 ± 0.09	3.86 ± 0.08	3.2 ± 0.2	3.0 ± 0.1	E Africa M	E Asia F
33	4.0 ± 0.2	2.46 ± 0.05	2.67 ± 0.08	2.89 ± 0.07	2.41 ± 0.08	3.4 ± 0.2	4.5 ± 0.2	2.39 ± 0.07	2.54 ± 0.09	3.76 ± 0.08	3.2 ± 0.2	3.1 ± 0.1	E Africa M	E Asia M
34	4.0 ± 0.2	2.65 ± 0.05	2.47 ± 0.09	2.95 ± 0.07	2.52 ± 0.08	3.5 ± 0.2	4.3 ± 0.2	2.45 ± 0.07	2.4 ± 0.1	3.88 ± 0.09	3.4 ± 0.2	3.3 ± 0.1	E Africa M	E Europe M
35	4.4 ± 0.2	2.92 ± 0.05	2.43 ± 0.10	3.16 ± 0.07	2.70 ± 0.09	3.8 ± 0.2	4.6 ± 0.2	2.56 ± 0.07	2.1 ± 0.1	3.89 ± 0.09	3.5 ± 0.2	3.6 ± 0.1	E Africa M	E Europe M
36	4.6 ± 0.2	3.05 ± 0.06	2.3 ± 0.1	3.38 ± 0.07	2.88 ± 0.09	4.0 ± 0.2	4.6 ± 0.2	2.61 ± 0.07	2.1 ± 0.1	3.90 ± 0.08	3.6 ± 0.2	3.7 ± 0.1	E Africa F	E Europe M
37	4.7 ± 0.2	3.22 ± 0.06	2.4 ± 0.1	3.68 ± 0.07	3.1 ± 0.1	4.3 ± 0.2	4.6 ± 0.2	2.67 ± 0.08	2.1 ± 0.1	3.99 ± 0.08	3.5 ± 0.2	3.6 ± 0.1	E Africa F	E Europe M
38	4.9 ± 0.2	3.46 ± 0.06	2.7 ± 0.1	3.87 ± 0.08	3.3 ± 0.1	4.6 ± 0.2	4.4 ± 0.2	2.71 ± 0.08	2.3 ± 0.1	4.00 ± 0.08	3.8 ± 0.2	3.7 ± 0.1	E Africa F	E Europe M
39	4.8 ± 0.2	3.63 ± 0.07	2.9 ± 0.1	3.94 ± 0.08	3.4 ± 0.1	4.3 ± 0.2	4.4 ± 0.2	2.85 ± 0.08	2.8 ± 0.1	3.99 ± 0.08	4.0 ± 0.2	3.6 ± 0.1	E Africa F	E Europe M
40	4.7 ± 0.2	3.85 ± 0.07	3.3 ± 0.1	3.93 ± 0.09	3.6 ± 0.1	4.3 ± 0.2	4.4 ± 0.2	2.91 ± 0.08	3.1 ± 0.1	4.01 ± 0.07	3.8 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
41	4.7 ± 0.2	3.96 ± 0.07	3.6 ± 0.1	3.81 ± 0.09	3.6 ± 0.1	4.4 ± 0.2	4.3 ± 0.2	3.02 ± 0.08	3.2 ± 0.1	3.84 ± 0.08	3.9 ± 0.2	4.0 ± 0.2	E Africa F	E Asia M
42	4.7 ± 0.3	4.00 ± 0.07	3.6 ± 0.1	3.6 ± 0.1	3.6 ± 0.1	4.4 ± 0.2	4.0 ± 0.2	3.10 ± 0.08	3.3 ± 0.1	3.68 ± 0.08	3.9 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M
43	4.6 ± 0.3	4.07 ± 0.08	3.6 ± 0.1	3.5 ± 0.1	3.6 ± 0.1	4.3 ± 0.2	4.2 ± 0.2	3.08 ± 0.08	3.1 ± 0.1	3.47 ± 0.08	3.9 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
44	4.8 ± 0.3	4.07 ± 0.08	3.3 ± 0.1	3.3 ± 0.1	3.6 ± 0.1	4.5 ± 0.3	3.7 ± 0.2	3.06 ± 0.09	2.9 ± 0.1	3.21 ± 0.09	3.9 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
45	4.3 ± 0.3	3.93 ± 0.08	2.9 ± 0.1	3.2 ± 0.1	3.5 ± 0.1	4.1 ± 0.2	3.6 ± 0.2	3.07 ± 0.08	2.6 ± 0.1	2.97 ± 0.09	3.9 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
46	4.9 ± 0.4	3.91 ± 0.08	2.8 ± 0.1	3.0 ± 0.1	3.5 ± 0.1	3.9 ± 0.2	3.6 ± 0.2	3.00 ± 0.08	2.5 ± 0.1	2.89 ± 0.09	3.9 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
47	4.5 ± 0.4	3.71 ± 0.08	2.8 ± 0.2	2.9 ± 0.1	3.3 ± 0.1	4.1 ± 0.2	3.5 ± 0.2	3.01 ± 0.08	2.3 ± 0.1	2.9 ± 0.1	3.8 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
48	4.3 ± 0.4	3.51 ± 0.09	2.4 ± 0.1	3.1 ± 0.1	3.2 ± 0.1	4.0 ± 0.3	3.5 ± 0.3	2.98 ± 0.08	2.2 ± 0.1	2.63 ± 0.10	3.6 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
49	4.4 ± 0.4	3.36 ± 0.09	2.4 ± 0.1	3.0 ± 0.1	3.0 ± 0.1	4.1 ± 0.3	3.2 ± 0.3	2.94 ± 0.08	2.2 ± 0.1	2.7 ± 0.1	3.4 ± 0.2	3.3 ± 0.2	E Africa F	E Europe M
50	4.3 ± 0.4	3.24 ± 0.09	2.3 ± 0.1	3.1 ± 0.1	3.1 ± 0.1	3.9 ± 0.3	3.0 ± 0.3	2.74 ± 0.08	2.2 ± 0.1	2.6 ± 0.1	3.4 ± 0.2	3.4 ± 0.2	E Africa F	E Europe M
51	4.4 ± 0.3	3.17 ± 0.09	2.4 ± 0.1	3.4 ± 0.1	2.9 ± 0.1	4.1 ± 0.3	3.3 ± 0.3	2.73 ± 0.08	2.2 ± 0.1	2.7 ± 0.1	3.3 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
52	4.6 ± 0.4	3.08 ± 0.08	2.8 ± 0.1	3.7 ± 0.1	3.0 ± 0.1	4.0 ± 0.3	3.2 ± 0.3	2.64 ± 0.07	2.6 ± 0.2	2.7 ± 0.1	3.1 ± 0.2	3.7 ± 0.3	E Africa F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 156. *Mean absolute error for Application-type images for algorithm yoti-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.0 ± 0.2	2.4 ± 0.1	2.6 ± 0.2	2.9 ± 0.1	2.5 ± 0.3	4.4 ± 0.4	2.4 ± 0.2	1.22 ± 0.08	1.47 ± 0.10	1.56 ± 0.07	1.0 ± 0.1	2.3 ± 0.2	W Africa F	S E Asia M
15	4.1 ± 0.3	2.7 ± 0.2	3.2 ± 0.3	3.4 ± 0.2	3.0 ± 0.3	4.6 ± 0.4	2.4 ± 0.2	1.40 ± 0.08	1.4 ± 0.1	1.7 ± 0.1	1.3 ± 0.1	2.4 ± 0.3	W Africa F	S E Asia M
16	4.3 ± 0.3	3.1 ± 0.2	3.4 ± 0.3	3.9 ± 0.2	3.9 ± 0.4	5.1 ± 0.5	2.5 ± 0.2	1.65 ± 0.08	1.5 ± 0.2	1.8 ± 0.1	1.6 ± 0.2	2.6 ± 0.3	W Africa F	E Europe M
17	4.5 ± 0.4	3.6 ± 0.2	4.1 ± 0.4	4.2 ± 0.2	4.2 ± 0.4	4.9 ± 0.4	2.4 ± 0.2	2.2 ± 0.1	1.4 ± 0.1	2.0 ± 0.1	2.0 ± 0.2	2.9 ± 0.3	W Africa F	E Europe M
18	4.3 ± 0.3	3.8 ± 0.1	4.3 ± 0.3	4.4 ± 0.2	4.6 ± 0.3	5.5 ± 0.4	2.7 ± 0.2	2.50 ± 0.09	2.0 ± 0.2	2.4 ± 0.1	2.6 ± 0.2	2.9 ± 0.2	W Africa F	E Europe M
19	4.7 ± 0.3	4.3 ± 0.1	4.7 ± 0.3	4.7 ± 0.2	5.0 ± 0.2	5.5 ± 0.4	2.8 ± 0.2	2.97 ± 0.10	2.3 ± 0.2	2.8 ± 0.1	2.9 ± 0.2	3.3 ± 0.3	W Africa F	E Europe M
20	4.9 ± 0.3	4.6 ± 0.1	4.7 ± 0.2	4.9 ± 0.2	5.2 ± 0.2	5.4 ± 0.3	3.2 ± 0.2	3.22 ± 0.10	2.6 ± 0.2	3.1 ± 0.1	3.3 ± 0.2	3.6 ± 0.3	W Africa F	E Europe M
21	5.1 ± 0.3	4.7 ± 0.1	4.6 ± 0.2	5.1 ± 0.1	5.4 ± 0.2	5.8 ± 0.3	3.2 ± 0.2	3.34 ± 0.09	2.7 ± 0.2	3.3 ± 0.1	3.5 ± 0.2	3.7 ± 0.3	W Africa F	E Europe M
22	5.2 ± 0.3	4.8 ± 0.1	4.5 ± 0.2	5.0 ± 0.1	5.5 ± 0.2	5.5 ± 0.3	3.9 ± 0.2	3.44 ± 0.09	2.6 ± 0.1	3.3 ± 0.1	3.4 ± 0.1	3.7 ± 0.2	S E Asia F	E Europe M
23	5.2 ± 0.2	4.8 ± 0.1	4.2 ± 0.1	5.1 ± 0.1	5.4 ± 0.2	5.6 ± 0.3	3.9 ± 0.2	3.38 ± 0.10	2.4 ± 0.1	3.4 ± 0.1	3.5 ± 0.1	4.1 ± 0.2	W Africa F	E Europe M
24	5.5 ± 0.3	4.7 ± 0.1	4.0 ± 0.1	5.1 ± 0.1	5.4 ± 0.1	5.5 ± 0.3	3.7 ± 0.2	3.27 ± 0.09	2.28 ± 0.10	3.4 ± 0.1	3.5 ± 0.1	3.7 ± 0.2	W Africa F	E Europe M
25	5.3 ± 0.2	4.7 ± 0.1	3.8 ± 0.1	4.9 ± 0.1	5.4 ± 0.1	5.3 ± 0.3	3.8 ± 0.2	3.17 ± 0.09	2.1 ± 0.1	3.29 ± 0.10	3.5 ± 0.2	3.9 ± 0.2	S E Asia F	E Europe M
26	5.4 ± 0.2	4.68 ± 0.10	3.5 ± 0.1	4.78 ± 0.10	5.4 ± 0.1	5.3 ± 0.2	3.8 ± 0.2	2.93 ± 0.09	1.9 ± 0.1	3.29 ± 0.09	3.4 ± 0.1	3.8 ± 0.2	S E Asia F	E Europe M
27	5.7 ± 0.2	4.67 ± 0.09	3.4 ± 0.1	4.62 ± 0.09	5.1 ± 0.1	5.5 ± 0.2	3.7 ± 0.2	2.94 ± 0.09	1.93 ± 0.09	3.09 ± 0.08	3.5 ± 0.2	3.8 ± 0.2	E Africa F	E Europe M
28	5.4 ± 0.2	4.54 ± 0.09	3.2 ± 0.1	4.63 ± 0.09	5.2 ± 0.1	5.2 ± 0.2	3.5 ± 0.2	3.0 ± 0.1	1.99 ± 0.09	3.14 ± 0.08	3.4 ± 0.2	3.6 ± 0.2	E Africa F	E Europe M
29	5.7 ± 0.2	4.57 ± 0.09	3.2 ± 0.1	4.50 ± 0.09	5.2 ± 0.1	5.4 ± 0.2	3.7 ± 0.2	2.90 ± 0.10	2.00 ± 0.09	3.09 ± 0.07	3.3 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
30	5.5 ± 0.2	4.59 ± 0.08	3.2 ± 0.1	4.46 ± 0.09	5.2 ± 0.1	5.3 ± 0.2	3.8 ± 0.2	3.06 ± 0.09	2.03 ± 0.09	3.18 ± 0.07	3.5 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
31	5.5 ± 0.2	4.55 ± 0.08	3.2 ± 0.1	4.34 ± 0.09	5.2 ± 0.1	5.2 ± 0.2	3.8 ± 0.2	3.02 ± 0.09	2.20 ± 0.09	3.16 ± 0.07	3.5 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
32	5.7 ± 0.2	4.46 ± 0.08	3.2 ± 0.1	4.26 ± 0.08	4.9 ± 0.1	5.5 ± 0.2	3.9 ± 0.2	3.25 ± 0.09	2.32 ± 0.10	3.21 ± 0.06	3.7 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
33	5.5 ± 0.2	4.40 ± 0.08	3.2 ± 0.1	4.21 ± 0.08	4.9 ± 0.1	5.2 ± 0.2	4.0 ± 0.2	3.33 ± 0.09	2.41 ± 0.10	3.19 ± 0.07	3.4 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
34	5.5 ± 0.2	4.28 ± 0.08	3.2 ± 0.1	4.00 ± 0.08	4.8 ± 0.1	5.3 ± 0.2	3.9 ± 0.2	3.38 ± 0.09	2.40 ± 0.10	3.26 ± 0.07	3.6 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
35	5.7 ± 0.2	4.12 ± 0.08	3.2 ± 0.1	3.84 ± 0.08	4.5 ± 0.1	5.0 ± 0.2	4.1 ± 0.2	3.44 ± 0.09	2.4 ± 0.1	3.25 ± 0.07	3.7 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
36	5.3 ± 0.2	4.00 ± 0.08	3.1 ± 0.1	3.75 ± 0.08	4.4 ± 0.1	5.1 ± 0.2	4.1 ± 0.2	3.43 ± 0.09	2.5 ± 0.1	3.21 ± 0.07	3.8 ± 0.2	4.0 ± 0.2	E Africa F	E Europe M
37	5.3 ± 0.2	3.84 ± 0.07	3.2 ± 0.1	3.75 ± 0.08	4.2 ± 0.1	5.1 ± 0.2	4.1 ± 0.2	3.36 ± 0.09	2.5 ± 0.1	3.23 ± 0.07	3.5 ± 0.2	4.1 ± 0.2	E Africa F	E Europe M
38	5.0 ± 0.2	3.71 ± 0.07	3.0 ± 0.1	3.62 ± 0.09	4.1 ± 0.1	4.9 ± 0.2	3.9 ± 0.2	3.30 ± 0.09	2.5 ± 0.1	3.10 ± 0.07	3.6 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
39	4.7 ± 0.2	3.54 ± 0.07	3.0 ± 0.1	3.43 ± 0.09	3.9 ± 0.1	4.8 ± 0.2	3.9 ± 0.2	3.24 ± 0.08	2.6 ± 0.1	3.06 ± 0.07	3.6 ± 0.2	3.9 ± 0.2	W Africa F	E Europe M
40	4.5 ± 0.2	3.42 ± 0.07	3.0 ± 0.1	3.30 ± 0.09	3.8 ± 0.1	4.6 ± 0.2	3.8 ± 0.2	3.11 ± 0.08	2.6 ± 0.1	3.09 ± 0.07	3.4 ± 0.2	3.8 ± 0.2	W Africa F	E Europe M
41	4.5 ± 0.3	3.26 ± 0.07	3.0 ± 0.1	3.22 ± 0.10	3.6 ± 0.1	4.5 ± 0.2	3.8 ± 0.2	3.06 ± 0.08	2.5 ± 0.1	2.97 ± 0.07	3.4 ± 0.2	4.0 ± 0.2	W Africa F	E Europe M
42	4.8 ± 0.3	3.24 ± 0.07	3.1 ± 0.1	3.4 ± 0.1	3.3 ± 0.1	4.4 ± 0.2	3.7 ± 0.2	2.97 ± 0.08	2.7 ± 0.1	3.04 ± 0.08	3.3 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
43	4.5 ± 0.3	3.13 ± 0.07	3.0 ± 0.1	3.2 ± 0.1	3.4 ± 0.1	4.4 ± 0.2	3.8 ± 0.2	2.99 ± 0.08	2.7 ± 0.1	3.03 ± 0.08	3.4 ± 0.2	3.9 ± 0.2	E Africa F	E Europe M
44	4.6 ± 0.3	2.99 ± 0.06	3.0 ± 0.2	3.3 ± 0.1	3.3 ± 0.1	4.4 ± 0.3	3.6 ± 0.2	2.95 ± 0.08	2.9 ± 0.1	3.05 ± 0.09	3.4 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
45	4.2 ± 0.3	2.97 ± 0.06	2.9 ± 0.1	3.2 ± 0.1	3.2 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	2.84 ± 0.08	2.9 ± 0.2	3.08 ± 0.09	3.2 ± 0.1	3.9 ± 0.2	W Africa F	E Asia M
46	4.3 ± 0.3	2.91 ± 0.07	3.2 ± 0.2	3.2 ± 0.1	3.2 ± 0.1	4.2 ± 0.3	3.6 ± 0.2	2.72 ± 0.08	3.0 ± 0.2	3.05 ± 0.10	3.3 ± 0.2	3.7 ± 0.2	E Africa F	E Asia M
47	4.1 ± 0.3	2.83 ± 0.07	3.3 ± 0.2	3.1 ± 0.1	3.1 ± 0.1	4.3 ± 0.3	3.6 ± 0.2	2.65 ± 0.08	2.9 ± 0.2	3.2 ± 0.1	3.3 ± 0.2	3.9 ± 0.2	W Africa F	E Asia M
48	4.3 ± 0.4	2.69 ± 0.07	3.1 ± 0.1	3.2 ± 0.1	3.0 ± 0.1	4.2 ± 0.3	3.9 ± 0.3	2.54 ± 0.07	3.1 ± 0.2	3.0 ± 0.1	3.0 ± 0.2	3.9 ± 0.2	E Africa F	E Asia M
49	4.1 ± 0.3	2.69 ± 0.07	3.1 ± 0.2	3.1 ± 0.1	3.0 ± 0.1	4.1 ± 0.3	3.7 ± 0.3	2.59 ± 0.08	3.0 ± 0.2	3.0 ± 0.1	3.0 ± 0.2	3.5 ± 0.2	W Africa F	E Asia M
50	4.4 ± 0.4	2.68 ± 0.07	3.1 ± 0.2	3.1 ± 0.1	3.0 ± 0.1	4.2 ± 0.3	3.3 ± 0.3	2.52 ± 0.08	3.0 ± 0.2	3.0 ± 0.1	3.1 ± 0.2	3.6 ± 0.2	E Africa F	E Asia M
51	4.2 ± 0.3	2.65 ± 0.08	3.2 ± 0.2	3.1 ± 0.1	3.0 ± 0.1	4.6 ± 0.3	3.7 ± 0.3	2.43 ± 0.08	3.0 ± 0.2	3.1 ± 0.1	3.0 ± 0.2	3.9 ± 0.2	W Africa F	E Asia M
52	4.4 ± 0.4	2.59 ± 0.07	3.2 ± 0.2	3.3 ± 0.1	3.1 ± 0.1	4.5 ± 0.3	3.5 ± 0.3	2.46 ± 0.08	3.2 ± 0.2	3.0 ± 0.1	3.0 ± 0.2	3.9 ± 0.2	W Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 157. *Mean absolute error for Application-type images for algorithm yoti-002. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.2 ± 0.2	2.7 ± 0.1	1.7 ± 0.1	2.8 ± 0.1	2.8 ± 0.3	3.4 ± 0.3	2.3 ± 0.1	1.22 ± 0.08	1.14 ± 0.08	1.48 ± 0.07	1.1 ± 0.1	2.1 ± 0.2	W Africa F	S E Asia M
15	3.3 ± 0.2	3.0 ± 0.1	1.8 ± 0.2	3.3 ± 0.2	3.2 ± 0.3	3.3 ± 0.3	2.3 ± 0.1	1.45 ± 0.07	0.98 ± 0.09	1.55 ± 0.07	1.4 ± 0.1	2.2 ± 0.2	S Asia F	E Europe M
16	3.2 ± 0.3	3.5 ± 0.2	2.0 ± 0.2	3.5 ± 0.2	4.0 ± 0.4	3.9 ± 0.5	2.2 ± 0.2	1.65 ± 0.08	1.1 ± 0.2	1.74 ± 0.10	1.7 ± 0.2	1.9 ± 0.2	S E Asia F	E Europe M
17	3.4 ± 0.3	3.7 ± 0.2	2.3 ± 0.3	3.6 ± 0.2	4.0 ± 0.3	3.6 ± 0.4	2.2 ± 0.2	2.1 ± 0.1	1.3 ± 0.1	2.0 ± 0.1	2.1 ± 0.2	2.3 ± 0.3	S E Asia F	E Europe M
18	3.0 ± 0.2	3.7 ± 0.1	2.7 ± 0.2	3.7 ± 0.1	4.1 ± 0.2	3.9 ± 0.3	2.3 ± 0.2	2.48 ± 0.08	1.9 ± 0.1	2.31 ± 0.10	2.5 ± 0.2	2.3 ± 0.2	S E Asia F	E Europe M
19	3.7 ± 0.3	3.9 ± 0.1	3.0 ± 0.2	3.9 ± 0.1	4.4 ± 0.2	4.2 ± 0.3	2.7 ± 0.2	2.86 ± 0.09	2.2 ± 0.1	2.6 ± 0.1	2.9 ± 0.2	2.9 ± 0.3	S E Asia F	E Europe M
20	3.7 ± 0.3	4.0 ± 0.1	3.2 ± 0.2	4.1 ± 0.1	4.5 ± 0.2	4.2 ± 0.3	3.0 ± 0.2	3.02 ± 0.09	2.4 ± 0.2	2.9 ± 0.1	3.1 ± 0.1	3.1 ± 0.3	S E Asia F	E Europe M
21	3.9 ± 0.2	3.9 ± 0.1	3.3 ± 0.1	4.2 ± 0.1	4.4 ± 0.1	4.6 ± 0.3	3.3 ± 0.2	3.16 ± 0.09	2.5 ± 0.1	3.1 ± 0.1	3.3 ± 0.1	3.5 ± 0.3	W Africa F	E Europe M
22	4.3 ± 0.2	3.74 ± 0.10	3.2 ± 0.1	4.1 ± 0.1	4.3 ± 0.1	4.4 ± 0.2	4.0 ± 0.2	3.08 ± 0.09	2.5 ± 0.1	3.2 ± 0.1	3.2 ± 0.1	3.4 ± 0.2	W Africa F	E Europe M
23	4.4 ± 0.2	3.59 ± 0.09	3.0 ± 0.1	4.07 ± 0.09	4.2 ± 0.1	4.7 ± 0.2	3.9 ± 0.2	2.94 ± 0.08	2.3 ± 0.1	3.17 ± 0.09	3.0 ± 0.1	3.9 ± 0.2	W Africa F	E Europe M
24	4.6 ± 0.2	3.41 ± 0.08	2.65 ± 0.08	3.80 ± 0.08	4.0 ± 0.1	4.5 ± 0.2	3.7 ± 0.2	2.77 ± 0.08	2.08 ± 0.09	3.05 ± 0.09	2.9 ± 0.1	3.9 ± 0.2	E Africa F	E Europe M
25	4.6 ± 0.2	3.33 ± 0.08	2.40 ± 0.08	3.58 ± 0.08	3.9 ± 0.1	4.5 ± 0.2	3.9 ± 0.2	2.64 ± 0.09	1.84 ± 0.09	2.88 ± 0.08	2.8 ± 0.1	4.1 ± 0.2	E Africa F	E Europe M
26	4.4 ± 0.2	3.21 ± 0.08	2.14 ± 0.08	3.32 ± 0.07	3.8 ± 0.1	4.2 ± 0.2	3.7 ± 0.2	2.35 ± 0.08	1.68 ± 0.09	2.75 ± 0.07	2.6 ± 0.1	4.0 ± 0.2	E Africa F	E Europe M
27	4.4 ± 0.2	3.18 ± 0.07	2.09 ± 0.08	3.12 ± 0.07	3.6 ± 0.1	4.6 ± 0.2	3.7 ± 0.2	2.30 ± 0.08	1.61 ± 0.08	2.57 ± 0.07	2.7 ± 0.1	3.9 ± 0.2	W Africa F	E Europe M
28	4.5 ± 0.2	3.10 ± 0.07	2.03 ± 0.07	3.11 ± 0.07	3.6 ± 0.1	4.2 ± 0.2	3.6 ± 0.2	2.37 ± 0.09	1.67 ± 0.08	2.57 ± 0.07	2.6 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
29	4.5 ± 0.2	3.12 ± 0.07	2.11 ± 0.07	3.00 ± 0.07	3.8 ± 0.1	4.3 ± 0.2	3.6 ± 0.2	2.37 ± 0.08	1.79 ± 0.08	2.51 ± 0.06	2.6 ± 0.1	4.1 ± 0.2	E Africa F	E Europe M
30	4.6 ± 0.2	3.25 ± 0.06	2.29 ± 0.07	2.98 ± 0.06	3.7 ± 0.1	4.2 ± 0.2	3.8 ± 0.2	2.50 ± 0.08	1.87 ± 0.07	2.59 ± 0.06	2.8 ± 0.1	4.1 ± 0.1	E Africa F	E Europe M
31	4.4 ± 0.2	3.27 ± 0.06	2.49 ± 0.07	2.96 ± 0.06	3.69 ± 0.10	4.2 ± 0.2	3.7 ± 0.2	2.60 ± 0.08	2.11 ± 0.08	2.62 ± 0.06	2.9 ± 0.1	4.0 ± 0.1	E Africa F	E Europe M
32	4.5 ± 0.2	3.27 ± 0.06	2.58 ± 0.08	3.03 ± 0.07	3.7 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	2.77 ± 0.08	2.28 ± 0.09	2.70 ± 0.05	3.0 ± 0.1	4.1 ± 0.1	E Africa F	E Europe M
33	4.4 ± 0.2	3.27 ± 0.06	2.69 ± 0.09	3.05 ± 0.07	3.6 ± 0.1	4.1 ± 0.2	3.9 ± 0.2	2.89 ± 0.08	2.30 ± 0.09	2.68 ± 0.05	2.9 ± 0.1	4.0 ± 0.1	E Africa F	E Europe M
34	4.3 ± 0.2	3.29 ± 0.06	2.78 ± 0.09	2.98 ± 0.07	3.45 ± 0.10	4.0 ± 0.2	3.7 ± 0.2	3.02 ± 0.08	2.33 ± 0.09	2.79 ± 0.06	3.1 ± 0.1	4.0 ± 0.1	E Africa F	E Europe M
35	4.5 ± 0.2	3.20 ± 0.06	2.86 ± 0.09	2.98 ± 0.06	3.4 ± 0.1	3.8 ± 0.2	3.8 ± 0.2	3.10 ± 0.08	2.4 ± 0.1	2.75 ± 0.06	3.1 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
36	4.3 ± 0.2	3.04 ± 0.06	2.74 ± 0.09	2.96 ± 0.07	3.3 ± 0.1	3.9 ± 0.2	3.7 ± 0.2	3.11 ± 0.08	2.5 ± 0.1	2.76 ± 0.06	3.3 ± 0.2	3.9 ± 0.1	E Africa F	E Europe M
37	4.3 ± 0.2	2.96 ± 0.06	2.8 ± 0.1	3.05 ± 0.07	3.2 ± 0.1	4.0 ± 0.2	3.7 ± 0.2	3.05 ± 0.08	2.4 ± 0.1	2.76 ± 0.06	3.0 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
38	4.1 ± 0.2	2.85 ± 0.06	2.7 ± 0.1	3.05 ± 0.07	3.06 ± 0.10	3.7 ± 0.2	3.5 ± 0.2	3.04 ± 0.08	2.4 ± 0.1	2.71 ± 0.06	3.2 ± 0.2	3.5 ± 0.1	E Africa F	E Europe M
39	4.0 ± 0.2	2.71 ± 0.06	2.7 ± 0.1	3.05 ± 0.08	2.9 ± 0.1	3.7 ± 0.2	3.5 ± 0.2	3.01 ± 0.08	2.4 ± 0.1	2.69 ± 0.06	3.1 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
40	4.0 ± 0.2	2.62 ± 0.06	2.6 ± 0.1	3.05 ± 0.09	3.0 ± 0.1	3.7 ± 0.2	3.4 ± 0.2	2.95 ± 0.08	2.4 ± 0.1	2.73 ± 0.06	2.9 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
41	4.1 ± 0.3	2.56 ± 0.06	2.7 ± 0.1	3.15 ± 0.09	2.8 ± 0.1	3.8 ± 0.2	3.3 ± 0.2	2.86 ± 0.08	2.4 ± 0.1	2.66 ± 0.07	2.9 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
42	4.4 ± 0.3	2.52 ± 0.06	2.7 ± 0.1	3.2 ± 0.1	2.7 ± 0.1	3.8 ± 0.2	3.3 ± 0.2	2.84 ± 0.08	2.4 ± 0.1	2.71 ± 0.07	3.0 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
43	4.1 ± 0.3	2.51 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	2.88 ± 0.08	2.5 ± 0.1	2.70 ± 0.08	3.0 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
44	4.4 ± 0.3	2.53 ± 0.06	2.7 ± 0.1	3.3 ± 0.1	2.9 ± 0.1	3.9 ± 0.2	3.2 ± 0.2	2.81 ± 0.08	2.6 ± 0.1	2.77 ± 0.09	3.2 ± 0.2	3.2 ± 0.2	E Africa F	E Asia F
45	4.4 ± 0.3	2.52 ± 0.06	2.7 ± 0.1	3.3 ± 0.1	2.8 ± 0.1	3.7 ± 0.2	3.4 ± 0.2	2.83 ± 0.07	2.7 ± 0.1	2.85 ± 0.09	3.2 ± 0.2	3.3 ± 0.2	E Africa F	E Asia F
46	4.5 ± 0.3	2.59 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	4.0 ± 0.3	3.4 ± 0.2	2.74 ± 0.07	2.8 ± 0.1	2.79 ± 0.09	3.1 ± 0.2	3.4 ± 0.2	E Africa F	E Asia F
47	4.0 ± 0.3	2.60 ± 0.06	2.9 ± 0.2	3.4 ± 0.1	2.9 ± 0.1	4.0 ± 0.2	3.5 ± 0.2	2.68 ± 0.08	2.7 ± 0.2	3.1 ± 0.1	3.3 ± 0.2	3.5 ± 0.2	E Africa F	E Asia F
48	4.6 ± 0.4	2.56 ± 0.06	2.8 ± 0.1	3.5 ± 0.1	2.8 ± 0.1	4.2 ± 0.3	3.9 ± 0.3	2.54 ± 0.07	2.8 ± 0.2	2.9 ± 0.1	3.1 ± 0.2	3.6 ± 0.2	E Africa F	E Asia M
49	4.5 ± 0.4	2.61 ± 0.07	2.8 ± 0.1	3.5 ± 0.1	2.9 ± 0.1	4.4 ± 0.3	3.6 ± 0.3	2.53 ± 0.07	2.7 ± 0.2	2.9 ± 0.1	3.0 ± 0.2	3.4 ± 0.2	E Africa F	E Asia M
50	4.5 ± 0.4	2.62 ± 0.07	2.7 ± 0.1	3.3 ± 0.1	2.9 ± 0.1	4.5 ± 0.3	3.3 ± 0.3	2.47 ± 0.07	2.8 ± 0.2	3.0 ± 0.1	3.2 ± 0.2	3.4 ± 0.2	E Africa F	E Asia M
51	4.6 ± 0.4	2.63 ± 0.07	2.9 ± 0.2	3.5 ± 0.1	2.9 ± 0.1	4.6 ± 0.3	3.9 ± 0.3	2.34 ± 0.07	2.8 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	3.5 ± 0.2	W Africa F	E Asia M
52	4.7 ± 0.4	2.62 ± 0.07	3.0 ± 0.1	3.6 ± 0.2	2.9 ± 0.1	4.6 ± 0.3	3.7 ± 0.3	2.27 ± 0.07	2.9 ± 0.2	3.2 ± 0.1	2.8 ± 0.2	3.8 ± 0.2	E Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 158. *Mean absolute error for Application-type images for algorithm yoti-003. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.3 ± 0.2	2.7 ± 0.1	1.6 ± 0.1	2.9 ± 0.1	3.2 ± 0.3	3.6 ± 0.3	2.3 ± 0.1	1.53 ± 0.09	0.96 ± 0.08	1.56 ± 0.07	1.4 ± 0.1	2.1 ± 0.2	W Africa F	E Europe M
15	3.3 ± 0.3	3.0 ± 0.2	1.5 ± 0.2	3.2 ± 0.2	3.4 ± 0.3	3.2 ± 0.3	1.9 ± 0.2	1.62 ± 0.09	0.84 ± 0.07	1.35 ± 0.08	1.5 ± 0.1	2.0 ± 0.2	S E Asia F	E Europe M
16	3.2 ± 0.3	3.3 ± 0.2	1.7 ± 0.2	3.1 ± 0.2	3.7 ± 0.3	3.7 ± 0.5	1.7 ± 0.2	1.66 ± 0.09	1.0 ± 0.2	1.42 ± 0.09	1.6 ± 0.2	1.6 ± 0.2	S E Asia F	E Europe M
17	3.4 ± 0.3	3.5 ± 0.2	1.9 ± 0.2	3.3 ± 0.2	3.9 ± 0.3	3.4 ± 0.3	1.5 ± 0.2	1.9 ± 0.1	1.1 ± 0.1	1.6 ± 0.1	2.0 ± 0.2	1.8 ± 0.3	S E Asia F	E Europe M
18	3.0 ± 0.2	3.5 ± 0.1	2.4 ± 0.2	3.3 ± 0.1	3.9 ± 0.2	3.4 ± 0.3	1.8 ± 0.2	2.11 ± 0.08	1.6 ± 0.1	1.93 ± 0.10	2.1 ± 0.2	2.0 ± 0.2	S E Asia F	E Europe M
19	3.9 ± 0.3	3.7 ± 0.1	2.8 ± 0.2	3.6 ± 0.1	4.1 ± 0.2	3.8 ± 0.3	2.3 ± 0.2	2.48 ± 0.09	1.9 ± 0.1	2.25 ± 0.10	2.4 ± 0.1	2.7 ± 0.3	S E Asia F	E Europe M
20	4.1 ± 0.3	3.9 ± 0.1	2.8 ± 0.2	3.7 ± 0.1	4.3 ± 0.2	4.0 ± 0.3	2.8 ± 0.2	2.66 ± 0.09	2.2 ± 0.1	2.6 ± 0.1	2.7 ± 0.1	2.9 ± 0.3	S E Asia F	E Europe M
21	4.3 ± 0.2	3.9 ± 0.1	3.0 ± 0.1	3.9 ± 0.1	4.3 ± 0.1	4.4 ± 0.3	3.0 ± 0.2	2.77 ± 0.09	2.3 ± 0.1	2.87 ± 0.10	2.9 ± 0.1	3.3 ± 0.3	W Africa F	E Europe M
22	4.5 ± 0.2	3.72 ± 0.10	3.0 ± 0.1	3.84 ± 0.10	4.1 ± 0.1	4.1 ± 0.2	3.8 ± 0.2	2.78 ± 0.09	2.3 ± 0.1	3.0 ± 0.1	2.8 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
23	4.7 ± 0.2	3.61 ± 0.09	2.8 ± 0.1	3.83 ± 0.09	4.1 ± 0.1	4.3 ± 0.2	3.8 ± 0.2	2.73 ± 0.08	2.1 ± 0.1	3.01 ± 0.09	2.9 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
24	4.8 ± 0.2	3.45 ± 0.08	2.53 ± 0.08	3.65 ± 0.08	3.83 ± 0.10	4.4 ± 0.2	3.7 ± 0.2	2.69 ± 0.08	1.99 ± 0.09	3.04 ± 0.09	2.9 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
25	4.6 ± 0.2	3.37 ± 0.07	2.27 ± 0.08	3.44 ± 0.07	3.7 ± 0.1	4.4 ± 0.2	3.9 ± 0.2	2.60 ± 0.08	1.80 ± 0.09	2.95 ± 0.08	2.8 ± 0.1	4.0 ± 0.2	E Africa F	E Europe M
26	4.5 ± 0.2	3.29 ± 0.07	2.04 ± 0.07	3.26 ± 0.07	3.7 ± 0.1	4.1 ± 0.2	3.8 ± 0.2	2.43 ± 0.08	1.63 ± 0.09	2.91 ± 0.07	2.7 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
27	4.4 ± 0.2	3.13 ± 0.07	2.08 ± 0.08	3.10 ± 0.06	3.5 ± 0.1	4.4 ± 0.2	3.7 ± 0.2	2.40 ± 0.08	1.56 ± 0.08	2.74 ± 0.07	2.8 ± 0.1	3.8 ± 0.2	W Africa F	E Europe M
28	4.3 ± 0.2	3.03 ± 0.06	2.02 ± 0.07	3.07 ± 0.07	3.42 ± 0.10	4.2 ± 0.2	3.5 ± 0.2	2.46 ± 0.08	1.70 ± 0.08	2.75 ± 0.07	2.8 ± 0.1	3.8 ± 0.2	E Africa F	E Europe M
29	4.4 ± 0.2	2.97 ± 0.06	2.15 ± 0.07	3.01 ± 0.06	3.46 ± 0.10	4.2 ± 0.2	3.6 ± 0.2	2.39 ± 0.07	1.77 ± 0.07	2.69 ± 0.06	2.6 ± 0.1	4.0 ± 0.2	E Africa F	E Europe M
30	4.3 ± 0.2	3.00 ± 0.06	2.32 ± 0.07	2.99 ± 0.06	3.37 ± 0.10	4.1 ± 0.2	3.8 ± 0.2	2.44 ± 0.07	1.91 ± 0.08	2.72 ± 0.06	2.9 ± 0.1	4.0 ± 0.1	E Africa F	E Europe M
31	4.2 ± 0.2	2.99 ± 0.06	2.51 ± 0.07	2.96 ± 0.06	3.36 ± 0.09	4.1 ± 0.2	3.7 ± 0.1	2.48 ± 0.07	2.06 ± 0.08	2.73 ± 0.06	2.8 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
32	4.4 ± 0.2	2.93 ± 0.06	2.60 ± 0.07	3.02 ± 0.06	3.39 ± 0.10	4.2 ± 0.2	3.7 ± 0.2	2.61 ± 0.07	2.23 ± 0.09	2.74 ± 0.05	2.9 ± 0.1	3.9 ± 0.1	E Africa F	E Europe M
33	4.2 ± 0.2	2.90 ± 0.06	2.71 ± 0.08	2.95 ± 0.06	3.31 ± 0.09	4.2 ± 0.2	3.8 ± 0.2	2.67 ± 0.07	2.23 ± 0.09	2.71 ± 0.06	2.8 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
34	4.2 ± 0.2	2.97 ± 0.06	2.71 ± 0.09	2.91 ± 0.06	3.20 ± 0.10	4.1 ± 0.2	3.6 ± 0.2	2.77 ± 0.07	2.29 ± 0.09	2.74 ± 0.06	3.0 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
35	4.3 ± 0.2	2.85 ± 0.06	2.75 ± 0.09	2.80 ± 0.06	3.20 ± 0.09	4.0 ± 0.2	3.6 ± 0.2	2.87 ± 0.08	2.3 ± 0.1	2.73 ± 0.06	3.1 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
36	4.1 ± 0.2	2.77 ± 0.06	2.67 ± 0.09	2.75 ± 0.06	3.09 ± 0.10	4.0 ± 0.2	3.6 ± 0.2	2.85 ± 0.08	2.4 ± 0.1	2.67 ± 0.06	3.2 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
37	4.0 ± 0.2	2.71 ± 0.06	2.71 ± 0.10	2.91 ± 0.07	2.9 ± 0.1	4.0 ± 0.2	3.6 ± 0.2	2.87 ± 0.08	2.3 ± 0.1	2.64 ± 0.06	3.0 ± 0.1	3.5 ± 0.1	W Africa F	E Europe M
38	4.0 ± 0.2	2.70 ± 0.06	2.60 ± 0.10	2.80 ± 0.07	2.9 ± 0.1	4.0 ± 0.2	3.4 ± 0.2	2.91 ± 0.08	2.3 ± 0.1	2.58 ± 0.06	3.2 ± 0.2	3.4 ± 0.1	W Africa F	E Europe M
39	3.9 ± 0.2	2.68 ± 0.06	2.5 ± 0.1	2.76 ± 0.08	2.83 ± 0.10	3.8 ± 0.2	3.5 ± 0.2	2.92 ± 0.08	2.3 ± 0.1	2.54 ± 0.06	3.2 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
40	3.9 ± 0.2	2.62 ± 0.06	2.5 ± 0.1	2.79 ± 0.08	2.9 ± 0.1	3.7 ± 0.2	3.3 ± 0.2	2.92 ± 0.08	2.3 ± 0.1	2.63 ± 0.06	3.1 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
41	3.9 ± 0.2	2.62 ± 0.06	2.5 ± 0.1	2.87 ± 0.09	2.8 ± 0.1	3.7 ± 0.2	3.4 ± 0.2	2.89 ± 0.07	2.3 ± 0.1	2.54 ± 0.06	3.0 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
42	4.1 ± 0.2	2.63 ± 0.06	2.6 ± 0.1	2.9 ± 0.1	2.6 ± 0.1	3.6 ± 0.2	3.3 ± 0.2	2.90 ± 0.07	2.3 ± 0.1	2.59 ± 0.07	3.1 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
43	3.9 ± 0.3	2.65 ± 0.06	2.6 ± 0.1	2.89 ± 0.10	2.9 ± 0.1	3.7 ± 0.2	3.3 ± 0.2	2.94 ± 0.07	2.5 ± 0.1	2.58 ± 0.07	3.2 ± 0.1	3.5 ± 0.2	E Africa F	E Europe M
44	4.1 ± 0.3	2.66 ± 0.06	2.7 ± 0.1	3.0 ± 0.1	2.9 ± 0.1	3.8 ± 0.2	3.4 ± 0.2	2.91 ± 0.08	2.5 ± 0.1	2.63 ± 0.08	3.3 ± 0.2	3.5 ± 0.2	E Africa F	E Europe M
45	4.0 ± 0.3	2.63 ± 0.06	2.6 ± 0.1	3.0 ± 0.1	2.8 ± 0.1	3.5 ± 0.2	3.6 ± 0.2	2.91 ± 0.08	2.5 ± 0.1	2.70 ± 0.09	3.1 ± 0.2	3.5 ± 0.2	E Africa F	E Europe M
46	4.1 ± 0.3	2.69 ± 0.06	2.7 ± 0.1	2.9 ± 0.1	2.8 ± 0.1	3.8 ± 0.2	3.5 ± 0.2	2.77 ± 0.07	2.7 ± 0.1	2.70 ± 0.09	3.2 ± 0.2	3.6 ± 0.2	E Africa F	E Europe M
47	4.1 ± 0.3	2.64 ± 0.06	2.9 ± 0.2	3.0 ± 0.1	2.8 ± 0.1	3.8 ± 0.2	3.5 ± 0.2	2.73 ± 0.08	2.6 ± 0.1	2.9 ± 0.1	3.3 ± 0.2	3.7 ± 0.2	E Africa F	E Europe M
48	4.3 ± 0.3	2.50 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	2.7 ± 0.1	3.6 ± 0.2	3.7 ± 0.3	2.55 ± 0.07	2.7 ± 0.2	2.9 ± 0.1	3.1 ± 0.2	3.7 ± 0.2	E Africa F	E Asia F
49	4.2 ± 0.3	2.52 ± 0.06	2.8 ± 0.1	3.1 ± 0.1	2.8 ± 0.1	3.9 ± 0.2	3.5 ± 0.3	2.61 ± 0.08	2.7 ± 0.2	2.9 ± 0.1	3.0 ± 0.2	3.5 ± 0.2	E Africa F	E Asia F
50	4.4 ± 0.4	2.50 ± 0.07	2.7 ± 0.1	3.0 ± 0.1	2.8 ± 0.1	3.9 ± 0.2	3.4 ± 0.3	2.48 ± 0.07	2.8 ± 0.2	3.0 ± 0.1	3.2 ± 0.2	3.7 ± 0.2	E Africa F	E Asia M
51	4.2 ± 0.3	2.49 ± 0.07	2.7 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	4.1 ± 0.3	3.8 ± 0.3	2.40 ± 0.07	2.8 ± 0.2	3.2 ± 0.1	3.0 ± 0.2	3.7 ± 0.2	E Africa F	E Asia M
52	4.2 ± 0.3	2.47 ± 0.07	3.0 ± 0.1	3.2 ± 0.1	2.8 ± 0.1	4.1 ± 0.3	3.5 ± 0.3	2.31 ± 0.07	2.9 ± 0.2	3.2 ± 0.1	2.9 ± 0.2	3.9 ± 0.2	E Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 159. *Mean absolute error for Application-type images for algorithm yoti-004. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.5 ± 0.2	2.8 ± 0.1	1.8 ± 0.1	3.0 ± 0.1	3.0 ± 0.2	3.7 ± 0.3	2.3 ± 0.1	1.26 ± 0.07	1.05 ± 0.09	1.50 ± 0.07	1.3 ± 0.1	2.3 ± 0.2	W Africa F	E Europe M
15	3.5 ± 0.2	3.1 ± 0.1	1.8 ± 0.2	3.5 ± 0.2	3.5 ± 0.3	3.5 ± 0.3	2.2 ± 0.2	1.48 ± 0.07	0.93 ± 0.09	1.45 ± 0.08	1.6 ± 0.1	2.4 ± 0.2	W Africa F	E Europe M
16	3.4 ± 0.2	3.5 ± 0.1	2.0 ± 0.2	3.4 ± 0.2	3.8 ± 0.3	3.8 ± 0.4	2.2 ± 0.2	1.70 ± 0.07	1.1 ± 0.2	1.69 ± 0.09	1.8 ± 0.2	2.2 ± 0.2	W Africa F	E Europe M
17	3.5 ± 0.2	3.7 ± 0.1	2.0 ± 0.2	3.6 ± 0.2	3.9 ± 0.3	3.6 ± 0.3	2.0 ± 0.2	2.01 ± 0.09	1.16 ± 0.10	1.8 ± 0.1	2.1 ± 0.2	2.4 ± 0.3	S E Asia F	E Europe M
18	3.1 ± 0.2	3.55 ± 0.09	2.3 ± 0.2	3.4 ± 0.1	3.9 ± 0.2	3.5 ± 0.3	2.1 ± 0.2	2.14 ± 0.07	1.5 ± 0.1	2.04 ± 0.09	2.2 ± 0.2	2.2 ± 0.2	S E Asia F	E Europe M
19	3.4 ± 0.2	3.51 ± 0.09	2.4 ± 0.2	3.3 ± 0.1	3.8 ± 0.1	3.5 ± 0.2	2.1 ± 0.2	2.31 ± 0.08	1.8 ± 0.1	2.17 ± 0.08	2.3 ± 0.1	2.6 ± 0.3	S E Asia F	E Europe M
20	3.2 ± 0.2	3.4 ± 0.1	2.3 ± 0.1	3.2 ± 0.1	3.7 ± 0.1	3.5 ± 0.2	2.3 ± 0.2	2.27 ± 0.08	1.8 ± 0.1	2.24 ± 0.09	2.4 ± 0.1	2.5 ± 0.3	S E Asia F	E Europe M
21	3.1 ± 0.2	3.13 ± 0.09	2.23 ± 0.10	3.09 ± 0.09	3.4 ± 0.1	3.5 ± 0.2	2.5 ± 0.2	2.17 ± 0.07	1.8 ± 0.1	2.29 ± 0.08	2.3 ± 0.1	2.7 ± 0.2	W Africa F	E Europe M
22	3.4 ± 0.2	2.84 ± 0.08	2.14 ± 0.08	2.90 ± 0.08	3.2 ± 0.1	3.3 ± 0.2	2.9 ± 0.2	2.05 ± 0.07	1.7 ± 0.1	2.21 ± 0.09	2.14 ± 0.10	2.5 ± 0.2	E Africa F	E Europe M
23	3.3 ± 0.2	2.57 ± 0.07	1.96 ± 0.08	2.78 ± 0.08	2.98 ± 0.10	3.4 ± 0.2	2.9 ± 0.2	1.89 ± 0.07	1.51 ± 0.09	2.13 ± 0.08	2.1 ± 0.1	3.0 ± 0.2	W Africa F	E Europe M
24	3.4 ± 0.2	2.38 ± 0.06	1.76 ± 0.07	2.64 ± 0.07	2.74 ± 0.08	3.4 ± 0.2	2.8 ± 0.2	1.84 ± 0.07	1.38 ± 0.07	2.14 ± 0.07	2.0 ± 0.1	2.9 ± 0.2	E Africa F	E Europe M
25	3.3 ± 0.2	2.30 ± 0.06	1.63 ± 0.06	2.50 ± 0.06	2.74 ± 0.09	3.4 ± 0.2	3.0 ± 0.2	1.83 ± 0.07	1.36 ± 0.08	2.07 ± 0.07	1.94 ± 0.09	3.1 ± 0.2	W Africa F	E Europe M
26	3.4 ± 0.2	2.30 ± 0.06	1.65 ± 0.06	2.48 ± 0.06	2.63 ± 0.08	3.2 ± 0.2	3.1 ± 0.2	1.77 ± 0.06	1.39 ± 0.07	2.13 ± 0.06	1.95 ± 0.10	3.1 ± 0.2	E Africa F	E Europe M
27	3.5 ± 0.2	2.32 ± 0.06	1.85 ± 0.06	2.50 ± 0.05	2.61 ± 0.08	3.6 ± 0.2	3.2 ± 0.2	1.89 ± 0.06	1.51 ± 0.07	2.11 ± 0.06	2.1 ± 0.1	3.1 ± 0.2	W Africa F	E Europe M
28	3.5 ± 0.2	2.38 ± 0.05	2.01 ± 0.06	2.67 ± 0.06	2.62 ± 0.08	3.5 ± 0.2	3.0 ± 0.1	2.06 ± 0.07	1.71 ± 0.07	2.23 ± 0.06	2.2 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
29	3.6 ± 0.2	2.43 ± 0.05	2.25 ± 0.06	2.72 ± 0.06	2.78 ± 0.09	3.6 ± 0.2	3.2 ± 0.1	2.13 ± 0.06	1.96 ± 0.07	2.34 ± 0.05	2.2 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
30	3.7 ± 0.1	2.59 ± 0.05	2.48 ± 0.06	2.80 ± 0.06	2.80 ± 0.09	3.6 ± 0.1	3.3 ± 0.1	2.31 ± 0.07	2.11 ± 0.08	2.48 ± 0.05	2.5 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
31	3.6 ± 0.1	2.66 ± 0.05	2.71 ± 0.07	2.89 ± 0.06	2.86 ± 0.08	3.7 ± 0.1	3.3 ± 0.1	2.39 ± 0.07	2.34 ± 0.08	2.60 ± 0.05	2.6 ± 0.1	3.4 ± 0.1	W Africa F	E Europe M
32	3.9 ± 0.2	2.70 ± 0.05	2.86 ± 0.08	3.02 ± 0.06	3.04 ± 0.09	3.8 ± 0.1	3.4 ± 0.1	2.53 ± 0.06	2.52 ± 0.09	2.69 ± 0.05	2.7 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
33	3.8 ± 0.2	2.77 ± 0.05	3.02 ± 0.09	3.01 ± 0.06	3.04 ± 0.09	3.8 ± 0.2	3.6 ± 0.1	2.62 ± 0.07	2.50 ± 0.09	2.72 ± 0.05	2.7 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
34	3.9 ± 0.2	2.87 ± 0.06	3.03 ± 0.09	3.02 ± 0.06	2.92 ± 0.09	3.9 ± 0.2	3.4 ± 0.1	2.69 ± 0.07	2.55 ± 0.10	2.80 ± 0.06	2.9 ± 0.1	3.4 ± 0.1	E Africa F	E Europe M
35	4.1 ± 0.2	2.88 ± 0.06	3.13 ± 0.10	2.94 ± 0.06	3.03 ± 0.09	3.7 ± 0.2	3.5 ± 0.2	2.79 ± 0.07	2.5 ± 0.1	2.77 ± 0.06	2.9 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
36	4.0 ± 0.2	2.82 ± 0.06	2.95 ± 0.10	2.89 ± 0.07	3.04 ± 0.10	3.7 ± 0.2	3.4 ± 0.2	2.74 ± 0.07	2.5 ± 0.1	2.74 ± 0.06	3.0 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
37	3.9 ± 0.2	2.75 ± 0.06	2.9 ± 0.1	3.03 ± 0.07	2.87 ± 0.10	3.9 ± 0.2	3.5 ± 0.2	2.74 ± 0.07	2.4 ± 0.1	2.71 ± 0.06	2.9 ± 0.1	3.2 ± 0.1	W Africa F	E Europe M
38	4.0 ± 0.2	2.78 ± 0.06	2.8 ± 0.1	2.91 ± 0.07	2.8 ± 0.1	3.7 ± 0.2	3.2 ± 0.2	2.76 ± 0.08	2.4 ± 0.1	2.61 ± 0.06	3.0 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
39	4.0 ± 0.2	2.75 ± 0.06	2.7 ± 0.1	2.91 ± 0.08	2.81 ± 0.10	3.6 ± 0.2	3.3 ± 0.2	2.72 ± 0.08	2.4 ± 0.1	2.57 ± 0.06	2.9 ± 0.1	3.1 ± 0.1	E Africa F	E Europe M
40	4.0 ± 0.2	2.71 ± 0.06	2.6 ± 0.1	2.79 ± 0.08	2.9 ± 0.1	3.6 ± 0.2	3.3 ± 0.2	2.71 ± 0.07	2.3 ± 0.1	2.65 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
41	4.0 ± 0.2	2.67 ± 0.06	2.6 ± 0.1	2.97 ± 0.09	2.7 ± 0.1	3.8 ± 0.2	3.3 ± 0.2	2.66 ± 0.07	2.3 ± 0.1	2.52 ± 0.06	2.9 ± 0.1	3.3 ± 0.2	E Africa F	E Europe M
42	4.3 ± 0.3	2.61 ± 0.05	2.5 ± 0.1	2.91 ± 0.10	2.6 ± 0.1	3.7 ± 0.2	3.3 ± 0.2	2.70 ± 0.07	2.3 ± 0.1	2.57 ± 0.07	2.8 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
43	4.2 ± 0.3	2.60 ± 0.06	2.6 ± 0.1	2.87 ± 0.10	2.7 ± 0.1	4.1 ± 0.2	3.1 ± 0.2	2.73 ± 0.07	2.3 ± 0.1	2.60 ± 0.07	3.0 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
44	4.4 ± 0.3	2.54 ± 0.06	2.6 ± 0.1	3.0 ± 0.1	2.8 ± 0.1	4.0 ± 0.2	3.3 ± 0.2	2.72 ± 0.07	2.4 ± 0.1	2.61 ± 0.08	3.1 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
45	4.2 ± 0.3	2.53 ± 0.06	2.5 ± 0.1	3.0 ± 0.1	2.7 ± 0.1	4.0 ± 0.2	3.3 ± 0.2	2.71 ± 0.07	2.5 ± 0.1	2.71 ± 0.09	3.0 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
46	4.5 ± 0.3	2.50 ± 0.06	2.5 ± 0.1	2.9 ± 0.1	2.6 ± 0.1	4.2 ± 0.3	3.4 ± 0.2	2.53 ± 0.07	2.5 ± 0.1	2.61 ± 0.09	3.0 ± 0.2	3.5 ± 0.2	E Africa F	E Asia F
47	4.5 ± 0.3	2.47 ± 0.06	2.6 ± 0.1	3.0 ± 0.1	2.6 ± 0.1	4.3 ± 0.2	3.4 ± 0.2	2.48 ± 0.07	2.5 ± 0.1	2.9 ± 0.1	3.1 ± 0.2	3.5 ± 0.2	E Africa F	E Europe M
48	4.7 ± 0.4	2.37 ± 0.06	2.6 ± 0.1	3.1 ± 0.1	2.6 ± 0.1	4.4 ± 0.3	3.6 ± 0.3	2.37 ± 0.07	2.5 ± 0.2	2.8 ± 0.1	2.9 ± 0.2	3.6 ± 0.2	E Africa F	E Asia F
49	4.6 ± 0.4	2.45 ± 0.06	2.6 ± 0.1	3.1 ± 0.1	2.6 ± 0.1	4.4 ± 0.3	3.5 ± 0.3	2.41 ± 0.07	2.5 ± 0.1	2.9 ± 0.1	2.8 ± 0.1	3.4 ± 0.2	E Africa F	E Asia M
50	4.7 ± 0.4	2.43 ± 0.06	2.5 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	4.6 ± 0.3	3.3 ± 0.3	2.31 ± 0.07	2.5 ± 0.1	2.9 ± 0.1	3.0 ± 0.2	3.5 ± 0.2	E Africa F	E Asia M
51	4.6 ± 0.4	2.45 ± 0.07	2.6 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	4.9 ± 0.3	3.7 ± 0.3	2.26 ± 0.07	2.5 ± 0.1	3.1 ± 0.1	2.8 ± 0.2	3.6 ± 0.2	W Africa F	E Asia M
52	4.8 ± 0.4	2.39 ± 0.07	2.8 ± 0.1	3.2 ± 0.1	2.7 ± 0.1	5.0 ± 0.3	3.4 ± 0.3	2.22 ± 0.07	2.7 ± 0.2	3.1 ± 0.1	2.7 ± 0.2	3.7 ± 0.2	W Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 160. *Mean absolute error for Application-type images for algorithm yoti-005. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	3.3 ± 0.2	2.7 ± 0.1	1.8 ± 0.1	2.9 ± 0.1	2.8 ± 0.2	3.5 ± 0.2	2.2 ± 0.1	1.20 ± 0.07	1.09 ± 0.09	1.45 ± 0.07	1.2 ± 0.1	2.2 ± 0.2	W Africa F	E Europe M
15	3.3 ± 0.2	3.0 ± 0.1	1.8 ± 0.2	3.3 ± 0.2	3.3 ± 0.3	3.3 ± 0.3	2.1 ± 0.2	1.41 ± 0.07	0.96 ± 0.08	1.41 ± 0.08	1.5 ± 0.1	2.4 ± 0.2	S E Asia F	E Europe M
16	3.2 ± 0.2	3.4 ± 0.1	1.9 ± 0.2	3.3 ± 0.2	3.6 ± 0.3	3.6 ± 0.4	2.0 ± 0.2	1.61 ± 0.07	1.1 ± 0.2	1.60 ± 0.09	1.6 ± 0.2	2.0 ± 0.2	S E Asia F	E Europe M
17	3.2 ± 0.3	3.5 ± 0.1	2.0 ± 0.2	3.4 ± 0.2	3.7 ± 0.2	3.3 ± 0.3	1.8 ± 0.2	1.85 ± 0.09	1.09 ± 0.10	1.7 ± 0.1	1.9 ± 0.2	2.2 ± 0.3	S E Asia F	E Europe M
18	2.9 ± 0.2	3.44 ± 0.09	2.2 ± 0.2	3.3 ± 0.1	3.8 ± 0.2	3.2 ± 0.3	1.9 ± 0.2	2.01 ± 0.07	1.5 ± 0.1	1.88 ± 0.09	2.0 ± 0.2	2.0 ± 0.2	S E Asia F	E Europe M
19	3.2 ± 0.2	3.41 ± 0.09	2.4 ± 0.2	3.3 ± 0.1	3.7 ± 0.1	3.3 ± 0.2	2.0 ± 0.2	2.21 ± 0.08	1.7 ± 0.1	2.07 ± 0.09	2.2 ± 0.1	2.5 ± 0.3	S E Asia F	E Europe M
20	3.1 ± 0.2	3.3 ± 0.1	2.3 ± 0.1	3.2 ± 0.1	3.6 ± 0.1	3.3 ± 0.2	2.3 ± 0.2	2.20 ± 0.07	1.8 ± 0.1	2.23 ± 0.09	2.3 ± 0.1	2.5 ± 0.3	S E Asia F	E Europe M
21	3.1 ± 0.2	3.06 ± 0.09	2.3 ± 0.1	3.14 ± 0.09	3.4 ± 0.1	3.5 ± 0.2	2.5 ± 0.2	2.14 ± 0.07	1.8 ± 0.1	2.30 ± 0.08	2.3 ± 0.1	2.7 ± 0.2	W Africa F	E Europe M
22	3.4 ± 0.2	2.80 ± 0.08	2.16 ± 0.08	2.98 ± 0.08	3.2 ± 0.1	3.3 ± 0.2	2.9 ± 0.2	2.03 ± 0.07	1.7 ± 0.1	2.28 ± 0.09	2.1 ± 0.1	2.6 ± 0.2	E Africa F	E Europe M
23	3.4 ± 0.2	2.55 ± 0.07	2.00 ± 0.09	2.89 ± 0.08	2.98 ± 0.10	3.4 ± 0.2	2.9 ± 0.2	1.91 ± 0.07	1.51 ± 0.09	2.22 ± 0.08	2.1 ± 0.1	3.0 ± 0.2	E Africa F	E Europe M
24	3.5 ± 0.2	2.38 ± 0.06	1.79 ± 0.07	2.76 ± 0.07	2.74 ± 0.08	3.4 ± 0.2	2.9 ± 0.2	1.88 ± 0.07	1.41 ± 0.07	2.25 ± 0.07	2.0 ± 0.1	3.0 ± 0.2	E Africa F	E Europe M
25	3.4 ± 0.2	2.30 ± 0.06	1.67 ± 0.06	2.59 ± 0.06	2.75 ± 0.09	3.5 ± 0.2	3.2 ± 0.2	1.88 ± 0.07	1.39 ± 0.08	2.17 ± 0.07	2.01 ± 0.09	3.2 ± 0.2	W Africa F	E Europe M
26	3.5 ± 0.2	2.29 ± 0.06	1.69 ± 0.06	2.56 ± 0.06	2.62 ± 0.08	3.3 ± 0.2	3.2 ± 0.2	1.82 ± 0.06	1.45 ± 0.08	2.21 ± 0.06	1.98 ± 0.10	3.2 ± 0.2	E Africa F	E Europe M
27	3.6 ± 0.2	2.26 ± 0.05	1.84 ± 0.06	2.52 ± 0.06	2.57 ± 0.09	3.6 ± 0.2	3.2 ± 0.2	1.86 ± 0.06	1.53 ± 0.07	2.14 ± 0.06	2.1 ± 0.1	3.2 ± 0.2	W Africa F	E Europe M
28	3.6 ± 0.2	2.28 ± 0.05	1.94 ± 0.06	2.63 ± 0.06	2.55 ± 0.08	3.5 ± 0.2	3.0 ± 0.1	1.95 ± 0.07	1.67 ± 0.08	2.20 ± 0.06	2.1 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
29	3.7 ± 0.2	2.34 ± 0.05	2.18 ± 0.06	2.69 ± 0.06	2.74 ± 0.09	3.7 ± 0.2	3.2 ± 0.1	2.04 ± 0.07	1.91 ± 0.07	2.28 ± 0.06	2.1 ± 0.1	3.5 ± 0.1	E Africa F	E Europe M
30	3.8 ± 0.2	2.57 ± 0.05	2.47 ± 0.07	2.79 ± 0.06	2.82 ± 0.09	3.8 ± 0.2	3.4 ± 0.1	2.27 ± 0.06	2.09 ± 0.08	2.47 ± 0.05	2.4 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
31	3.8 ± 0.2	2.72 ± 0.05	2.76 ± 0.07	2.94 ± 0.06	2.93 ± 0.08	3.9 ± 0.1	3.4 ± 0.1	2.41 ± 0.07	2.37 ± 0.08	2.66 ± 0.05	2.6 ± 0.1	3.5 ± 0.1	W Africa F	E Europe M
32	4.1 ± 0.2	2.79 ± 0.05	2.94 ± 0.07	3.08 ± 0.06	3.13 ± 0.09	4.0 ± 0.2	3.6 ± 0.1	2.59 ± 0.07	2.62 ± 0.09	2.78 ± 0.05	2.7 ± 0.1	3.7 ± 0.1	E Africa F	E Asia M
33	4.0 ± 0.2	2.88 ± 0.05	3.12 ± 0.09	3.06 ± 0.06	3.11 ± 0.09	4.0 ± 0.2	3.7 ± 0.1	2.69 ± 0.07	2.58 ± 0.09	2.78 ± 0.05	2.7 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
34	4.1 ± 0.2	2.95 ± 0.06	3.12 ± 0.09	3.04 ± 0.06	3.01 ± 0.09	4.0 ± 0.2	3.5 ± 0.2	2.76 ± 0.07	2.64 ± 0.10	2.86 ± 0.06	2.9 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
35	4.3 ± 0.2	2.96 ± 0.06	3.16 ± 0.10	2.95 ± 0.06	3.07 ± 0.10	3.8 ± 0.2	3.5 ± 0.2	2.85 ± 0.07	2.6 ± 0.1	2.81 ± 0.06	3.0 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
36	4.1 ± 0.2	2.87 ± 0.06	3.0 ± 0.1	2.87 ± 0.07	3.07 ± 0.10	3.8 ± 0.2	3.5 ± 0.2	2.76 ± 0.08	2.5 ± 0.1	2.74 ± 0.06	3.0 ± 0.1	3.6 ± 0.1	E Africa F	E Europe M
37	4.0 ± 0.2	2.79 ± 0.06	2.9 ± 0.1	3.01 ± 0.07	2.92 ± 0.10	4.0 ± 0.2	3.6 ± 0.2	2.76 ± 0.08	2.4 ± 0.1	2.69 ± 0.06	2.9 ± 0.1	3.3 ± 0.1	E Africa F	E Europe M
38	4.0 ± 0.2	2.82 ± 0.06	2.8 ± 0.1	2.86 ± 0.07	2.9 ± 0.1	3.7 ± 0.2	3.2 ± 0.2	2.75 ± 0.08	2.4 ± 0.1	2.58 ± 0.06	3.0 ± 0.2	3.2 ± 0.1	E Africa F	E Europe M
39	4.1 ± 0.2	2.78 ± 0.06	2.7 ± 0.1	2.87 ± 0.08	2.8 ± 0.1	3.6 ± 0.2	3.3 ± 0.2	2.72 ± 0.08	2.4 ± 0.1	2.53 ± 0.06	2.9 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
40	4.0 ± 0.2	2.73 ± 0.06	2.6 ± 0.1	2.76 ± 0.08	2.9 ± 0.1	3.7 ± 0.2	3.3 ± 0.2	2.74 ± 0.07	2.3 ± 0.1	2.62 ± 0.06	2.8 ± 0.1	3.2 ± 0.1	E Africa F	E Europe M
41	4.0 ± 0.2	2.72 ± 0.06	2.6 ± 0.1	2.95 ± 0.09	2.8 ± 0.1	3.8 ± 0.2	3.3 ± 0.2	2.69 ± 0.07	2.2 ± 0.1	2.50 ± 0.07	2.9 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
42	4.3 ± 0.3	2.66 ± 0.06	2.5 ± 0.1	2.92 ± 0.10	2.6 ± 0.1	3.7 ± 0.2	3.3 ± 0.2	2.74 ± 0.07	2.3 ± 0.1	2.57 ± 0.07	2.9 ± 0.1	3.1 ± 0.2	E Africa F	E Europe M
43	4.3 ± 0.3	2.67 ± 0.06	2.6 ± 0.1	2.88 ± 0.10	2.8 ± 0.1	4.1 ± 0.2	3.2 ± 0.2	2.78 ± 0.08	2.4 ± 0.1	2.61 ± 0.08	3.1 ± 0.1	3.4 ± 0.2	E Africa F	E Europe M
44	4.4 ± 0.3	2.63 ± 0.06	2.6 ± 0.1	3.0 ± 0.1	2.9 ± 0.1	4.0 ± 0.2	3.3 ± 0.2	2.80 ± 0.07	2.4 ± 0.1	2.64 ± 0.08	3.2 ± 0.1	3.2 ± 0.2	E Africa F	E Europe M
45	4.3 ± 0.3	2.62 ± 0.06	2.5 ± 0.1	3.1 ± 0.1	2.8 ± 0.1	3.9 ± 0.2	3.3 ± 0.2	2.78 ± 0.07	2.5 ± 0.1	2.74 ± 0.09	3.1 ± 0.1	3.4 ± 0.2	E Africa F	E Europe F
46	4.5 ± 0.3	2.58 ± 0.06	2.6 ± 0.1	2.9 ± 0.1	2.7 ± 0.1	4.2 ± 0.3	3.4 ± 0.2	2.60 ± 0.07	2.6 ± 0.1	2.67 ± 0.09	3.1 ± 0.2	3.5 ± 0.2	E Africa F	E Asia F
47	4.5 ± 0.3	2.55 ± 0.06	2.7 ± 0.1	3.0 ± 0.1	2.7 ± 0.1	4.4 ± 0.2	3.5 ± 0.2	2.57 ± 0.07	2.5 ± 0.1	2.9 ± 0.1	3.1 ± 0.2	3.6 ± 0.2	E Africa F	E Europe M
48	4.8 ± 0.4	2.42 ± 0.06	2.7 ± 0.1	3.1 ± 0.1	2.6 ± 0.1	4.4 ± 0.3	3.6 ± 0.3	2.43 ± 0.07	2.6 ± 0.2	2.8 ± 0.1	3.0 ± 0.2	3.7 ± 0.2	E Africa F	E Asia F
49	4.7 ± 0.4	2.47 ± 0.06	2.6 ± 0.1	3.1 ± 0.1	2.6 ± 0.1	4.4 ± 0.3	3.6 ± 0.3	2.46 ± 0.07	2.6 ± 0.1	2.9 ± 0.1	2.8 ± 0.1	3.3 ± 0.2	E Africa F	E Asia M
50	4.7 ± 0.4	2.43 ± 0.07	2.6 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	4.5 ± 0.3	3.4 ± 0.3	2.34 ± 0.07	2.6 ± 0.2	2.9 ± 0.1	3.0 ± 0.2	3.5 ± 0.2	E Africa F	E Asia M
51	4.6 ± 0.4	2.42 ± 0.07	2.6 ± 0.1	3.1 ± 0.1	2.7 ± 0.1	4.9 ± 0.3	3.7 ± 0.3	2.27 ± 0.07	2.5 ± 0.1	3.1 ± 0.1	2.9 ± 0.2	3.6 ± 0.2	W Africa F	E Asia M
52	4.9 ± 0.4	2.36 ± 0.07	2.7 ± 0.1	3.2 ± 0.1	2.7 ± 0.1	4.9 ± 0.3	3.4 ± 0.3	2.19 ± 0.07	2.7 ± 0.2	3.1 ± 0.1	2.7 ± 0.2	3.7 ± 0.2	W Africa F	E Asia M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 161. *Mean absolute error for Application-type images for algorithm youverse-000. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	4.0 ± 0.3	2.87 ± 0.10	4.1 ± 0.2	4.0 ± 0.1	2.7 ± 0.2	4.5 ± 0.5	3.2 ± 0.2	2.53 ± 0.07	2.6 ± 0.1	3.0 ± 0.1	2.5 ± 0.1	3.1 ± 0.3	W Africa F	S E Asia M
15	4.1 ± 0.3	2.7 ± 0.1	4.1 ± 0.3	4.0 ± 0.2	2.6 ± 0.3	4.8 ± 0.5	2.9 ± 0.3	2.13 ± 0.08	2.4 ± 0.2	2.8 ± 0.1	2.3 ± 0.2	3.6 ± 0.4	W Africa F	E Asia M
16	4.3 ± 0.4	2.4 ± 0.1	4.2 ± 0.3	3.6 ± 0.2	2.5 ± 0.3	4.4 ± 0.5	3.3 ± 0.3	1.88 ± 0.09	2.6 ± 0.2	2.8 ± 0.2	2.5 ± 0.2	3.6 ± 0.4	W Africa F	E Asia M
17	4.5 ± 0.4	2.3 ± 0.1	4.0 ± 0.3	3.2 ± 0.2	2.3 ± 0.2	4.8 ± 0.4	3.6 ± 0.3	1.83 ± 0.09	2.4 ± 0.2	3.1 ± 0.2	2.2 ± 0.2	3.9 ± 0.4	W Africa F	E Asia M
18	4.0 ± 0.3	2.38 ± 0.09	3.8 ± 0.3	3.3 ± 0.1	2.4 ± 0.1	4.5 ± 0.3	4.3 ± 0.3	1.90 ± 0.08	2.6 ± 0.2	3.1 ± 0.1	2.1 ± 0.2	4.4 ± 0.4	W Africa F	E Asia M
19	4.1 ± 0.3	2.39 ± 0.08	3.3 ± 0.2	3.1 ± 0.1	2.4 ± 0.1	4.5 ± 0.3	4.1 ± 0.3	2.05 ± 0.08	2.6 ± 0.2	3.4 ± 0.1	2.2 ± 0.1	4.2 ± 0.3	W Africa F	E Asia M
20	4.2 ± 0.3	2.49 ± 0.09	3.4 ± 0.2	3.0 ± 0.1	2.37 ± 0.10	4.3 ± 0.3	4.4 ± 0.3	2.28 ± 0.08	2.7 ± 0.2	3.5 ± 0.1	2.5 ± 0.1	4.6 ± 0.3	W Africa M	E Asia M
21	3.9 ± 0.2	2.65 ± 0.08	3.3 ± 0.2	3.01 ± 0.10	2.64 ± 0.10	4.4 ± 0.3	4.6 ± 0.3	2.48 ± 0.08	3.0 ± 0.2	3.3 ± 0.1	2.6 ± 0.1	4.9 ± 0.3	W Africa M	E Asia M
22	3.9 ± 0.2	2.81 ± 0.08	3.2 ± 0.1	3.02 ± 0.09	2.84 ± 0.10	4.0 ± 0.2	4.7 ± 0.3	2.71 ± 0.08	3.0 ± 0.2	3.4 ± 0.1	2.6 ± 0.1	4.4 ± 0.3	E Africa M	S E Asia M
23	3.8 ± 0.2	3.04 ± 0.07	3.0 ± 0.1	3.09 ± 0.08	3.07 ± 0.09	4.2 ± 0.2	4.7 ± 0.2	2.80 ± 0.08	3.1 ± 0.2	3.4 ± 0.1	2.8 ± 0.1	4.3 ± 0.2	E Africa M	S E Asia M
24	4.0 ± 0.2	3.37 ± 0.07	3.0 ± 0.1	3.14 ± 0.07	3.33 ± 0.09	3.9 ± 0.2	4.2 ± 0.2	3.04 ± 0.09	3.0 ± 0.1	3.2 ± 0.1	2.9 ± 0.1	4.2 ± 0.2	W Africa M	S E Asia M
25	3.9 ± 0.2	3.65 ± 0.08	2.87 ± 0.10	3.18 ± 0.07	3.68 ± 0.10	3.9 ± 0.2	4.2 ± 0.2	3.15 ± 0.09	3.0 ± 0.1	3.15 ± 0.09	3.1 ± 0.1	4.2 ± 0.2	W Africa M	E Europe F
26	4.0 ± 0.2	4.07 ± 0.08	2.78 ± 0.09	3.18 ± 0.07	4.0 ± 0.1	3.9 ± 0.2	4.1 ± 0.2	3.25 ± 0.09	3.1 ± 0.1	3.04 ± 0.08	3.2 ± 0.1	4.0 ± 0.2	E Africa M	E Europe F
27	4.0 ± 0.2	4.48 ± 0.08	2.92 ± 0.10	3.35 ± 0.07	4.3 ± 0.1	3.8 ± 0.2	3.9 ± 0.2	3.38 ± 0.10	3.1 ± 0.1	3.00 ± 0.08	3.4 ± 0.1	4.0 ± 0.2	E Asia F	E Europe F
28	4.2 ± 0.2	4.91 ± 0.08	3.03 ± 0.10	3.55 ± 0.07	4.7 ± 0.1	4.0 ± 0.2	3.7 ± 0.2	3.5 ± 0.1	3.0 ± 0.1	2.95 ± 0.07	3.4 ± 0.1	3.8 ± 0.2	E Asia F	S Asia M
29	4.3 ± 0.2	5.24 ± 0.08	3.20 ± 0.09	3.79 ± 0.07	5.2 ± 0.1	4.2 ± 0.2	3.6 ± 0.2	3.68 ± 0.10	3.1 ± 0.1	2.98 ± 0.06	3.6 ± 0.2	3.8 ± 0.1	E Asia F	S Asia M
30	4.4 ± 0.2	5.74 ± 0.08	3.28 ± 0.10	4.04 ± 0.07	5.4 ± 0.1	4.3 ± 0.2	3.7 ± 0.2	3.82 ± 0.10	3.1 ± 0.1	3.02 ± 0.06	3.6 ± 0.2	3.8 ± 0.1	E Asia F	S Asia M
31	4.7 ± 0.2	6.06 ± 0.09	3.6 ± 0.1	4.37 ± 0.08	6.0 ± 0.1	4.6 ± 0.2	3.5 ± 0.2	4.1 ± 0.1	3.2 ± 0.1	3.17 ± 0.06	4.0 ± 0.2	3.7 ± 0.1	E Asia F	E Europe M
32	4.9 ± 0.2	6.47 ± 0.09	3.7 ± 0.1	4.65 ± 0.08	6.3 ± 0.1	5.1 ± 0.2	3.6 ± 0.2	4.3 ± 0.1	3.3 ± 0.1	3.37 ± 0.06	4.0 ± 0.2	3.7 ± 0.1	E Asia F	E Europe M
33	5.3 ± 0.2	6.79 ± 0.10	4.0 ± 0.1	4.94 ± 0.08	6.7 ± 0.1	5.1 ± 0.2	3.8 ± 0.2	4.5 ± 0.1	3.2 ± 0.1	3.45 ± 0.06	4.4 ± 0.2	3.8 ± 0.1	E Asia F	E Europe M
34	5.3 ± 0.2	7.10 ± 0.10	4.1 ± 0.1	5.09 ± 0.09	7.1 ± 0.2	5.4 ± 0.2	3.7 ± 0.2	4.9 ± 0.1	3.3 ± 0.1	3.70 ± 0.07	4.5 ± 0.2	3.8 ± 0.1	E Asia F	E Europe M
35	5.6 ± 0.2	7.6 ± 0.1	4.1 ± 0.1	5.46 ± 0.09	7.5 ± 0.2	5.8 ± 0.2	3.8 ± 0.2	5.0 ± 0.1	3.5 ± 0.1	3.86 ± 0.07	4.6 ± 0.2	4.1 ± 0.2	E Asia F	E Europe M
36	5.9 ± 0.2	7.9 ± 0.1	4.3 ± 0.1	5.71 ± 0.10	7.6 ± 0.2	6.1 ± 0.2	4.1 ± 0.2	5.2 ± 0.1	3.4 ± 0.1	4.05 ± 0.08	4.8 ± 0.2	4.2 ± 0.2	E Asia F	E Europe M
37	6.1 ± 0.2	8.2 ± 0.1	4.3 ± 0.1	6.0 ± 0.1	8.1 ± 0.2	6.5 ± 0.2	3.9 ± 0.2	5.3 ± 0.1	3.5 ± 0.2	4.14 ± 0.08	4.9 ± 0.2	4.4 ± 0.2	E Asia F	E Europe M
38	6.2 ± 0.3	8.6 ± 0.1	4.5 ± 0.2	6.1 ± 0.1	8.2 ± 0.2	6.8 ± 0.3	4.2 ± 0.2	5.4 ± 0.1	3.6 ± 0.1	4.36 ± 0.08	5.0 ± 0.2	4.4 ± 0.2	E Asia F	E Europe M
39	6.5 ± 0.3	8.8 ± 0.1	4.4 ± 0.2	6.5 ± 0.1	8.5 ± 0.2	6.9 ± 0.3	4.2 ± 0.2	5.6 ± 0.1	3.5 ± 0.2	4.51 ± 0.09	5.1 ± 0.2	4.7 ± 0.2	E Asia F	E Europe M
40	6.7 ± 0.3	9.1 ± 0.1	4.5 ± 0.2	6.6 ± 0.1	8.5 ± 0.2	7.4 ± 0.3	4.0 ± 0.2	5.8 ± 0.1	3.7 ± 0.2	4.69 ± 0.10	5.0 ± 0.2	4.9 ± 0.2	E Asia F	E Europe M
41	7.2 ± 0.4	9.4 ± 0.1	4.6 ± 0.2	6.8 ± 0.2	8.9 ± 0.2	8.2 ± 0.3	4.5 ± 0.2	5.9 ± 0.1	3.8 ± 0.2	4.9 ± 0.1	5.3 ± 0.2	5.1 ± 0.2	E Asia F	E Europe M
42	7.0 ± 0.4	9.5 ± 0.1	4.7 ± 0.2	6.9 ± 0.2	8.9 ± 0.2	8.4 ± 0.3	4.7 ± 0.2	6.1 ± 0.1	3.8 ± 0.2	5.2 ± 0.1	5.1 ± 0.2	5.3 ± 0.2	E Asia F	E Europe M
43	7.4 ± 0.4	9.9 ± 0.1	4.8 ± 0.2	7.1 ± 0.2	9.4 ± 0.2	9.0 ± 0.4	4.7 ± 0.3	6.2 ± 0.1	4.0 ± 0.2	5.3 ± 0.1	5.3 ± 0.2	5.9 ± 0.2	E Asia F	E Europe M
44	7.6 ± 0.4	10.3 ± 0.1	5.1 ± 0.2	7.4 ± 0.2	9.5 ± 0.2	8.9 ± 0.4	5.3 ± 0.3	6.3 ± 0.1	3.9 ± 0.2	5.4 ± 0.1	5.3 ± 0.2	6.0 ± 0.3	E Asia F	E Europe M
45	7.7 ± 0.4	10.4 ± 0.1	5.1 ± 0.2	7.4 ± 0.2	9.8 ± 0.3	9.2 ± 0.4	5.7 ± 0.3	6.5 ± 0.1	4.2 ± 0.2	5.5 ± 0.1	5.5 ± 0.2	6.6 ± 0.3	E Asia F	E Europe M
46	7.7 ± 0.5	10.8 ± 0.2	5.2 ± 0.2	7.4 ± 0.2	10.0 ± 0.3	9.8 ± 0.4	5.5 ± 0.3	6.8 ± 0.2	4.2 ± 0.2	5.6 ± 0.2	5.6 ± 0.3	6.6 ± 0.3	E Asia F	E Europe M
47	8.1 ± 0.5	10.9 ± 0.2	5.6 ± 0.3	7.7 ± 0.2	10.3 ± 0.3	10.0 ± 0.4	5.8 ± 0.3	7.0 ± 0.2	4.5 ± 0.2	6.0 ± 0.2	5.4 ± 0.3	7.0 ± 0.3	E Asia F	E Europe M
48	8.6 ± 0.5	11.2 ± 0.2	5.6 ± 0.2	7.8 ± 0.2	10.3 ± 0.3	10.5 ± 0.4	6.3 ± 0.4	7.2 ± 0.2	4.6 ± 0.2	6.0 ± 0.2	5.8 ± 0.3	7.4 ± 0.3	E Asia F	E Europe M
49	8.4 ± 0.6	11.6 ± 0.2	5.8 ± 0.3	8.0 ± 0.2	10.5 ± 0.3	10.8 ± 0.4	6.7 ± 0.4	7.4 ± 0.2	4.7 ± 0.2	6.2 ± 0.2	5.8 ± 0.3	7.9 ± 0.3	E Asia F	E Europe M
50	9.0 ± 0.6	11.7 ± 0.2	5.9 ± 0.3	8.0 ± 0.2	10.8 ± 0.3	11.1 ± 0.5	7.0 ± 0.4	7.5 ± 0.2	4.8 ± 0.2	6.5 ± 0.2	5.9 ± 0.3	8.1 ± 0.3	E Asia F	E Europe M
51	9.5 ± 0.6	12.0 ± 0.2	6.0 ± 0.3	8.4 ± 0.2	11.1 ± 0.3	11.6 ± 0.5	7.4 ± 0.5	7.7 ± 0.2	4.7 ± 0.2	6.5 ± 0.2	5.8 ± 0.3	9.0 ± 0.3	E Asia F	E Europe M
52	9.3 ± 0.6	12.2 ± 0.2	6.2 ± 0.3	8.7 ± 0.3	11.0 ± 0.3	11.9 ± 0.5	7.0 ± 0.5	8.1 ± 0.2	4.9 ± 0.3	6.9 ± 0.2	6.0 ± 0.3	8.9 ± 0.4	E Asia F	E Europe M

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 162. *Mean absolute error for Application-type images for algorithm youverse-001. Values closer to zero are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Group	min Group
14	2.6 ± 0.2	2.14 ± 0.07	2.8 ± 0.1	2.8 ± 0.1	2.2 ± 0.1	3.2 ± 0.3	2.5 ± 0.2	2.53 ± 0.07	2.3 ± 0.1	2.87 ± 0.09	2.4 ± 0.1	2.5 ± 0.2	W Africa F	E Asia F
15	2.1 ± 0.2	1.77 ± 0.09	2.7 ± 0.2	2.6 ± 0.2	1.9 ± 0.2	2.8 ± 0.3	2.0 ± 0.2	2.28 ± 0.08	2.3 ± 0.2	2.9 ± 0.1	2.3 ± 0.2	2.2 ± 0.3	S Asia M	E Asia F
16	2.0 ± 0.2	1.6 ± 0.1	2.7 ± 0.2	2.3 ± 0.1	1.7 ± 0.2	2.8 ± 0.4	2.3 ± 0.2	2.08 ± 0.09	2.7 ± 0.2	3.0 ± 0.1	2.2 ± 0.2	2.1 ± 0.3	S Asia M	E Asia F
17	2.3 ± 0.3	1.59 ± 0.09	2.5 ± 0.2	2.4 ± 0.2	1.6 ± 0.2	3.0 ± 0.3	2.4 ± 0.3	2.07 ± 0.10	2.3 ± 0.2	3.4 ± 0.2	2.2 ± 0.2	2.6 ± 0.4	S Asia M	E Asia F
18	2.4 ± 0.2	1.94 ± 0.07	2.8 ± 0.2	2.5 ± 0.1	1.9 ± 0.1	3.5 ± 0.3	2.8 ± 0.2	2.06 ± 0.08	2.8 ± 0.2	3.6 ± 0.1	2.2 ± 0.2	2.9 ± 0.3	S Asia M	S E Asia F
19	2.9 ± 0.2	2.27 ± 0.07	2.7 ± 0.2	2.6 ± 0.1	2.1 ± 0.1	3.8 ± 0.3	3.2 ± 0.2	2.15 ± 0.08	2.8 ± 0.2	3.7 ± 0.1	2.2 ± 0.1	3.2 ± 0.3	W Africa F	S E Asia F
20	3.1 ± 0.2	2.60 ± 0.09	2.8 ± 0.2	2.8 ± 0.1	2.37 ± 0.09	4.0 ± 0.3	3.5 ± 0.3	2.16 ± 0.08	2.8 ± 0.2	3.8 ± 0.1	2.2 ± 0.1	3.5 ± 0.3	W Africa F	E Asia M
21	3.4 ± 0.2	3.02 ± 0.08	2.8 ± 0.1	2.87 ± 0.09	2.78 ± 0.10	4.3 ± 0.3	3.8 ± 0.2	2.21 ± 0.07	3.0 ± 0.2	3.8 ± 0.1	2.3 ± 0.1	3.8 ± 0.3	W Africa F	E Asia M
22	3.6 ± 0.2	3.27 ± 0.08	2.8 ± 0.1	2.98 ± 0.08	3.1 ± 0.1	4.3 ± 0.3	4.1 ± 0.2	2.32 ± 0.08	3.0 ± 0.2	3.8 ± 0.1	2.3 ± 0.1	3.7 ± 0.2	W Africa F	S E Asia M
23	4.0 ± 0.2	3.55 ± 0.08	3.0 ± 0.1	3.16 ± 0.08	3.36 ± 0.09	4.4 ± 0.2	4.1 ± 0.2	2.43 ± 0.08	3.0 ± 0.2	3.9 ± 0.1	2.4 ± 0.1	3.8 ± 0.2	W Africa F	E Asia M
24	4.2 ± 0.2	3.87 ± 0.08	3.0 ± 0.1	3.31 ± 0.07	3.60 ± 0.09	4.6 ± 0.2	4.0 ± 0.2	2.67 ± 0.09	3.0 ± 0.1	3.9 ± 0.1	2.4 ± 0.1	3.8 ± 0.2	W Africa F	S E Asia M
25	4.4 ± 0.2	4.11 ± 0.08	3.10 ± 0.09	3.41 ± 0.07	3.90 ± 0.10	4.7 ± 0.2	4.1 ± 0.2	2.80 ± 0.08	3.1 ± 0.1	3.76 ± 0.10	2.6 ± 0.1	3.8 ± 0.2	W Africa F	S E Asia M
26	4.5 ± 0.2	4.42 ± 0.08	3.11 ± 0.09	3.52 ± 0.07	4.14 ± 0.10	4.4 ± 0.2	4.1 ± 0.2	2.93 ± 0.08	3.0 ± 0.1	3.62 ± 0.08	2.9 ± 0.1	3.8 ± 0.2	E Africa F	S E Asia M
27	4.7 ± 0.2	4.64 ± 0.08	3.13 ± 0.09	3.66 ± 0.07	4.3 ± 0.1	4.5 ± 0.2	3.9 ± 0.2	2.95 ± 0.08	3.0 ± 0.1	3.41 ± 0.08	3.0 ± 0.1	3.7 ± 0.2	E Africa F	E Asia M
28	4.8 ± 0.2	4.73 ± 0.09	3.22 ± 0.09	3.86 ± 0.07	4.5 ± 0.1	4.8 ± 0.2	3.8 ± 0.1	3.09 ± 0.09	3.0 ± 0.1	3.28 ± 0.07	3.1 ± 0.1	3.8 ± 0.1	E Africa F	E Europe M
29	4.9 ± 0.2	4.86 ± 0.09	3.13 ± 0.09	3.89 ± 0.07	4.6 ± 0.1	4.5 ± 0.2	3.8 ± 0.2	3.21 ± 0.09	2.8 ± 0.1	3.12 ± 0.06	3.2 ± 0.1	3.7 ± 0.1	E Africa F	E Europe M
30	4.9 ± 0.2	5.07 ± 0.09	3.17 ± 0.10	4.02 ± 0.08	4.7 ± 0.1	4.5 ± 0.2	3.8 ± 0.2	3.26 ± 0.09	2.8 ± 0.1	2.97 ± 0.06	3.2 ± 0.1	3.6 ± 0.1	E Asia F	E Europe M
31	5.2 ± 0.2	5.26 ± 0.09	3.3 ± 0.1	4.24 ± 0.09	5.0 ± 0.1	4.6 ± 0.2	3.7 ± 0.2	3.34 ± 0.10	2.7 ± 0.1	2.91 ± 0.06	3.4 ± 0.2	3.5 ± 0.1	E Asia F	E Europe M
32	5.1 ± 0.2	5.36 ± 0.10	3.2 ± 0.1	4.34 ± 0.09	5.1 ± 0.1	4.7 ± 0.2	3.5 ± 0.1	3.43 ± 0.09	2.6 ± 0.1	2.86 ± 0.06	3.4 ± 0.2	3.3 ± 0.1	E Asia F	E Europe M
33	5.4 ± 0.2	5.6 ± 0.1	3.3 ± 0.1	4.48 ± 0.09	5.2 ± 0.2	4.6 ± 0.2	3.4 ± 0.2	3.55 ± 0.10	2.6 ± 0.1	2.78 ± 0.06	3.5 ± 0.2	3.3 ± 0.1	E Asia F	E Europe M
34	5.2 ± 0.2	5.63 ± 0.10	3.4 ± 0.1	4.57 ± 0.09	5.3 ± 0.2	4.7 ± 0.2	3.5 ± 0.2	3.70 ± 0.10	2.7 ± 0.1	2.88 ± 0.06	3.6 ± 0.2	3.3 ± 0.1	E Asia F	E Europe M
35	5.6 ± 0.2	5.9 ± 0.1	3.5 ± 0.1	4.69 ± 0.10	5.6 ± 0.2	4.6 ± 0.2	3.4 ± 0.2	3.82 ± 0.10	2.6 ± 0.1	2.92 ± 0.06	3.9 ± 0.2	3.5 ± 0.1	E Asia F	E Europe M
36	5.5 ± 0.3	6.0 ± 0.1	3.5 ± 0.1	4.86 ± 0.10	5.5 ± 0.2	4.7 ± 0.2	3.5 ± 0.2	3.9 ± 0.1	2.7 ± 0.1	2.99 ± 0.06	3.9 ± 0.2	3.4 ± 0.1	E Asia F	E Europe M
37	5.6 ± 0.3	6.1 ± 0.1	3.6 ± 0.1	5.0 ± 0.1	5.7 ± 0.2	4.9 ± 0.2	3.5 ± 0.2	4.0 ± 0.1	2.7 ± 0.1	3.11 ± 0.07	4.0 ± 0.2	3.5 ± 0.1	E Asia F	E Europe M
38	5.3 ± 0.3	6.3 ± 0.1	3.6 ± 0.1	5.1 ± 0.1	5.6 ± 0.2	5.1 ± 0.3	3.5 ± 0.2	4.1 ± 0.1	2.7 ± 0.1	3.12 ± 0.07	3.8 ± 0.2	3.6 ± 0.2	E Asia F	E Europe M
39	5.7 ± 0.3	6.4 ± 0.1	3.6 ± 0.1	5.3 ± 0.1	5.7 ± 0.2	4.8 ± 0.2	3.5 ± 0.2	4.3 ± 0.1	2.8 ± 0.1	3.21 ± 0.07	4.0 ± 0.2	3.7 ± 0.2	E Asia F	E Europe M
40	5.5 ± 0.3	6.4 ± 0.1	3.6 ± 0.1	5.3 ± 0.1	5.8 ± 0.2	5.1 ± 0.2	3.6 ± 0.2	4.4 ± 0.1	2.9 ± 0.1	3.34 ± 0.07	4.0 ± 0.2	3.9 ± 0.2	E Asia F	E Europe M
41	6.1 ± 0.3	6.5 ± 0.1	3.8 ± 0.1	5.4 ± 0.1	5.8 ± 0.2	5.5 ± 0.3	3.7 ± 0.2	4.4 ± 0.1	2.9 ± 0.1	3.46 ± 0.08	4.2 ± 0.2	4.3 ± 0.2	E Asia F	E Europe M
42	5.7 ± 0.3	6.4 ± 0.1	3.7 ± 0.2	5.2 ± 0.1	5.7 ± 0.2	5.5 ± 0.3	3.8 ± 0.2	4.5 ± 0.1	2.9 ± 0.1	3.58 ± 0.09	4.1 ± 0.2	4.3 ± 0.2	E Asia F	E Europe M
43	5.9 ± 0.4	6.6 ± 0.1	3.8 ± 0.2	5.5 ± 0.2	6.0 ± 0.2	5.9 ± 0.3	3.9 ± 0.2	4.5 ± 0.1	2.9 ± 0.2	3.63 ± 0.10	4.2 ± 0.2	4.6 ± 0.2	E Asia F	E Europe M
44	5.9 ± 0.4	6.7 ± 0.1	3.7 ± 0.2	5.5 ± 0.2	5.6 ± 0.2	6.0 ± 0.3	3.9 ± 0.2	4.7 ± 0.1	3.0 ± 0.2	3.6 ± 0.1	4.2 ± 0.2	4.6 ± 0.2	E Asia F	E Europe M
45	6.2 ± 0.4	6.7 ± 0.1	3.6 ± 0.2	5.4 ± 0.2	5.7 ± 0.2	5.8 ± 0.3	4.0 ± 0.2	4.7 ± 0.1	3.2 ± 0.2	3.7 ± 0.1	4.2 ± 0.2	5.1 ± 0.2	E Asia F	E Europe M
46	5.9 ± 0.4	6.8 ± 0.1	3.6 ± 0.2	5.1 ± 0.2	5.9 ± 0.2	6.0 ± 0.3	4.0 ± 0.3	4.8 ± 0.1	3.2 ± 0.2	3.7 ± 0.1	4.3 ± 0.2	5.2 ± 0.2	E Asia F	E Europe M
47	5.8 ± 0.4	6.7 ± 0.1	3.8 ± 0.2	5.3 ± 0.2	5.7 ± 0.2	6.3 ± 0.3	3.9 ± 0.2	4.9 ± 0.1	3.1 ± 0.2	3.9 ± 0.1	4.2 ± 0.2	5.2 ± 0.2	E Asia F	E Europe M
48	6.0 ± 0.5	6.6 ± 0.1	3.4 ± 0.2	5.1 ± 0.2	5.6 ± 0.2	6.3 ± 0.3	4.4 ± 0.3	4.9 ± 0.1	3.2 ± 0.2	3.9 ± 0.1	4.2 ± 0.2	5.6 ± 0.3	E Asia F	E Europe M
49	5.8 ± 0.5	6.8 ± 0.1	3.5 ± 0.2	5.0 ± 0.2	5.3 ± 0.2	6.6 ± 0.4	4.4 ± 0.3	4.9 ± 0.1	3.3 ± 0.2	3.8 ± 0.1	4.1 ± 0.2	5.6 ± 0.3	E Asia F	E Europe M
50	6.1 ± 0.5	6.7 ± 0.1	3.4 ± 0.2	4.8 ± 0.2	5.3 ± 0.2	6.5 ± 0.4	4.4 ± 0.3	4.8 ± 0.1	3.0 ± 0.2	3.9 ± 0.1	3.8 ± 0.2	5.7 ± 0.3	E Asia F	E Europe M
51	5.9 ± 0.5	6.7 ± 0.1	3.3 ± 0.2	4.8 ± 0.2	5.4 ± 0.2	6.8 ± 0.4	4.8 ± 0.4	4.8 ± 0.1	2.9 ± 0.2	3.9 ± 0.2	3.9 ± 0.2	6.1 ± 0.3	W Africa F	E Europe M
52	6.1 ± 0.5	6.6 ± 0.2	3.3 ± 0.2	4.9 ± 0.2	4.9 ± 0.2	7.1 ± 0.4	4.3 ± 0.4	4.9 ± 0.1	3.1 ± 0.2	3.8 ± 0.1	4.0 ± 0.2	6.2 ± 0.4	W Africa F	E Europe M




Fig. 199. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 200. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 201. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 202. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 203. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 204. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 205. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 206. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 207. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 208. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 209. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 210. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 211. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 212. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 213. Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 214. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 215. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 216. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 217. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 218. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 219. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 220. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 221. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 222. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 223. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 224. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 225. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 226. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 227. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 228. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 229. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 230. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 231. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 232. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*




Fig. 233. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 234. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 235. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 236. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 237. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 238. Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 239. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 240. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 241. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 242. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 243. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*




Fig. 244. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 245. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 246. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 247. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 248. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 249. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 250. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 251. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 252. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 253. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 254. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 255. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 256. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 257. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 258. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 259. *Confusion matrices showing the percentage of subjects of true age (rows) estimated as ages ranging from 0-13 to 31 and above (columns 0-13 to 31+), broken down by 12 demographic groups (region and sex), for application images. Red values indicate the age most frequently estimated for each actual age.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Appendix A.3. Challenge Age

The following pages include two tables for each algorithm, one for *Visa* images and another for lower quality *Border* images. The values are Challenge-25 accept rates - the proportion of people of the given age who are judged to have age 25 or over. For an application with a legal age (LA) of 18, these rates would be properly termed false positive rates (FPR) for everyone below 18, and true positive rates for those 18 or over. The vocabulary would change depending on the LA. For this reason we use the generic term "accept rates".

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 163. *For algorithm ayonix-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.01	0.05 ± 0.01	0.000 ± 0.000	0.019 ± 0.007	0.04 ± 0.02	0.07 ± 0.03	0.013 ± 0.010	0.021 ± 0.007	0.000 ± 0.000	0.008 ± 0.004	0.014 ± 0.009	0.004 ± 0.004	W Africa F	E Europe F	0.55
15	0.03 ± 0.01	0.07 ± 0.01	0.003 ± 0.003	0.03 ± 0.01	0.06 ± 0.02	0.07 ± 0.03	0.02 ± 0.01	0.023 ± 0.008	0.000 ± 0.000	0.005 ± 0.004	0.007 ± 0.007	0.02 ± 0.01	E Asia F	E Europe M	0.51
16	0.06 ± 0.02	0.09 ± 0.02	0.005 ± 0.005	0.05 ± 0.01	0.08 ± 0.03	0.09 ± 0.03	0.05 ± 0.02	0.018 ± 0.006	0.012 ± 0.009	0.007 ± 0.004	0.011 ± 0.008	0.005 ± 0.005	E Asia F	W Africa M	0.50
17	0.11 ± 0.03	0.14 ± 0.02	0.003 ± 0.003	0.05 ± 0.01	0.12 ± 0.03	0.18 ± 0.05	0.06 ± 0.02	0.028 ± 0.008	0.006 ± 0.006	0.019 ± 0.008	0.03 ± 0.01	0.05 ± 0.02	W Africa F	E Europe F	0.51
18	0.11 ± 0.02	0.14 ± 0.01	0.012 ± 0.009	0.06 ± 0.01	0.10 ± 0.02	0.20 ± 0.04	0.09 ± 0.02	0.025 ± 0.006	0.005 ± 0.005	0.029 ± 0.008	0.022 ± 0.010	0.07 ± 0.02	W Africa F	E Europe M	0.47
19	0.16 ± 0.03	0.16 ± 0.02	0.03 ± 0.01	0.10 ± 0.01	0.13 ± 0.02	0.28 ± 0.04	0.15 ± 0.03	0.033 ± 0.007	0.009 ± 0.008	0.04 ± 0.01	0.04 ± 0.01	0.14 ± 0.03	W Africa F	E Europe M	0.42
20	0.23 ± 0.03	0.21 ± 0.02	0.03 ± 0.01	0.13 ± 0.02	0.15 ± 0.02	0.33 ± 0.04	0.24 ± 0.03	0.041 ± 0.008	0.03 ± 0.01	0.09 ± 0.01	0.04 ± 0.01	0.22 ± 0.04	W Africa F	E Europe M	0.41
21	0.25 ± 0.03	0.26 ± 0.02	0.03 ± 0.01	0.15 ± 0.01	0.22 ± 0.02	0.39 ± 0.04	0.30 ± 0.03	0.046 ± 0.008	0.04 ± 0.01	0.10 ± 0.01	0.06 ± 0.02	0.26 ± 0.04	W Africa F	E Europe F	0.40
22	0.33 ± 0.03	0.31 ± 0.02	0.07 ± 0.02	0.19 ± 0.02	0.26 ± 0.02	0.44 ± 0.04	0.40 ± 0.04	0.07 ± 0.01	0.06 ± 0.02	0.14 ± 0.02	0.07 ± 0.01	0.30 ± 0.04	W Africa F	E Europe M	0.37
23	0.35 ± 0.03	0.36 ± 0.02	0.09 ± 0.01	0.24 ± 0.01	0.32 ± 0.02	0.47 ± 0.04	0.44 ± 0.04	0.09 ± 0.01	0.08 ± 0.02	0.22 ± 0.02	0.09 ± 0.02	0.38 ± 0.03	W Africa F	E Europe M	0.32
24	0.42 ± 0.03	0.40 ± 0.02	0.13 ± 0.02	0.29 ± 0.01	0.37 ± 0.02	0.52 ± 0.03	0.49 ± 0.03	0.13 ± 0.01	0.18 ± 0.02	0.28 ± 0.02	0.11 ± 0.02	0.42 ± 0.03	W Africa F	S E Asia M	0.27
25	0.47 ± 0.03	0.47 ± 0.01	0.18 ± 0.01	0.33 ± 0.01	0.41 ± 0.02	0.57 ± 0.03	0.53 ± 0.03	0.18 ± 0.02	0.24 ± 0.02	0.34 ± 0.02	0.19 ± 0.02	0.50 ± 0.03	W Africa F	E Asia M	0.23
26	0.51 ± 0.03	0.52 ± 0.01	0.26 ± 0.02	0.38 ± 0.01	0.48 ± 0.02	0.62 ± 0.03	0.60 ± 0.03	0.21 ± 0.02	0.33 ± 0.02	0.43 ± 0.02	0.23 ± 0.02	0.55 ± 0.03	W Africa F	E Asia M	0.20
27	0.57 ± 0.03	0.58 ± 0.01	0.34 ± 0.02	0.42 ± 0.01	0.52 ± 0.02	0.64 ± 0.02	0.63 ± 0.03	0.29 ± 0.02	0.45 ± 0.03	0.50 ± 0.02	0.31 ± 0.03	0.59 ± 0.02	W Africa F	E Asia M	0.15
28	0.59 ± 0.03	0.64 ± 0.01	0.42 ± 0.02	0.47 ± 0.01	0.59 ± 0.02	0.66 ± 0.03	0.70 ± 0.02	0.37 ± 0.02	0.57 ± 0.03	0.56 ± 0.01	0.38 ± 0.03	0.66 ± 0.02	E Africa M	E Asia M	0.12
29	0.66 ± 0.02	0.70 ± 0.01	0.52 ± 0.02	0.53 ± 0.01	0.64 ± 0.02	0.72 ± 0.02	0.75 ± 0.02	0.44 ± 0.02	0.64 ± 0.03	0.64 ± 0.01	0.43 ± 0.03	0.73 ± 0.02	E Africa M	S E Asia M	0.10
30	0.69 ± 0.03	0.74 ± 0.01	0.61 ± 0.02	0.59 ± 0.01	0.71 ± 0.02	0.72 ± 0.02	0.79 ± 0.02	0.52 ± 0.02	0.72 ± 0.02	0.71 ± 0.01	0.54 ± 0.03	0.75 ± 0.02	E Africa M	E Asia M	0.07
31	0.70 ± 0.02	0.79 ± 0.01	0.69 ± 0.02	0.62 ± 0.01	0.75 ± 0.02	0.77 ± 0.02	0.84 ± 0.02	0.60 ± 0.02	0.80 ± 0.02	0.76 ± 0.01	0.56 ± 0.03	0.79 ± 0.02	E Africa M	S E Asia M	0.07
32	0.75 ± 0.02	0.836 ± 0.009	0.76 ± 0.02	0.69 ± 0.01	0.78 ± 0.02	0.78 ± 0.02	0.87 ± 0.02	0.70 ± 0.02	0.86 ± 0.02	0.815 ± 0.009	0.68 ± 0.03	0.83 ± 0.02	E Africa M	S E Asia M	0.05
33	0.76 ± 0.02	0.87 ± 0.01	0.81 ± 0.02	0.73 ± 0.01	0.81 ± 0.02	0.82 ± 0.02	0.89 ± 0.02	0.75 ± 0.02	0.94 ± 0.01	0.853 ± 0.009	0.74 ± 0.03	0.86 ± 0.02	E Europe M	S Asia F	0.05
34	0.81 ± 0.02	0.889 ± 0.008	0.85 ± 0.02	0.77 ± 0.01	0.86 ± 0.02	0.83 ± 0.02	0.91 ± 0.02	0.80 ± 0.01	0.95 ± 0.01	0.891 ± 0.008	0.79 ± 0.02	0.90 ± 0.02	E Europe M	S Asia F	0.04

Table 164. *For algorithm ayonix-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.10 ± 0.05	0.06 ± 0.01	0.013 ± 0.009	0.09 ± 0.02	0.09 ± 0.02	0.10 ± 0.04	0.09 ± 0.04	0.035 ± 0.008	0.007 ± 0.007	0.026 ± 0.008	0.05 ± 0.02	0.05 ± 0.04	E Africa F	E Europe M	0.35
15	0.10 ± 0.04	0.077 ± 0.010	0.01 ± 0.01	0.12 ± 0.02	0.11 ± 0.02	0.19 ± 0.05	0.10 ± 0.04	0.045 ± 0.007	0.02 ± 0.01	0.05 ± 0.01	0.05 ± 0.02	0.06 ± 0.04	W Africa F	E Europe F	0.36
16	0.19 ± 0.05	0.11 ± 0.01	0.03 ± 0.01	0.14 ± 0.02	0.12 ± 0.02	0.21 ± 0.05	0.14 ± 0.04	0.058 ± 0.008	0.04 ± 0.01	0.07 ± 0.01	0.04 ± 0.01	0.16 ± 0.05	W Africa F	E Europe F	0.33
17	0.19 ± 0.05	0.13 ± 0.01	0.023 ± 0.009	0.18 ± 0.02	0.14 ± 0.02	0.24 ± 0.05	0.25 ± 0.06	0.072 ± 0.008	0.04 ± 0.02	0.10 ± 0.01	0.06 ± 0.02	0.24 ± 0.05	E Africa M	E Europe F	0.35
18	0.30 ± 0.05	0.16 ± 0.01	0.05 ± 0.01	0.21 ± 0.02	0.15 ± 0.02	0.27 ± 0.04	0.34 ± 0.06	0.089 ± 0.007	0.07 ± 0.02	0.14 ± 0.02	0.07 ± 0.02	0.25 ± 0.04	E Africa M	E Europe F	0.34
19	0.34 ± 0.04	0.192 ± 0.009	0.054 ± 0.010	0.22 ± 0.02	0.19 ± 0.02	0.33 ± 0.05	0.37 ± 0.05	0.096 ± 0.007	0.07 ± 0.02	0.18 ± 0.02	0.09 ± 0.02	0.32 ± 0.04	E Africa M	E Europe F	0.32
20	0.40 ± 0.04	0.249 ± 0.010	0.07 ± 0.01	0.24 ± 0.01	0.22 ± 0.02	0.38 ± 0.04	0.50 ± 0.04	0.123 ± 0.008	0.14 ± 0.02	0.25 ± 0.02	0.10 ± 0.02	0.34 ± 0.04	E Africa M	E Europe F	0.31
21	0.45 ± 0.04	0.28 ± 0.01	0.10 ± 0.01	0.28 ± 0.01	0.25 ± 0.02	0.43 ± 0.04	0.51 ± 0.04	0.162 ± 0.009	0.22 ± 0.02	0.31 ± 0.02	0.15 ± 0.02	0.39 ± 0.04	E Africa M	E Europe F	0.26
22	0.50 ± 0.04	0.318 ± 0.008	0.13 ± 0.01	0.32 ± 0.01	0.28 ± 0.02	0.47 ± 0.03	0.61 ± 0.04	0.19 ± 0.01	0.28 ± 0.02	0.36 ± 0.02	0.18 ± 0.02	0.48 ± 0.03	E Africa M	E Europe F	0.25
23	0.53 ± 0.04	0.360 ± 0.009	0.17 ± 0.01	0.35 ± 0.01	0.34 ± 0.02	0.49 ± 0.03	0.62 ± 0.04	0.246 ± 0.010	0.37 ± 0.02	0.43 ± 0.01	0.21 ± 0.02	0.51 ± 0.03	E Africa M	E Europe F	0.21
24	0.58 ± 0.03	0.418 ± 0.009	0.20 ± 0.01	0.40 ± 0.01	0.38 ± 0.02	0.53 ± 0.03	0.70 ± 0.03	0.29 ± 0.01	0.46 ± 0.02	0.49 ± 0.01	0.27 ± 0.02	0.57 ± 0.03	E Africa M	E Europe F	0.19
25	0.62 ± 0.03	0.457 ± 0.008	0.28 ± 0.01	0.43 ± 0.01	0.42 ± 0.02	0.57 ± 0.03	0.74 ± 0.03	0.35 ± 0.01	0.55 ± 0.02	0.56 ± 0.01	0.32 ± 0.02	0.62 ± 0.02	E Africa M	E Europe F	0.17
26	0.65 ± 0.03	0.509 ± 0.008	0.33 ± 0.01	0.467 ± 0.009	0.47 ± 0.01	0.61 ± 0.02	0.76 ± 0.03	0.41 ± 0.01	0.63 ± 0.02	0.62 ± 0.01	0.39 ± 0.02	0.65 ± 0.02	E Africa M	E Europe F	0.14
27	0.65 ± 0.03	0.549 ± 0.007	0.40 ± 0.01	0.498 ± 0.009	0.52 ± 0.01	0.62 ± 0.02	0.79 ± 0.03	0.46 ± 0.01	0.70 ± 0.02	0.660 ± 0.009	0.45 ± 0.02	0.72 ± 0.02	E Africa M	E Europe F	0.13
28	0.71 ± 0.03	0.601 ± 0.007	0.48 ± 0.01	0.545 ± 0.009	0.57 ± 0.01	0.63 ± 0.02	0.81 ± 0.02	0.52 ± 0.01	0.78 ± 0.01	0.710 ± 0.008	0.51 ± 0.02	0.77 ± 0.02	E Africa M	E Europe F	0.11
29	0.72 ± 0.03	0.649 ± 0.007	0.56 ± 0.01	0.581 ± 0.009	0.61 ± 0.02	0.67 ± 0.02	0.84 ± 0.02	0.57 ± 0.01	0.82 ± 0.01	0.746 ± 0.008	0.58 ± 0.02	0.76 ± 0.02	E Africa M	E Europe F	0.09
30	0.74 ± 0.02	0.689 ± 0.006	0.62 ± 0.01	0.622 ± 0.008	0.64 ± 0.02	0.69 ± 0.02	0.87 ± 0.02	0.623 ± 0.010	0.88 ± 0.01	0.787 ± 0.007	0.63 ± 0.02	0.80 ± 0.02	E Europe M	E Europe F	0.08
31	0.74 ± 0.02	0.727 ± 0.007	0.69 ± 0.01	0.662 ± 0.008	0.71 ± 0.01	0.71 ± 0.02	0.90 ± 0.02	0.690 ± 0.009	0.926 ± 0.009	0.824 ± 0.006	0.67 ± 0.02	0.83 ± 0.01	E Europe M	S Asia F	0.07
32	0.79 ± 0.02	0.762 ± 0.006	0.76 ± 0.01	0.705 ± 0.007	0.73 ± 0.01	0.72 ± 0.02	0.92 ± 0.01	0.752 ± 0.009	0.942 ± 0.008	0.854 ± 0.006	0.71 ± 0.02	0.84 ± 0.01	E Europe M	S Asia F	0.06
33	0.79 ± 0.02	0.793 ± 0.006	0.798 ± 0.010	0.738 ± 0.008	0.76 ± 0.01	0.75 ± 0.02	0.93 ± 0.01	0.796 ± 0.008	0.963 ± 0.006	0.875 ± 0.005	0.78 ± 0.02	0.86 ± 0.01	E Europe M	S Asia F	0.05
34	0.81 ± 0.02	0.823 ± 0.006	0.84 ± 0.01	0.774 ± 0.007	0.80 ± 0.01	0.76 ± 0.02	0.94 ± 0.01	0.832 ± 0.007	0.977 ± 0.005	0.900 ± 0.004	0.82 ± 0.02	0.90 ± 0.01	E Europe M	W Africa F	0.05

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 165. *For algorithm bynn-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.011 ± 0.009	0.001 ± 0.001	0.000 ± 0.000	0.003 ± 0.002	0.007 ± 0.007	0.04 ± 0.02	0.008 ± 0.006	0.006 ± 0.003	0.000 ± 0.000	0.003 ± 0.002	0.000 ± 0.000	0.004 ± 0.004	W Africa F	E Europe F	0.69
15	0.02 ± 0.01	0.008 ± 0.005	0.003 ± 0.003	0.017 ± 0.008	0.010 ± 0.007	0.03 ± 0.02	0.008 ± 0.008	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.004	0.005 ± 0.005	0.01 ± 0.01	W Africa F	E Europe M	0.48
16	0.03 ± 0.01	0.013 ± 0.005	0.02 ± 0.01	0.015 ± 0.008	0.02 ± 0.01	0.07 ± 0.03	0.02 ± 0.01	0.012 ± 0.005	0.006 ± 0.006	0.013 ± 0.007	0.011 ± 0.008	0.01 ± 0.01	W Africa F	E Europe M	0.36
17	0.05 ± 0.02	0.021 ± 0.007	0.05 ± 0.02	0.04 ± 0.01	0.04 ± 0.02	0.15 ± 0.03	0.02 ± 0.01	0.029 ± 0.008	0.003 ± 0.003	0.03 ± 0.01	0.03 ± 0.02	0.08 ± 0.03	W Africa F	E Europe M	0.41
18	0.10 ± 0.02	0.032 ± 0.007	0.04 ± 0.02	0.07 ± 0.01	0.06 ± 0.02	0.14 ± 0.03	0.07 ± 0.02	0.043 ± 0.008	0.009 ± 0.007	0.05 ± 0.01	0.04 ± 0.01	0.11 ± 0.03	W Africa F	E Europe M	0.33
19	0.16 ± 0.03	0.049 ± 0.010	0.07 ± 0.02	0.10 ± 0.01	0.10 ± 0.02	0.21 ± 0.04	0.18 ± 0.03	0.08 ± 0.01	0.03 ± 0.01	0.11 ± 0.02	0.11 ± 0.02	0.20 ± 0.04	W Africa F	E Europe M	0.29
20	0.23 ± 0.03	0.08 ± 0.01	0.10 ± 0.02	0.14 ± 0.02	0.14 ± 0.02	0.29 ± 0.04	0.25 ± 0.03	0.13 ± 0.01	0.06 ± 0.02	0.19 ± 0.02	0.16 ± 0.02	0.28 ± 0.04	W Africa F	E Europe M	0.27
21	0.24 ± 0.03	0.14 ± 0.01	0.16 ± 0.02	0.21 ± 0.02	0.19 ± 0.02	0.39 ± 0.04	0.38 ± 0.04	0.21 ± 0.02	0.12 ± 0.03	0.26 ± 0.02	0.24 ± 0.03	0.39 ± 0.04	W Africa M	E Europe M	0.23
22	0.31 ± 0.03	0.17 ± 0.01	0.23 ± 0.02	0.26 ± 0.02	0.25 ± 0.02	0.43 ± 0.04	0.52 ± 0.03	0.28 ± 0.02	0.22 ± 0.03	0.37 ± 0.02	0.33 ± 0.03	0.49 ± 0.04	E Africa M	E Asia F	0.20
23	0.36 ± 0.03	0.24 ± 0.01	0.30 ± 0.02	0.33 ± 0.02	0.32 ± 0.02	0.51 ± 0.03	0.57 ± 0.03	0.39 ± 0.02	0.31 ± 0.04	0.49 ± 0.02	0.43 ± 0.03	0.58 ± 0.03	W Africa M	E Asia F	0.16
24	0.45 ± 0.03	0.29 ± 0.01	0.40 ± 0.02	0.40 ± 0.02	0.40 ± 0.02	0.54 ± 0.03	0.66 ± 0.03	0.49 ± 0.02	0.43 ± 0.03	0.59 ± 0.02	0.52 ± 0.03	0.67 ± 0.03	W Africa M	E Asia F	0.14
25	0.49 ± 0.03	0.38 ± 0.01	0.48 ± 0.02	0.45 ± 0.01	0.47 ± 0.02	0.62 ± 0.03	0.76 ± 0.02	0.56 ± 0.02	0.55 ± 0.03	0.69 ± 0.02	0.60 ± 0.03	0.74 ± 0.03	E Africa M	E Asia F	0.13
26	0.57 ± 0.03	0.43 ± 0.01	0.58 ± 0.02	0.51 ± 0.01	0.56 ± 0.02	0.68 ± 0.03	0.83 ± 0.02	0.65 ± 0.02	0.63 ± 0.03	0.76 ± 0.01	0.69 ± 0.03	0.80 ± 0.02	E Africa M	E Asia F	0.11
27	0.61 ± 0.03	0.51 ± 0.01	0.67 ± 0.02	0.57 ± 0.01	0.62 ± 0.02	0.72 ± 0.02	0.86 ± 0.02	0.74 ± 0.02	0.76 ± 0.02	0.82 ± 0.01	0.76 ± 0.02	0.84 ± 0.02	E Africa M	E Asia F	0.09
28	0.67 ± 0.02	0.59 ± 0.01	0.74 ± 0.02	0.63 ± 0.01	0.70 ± 0.02	0.78 ± 0.02	0.89 ± 0.02	0.80 ± 0.01	0.84 ± 0.02	0.865 ± 0.010	0.83 ± 0.02	0.88 ± 0.02	E Africa M	E Asia F	0.08
29	0.73 ± 0.02	0.66 ± 0.01	0.81 ± 0.01	0.69 ± 0.01	0.75 ± 0.02	0.81 ± 0.02	0.93 ± 0.01	0.85 ± 0.01	0.88 ± 0.02	0.897 ± 0.008	0.87 ± 0.02	0.91 ± 0.01	E Africa M	E Asia F	0.07
30	0.77 ± 0.02	0.72 ± 0.01	0.85 ± 0.01	0.74 ± 0.01	0.82 ± 0.01	0.83 ± 0.02	0.95 ± 0.01	0.90 ± 0.01	0.93 ± 0.01	0.925 ± 0.006	0.89 ± 0.02	0.93 ± 0.01	E Africa M	E Asia F	0.05
31	0.80 ± 0.02	0.77 ± 0.01	0.89 ± 0.01	0.786 ± 0.010	0.85 ± 0.01	0.86 ± 0.02	0.967 ± 0.010	0.918 ± 0.010	0.94 ± 0.01	0.947 ± 0.006	0.93 ± 0.02	0.95 ± 0.01	E Africa M	E Asia F	0.05
32	0.83 ± 0.02	0.824 ± 0.009	0.93 ± 0.01	0.835 ± 0.009	0.88 ± 0.01	0.87 ± 0.02	0.973 ± 0.008	0.949 ± 0.008	0.970 ± 0.009	0.968 ± 0.005	0.95 ± 0.01	0.961 ± 0.009	E Africa M	E Asia F	0.04
33	0.85 ± 0.02	0.857 ± 0.010	0.946 ± 0.010	0.864 ± 0.009	0.90 ± 0.01	0.91 ± 0.02	0.974 ± 0.008	0.961 ± 0.007	0.987 ± 0.006	0.974 ± 0.004	0.97 ± 0.01	0.972 ± 0.009	E Europe M	E Africa F	0.03
34	0.89 ± 0.02	0.893 ± 0.008	0.963 ± 0.008	0.910 ± 0.009	0.94 ± 0.01	0.92 ± 0.01	0.982 ± 0.007	0.969 ± 0.007	0.990 ± 0.005	0.984 ± 0.003	0.97 ± 0.01	0.977 ± 0.008	E Europe M	E Africa F	0.02

Table 166. *For algorithm bynn-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.03	0.010 ± 0.004	0.009 ± 0.007	0.024 ± 0.009	0.007 ± 0.007	0.07 ± 0.04	0.06 ± 0.03	0.003 ± 0.002	0.000 ± 0.000	0.003 ± 0.002	0.008 ± 0.006	0.04 ± 0.03	W Africa F	E Europe M	0.58
15	0.06 ± 0.03	0.011 ± 0.004	0.03 ± 0.01	0.03 ± 0.01	0.03 ± 0.01	0.12 ± 0.05	0.09 ± 0.04	0.007 ± 0.003	0.007 ± 0.007	0.007 ± 0.004	0.009 ± 0.007	0.09 ± 0.04	W Africa F	S Asia M	0.54
16	0.15 ± 0.05	0.021 ± 0.005	0.04 ± 0.02	0.06 ± 0.01	0.03 ± 0.01	0.16 ± 0.04	0.13 ± 0.05	0.012 ± 0.003	0.007 ± 0.005	0.018 ± 0.006	0.017 ± 0.009	0.06 ± 0.03	W Africa F	E Europe M	0.52
17	0.17 ± 0.04	0.028 ± 0.005	0.07 ± 0.02	0.07 ± 0.01	0.05 ± 0.01	0.22 ± 0.06	0.19 ± 0.05	0.022 ± 0.004	0.012 ± 0.008	0.043 ± 0.010	0.02 ± 0.01	0.21 ± 0.05	W Africa F	E Europe M	0.49
18	0.26 ± 0.04	0.037 ± 0.005	0.10 ± 0.02	0.09 ± 0.01	0.05 ± 0.01	0.23 ± 0.04	0.27 ± 0.05	0.036 ± 0.005	0.03 ± 0.01	0.06 ± 0.01	0.04 ± 0.01	0.21 ± 0.04	E Africa M	E Europe M	0.45
19	0.29 ± 0.04	0.053 ± 0.005	0.13 ± 0.02	0.13 ± 0.01	0.07 ± 0.01	0.33 ± 0.04	0.32 ± 0.05	0.054 ± 0.006	0.04 ± 0.01	0.11 ± 0.01	0.06 ± 0.01	0.29 ± 0.04	W Africa F	E Europe M	0.41
20	0.36 ± 0.04	0.072 ± 0.005	0.18 ± 0.02	0.15 ± 0.01	0.09 ± 0.01	0.38 ± 0.04	0.45 ± 0.04	0.080 ± 0.006	0.07 ± 0.01	0.17 ± 0.01	0.10 ± 0.02	0.33 ± 0.04	E Africa M	E Europe M	0.39
21	0.44 ± 0.04	0.096 ± 0.006	0.22 ± 0.01	0.20 ± 0.01	0.12 ± 0.01	0.41 ± 0.04	0.51 ± 0.04	0.118 ± 0.008	0.14 ± 0.02	0.24 ± 0.01	0.15 ± 0.02	0.44 ± 0.04	E Africa M	E Asia F	0.34
22	0.48 ± 0.04	0.117 ± 0.006	0.29 ± 0.02	0.26 ± 0.01	0.17 ± 0.01	0.53 ± 0.04	0.62 ± 0.04	0.172 ± 0.009	0.21 ± 0.02	0.33 ± 0.01	0.22 ± 0.02	0.55 ± 0.04	E Africa M	E Asia F	0.31
23	0.52 ± 0.04	0.145 ± 0.007	0.34 ± 0.02	0.29 ± 0.01	0.22 ± 0.01	0.56 ± 0.03	0.65 ± 0.04	0.231 ± 0.010	0.30 ± 0.02	0.40 ± 0.01	0.27 ± 0.02	0.60 ± 0.03	E Africa M	E Asia F	0.26
24	0.58 ± 0.03	0.189 ± 0.007	0.40 ± 0.01	0.36 ± 0.01	0.28 ± 0.01	0.62 ± 0.03	0.73 ± 0.03	0.29 ± 0.01	0.41 ± 0.02	0.49 ± 0.01	0.35 ± 0.03	0.65 ± 0.03	E Africa M	E Asia F	0.23
25	0.64 ± 0.03	0.235 ± 0.008	0.49 ± 0.01	0.384 ± 0.010	0.33 ± 0.01	0.68 ± 0.03	0.79 ± 0.03	0.36 ± 0.01	0.50 ± 0.02	0.56 ± 0.01	0.43 ± 0.03	0.69 ± 0.02	E Africa M	E Asia F	0.20
26	0.67 ± 0.03	0.281 ± 0.007	0.53 ± 0.01	0.436 ± 0.009	0.40 ± 0.01	0.69 ± 0.02	0.83 ± 0.02	0.44 ± 0.01	0.58 ± 0.02	0.62 ± 0.01	0.49 ± 0.02	0.77 ± 0.02	E Africa M	E Asia F	0.17
27	0.70 ± 0.03	0.325 ± 0.007	0.62 ± 0.01	0.482 ± 0.009	0.46 ± 0.02	0.73 ± 0.02	0.86 ± 0.02	0.49 ± 0.01	0.67 ± 0.02	0.682 ± 0.009	0.59 ± 0.02	0.83 ± 0.02	E Africa M	E Asia F	0.15
28	0.76 ± 0.02	0.391 ± 0.007	0.67 ± 0.01	0.537 ± 0.009	0.52 ± 0.02	0.75 ± 0.02	0.90 ± 0.02	0.570 ± 0.010	0.75 ± 0.02	0.739 ± 0.009	0.65 ± 0.02	0.86 ± 0.01	E Africa M	E Asia F	0.13
29	0.79 ± 0.02	0.439 ± 0.007	0.74 ± 0.01	0.575 ± 0.008	0.55 ± 0.02	0.79 ± 0.02	0.91 ± 0.02	0.64 ± 0.01	0.82 ± 0.01	0.788 ± 0.008	0.70 ± 0.02	0.89 ± 0.01	E Africa M	E Asia F	0.12
30	0.80 ± 0.02	0.498 ± 0.007	0.79 ± 0.01	0.628 ± 0.008	0.61 ± 0.02	0.81 ± 0.02	0.94 ± 0.01	0.696 ± 0.009	0.86 ± 0.01	0.827 ± 0.006	0.76 ± 0.02	0.91 ± 0.01	E Africa M	E Asia F	0.10
31	0.83 ± 0.02	0.559 ± 0.007	0.830 ± 0.009	0.671 ± 0.008	0.68 ± 0.01	0.86 ± 0.02	0.95 ± 0.01	0.754 ± 0.009	0.910 ± 0.009	0.867 ± 0.006	0.79 ± 0.02	0.932 ± 0.010	E Africa M	E Asia F	0.09
32	0.87 ± 0.02	0.621 ± 0.007	0.875 ± 0.008	0.724 ± 0.007	0.71 ± 0.01	0.86 ± 0.01	0.95 ± 0.01	0.805 ± 0.008	0.933 ± 0.008	0.893 ± 0.005	0.85 ± 0.02	0.939 ± 0.009	E Africa M	E Asia F	0.07
33	0.88 ± 0.02	0.670 ± 0.006	0.888 ± 0.008	0.766 ± 0.008	0.76 ± 0.01	0.88 ± 0.01	0.975 ± 0.009	0.842 ± 0.007	0.951 ± 0.007	0.915 ± 0.004	0.87 ± 0.01	0.949 ± 0.009	E Africa M	E Asia F	0.06
34	0.88 ± 0.02	0.721 ± 0.007	0.911 ± 0.007	0.806 ± 0.007	0.79 ± 0.01	0.92 ± 0.01	0.970 ± 0.010	0.870 ± 0.006	0.965 ± 0.006	0.932 ± 0.004	0.90 ± 0.01	0.959 ± 0.008	E Africa M	E Asia F	0.05

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 167. *For algorithm cognitec-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.007 ± 0.007	0.002 ± 0.002	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.008 ± 0.008	0.004 ± 0.004	0.002 ± 0.002	0.000 ± 0.000	0.003 ± 0.002	0.002 ± 0.002	0.004 ± 0.004	W Africa F	E Europe F	0.46
15	0.04 ± 0.02	0.005 ± 0.003	0.003 ± 0.003	0.006 ± 0.004	0.005 ± 0.005	0.03 ± 0.02	0.005 ± 0.005	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.009 ± 0.009	E Africa F	E Europe M	0.67
16	0.05 ± 0.02	0.008 ± 0.005	0.000 ± 0.000	0.005 ± 0.004	0.01 ± 0.01	0.06 ± 0.03	0.02 ± 0.01	0.002 ± 0.002	0.003 ± 0.003	0.003 ± 0.003	0.003 ± 0.003	0.01 ± 0.01	W Africa F	E Europe F	0.66
17	0.08 ± 0.03	0.015 ± 0.005	0.006 ± 0.006	0.025 ± 0.009	0.02 ± 0.01	0.09 ± 0.03	0.006 ± 0.006	0.010 ± 0.004	0.000 ± 0.000	0.014 ± 0.007	0.02 ± 0.01	0.04 ± 0.02	W Africa F	E Europe M	0.55
18	0.11 ± 0.02	0.027 ± 0.007	0.02 ± 0.01	0.030 ± 0.008	0.04 ± 0.01	0.14 ± 0.03	0.04 ± 0.01	0.018 ± 0.005	0.004 ± 0.004	0.029 ± 0.008	0.03 ± 0.01	0.05 ± 0.02	W Africa F	E Europe M	0.45
19	0.16 ± 0.03	0.045 ± 0.009	0.03 ± 0.01	0.07 ± 0.01	0.08 ± 0.02	0.21 ± 0.04	0.11 ± 0.02	0.040 ± 0.007	0.009 ± 0.008	0.06 ± 0.01	0.05 ± 0.02	0.08 ± 0.02	W Africa F	E Europe M	0.40
20	0.26 ± 0.03	0.10 ± 0.01	0.04 ± 0.01	0.09 ± 0.01	0.12 ± 0.02	0.24 ± 0.03	0.18 ± 0.03	0.07 ± 0.01	0.03 ± 0.01	0.12 ± 0.02	0.11 ± 0.02	0.12 ± 0.03	E Africa F	E Europe M	0.32
21	0.27 ± 0.03	0.17 ± 0.01	0.06 ± 0.01	0.16 ± 0.02	0.17 ± 0.02	0.36 ± 0.04	0.23 ± 0.03	0.13 ± 0.01	0.06 ± 0.02	0.19 ± 0.02	0.17 ± 0.03	0.19 ± 0.03	W Africa F	E Europe M	0.26
22	0.35 ± 0.03	0.24 ± 0.02	0.09 ± 0.01	0.22 ± 0.02	0.27 ± 0.02	0.37 ± 0.04	0.36 ± 0.03	0.22 ± 0.02	0.14 ± 0.03	0.29 ± 0.02	0.25 ± 0.03	0.23 ± 0.04	W Africa F	E Europe F	0.19
23	0.41 ± 0.03	0.33 ± 0.02	0.19 ± 0.02	0.31 ± 0.02	0.37 ± 0.02	0.44 ± 0.03	0.42 ± 0.04	0.31 ± 0.02	0.23 ± 0.03	0.39 ± 0.02	0.37 ± 0.03	0.37 ± 0.03	W Africa F	E Europe F	0.13
24	0.47 ± 0.03	0.42 ± 0.02	0.28 ± 0.02	0.39 ± 0.02	0.45 ± 0.02	0.50 ± 0.03	0.55 ± 0.03	0.41 ± 0.02	0.38 ± 0.03	0.54 ± 0.02	0.49 ± 0.03	0.44 ± 0.03	E Africa M	E Europe F	0.10
25	0.50 ± 0.03	0.53 ± 0.02	0.37 ± 0.02	0.45 ± 0.02	0.55 ± 0.02	0.58 ± 0.03	0.62 ± 0.03	0.53 ± 0.02	0.51 ± 0.03	0.66 ± 0.02	0.60 ± 0.03	0.49 ± 0.03	S Asia M	E Europe F	0.08
26	0.58 ± 0.03	0.62 ± 0.01	0.47 ± 0.02	0.54 ± 0.01	0.65 ± 0.02	0.64 ± 0.03	0.69 ± 0.02	0.67 ± 0.02	0.64 ± 0.03	0.75 ± 0.01	0.70 ± 0.03	0.60 ± 0.03	S Asia M	E Europe F	0.07
27	0.64 ± 0.02	0.70 ± 0.01	0.59 ± 0.02	0.61 ± 0.01	0.71 ± 0.02	0.71 ± 0.03	0.76 ± 0.02	0.75 ± 0.02	0.76 ± 0.02	0.82 ± 0.01	0.82 ± 0.02	0.69 ± 0.02	S Asia M	E Europe F	0.06
28	0.70 ± 0.02	0.79 ± 0.01	0.71 ± 0.02	0.69 ± 0.01	0.78 ± 0.01	0.77 ± 0.02	0.82 ± 0.02	0.83 ± 0.01	0.86 ± 0.02	0.880 ± 0.009	0.87 ± 0.02	0.77 ± 0.02	S Asia M	S Asia F	0.05
29	0.77 ± 0.02	0.842 ± 0.010	0.80 ± 0.01	0.76 ± 0.01	0.83 ± 0.01	0.80 ± 0.02	0.87 ± 0.02	0.90 ± 0.01	0.92 ± 0.02	0.925 ± 0.007	0.90 ± 0.02	0.83 ± 0.02	S Asia M	S Asia F	0.04
30	0.83 ± 0.02	0.896 ± 0.008	0.87 ± 0.01	0.81 ± 0.01	0.89 ± 0.01	0.84 ± 0.02	0.92 ± 0.01	0.933 ± 0.009	0.95 ± 0.01	0.948 ± 0.006	0.93 ± 0.01	0.88 ± 0.02	S Asia M	S Asia F	0.03
31	0.87 ± 0.02	0.933 ± 0.006	0.92 ± 0.01	0.848 ± 0.009	0.92 ± 0.01	0.89 ± 0.02	0.94 ± 0.01	0.960 ± 0.007	0.971 ± 0.008	0.968 ± 0.005	0.96 ± 0.01	0.90 ± 0.02	E Europe M	S Asia F	0.03
32	0.90 ± 0.02	0.952 ± 0.006	0.957 ± 0.008	0.892 ± 0.008	0.947 ± 0.009	0.92 ± 0.01	0.95 ± 0.01	0.973 ± 0.006	0.983 ± 0.007	0.983 ± 0.004	0.980 ± 0.008	0.93 ± 0.01	E Europe M	S Asia F	0.02
33	0.91 ± 0.02	0.972 ± 0.004	0.968 ± 0.007	0.932 ± 0.007	0.965 ± 0.008	0.94 ± 0.01	0.972 ± 0.010	0.987 ± 0.004	0.996 ± 0.004	0.989 ± 0.002	0.987 ± 0.007	0.958 ± 0.010	E Europe M	E Africa F	0.01
34	0.93 ± 0.01	0.982 ± 0.003	0.985 ± 0.005	0.949 ± 0.006	0.974 ± 0.006	0.96 ± 0.01	0.981 ± 0.008	0.993 ± 0.003	0.995 ± 0.004	0.995 ± 0.002	0.993 ± 0.005	0.971 ± 0.009	S Asia M	E Africa F	0.01

Table 168. *For algorithm cognitec-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.11 ± 0.05	0.012 ± 0.004	0.011 ± 0.009	0.04 ± 0.01	0.014 ± 0.009	0.08 ± 0.04	0.07 ± 0.04	0.011 ± 0.004	0.015 ± 0.010	0.022 ± 0.007	0.013 ± 0.008	0.11 ± 0.04	E Africa F	E Europe F	0.51
15	0.17 ± 0.05	0.017 ± 0.005	0.02 ± 0.01	0.05 ± 0.01	0.011 ± 0.007	0.18 ± 0.05	0.15 ± 0.05	0.021 ± 0.005	0.004 ± 0.004	0.05 ± 0.01	0.020 ± 0.009	0.13 ± 0.05	W Africa F	E Europe M	0.55
16	0.28 ± 0.06	0.020 ± 0.004	0.02 ± 0.01	0.08 ± 0.01	0.03 ± 0.01	0.22 ± 0.05	0.16 ± 0.05	0.032 ± 0.006	0.02 ± 0.01	0.07 ± 0.01	0.06 ± 0.02	0.16 ± 0.04	E Africa F	E Europe M	0.51
17	0.27 ± 0.05	0.041 ± 0.006	0.04 ± 0.01	0.10 ± 0.01	0.05 ± 0.01	0.25 ± 0.05	0.28 ± 0.06	0.065 ± 0.008	0.04 ± 0.01	0.12 ± 0.01	0.07 ± 0.02	0.24 ± 0.05	E Africa M	E Europe M	0.43
18	0.40 ± 0.05	0.054 ± 0.006	0.08 ± 0.02	0.15 ± 0.02	0.07 ± 0.01	0.29 ± 0.05	0.36 ± 0.06	0.097 ± 0.008	0.08 ± 0.02	0.18 ± 0.02	0.13 ± 0.02	0.26 ± 0.05	E Africa F	E Asia F	0.38
19	0.46 ± 0.04	0.090 ± 0.007	0.10 ± 0.01	0.20 ± 0.02	0.09 ± 0.01	0.40 ± 0.04	0.44 ± 0.06	0.153 ± 0.009	0.10 ± 0.02	0.28 ± 0.02	0.19 ± 0.02	0.31 ± 0.04	E Africa F	E Asia F	0.35
20	0.50 ± 0.04	0.141 ± 0.008	0.13 ± 0.01	0.24 ± 0.01	0.16 ± 0.02	0.48 ± 0.04	0.51 ± 0.04	0.21 ± 0.01	0.18 ± 0.02	0.37 ± 0.02	0.27 ± 0.02	0.42 ± 0.04	E Africa M	E Europe F	0.28
21	0.57 ± 0.04	0.185 ± 0.008	0.18 ± 0.01	0.31 ± 0.01	0.20 ± 0.02	0.52 ± 0.04	0.60 ± 0.04	0.31 ± 0.01	0.31 ± 0.03	0.48 ± 0.02	0.34 ± 0.02	0.44 ± 0.04	E Africa M	E Europe F	0.24
22	0.62 ± 0.04	0.255 ± 0.009	0.26 ± 0.02	0.38 ± 0.01	0.27 ± 0.02	0.59 ± 0.03	0.66 ± 0.04	0.41 ± 0.01	0.38 ± 0.03	0.59 ± 0.02	0.45 ± 0.03	0.53 ± 0.04	E Africa M	E Asia F	0.19
23	0.67 ± 0.03	0.314 ± 0.008	0.33 ± 0.01	0.43 ± 0.01	0.36 ± 0.02	0.62 ± 0.03	0.78 ± 0.03	0.51 ± 0.01	0.54 ± 0.02	0.69 ± 0.01	0.53 ± 0.03	0.59 ± 0.03	E Africa M	E Asia F	0.17
24	0.72 ± 0.03	0.394 ± 0.009	0.42 ± 0.01	0.51 ± 0.01	0.44 ± 0.02	0.70 ± 0.03	0.79 ± 0.03	0.61 ± 0.01	0.64 ± 0.02	0.76 ± 0.01	0.63 ± 0.02	0.66 ± 0.03	E Africa M	E Asia F	0.13
25	0.76 ± 0.03	0.483 ± 0.009	0.51 ± 0.01	0.556 ± 0.010	0.52 ± 0.02	0.76 ± 0.02	0.84 ± 0.02	0.70 ± 0.01	0.74 ± 0.02	0.832 ± 0.009	0.75 ± 0.02	0.72 ± 0.03	E Africa M	E Asia F	0.11
26	0.81 ± 0.02	0.569 ± 0.008	0.57 ± 0.01	0.622 ± 0.009	0.61 ± 0.01	0.79 ± 0.02	0.89 ± 0.02	0.771 ± 0.009	0.82 ± 0.01	0.876 ± 0.008	0.80 ± 0.02	0.78 ± 0.02	E Africa M	E Asia F	0.09
27	0.81 ± 0.02	0.638 ± 0.007	0.68 ± 0.01	0.676 ± 0.009	0.69 ± 0.01	0.83 ± 0.02	0.91 ± 0.02	0.826 ± 0.007	0.88 ± 0.01	0.910 ± 0.006	0.86 ± 0.02	0.84 ± 0.02	E Africa M	E Asia F	0.07
28	0.88 ± 0.02	0.711 ± 0.007	0.75 ± 0.01	0.725 ± 0.007	0.75 ± 0.01	0.85 ± 0.02	0.93 ± 0.01	0.888 ± 0.007	0.930 ± 0.009	0.943 ± 0.004	0.92 ± 0.01	0.87 ± 0.01	S Asia M	E Asia F	0.06
29	0.89 ± 0.02	0.776 ± 0.006	0.825 ± 0.009	0.764 ± 0.007	0.80 ± 0.01	0.89 ± 0.01	0.96 ± 0.01	0.923 ± 0.006	0.955 ± 0.007	0.962 ± 0.003	0.94 ± 0.01	0.91 ± 0.01	S Asia M	S Asia F	0.05
30	0.92 ± 0.02	0.836 ± 0.005	0.870 ± 0.008	0.819 ± 0.006	0.85 ± 0.01	0.91 ± 0.01	0.97 ± 0.01	0.948 ± 0.005	0.974 ± 0.005	0.973 ± 0.003	0.956 ± 0.009	0.93 ± 0.01	E Europe M	S Asia F	0.04
31	0.93 ± 0.01	0.884 ± 0.005	0.908 ± 0.007	0.850 ± 0.006	0.884 ± 0.009	0.93 ± 0.01	0.979 ± 0.008	0.969 ± 0.004	0.986 ± 0.004	0.983 ± 0.002	0.969 ± 0.008	0.947 ± 0.009	E Europe M	S Asia F	0.03
32	0.94 ± 0.01	0.916 ± 0.004	0.946 ± 0.006	0.886 ± 0.005	0.917 ± 0.009	0.95 ± 0.01	0.989 ± 0.006	0.979 ± 0.003	0.992 ± 0.003	0.991 ± 0.001	0.981 ± 0.006	0.961 ± 0.008	E Europe M	S Asia F	0.02
33	0.97 ± 0.01	0.942 ± 0.004	0.964 ± 0.005	0.920 ± 0.005	0.937 ± 0.007	0.961 ± 0.009	0.990 ± 0.006	0.989 ± 0.002	0.995 ± 0.002	0.994 ± 0.001	0.983 ± 0.006	0.974 ± 0.007	E Europe M	S Asia F	0.01
34	0.980 ± 0.009	0.960 ± 0.003	0.977 ± 0.004	0.939 ± 0.004	0.962 ± 0.006	0.971 ± 0.009	0.996 ± 0.004	0.992 ± 0.002	0.999 ± 0.001	0.996 ± 0.001	0.995 ± 0.004	0.983 ± 0.004	E Europe M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 169. *For algorithm cognitec-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.011 ± 0.009	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.01 ± 0.01	0.002 ± 0.002	0.002 ± 0.002	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.000 ± 0.000	W Africa F	E Asia F	0.72
15	0.03 ± 0.01	0.002 ± 0.002	0.000 ± 0.000	0.003 ± 0.003	0.005 ± 0.005	0.03 ± 0.02	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe F	0.76
16	0.04 ± 0.02	0.008 ± 0.005	0.000 ± 0.000	0.006 ± 0.005	0.008 ± 0.008	0.04 ± 0.02	0.02 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.004 ± 0.003	0.006 ± 0.006	0.005 ± 0.005	W Africa F	E Europe F	0.60
17	0.05 ± 0.02	0.018 ± 0.007	0.003 ± 0.003	0.017 ± 0.008	0.02 ± 0.01	0.09 ± 0.03	0.006 ± 0.006	0.009 ± 0.004	0.003 ± 0.003	0.010 ± 0.006	0.011 ± 0.008	0.03 ± 0.02	W Africa F	E Europe F	0.56
18	0.08 ± 0.02	0.030 ± 0.007	0.012 ± 0.009	0.041 ± 0.009	0.04 ± 0.01	0.12 ± 0.03	0.02 ± 0.01	0.017 ± 0.005	0.000 ± 0.000	0.027 ± 0.007	0.03 ± 0.01	0.04 ± 0.02	W Africa F	E Europe M	0.43
19	0.14 ± 0.03	0.048 ± 0.009	0.02 ± 0.01	0.07 ± 0.01	0.08 ± 0.02	0.19 ± 0.03	0.10 ± 0.02	0.039 ± 0.008	0.004 ± 0.004	0.06 ± 0.01	0.05 ± 0.02	0.10 ± 0.03	W Africa F	E Europe M	0.39
20	0.19 ± 0.03	0.09 ± 0.01	0.03 ± 0.01	0.10 ± 0.01	0.13 ± 0.02	0.24 ± 0.03	0.17 ± 0.03	0.07 ± 0.01	0.03 ± 0.01	0.11 ± 0.01	0.11 ± 0.02	0.13 ± 0.03	W Africa F	E Europe M	0.31
21	0.26 ± 0.03	0.15 ± 0.01	0.07 ± 0.02	0.17 ± 0.02	0.17 ± 0.02	0.32 ± 0.04	0.24 ± 0.03	0.13 ± 0.01	0.05 ± 0.02	0.20 ± 0.02	0.17 ± 0.02	0.19 ± 0.03	W Africa F	E Europe M	0.25
22	0.33 ± 0.03	0.22 ± 0.02	0.10 ± 0.02	0.24 ± 0.02	0.28 ± 0.02	0.39 ± 0.04	0.38 ± 0.03	0.21 ± 0.02	0.12 ± 0.02	0.30 ± 0.02	0.27 ± 0.03	0.27 ± 0.04	W Africa F	E Europe F	0.20
23	0.37 ± 0.03	0.32 ± 0.01	0.19 ± 0.02	0.33 ± 0.02	0.36 ± 0.02	0.46 ± 0.03	0.45 ± 0.04	0.31 ± 0.02	0.18 ± 0.03	0.43 ± 0.02	0.38 ± 0.03	0.39 ± 0.03	W Africa F	E Europe M	0.15
24	0.46 ± 0.03	0.40 ± 0.02	0.28 ± 0.02	0.41 ± 0.02	0.47 ± 0.02	0.54 ± 0.03	0.58 ± 0.03	0.44 ± 0.02	0.35 ± 0.03	0.58 ± 0.02	0.50 ± 0.03	0.48 ± 0.03	E Africa M	E Europe F	0.12
25	0.51 ± 0.03	0.53 ± 0.01	0.37 ± 0.02	0.49 ± 0.01	0.58 ± 0.02	0.61 ± 0.03	0.66 ± 0.03	0.56 ± 0.02	0.49 ± 0.03	0.69 ± 0.02	0.61 ± 0.03	0.56 ± 0.03	S Asia M	E Europe F	0.09
26	0.59 ± 0.03	0.60 ± 0.01	0.50 ± 0.02	0.57 ± 0.01	0.68 ± 0.02	0.69 ± 0.03	0.73 ± 0.03	0.69 ± 0.02	0.63 ± 0.03	0.78 ± 0.01	0.70 ± 0.03	0.67 ± 0.03	S Asia M	E Europe F	0.07
27	0.64 ± 0.02	0.70 ± 0.01	0.61 ± 0.02	0.64 ± 0.01	0.74 ± 0.01	0.75 ± 0.02	0.79 ± 0.02	0.78 ± 0.02	0.76 ± 0.02	0.84 ± 0.01	0.84 ± 0.02	0.75 ± 0.02	S Asia M	E Europe F	0.06
28	0.70 ± 0.02	0.78 ± 0.01	0.74 ± 0.02	0.71 ± 0.01	0.81 ± 0.01	0.79 ± 0.02	0.85 ± 0.02	0.85 ± 0.01	0.85 ± 0.02	0.901 ± 0.009	0.88 ± 0.02	0.79 ± 0.02	S Asia M	E Africa F	0.05
29	0.77 ± 0.02	0.850 ± 0.009	0.83 ± 0.01	0.79 ± 0.01	0.87 ± 0.01	0.84 ± 0.02	0.91 ± 0.02	0.92 ± 0.01	0.91 ± 0.01	0.940 ± 0.007	0.91 ± 0.02	0.87 ± 0.02	S Asia M	E Africa F	0.04
30	0.83 ± 0.02	0.899 ± 0.008	0.88 ± 0.01	0.830 ± 0.010	0.91 ± 0.01	0.87 ± 0.02	0.94 ± 0.01	0.943 ± 0.008	0.95 ± 0.01	0.958 ± 0.005	0.95 ± 0.01	0.91 ± 0.01	S Asia M	E Africa F	0.03
31	0.87 ± 0.02	0.933 ± 0.007	0.936 ± 0.010	0.873 ± 0.008	0.938 ± 0.009	0.90 ± 0.02	0.96 ± 0.01	0.972 ± 0.006	0.970 ± 0.008	0.977 ± 0.004	0.97 ± 0.01	0.93 ± 0.01	S Asia M	E Africa F	0.02
32	0.90 ± 0.02	0.958 ± 0.005	0.957 ± 0.009	0.915 ± 0.007	0.961 ± 0.007	0.94 ± 0.01	0.97 ± 0.01	0.979 ± 0.005	0.983 ± 0.006	0.986 ± 0.003	0.986 ± 0.007	0.95 ± 0.01	S E Asia M	E Africa F	0.02
33	0.92 ± 0.01	0.975 ± 0.004	0.975 ± 0.007	0.938 ± 0.006	0.973 ± 0.007	0.96 ± 0.01	0.984 ± 0.007	0.989 ± 0.004	0.994 ± 0.004	0.994 ± 0.002	0.995 ± 0.005	0.965 ± 0.009	S E Asia M	E Africa F	0.01
34	0.93 ± 0.02	0.985 ± 0.003	0.987 ± 0.005	0.961 ± 0.005	0.985 ± 0.006	0.968 ± 0.010	0.988 ± 0.007	0.996 ± 0.002	0.995 ± 0.004	0.994 ± 0.002	0.994 ± 0.005	0.978 ± 0.008	E Asia M	E Africa F	0.01

Table 170. *For algorithm cognitec-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.06 ± 0.03	0.007 ± 0.003	0.002 ± 0.002	0.013 ± 0.007	0.005 ± 0.005	0.04 ± 0.03	0.02 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.004 ± 0.004	0.01 ± 0.01	E Africa F	E Europe M	0.66
15	0.05 ± 0.03	0.011 ± 0.004	0.004 ± 0.004	0.018 ± 0.007	0.002 ± 0.002	0.12 ± 0.04	0.02 ± 0.02	0.008 ± 0.003	0.000 ± 0.000	0.004 ± 0.003	0.005 ± 0.005	0.02 ± 0.02	W Africa F	E Europe M	0.68
16	0.14 ± 0.05	0.015 ± 0.004	0.012 ± 0.008	0.04 ± 0.01	0.019 ± 0.010	0.10 ± 0.04	0.07 ± 0.03	0.011 ± 0.003	0.002 ± 0.002	0.006 ± 0.003	0.014 ± 0.009	0.04 ± 0.02	E Africa F	E Europe M	0.58
17	0.14 ± 0.04	0.034 ± 0.006	0.03 ± 0.01	0.05 ± 0.01	0.05 ± 0.01	0.16 ± 0.04	0.08 ± 0.03	0.026 ± 0.005	0.003 ± 0.003	0.028 ± 0.008	0.02 ± 0.01	0.07 ± 0.03	W Africa F	E Europe M	0.46
18	0.21 ± 0.04	0.051 ± 0.006	0.07 ± 0.01	0.08 ± 0.01	0.07 ± 0.01	0.20 ± 0.04	0.13 ± 0.04	0.056 ± 0.006	0.03 ± 0.01	0.045 ± 0.009	0.06 ± 0.02	0.11 ± 0.03	E Africa F	E Europe M	0.35
19	0.25 ± 0.04	0.086 ± 0.007	0.09 ± 0.01	0.14 ± 0.01	0.10 ± 0.02	0.27 ± 0.04	0.23 ± 0.04	0.102 ± 0.008	0.05 ± 0.01	0.10 ± 0.01	0.11 ± 0.02	0.16 ± 0.03	W Africa F	E Europe M	0.29
20	0.36 ± 0.04	0.130 ± 0.008	0.13 ± 0.01	0.17 ± 0.01	0.17 ± 0.02	0.37 ± 0.04	0.33 ± 0.04	0.172 ± 0.010	0.08 ± 0.02	0.16 ± 0.01	0.19 ± 0.02	0.22 ± 0.04	W Africa F	E Europe M	0.26
21	0.43 ± 0.04	0.182 ± 0.009	0.19 ± 0.01	0.23 ± 0.01	0.22 ± 0.02	0.44 ± 0.04	0.41 ± 0.04	0.27 ± 0.01	0.19 ± 0.02	0.24 ± 0.02	0.30 ± 0.02	0.33 ± 0.03	W Africa F	E Asia F	0.19
22	0.48 ± 0.04	0.254 ± 0.008	0.27 ± 0.02	0.31 ± 0.01	0.31 ± 0.02	0.51 ± 0.03	0.53 ± 0.04	0.38 ± 0.01	0.27 ± 0.02	0.34 ± 0.01	0.40 ± 0.03	0.46 ± 0.04	E Africa M	E Asia F	0.16
23	0.55 ± 0.04	0.331 ± 0.009	0.36 ± 0.02	0.36 ± 0.01	0.40 ± 0.02	0.58 ± 0.03	0.63 ± 0.04	0.50 ± 0.01	0.41 ± 0.02	0.46 ± 0.01	0.52 ± 0.03	0.52 ± 0.03	E Africa M	E Asia F	0.12
24	0.61 ± 0.03	0.416 ± 0.009	0.46 ± 0.01	0.45 ± 0.01	0.51 ± 0.02	0.63 ± 0.03	0.69 ± 0.03	0.61 ± 0.01	0.56 ± 0.02	0.56 ± 0.01	0.63 ± 0.02	0.64 ± 0.03	E Africa M	E Asia F	0.09
25	0.64 ± 0.03	0.520 ± 0.008	0.55 ± 0.01	0.51 ± 0.01	0.58 ± 0.01	0.72 ± 0.02	0.75 ± 0.03	0.72 ± 0.01	0.66 ± 0.02	0.67 ± 0.01	0.74 ± 0.02	0.71 ± 0.02	E Africa M	S Asia F	0.08
26	0.74 ± 0.03	0.601 ± 0.008	0.63 ± 0.01	0.562 ± 0.010	0.67 ± 0.01	0.75 ± 0.02	0.83 ± 0.03	0.793 ± 0.009	0.77 ± 0.02	0.749 ± 0.010	0.81 ± 0.02	0.79 ± 0.02	E Africa M	S Asia F	0.07
27	0.75 ± 0.02	0.679 ± 0.007	0.72 ± 0.01	0.629 ± 0.009	0.73 ± 0.01	0.81 ± 0.02	0.87 ± 0.02	0.852 ± 0.008	0.85 ± 0.01	0.813 ± 0.008	0.89 ± 0.01	0.85 ± 0.02	S E Asia M	S Asia F	0.06
28	0.82 ± 0.02	0.756 ± 0.006	0.792 ± 0.009	0.683 ± 0.008	0.80 ± 0.01	0.83 ± 0.02	0.93 ± 0.01	0.901 ± 0.006	0.913 ± 0.010	0.868 ± 0.006	0.93 ± 0.01	0.89 ± 0.01	E Africa M	S Asia F	0.05
29	0.85 ± 0.02	0.812 ± 0.006	0.859 ± 0.008	0.731 ± 0.008	0.86 ± 0.01	0.87 ± 0.01	0.94 ± 0.01	0.932 ± 0.005	0.940 ± 0.008	0.909 ± 0.005	0.94 ± 0.01	0.92 ± 0.01	S E Asia M	S Asia F	0.04
30	0.88 ± 0.02	0.861 ± 0.005	0.905 ± 0.007	0.787 ± 0.007	0.889 ± 0.009	0.90 ± 0.01	0.96 ± 0.01	0.958 ± 0.004	0.967 ± 0.006	0.937 ± 0.004	0.959 ± 0.009	0.942 ± 0.010	E Europe M	S Asia F	0.03
31	0.91 ± 0.02	0.905 ± 0.004	0.931 ± 0.006	0.829 ± 0.006	0.917 ± 0.009	0.93 ± 0.01	0.971 ± 0.009	0.978 ± 0.003	0.981 ± 0.004	0.959 ± 0.003	0.970 ± 0.008	0.963 ± 0.008	E Europe M	S Asia F	0.03
32	0.93 ± 0.01	0.934 ± 0.004	0.961 ± 0.005	0.873 ± 0.006	0.943 ± 0.007	0.95 ± 0.01	0.988 ± 0.006	0.986 ± 0.002	0.990 ± 0.003	0.973 ± 0.003	0.987 ± 0.005	0.968 ± 0.007	E Europe M	S Asia F	0.02
33	0.95 ± 0.01	0.955 ± 0.003	0.975 ± 0.004	0.907 ± 0.005	0.961 ± 0.006	0.96 ± 0.01	0.995 ± 0.005	0.990 ± 0.002	0.995 ± 0.002	0.982 ± 0.002	0.990 ± 0.005	0.979 ± 0.005	E Europe M	S Asia F	0.01
34	0.96 ± 0.01	0.967 ± 0.003	0.983 ± 0.003	0.931 ± 0.004	0.974 ± 0.005	0.979 ± 0.008	0.993 ± 0.005	0.993 ± 0.001	0.998 ± 0.001	0.989 ± 0.002	0.995 ± 0.004	0.990 ± 0.004	E Europe M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 171. *For algorithm cvut-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.23 ± 0.04	0.028 ± 0.008	0.002 ± 0.002	0.015 ± 0.006	0.02 ± 0.01	0.21 ± 0.05	0.06 ± 0.02	0.010 ± 0.004	0.000 ± 0.000	0.005 ± 0.003	0.009 ± 0.007	0.07 ± 0.03	E Africa F	E Europe M	0.71
15	0.30 ± 0.05	0.05 ± 0.01	0.02 ± 0.01	0.06 ± 0.02	0.04 ± 0.02	0.21 ± 0.05	0.08 ± 0.03	0.016 ± 0.006	0.006 ± 0.006	0.016 ± 0.008	0.010 ± 0.007	0.10 ± 0.04	E Africa F	E Europe M	0.61
16	0.38 ± 0.04	0.08 ± 0.02	0.03 ± 0.02	0.07 ± 0.02	0.06 ± 0.02	0.29 ± 0.05	0.11 ± 0.03	0.024 ± 0.007	0.009 ± 0.009	0.03 ± 0.01	0.01 ± 0.01	0.16 ± 0.05	E Africa F	E Europe M	0.58
17	0.46 ± 0.05	0.12 ± 0.02	0.04 ± 0.02	0.11 ± 0.02	0.07 ± 0.03	0.34 ± 0.05	0.17 ± 0.04	0.05 ± 0.01	0.03 ± 0.01	0.07 ± 0.02	0.05 ± 0.02	0.27 ± 0.05	E Africa F	E Europe M	0.50
18	0.50 ± 0.04	0.13 ± 0.01	0.05 ± 0.02	0.14 ± 0.02	0.09 ± 0.02	0.37 ± 0.04	0.25 ± 0.04	0.056 ± 0.009	0.06 ± 0.02	0.10 ± 0.01	0.03 ± 0.01	0.28 ± 0.05	E Africa F	S E Asia M	0.47
19	0.59 ± 0.04	0.18 ± 0.02	0.08 ± 0.02	0.21 ± 0.02	0.12 ± 0.02	0.49 ± 0.05	0.35 ± 0.04	0.08 ± 0.01	0.11 ± 0.03	0.19 ± 0.02	0.06 ± 0.02	0.43 ± 0.04	E Africa F	S E Asia M	0.42
20	0.66 ± 0.04	0.23 ± 0.02	0.12 ± 0.02	0.24 ± 0.02	0.18 ± 0.02	0.54 ± 0.04	0.48 ± 0.04	0.12 ± 0.01	0.20 ± 0.03	0.29 ± 0.02	0.09 ± 0.02	0.50 ± 0.05	E Africa F	S E Asia M	0.36
21	0.71 ± 0.03	0.29 ± 0.02	0.17 ± 0.02	0.33 ± 0.02	0.21 ± 0.02	0.59 ± 0.04	0.59 ± 0.04	0.16 ± 0.01	0.29 ± 0.04	0.38 ± 0.02	0.14 ± 0.02	0.58 ± 0.04	E Africa F	S E Asia M	0.31
22	0.75 ± 0.03	0.33 ± 0.02	0.23 ± 0.02	0.40 ± 0.02	0.25 ± 0.02	0.66 ± 0.04	0.71 ± 0.03	0.21 ± 0.02	0.43 ± 0.03	0.49 ± 0.02	0.19 ± 0.02	0.69 ± 0.04	E Africa F	S E Asia M	0.28
23	0.80 ± 0.02	0.42 ± 0.02	0.27 ± 0.02	0.49 ± 0.02	0.30 ± 0.02	0.68 ± 0.03	0.77 ± 0.03	0.29 ± 0.02	0.51 ± 0.04	0.61 ± 0.02	0.25 ± 0.03	0.76 ± 0.03	E Africa F	S E Asia M	0.24
24	0.83 ± 0.02	0.46 ± 0.02	0.34 ± 0.02	0.56 ± 0.02	0.35 ± 0.02	0.76 ± 0.03	0.83 ± 0.02	0.37 ± 0.02	0.62 ± 0.03	0.70 ± 0.02	0.30 ± 0.03	0.83 ± 0.02	E Africa M	S E Asia M	0.21
25	0.84 ± 0.02	0.54 ± 0.02	0.40 ± 0.02	0.60 ± 0.01	0.39 ± 0.02	0.79 ± 0.02	0.86 ± 0.02	0.45 ± 0.02	0.72 ± 0.03	0.78 ± 0.02	0.41 ± 0.03	0.87 ± 0.02	W Africa M	S E Asia F	0.18
26	0.87 ± 0.02	0.60 ± 0.01	0.47 ± 0.02	0.66 ± 0.01	0.46 ± 0.02	0.81 ± 0.02	0.91 ± 0.02	0.55 ± 0.02	0.79 ± 0.02	0.83 ± 0.01	0.49 ± 0.03	0.89 ± 0.02	E Africa M	S E Asia F	0.15
27	0.90 ± 0.02	0.67 ± 0.01	0.55 ± 0.02	0.71 ± 0.01	0.52 ± 0.02	0.85 ± 0.02	0.94 ± 0.01	0.61 ± 0.02	0.87 ± 0.02	0.881 ± 0.010	0.58 ± 0.03	0.91 ± 0.02	E Africa M	S E Asia F	0.12
28	0.90 ± 0.01	0.72 ± 0.01	0.61 ± 0.02	0.76 ± 0.01	0.58 ± 0.02	0.87 ± 0.02	0.96 ± 0.01	0.69 ± 0.02	0.92 ± 0.02	0.908 ± 0.009	0.66 ± 0.03	0.94 ± 0.01	E Africa M	S E Asia F	0.10
29	0.91 ± 0.02	0.77 ± 0.01	0.70 ± 0.02	0.80 ± 0.01	0.64 ± 0.02	0.90 ± 0.01	0.966 ± 0.010	0.77 ± 0.02	0.94 ± 0.01	0.939 ± 0.006	0.72 ± 0.03	0.96 ± 0.01	E Africa M	S E Asia F	0.08
30	0.93 ± 0.01	0.82 ± 0.01	0.76 ± 0.02	0.835 ± 0.010	0.70 ± 0.02	0.92 ± 0.02	0.978 ± 0.009	0.82 ± 0.01	0.96 ± 0.01	0.945 ± 0.006	0.77 ± 0.03	0.963 ± 0.009	E Africa M	S E Asia F	0.06
31	0.95 ± 0.01	0.857 ± 0.009	0.84 ± 0.01	0.850 ± 0.009	0.74 ± 0.02	0.93 ± 0.01	0.980 ± 0.008	0.86 ± 0.01	0.971 ± 0.008	0.965 ± 0.005	0.82 ± 0.02	0.975 ± 0.008	E Africa M	S E Asia F	0.05
32	0.966 ± 0.010	0.885 ± 0.007	0.87 ± 0.01	0.894 ± 0.008	0.78 ± 0.02	0.94 ± 0.01	0.989 ± 0.006	0.90 ± 0.01	0.978 ± 0.008	0.971 ± 0.004	0.87 ± 0.02	0.985 ± 0.006	E Africa M	S E Asia F	0.04
33	0.97 ± 0.01	0.916 ± 0.007	0.89 ± 0.01	0.903 ± 0.008	0.81 ± 0.02	0.96 ± 0.01	0.992 ± 0.005	0.924 ± 0.010	0.990 ± 0.005	0.981 ± 0.003	0.90 ± 0.02	0.987 ± 0.006	E Africa M	S E Asia F	0.03
34	0.97 ± 0.01	0.931 ± 0.007	0.92 ± 0.01	0.930 ± 0.007	0.86 ± 0.01	0.966 ± 0.010	0.994 ± 0.004	0.935 ± 0.009	0.990 ± 0.006	0.984 ± 0.003	0.93 ± 0.02	0.987 ± 0.006	E Africa M	S E Asia F	0.02

Table 172. *For algorithm cvut-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.35 ± 0.07	0.023 ± 0.006	0.04 ± 0.02	0.07 ± 0.02	0.02 ± 0.01	0.41 ± 0.08	0.14 ± 0.05	0.003 ± 0.002	0.010 ± 0.007	0.007 ± 0.004	0.02 ± 0.01	0.11 ± 0.05	W Africa F	E Asia M	0.69
15	0.43 ± 0.07	0.046 ± 0.008	0.05 ± 0.02	0.11 ± 0.02	0.03 ± 0.01	0.46 ± 0.07	0.20 ± 0.06	0.006 ± 0.002	0.02 ± 0.01	0.025 ± 0.009	0.014 ± 0.009	0.17 ± 0.06	W Africa F	E Asia M	0.64
16	0.61 ± 0.06	0.074 ± 0.009	0.08 ± 0.02	0.16 ± 0.02	0.05 ± 0.02	0.50 ± 0.07	0.24 ± 0.06	0.022 ± 0.005	0.02 ± 0.01	0.05 ± 0.01	0.020 ± 0.009	0.24 ± 0.05	E Africa F	S E Asia M	0.60
17	0.57 ± 0.05	0.105 ± 0.010	0.13 ± 0.02	0.22 ± 0.02	0.07 ± 0.02	0.59 ± 0.06	0.34 ± 0.06	0.030 ± 0.005	0.07 ± 0.02	0.12 ± 0.02	0.04 ± 0.01	0.39 ± 0.05	W Africa F	E Asia M	0.51
18	0.68 ± 0.05	0.14 ± 0.01	0.19 ± 0.02	0.29 ± 0.02	0.10 ± 0.02	0.66 ± 0.05	0.52 ± 0.06	0.042 ± 0.005	0.11 ± 0.02	0.19 ± 0.02	0.06 ± 0.01	0.49 ± 0.05	E Africa F	E Asia M	0.47
19	0.74 ± 0.04	0.199 ± 0.010	0.26 ± 0.02	0.35 ± 0.02	0.13 ± 0.02	0.71 ± 0.04	0.63 ± 0.05	0.072 ± 0.007	0.18 ± 0.03	0.30 ± 0.02	0.09 ± 0.02	0.60 ± 0.04	E Africa F	E Asia M	0.41
20	0.78 ± 0.03	0.24 ± 0.01	0.32 ± 0.02	0.43 ± 0.02	0.16 ± 0.02	0.76 ± 0.04	0.70 ± 0.04	0.108 ± 0.008	0.28 ± 0.03	0.42 ± 0.02	0.13 ± 0.02	0.66 ± 0.04	E Africa F	E Asia M	0.36
21	0.80 ± 0.03	0.282 ± 0.010	0.38 ± 0.02	0.51 ± 0.02	0.20 ± 0.02	0.80 ± 0.03	0.78 ± 0.04	0.154 ± 0.009	0.43 ± 0.03	0.54 ± 0.02	0.17 ± 0.02	0.77 ± 0.03	E Africa F	E Asia M	0.31
22	0.86 ± 0.03	0.321 ± 0.009	0.46 ± 0.02	0.56 ± 0.01	0.25 ± 0.02	0.84 ± 0.02	0.84 ± 0.03	0.22 ± 0.01	0.49 ± 0.03	0.64 ± 0.01	0.25 ± 0.02	0.81 ± 0.03	E Africa F	E Asia M	0.27
23	0.89 ± 0.02	0.369 ± 0.009	0.55 ± 0.02	0.60 ± 0.01	0.32 ± 0.02	0.86 ± 0.02	0.87 ± 0.02	0.27 ± 0.01	0.60 ± 0.02	0.71 ± 0.01	0.31 ± 0.02	0.86 ± 0.02	E Africa F	E Asia M	0.23
24	0.90 ± 0.02	0.434 ± 0.009	0.60 ± 0.01	0.66 ± 0.01	0.38 ± 0.02	0.90 ± 0.02	0.91 ± 0.02	0.34 ± 0.01	0.72 ± 0.02	0.77 ± 0.01	0.37 ± 0.02	0.88 ± 0.02	E Africa M	E Asia M	0.20
25	0.91 ± 0.02	0.489 ± 0.009	0.68 ± 0.01	0.686 ± 0.010	0.45 ± 0.02	0.91 ± 0.01	0.93 ± 0.02	0.42 ± 0.01	0.77 ± 0.02	0.825 ± 0.010	0.46 ± 0.03	0.91 ± 0.02	E Africa M	E Asia M	0.17
26	0.91 ± 0.02	0.535 ± 0.008	0.72 ± 0.01	0.722 ± 0.010	0.49 ± 0.01	0.91 ± 0.01	0.95 ± 0.01	0.47 ± 0.01	0.82 ± 0.02	0.861 ± 0.007	0.52 ± 0.02	0.93 ± 0.01	E Africa M	E Asia M	0.15
27	0.93 ± 0.01	0.579 ± 0.008	0.773 ± 0.009	0.752 ± 0.008	0.56 ± 0.02	0.93 ± 0.01	0.96 ± 0.01	0.53 ± 0.01	0.87 ± 0.01	0.890 ± 0.006	0.58 ± 0.02	0.953 ± 0.010	E Africa M	E Asia M	0.13
28	0.94 ± 0.01	0.629 ± 0.007	0.817 ± 0.009	0.782 ± 0.007	0.60 ± 0.02	0.93 ± 0.01	0.96 ± 0.01	0.61 ± 0.01	0.903 ± 0.010	0.913 ± 0.006	0.66 ± 0.02	0.957 ± 0.009	E Africa M	S E Asia F	0.10
29	0.95 ± 0.01	0.679 ± 0.007	0.855 ± 0.008	0.806 ± 0.006	0.64 ± 0.01	0.947 ± 0.010	0.970 ± 0.010	0.663 ± 0.010	0.912 ± 0.009	0.925 ± 0.005	0.71 ± 0.02	0.955 ± 0.009	E Africa M	S E Asia F	0.09
30	0.94 ± 0.01	0.716 ± 0.007	0.884 ± 0.007	0.838 ± 0.006	0.70 ± 0.01	0.95 ± 0.01	0.970 ± 0.009	0.711 ± 0.009	0.946 ± 0.007	0.941 ± 0.004	0.76 ± 0.02	0.960 ± 0.008	E Africa M	S E Asia F	0.07
31	0.96 ± 0.01	0.753 ± 0.006	0.913 ± 0.006	0.867 ± 0.006	0.72 ± 0.01	0.964 ± 0.008	0.978 ± 0.009	0.765 ± 0.009	0.951 ± 0.006	0.955 ± 0.003	0.79 ± 0.02	0.971 ± 0.007	E Africa M	S E Asia F	0.06
32	0.97 ± 0.01	0.783 ± 0.006	0.929 ± 0.006	0.884 ± 0.005	0.76 ± 0.01	0.957 ± 0.009	0.978 ± 0.008	0.805 ± 0.008	0.959 ± 0.007	0.961 ± 0.003	0.83 ± 0.02	0.971 ± 0.007	E Africa M	S E Asia F	0.05
33	0.96 ± 0.01	0.816 ± 0.006	0.937 ± 0.006	0.902 ± 0.005	0.80 ± 0.01	0.961 ± 0.010	0.983 ± 0.008	0.845 ± 0.007	0.967 ± 0.006	0.967 ± 0.003	0.86 ± 0.02	0.977 ± 0.006	E Africa M	S E Asia F	0.04
34	0.976 ± 0.010	0.844 ± 0.005	0.948 ± 0.006	0.917 ± 0.005	0.83 ± 0.01	0.969 ± 0.009	0.982 ± 0.008	0.872 ± 0.007	0.971 ± 0.005	0.972 ± 0.002	0.89 ± 0.02	0.982 ± 0.005	W Africa M	S E Asia F	0.04

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 173. *For algorithm cvut-002 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.02	0.003 ± 0.002	0.000 ± 0.000	0.004 ± 0.003	0.011 ± 0.009	0.06 ± 0.03	0.013 ± 0.010	0.001 ± 0.001	0.000 ± 0.000	0.005 ± 0.003	0.000 ± 0.000	0.009 ± 0.009	W Africa F	E Europe F	0.74
15	0.05 ± 0.02	0.007 ± 0.004	0.008 ± 0.008	0.021 ± 0.009	0.02 ± 0.01	0.07 ± 0.03	0.02 ± 0.01	0.001 ± 0.001	0.000 ± 0.000	0.003 ± 0.003	0.002 ± 0.002	0.02 ± 0.01	W Africa F	E Europe M	0.63
16	0.12 ± 0.03	0.015 ± 0.006	0.02 ± 0.01	0.019 ± 0.009	0.02 ± 0.01	0.14 ± 0.04	0.04 ± 0.02	0.003 ± 0.002	0.009 ± 0.009	0.013 ± 0.007	0.003 ± 0.003	0.03 ± 0.02	W Africa F	E Asia M	0.62
17	0.17 ± 0.04	0.024 ± 0.007	0.03 ± 0.02	0.05 ± 0.01	0.04 ± 0.02	0.22 ± 0.05	0.05 ± 0.02	0.006 ± 0.003	0.008 ± 0.008	0.04 ± 0.01	0.01 ± 0.01	0.11 ± 0.04	W Africa F	E Asia M	0.55
18	0.19 ± 0.03	0.028 ± 0.007	0.05 ± 0.02	0.08 ± 0.01	0.04 ± 0.01	0.25 ± 0.04	0.09 ± 0.02	0.014 ± 0.005	0.02 ± 0.01	0.07 ± 0.01	0.008 ± 0.006	0.15 ± 0.03	W Africa F	S E Asia M	0.52
19	0.27 ± 0.04	0.046 ± 0.008	0.10 ± 0.03	0.12 ± 0.01	0.08 ± 0.02	0.34 ± 0.04	0.18 ± 0.03	0.020 ± 0.006	0.07 ± 0.02	0.14 ± 0.02	0.03 ± 0.01	0.23 ± 0.04	W Africa F	E Asia M	0.43
20	0.34 ± 0.03	0.08 ± 0.01	0.15 ± 0.02	0.15 ± 0.02	0.10 ± 0.02	0.41 ± 0.04	0.29 ± 0.04	0.040 ± 0.008	0.15 ± 0.03	0.23 ± 0.02	0.06 ± 0.02	0.36 ± 0.04	W Africa F	E Asia M	0.38
21	0.41 ± 0.03	0.11 ± 0.01	0.18 ± 0.02	0.24 ± 0.02	0.13 ± 0.02	0.49 ± 0.04	0.42 ± 0.03	0.07 ± 0.01	0.26 ± 0.03	0.34 ± 0.02	0.10 ± 0.02	0.43 ± 0.04	W Africa F	E Asia M	0.33
22	0.49 ± 0.04	0.12 ± 0.01	0.25 ± 0.02	0.30 ± 0.02	0.15 ± 0.02	0.56 ± 0.04	0.52 ± 0.03	0.10 ± 0.01	0.38 ± 0.03	0.44 ± 0.02	0.14 ± 0.02	0.57 ± 0.04	W Africa M	E Asia M	0.32
23	0.55 ± 0.03	0.19 ± 0.01	0.34 ± 0.02	0.39 ± 0.02	0.21 ± 0.02	0.65 ± 0.03	0.61 ± 0.04	0.17 ± 0.02	0.47 ± 0.04	0.54 ± 0.02	0.21 ± 0.03	0.69 ± 0.03	W Africa M	E Asia M	0.27
24	0.62 ± 0.03	0.24 ± 0.01	0.41 ± 0.02	0.46 ± 0.02	0.26 ± 0.02	0.68 ± 0.03	0.70 ± 0.03	0.23 ± 0.02	0.60 ± 0.03	0.68 ± 0.02	0.29 ± 0.02	0.76 ± 0.03	W Africa M	E Asia M	0.24
25	0.62 ± 0.03	0.30 ± 0.01	0.50 ± 0.02	0.51 ± 0.02	0.32 ± 0.02	0.72 ± 0.03	0.77 ± 0.02	0.33 ± 0.02	0.73 ± 0.03	0.75 ± 0.02	0.40 ± 0.03	0.80 ± 0.02	W Africa M	E Asia F	0.20
26	0.69 ± 0.03	0.36 ± 0.01	0.58 ± 0.02	0.57 ± 0.01	0.40 ± 0.02	0.77 ± 0.02	0.84 ± 0.02	0.42 ± 0.02	0.78 ± 0.02	0.81 ± 0.01	0.48 ± 0.03	0.87 ± 0.02	W Africa M	E Asia F	0.17
27	0.73 ± 0.02	0.44 ± 0.01	0.67 ± 0.02	0.63 ± 0.01	0.46 ± 0.02	0.82 ± 0.02	0.87 ± 0.02	0.51 ± 0.02	0.86 ± 0.02	0.86 ± 0.01	0.59 ± 0.03	0.89 ± 0.02	W Africa M	E Asia F	0.14
28	0.78 ± 0.02	0.52 ± 0.01	0.75 ± 0.02	0.69 ± 0.01	0.55 ± 0.02	0.86 ± 0.02	0.91 ± 0.02	0.61 ± 0.02	0.93 ± 0.01	0.891 ± 0.009	0.67 ± 0.03	0.92 ± 0.01	E Europe M	E Asia F	0.12
29	0.81 ± 0.02	0.60 ± 0.01	0.82 ± 0.01	0.74 ± 0.01	0.61 ± 0.02	0.89 ± 0.02	0.93 ± 0.02	0.72 ± 0.02	0.95 ± 0.01	0.921 ± 0.008	0.72 ± 0.03	0.95 ± 0.01	E Europe M	E Asia F	0.09
30	0.86 ± 0.02	0.67 ± 0.01	0.87 ± 0.01	0.79 ± 0.01	0.69 ± 0.02	0.90 ± 0.02	0.95 ± 0.01	0.77 ± 0.01	0.973 ± 0.008	0.937 ± 0.006	0.80 ± 0.02	0.965 ± 0.009	E Europe M	E Asia F	0.07
31	0.89 ± 0.01	0.73 ± 0.01	0.923 ± 0.010	0.818 ± 0.010	0.73 ± 0.02	0.93 ± 0.01	0.96 ± 0.01	0.83 ± 0.01	0.979 ± 0.008	0.955 ± 0.005	0.84 ± 0.02	0.975 ± 0.008	E Europe M	S E Asia F	0.06
32	0.92 ± 0.01	0.78 ± 0.01	0.938 ± 0.010	0.861 ± 0.009	0.79 ± 0.02	0.94 ± 0.01	0.976 ± 0.009	0.87 ± 0.01	0.983 ± 0.007	0.965 ± 0.004	0.90 ± 0.02	0.978 ± 0.007	E Europe M	E Asia F	0.04
33	0.92 ± 0.01	0.843 ± 0.009	0.950 ± 0.009	0.894 ± 0.008	0.83 ± 0.02	0.97 ± 0.01	0.980 ± 0.008	0.91 ± 0.01	0.996 ± 0.004	0.975 ± 0.004	0.92 ± 0.02	0.990 ± 0.005	E Europe M	S E Asia F	0.04
34	0.94 ± 0.01	0.877 ± 0.009	0.969 ± 0.007	0.918 ± 0.008	0.88 ± 0.01	0.96 ± 0.01	0.988 ± 0.006	0.934 ± 0.009	0.996 ± 0.004	0.980 ± 0.004	0.93 ± 0.02	0.992 ± 0.005	E Europe M	E Asia F	0.03

Table 174. *For algorithm cvut-002 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.21 ± 0.06	0.037 ± 0.008	0.02 ± 0.01	0.07 ± 0.01	0.06 ± 0.02	0.25 ± 0.07	0.13 ± 0.05	0.010 ± 0.004	0.002 ± 0.002	0.017 ± 0.007	0.02 ± 0.01	0.13 ± 0.05	W Africa F	E Europe M	0.57
15	0.27 ± 0.06	0.056 ± 0.008	0.04 ± 0.02	0.12 ± 0.02	0.08 ± 0.02	0.41 ± 0.07	0.27 ± 0.07	0.024 ± 0.005	0.011 ± 0.009	0.05 ± 0.01	0.04 ± 0.01	0.24 ± 0.06	W Africa F	E Europe M	0.54
16	0.46 ± 0.06	0.10 ± 0.01	0.07 ± 0.02	0.17 ± 0.02	0.12 ± 0.02	0.45 ± 0.07	0.34 ± 0.07	0.047 ± 0.007	0.02 ± 0.01	0.10 ± 0.01	0.06 ± 0.02	0.27 ± 0.06	E Africa F	E Europe M	0.48
17	0.46 ± 0.06	0.15 ± 0.01	0.12 ± 0.02	0.25 ± 0.02	0.17 ± 0.02	0.51 ± 0.06	0.51 ± 0.07	0.084 ± 0.009	0.06 ± 0.02	0.23 ± 0.02	0.12 ± 0.02	0.46 ± 0.06	E Africa M	E Europe M	0.38
18	0.58 ± 0.05	0.22 ± 0.01	0.18 ± 0.02	0.31 ± 0.02	0.25 ± 0.02	0.53 ± 0.05	0.64 ± 0.06	0.14 ± 0.01	0.14 ± 0.02	0.34 ± 0.02	0.19 ± 0.02	0.57 ± 0.05	E Africa M	E Europe M	0.32
19	0.63 ± 0.05	0.28 ± 0.01	0.24 ± 0.02	0.38 ± 0.02	0.32 ± 0.02	0.64 ± 0.04	0.71 ± 0.05	0.206 ± 0.010	0.22 ± 0.03	0.49 ± 0.02	0.30 ± 0.02	0.67 ± 0.04	E Africa M	E Asia M	0.26
20	0.73 ± 0.04	0.35 ± 0.01	0.33 ± 0.02	0.46 ± 0.02	0.41 ± 0.02	0.74 ± 0.04	0.82 ± 0.04	0.30 ± 0.01	0.33 ± 0.03	0.62 ± 0.02	0.41 ± 0.03	0.77 ± 0.03	E Africa M	E Asia M	0.22
21	0.77 ± 0.03	0.41 ± 0.01	0.37 ± 0.02	0.53 ± 0.02	0.47 ± 0.02	0.79 ± 0.03	0.88 ± 0.03	0.41 ± 0.01	0.53 ± 0.03	0.74 ± 0.02	0.52 ± 0.03	0.87 ± 0.03	E Africa M	E Europe F	0.18
22	0.82 ± 0.03	0.485 ± 0.010	0.48 ± 0.02	0.61 ± 0.02	0.56 ± 0.02	0.83 ± 0.03	0.94 ± 0.02	0.51 ± 0.01	0.63 ± 0.03	0.83 ± 0.01	0.60 ± 0.03	0.90 ± 0.02	E Africa M	E Europe F	0.15
23	0.86 ± 0.03	0.535 ± 0.009	0.55 ± 0.02	0.66 ± 0.01	0.63 ± 0.02	0.86 ± 0.02	0.97 ± 0.01	0.60 ± 0.01	0.73 ± 0.02	0.874 ± 0.009	0.68 ± 0.02	0.93 ± 0.02	E Africa M	E Asia F	0.12
24	0.89 ± 0.02	0.607 ± 0.009	0.62 ± 0.01	0.72 ± 0.01	0.70 ± 0.01	0.91 ± 0.02	0.96 ± 0.01	0.69 ± 0.01	0.83 ± 0.02	0.918 ± 0.008	0.77 ± 0.02	0.95 ± 0.01	E Africa M	E Asia F	0.10
25	0.91 ± 0.02	0.672 ± 0.008	0.70 ± 0.01	0.750 ± 0.009	0.75 ± 0.01	0.93 ± 0.01	0.989 ± 0.007	0.772 ± 0.009	0.87 ± 0.01	0.943 ± 0.006	0.84 ± 0.02	0.977 ± 0.008	E Africa M	E Asia F	0.08
26	0.92 ± 0.02	0.722 ± 0.007	0.76 ± 0.01	0.792 ± 0.008	0.79 ± 0.01	0.92 ± 0.01	0.987 ± 0.008	0.828 ± 0.009	0.92 ± 0.01	0.960 ± 0.004	0.89 ± 0.02	0.980 ± 0.007	E Africa M	E Asia F	0.06
27	0.94 ± 0.01	0.765 ± 0.006	0.822 ± 0.009	0.822 ± 0.007	0.84 ± 0.01	0.960 ± 0.009	0.991 ± 0.006	0.871 ± 0.007	0.953 ± 0.008	0.972 ± 0.003	0.92 ± 0.01	0.990 ± 0.005	E Africa M	E Asia F	0.05
28	0.96 ± 0.01	0.814 ± 0.006	0.860 ± 0.008	0.858 ± 0.006	0.88 ± 0.01	0.964 ± 0.008	0.995 ± 0.005	0.912 ± 0.006	0.968 ± 0.006	0.983 ± 0.003	0.94 ± 0.01	0.992 ± 0.004	E Africa M	E Asia F	0.04
29	0.962 ± 0.010	0.854 ± 0.005	0.906 ± 0.007	0.882 ± 0.005	0.894 ± 0.009	0.973 ± 0.008	0.997 ± 0.004	0.942 ± 0.005	0.977 ± 0.005	0.988 ± 0.002	0.956 ± 0.010	0.993 ± 0.004	E Africa M	E Asia F	0.03
30	0.96 ± 0.01	0.888 ± 0.004	0.932 ± 0.006	0.905 ± 0.005	0.921 ± 0.009	0.970 ± 0.008	0.998 ± 0.002	0.952 ± 0.004	0.990 ± 0.003	0.992 ± 0.001	0.976 ± 0.008	0.997 ± 0.002	E Africa M	E Asia F	0.02
31	0.983 ± 0.008	0.919 ± 0.004	0.949 ± 0.005	0.933 ± 0.004	0.938 ± 0.008	0.980 ± 0.007	0.999 ± 0.002	0.972 ± 0.003	0.993 ± 0.003	0.996 ± 0.001	0.977 ± 0.007	0.997 ± 0.002	E Africa M	E Asia F	0.02
32	0.986 ± 0.006	0.938 ± 0.003	0.970 ± 0.004	0.942 ± 0.004	0.952 ± 0.007	0.989 ± 0.005	1.000 ± 0.000	0.983 ± 0.003	0.994 ± 0.002	0.995 ± 0.001	0.984 ± 0.006	1.000 ± 0.000	E Africa M	E Asia F	0.01
33	0.988 ± 0.007	0.954 ± 0.003	0.978 ± 0.004	0.959 ± 0.004	0.964 ± 0.006	0.992 ± 0.005	1.000 ± 0.000	0.987 ± 0.002	0.997 ± 0.002	0.998 ± 0.001	0.991 ± 0.004	0.998 ± 0.002	E Africa M	E Asia F	0.01
34	0.996 ± 0.004	0.968 ± 0.002	0.983 ± 0.004	0.969 ± 0.003	0.972 ± 0.006	0.991 ± 0.005	0.999 ± 0.002	0.992 ± 0.002	0.999 ± 0.001	0.998 ± 0.001	0.994 ± 0.004	0.999 ± 0.002	E Africa M	E Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 175. *For algorithm cvut-003 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.03 ± 0.02	0.003 ± 0.002	0.000 ± 0.000	0.005 ± 0.003	0.011 ± 0.009	0.07 ± 0.03	0.012 ± 0.008	0.001 ± 0.001	0.000 ± 0.000	0.003 ± 0.002	0.002 ± 0.002	0.009 ± 0.009	W Africa F	E Europe F	0.75
15	0.05 ± 0.02	0.005 ± 0.003	0.010 ± 0.008	0.015 ± 0.008	0.02 ± 0.01	0.09 ± 0.04	0.010 ± 0.008	0.000 ± 0.000	0.000 ± 0.000	0.003 ± 0.003	0.000 ± 0.000	0.01 ± 0.01	W Africa F	E Asia M	0.69
16	0.10 ± 0.03	0.011 ± 0.005	0.02 ± 0.01	0.011 ± 0.006	0.02 ± 0.01	0.15 ± 0.04	0.04 ± 0.02	0.001 ± 0.001	0.003 ± 0.003	0.006 ± 0.004	0.000 ± 0.000	0.02 ± 0.01	W Africa F	S E Asia M	0.70
17	0.15 ± 0.04	0.022 ± 0.007	0.02 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.20 ± 0.04	0.03 ± 0.02	0.004 ± 0.003	0.003 ± 0.003	0.03 ± 0.01	0.006 ± 0.006	0.08 ± 0.03	W Africa F	E Europe M	0.60
18	0.14 ± 0.03	0.026 ± 0.007	0.03 ± 0.01	0.053 ± 0.010	0.04 ± 0.01	0.25 ± 0.04	0.10 ± 0.02	0.011 ± 0.004	0.015 ± 0.009	0.030 ± 0.008	0.006 ± 0.006	0.12 ± 0.03	W Africa F	S E Asia M	0.56
19	0.23 ± 0.03	0.043 ± 0.009	0.06 ± 0.02	0.10 ± 0.01	0.08 ± 0.02	0.36 ± 0.04	0.13 ± 0.03	0.015 ± 0.005	0.03 ± 0.01	0.07 ± 0.01	0.022 ± 0.010	0.18 ± 0.04	W Africa F	E Asia M	0.50
20	0.27 ± 0.03	0.069 ± 0.010	0.11 ± 0.02	0.12 ± 0.01	0.11 ± 0.02	0.43 ± 0.04	0.26 ± 0.04	0.029 ± 0.006	0.07 ± 0.02	0.14 ± 0.01	0.05 ± 0.01	0.29 ± 0.04	W Africa F	E Asia M	0.42
21	0.35 ± 0.03	0.11 ± 0.01	0.15 ± 0.02	0.18 ± 0.02	0.14 ± 0.02	0.47 ± 0.04	0.35 ± 0.04	0.049 ± 0.009	0.12 ± 0.02	0.21 ± 0.02	0.08 ± 0.02	0.37 ± 0.04	W Africa F	E Asia M	0.36
22	0.45 ± 0.03	0.13 ± 0.01	0.22 ± 0.02	0.25 ± 0.02	0.17 ± 0.02	0.56 ± 0.04	0.48 ± 0.04	0.10 ± 0.01	0.22 ± 0.03	0.29 ± 0.02	0.11 ± 0.02	0.49 ± 0.04	W Africa F	E Asia M	0.33
23	0.48 ± 0.03	0.21 ± 0.01	0.29 ± 0.02	0.33 ± 0.02	0.23 ± 0.02	0.65 ± 0.03	0.55 ± 0.04	0.16 ± 0.01	0.28 ± 0.03	0.42 ± 0.02	0.18 ± 0.02	0.60 ± 0.04	W Africa F	E Asia M	0.28
24	0.57 ± 0.03	0.26 ± 0.01	0.35 ± 0.02	0.40 ± 0.02	0.31 ± 0.02	0.68 ± 0.03	0.66 ± 0.03	0.23 ± 0.02	0.44 ± 0.03	0.53 ± 0.02	0.25 ± 0.02	0.70 ± 0.03	W Africa M	E Asia M	0.23
25	0.57 ± 0.03	0.32 ± 0.01	0.45 ± 0.02	0.46 ± 0.01	0.36 ± 0.02	0.73 ± 0.03	0.73 ± 0.03	0.33 ± 0.02	0.55 ± 0.03	0.63 ± 0.02	0.37 ± 0.03	0.74 ± 0.02	W Africa M	E Asia F	0.18
26	0.64 ± 0.03	0.39 ± 0.01	0.51 ± 0.02	0.52 ± 0.01	0.46 ± 0.02	0.78 ± 0.02	0.80 ± 0.02	0.43 ± 0.02	0.63 ± 0.03	0.70 ± 0.02	0.45 ± 0.03	0.83 ± 0.02	W Africa M	E Asia F	0.15
27	0.69 ± 0.03	0.48 ± 0.01	0.62 ± 0.02	0.58 ± 0.01	0.53 ± 0.02	0.82 ± 0.02	0.83 ± 0.02	0.53 ± 0.02	0.77 ± 0.02	0.77 ± 0.01	0.58 ± 0.03	0.87 ± 0.02	W Africa M	E Asia F	0.12
28	0.74 ± 0.02	0.56 ± 0.01	0.70 ± 0.02	0.64 ± 0.01	0.60 ± 0.02	0.86 ± 0.02	0.89 ± 0.02	0.64 ± 0.02	0.84 ± 0.02	0.83 ± 0.01	0.67 ± 0.03	0.90 ± 0.02	W Africa M	E Asia F	0.10
29	0.78 ± 0.02	0.65 ± 0.01	0.78 ± 0.01	0.71 ± 0.01	0.67 ± 0.02	0.89 ± 0.02	0.91 ± 0.02	0.75 ± 0.02	0.89 ± 0.02	0.874 ± 0.009	0.70 ± 0.03	0.94 ± 0.01	W Africa M	E Asia F	0.07
30	0.82 ± 0.02	0.72 ± 0.01	0.83 ± 0.01	0.76 ± 0.01	0.74 ± 0.02	0.91 ± 0.02	0.94 ± 0.01	0.81 ± 0.01	0.94 ± 0.01	0.901 ± 0.007	0.80 ± 0.02	0.96 ± 0.01	W Africa M	E Asia F	0.06
31	0.88 ± 0.02	0.78 ± 0.01	0.90 ± 0.01	0.79 ± 0.01	0.79 ± 0.02	0.93 ± 0.01	0.95 ± 0.01	0.87 ± 0.01	0.966 ± 0.008	0.928 ± 0.007	0.85 ± 0.02	0.974 ± 0.008	W Africa M	E Asia F	0.05
32	0.91 ± 0.02	0.83 ± 0.01	0.93 ± 0.01	0.839 ± 0.010	0.83 ± 0.01	0.95 ± 0.01	0.976 ± 0.008	0.90 ± 0.01	0.973 ± 0.009	0.950 ± 0.006	0.90 ± 0.02	0.976 ± 0.007	W Africa M	E Asia F	0.04
33	0.92 ± 0.01	0.880 ± 0.009	0.946 ± 0.009	0.875 ± 0.008	0.87 ± 0.01	0.970 ± 0.010	0.983 ± 0.008	0.939 ± 0.008	0.988 ± 0.006	0.968 ± 0.004	0.92 ± 0.02	0.985 ± 0.005	E Europe M	S E Asia F	0.03
34	0.93 ± 0.01	0.913 ± 0.008	0.962 ± 0.009	0.901 ± 0.009	0.92 ± 0.01	0.970 ± 0.009	0.988 ± 0.007	0.963 ± 0.006	0.992 ± 0.005	0.974 ± 0.004	0.95 ± 0.01	0.992 ± 0.004	W Africa M	S Asia F	0.02

Table 176. *For algorithm cvut-003 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.25 ± 0.07	0.020 ± 0.006	0.013 ± 0.009	0.07 ± 0.01	0.05 ± 0.02	0.33 ± 0.07	0.12 ± 0.05	0.005 ± 0.003	0.000 ± 0.000	0.011 ± 0.005	0.015 ± 0.008	0.10 ± 0.05	W Africa F	E Europe M	0.67
15	0.27 ± 0.06	0.032 ± 0.006	0.03 ± 0.02	0.12 ± 0.02	0.05 ± 0.02	0.47 ± 0.07	0.21 ± 0.06	0.008 ± 0.003	0.009 ± 0.007	0.032 ± 0.009	0.012 ± 0.007	0.19 ± 0.06	W Africa F	E Asia M	0.62
16	0.45 ± 0.06	0.061 ± 0.009	0.06 ± 0.02	0.18 ± 0.02	0.10 ± 0.02	0.43 ± 0.06	0.30 ± 0.06	0.016 ± 0.004	0.005 ± 0.005	0.06 ± 0.01	0.04 ± 0.02	0.22 ± 0.05	E Africa F	E Europe M	0.55
17	0.45 ± 0.06	0.11 ± 0.01	0.10 ± 0.02	0.27 ± 0.02	0.14 ± 0.02	0.51 ± 0.06	0.41 ± 0.07	0.033 ± 0.006	0.04 ± 0.01	0.17 ± 0.02	0.07 ± 0.02	0.40 ± 0.05	W Africa F	E Asia M	0.45
18	0.55 ± 0.06	0.16 ± 0.01	0.17 ± 0.02	0.34 ± 0.02	0.22 ± 0.02	0.56 ± 0.05	0.55 ± 0.06	0.070 ± 0.007	0.09 ± 0.02	0.25 ± 0.02	0.12 ± 0.02	0.50 ± 0.05	W Africa F	E Asia M	0.38
19	0.61 ± 0.05	0.23 ± 0.01	0.24 ± 0.02	0.42 ± 0.02	0.29 ± 0.02	0.67 ± 0.04	0.65 ± 0.05	0.106 ± 0.008	0.14 ± 0.02	0.39 ± 0.02	0.20 ± 0.02	0.60 ± 0.05	W Africa F	E Asia M	0.32
20	0.74 ± 0.04	0.30 ± 0.01	0.32 ± 0.02	0.50 ± 0.02	0.39 ± 0.02	0.75 ± 0.03	0.77 ± 0.04	0.171 ± 0.009	0.22 ± 0.02	0.52 ± 0.02	0.28 ± 0.02	0.71 ± 0.04	E Africa M	E Asia M	0.28
21	0.77 ± 0.03	0.37 ± 0.01	0.38 ± 0.02	0.57 ± 0.02	0.46 ± 0.02	0.79 ± 0.03	0.81 ± 0.03	0.27 ± 0.01	0.38 ± 0.03	0.65 ± 0.02	0.39 ± 0.03	0.81 ± 0.03	E Africa M	E Asia M	0.21
22	0.82 ± 0.03	0.450 ± 0.009	0.47 ± 0.02	0.65 ± 0.01	0.54 ± 0.02	0.85 ± 0.02	0.91 ± 0.02	0.37 ± 0.01	0.49 ± 0.02	0.76 ± 0.01	0.49 ± 0.02	0.85 ± 0.03	E Africa M	E Asia M	0.18
23	0.86 ± 0.03	0.511 ± 0.009	0.55 ± 0.02	0.69 ± 0.01	0.64 ± 0.02	0.88 ± 0.02	0.93 ± 0.02	0.47 ± 0.01	0.63 ± 0.02	0.82 ± 0.01	0.58 ± 0.03	0.90 ± 0.02	E Africa M	E Asia M	0.14
24	0.89 ± 0.02	0.587 ± 0.009	0.64 ± 0.01	0.753 ± 0.010	0.71 ± 0.02	0.91 ± 0.02	0.95 ± 0.02	0.58 ± 0.01	0.74 ± 0.02	0.878 ± 0.009	0.68 ± 0.02	0.93 ± 0.02	E Africa M	E Asia M	0.10
25	0.92 ± 0.02	0.663 ± 0.008	0.72 ± 0.01	0.786 ± 0.009	0.77 ± 0.01	0.93 ± 0.01	0.98 ± 0.01	0.67 ± 0.01	0.80 ± 0.02	0.918 ± 0.007	0.78 ± 0.02	0.96 ± 0.01	E Africa M	E Asia F	0.08
26	0.92 ± 0.02	0.718 ± 0.007	0.770 ± 0.010	0.826 ± 0.007	0.81 ± 0.01	0.93 ± 0.01	0.984 ± 0.009	0.756 ± 0.010	0.87 ± 0.01	0.943 ± 0.005	0.84 ± 0.02	0.977 ± 0.008	E Africa M	E Asia F	0.06
27	0.94 ± 0.01	0.765 ± 0.007	0.837 ± 0.008	0.849 ± 0.007	0.85 ± 0.01	0.967 ± 0.009	0.988 ± 0.008	0.813 ± 0.009	0.91 ± 0.01	0.958 ± 0.004	0.88 ± 0.02	0.983 ± 0.007	E Africa M	E Asia F	0.05
28	0.96 ± 0.01	0.820 ± 0.006	0.872 ± 0.008	0.885 ± 0.006	0.894 ± 0.010	0.968 ± 0.008	0.991 ± 0.006	0.868 ± 0.007	0.950 ± 0.008	0.975 ± 0.003	0.92 ± 0.01	0.990 ± 0.005	E Africa M	E Asia F	0.04
29	0.965 ± 0.010	0.860 ± 0.005	0.915 ± 0.007	0.903 ± 0.005	0.908 ± 0.009	0.976 ± 0.007	0.996 ± 0.004	0.911 ± 0.006	0.963 ± 0.006	0.984 ± 0.002	0.94 ± 0.01	0.991 ± 0.004	E Africa M	E Asia F	0.03
30	0.969 ± 0.009	0.895 ± 0.004	0.940 ± 0.006	0.921 ± 0.004	0.938 ± 0.008	0.976 ± 0.007	0.997 ± 0.003	0.937 ± 0.005	0.983 ± 0.004	0.987 ± 0.002	0.963 ± 0.009	0.995 ± 0.003	E Africa M	E Asia F	0.02
31	0.985 ± 0.007	0.925 ± 0.004	0.955 ± 0.005	0.948 ± 0.004	0.950 ± 0.007	0.985 ± 0.006	0.999 ± 0.002	0.959 ± 0.004	0.990 ± 0.003	0.993 ± 0.001	0.970 ± 0.008	0.996 ± 0.002	E Africa M	E Asia F	0.01
32	0.984 ± 0.007	0.944 ± 0.003	0.976 ± 0.004	0.954 ± 0.003	0.960 ± 0.006	0.991 ± 0.005	1.000 ± 0.000	0.974 ± 0.003	0.993 ± 0.003	0.994 ± 0.001	0.981 ± 0.006	0.999 ± 0.002	E Africa M	E Asia F	0.01
33	0.992 ± 0.005	0.960 ± 0.003	0.982 ± 0.003	0.968 ± 0.003	0.968 ± 0.005	0.994 ± 0.004	1.000 ± 0.000	0.983 ± 0.002	0.996 ± 0.002	0.996 ± 0.001	0.988 ± 0.005	0.998 ± 0.002	E Africa M	E Asia F	0.01
34	0.995 ± 0.004	0.973 ± 0.002	0.988 ± 0.003	0.976 ± 0.002	0.977 ± 0.005	0.993 ± 0.005	0.999 ± 0.002	0.988 ± 0.002	0.998 ± 0.001	0.997 ± 0.001	0.993 ± 0.004	0.998 ± 0.002	E Africa M	E Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 177. *For algorithm cyberlink-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.10 ± 0.03	0.026 ± 0.007	0.002 ± 0.002	0.023 ± 0.008	0.06 ± 0.02	0.11 ± 0.04	0.06 ± 0.02	0.013 ± 0.005	0.002 ± 0.002	0.021 ± 0.007	0.03 ± 0.02	0.04 ± 0.02	W Africa F	E Europe M	0.49
15	0.10 ± 0.03	0.06 ± 0.01	0.02 ± 0.01	0.05 ± 0.01	0.10 ± 0.03	0.15 ± 0.04	0.07 ± 0.02	0.022 ± 0.007	0.009 ± 0.009	0.028 ± 0.009	0.05 ± 0.02	0.06 ± 0.03	W Africa F	E Europe M	0.40
16	0.18 ± 0.04	0.10 ± 0.02	0.05 ± 0.02	0.08 ± 0.02	0.10 ± 0.03	0.22 ± 0.05	0.14 ± 0.03	0.033 ± 0.009	0.01 ± 0.01	0.05 ± 0.01	0.08 ± 0.03	0.09 ± 0.04	W Africa F	E Europe M	0.36
17	0.28 ± 0.05	0.14 ± 0.02	0.06 ± 0.02	0.12 ± 0.02	0.17 ± 0.04	0.28 ± 0.05	0.20 ± 0.04	0.09 ± 0.01	0.04 ± 0.02	0.12 ± 0.02	0.11 ± 0.03	0.19 ± 0.04	W Africa F	E Europe M	0.30
18	0.26 ± 0.03	0.20 ± 0.02	0.11 ± 0.02	0.15 ± 0.02	0.22 ± 0.03	0.32 ± 0.04	0.31 ± 0.04	0.13 ± 0.01	0.06 ± 0.02	0.18 ± 0.02	0.21 ± 0.03	0.24 ± 0.04	W Africa F	E Europe M	0.23
19	0.34 ± 0.04	0.26 ± 0.02	0.14 ± 0.03	0.19 ± 0.02	0.30 ± 0.03	0.44 ± 0.04	0.39 ± 0.04	0.22 ± 0.02	0.12 ± 0.03	0.30 ± 0.02	0.29 ± 0.04	0.38 ± 0.05	W Africa F	E Europe M	0.21
20	0.44 ± 0.04	0.34 ± 0.02	0.19 ± 0.03	0.25 ± 0.02	0.38 ± 0.03	0.48 ± 0.04	0.52 ± 0.04	0.35 ± 0.02	0.19 ± 0.03	0.43 ± 0.02	0.43 ± 0.03	0.49 ± 0.04	E Africa M	E Europe F	0.18
21	0.51 ± 0.03	0.42 ± 0.02	0.27 ± 0.03	0.29 ± 0.02	0.43 ± 0.03	0.52 ± 0.04	0.65 ± 0.04	0.48 ± 0.02	0.29 ± 0.04	0.54 ± 0.02	0.54 ± 0.03	0.59 ± 0.04	E Africa M	E Europe F	0.16
22	0.57 ± 0.03	0.50 ± 0.02	0.34 ± 0.02	0.34 ± 0.02	0.53 ± 0.02	0.61 ± 0.04	0.76 ± 0.03	0.59 ± 0.02	0.47 ± 0.04	0.66 ± 0.02	0.64 ± 0.03	0.69 ± 0.04	E Africa M	S Asia F	0.13
23	0.60 ± 0.03	0.60 ± 0.02	0.43 ± 0.02	0.40 ± 0.02	0.59 ± 0.02	0.66 ± 0.03	0.79 ± 0.03	0.70 ± 0.02	0.57 ± 0.04	0.76 ± 0.02	0.72 ± 0.03	0.77 ± 0.03	E Africa M	S Asia F	0.12
24	0.66 ± 0.03	0.66 ± 0.02	0.53 ± 0.02	0.46 ± 0.02	0.69 ± 0.02	0.70 ± 0.03	0.89 ± 0.02	0.79 ± 0.02	0.71 ± 0.03	0.83 ± 0.01	0.81 ± 0.02	0.83 ± 0.02	E Africa M	S Asia F	0.10
25	0.70 ± 0.03	0.73 ± 0.01	0.59 ± 0.02	0.51 ± 0.01	0.74 ± 0.02	0.75 ± 0.02	0.91 ± 0.02	0.85 ± 0.01	0.81 ± 0.02	0.89 ± 0.01	0.87 ± 0.02	0.90 ± 0.02	E Africa M	S Asia F	0.10
26	0.75 ± 0.02	0.78 ± 0.01	0.68 ± 0.02	0.54 ± 0.01	0.79 ± 0.01	0.79 ± 0.02	0.94 ± 0.01	0.911 ± 0.010	0.86 ± 0.02	0.924 ± 0.009	0.91 ± 0.02	0.94 ± 0.01	E Africa M	S Asia F	0.08
27	0.76 ± 0.02	0.82 ± 0.01	0.76 ± 0.01	0.60 ± 0.01	0.83 ± 0.01	0.83 ± 0.02	0.97 ± 0.01	0.948 ± 0.008	0.92 ± 0.01	0.946 ± 0.007	0.95 ± 0.01	0.96 ± 0.01	E Africa M	S Asia F	0.07
28	0.81 ± 0.02	0.869 ± 0.008	0.81 ± 0.01	0.66 ± 0.01	0.87 ± 0.01	0.87 ± 0.02	0.971 ± 0.009	0.966 ± 0.007	0.95 ± 0.01	0.965 ± 0.006	0.972 ± 0.009	0.96 ± 0.01	S E Asia M	S Asia F	0.06
29	0.86 ± 0.02	0.911 ± 0.008	0.88 ± 0.01	0.72 ± 0.01	0.90 ± 0.01	0.89 ± 0.01	0.987 ± 0.006	0.982 ± 0.005	0.971 ± 0.008	0.978 ± 0.004	0.971 ± 0.009	0.985 ± 0.006	E Africa M	S Asia F	0.05
30	0.88 ± 0.02	0.930 ± 0.006	0.91 ± 0.01	0.76 ± 0.01	0.93 ± 0.01	0.90 ± 0.01	0.989 ± 0.006	0.990 ± 0.004	0.983 ± 0.008	0.987 ± 0.003	0.988 ± 0.006	0.984 ± 0.006	E Asia M	S Asia F	0.04
31	0.91 ± 0.02	0.955 ± 0.006	0.939 ± 0.009	0.807 ± 0.009	0.951 ± 0.008	0.92 ± 0.01	0.993 ± 0.005	0.993 ± 0.003	0.988 ± 0.006	0.993 ± 0.002	0.990 ± 0.006	0.992 ± 0.004	E Africa M	S Asia F	0.03
32	0.93 ± 0.01	0.964 ± 0.005	0.958 ± 0.008	0.851 ± 0.010	0.957 ± 0.008	0.94 ± 0.01	0.998 ± 0.002	0.997 ± 0.002	0.996 ± 0.004	0.994 ± 0.002	0.991 ± 0.005	0.994 ± 0.004	E Africa M	S Asia F	0.02
33	0.95 ± 0.01	0.976 ± 0.004	0.969 ± 0.007	0.879 ± 0.009	0.978 ± 0.006	0.95 ± 0.01	0.999 ± 0.002	0.998 ± 0.002	0.999 ± 0.002	0.997 ± 0.001	0.997 ± 0.004	0.997 ± 0.003	E Africa M	S Asia F	0.02
34	0.96 ± 0.01	0.985 ± 0.003	0.976 ± 0.007	0.908 ± 0.009	0.984 ± 0.006	0.96 ± 0.01	0.999 ± 0.002	0.998 ± 0.002	0.997 ± 0.003	0.998 ± 0.001	1.000 ± 0.000	0.996 ± 0.003	S E Asia M	S Asia F	0.01

Table 178. *For algorithm cyberlink-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.36 ± 0.07	0.033 ± 0.007	0.03 ± 0.02	0.09 ± 0.02	0.05 ± 0.02	0.29 ± 0.07	0.36 ± 0.07	0.017 ± 0.005	0.02 ± 0.01	0.034 ± 0.010	0.04 ± 0.02	0.23 ± 0.07	E Africa M	E Asia M	0.57
15	0.34 ± 0.07	0.042 ± 0.007	0.06 ± 0.02	0.12 ± 0.02	0.05 ± 0.02	0.31 ± 0.06	0.46 ± 0.08	0.027 ± 0.006	0.02 ± 0.01	0.07 ± 0.01	0.03 ± 0.01	0.26 ± 0.07	E Africa M	E Europe M	0.55
16	0.43 ± 0.07	0.064 ± 0.008	0.04 ± 0.02	0.14 ± 0.02	0.07 ± 0.02	0.34 ± 0.06	0.49 ± 0.08	0.040 ± 0.007	0.07 ± 0.02	0.11 ± 0.01	0.06 ± 0.02	0.30 ± 0.06	E Africa M	E Asia M	0.50
17	0.47 ± 0.06	0.096 ± 0.010	0.10 ± 0.02	0.17 ± 0.02	0.10 ± 0.02	0.40 ± 0.06	0.48 ± 0.07	0.067 ± 0.007	0.08 ± 0.02	0.18 ± 0.02	0.09 ± 0.02	0.44 ± 0.06	E Africa M	E Asia M	0.42
18	0.46 ± 0.05	0.125 ± 0.009	0.12 ± 0.02	0.22 ± 0.02	0.14 ± 0.02	0.45 ± 0.05	0.56 ± 0.05	0.100 ± 0.008	0.19 ± 0.03	0.27 ± 0.02	0.14 ± 0.02	0.48 ± 0.05	E Africa M	E Asia M	0.35
19	0.47 ± 0.05	0.164 ± 0.009	0.17 ± 0.02	0.25 ± 0.02	0.18 ± 0.02	0.48 ± 0.04	0.66 ± 0.05	0.146 ± 0.009	0.23 ± 0.03	0.36 ± 0.02	0.21 ± 0.02	0.55 ± 0.05	E Africa M	E Asia M	0.31
20	0.57 ± 0.04	0.206 ± 0.009	0.22 ± 0.02	0.27 ± 0.02	0.23 ± 0.02	0.54 ± 0.04	0.74 ± 0.04	0.21 ± 0.01	0.30 ± 0.03	0.49 ± 0.02	0.28 ± 0.03	0.62 ± 0.04	E Africa M	E Asia F	0.28
21	0.59 ± 0.04	0.264 ± 0.010	0.28 ± 0.02	0.31 ± 0.01	0.29 ± 0.02	0.58 ± 0.04	0.78 ± 0.03	0.30 ± 0.01	0.44 ± 0.03	0.58 ± 0.02	0.35 ± 0.02	0.72 ± 0.03	E Africa M	E Asia F	0.23
22	0.65 ± 0.04	0.313 ± 0.008	0.34 ± 0.02	0.36 ± 0.01	0.35 ± 0.02	0.68 ± 0.03	0.87 ± 0.03	0.38 ± 0.01	0.54 ± 0.03	0.67 ± 0.02	0.45 ± 0.03	0.76 ± 0.03	E Africa M	E Asia F	0.21
23	0.66 ± 0.03	0.368 ± 0.010	0.42 ± 0.02	0.39 ± 0.01	0.43 ± 0.02	0.71 ± 0.03	0.88 ± 0.03	0.48 ± 0.01	0.65 ± 0.02	0.75 ± 0.01	0.55 ± 0.03	0.84 ± 0.02	E Africa M	E Asia F	0.18
24	0.72 ± 0.03	0.439 ± 0.008	0.49 ± 0.01	0.46 ± 0.01	0.49 ± 0.02	0.73 ± 0.02	0.91 ± 0.02	0.57 ± 0.01	0.76 ± 0.02	0.831 ± 0.010	0.64 ± 0.02	0.85 ± 0.02	E Africa M	E Asia F	0.15
25	0.74 ± 0.02	0.513 ± 0.009	0.57 ± 0.01	0.491 ± 0.010	0.56 ± 0.02	0.78 ± 0.02	0.94 ± 0.02	0.65 ± 0.01	0.80 ± 0.02	0.879 ± 0.008	0.71 ± 0.02	0.89 ± 0.02	E Africa M	S Asia F	0.13
26	0.80 ± 0.02	0.575 ± 0.008	0.63 ± 0.01	0.538 ± 0.009	0.61 ± 0.01	0.79 ± 0.02	0.95 ± 0.01	0.721 ± 0.009	0.86 ± 0.01	0.899 ± 0.007	0.76 ± 0.02	0.92 ± 0.01	E Africa M	S Asia F	0.11
27	0.79 ± 0.02	0.628 ± 0.007	0.71 ± 0.01	0.578 ± 0.009	0.68 ± 0.01	0.83 ± 0.02	0.96 ± 0.01	0.775 ± 0.009	0.91 ± 0.01	0.930 ± 0.005	0.82 ± 0.02	0.94 ± 0.01	E Africa M	S Asia F	0.10
28	0.84 ± 0.02	0.685 ± 0.006	0.77 ± 0.01	0.627 ± 0.008	0.73 ± 0.01	0.84 ± 0.02	0.97 ± 0.01	0.834 ± 0.008	0.942 ± 0.008	0.949 ± 0.004	0.87 ± 0.02	0.958 ± 0.009	E Africa M	S Asia F	0.08
29	0.87 ± 0.02	0.736 ± 0.006	0.821 ± 0.009	0.668 ± 0.007	0.76 ± 0.01	0.88 ± 0.01	0.985 ± 0.007	0.873 ± 0.006	0.962 ± 0.006	0.963 ± 0.003	0.91 ± 0.01	0.965 ± 0.008	E Africa M	S Asia F	0.07
30	0.89 ± 0.02	0.787 ± 0.006	0.860 ± 0.008	0.709 ± 0.007	0.81 ± 0.01	0.90 ± 0.01	0.989 ± 0.007	0.911 ± 0.006	0.975 ± 0.006	0.973 ± 0.003	0.94 ± 0.01	0.973 ± 0.007	E Africa M	S Asia F	0.06
31	0.90 ± 0.02	0.825 ± 0.006	0.899 ± 0.007	0.758 ± 0.007	0.85 ± 0.01	0.91 ± 0.01	0.993 ± 0.005	0.932 ± 0.005	0.985 ± 0.004	0.982 ± 0.002	0.95 ± 0.01	0.982 ± 0.006	E Africa M	S Asia F	0.05
32	0.94 ± 0.01	0.861 ± 0.005	0.926 ± 0.006	0.799 ± 0.007	0.883 ± 0.009	0.93 ± 0.01	0.993 ± 0.005	0.955 ± 0.004	0.992 ± 0.003	0.987 ± 0.002	0.958 ± 0.009	0.981 ± 0.006	E Africa M	S Asia F	0.04
33	0.93 ± 0.01	0.889 ± 0.004	0.940 ± 0.006	0.833 ± 0.006	0.899 ± 0.010	0.94 ± 0.01	0.993 ± 0.005	0.964 ± 0.004	0.991 ± 0.003	0.990 ± 0.001	0.970 ± 0.007	0.991 ± 0.004	E Africa M	S Asia F	0.03
34	0.94 ± 0.01	0.910 ± 0.004	0.955 ± 0.005	0.867 ± 0.006	0.924 ± 0.009	0.95 ± 0.01	0.998 ± 0.003	0.975 ± 0.003	0.996 ± 0.002	0.993 ± 0.001	0.975 ± 0.007	0.994 ± 0.003	E Africa M	S Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 179. *For algorithm cyberlink-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.01	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.03 ± 0.02	0.010 ± 0.008	0.004 ± 0.003	0.000 ± 0.000	0.003 ± 0.002	0.005 ± 0.005	0.000 ± 0.000	W Africa F	E Europe F	0.72
15	0.02 ± 0.01	0.005 ± 0.003	0.010 ± 0.008	0.015 ± 0.008	0.02 ± 0.01	0.04 ± 0.03	0.02 ± 0.01	0.003 ± 0.002	0.006 ± 0.006	0.005 ± 0.004	0.002 ± 0.002	0.01 ± 0.01	W Africa F	S E Asia M	0.46
16	0.05 ± 0.02	0.021 ± 0.008	0.02 ± 0.01	0.022 ± 0.009	0.03 ± 0.01	0.08 ± 0.03	0.04 ± 0.02	0.010 ± 0.005	0.009 ± 0.009	0.015 ± 0.008	0.011 ± 0.008	0.02 ± 0.02	W Africa F	E Europe M	0.39
17	0.10 ± 0.03	0.034 ± 0.009	0.03 ± 0.02	0.03 ± 0.01	0.05 ± 0.02	0.12 ± 0.03	0.04 ± 0.02	0.020 ± 0.006	0.02 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.05 ± 0.02	W Africa F	E Europe M	0.34
18	0.12 ± 0.03	0.054 ± 0.010	0.04 ± 0.01	0.06 ± 0.01	0.06 ± 0.02	0.14 ± 0.03	0.09 ± 0.02	0.041 ± 0.008	0.02 ± 0.01	0.06 ± 0.01	0.04 ± 0.01	0.09 ± 0.03	W Africa F	E Europe M	0.30
19	0.18 ± 0.03	0.09 ± 0.01	0.08 ± 0.02	0.09 ± 0.01	0.11 ± 0.02	0.22 ± 0.03	0.15 ± 0.03	0.08 ± 0.01	0.06 ± 0.02	0.12 ± 0.02	0.11 ± 0.02	0.17 ± 0.04	W Africa F	E Europe M	0.23
20	0.23 ± 0.03	0.14 ± 0.01	0.10 ± 0.02	0.14 ± 0.02	0.17 ± 0.02	0.29 ± 0.04	0.24 ± 0.04	0.14 ± 0.02	0.09 ± 0.02	0.23 ± 0.02	0.17 ± 0.02	0.25 ± 0.04	W Africa F	E Europe M	0.21
21	0.29 ± 0.03	0.20 ± 0.02	0.16 ± 0.02	0.16 ± 0.01	0.21 ± 0.02	0.35 ± 0.04	0.35 ± 0.03	0.22 ± 0.02	0.17 ± 0.03	0.32 ± 0.02	0.26 ± 0.03	0.29 ± 0.04	E Africa M	S Asia F	0.17
22	0.36 ± 0.03	0.26 ± 0.02	0.24 ± 0.02	0.22 ± 0.02	0.28 ± 0.02	0.39 ± 0.04	0.49 ± 0.03	0.35 ± 0.02	0.32 ± 0.03	0.44 ± 0.02	0.37 ± 0.03	0.39 ± 0.04	E Africa M	S Asia F	0.14
23	0.39 ± 0.03	0.38 ± 0.02	0.31 ± 0.02	0.29 ± 0.02	0.37 ± 0.02	0.48 ± 0.03	0.56 ± 0.03	0.46 ± 0.02	0.41 ± 0.04	0.59 ± 0.02	0.47 ± 0.03	0.53 ± 0.04	S Asia M	S Asia F	0.13
24	0.45 ± 0.03	0.42 ± 0.02	0.42 ± 0.02	0.36 ± 0.02	0.45 ± 0.02	0.52 ± 0.03	0.68 ± 0.03	0.58 ± 0.02	0.58 ± 0.03	0.71 ± 0.02	0.60 ± 0.03	0.63 ± 0.03	S Asia M	S Asia F	0.13
25	0.52 ± 0.03	0.54 ± 0.02	0.52 ± 0.02	0.41 ± 0.01	0.52 ± 0.02	0.58 ± 0.03	0.76 ± 0.03	0.70 ± 0.02	0.71 ± 0.03	0.79 ± 0.02	0.70 ± 0.03	0.69 ± 0.03	S Asia M	S Asia F	0.11
26	0.57 ± 0.03	0.61 ± 0.01	0.62 ± 0.02	0.45 ± 0.01	0.63 ± 0.02	0.63 ± 0.03	0.82 ± 0.02	0.79 ± 0.02	0.77 ± 0.02	0.85 ± 0.01	0.79 ± 0.02	0.77 ± 0.02	S Asia M	S Asia F	0.10
27	0.62 ± 0.02	0.68 ± 0.01	0.72 ± 0.02	0.52 ± 0.01	0.68 ± 0.02	0.67 ± 0.02	0.86 ± 0.02	0.86 ± 0.01	0.88 ± 0.02	0.896 ± 0.009	0.86 ± 0.02	0.83 ± 0.02	S Asia M	S Asia F	0.09
28	0.68 ± 0.03	0.75 ± 0.01	0.79 ± 0.01	0.58 ± 0.01	0.75 ± 0.02	0.71 ± 0.02	0.89 ± 0.02	0.91 ± 0.01	0.93 ± 0.01	0.929 ± 0.007	0.91 ± 0.02	0.87 ± 0.02	S Asia M	S Asia F	0.08
29	0.75 ± 0.02	0.81 ± 0.01	0.86 ± 0.01	0.66 ± 0.01	0.81 ± 0.01	0.77 ± 0.02	0.94 ± 0.01	0.949 ± 0.008	0.955 ± 0.010	0.956 ± 0.005	0.93 ± 0.01	0.91 ± 0.01	S Asia M	S Asia F	0.07
30	0.78 ± 0.02	0.861 ± 0.008	0.91 ± 0.01	0.71 ± 0.01	0.86 ± 0.01	0.79 ± 0.02	0.96 ± 0.01	0.970 ± 0.007	0.973 ± 0.008	0.972 ± 0.004	0.96 ± 0.01	0.93 ± 0.01	E Europe M	S Asia F	0.06
31	0.80 ± 0.02	0.901 ± 0.009	0.93 ± 0.01	0.75 ± 0.01	0.89 ± 0.01	0.84 ± 0.02	0.969 ± 0.010	0.982 ± 0.005	0.979 ± 0.008	0.981 ± 0.003	0.975 ± 0.009	0.95 ± 0.01	E Asia M	S Asia F	0.05
32	0.85 ± 0.02	0.929 ± 0.007	0.958 ± 0.008	0.80 ± 0.01	0.92 ± 0.01	0.86 ± 0.02	0.985 ± 0.007	0.989 ± 0.004	0.992 ± 0.005	0.988 ± 0.003	0.985 ± 0.007	0.965 ± 0.009	E Europe M	S Asia F	0.04
33	0.87 ± 0.02	0.951 ± 0.006	0.968 ± 0.007	0.84 ± 0.01	0.932 ± 0.010	0.89 ± 0.02	0.987 ± 0.007	0.991 ± 0.004	0.996 ± 0.004	0.994 ± 0.002	0.988 ± 0.007	0.976 ± 0.007	E Europe M	S Asia F	0.03
34	0.90 ± 0.02	0.968 ± 0.005	0.973 ± 0.007	0.874 ± 0.009	0.962 ± 0.008	0.91 ± 0.02	0.988 ± 0.007	0.994 ± 0.002	0.998 ± 0.003	0.995 ± 0.002	0.997 ± 0.003	0.984 ± 0.006	E Europe M	S Asia F	0.02

Table 180. *For algorithm cyberlink-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.06 ± 0.03	0.005 ± 0.002	0.006 ± 0.006	0.012 ± 0.006	0.009 ± 0.007	0.05 ± 0.03	0.06 ± 0.03	0.003 ± 0.002	0.002 ± 0.002	0.008 ± 0.004	0.004 ± 0.004	0.06 ± 0.04	W Africa M	E Europe M	0.58
15	0.10 ± 0.04	0.007 ± 0.003	0.02 ± 0.01	0.024 ± 0.009	0.016 ± 0.009	0.12 ± 0.05	0.21 ± 0.06	0.006 ± 0.003	0.004 ± 0.004	0.019 ± 0.007	0.011 ± 0.007	0.13 ± 0.05	E Africa M	E Europe M	0.64
16	0.15 ± 0.04	0.016 ± 0.004	0.009 ± 0.006	0.04 ± 0.01	0.014 ± 0.008	0.12 ± 0.04	0.18 ± 0.06	0.016 ± 0.004	0.015 ± 0.008	0.031 ± 0.008	0.017 ± 0.009	0.15 ± 0.04	E Africa M	E Europe F	0.56
17	0.15 ± 0.04	0.023 ± 0.005	0.024 ± 0.009	0.05 ± 0.01	0.03 ± 0.01	0.20 ± 0.05	0.26 ± 0.06	0.025 ± 0.005	0.03 ± 0.01	0.08 ± 0.01	0.04 ± 0.01	0.25 ± 0.05	E Africa M	E Asia F	0.51
18	0.23 ± 0.05	0.043 ± 0.005	0.05 ± 0.01	0.10 ± 0.01	0.044 ± 0.010	0.22 ± 0.04	0.33 ± 0.05	0.042 ± 0.006	0.08 ± 0.02	0.14 ± 0.02	0.05 ± 0.01	0.30 ± 0.05	E Africa M	E Asia M	0.44
19	0.26 ± 0.04	0.060 ± 0.006	0.06 ± 0.01	0.11 ± 0.01	0.06 ± 0.01	0.31 ± 0.04	0.45 ± 0.05	0.070 ± 0.006	0.12 ± 0.02	0.21 ± 0.02	0.10 ± 0.02	0.34 ± 0.05	E Africa M	E Asia F	0.42
20	0.32 ± 0.04	0.081 ± 0.006	0.10 ± 0.01	0.14 ± 0.01	0.10 ± 0.01	0.33 ± 0.04	0.56 ± 0.04	0.109 ± 0.008	0.20 ± 0.02	0.34 ± 0.02	0.15 ± 0.02	0.43 ± 0.04	E Africa M	E Asia F	0.37
21	0.39 ± 0.04	0.116 ± 0.007	0.13 ± 0.01	0.17 ± 0.01	0.14 ± 0.01	0.41 ± 0.04	0.63 ± 0.04	0.172 ± 0.009	0.32 ± 0.03	0.45 ± 0.02	0.23 ± 0.02	0.57 ± 0.04	E Africa M	E Asia F	0.34
22	0.45 ± 0.04	0.154 ± 0.007	0.18 ± 0.01	0.21 ± 0.01	0.18 ± 0.01	0.49 ± 0.03	0.73 ± 0.04	0.25 ± 0.01	0.42 ± 0.03	0.55 ± 0.02	0.32 ± 0.02	0.62 ± 0.03	E Africa M	E Asia F	0.30
23	0.46 ± 0.04	0.198 ± 0.008	0.24 ± 0.01	0.25 ± 0.01	0.25 ± 0.02	0.53 ± 0.03	0.76 ± 0.03	0.33 ± 0.01	0.56 ± 0.02	0.65 ± 0.01	0.39 ± 0.03	0.71 ± 0.03	E Africa M	E Asia F	0.26
24	0.56 ± 0.03	0.245 ± 0.007	0.29 ± 0.01	0.31 ± 0.01	0.29 ± 0.02	0.58 ± 0.03	0.85 ± 0.03	0.43 ± 0.01	0.66 ± 0.02	0.74 ± 0.01	0.50 ± 0.03	0.77 ± 0.03	E Africa M	E Asia F	0.24
25	0.59 ± 0.03	0.312 ± 0.008	0.39 ± 0.01	0.346 ± 0.010	0.35 ± 0.02	0.64 ± 0.02	0.87 ± 0.02	0.51 ± 0.01	0.74 ± 0.02	0.801 ± 0.010	0.58 ± 0.02	0.83 ± 0.02	E Africa M	E Asia F	0.21
26	0.66 ± 0.03	0.375 ± 0.008	0.45 ± 0.01	0.40 ± 0.01	0.43 ± 0.02	0.66 ± 0.02	0.92 ± 0.02	0.60 ± 0.01	0.80 ± 0.01	0.844 ± 0.008	0.65 ± 0.02	0.85 ± 0.02	E Africa M	E Asia F	0.18
27	0.66 ± 0.03	0.437 ± 0.007	0.54 ± 0.01	0.443 ± 0.009	0.48 ± 0.02	0.71 ± 0.02	0.92 ± 0.02	0.67 ± 0.01	0.86 ± 0.01	0.885 ± 0.007	0.71 ± 0.02	0.90 ± 0.01	E Africa M	E Asia F	0.16
28	0.72 ± 0.02	0.508 ± 0.007	0.61 ± 0.01	0.493 ± 0.009	0.54 ± 0.01	0.72 ± 0.02	0.94 ± 0.01	0.75 ± 0.01	0.90 ± 0.01	0.911 ± 0.005	0.78 ± 0.02	0.92 ± 0.01	E Africa M	S Asia F	0.13
29	0.76 ± 0.02	0.568 ± 0.007	0.69 ± 0.01	0.546 ± 0.009	0.59 ± 0.01	0.77 ± 0.02	0.96 ± 0.01	0.800 ± 0.009	0.925 ± 0.009	0.929 ± 0.005	0.83 ± 0.02	0.93 ± 0.01	E Africa M	S Asia F	0.11
30	0.79 ± 0.02	0.630 ± 0.007	0.754 ± 0.010	0.591 ± 0.008	0.65 ± 0.02	0.80 ± 0.02	0.977 ± 0.009	0.848 ± 0.007	0.955 ± 0.007	0.945 ± 0.004	0.87 ± 0.01	0.948 ± 0.009	E Africa M	S Asia F	0.10
31	0.81 ± 0.02	0.689 ± 0.006	0.794 ± 0.010	0.645 ± 0.008	0.71 ± 0.01	0.83 ± 0.02	0.984 ± 0.007	0.892 ± 0.006	0.968 ± 0.005	0.961 ± 0.003	0.89 ± 0.01	0.958 ± 0.008	E Africa M	S Asia F	0.08
32	0.86 ± 0.02	0.745 ± 0.006	0.845 ± 0.009	0.695 ± 0.008	0.76 ± 0.01	0.84 ± 0.02	0.984 ± 0.007	0.919 ± 0.006	0.978 ± 0.005	0.969 ± 0.003	0.92 ± 0.01	0.963 ± 0.007	E Africa M	S Asia F	0.07
33	0.87 ± 0.02	0.793 ± 0.005	0.871 ± 0.008	0.737 ± 0.007	0.79 ± 0.01	0.88 ± 0.02	0.988 ± 0.006	0.941 ± 0.004	0.984 ± 0.004	0.974 ± 0.002	0.941 ± 0.010	0.978 ± 0.006	E Africa M	S Asia F	0.06
34	0.87 ± 0.02	0.832 ± 0.005	0.901 ± 0.008	0.781 ± 0.007	0.83 ± 0.01	0.89 ± 0.02	0.994 ± 0.005	0.955 ± 0.004	0.989 ± 0.003	0.980 ± 0.002	0.958 ± 0.009	0.981 ± 0.006	E Africa M	S Asia F	0.05

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 181. *For algorithm daon-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.02	0.025 ± 0.008	0.000 ± 0.000	0.026 ± 0.008	0.03 ± 0.02	0.05 ± 0.02	0.05 ± 0.02	0.06 ± 0.01	0.000 ± 0.000	0.040 ± 0.009	0.04 ± 0.02	0.01 ± 0.01	E Asia M	E Europe F	0.37
15	0.07 ± 0.03	0.05 ± 0.01	0.000 ± 0.000	0.06 ± 0.02	0.06 ± 0.02	0.09 ± 0.04	0.08 ± 0.03	0.10 ± 0.01	0.009 ± 0.009	0.06 ± 0.01	0.10 ± 0.03	0.04 ± 0.02	S E Asia M	E Europe F	0.31
16	0.12 ± 0.03	0.08 ± 0.01	0.01 ± 0.01	0.06 ± 0.02	0.08 ± 0.03	0.16 ± 0.04	0.15 ± 0.03	0.12 ± 0.02	0.03 ± 0.01	0.12 ± 0.02	0.13 ± 0.03	0.07 ± 0.03	W Africa F	E Europe F	0.29
17	0.21 ± 0.04	0.10 ± 0.02	0.03 ± 0.02	0.09 ± 0.02	0.13 ± 0.03	0.25 ± 0.05	0.23 ± 0.04	0.17 ± 0.02	0.03 ± 0.01	0.19 ± 0.02	0.16 ± 0.04	0.13 ± 0.04	W Africa F	E Europe M	0.30
18	0.18 ± 0.03	0.11 ± 0.01	0.04 ± 0.02	0.09 ± 0.01	0.11 ± 0.02	0.27 ± 0.04	0.31 ± 0.04	0.19 ± 0.02	0.05 ± 0.02	0.26 ± 0.02	0.19 ± 0.03	0.23 ± 0.04	E Africa M	E Europe F	0.31
19	0.32 ± 0.04	0.15 ± 0.02	0.05 ± 0.02	0.14 ± 0.02	0.15 ± 0.02	0.33 ± 0.04	0.43 ± 0.04	0.25 ± 0.02	0.08 ± 0.02	0.38 ± 0.02	0.26 ± 0.03	0.28 ± 0.04	E Africa M	E Europe F	0.30
20	0.36 ± 0.04	0.19 ± 0.02	0.09 ± 0.02	0.19 ± 0.02	0.20 ± 0.02	0.41 ± 0.04	0.52 ± 0.04	0.30 ± 0.02	0.14 ± 0.03	0.49 ± 0.02	0.30 ± 0.03	0.39 ± 0.04	E Africa M	E Europe F	0.27
21	0.41 ± 0.04	0.24 ± 0.02	0.14 ± 0.02	0.22 ± 0.02	0.24 ± 0.02	0.49 ± 0.04	0.65 ± 0.04	0.35 ± 0.02	0.20 ± 0.03	0.55 ± 0.02	0.38 ± 0.03	0.45 ± 0.04	E Africa M	E Europe F	0.26
22	0.50 ± 0.03	0.31 ± 0.02	0.19 ± 0.02	0.27 ± 0.02	0.32 ± 0.02	0.53 ± 0.04	0.75 ± 0.03	0.43 ± 0.02	0.31 ± 0.04	0.66 ± 0.02	0.41 ± 0.03	0.56 ± 0.04	E Africa M	E Europe F	0.23
23	0.53 ± 0.03	0.36 ± 0.02	0.28 ± 0.02	0.32 ± 0.02	0.38 ± 0.02	0.58 ± 0.03	0.78 ± 0.03	0.51 ± 0.02	0.41 ± 0.04	0.73 ± 0.02	0.51 ± 0.03	0.59 ± 0.03	E Africa M	E Europe F	0.18
24	0.59 ± 0.03	0.43 ± 0.01	0.37 ± 0.02	0.37 ± 0.01	0.44 ± 0.02	0.62 ± 0.03	0.82 ± 0.03	0.56 ± 0.02	0.56 ± 0.03	0.80 ± 0.02	0.59 ± 0.03	0.68 ± 0.03	E Africa M	E Europe F	0.15
25	0.62 ± 0.03	0.50 ± 0.02	0.45 ± 0.02	0.43 ± 0.01	0.52 ± 0.02	0.64 ± 0.03	0.87 ± 0.02	0.64 ± 0.02	0.65 ± 0.03	0.85 ± 0.01	0.66 ± 0.03	0.74 ± 0.03	E Africa M	S Asia F	0.13
26	0.71 ± 0.03	0.55 ± 0.01	0.56 ± 0.02	0.46 ± 0.01	0.59 ± 0.02	0.71 ± 0.03	0.90 ± 0.02	0.72 ± 0.02	0.73 ± 0.03	0.88 ± 0.01	0.71 ± 0.02	0.77 ± 0.02	E Africa M	S Asia F	0.11
27	0.74 ± 0.02	0.62 ± 0.01	0.65 ± 0.02	0.52 ± 0.01	0.64 ± 0.02	0.75 ± 0.02	0.92 ± 0.01	0.78 ± 0.02	0.84 ± 0.02	0.915 ± 0.008	0.79 ± 0.02	0.83 ± 0.02	E Africa M	S Asia F	0.10
28	0.75 ± 0.02	0.67 ± 0.01	0.72 ± 0.02	0.57 ± 0.01	0.69 ± 0.02	0.76 ± 0.02	0.93 ± 0.01	0.83 ± 0.01	0.88 ± 0.02	0.934 ± 0.007	0.85 ± 0.02	0.85 ± 0.02	S Asia M	S Asia F	0.08
29	0.80 ± 0.02	0.74 ± 0.01	0.80 ± 0.01	0.63 ± 0.01	0.77 ± 0.02	0.78 ± 0.02	0.96 ± 0.01	0.87 ± 0.01	0.92 ± 0.01	0.951 ± 0.005	0.88 ± 0.02	0.89 ± 0.01	E Africa M	S Asia F	0.07
30	0.83 ± 0.02	0.78 ± 0.01	0.85 ± 0.01	0.68 ± 0.01	0.81 ± 0.02	0.81 ± 0.02	0.966 ± 0.010	0.91 ± 0.01	0.95 ± 0.01	0.963 ± 0.005	0.92 ± 0.02	0.92 ± 0.01	E Africa M	S Asia F	0.06
31	0.85 ± 0.02	0.817 ± 0.009	0.90 ± 0.01	0.71 ± 0.01	0.83 ± 0.01	0.84 ± 0.02	0.975 ± 0.008	0.943 ± 0.009	0.972 ± 0.008	0.975 ± 0.004	0.93 ± 0.01	0.93 ± 0.01	S Asia M	S Asia F	0.05
32	0.88 ± 0.02	0.861 ± 0.009	0.92 ± 0.01	0.76 ± 0.01	0.87 ± 0.01	0.85 ± 0.02	0.975 ± 0.008	0.961 ± 0.007	0.983 ± 0.007	0.978 ± 0.004	0.96 ± 0.01	0.95 ± 0.01	E Europe M	S Asia F	0.04
33	0.88 ± 0.02	0.892 ± 0.009	0.939 ± 0.010	0.80 ± 0.01	0.90 ± 0.01	0.89 ± 0.02	0.980 ± 0.008	0.970 ± 0.006	0.993 ± 0.004	0.988 ± 0.003	0.97 ± 0.01	0.957 ± 0.010	E Europe M	S Asia F	0.04
34	0.91 ± 0.02	0.913 ± 0.007	0.954 ± 0.009	0.84 ± 0.01	0.92 ± 0.01	0.88 ± 0.02	0.989 ± 0.007	0.981 ± 0.005	0.997 ± 0.003	0.990 ± 0.003	0.980 ± 0.009	0.967 ± 0.010	E Europe M	S Asia F	0.03

Table 182. *For algorithm daon-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.21 ± 0.06	0.035 ± 0.007	0.03 ± 0.01	0.12 ± 0.02	0.04 ± 0.02	0.14 ± 0.05	0.20 ± 0.06	0.10 ± 0.01	0.02 ± 0.01	0.10 ± 0.02	0.10 ± 0.03	0.17 ± 0.06	E Africa F	E Europe M	0.37
15	0.19 ± 0.06	0.062 ± 0.009	0.05 ± 0.02	0.13 ± 0.02	0.06 ± 0.02	0.24 ± 0.06	0.41 ± 0.07	0.15 ± 0.01	0.06 ± 0.02	0.18 ± 0.02	0.13 ± 0.02	0.27 ± 0.07	E Africa M	E Europe F	0.37
16	0.30 ± 0.06	0.083 ± 0.010	0.07 ± 0.02	0.18 ± 0.02	0.09 ± 0.02	0.29 ± 0.06	0.42 ± 0.07	0.21 ± 0.01	0.07 ± 0.02	0.24 ± 0.02	0.18 ± 0.03	0.27 ± 0.06	E Africa M	E Europe F	0.32
17	0.35 ± 0.05	0.10 ± 0.01	0.10 ± 0.02	0.21 ± 0.02	0.11 ± 0.02	0.40 ± 0.06	0.55 ± 0.07	0.28 ± 0.01	0.11 ± 0.03	0.37 ± 0.02	0.24 ± 0.03	0.47 ± 0.06	E Africa M	E Europe F	0.34
18	0.45 ± 0.05	0.129 ± 0.008	0.15 ± 0.02	0.22 ± 0.02	0.13 ± 0.02	0.39 ± 0.05	0.66 ± 0.06	0.31 ± 0.01	0.19 ± 0.03	0.44 ± 0.02	0.28 ± 0.03	0.50 ± 0.05	E Africa M	S E Asia F	0.31
19	0.44 ± 0.05	0.155 ± 0.009	0.18 ± 0.02	0.26 ± 0.02	0.15 ± 0.02	0.50 ± 0.04	0.69 ± 0.05	0.35 ± 0.01	0.24 ± 0.03	0.53 ± 0.02	0.35 ± 0.03	0.57 ± 0.05	E Africa M	S E Asia F	0.29
20	0.54 ± 0.04	0.187 ± 0.008	0.23 ± 0.02	0.28 ± 0.02	0.18 ± 0.02	0.56 ± 0.04	0.74 ± 0.04	0.42 ± 0.01	0.36 ± 0.03	0.62 ± 0.02	0.41 ± 0.03	0.60 ± 0.04	E Africa M	S E Asia F	0.26
21	0.58 ± 0.04	0.226 ± 0.009	0.28 ± 0.02	0.34 ± 0.02	0.21 ± 0.02	0.59 ± 0.04	0.78 ± 0.03	0.48 ± 0.01	0.47 ± 0.03	0.69 ± 0.02	0.48 ± 0.03	0.67 ± 0.04	E Africa M	S E Asia F	0.23
22	0.65 ± 0.04	0.256 ± 0.008	0.33 ± 0.02	0.37 ± 0.01	0.24 ± 0.02	0.64 ± 0.03	0.87 ± 0.03	0.54 ± 0.01	0.52 ± 0.03	0.75 ± 0.01	0.54 ± 0.03	0.70 ± 0.04	E Africa M	S E Asia F	0.22
23	0.67 ± 0.03	0.294 ± 0.009	0.42 ± 0.02	0.41 ± 0.01	0.32 ± 0.02	0.67 ± 0.03	0.88 ± 0.02	0.60 ± 0.01	0.65 ± 0.02	0.80 ± 0.01	0.60 ± 0.02	0.74 ± 0.03	E Africa M	E Asia F	0.19
24	0.70 ± 0.03	0.341 ± 0.009	0.47 ± 0.01	0.47 ± 0.01	0.35 ± 0.02	0.71 ± 0.03	0.90 ± 0.02	0.64 ± 0.01	0.73 ± 0.02	0.853 ± 0.010	0.66 ± 0.02	0.78 ± 0.03	E Africa M	E Asia F	0.17
25	0.75 ± 0.03	0.385 ± 0.008	0.57 ± 0.01	0.48 ± 0.01	0.42 ± 0.02	0.75 ± 0.02	0.92 ± 0.02	0.70 ± 0.01	0.80 ± 0.02	0.880 ± 0.008	0.73 ± 0.02	0.80 ± 0.02	E Africa M	E Asia F	0.15
26	0.75 ± 0.02	0.438 ± 0.007	0.62 ± 0.01	0.531 ± 0.010	0.48 ± 0.01	0.75 ± 0.02	0.95 ± 0.02	0.751 ± 0.010	0.85 ± 0.01	0.904 ± 0.006	0.77 ± 0.02	0.85 ± 0.02	E Africa M	E Asia F	0.14
27	0.79 ± 0.02	0.484 ± 0.007	0.69 ± 0.01	0.567 ± 0.009	0.52 ± 0.02	0.77 ± 0.02	0.95 ± 0.01	0.786 ± 0.009	0.90 ± 0.01	0.923 ± 0.006	0.81 ± 0.02	0.88 ± 0.02	E Africa M	E Asia F	0.12
28	0.81 ± 0.02	0.535 ± 0.008	0.74 ± 0.01	0.604 ± 0.009	0.57 ± 0.02	0.81 ± 0.02	0.95 ± 0.01	0.830 ± 0.008	0.935 ± 0.009	0.940 ± 0.005	0.85 ± 0.02	0.90 ± 0.02	E Africa M	E Asia F	0.11
29	0.83 ± 0.02	0.580 ± 0.007	0.801 ± 0.009	0.639 ± 0.008	0.61 ± 0.01	0.82 ± 0.02	0.95 ± 0.01	0.858 ± 0.007	0.949 ± 0.008	0.949 ± 0.004	0.90 ± 0.01	0.90 ± 0.01	E Africa M	E Asia F	0.09
30	0.86 ± 0.02	0.632 ± 0.007	0.838 ± 0.009	0.674 ± 0.007	0.66 ± 0.01	0.81 ± 0.02	0.96 ± 0.01	0.890 ± 0.006	0.968 ± 0.006	0.965 ± 0.003	0.91 ± 0.01	0.92 ± 0.01	E Europe M	E Asia F	0.08
31	0.87 ± 0.02	0.674 ± 0.006	0.873 ± 0.008	0.712 ± 0.008	0.71 ± 0.01	0.85 ± 0.02	0.977 ± 0.010	0.912 ± 0.006	0.982 ± 0.004	0.969 ± 0.003	0.91 ± 0.01	0.939 ± 0.010	E Europe M	E Asia F	0.07
32	0.89 ± 0.02	0.713 ± 0.007	0.904 ± 0.007	0.745 ± 0.007	0.74 ± 0.01	0.85 ± 0.02	0.977 ± 0.008	0.930 ± 0.005	0.987 ± 0.004	0.977 ± 0.002	0.92 ± 0.01	0.936 ± 0.009	E Europe M	E Asia F	0.06
33	0.89 ± 0.02	0.748 ± 0.006	0.924 ± 0.007	0.776 ± 0.007	0.77 ± 0.01	0.87 ± 0.02	0.985 ± 0.007	0.945 ± 0.004	0.992 ± 0.003	0.982 ± 0.002	0.93 ± 0.01	0.948 ± 0.009	E Europe M	E Asia F	0.06
34	0.89 ± 0.02	0.783 ± 0.006	0.942 ± 0.006	0.806 ± 0.007	0.79 ± 0.01	0.89 ± 0.02	0.986 ± 0.007	0.955 ± 0.004	0.995 ± 0.002	0.986 ± 0.002	0.958 ± 0.009	0.963 ± 0.008	E Europe M	E Asia F	0.05

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 183. *For algorithm daon-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.01	0.010 ± 0.005	0.000 ± 0.000	0.005 ± 0.003	0.009 ± 0.007	0.03 ± 0.02	0.03 ± 0.01	0.024 ± 0.007	0.000 ± 0.000	0.008 ± 0.004	0.02 ± 0.01	0.004 ± 0.004	E Africa M	E Europe F	0.48
15	0.03 ± 0.02	0.025 ± 0.008	0.000 ± 0.000	0.018 ± 0.009	0.02 ± 0.01	0.06 ± 0.03	0.03 ± 0.02	0.033 ± 0.010	0.006 ± 0.006	0.018 ± 0.007	0.03 ± 0.01	0.02 ± 0.02	W Africa F	E Europe F	0.34
16	0.07 ± 0.02	0.033 ± 0.009	0.008 ± 0.008	0.023 ± 0.009	0.03 ± 0.02	0.11 ± 0.03	0.07 ± 0.02	0.07 ± 0.01	0.003 ± 0.003	0.04 ± 0.01	0.04 ± 0.02	0.03 ± 0.02	W Africa F	E Europe M	0.39
17	0.14 ± 0.03	0.06 ± 0.01	0.02 ± 0.01	0.04 ± 0.01	0.06 ± 0.02	0.18 ± 0.04	0.13 ± 0.04	0.10 ± 0.01	0.008 ± 0.008	0.09 ± 0.02	0.10 ± 0.03	0.11 ± 0.04	W Africa F	E Europe M	0.35
18	0.12 ± 0.03	0.08 ± 0.01	0.03 ± 0.01	0.05 ± 0.01	0.06 ± 0.02	0.23 ± 0.04	0.21 ± 0.03	0.12 ± 0.01	0.03 ± 0.01	0.17 ± 0.02	0.11 ± 0.02	0.15 ± 0.03	W Africa F	E Europe F	0.34
19	0.24 ± 0.04	0.12 ± 0.01	0.06 ± 0.02	0.09 ± 0.01	0.10 ± 0.02	0.29 ± 0.04	0.33 ± 0.04	0.18 ± 0.01	0.06 ± 0.02	0.28 ± 0.02	0.15 ± 0.02	0.24 ± 0.04	E Africa M	E Europe M	0.32
20	0.31 ± 0.03	0.16 ± 0.01	0.08 ± 0.02	0.13 ± 0.02	0.14 ± 0.02	0.38 ± 0.04	0.49 ± 0.04	0.25 ± 0.02	0.12 ± 0.03	0.41 ± 0.02	0.24 ± 0.03	0.37 ± 0.04	E Africa M	E Europe F	0.31
21	0.39 ± 0.03	0.22 ± 0.02	0.14 ± 0.02	0.17 ± 0.02	0.19 ± 0.02	0.45 ± 0.04	0.61 ± 0.04	0.33 ± 0.02	0.17 ± 0.03	0.51 ± 0.02	0.33 ± 0.03	0.44 ± 0.04	E Africa M	E Europe F	0.28
22	0.48 ± 0.03	0.28 ± 0.02	0.21 ± 0.02	0.22 ± 0.01	0.27 ± 0.02	0.50 ± 0.04	0.73 ± 0.03	0.41 ± 0.02	0.30 ± 0.03	0.63 ± 0.02	0.38 ± 0.03	0.58 ± 0.04	E Africa M	E Europe F	0.24
23	0.52 ± 0.03	0.35 ± 0.02	0.30 ± 0.02	0.29 ± 0.02	0.34 ± 0.02	0.59 ± 0.03	0.78 ± 0.03	0.53 ± 0.02	0.41 ± 0.03	0.74 ± 0.02	0.50 ± 0.03	0.63 ± 0.03	E Africa M	S Asia F	0.20
24	0.58 ± 0.03	0.42 ± 0.02	0.38 ± 0.02	0.35 ± 0.01	0.41 ± 0.02	0.64 ± 0.03	0.85 ± 0.02	0.61 ± 0.02	0.57 ± 0.03	0.82 ± 0.01	0.60 ± 0.03	0.73 ± 0.03	E Africa M	S Asia F	0.17
25	0.64 ± 0.03	0.51 ± 0.02	0.49 ± 0.02	0.41 ± 0.02	0.49 ± 0.02	0.68 ± 0.03	0.90 ± 0.02	0.69 ± 0.02	0.69 ± 0.03	0.88 ± 0.01	0.70 ± 0.03	0.79 ± 0.02	E Africa M	S Asia F	0.14
26	0.71 ± 0.02	0.58 ± 0.01	0.61 ± 0.02	0.47 ± 0.01	0.59 ± 0.02	0.75 ± 0.03	0.93 ± 0.01	0.78 ± 0.02	0.78 ± 0.02	0.916 ± 0.009	0.78 ± 0.02	0.83 ± 0.02	E Africa M	S Asia F	0.11
27	0.76 ± 0.02	0.66 ± 0.01	0.71 ± 0.02	0.54 ± 0.01	0.66 ± 0.02	0.78 ± 0.02	0.95 ± 0.01	0.84 ± 0.01	0.88 ± 0.02	0.939 ± 0.007	0.84 ± 0.02	0.88 ± 0.02	E Africa M	S Asia F	0.10
28	0.80 ± 0.02	0.71 ± 0.01	0.78 ± 0.01	0.60 ± 0.01	0.73 ± 0.02	0.81 ± 0.02	0.96 ± 0.01	0.89 ± 0.01	0.92 ± 0.02	0.958 ± 0.006	0.91 ± 0.02	0.92 ± 0.01	E Africa M	S Asia F	0.08
29	0.85 ± 0.02	0.78 ± 0.01	0.86 ± 0.01	0.67 ± 0.01	0.80 ± 0.01	0.84 ± 0.02	0.979 ± 0.008	0.921 ± 0.009	0.95 ± 0.01	0.973 ± 0.004	0.93 ± 0.01	0.94 ± 0.01	E Africa M	S Asia F	0.06
30	0.88 ± 0.02	0.829 ± 0.010	0.90 ± 0.01	0.72 ± 0.01	0.84 ± 0.01	0.84 ± 0.02	0.984 ± 0.007	0.953 ± 0.008	0.978 ± 0.008	0.983 ± 0.003	0.96 ± 0.01	0.96 ± 0.01	E Africa M	S Asia F	0.05
31	0.89 ± 0.02	0.870 ± 0.009	0.936 ± 0.010	0.77 ± 0.01	0.88 ± 0.01	0.90 ± 0.02	0.985 ± 0.007	0.976 ± 0.005	0.985 ± 0.007	0.989 ± 0.003	0.97 ± 0.01	0.969 ± 0.008	S Asia M	S Asia F	0.04
32	0.92 ± 0.01	0.901 ± 0.007	0.956 ± 0.009	0.823 ± 0.010	0.91 ± 0.01	0.92 ± 0.01	0.991 ± 0.006	0.987 ± 0.004	0.991 ± 0.005	0.991 ± 0.002	0.984 ± 0.008	0.982 ± 0.007	E Europe M	S Asia F	0.03
33	0.93 ± 0.01	0.932 ± 0.007	0.970 ± 0.007	0.859 ± 0.009	0.93 ± 0.01	0.93 ± 0.01	0.995 ± 0.004	0.991 ± 0.004	0.998 ± 0.003	0.995 ± 0.002	0.990 ± 0.006	0.984 ± 0.006	E Europe M	S Asia F	0.02
34	0.95 ± 0.01	0.953 ± 0.005	0.974 ± 0.007	0.895 ± 0.008	0.95 ± 0.01	0.95 ± 0.01	0.998 ± 0.002	0.994 ± 0.003	0.999 ± 0.002	0.997 ± 0.001	0.997 ± 0.004	0.990 ± 0.006	E Europe M	S Asia F	0.02

Table 184. *For algorithm daon-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.14 ± 0.05	0.020 ± 0.006	0.02 ± 0.01	0.05 ± 0.01	0.02 ± 0.01	0.11 ± 0.05	0.12 ± 0.04	0.036 ± 0.008	0.002 ± 0.002	0.031 ± 0.009	0.06 ± 0.02	0.09 ± 0.04	E Africa F	E Europe M	0.45
15	0.16 ± 0.05	0.036 ± 0.007	0.03 ± 0.01	0.08 ± 0.01	0.04 ± 0.01	0.20 ± 0.05	0.29 ± 0.07	0.075 ± 0.009	0.02 ± 0.01	0.08 ± 0.01	0.06 ± 0.02	0.15 ± 0.06	E Africa M	E Europe M	0.45
16	0.27 ± 0.06	0.053 ± 0.007	0.05 ± 0.02	0.12 ± 0.02	0.07 ± 0.02	0.27 ± 0.05	0.32 ± 0.06	0.11 ± 0.01	0.04 ± 0.01	0.14 ± 0.02	0.09 ± 0.02	0.23 ± 0.05	E Africa M	E Europe M	0.39
17	0.30 ± 0.05	0.076 ± 0.008	0.07 ± 0.02	0.15 ± 0.02	0.08 ± 0.02	0.36 ± 0.06	0.49 ± 0.07	0.17 ± 0.01	0.06 ± 0.02	0.25 ± 0.02	0.14 ± 0.02	0.38 ± 0.05	E Africa M	E Europe M	0.39
18	0.40 ± 0.05	0.108 ± 0.009	0.11 ± 0.02	0.17 ± 0.02	0.10 ± 0.01	0.36 ± 0.05	0.56 ± 0.06	0.21 ± 0.01	0.11 ± 0.02	0.33 ± 0.02	0.19 ± 0.02	0.43 ± 0.05	E Africa M	S E Asia F	0.34
19	0.45 ± 0.05	0.146 ± 0.009	0.15 ± 0.02	0.21 ± 0.01	0.14 ± 0.02	0.46 ± 0.04	0.63 ± 0.05	0.27 ± 0.01	0.15 ± 0.02	0.42 ± 0.02	0.24 ± 0.02	0.52 ± 0.05	E Africa M	S E Asia F	0.31
20	0.55 ± 0.04	0.189 ± 0.009	0.20 ± 0.02	0.26 ± 0.02	0.16 ± 0.01	0.57 ± 0.04	0.72 ± 0.04	0.33 ± 0.01	0.24 ± 0.03	0.55 ± 0.02	0.33 ± 0.03	0.56 ± 0.04	E Africa M	S E Asia F	0.28
21	0.59 ± 0.04	0.227 ± 0.008	0.26 ± 0.02	0.30 ± 0.01	0.20 ± 0.02	0.61 ± 0.04	0.77 ± 0.04	0.41 ± 0.01	0.36 ± 0.03	0.65 ± 0.02	0.41 ± 0.03	0.64 ± 0.04	E Africa M	S E Asia F	0.25
22	0.66 ± 0.03	0.265 ± 0.008	0.32 ± 0.02	0.35 ± 0.01	0.24 ± 0.02	0.66 ± 0.03	0.87 ± 0.03	0.48 ± 0.01	0.48 ± 0.03	0.71 ± 0.01	0.49 ± 0.03	0.71 ± 0.03	E Africa M	S E Asia F	0.23
23	0.68 ± 0.03	0.311 ± 0.009	0.40 ± 0.02	0.39 ± 0.01	0.33 ± 0.02	0.69 ± 0.03	0.89 ± 0.02	0.55 ± 0.01	0.60 ± 0.02	0.79 ± 0.01	0.55 ± 0.03	0.77 ± 0.03	E Africa M	E Asia F	0.20
24	0.73 ± 0.03	0.373 ± 0.008	0.48 ± 0.01	0.46 ± 0.01	0.39 ± 0.02	0.72 ± 0.03	0.93 ± 0.02	0.62 ± 0.01	0.72 ± 0.02	0.844 ± 0.009	0.64 ± 0.02	0.80 ± 0.02	E Africa M	E Asia F	0.17
25	0.78 ± 0.03	0.424 ± 0.009	0.59 ± 0.01	0.50 ± 0.01	0.45 ± 0.02	0.78 ± 0.02	0.94 ± 0.02	0.68 ± 0.01	0.79 ± 0.02	0.889 ± 0.007	0.71 ± 0.02	0.83 ± 0.02	E Africa M	E Asia F	0.15
26	0.80 ± 0.02	0.489 ± 0.008	0.64 ± 0.01	0.551 ± 0.009	0.51 ± 0.02	0.78 ± 0.02	0.96 ± 0.01	0.75 ± 0.01	0.86 ± 0.01	0.915 ± 0.007	0.77 ± 0.02	0.87 ± 0.02	E Africa M	E Asia F	0.13
27	0.83 ± 0.02	0.532 ± 0.008	0.72 ± 0.01	0.595 ± 0.009	0.56 ± 0.02	0.82 ± 0.02	0.96 ± 0.01	0.792 ± 0.008	0.90 ± 0.01	0.934 ± 0.006	0.83 ± 0.02	0.92 ± 0.01	E Africa M	E Asia F	0.11
28	0.85 ± 0.02	0.597 ± 0.007	0.785 ± 0.009	0.639 ± 0.009	0.63 ± 0.01	0.84 ± 0.02	0.971 ± 0.009	0.845 ± 0.008	0.946 ± 0.008	0.953 ± 0.004	0.86 ± 0.02	0.93 ± 0.01	E Africa M	E Asia F	0.09
29	0.87 ± 0.02	0.652 ± 0.007	0.842 ± 0.009	0.682 ± 0.008	0.67 ± 0.02	0.87 ± 0.02	0.97 ± 0.01	0.874 ± 0.007	0.958 ± 0.006	0.964 ± 0.003	0.91 ± 0.01	0.940 ± 0.009	E Africa M	E Asia F	0.08
30	0.90 ± 0.02	0.704 ± 0.006	0.882 ± 0.007	0.730 ± 0.008	0.72 ± 0.01	0.86 ± 0.02	0.979 ± 0.009	0.909 ± 0.006	0.976 ± 0.005	0.977 ± 0.002	0.92 ± 0.01	0.953 ± 0.009	E Africa M	E Asia F	0.07
31	0.91 ± 0.02	0.747 ± 0.006	0.914 ± 0.007	0.769 ± 0.007	0.77 ± 0.01	0.90 ± 0.02	0.989 ± 0.007	0.931 ± 0.005	0.990 ± 0.003	0.981 ± 0.002	0.93 ± 0.01	0.964 ± 0.007	E Europe M	E Asia F	0.06
32	0.94 ± 0.01	0.785 ± 0.006	0.944 ± 0.006	0.803 ± 0.007	0.81 ± 0.01	0.92 ± 0.01	0.990 ± 0.005	0.949 ± 0.004	0.991 ± 0.003	0.987 ± 0.002	0.95 ± 0.01	0.967 ± 0.007	E Europe M	E Asia F	0.04
33	0.94 ± 0.01	0.820 ± 0.005	0.959 ± 0.005	0.832 ± 0.007	0.84 ± 0.01	0.92 ± 0.01	0.997 ± 0.003	0.964 ± 0.003	0.996 ± 0.002	0.991 ± 0.001	0.963 ± 0.008	0.980 ± 0.005	E Africa M	E Asia F	0.04
34	0.94 ± 0.01	0.847 ± 0.005	0.969 ± 0.005	0.863 ± 0.006	0.86 ± 0.01	0.93 ± 0.01	0.995 ± 0.005	0.969 ± 0.003	0.998 ± 0.002	0.993 ± 0.001	0.976 ± 0.007	0.989 ± 0.004	E Europe M	E Asia F	0.03

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 185. *For algorithm daon-002 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.004 ± 0.004	0.002 ± 0.002	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.000 ± 0.000	E Africa M	E Africa F	0.73
15	0.009 ± 0.009	0.002 ± 0.002	0.000 ± 0.000	0.003 ± 0.003	0.007 ± 0.007	0.03 ± 0.02	0.010 ± 0.008	0.000 ± 0.000	0.000 ± 0.000	0.003 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe F	0.70
16	0.05 ± 0.02	0.010 ± 0.005	0.003 ± 0.003	0.003 ± 0.003	0.01 ± 0.01	0.06 ± 0.03	0.03 ± 0.01	0.005 ± 0.003	0.003 ± 0.003	0.001 ± 0.001	0.006 ± 0.006	0.009 ± 0.009	W Africa F	S Asia M	0.63
17	0.08 ± 0.03	0.013 ± 0.005	0.003 ± 0.003	0.008 ± 0.005	0.01 ± 0.01	0.11 ± 0.03	0.04 ± 0.02	0.013 ± 0.005	0.000 ± 0.000	0.011 ± 0.006	0.02 ± 0.01	0.05 ± 0.02	W Africa F	E Europe M	0.59
18	0.08 ± 0.02	0.024 ± 0.007	0.007 ± 0.005	0.017 ± 0.006	0.03 ± 0.01	0.15 ± 0.03	0.08 ± 0.02	0.022 ± 0.006	0.007 ± 0.005	0.029 ± 0.008	0.018 ± 0.010	0.08 ± 0.02	W Africa F	E Europe F	0.50
19	0.15 ± 0.03	0.043 ± 0.008	0.02 ± 0.01	0.035 ± 0.009	0.04 ± 0.01	0.21 ± 0.04	0.15 ± 0.03	0.049 ± 0.008	0.017 ± 0.009	0.07 ± 0.01	0.04 ± 0.01	0.18 ± 0.04	W Africa F	E Europe M	0.46
20	0.24 ± 0.03	0.08 ± 0.01	0.04 ± 0.01	0.07 ± 0.01	0.09 ± 0.02	0.29 ± 0.04	0.31 ± 0.04	0.08 ± 0.01	0.05 ± 0.02	0.16 ± 0.02	0.08 ± 0.02	0.26 ± 0.04	E Africa M	E Europe F	0.39
21	0.29 ± 0.03	0.14 ± 0.01	0.07 ± 0.02	0.10 ± 0.01	0.14 ± 0.02	0.38 ± 0.04	0.43 ± 0.04	0.16 ± 0.02	0.08 ± 0.02	0.23 ± 0.02	0.16 ± 0.02	0.34 ± 0.04	E Africa M	E Europe F	0.33
22	0.38 ± 0.03	0.19 ± 0.01	0.13 ± 0.02	0.15 ± 0.01	0.22 ± 0.02	0.45 ± 0.04	0.56 ± 0.03	0.24 ± 0.02	0.19 ± 0.03	0.36 ± 0.02	0.21 ± 0.02	0.47 ± 0.04	E Africa M	E Europe F	0.28
23	0.44 ± 0.03	0.28 ± 0.02	0.21 ± 0.02	0.24 ± 0.01	0.29 ± 0.02	0.53 ± 0.03	0.65 ± 0.03	0.36 ± 0.02	0.28 ± 0.03	0.51 ± 0.02	0.35 ± 0.03	0.56 ± 0.04	E Africa M	E Europe F	0.22
24	0.55 ± 0.03	0.36 ± 0.02	0.31 ± 0.02	0.31 ± 0.02	0.39 ± 0.02	0.58 ± 0.03	0.75 ± 0.03	0.49 ± 0.02	0.45 ± 0.03	0.64 ± 0.02	0.48 ± 0.03	0.68 ± 0.03	E Africa M	S Asia F	0.17
25	0.60 ± 0.03	0.47 ± 0.01	0.44 ± 0.02	0.39 ± 0.01	0.49 ± 0.02	0.66 ± 0.03	0.83 ± 0.02	0.62 ± 0.02	0.62 ± 0.03	0.74 ± 0.01	0.61 ± 0.03	0.74 ± 0.03	E Africa M	S Asia F	0.13
26	0.66 ± 0.03	0.56 ± 0.01	0.56 ± 0.02	0.46 ± 0.01	0.61 ± 0.02	0.73 ± 0.02	0.88 ± 0.02	0.74 ± 0.02	0.73 ± 0.03	0.83 ± 0.01	0.70 ± 0.03	0.81 ± 0.02	E Africa M	S Asia F	0.11
27	0.75 ± 0.02	0.66 ± 0.01	0.69 ± 0.02	0.54 ± 0.01	0.68 ± 0.02	0.78 ± 0.02	0.92 ± 0.01	0.82 ± 0.02	0.85 ± 0.02	0.88 ± 0.01	0.82 ± 0.02	0.86 ± 0.02	E Africa M	S Asia F	0.08
28	0.79 ± 0.02	0.74 ± 0.01	0.79 ± 0.01	0.63 ± 0.01	0.76 ± 0.01	0.82 ± 0.02	0.95 ± 0.01	0.88 ± 0.01	0.91 ± 0.01	0.929 ± 0.008	0.88 ± 0.02	0.91 ± 0.02	E Africa M	S Asia F	0.07
29	0.85 ± 0.02	0.82 ± 0.01	0.87 ± 0.01	0.70 ± 0.01	0.83 ± 0.01	0.87 ± 0.02	0.970 ± 0.010	0.930 ± 0.010	0.95 ± 0.01	0.954 ± 0.005	0.92 ± 0.02	0.94 ± 0.01	E Africa M	S Asia F	0.05
30	0.89 ± 0.02	0.871 ± 0.008	0.91 ± 0.01	0.77 ± 0.01	0.89 ± 0.01	0.89 ± 0.02	0.978 ± 0.008	0.960 ± 0.007	0.979 ± 0.008	0.968 ± 0.004	0.95 ± 0.01	0.960 ± 0.009	E Europe M	S Asia F	0.04
31	0.92 ± 0.01	0.913 ± 0.006	0.956 ± 0.008	0.818 ± 0.010	0.92 ± 0.01	0.92 ± 0.01	0.987 ± 0.006	0.979 ± 0.005	0.984 ± 0.007	0.983 ± 0.003	0.97 ± 0.01	0.975 ± 0.008	E Africa M	S Asia F	0.03
32	0.94 ± 0.01	0.941 ± 0.006	0.973 ± 0.006	0.874 ± 0.008	0.951 ± 0.009	0.94 ± 0.01	0.992 ± 0.005	0.989 ± 0.004	0.992 ± 0.005	0.989 ± 0.002	0.986 ± 0.007	0.983 ± 0.007	E Europe M	S Asia F	0.02
33	0.95 ± 0.01	0.967 ± 0.005	0.982 ± 0.006	0.909 ± 0.008	0.970 ± 0.008	0.96 ± 0.01	0.997 ± 0.003	0.994 ± 0.003	0.998 ± 0.003	0.994 ± 0.002	0.989 ± 0.006	0.987 ± 0.006	E Europe M	S Asia F	0.01
34	0.96 ± 0.01	0.981 ± 0.004	0.987 ± 0.005	0.939 ± 0.006	0.978 ± 0.006	0.97 ± 0.01	0.998 ± 0.002	0.998 ± 0.002	0.998 ± 0.003	0.997 ± 0.001	0.997 ± 0.004	0.992 ± 0.005	E Africa M	S Asia F	0.01

Table 186. *For algorithm daon-002 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.03 ± 0.02	0.004 ± 0.002	0.000 ± 0.000	0.009 ± 0.005	0.002 ± 0.002	0.06 ± 0.03	0.03 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.02 ± 0.02	W Africa F	E Europe F	0.71
15	0.06 ± 0.03	0.005 ± 0.002	0.002 ± 0.002	0.012 ± 0.005	0.004 ± 0.004	0.13 ± 0.04	0.05 ± 0.03	0.007 ± 0.003	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.07 ± 0.04	W Africa F	E Europe M	0.71
16	0.14 ± 0.05	0.013 ± 0.004	0.006 ± 0.005	0.025 ± 0.009	0.004 ± 0.004	0.14 ± 0.04	0.09 ± 0.04	0.013 ± 0.004	0.005 ± 0.005	0.008 ± 0.004	0.009 ± 0.006	0.07 ± 0.03	W Africa F	S E Asia F	0.64
17	0.14 ± 0.04	0.027 ± 0.005	0.006 ± 0.005	0.033 ± 0.009	0.025 ± 0.010	0.22 ± 0.05	0.17 ± 0.05	0.027 ± 0.005	0.007 ± 0.005	0.033 ± 0.008	0.019 ± 0.009	0.16 ± 0.05	W Africa F	E Europe F	0.57
18	0.26 ± 0.04	0.038 ± 0.005	0.04 ± 0.01	0.061 ± 0.010	0.028 ± 0.008	0.23 ± 0.04	0.24 ± 0.05	0.050 ± 0.006	0.017 ± 0.009	0.058 ± 0.009	0.03 ± 0.01	0.23 ± 0.04	E Africa F	E Europe M	0.50
19	0.30 ± 0.04	0.066 ± 0.006	0.041 ± 0.009	0.078 ± 0.010	0.06 ± 0.01	0.35 ± 0.04	0.41 ± 0.05	0.074 ± 0.007	0.03 ± 0.01	0.11 ± 0.01	0.06 ± 0.01	0.27 ± 0.04	E Africa M	E Europe M	0.49
20	0.42 ± 0.04	0.095 ± 0.007	0.08 ± 0.01	0.11 ± 0.01	0.09 ± 0.01	0.44 ± 0.04	0.51 ± 0.04	0.130 ± 0.008	0.06 ± 0.01	0.19 ± 0.02	0.11 ± 0.02	0.35 ± 0.04	E Africa M	E Europe M	0.42
21	0.46 ± 0.04	0.131 ± 0.008	0.10 ± 0.01	0.16 ± 0.01	0.12 ± 0.01	0.52 ± 0.04	0.59 ± 0.04	0.20 ± 0.01	0.11 ± 0.02	0.30 ± 0.02	0.19 ± 0.02	0.45 ± 0.04	E Africa M	E Europe F	0.37
22	0.56 ± 0.04	0.185 ± 0.007	0.16 ± 0.01	0.21 ± 0.01	0.17 ± 0.01	0.61 ± 0.03	0.72 ± 0.04	0.29 ± 0.01	0.20 ± 0.02	0.40 ± 0.02	0.29 ± 0.02	0.56 ± 0.04	E Africa M	E Europe F	0.32
23	0.60 ± 0.04	0.246 ± 0.008	0.23 ± 0.01	0.26 ± 0.01	0.27 ± 0.01	0.65 ± 0.03	0.76 ± 0.03	0.39 ± 0.01	0.33 ± 0.02	0.51 ± 0.01	0.36 ± 0.02	0.65 ± 0.03	E Africa M	E Europe F	0.25
24	0.68 ± 0.03	0.319 ± 0.008	0.31 ± 0.01	0.34 ± 0.01	0.33 ± 0.02	0.70 ± 0.03	0.86 ± 0.02	0.50 ± 0.01	0.46 ± 0.02	0.62 ± 0.01	0.49 ± 0.02	0.74 ± 0.03	E Africa M	E Europe F	0.21
25	0.72 ± 0.03	0.406 ± 0.009	0.42 ± 0.01	0.39 ± 0.01	0.42 ± 0.02	0.77 ± 0.02	0.89 ± 0.02	0.60 ± 0.01	0.60 ± 0.02	0.73 ± 0.01	0.60 ± 0.02	0.78 ± 0.02	E Africa M	S Asia F	0.17
26	0.77 ± 0.03	0.487 ± 0.008	0.50 ± 0.01	0.46 ± 0.01	0.50 ± 0.02	0.78 ± 0.02	0.93 ± 0.02	0.692 ± 0.010	0.70 ± 0.02	0.790 ± 0.009	0.67 ± 0.02	0.85 ± 0.02	E Africa M	S Asia F	0.14
27	0.79 ± 0.02	0.560 ± 0.007	0.62 ± 0.01	0.526 ± 0.009	0.58 ± 0.01	0.83 ± 0.02	0.95 ± 0.01	0.765 ± 0.009	0.81 ± 0.01	0.846 ± 0.007	0.78 ± 0.02	0.91 ± 0.01	E Africa M	S Asia F	0.11
28	0.85 ± 0.02	0.645 ± 0.007	0.70 ± 0.01	0.591 ± 0.008	0.65 ± 0.01	0.86 ± 0.02	0.972 ± 0.010	0.833 ± 0.008	0.87 ± 0.01	0.901 ± 0.006	0.84 ± 0.02	0.93 ± 0.01	E Africa M	S Asia F	0.09
29	0.88 ± 0.02	0.717 ± 0.007	0.788 ± 0.010	0.647 ± 0.008	0.73 ± 0.01	0.89 ± 0.01	0.978 ± 0.009	0.887 ± 0.006	0.916 ± 0.009	0.928 ± 0.005	0.90 ± 0.01	0.949 ± 0.010	E Africa M	S Asia F	0.07
30	0.90 ± 0.02	0.781 ± 0.006	0.847 ± 0.008	0.714 ± 0.007	0.79 ± 0.01	0.90 ± 0.01	0.988 ± 0.007	0.924 ± 0.005	0.956 ± 0.007	0.951 ± 0.004	0.92 ± 0.01	0.962 ± 0.008	E Africa M	S Asia F	0.06
31	0.92 ± 0.01	0.837 ± 0.005	0.895 ± 0.008	0.770 ± 0.007	0.83 ± 0.01	0.94 ± 0.01	0.992 ± 0.006	0.954 ± 0.004	0.976 ± 0.005	0.968 ± 0.003	0.94 ± 0.01	0.973 ± 0.006	E Africa M	S Asia F	0.04
32	0.95 ± 0.01	0.877 ± 0.005	0.940 ± 0.006	0.817 ± 0.006	0.876 ± 0.010	0.95 ± 0.01	0.997 ± 0.003	0.969 ± 0.003	0.986 ± 0.004	0.981 ± 0.002	0.964 ± 0.009	0.978 ± 0.006	E Africa M	S Asia F	0.03
33	0.96 ± 0.01	0.912 ± 0.004	0.957 ± 0.005	0.864 ± 0.006	0.903 ± 0.009	0.958 ± 0.010	0.996 ± 0.004	0.985 ± 0.003	0.994 ± 0.003	0.988 ± 0.002	0.978 ± 0.007	0.988 ± 0.004	E Africa M	S Asia F	0.02
34	0.974 ± 0.010	0.936 ± 0.003	0.973 ± 0.004	0.898 ± 0.005	0.931 ± 0.009	0.970 ± 0.009	0.998 ± 0.002	0.987 ± 0.002	0.998 ± 0.001	0.991 ± 0.001	0.990 ± 0.005	0.992 ± 0.004	E Africa M	S Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 187. *For algorithm dermalog-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.04 ± 0.02	0.05 ± 0.01	0.08 ± 0.02	0.06 ± 0.01	0.09 ± 0.03	0.02 ± 0.01	0.02 ± 0.01	0.017 ± 0.006	0.02 ± 0.01	0.042 ± 0.009	0.02 ± 0.01	0.02 ± 0.01	S E Asia F	E Europe M	0.38
15	0.08 ± 0.03	0.07 ± 0.01	0.14 ± 0.03	0.13 ± 0.02	0.11 ± 0.03	0.02 ± 0.02	0.01 ± 0.01	0.032 ± 0.008	0.04 ± 0.02	0.05 ± 0.01	0.03 ± 0.01	0.01 ± 0.01	E Europe F	E Africa M	0.43
16	0.10 ± 0.03	0.10 ± 0.02	0.21 ± 0.04	0.16 ± 0.02	0.16 ± 0.04	0.06 ± 0.03	0.05 ± 0.02	0.05 ± 0.01	0.04 ± 0.02	0.10 ± 0.02	0.08 ± 0.02	0.04 ± 0.02	E Europe F	W Africa M	0.32
17	0.13 ± 0.04	0.14 ± 0.02	0.31 ± 0.04	0.24 ± 0.03	0.20 ± 0.04	0.07 ± 0.03	0.10 ± 0.03	0.07 ± 0.01	0.04 ± 0.02	0.12 ± 0.02	0.10 ± 0.03	0.09 ± 0.03	E Europe F	E Europe M	0.33
18	0.13 ± 0.03	0.16 ± 0.01	0.27 ± 0.04	0.25 ± 0.02	0.20 ± 0.03	0.12 ± 0.03	0.13 ± 0.03	0.07 ± 0.01	0.05 ± 0.02	0.18 ± 0.02	0.10 ± 0.02	0.14 ± 0.03	E Europe F	E Europe M	0.26
19	0.23 ± 0.03	0.20 ± 0.02	0.41 ± 0.04	0.34 ± 0.02	0.24 ± 0.03	0.17 ± 0.03	0.26 ± 0.03	0.11 ± 0.01	0.11 ± 0.02	0.27 ± 0.02	0.15 ± 0.02	0.24 ± 0.04	E Europe F	E Asia M	0.23
20	0.28 ± 0.03	0.26 ± 0.02	0.43 ± 0.03	0.39 ± 0.02	0.32 ± 0.03	0.18 ± 0.03	0.34 ± 0.04	0.15 ± 0.01	0.17 ± 0.03	0.38 ± 0.02	0.22 ± 0.03	0.28 ± 0.04	E Europe F	E Asia M	0.19
21	0.31 ± 0.03	0.30 ± 0.02	0.51 ± 0.03	0.49 ± 0.02	0.38 ± 0.02	0.22 ± 0.03	0.40 ± 0.04	0.19 ± 0.02	0.20 ± 0.03	0.46 ± 0.02	0.29 ± 0.03	0.39 ± 0.04	E Europe F	E Asia M	0.19
22	0.38 ± 0.03	0.35 ± 0.02	0.59 ± 0.03	0.56 ± 0.02	0.42 ± 0.02	0.27 ± 0.03	0.55 ± 0.03	0.26 ± 0.02	0.33 ± 0.03	0.58 ± 0.02	0.35 ± 0.03	0.49 ± 0.04	E Europe F	E Asia M	0.17
23	0.42 ± 0.03	0.42 ± 0.02	0.67 ± 0.02	0.63 ± 0.02	0.50 ± 0.02	0.30 ± 0.03	0.61 ± 0.03	0.32 ± 0.02	0.40 ± 0.04	0.66 ± 0.02	0.42 ± 0.03	0.59 ± 0.04	E Europe F	W Africa F	0.15
24	0.48 ± 0.03	0.48 ± 0.02	0.73 ± 0.02	0.69 ± 0.01	0.57 ± 0.02	0.33 ± 0.03	0.70 ± 0.03	0.42 ± 0.02	0.50 ± 0.03	0.74 ± 0.02	0.49 ± 0.03	0.66 ± 0.03	S Asia M	W Africa F	0.14
25	0.49 ± 0.03	0.55 ± 0.01	0.77 ± 0.02	0.75 ± 0.01	0.61 ± 0.02	0.38 ± 0.03	0.77 ± 0.02	0.46 ± 0.02	0.58 ± 0.03	0.80 ± 0.01	0.62 ± 0.03	0.69 ± 0.03	S Asia M	W Africa F	0.13
26	0.57 ± 0.03	0.62 ± 0.01	0.81 ± 0.01	0.78 ± 0.01	0.69 ± 0.02	0.45 ± 0.03	0.81 ± 0.02	0.58 ± 0.02	0.67 ± 0.03	0.85 ± 0.01	0.67 ± 0.03	0.75 ± 0.02	S Asia M	W Africa F	0.10
27	0.60 ± 0.03	0.69 ± 0.01	0.87 ± 0.01	0.82 ± 0.01	0.73 ± 0.01	0.49 ± 0.03	0.85 ± 0.02	0.66 ± 0.02	0.80 ± 0.02	0.88 ± 0.01	0.75 ± 0.02	0.80 ± 0.02	S Asia M	W Africa F	0.09
28	0.67 ± 0.02	0.72 ± 0.01	0.90 ± 0.01	0.855 ± 0.009	0.78 ± 0.01	0.54 ± 0.03	0.89 ± 0.02	0.73 ± 0.02	0.84 ± 0.02	0.919 ± 0.008	0.82 ± 0.02	0.85 ± 0.02	S Asia M	W Africa F	0.08
29	0.70 ± 0.02	0.79 ± 0.01	0.922 ± 0.010	0.884 ± 0.008	0.83 ± 0.01	0.61 ± 0.02	0.91 ± 0.02	0.80 ± 0.01	0.85 ± 0.02	0.944 ± 0.006	0.85 ± 0.02	0.87 ± 0.02	S Asia M	W Africa F	0.07
30	0.74 ± 0.02	0.833 ± 0.009	0.931 ± 0.010	0.912 ± 0.007	0.86 ± 0.01	0.65 ± 0.03	0.95 ± 0.01	0.84 ± 0.01	0.92 ± 0.01	0.955 ± 0.005	0.89 ± 0.02	0.90 ± 0.01	S Asia M	W Africa F	0.06
31	0.76 ± 0.03	0.873 ± 0.009	0.950 ± 0.009	0.923 ± 0.007	0.89 ± 0.01	0.69 ± 0.02	0.95 ± 0.01	0.90 ± 0.01	0.93 ± 0.01	0.967 ± 0.005	0.92 ± 0.02	0.93 ± 0.01	S Asia M	W Africa F	0.05
32	0.80 ± 0.02	0.903 ± 0.007	0.970 ± 0.007	0.941 ± 0.006	0.92 ± 0.01	0.74 ± 0.02	0.95 ± 0.01	0.917 ± 0.009	0.96 ± 0.01	0.977 ± 0.004	0.94 ± 0.01	0.94 ± 0.01	S Asia M	W Africa F	0.04
33	0.81 ± 0.02	0.928 ± 0.007	0.978 ± 0.006	0.957 ± 0.006	0.93 ± 0.01	0.78 ± 0.02	0.968 ± 0.010	0.943 ± 0.008	0.978 ± 0.008	0.982 ± 0.003	0.96 ± 0.01	0.961 ± 0.010	S Asia M	W Africa F	0.04
34	0.86 ± 0.02	0.949 ± 0.006	0.981 ± 0.006	0.967 ± 0.005	0.952 ± 0.008	0.81 ± 0.02	0.979 ± 0.008	0.955 ± 0.007	0.981 ± 0.007	0.986 ± 0.003	0.97 ± 0.01	0.969 ± 0.010	S Asia M	W Africa F	0.03

Table 188. *For algorithm dermalog-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.21 ± 0.06	0.16 ± 0.01	0.15 ± 0.03	0.21 ± 0.02	0.19 ± 0.04	0.13 ± 0.05	0.15 ± 0.06	0.064 ± 0.009	0.06 ± 0.02	0.10 ± 0.02	0.07 ± 0.02	0.15 ± 0.06	E Africa F	E Europe M	0.24
15	0.24 ± 0.06	0.20 ± 0.02	0.22 ± 0.03	0.32 ± 0.03	0.22 ± 0.03	0.24 ± 0.06	0.26 ± 0.07	0.10 ± 0.01	0.08 ± 0.02	0.16 ± 0.02	0.10 ± 0.02	0.21 ± 0.06	S Asia F	E Europe M	0.21
16	0.35 ± 0.06	0.27 ± 0.01	0.27 ± 0.03	0.38 ± 0.03	0.34 ± 0.03	0.23 ± 0.05	0.30 ± 0.06	0.15 ± 0.01	0.10 ± 0.02	0.22 ± 0.02	0.15 ± 0.02	0.31 ± 0.06	S Asia F	E Europe M	0.20
17	0.37 ± 0.06	0.34 ± 0.01	0.34 ± 0.03	0.44 ± 0.02	0.37 ± 0.03	0.31 ± 0.06	0.43 ± 0.06	0.22 ± 0.01	0.12 ± 0.03	0.35 ± 0.02	0.22 ± 0.03	0.46 ± 0.05	W Africa M	E Europe M	0.17
18	0.43 ± 0.05	0.42 ± 0.01	0.44 ± 0.03	0.52 ± 0.02	0.45 ± 0.03	0.35 ± 0.04	0.54 ± 0.06	0.30 ± 0.01	0.23 ± 0.03	0.45 ± 0.02	0.32 ± 0.03	0.55 ± 0.05	W Africa M	E Europe M	0.14
19	0.50 ± 0.05	0.49 ± 0.01	0.51 ± 0.02	0.60 ± 0.02	0.50 ± 0.02	0.43 ± 0.05	0.63 ± 0.05	0.38 ± 0.01	0.30 ± 0.03	0.56 ± 0.02	0.38 ± 0.03	0.60 ± 0.05	E Africa M	E Europe M	0.12
20	0.58 ± 0.04	0.57 ± 0.01	0.55 ± 0.02	0.66 ± 0.02	0.58 ± 0.02	0.50 ± 0.04	0.73 ± 0.04	0.47 ± 0.01	0.36 ± 0.03	0.68 ± 0.02	0.49 ± 0.03	0.71 ± 0.04	E Africa M	E Europe M	0.11
21	0.66 ± 0.04	0.63 ± 0.01	0.61 ± 0.02	0.71 ± 0.01	0.62 ± 0.02	0.57 ± 0.04	0.80 ± 0.03	0.56 ± 0.01	0.47 ± 0.03	0.76 ± 0.02	0.60 ± 0.02	0.76 ± 0.03	E Africa M	E Europe M	0.09
22	0.66 ± 0.04	0.689 ± 0.009	0.66 ± 0.02	0.77 ± 0.01	0.69 ± 0.02	0.63 ± 0.03	0.86 ± 0.03	0.64 ± 0.01	0.56 ± 0.03	0.82 ± 0.01	0.67 ± 0.02	0.82 ± 0.03	E Africa M	E Europe M	0.07
23	0.73 ± 0.03	0.738 ± 0.008	0.72 ± 0.01	0.811 ± 0.010	0.75 ± 0.02	0.65 ± 0.03	0.91 ± 0.02	0.72 ± 0.01	0.66 ± 0.02	0.866 ± 0.009	0.72 ± 0.03	0.88 ± 0.02	E Africa M	W Africa F	0.06
24	0.78 ± 0.03	0.780 ± 0.008	0.76 ± 0.01	0.845 ± 0.008	0.80 ± 0.01	0.71 ± 0.03	0.91 ± 0.02	0.77 ± 0.01	0.74 ± 0.02	0.909 ± 0.008	0.78 ± 0.02	0.90 ± 0.02	E Africa M	W Africa F	0.05
25	0.79 ± 0.03	0.829 ± 0.007	0.810 ± 0.009	0.863 ± 0.007	0.84 ± 0.01	0.77 ± 0.02	0.94 ± 0.02	0.842 ± 0.008	0.80 ± 0.02	0.934 ± 0.006	0.84 ± 0.02	0.95 ± 0.01	W Africa M	W Africa F	0.04
26	0.83 ± 0.02	0.864 ± 0.005	0.834 ± 0.009	0.883 ± 0.007	0.87 ± 0.01	0.80 ± 0.02	0.96 ± 0.01	0.874 ± 0.007	0.85 ± 0.01	0.947 ± 0.005	0.88 ± 0.02	0.95 ± 0.01	E Africa M	W Africa F	0.03
27	0.85 ± 0.02	0.888 ± 0.005	0.868 ± 0.008	0.904 ± 0.005	0.897 ± 0.009	0.83 ± 0.02	0.97 ± 0.01	0.901 ± 0.006	0.90 ± 0.01	0.963 ± 0.004	0.91 ± 0.01	0.966 ± 0.008	E Africa M	W Africa F	0.03
28	0.88 ± 0.02	0.915 ± 0.004	0.907 ± 0.007	0.921 ± 0.004	0.914 ± 0.009	0.83 ± 0.02	0.984 ± 0.008	0.928 ± 0.005	0.935 ± 0.009	0.973 ± 0.003	0.94 ± 0.01	0.974 ± 0.008	E Africa M	W Africa F	0.03
29	0.91 ± 0.02	0.932 ± 0.004	0.925 ± 0.006	0.932 ± 0.004	0.932 ± 0.007	0.88 ± 0.01	0.990 ± 0.005	0.951 ± 0.005	0.946 ± 0.008	0.979 ± 0.003	0.94 ± 0.01	0.981 ± 0.006	E Africa M	W Africa F	0.02
30	0.91 ± 0.02	0.951 ± 0.003	0.939 ± 0.006	0.946 ± 0.004	0.949 ± 0.007	0.90 ± 0.01	0.993 ± 0.006	0.964 ± 0.004	0.963 ± 0.006	0.983 ± 0.002	0.962 ± 0.009	0.984 ± 0.005	E Africa M	W Africa F	0.02
31	0.94 ± 0.01	0.963 ± 0.003	0.959 ± 0.005	0.959 ± 0.003	0.959 ± 0.006	0.92 ± 0.01	0.996 ± 0.004	0.975 ± 0.003	0.975 ± 0.005	0.987 ± 0.002	0.974 ± 0.008	0.991 ± 0.004	E Africa M	W Africa F	0.01
32	0.94 ± 0.01	0.971 ± 0.002	0.975 ± 0.004	0.966 ± 0.003	0.963 ± 0.006	0.93 ± 0.01	0.992 ± 0.005	0.982 ± 0.003	0.985 ± 0.004	0.990 ± 0.001	0.980 ± 0.007	0.992 ± 0.004	W Africa M	W Africa F	0.01
33	0.95 ± 0.01	0.979 ± 0.002	0.978 ± 0.004	0.972 ± 0.003	0.969 ± 0.005	0.958 ± 0.010	0.998 ± 0.003	0.986 ± 0.002	0.989 ± 0.004	0.992 ± 0.001	0.984 ± 0.006	0.995 ± 0.003	E Africa M	E Africa F	0.01
34	0.96 ± 0.01	0.984 ± 0.002	0.982 ± 0.003	0.981 ± 0.002	0.982 ± 0.004	0.968 ± 0.010	0.998 ± 0.003	0.990 ± 0.002	0.993 ± 0.003	0.994 ± 0.001	0.991 ± 0.004	0.994 ± 0.003	E Africa M	E Africa F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 189. *For algorithm dermalog-002 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.04 ± 0.02	0.10 ± 0.01	0.10 ± 0.03	0.08 ± 0.01	0.12 ± 0.03	0.04 ± 0.02	0.010 ± 0.008	0.014 ± 0.005	0.011 ± 0.009	0.021 ± 0.007	0.005 ± 0.005	0.02 ± 0.01	S E Asia F	S E Asia M	0.52
15	0.03 ± 0.02	0.17 ± 0.02	0.20 ± 0.04	0.14 ± 0.02	0.18 ± 0.04	0.05 ± 0.03	0.02 ± 0.01	0.028 ± 0.009	0.02 ± 0.02	0.025 ± 0.010	0.012 ± 0.010	0.009 ± 0.009	E Europe F	W Africa M	0.54
16	0.07 ± 0.02	0.23 ± 0.02	0.24 ± 0.04	0.19 ± 0.03	0.21 ± 0.04	0.10 ± 0.03	0.04 ± 0.02	0.038 ± 0.009	0.04 ± 0.02	0.03 ± 0.01	0.04 ± 0.02	0.03 ± 0.02	E Europe F	W Africa M	0.45
17	0.11 ± 0.03	0.29 ± 0.02	0.31 ± 0.05	0.26 ± 0.03	0.30 ± 0.05	0.14 ± 0.03	0.07 ± 0.03	0.05 ± 0.01	0.06 ± 0.02	0.09 ± 0.02	0.08 ± 0.03	0.05 ± 0.02	E Europe F	W Africa M	0.39
18	0.13 ± 0.03	0.35 ± 0.02	0.39 ± 0.04	0.29 ± 0.02	0.32 ± 0.03	0.14 ± 0.03	0.12 ± 0.03	0.08 ± 0.01	0.11 ± 0.03	0.13 ± 0.02	0.11 ± 0.02	0.11 ± 0.03	E Europe F	E Asia M	0.33
19	0.17 ± 0.03	0.40 ± 0.02	0.45 ± 0.04	0.37 ± 0.02	0.43 ± 0.03	0.18 ± 0.03	0.19 ± 0.03	0.13 ± 0.01	0.15 ± 0.03	0.22 ± 0.02	0.15 ± 0.03	0.17 ± 0.03	E Europe F	E Asia M	0.27
20	0.22 ± 0.03	0.52 ± 0.02	0.53 ± 0.04	0.40 ± 0.02	0.54 ± 0.03	0.26 ± 0.04	0.26 ± 0.04	0.17 ± 0.02	0.23 ± 0.04	0.29 ± 0.02	0.24 ± 0.03	0.20 ± 0.03	S E Asia F	E Asia M	0.24
21	0.24 ± 0.03	0.57 ± 0.02	0.59 ± 0.03	0.48 ± 0.02	0.60 ± 0.02	0.33 ± 0.04	0.32 ± 0.04	0.24 ± 0.02	0.32 ± 0.04	0.38 ± 0.02	0.30 ± 0.03	0.31 ± 0.04	S E Asia F	E Africa F	0.20
22	0.29 ± 0.03	0.64 ± 0.02	0.66 ± 0.03	0.51 ± 0.02	0.64 ± 0.02	0.32 ± 0.04	0.44 ± 0.03	0.29 ± 0.02	0.46 ± 0.04	0.45 ± 0.02	0.34 ± 0.03	0.35 ± 0.04	E Europe F	E Africa F	0.18
23	0.34 ± 0.03	0.71 ± 0.02	0.74 ± 0.02	0.60 ± 0.02	0.71 ± 0.02	0.38 ± 0.03	0.47 ± 0.03	0.40 ± 0.02	0.52 ± 0.03	0.55 ± 0.02	0.41 ± 0.03	0.46 ± 0.03	E Europe F	E Africa F	0.15
24	0.39 ± 0.03	0.76 ± 0.01	0.81 ± 0.02	0.63 ± 0.01	0.77 ± 0.02	0.42 ± 0.03	0.56 ± 0.03	0.46 ± 0.02	0.60 ± 0.03	0.62 ± 0.02	0.50 ± 0.03	0.53 ± 0.03	E Europe F	E Africa F	0.14
25	0.42 ± 0.03	0.81 ± 0.01	0.83 ± 0.02	0.67 ± 0.01	0.79 ± 0.02	0.44 ± 0.03	0.63 ± 0.03	0.55 ± 0.02	0.71 ± 0.03	0.70 ± 0.02	0.57 ± 0.03	0.57 ± 0.03	E Europe F	E Africa F	0.13
26	0.46 ± 0.03	0.850 ± 0.010	0.86 ± 0.01	0.70 ± 0.01	0.83 ± 0.01	0.49 ± 0.03	0.67 ± 0.03	0.61 ± 0.02	0.75 ± 0.02	0.73 ± 0.01	0.62 ± 0.03	0.63 ± 0.03	E Europe F	E Africa F	0.11
27	0.51 ± 0.03	0.886 ± 0.008	0.90 ± 0.01	0.73 ± 0.01	0.86 ± 0.01	0.54 ± 0.03	0.74 ± 0.02	0.70 ± 0.02	0.84 ± 0.02	0.77 ± 0.01	0.73 ± 0.03	0.68 ± 0.02	E Europe F	E Africa F	0.10
28	0.56 ± 0.02	0.914 ± 0.007	0.924 ± 0.009	0.76 ± 0.01	0.89 ± 0.01	0.58 ± 0.02	0.78 ± 0.02	0.76 ± 0.01	0.88 ± 0.02	0.80 ± 0.01	0.79 ± 0.02	0.72 ± 0.02	E Europe F	E Africa F	0.09
29	0.61 ± 0.03	0.937 ± 0.006	0.949 ± 0.008	0.784 ± 0.010	0.91 ± 0.01	0.65 ± 0.03	0.80 ± 0.02	0.82 ± 0.01	0.90 ± 0.02	0.83 ± 0.01	0.82 ± 0.02	0.77 ± 0.02	E Europe F	E Africa F	0.07
30	0.64 ± 0.02	0.953 ± 0.005	0.953 ± 0.008	0.821 ± 0.010	0.936 ± 0.010	0.65 ± 0.02	0.82 ± 0.02	0.86 ± 0.01	0.93 ± 0.01	0.850 ± 0.009	0.86 ± 0.02	0.81 ± 0.02	E Asia F	E Africa F	0.07
31	0.68 ± 0.02	0.955 ± 0.005	0.964 ± 0.008	0.844 ± 0.009	0.950 ± 0.008	0.68 ± 0.02	0.86 ± 0.02	0.90 ± 0.01	0.94 ± 0.01	0.876 ± 0.008	0.88 ± 0.02	0.83 ± 0.02	E Europe F	E Africa F	0.06
32	0.71 ± 0.02	0.971 ± 0.004	0.975 ± 0.007	0.869 ± 0.008	0.961 ± 0.007	0.75 ± 0.02	0.88 ± 0.02	0.912 ± 0.010	0.971 ± 0.009	0.890 ± 0.008	0.92 ± 0.02	0.85 ± 0.02	E Europe F	E Africa F	0.05
33	0.73 ± 0.02	0.979 ± 0.004	0.980 ± 0.006	0.893 ± 0.008	0.964 ± 0.008	0.76 ± 0.02	0.90 ± 0.02	0.937 ± 0.009	0.978 ± 0.008	0.909 ± 0.007	0.95 ± 0.01	0.89 ± 0.02	E Europe F	E Africa F	0.05
34	0.77 ± 0.03	0.985 ± 0.003	0.985 ± 0.006	0.911 ± 0.008	0.979 ± 0.006	0.80 ± 0.02	0.92 ± 0.02	0.951 ± 0.008	0.985 ± 0.007	0.921 ± 0.007	0.95 ± 0.01	0.89 ± 0.01	E Asia F	E Africa F	0.04

Table 190. *For algorithm dermalog-002 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.18 ± 0.05	0.22 ± 0.02	0.27 ± 0.04	0.24 ± 0.02	0.23 ± 0.04	0.17 ± 0.06	0.15 ± 0.06	0.09 ± 0.01	0.10 ± 0.03	0.13 ± 0.02	0.10 ± 0.03	0.16 ± 0.06	E Europe F	E Asia M	0.21
15	0.18 ± 0.05	0.31 ± 0.02	0.38 ± 0.04	0.26 ± 0.03	0.26 ± 0.03	0.22 ± 0.05	0.29 ± 0.07	0.13 ± 0.01	0.14 ± 0.03	0.15 ± 0.02	0.13 ± 0.03	0.28 ± 0.07	E Europe F	S E Asia M	0.21
16	0.33 ± 0.06	0.37 ± 0.02	0.43 ± 0.04	0.33 ± 0.03	0.38 ± 0.04	0.23 ± 0.05	0.32 ± 0.07	0.19 ± 0.01	0.20 ± 0.03	0.23 ± 0.02	0.16 ± 0.03	0.28 ± 0.05	E Europe F	S E Asia M	0.18
17	0.30 ± 0.05	0.45 ± 0.02	0.51 ± 0.04	0.41 ± 0.02	0.44 ± 0.03	0.34 ± 0.06	0.46 ± 0.07	0.24 ± 0.01	0.27 ± 0.04	0.32 ± 0.02	0.22 ± 0.03	0.43 ± 0.06	E Europe F	S E Asia M	0.15
18	0.36 ± 0.05	0.52 ± 0.01	0.58 ± 0.03	0.45 ± 0.02	0.49 ± 0.03	0.33 ± 0.05	0.50 ± 0.06	0.31 ± 0.01	0.39 ± 0.04	0.40 ± 0.02	0.31 ± 0.03	0.52 ± 0.05	E Europe F	E Asia M	0.13
19	0.43 ± 0.05	0.59 ± 0.01	0.64 ± 0.02	0.50 ± 0.02	0.57 ± 0.02	0.39 ± 0.04	0.52 ± 0.05	0.36 ± 0.01	0.50 ± 0.03	0.50 ± 0.02	0.36 ± 0.03	0.56 ± 0.05	E Europe F	E Asia M	0.11
20	0.46 ± 0.04	0.65 ± 0.01	0.70 ± 0.02	0.54 ± 0.02	0.62 ± 0.02	0.41 ± 0.04	0.65 ± 0.04	0.44 ± 0.01	0.60 ± 0.03	0.58 ± 0.02	0.46 ± 0.03	0.61 ± 0.04	E Europe F	W Africa F	0.10
21	0.49 ± 0.04	0.701 ± 0.009	0.74 ± 0.02	0.60 ± 0.02	0.66 ± 0.02	0.48 ± 0.04	0.72 ± 0.04	0.52 ± 0.01	0.69 ± 0.03	0.66 ± 0.02	0.52 ± 0.02	0.71 ± 0.04	E Europe F	W Africa F	0.09
22	0.55 ± 0.04	0.751 ± 0.008	0.78 ± 0.02	0.64 ± 0.01	0.71 ± 0.02	0.53 ± 0.03	0.76 ± 0.04	0.58 ± 0.01	0.74 ± 0.02	0.72 ± 0.01	0.59 ± 0.02	0.73 ± 0.03	E Europe F	W Africa F	0.08
23	0.58 ± 0.04	0.789 ± 0.007	0.82 ± 0.01	0.67 ± 0.01	0.78 ± 0.02	0.59 ± 0.03	0.80 ± 0.03	0.65 ± 0.01	0.81 ± 0.02	0.78 ± 0.01	0.65 ± 0.03	0.79 ± 0.03	E Europe F	E Africa F	0.07
24	0.65 ± 0.03	0.822 ± 0.007	0.85 ± 0.01	0.72 ± 0.01	0.81 ± 0.01	0.60 ± 0.03	0.85 ± 0.03	0.70 ± 0.01	0.87 ± 0.02	0.83 ± 0.01	0.71 ± 0.02	0.83 ± 0.02	E Europe M	W Africa F	0.07
25	0.71 ± 0.03	0.850 ± 0.006	0.880 ± 0.009	0.740 ± 0.009	0.84 ± 0.01	0.65 ± 0.02	0.89 ± 0.02	0.766 ± 0.010	0.89 ± 0.01	0.865 ± 0.008	0.76 ± 0.02	0.87 ± 0.02	E Europe M	W Africa F	0.06
26	0.71 ± 0.02	0.884 ± 0.005	0.900 ± 0.008	0.770 ± 0.008	0.868 ± 0.010	0.67 ± 0.02	0.93 ± 0.02	0.803 ± 0.009	0.92 ± 0.01	0.884 ± 0.007	0.80 ± 0.02	0.88 ± 0.02	E Africa M	W Africa F	0.06
27	0.74 ± 0.03	0.900 ± 0.004	0.923 ± 0.006	0.795 ± 0.007	0.900 ± 0.009	0.70 ± 0.02	0.93 ± 0.02	0.836 ± 0.008	0.941 ± 0.009	0.903 ± 0.006	0.86 ± 0.02	0.91 ± 0.01	E Europe M	W Africa F	0.05
28	0.80 ± 0.02	0.920 ± 0.004	0.942 ± 0.006	0.826 ± 0.007	0.915 ± 0.008	0.73 ± 0.02	0.94 ± 0.01	0.871 ± 0.007	0.960 ± 0.007	0.921 ± 0.005	0.89 ± 0.01	0.92 ± 0.01	E Europe M	W Africa F	0.04
29	0.83 ± 0.02	0.935 ± 0.003	0.958 ± 0.005	0.847 ± 0.006	0.923 ± 0.008	0.76 ± 0.02	0.96 ± 0.01	0.898 ± 0.006	0.960 ± 0.006	0.929 ± 0.005	0.91 ± 0.01	0.93 ± 0.01	E Europe M	W Africa F	0.04
30	0.83 ± 0.02	0.948 ± 0.003	0.964 ± 0.004	0.870 ± 0.006	0.941 ± 0.007	0.80 ± 0.02	0.96 ± 0.01	0.916 ± 0.006	0.976 ± 0.005	0.940 ± 0.004	0.92 ± 0.01	0.954 ± 0.008	E Europe M	W Africa F	0.03
31	0.85 ± 0.02	0.959 ± 0.003	0.970 ± 0.004	0.887 ± 0.005	0.948 ± 0.007	0.82 ± 0.02	0.975 ± 0.008	0.932 ± 0.005	0.982 ± 0.004	0.952 ± 0.003	0.94 ± 0.01	0.962 ± 0.007	E Europe M	W Africa F	0.03
32	0.86 ± 0.02	0.965 ± 0.003	0.977 ± 0.004	0.907 ± 0.005	0.959 ± 0.006	0.84 ± 0.02	0.971 ± 0.010	0.952 ± 0.004	0.983 ± 0.004	0.962 ± 0.003	0.95 ± 0.01	0.963 ± 0.007	E Europe M	W Africa F	0.03
33	0.89 ± 0.02	0.973 ± 0.002	0.982 ± 0.003	0.920 ± 0.005	0.962 ± 0.006	0.87 ± 0.02	0.978 ± 0.009	0.957 ± 0.004	0.988 ± 0.003	0.968 ± 0.003	0.954 ± 0.010	0.967 ± 0.007	E Europe M	W Africa F	0.02
34	0.90 ± 0.02	0.977 ± 0.002	0.982 ± 0.004	0.931 ± 0.004	0.974 ± 0.005	0.87 ± 0.02	0.979 ± 0.008	0.965 ± 0.004	0.992 ± 0.003	0.972 ± 0.002	0.967 ± 0.008	0.979 ± 0.006	E Europe M	W Africa F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 191. *For algorithm dermalog-003 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.011 ± 0.009	0.001 ± 0.001	0.007 ± 0.007	0.005 ± 0.003	0.000 ± 0.000	0.004 ± 0.004	0.002 ± 0.002	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	E Africa F	S E Asia F	0.66
15	0.02 ± 0.01	0.004 ± 0.003	0.008 ± 0.008	0.008 ± 0.004	0.005 ± 0.005	0.004 ± 0.004	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	E Africa F	E Africa M	0.67
16	0.03 ± 0.02	0.006 ± 0.004	0.02 ± 0.01	0.015 ± 0.008	0.02 ± 0.01	0.05 ± 0.02	0.01 ± 0.01	0.000 ± 0.000	0.006 ± 0.006	0.004 ± 0.003	0.003 ± 0.003	0.000 ± 0.000	W Africa F	E Asia M	0.57
17	0.04 ± 0.02	0.010 ± 0.005	0.03 ± 0.02	0.025 ± 0.009	0.02 ± 0.01	0.03 ± 0.02	0.006 ± 0.006	0.004 ± 0.003	0.003 ± 0.003	0.004 ± 0.003	0.006 ± 0.006	0.02 ± 0.02	E Africa F	E Europe M	0.47
18	0.05 ± 0.02	0.012 ± 0.004	0.03 ± 0.01	0.021 ± 0.006	0.020 ± 0.009	0.07 ± 0.02	0.02 ± 0.01	0.005 ± 0.003	0.004 ± 0.004	0.008 ± 0.004	0.003 ± 0.003	0.012 ± 0.010	W Africa F	S E Asia M	0.51
19	0.06 ± 0.02	0.017 ± 0.005	0.04 ± 0.02	0.047 ± 0.009	0.027 ± 0.009	0.09 ± 0.03	0.05 ± 0.02	0.009 ± 0.004	0.006 ± 0.006	0.022 ± 0.007	0.011 ± 0.007	0.05 ± 0.02	W Africa F	E Europe M	0.40
20	0.13 ± 0.02	0.031 ± 0.008	0.04 ± 0.01	0.06 ± 0.01	0.04 ± 0.01	0.11 ± 0.02	0.10 ± 0.02	0.011 ± 0.004	0.012 ± 0.009	0.047 ± 0.009	0.020 ± 0.009	0.06 ± 0.02	E Africa F	E Asia M	0.41
21	0.14 ± 0.02	0.043 ± 0.008	0.07 ± 0.02	0.09 ± 0.01	0.06 ± 0.01	0.16 ± 0.03	0.14 ± 0.03	0.025 ± 0.006	0.03 ± 0.01	0.07 ± 0.01	0.05 ± 0.01	0.11 ± 0.02	W Africa F	E Asia M	0.33
22	0.16 ± 0.02	0.069 ± 0.010	0.11 ± 0.02	0.10 ± 0.01	0.10 ± 0.02	0.17 ± 0.03	0.20 ± 0.03	0.052 ± 0.009	0.05 ± 0.01	0.11 ± 0.01	0.07 ± 0.02	0.15 ± 0.03	E Africa M	E Europe M	0.26
23	0.23 ± 0.02	0.11 ± 0.01	0.15 ± 0.02	0.17 ± 0.01	0.14 ± 0.01	0.21 ± 0.03	0.24 ± 0.03	0.09 ± 0.01	0.10 ± 0.02	0.17 ± 0.02	0.13 ± 0.02	0.18 ± 0.03	E Africa M	E Asia M	0.18
24	0.27 ± 0.03	0.14 ± 0.01	0.21 ± 0.02	0.20 ± 0.01	0.18 ± 0.02	0.25 ± 0.03	0.29 ± 0.03	0.14 ± 0.01	0.17 ± 0.02	0.25 ± 0.02	0.18 ± 0.02	0.22 ± 0.03	E Africa M	E Asia M	0.14
25	0.29 ± 0.02	0.21 ± 0.01	0.27 ± 0.02	0.26 ± 0.01	0.24 ± 0.02	0.28 ± 0.03	0.38 ± 0.03	0.24 ± 0.02	0.25 ± 0.03	0.33 ± 0.02	0.28 ± 0.02	0.28 ± 0.03	E Africa M	E Asia F	0.09
26	0.36 ± 0.03	0.27 ± 0.01	0.33 ± 0.02	0.29 ± 0.01	0.32 ± 0.02	0.34 ± 0.03	0.43 ± 0.03	0.33 ± 0.02	0.34 ± 0.03	0.40 ± 0.02	0.36 ± 0.03	0.36 ± 0.03	E Africa M	E Asia F	0.07
27	0.40 ± 0.03	0.35 ± 0.01	0.43 ± 0.02	0.36 ± 0.01	0.37 ± 0.02	0.37 ± 0.02	0.50 ± 0.03	0.43 ± 0.02	0.46 ± 0.03	0.49 ± 0.02	0.49 ± 0.03	0.43 ± 0.03	E Africa M	E Asia F	0.08
28	0.43 ± 0.03	0.42 ± 0.01	0.51 ± 0.02	0.42 ± 0.01	0.46 ± 0.02	0.44 ± 0.02	0.56 ± 0.03	0.54 ± 0.02	0.55 ± 0.02	0.54 ± 0.02	0.59 ± 0.03	0.47 ± 0.03	S E Asia M	S Asia F	0.07
29	0.50 ± 0.03	0.51 ± 0.01	0.59 ± 0.02	0.48 ± 0.01	0.54 ± 0.02	0.49 ± 0.03	0.63 ± 0.03	0.63 ± 0.02	0.66 ± 0.02	0.60 ± 0.01	0.63 ± 0.03	0.56 ± 0.02	E Europe M	S Asia F	0.07
30	0.55 ± 0.02	0.58 ± 0.01	0.66 ± 0.02	0.52 ± 0.01	0.62 ± 0.02	0.52 ± 0.03	0.68 ± 0.02	0.72 ± 0.02	0.73 ± 0.02	0.67 ± 0.01	0.74 ± 0.02	0.61 ± 0.02	S E Asia M	W Africa F	0.07
31	0.62 ± 0.02	0.66 ± 0.01	0.73 ± 0.02	0.59 ± 0.01	0.65 ± 0.02	0.58 ± 0.03	0.76 ± 0.02	0.79 ± 0.01	0.80 ± 0.02	0.72 ± 0.01	0.80 ± 0.02	0.69 ± 0.02	S E Asia M	W Africa F	0.07
32	0.66 ± 0.02	0.73 ± 0.01	0.78 ± 0.02	0.64 ± 0.01	0.74 ± 0.02	0.63 ± 0.02	0.80 ± 0.02	0.85 ± 0.01	0.87 ± 0.02	0.772 ± 0.010	0.86 ± 0.02	0.73 ± 0.02	E Europe M	W Africa F	0.07
33	0.67 ± 0.02	0.78 ± 0.01	0.84 ± 0.01	0.70 ± 0.01	0.78 ± 0.02	0.67 ± 0.03	0.83 ± 0.02	0.90 ± 0.01	0.92 ± 0.02	0.82 ± 0.01	0.90 ± 0.02	0.78 ± 0.02	E Europe M	W Africa F	0.06
34	0.73 ± 0.03	0.83 ± 0.01	0.86 ± 0.01	0.75 ± 0.01	0.83 ± 0.02	0.73 ± 0.02	0.86 ± 0.02	0.924 ± 0.010	0.94 ± 0.01	0.855 ± 0.010	0.92 ± 0.02	0.82 ± 0.02	E Europe M	W Africa F	0.05

Table 192. *For algorithm dermalog-003 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.14 ± 0.05	0.031 ± 0.007	0.05 ± 0.02	0.09 ± 0.02	0.02 ± 0.01	0.15 ± 0.05	0.20 ± 0.06	0.010 ± 0.004	0.02 ± 0.01	0.04 ± 0.01	0.02 ± 0.01	0.15 ± 0.06	E Africa M	E Asia M	0.50
15	0.21 ± 0.06	0.045 ± 0.008	0.06 ± 0.02	0.12 ± 0.02	0.04 ± 0.01	0.23 ± 0.06	0.28 ± 0.07	0.024 ± 0.005	0.02 ± 0.01	0.033 ± 0.009	0.012 ± 0.009	0.17 ± 0.06	E Africa M	S E Asia M	0.52
16	0.22 ± 0.05	0.054 ± 0.008	0.10 ± 0.02	0.18 ± 0.02	0.06 ± 0.02	0.23 ± 0.06	0.24 ± 0.06	0.030 ± 0.006	0.03 ± 0.01	0.04 ± 0.01	0.03 ± 0.01	0.17 ± 0.04	E Africa M	S E Asia M	0.42
17	0.25 ± 0.05	0.088 ± 0.010	0.12 ± 0.02	0.19 ± 0.02	0.07 ± 0.02	0.27 ± 0.05	0.28 ± 0.06	0.043 ± 0.006	0.04 ± 0.02	0.09 ± 0.01	0.04 ± 0.01	0.24 ± 0.05	E Africa M	E Europe M	0.40
18	0.32 ± 0.05	0.115 ± 0.008	0.14 ± 0.02	0.25 ± 0.02	0.11 ± 0.01	0.26 ± 0.04	0.34 ± 0.05	0.059 ± 0.007	0.07 ± 0.02	0.11 ± 0.01	0.05 ± 0.01	0.29 ± 0.05	E Africa M	S E Asia M	0.35
19	0.36 ± 0.04	0.141 ± 0.008	0.18 ± 0.02	0.28 ± 0.02	0.13 ± 0.02	0.35 ± 0.04	0.42 ± 0.05	0.092 ± 0.008	0.09 ± 0.02	0.18 ± 0.02	0.09 ± 0.02	0.33 ± 0.05	E Africa M	E Europe M	0.32
20	0.45 ± 0.04	0.187 ± 0.009	0.21 ± 0.02	0.33 ± 0.02	0.17 ± 0.02	0.43 ± 0.04	0.48 ± 0.05	0.132 ± 0.009	0.14 ± 0.02	0.26 ± 0.02	0.15 ± 0.02	0.42 ± 0.04	E Africa M	E Asia M	0.28
21	0.47 ± 0.04	0.224 ± 0.009	0.27 ± 0.02	0.38 ± 0.02	0.22 ± 0.02	0.48 ± 0.04	0.52 ± 0.04	0.179 ± 0.009	0.21 ± 0.02	0.35 ± 0.02	0.19 ± 0.02	0.44 ± 0.04	E Africa M	E Asia M	0.23
22	0.55 ± 0.04	0.287 ± 0.009	0.33 ± 0.02	0.44 ± 0.01	0.28 ± 0.02	0.55 ± 0.03	0.59 ± 0.04	0.246 ± 0.010	0.28 ± 0.02	0.44 ± 0.02	0.29 ± 0.02	0.55 ± 0.03	E Africa M	E Asia M	0.19
23	0.57 ± 0.03	0.339 ± 0.009	0.39 ± 0.02	0.48 ± 0.01	0.34 ± 0.02	0.58 ± 0.03	0.67 ± 0.04	0.33 ± 0.01	0.36 ± 0.02	0.52 ± 0.01	0.36 ± 0.03	0.62 ± 0.03	E Africa M	E Asia M	0.16
24	0.64 ± 0.03	0.403 ± 0.009	0.45 ± 0.01	0.55 ± 0.01	0.41 ± 0.02	0.61 ± 0.03	0.71 ± 0.03	0.41 ± 0.01	0.46 ± 0.02	0.61 ± 0.01	0.45 ± 0.03	0.66 ± 0.03	E Africa M	E Asia F	0.12
25	0.66 ± 0.03	0.470 ± 0.008	0.52 ± 0.01	0.58 ± 0.01	0.49 ± 0.02	0.68 ± 0.02	0.78 ± 0.03	0.49 ± 0.01	0.55 ± 0.02	0.67 ± 0.01	0.50 ± 0.02	0.71 ± 0.03	E Africa M	E Asia F	0.10
26	0.68 ± 0.03	0.542 ± 0.008	0.58 ± 0.01	0.637 ± 0.010	0.53 ± 0.02	0.70 ± 0.02	0.81 ± 0.03	0.58 ± 0.01	0.61 ± 0.02	0.729 ± 0.010	0.60 ± 0.02	0.77 ± 0.02	E Africa M	S E Asia F	0.08
27	0.73 ± 0.03	0.599 ± 0.007	0.66 ± 0.01	0.676 ± 0.009	0.59 ± 0.01	0.75 ± 0.02	0.86 ± 0.02	0.64 ± 0.01	0.69 ± 0.02	0.771 ± 0.009	0.67 ± 0.02	0.81 ± 0.02	E Africa M	S E Asia F	0.07
28	0.76 ± 0.02	0.659 ± 0.007	0.71 ± 0.01	0.714 ± 0.008	0.66 ± 0.02	0.75 ± 0.02	0.88 ± 0.02	0.715 ± 0.010	0.77 ± 0.01	0.812 ± 0.007	0.73 ± 0.02	0.85 ± 0.02	E Africa M	S E Asia F	0.05
29	0.81 ± 0.02	0.714 ± 0.006	0.77 ± 0.01	0.750 ± 0.007	0.69 ± 0.01	0.81 ± 0.02	0.91 ± 0.02	0.768 ± 0.009	0.82 ± 0.01	0.847 ± 0.007	0.77 ± 0.02	0.87 ± 0.01	E Africa M	S E Asia F	0.05
30	0.81 ± 0.02	0.763 ± 0.006	0.807 ± 0.009	0.793 ± 0.007	0.76 ± 0.01	0.84 ± 0.02	0.92 ± 0.02	0.817 ± 0.008	0.86 ± 0.01	0.877 ± 0.005	0.84 ± 0.02	0.90 ± 0.01	E Africa M	S E Asia F	0.04
31	0.86 ± 0.02	0.809 ± 0.005	0.845 ± 0.009	0.827 ± 0.006	0.80 ± 0.01	0.86 ± 0.02	0.94 ± 0.01	0.862 ± 0.007	0.905 ± 0.009	0.901 ± 0.005	0.88 ± 0.02	0.91 ± 0.01	E Africa M	S E Asia F	0.03
32	0.87 ± 0.02	0.846 ± 0.005	0.885 ± 0.008	0.855 ± 0.006	0.84 ± 0.01	0.85 ± 0.02	0.95 ± 0.01	0.900 ± 0.006	0.930 ± 0.008	0.915 ± 0.004	0.88 ± 0.02	0.93 ± 0.01	E Africa M	S E Asia F	0.03
33	0.88 ± 0.02	0.880 ± 0.004	0.908 ± 0.007	0.885 ± 0.005	0.85 ± 0.01	0.90 ± 0.01	0.96 ± 0.01	0.922 ± 0.005	0.945 ± 0.008	0.934 ± 0.004	0.92 ± 0.01	0.944 ± 0.008	E Africa M	S E Asia F	0.02
34	0.89 ± 0.02	0.901 ± 0.004	0.927 ± 0.007	0.901 ± 0.005	0.890 ± 0.010	0.92 ± 0.02	0.963 ± 0.010	0.938 ± 0.005	0.969 ± 0.006	0.950 ± 0.003	0.94 ± 0.01	0.950 ± 0.009	E Europe M	S E Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 193. *For algorithm facehawk-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.24 ± 0.04	0.14 ± 0.02	0.48 ± 0.05	0.56 ± 0.03	0.27 ± 0.04	0.28 ± 0.05	0.31 ± 0.04	0.06 ± 0.01	0.25 ± 0.04	0.36 ± 0.02	0.11 ± 0.03	0.30 ± 0.06	S Asia F	E Asia M	0.29
15	0.35 ± 0.05	0.17 ± 0.02	0.54 ± 0.05	0.64 ± 0.03	0.27 ± 0.04	0.27 ± 0.06	0.36 ± 0.05	0.09 ± 0.01	0.29 ± 0.05	0.41 ± 0.03	0.20 ± 0.04	0.34 ± 0.07	S Asia F	E Asia M	0.27
16	0.39 ± 0.05	0.21 ± 0.02	0.60 ± 0.05	0.63 ± 0.03	0.32 ± 0.05	0.32 ± 0.06	0.46 ± 0.05	0.12 ± 0.02	0.47 ± 0.05	0.49 ± 0.03	0.19 ± 0.04	0.38 ± 0.06	S Asia F	E Asia M	0.25
17	0.41 ± 0.05	0.23 ± 0.02	0.66 ± 0.05	0.65 ± 0.03	0.33 ± 0.05	0.34 ± 0.05	0.48 ± 0.05	0.13 ± 0.01	0.47 ± 0.05	0.56 ± 0.03	0.28 ± 0.04	0.49 ± 0.06	E Europe F	E Asia M	0.23
18	0.43 ± 0.04	0.25 ± 0.02	0.65 ± 0.04	0.69 ± 0.02	0.34 ± 0.03	0.34 ± 0.04	0.56 ± 0.04	0.15 ± 0.01	0.51 ± 0.04	0.59 ± 0.02	0.25 ± 0.03	0.50 ± 0.05	S Asia F	E Asia M	0.24
19	0.36 ± 0.04	0.27 ± 0.02	0.70 ± 0.04	0.72 ± 0.02	0.32 ± 0.03	0.35 ± 0.04	0.60 ± 0.04	0.17 ± 0.02	0.55 ± 0.04	0.66 ± 0.02	0.27 ± 0.03	0.49 ± 0.05	S Asia F	E Asia M	0.25
20	0.43 ± 0.04	0.30 ± 0.02	0.70 ± 0.03	0.71 ± 0.02	0.36 ± 0.03	0.35 ± 0.04	0.65 ± 0.04	0.19 ± 0.02	0.60 ± 0.04	0.70 ± 0.02	0.30 ± 0.03	0.56 ± 0.04	S Asia F	E Asia M	0.22
21	0.47 ± 0.03	0.31 ± 0.02	0.74 ± 0.03	0.72 ± 0.02	0.38 ± 0.02	0.39 ± 0.04	0.66 ± 0.04	0.21 ± 0.02	0.64 ± 0.04	0.71 ± 0.02	0.32 ± 0.03	0.55 ± 0.04	E Europe F	E Asia M	0.22
22	0.46 ± 0.03	0.31 ± 0.02	0.76 ± 0.02	0.72 ± 0.02	0.39 ± 0.02	0.40 ± 0.04	0.72 ± 0.03	0.22 ± 0.02	0.66 ± 0.04	0.73 ± 0.02	0.33 ± 0.03	0.61 ± 0.04	E Europe F	E Asia M	0.22
23	0.46 ± 0.03	0.36 ± 0.02	0.79 ± 0.02	0.75 ± 0.02	0.41 ± 0.02	0.45 ± 0.03	0.74 ± 0.03	0.25 ± 0.02	0.68 ± 0.03	0.75 ± 0.02	0.36 ± 0.03	0.63 ± 0.03	E Europe F	E Asia M	0.20
24	0.48 ± 0.03	0.34 ± 0.01	0.79 ± 0.02	0.75 ± 0.01	0.41 ± 0.02	0.45 ± 0.03	0.74 ± 0.03	0.27 ± 0.02	0.70 ± 0.03	0.78 ± 0.02	0.36 ± 0.03	0.67 ± 0.03	E Europe F	E Asia M	0.20
25	0.47 ± 0.03	0.36 ± 0.01	0.79 ± 0.02	0.76 ± 0.01	0.40 ± 0.02	0.45 ± 0.03	0.75 ± 0.03	0.28 ± 0.02	0.73 ± 0.03	0.79 ± 0.02	0.38 ± 0.03	0.67 ± 0.03	S Asia M	E Asia M	0.20
26	0.49 ± 0.03	0.36 ± 0.01	0.79 ± 0.02	0.78 ± 0.01	0.43 ± 0.02	0.44 ± 0.03	0.74 ± 0.02	0.31 ± 0.02	0.72 ± 0.02	0.82 ± 0.01	0.38 ± 0.03	0.69 ± 0.03	S Asia M	E Asia M	0.19
27	0.53 ± 0.03	0.40 ± 0.01	0.82 ± 0.01	0.77 ± 0.01	0.44 ± 0.02	0.43 ± 0.02	0.78 ± 0.02	0.32 ± 0.02	0.74 ± 0.02	0.82 ± 0.01	0.42 ± 0.03	0.74 ± 0.03	S Asia M	E Asia M	0.19
28	0.50 ± 0.03	0.39 ± 0.01	0.80 ± 0.01	0.78 ± 0.01	0.44 ± 0.02	0.44 ± 0.02	0.80 ± 0.02	0.35 ± 0.02	0.76 ± 0.02	0.82 ± 0.01	0.44 ± 0.03	0.74 ± 0.02	S Asia M	E Asia M	0.18
29	0.51 ± 0.02	0.40 ± 0.01	0.82 ± 0.01	0.78 ± 0.01	0.45 ± 0.02	0.47 ± 0.02	0.80 ± 0.02	0.37 ± 0.02	0.76 ± 0.02	0.83 ± 0.01	0.46 ± 0.03	0.73 ± 0.02	S Asia M	E Asia M	0.17
30	0.55 ± 0.03	0.41 ± 0.01	0.81 ± 0.02	0.78 ± 0.01	0.45 ± 0.02	0.48 ± 0.03	0.81 ± 0.02	0.38 ± 0.02	0.77 ± 0.02	0.836 ± 0.010	0.46 ± 0.03	0.73 ± 0.02	S Asia M	E Asia M	0.17
31	0.56 ± 0.03	0.42 ± 0.01	0.80 ± 0.02	0.77 ± 0.01	0.44 ± 0.02	0.45 ± 0.03	0.81 ± 0.02	0.39 ± 0.02	0.79 ± 0.02	0.833 ± 0.010	0.48 ± 0.03	0.75 ± 0.02	S Asia M	E Asia M	0.17
32	0.56 ± 0.03	0.42 ± 0.01	0.81 ± 0.02	0.78 ± 0.01	0.47 ± 0.02	0.48 ± 0.02	0.83 ± 0.02	0.41 ± 0.02	0.80 ± 0.02	0.839 ± 0.009	0.50 ± 0.03	0.75 ± 0.02	S Asia M	E Asia M	0.16
33	0.58 ± 0.03	0.42 ± 0.01	0.80 ± 0.02	0.77 ± 0.01	0.46 ± 0.02	0.49 ± 0.03	0.82 ± 0.02	0.43 ± 0.02	0.79 ± 0.02	0.852 ± 0.009	0.53 ± 0.03	0.78 ± 0.02	S Asia M	E Asia F	0.15
34	0.56 ± 0.03	0.42 ± 0.01	0.81 ± 0.02	0.78 ± 0.01	0.47 ± 0.02	0.48 ± 0.03	0.84 ± 0.02	0.45 ± 0.02	0.81 ± 0.02	0.84 ± 0.01	0.51 ± 0.03	0.79 ± 0.02	S Asia M	E Asia F	0.16

Table 194. *For algorithm facehawk-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.08 ± 0.04	0.06 ± 0.01	0.19 ± 0.04	0.17 ± 0.02	0.08 ± 0.02	0.03 ± 0.03	0.06 ± 0.04	0.048 ± 0.008	0.10 ± 0.03	0.13 ± 0.02	0.08 ± 0.02	0.13 ± 0.06	E Europe F	W Africa F	0.29
15	0.10 ± 0.04	0.08 ± 0.01	0.24 ± 0.04	0.21 ± 0.02	0.10 ± 0.02	0.05 ± 0.03	0.10 ± 0.04	0.064 ± 0.008	0.13 ± 0.03	0.16 ± 0.02	0.07 ± 0.02	0.17 ± 0.06	E Europe F	W Africa F	0.28
16	0.12 ± 0.04	0.11 ± 0.01	0.28 ± 0.03	0.24 ± 0.02	0.14 ± 0.02	0.08 ± 0.03	0.19 ± 0.06	0.095 ± 0.010	0.16 ± 0.03	0.21 ± 0.02	0.14 ± 0.03	0.25 ± 0.05	E Europe F	W Africa F	0.23
17	0.09 ± 0.03	0.13 ± 0.01	0.33 ± 0.03	0.28 ± 0.02	0.16 ± 0.02	0.12 ± 0.04	0.22 ± 0.05	0.12 ± 0.01	0.23 ± 0.03	0.28 ± 0.02	0.13 ± 0.02	0.24 ± 0.05	E Europe F	E Africa F	0.24
18	0.15 ± 0.04	0.142 ± 0.010	0.37 ± 0.03	0.33 ± 0.02	0.17 ± 0.02	0.12 ± 0.03	0.28 ± 0.05	0.14 ± 0.01	0.25 ± 0.04	0.32 ± 0.02	0.18 ± 0.02	0.23 ± 0.04	E Europe F	W Africa F	0.23
19	0.15 ± 0.03	0.165 ± 0.009	0.39 ± 0.02	0.33 ± 0.02	0.19 ± 0.02	0.12 ± 0.03	0.31 ± 0.05	0.156 ± 0.010	0.28 ± 0.03	0.36 ± 0.02	0.18 ± 0.02	0.30 ± 0.05	E Europe F	W Africa F	0.23
20	0.17 ± 0.03	0.187 ± 0.009	0.41 ± 0.02	0.38 ± 0.02	0.20 ± 0.02	0.15 ± 0.03	0.36 ± 0.04	0.169 ± 0.010	0.34 ± 0.03	0.40 ± 0.02	0.21 ± 0.02	0.32 ± 0.04	E Europe F	W Africa F	0.21
21	0.21 ± 0.03	0.191 ± 0.008	0.45 ± 0.02	0.38 ± 0.02	0.22 ± 0.02	0.15 ± 0.03	0.39 ± 0.04	0.21 ± 0.01	0.36 ± 0.03	0.46 ± 0.02	0.23 ± 0.02	0.34 ± 0.04	S Asia M	W Africa F	0.21
22	0.18 ± 0.03	0.224 ± 0.008	0.45 ± 0.02	0.41 ± 0.01	0.23 ± 0.02	0.18 ± 0.02	0.42 ± 0.04	0.24 ± 0.01	0.37 ± 0.02	0.47 ± 0.02	0.26 ± 0.02	0.35 ± 0.03	S Asia M	W Africa F	0.20
23	0.23 ± 0.03	0.235 ± 0.008	0.45 ± 0.02	0.41 ± 0.01	0.26 ± 0.01	0.17 ± 0.02	0.38 ± 0.04	0.260 ± 0.010	0.41 ± 0.02	0.51 ± 0.01	0.28 ± 0.02	0.34 ± 0.03	S Asia M	W Africa F	0.19
24	0.24 ± 0.03	0.247 ± 0.008	0.48 ± 0.01	0.44 ± 0.01	0.25 ± 0.02	0.20 ± 0.02	0.41 ± 0.03	0.27 ± 0.01	0.44 ± 0.02	0.52 ± 0.01	0.30 ± 0.02	0.35 ± 0.03	S Asia M	W Africa F	0.19
25	0.24 ± 0.03	0.264 ± 0.008	0.48 ± 0.01	0.44 ± 0.01	0.27 ± 0.02	0.20 ± 0.02	0.43 ± 0.03	0.30 ± 0.01	0.46 ± 0.02	0.56 ± 0.01	0.31 ± 0.02	0.36 ± 0.03	S Asia M	W Africa F	0.18
26	0.26 ± 0.02	0.276 ± 0.008	0.49 ± 0.01	0.43 ± 0.01	0.28 ± 0.01	0.19 ± 0.02	0.45 ± 0.03	0.316 ± 0.010	0.49 ± 0.02	0.57 ± 0.01	0.32 ± 0.02	0.38 ± 0.02	S Asia M	W Africa F	0.18
27	0.26 ± 0.03	0.288 ± 0.007	0.50 ± 0.01	0.454 ± 0.009	0.29 ± 0.01	0.19 ± 0.02	0.46 ± 0.03	0.34 ± 0.01	0.51 ± 0.02	0.586 ± 0.010	0.34 ± 0.02	0.42 ± 0.02	S Asia M	W Africa F	0.18
28	0.28 ± 0.02	0.298 ± 0.007	0.51 ± 0.01	0.454 ± 0.009	0.30 ± 0.01	0.20 ± 0.02	0.50 ± 0.03	0.36 ± 0.01	0.53 ± 0.02	0.583 ± 0.009	0.34 ± 0.02	0.41 ± 0.02	S Asia M	W Africa F	0.18
29	0.27 ± 0.02	0.304 ± 0.006	0.52 ± 0.01	0.457 ± 0.008	0.31 ± 0.01	0.20 ± 0.02	0.47 ± 0.03	0.371 ± 0.010	0.52 ± 0.02	0.594 ± 0.009	0.37 ± 0.02	0.42 ± 0.02	S Asia M	W Africa F	0.17
30	0.29 ± 0.02	0.312 ± 0.007	0.53 ± 0.01	0.463 ± 0.008	0.31 ± 0.01	0.22 ± 0.02	0.49 ± 0.03	0.39 ± 0.01	0.57 ± 0.02	0.595 ± 0.008	0.37 ± 0.02	0.42 ± 0.02	S Asia M	W Africa F	0.17
31	0.30 ± 0.03	0.322 ± 0.006	0.54 ± 0.01	0.463 ± 0.008	0.31 ± 0.01	0.22 ± 0.02	0.49 ± 0.03	0.416 ± 0.010	0.57 ± 0.02	0.601 ± 0.008	0.40 ± 0.02	0.44 ± 0.02	S Asia M	W Africa F	0.17
32	0.29 ± 0.02	0.330 ± 0.007	0.53 ± 0.01	0.469 ± 0.008	0.32 ± 0.01	0.23 ± 0.02	0.51 ± 0.03	0.417 ± 0.009	0.58 ± 0.02	0.598 ± 0.008	0.40 ± 0.02	0.44 ± 0.02	S Asia M	W Africa F	0.16
33	0.34 ± 0.03	0.340 ± 0.006	0.54 ± 0.01	0.471 ± 0.009	0.33 ± 0.01	0.26 ± 0.02	0.50 ± 0.03	0.432 ± 0.010	0.59 ± 0.02	0.609 ± 0.007	0.41 ± 0.02	0.45 ± 0.02	S Asia M	W Africa F	0.15
34	0.30 ± 0.02	0.339 ± 0.007	0.56 ± 0.01	0.473 ± 0.009	0.34 ± 0.01	0.27 ± 0.03	0.54 ± 0.03	0.439 ± 0.010	0.60 ± 0.01	0.614 ± 0.007	0.45 ± 0.02	0.44 ± 0.02	S Asia M	W Africa F	0.15

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 195. *For algorithm hzailu-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.24 ± 0.04	0.19 ± 0.02	0.41 ± 0.05	0.25 ± 0.02	0.21 ± 0.04	0.38 ± 0.06	0.21 ± 0.03	0.12 ± 0.01	0.17 ± 0.03	0.29 ± 0.02	0.18 ± 0.03	0.30 ± 0.06	E Europe F	E Asia M	0.20
15	0.29 ± 0.05	0.27 ± 0.02	0.51 ± 0.05	0.38 ± 0.03	0.29 ± 0.04	0.41 ± 0.07	0.26 ± 0.05	0.21 ± 0.02	0.27 ± 0.05	0.44 ± 0.03	0.28 ± 0.04	0.42 ± 0.06	E Europe F	E Asia M	0.16
16	0.33 ± 0.05	0.33 ± 0.02	0.56 ± 0.05	0.43 ± 0.03	0.43 ± 0.04	0.52 ± 0.06	0.51 ± 0.05	0.25 ± 0.02	0.38 ± 0.05	0.58 ± 0.03	0.46 ± 0.05	0.56 ± 0.06	S Asia M	E Asia M	0.14
17	0.39 ± 0.05	0.40 ± 0.03	0.66 ± 0.05	0.51 ± 0.03	0.48 ± 0.05	0.61 ± 0.05	0.55 ± 0.05	0.34 ± 0.02	0.44 ± 0.05	0.68 ± 0.03	0.53 ± 0.05	0.67 ± 0.05	S Asia M	E Asia M	0.13
18	0.46 ± 0.04	0.47 ± 0.02	0.73 ± 0.04	0.55 ± 0.02	0.51 ± 0.03	0.63 ± 0.04	0.70 ± 0.04	0.40 ± 0.02	0.55 ± 0.04	0.77 ± 0.02	0.57 ± 0.04	0.74 ± 0.04	S Asia M	E Asia M	0.12
19	0.53 ± 0.04	0.52 ± 0.02	0.78 ± 0.03	0.64 ± 0.02	0.61 ± 0.03	0.66 ± 0.04	0.78 ± 0.03	0.48 ± 0.02	0.66 ± 0.04	0.82 ± 0.02	0.64 ± 0.04	0.84 ± 0.03	W Africa M	E Asia M	0.11
20	0.56 ± 0.04	0.60 ± 0.02	0.83 ± 0.03	0.67 ± 0.02	0.66 ± 0.03	0.71 ± 0.04	0.85 ± 0.03	0.54 ± 0.02	0.71 ± 0.04	0.88 ± 0.02	0.74 ± 0.03	0.86 ± 0.03	S Asia M	E Asia M	0.10
21	0.60 ± 0.04	0.66 ± 0.02	0.87 ± 0.02	0.71 ± 0.02	0.72 ± 0.02	0.74 ± 0.03	0.88 ± 0.03	0.62 ± 0.02	0.83 ± 0.03	0.93 ± 0.01	0.81 ± 0.03	0.90 ± 0.02	S Asia M	E Africa F	0.09
22	0.62 ± 0.03	0.71 ± 0.02	0.89 ± 0.02	0.74 ± 0.02	0.76 ± 0.02	0.78 ± 0.03	0.92 ± 0.02	0.67 ± 0.02	0.86 ± 0.03	0.94 ± 0.01	0.83 ± 0.02	0.93 ± 0.02	S Asia M	E Africa F	0.08
23	0.65 ± 0.03	0.77 ± 0.01	0.92 ± 0.01	0.78 ± 0.01	0.82 ± 0.02	0.78 ± 0.03	0.92 ± 0.02	0.72 ± 0.02	0.88 ± 0.02	0.951 ± 0.010	0.86 ± 0.02	0.93 ± 0.02	S Asia M	E Africa F	0.07
24	0.69 ± 0.03	0.79 ± 0.01	0.93 ± 0.01	0.82 ± 0.01	0.85 ± 0.02	0.80 ± 0.03	0.93 ± 0.02	0.78 ± 0.02	0.93 ± 0.02	0.961 ± 0.008	0.88 ± 0.02	0.96 ± 0.01	S Asia M	E Africa F	0.06
25	0.73 ± 0.02	0.84 ± 0.01	0.942 ± 0.009	0.83 ± 0.01	0.87 ± 0.01	0.81 ± 0.02	0.95 ± 0.01	0.82 ± 0.02	0.96 ± 0.01	0.971 ± 0.006	0.91 ± 0.02	0.95 ± 0.01	S Asia M	E Africa F	0.05
26	0.74 ± 0.02	0.86 ± 0.01	0.960 ± 0.008	0.851 ± 0.010	0.89 ± 0.01	0.85 ± 0.02	0.96 ± 0.01	0.87 ± 0.01	0.96 ± 0.01	0.978 ± 0.005	0.93 ± 0.01	0.96 ± 0.01	S Asia M	E Africa F	0.04
27	0.78 ± 0.02	0.895 ± 0.008	0.969 ± 0.006	0.862 ± 0.009	0.91 ± 0.01	0.86 ± 0.02	0.96 ± 0.01	0.89 ± 0.01	0.980 ± 0.007	0.981 ± 0.004	0.95 ± 0.01	0.97 ± 0.01	S Asia M	E Africa F	0.04
28	0.79 ± 0.02	0.913 ± 0.007	0.976 ± 0.006	0.868 ± 0.008	0.933 ± 0.009	0.86 ± 0.02	0.96 ± 0.01	0.92 ± 0.01	0.987 ± 0.006	0.983 ± 0.004	0.96 ± 0.01	0.97 ± 0.01	E Europe M	E Africa F	0.04
29	0.84 ± 0.02	0.932 ± 0.006	0.979 ± 0.005	0.893 ± 0.008	0.942 ± 0.008	0.89 ± 0.01	0.971 ± 0.009	0.953 ± 0.008	0.990 ± 0.006	0.988 ± 0.003	0.973 ± 0.009	0.979 ± 0.007	E Europe M	E Africa F	0.03
30	0.84 ± 0.02	0.946 ± 0.005	0.980 ± 0.006	0.896 ± 0.008	0.952 ± 0.008	0.90 ± 0.01	0.981 ± 0.008	0.957 ± 0.007	0.996 ± 0.004	0.991 ± 0.002	0.984 ± 0.008	0.981 ± 0.006	E Europe M	E Africa F	0.03
31	0.86 ± 0.02	0.960 ± 0.005	0.988 ± 0.004	0.900 ± 0.008	0.961 ± 0.007	0.90 ± 0.01	0.988 ± 0.006	0.969 ± 0.006	0.992 ± 0.005	0.993 ± 0.002	0.983 ± 0.008	0.984 ± 0.006	S Asia M	E Africa F	0.03
32	0.87 ± 0.02	0.966 ± 0.005	0.985 ± 0.005	0.914 ± 0.007	0.968 ± 0.007	0.91 ± 0.01	0.986 ± 0.007	0.975 ± 0.005	0.998 ± 0.003	0.993 ± 0.002	0.982 ± 0.008	0.990 ± 0.005	E Europe M	E Africa F	0.02
33	0.87 ± 0.02	0.975 ± 0.004	0.988 ± 0.005	0.921 ± 0.007	0.978 ± 0.006	0.92 ± 0.01	0.987 ± 0.006	0.981 ± 0.005	0.997 ± 0.003	0.995 ± 0.002	0.991 ± 0.006	0.989 ± 0.005	E Europe M	E Africa F	0.02
34	0.90 ± 0.02	0.984 ± 0.003	0.991 ± 0.004	0.931 ± 0.007	0.979 ± 0.006	0.94 ± 0.01	0.989 ± 0.006	0.988 ± 0.004	0.999 ± 0.002	0.996 ± 0.002	0.991 ± 0.007	0.989 ± 0.006	E Europe M	E Africa F	0.02

Table 196. *For algorithm hzailu-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.32 ± 0.07	0.20 ± 0.02	0.46 ± 0.05	0.36 ± 0.03	0.23 ± 0.04	0.48 ± 0.07	0.41 ± 0.07	0.17 ± 0.02	0.26 ± 0.04	0.42 ± 0.03	0.24 ± 0.04	0.49 ± 0.09	W Africa M	E Asia M	0.20
15	0.39 ± 0.07	0.28 ± 0.02	0.56 ± 0.04	0.43 ± 0.03	0.31 ± 0.04	0.62 ± 0.07	0.62 ± 0.07	0.25 ± 0.01	0.43 ± 0.05	0.58 ± 0.03	0.30 ± 0.04	0.66 ± 0.07	W Africa M	E Asia M	0.20
16	0.51 ± 0.06	0.32 ± 0.02	0.61 ± 0.03	0.50 ± 0.03	0.38 ± 0.04	0.58 ± 0.06	0.70 ± 0.07	0.33 ± 0.02	0.52 ± 0.04	0.65 ± 0.02	0.40 ± 0.04	0.73 ± 0.06	W Africa M	E Asia F	0.16
17	0.50 ± 0.06	0.39 ± 0.02	0.70 ± 0.03	0.57 ± 0.02	0.39 ± 0.03	0.65 ± 0.06	0.82 ± 0.06	0.41 ± 0.02	0.66 ± 0.04	0.76 ± 0.02	0.49 ± 0.03	0.86 ± 0.04	W Africa M	E Asia F	0.17
18	0.56 ± 0.05	0.43 ± 0.01	0.74 ± 0.03	0.63 ± 0.02	0.46 ± 0.02	0.63 ± 0.05	0.88 ± 0.04	0.45 ± 0.01	0.73 ± 0.03	0.83 ± 0.02	0.57 ± 0.03	0.90 ± 0.03	W Africa M	E Asia F	0.15
19	0.64 ± 0.05	0.50 ± 0.01	0.81 ± 0.02	0.67 ± 0.02	0.49 ± 0.02	0.68 ± 0.04	0.87 ± 0.03	0.53 ± 0.01	0.80 ± 0.03	0.87 ± 0.01	0.63 ± 0.03	0.93 ± 0.03	W Africa M	S E Asia F	0.13
20	0.61 ± 0.04	0.57 ± 0.01	0.83 ± 0.01	0.72 ± 0.02	0.58 ± 0.02	0.74 ± 0.04	0.93 ± 0.02	0.60 ± 0.01	0.85 ± 0.02	0.90 ± 0.01	0.71 ± 0.02	0.94 ± 0.02	W Africa M	E Asia F	0.11
21	0.71 ± 0.04	0.61 ± 0.01	0.85 ± 0.01	0.75 ± 0.01	0.63 ± 0.02	0.76 ± 0.03	0.94 ± 0.02	0.66 ± 0.01	0.90 ± 0.02	0.934 ± 0.009	0.78 ± 0.02	0.96 ± 0.02	W Africa M	E Asia F	0.09
22	0.74 ± 0.03	0.660 ± 0.009	0.88 ± 0.01	0.79 ± 0.01	0.66 ± 0.02	0.79 ± 0.03	0.95 ± 0.02	0.72 ± 0.01	0.93 ± 0.01	0.950 ± 0.007	0.80 ± 0.02	0.97 ± 0.01	W Africa M	E Asia F	0.08
23	0.75 ± 0.03	0.702 ± 0.009	0.895 ± 0.010	0.82 ± 0.01	0.74 ± 0.02	0.79 ± 0.03	0.96 ± 0.02	0.758 ± 0.009	0.95 ± 0.01	0.959 ± 0.006	0.83 ± 0.02	0.97 ± 0.01	W Africa M	E Asia F	0.07
24	0.76 ± 0.03	0.735 ± 0.008	0.915 ± 0.008	0.832 ± 0.008	0.77 ± 0.01	0.82 ± 0.02	0.97 ± 0.01	0.800 ± 0.009	0.972 ± 0.008	0.974 ± 0.004	0.88 ± 0.02	0.98 ± 0.01	W Africa M	E Asia F	0.06
25	0.80 ± 0.03	0.779 ± 0.007	0.936 ± 0.007	0.842 ± 0.008	0.81 ± 0.01	0.83 ± 0.02	0.98 ± 0.01	0.841 ± 0.008	0.973 ± 0.007	0.978 ± 0.004	0.89 ± 0.02	0.989 ± 0.006	W Africa M	E Asia F	0.05
26	0.83 ± 0.02	0.812 ± 0.006	0.943 ± 0.006	0.859 ± 0.007	0.82 ± 0.01	0.85 ± 0.02	0.983 ± 0.009	0.868 ± 0.008	0.979 ± 0.006	0.982 ± 0.003	0.91 ± 0.01	0.985 ± 0.006	W Africa M	E Asia F	0.04
27	0.83 ± 0.02	0.838 ± 0.006	0.950 ± 0.005	0.868 ± 0.006	0.87 ± 0.01	0.86 ± 0.02	0.980 ± 0.009	0.887 ± 0.007	0.984 ± 0.005	0.984 ± 0.003	0.93 ± 0.01	0.986 ± 0.006	W Africa M	E Africa F	0.04
28	0.85 ± 0.02	0.863 ± 0.005	0.954 ± 0.005	0.877 ± 0.005	0.884 ± 0.010	0.87 ± 0.02	0.988 ± 0.007	0.913 ± 0.006	0.992 ± 0.003	0.986 ± 0.002	0.95 ± 0.01	0.987 ± 0.005	E Europe M	E Africa F	0.04
29	0.89 ± 0.02	0.887 ± 0.005	0.965 ± 0.004	0.886 ± 0.005	0.896 ± 0.009	0.86 ± 0.02	0.982 ± 0.008	0.929 ± 0.005	0.990 ± 0.004	0.991 ± 0.002	0.958 ± 0.010	0.987 ± 0.005	S Asia M	W Africa F	0.03
30	0.87 ± 0.02	0.909 ± 0.004	0.969 ± 0.004	0.897 ± 0.005	0.910 ± 0.008	0.88 ± 0.02	0.989 ± 0.006	0.941 ± 0.005	0.992 ± 0.003	0.990 ± 0.002	0.957 ± 0.009	0.993 ± 0.004	W Africa M	E Africa F	0.03
31	0.88 ± 0.02	0.926 ± 0.004	0.971 ± 0.004	0.905 ± 0.005	0.922 ± 0.009	0.89 ± 0.01	0.993 ± 0.005	0.955 ± 0.004	0.994 ± 0.002	0.992 ± 0.001	0.968 ± 0.008	0.995 ± 0.003	W Africa M	E Africa F	0.03
32	0.89 ± 0.02	0.938 ± 0.004	0.980 ± 0.004	0.915 ± 0.005	0.936 ± 0.007	0.90 ± 0.01	0.993 ± 0.005	0.968 ± 0.004	0.996 ± 0.002	0.993 ± 0.001	0.973 ± 0.008	0.991 ± 0.004	E Europe M	E Africa F	0.02
33	0.92 ± 0.02	0.952 ± 0.003	0.976 ± 0.004	0.926 ± 0.004	0.946 ± 0.007	0.91 ± 0.01	0.993 ± 0.005	0.974 ± 0.003	0.995 ± 0.002	0.994 ± 0.001	0.979 ± 0.007	0.996 ± 0.003	W Africa M	W Africa F	0.02
34	0.92 ± 0.02	0.957 ± 0.003	0.981 ± 0.004	0.932 ± 0.005	0.951 ± 0.007	0.92 ± 0.01	0.992 ± 0.005	0.978 ± 0.003	0.997 ± 0.002	0.995 ± 0.001	0.985 ± 0.005	0.993 ± 0.003	E Europe M	E Africa F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 197. *For algorithm idemia-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.004 ± 0.004	0.000 ± 0.000	0.004 ± 0.004	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	S E Asia F	E Africa F	0.77
15	0.009 ± 0.009	0.003 ± 0.002	0.000 ± 0.000	0.006 ± 0.004	0.01 ± 0.01	0.04 ± 0.02	0.005 ± 0.005	0.000 ± 0.000	0.000 ± 0.000	0.003 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe F	0.70
16	0.02 ± 0.01	0.007 ± 0.004	0.000 ± 0.000	0.004 ± 0.004	0.03 ± 0.02	0.05 ± 0.03	0.02 ± 0.01	0.002 ± 0.002	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe F	0.67
17	0.04 ± 0.02	0.023 ± 0.007	0.003 ± 0.003	0.021 ± 0.009	0.05 ± 0.02	0.09 ± 0.03	0.01 ± 0.01	0.007 ± 0.004	0.000 ± 0.000	0.009 ± 0.005	0.006 ± 0.006	0.04 ± 0.02	W Africa F	E Europe M	0.55
18	0.08 ± 0.02	0.030 ± 0.008	0.014 ± 0.009	0.031 ± 0.008	0.04 ± 0.01	0.11 ± 0.03	0.04 ± 0.02	0.019 ± 0.006	0.000 ± 0.000	0.031 ± 0.008	0.022 ± 0.010	0.06 ± 0.02	W Africa F	E Europe M	0.42
19	0.12 ± 0.03	0.06 ± 0.01	0.02 ± 0.01	0.06 ± 0.01	0.11 ± 0.02	0.17 ± 0.03	0.12 ± 0.03	0.048 ± 0.009	0.009 ± 0.008	0.07 ± 0.01	0.04 ± 0.01	0.12 ± 0.03	W Africa F	E Europe M	0.37
20	0.19 ± 0.03	0.10 ± 0.01	0.03 ± 0.01	0.11 ± 0.01	0.18 ± 0.02	0.22 ± 0.03	0.22 ± 0.03	0.09 ± 0.01	0.03 ± 0.01	0.13 ± 0.02	0.10 ± 0.02	0.18 ± 0.03	W Africa F	E Europe M	0.30
21	0.26 ± 0.03	0.16 ± 0.02	0.04 ± 0.01	0.16 ± 0.02	0.23 ± 0.02	0.31 ± 0.04	0.31 ± 0.03	0.17 ± 0.02	0.04 ± 0.01	0.25 ± 0.02	0.21 ± 0.03	0.26 ± 0.04	W Africa F	E Europe F	0.26
22	0.33 ± 0.03	0.23 ± 0.02	0.07 ± 0.01	0.22 ± 0.02	0.33 ± 0.02	0.34 ± 0.03	0.47 ± 0.03	0.26 ± 0.02	0.13 ± 0.02	0.36 ± 0.02	0.30 ± 0.03	0.32 ± 0.04	E Africa M	E Europe F	0.22
23	0.40 ± 0.03	0.34 ± 0.02	0.11 ± 0.02	0.31 ± 0.02	0.45 ± 0.02	0.44 ± 0.03	0.53 ± 0.03	0.37 ± 0.02	0.20 ± 0.03	0.52 ± 0.02	0.44 ± 0.03	0.47 ± 0.04	E Africa M	E Europe F	0.19
24	0.49 ± 0.03	0.43 ± 0.02	0.15 ± 0.02	0.40 ± 0.01	0.55 ± 0.02	0.51 ± 0.03	0.64 ± 0.03	0.51 ± 0.02	0.35 ± 0.03	0.66 ± 0.02	0.56 ± 0.03	0.56 ± 0.03	S Asia M	E Europe F	0.16
25	0.53 ± 0.03	0.55 ± 0.01	0.22 ± 0.02	0.48 ± 0.01	0.63 ± 0.02	0.57 ± 0.03	0.76 ± 0.03	0.66 ± 0.02	0.50 ± 0.03	0.78 ± 0.01	0.71 ± 0.02	0.68 ± 0.03	S Asia M	E Europe F	0.15
26	0.62 ± 0.03	0.63 ± 0.01	0.29 ± 0.02	0.55 ± 0.01	0.74 ± 0.02	0.67 ± 0.03	0.83 ± 0.02	0.77 ± 0.02	0.65 ± 0.03	0.86 ± 0.01	0.81 ± 0.02	0.76 ± 0.02	S Asia M	E Europe F	0.13
27	0.69 ± 0.02	0.73 ± 0.01	0.39 ± 0.02	0.63 ± 0.01	0.81 ± 0.01	0.74 ± 0.02	0.87 ± 0.02	0.85 ± 0.01	0.78 ± 0.02	0.916 ± 0.009	0.90 ± 0.02	0.81 ± 0.02	S Asia M	E Europe F	0.10
28	0.76 ± 0.02	0.803 ± 0.010	0.49 ± 0.02	0.71 ± 0.01	0.85 ± 0.01	0.81 ± 0.02	0.93 ± 0.01	0.92 ± 0.01	0.86 ± 0.02	0.953 ± 0.006	0.94 ± 0.01	0.87 ± 0.02	S Asia M	E Europe F	0.08
29	0.83 ± 0.02	0.869 ± 0.009	0.61 ± 0.02	0.78 ± 0.01	0.91 ± 0.01	0.85 ± 0.02	0.96 ± 0.01	0.953 ± 0.008	0.92 ± 0.01	0.975 ± 0.004	0.95 ± 0.01	0.93 ± 0.01	S Asia M	E Europe F	0.06
30	0.87 ± 0.02	0.926 ± 0.006	0.71 ± 0.02	0.84 ± 0.01	0.943 ± 0.009	0.86 ± 0.02	0.978 ± 0.008	0.975 ± 0.005	0.964 ± 0.010	0.986 ± 0.003	0.982 ± 0.008	0.951 ± 0.010	S Asia M	E Europe F	0.05
31	0.90 ± 0.02	0.953 ± 0.005	0.80 ± 0.02	0.877 ± 0.008	0.968 ± 0.007	0.93 ± 0.01	0.986 ± 0.007	0.987 ± 0.004	0.979 ± 0.008	0.991 ± 0.003	0.989 ± 0.007	0.974 ± 0.008	S Asia M	E Europe F	0.03
32	0.94 ± 0.01	0.970 ± 0.005	0.87 ± 0.01	0.917 ± 0.008	0.968 ± 0.007	0.95 ± 0.01	0.987 ± 0.007	0.991 ± 0.003	0.989 ± 0.006	0.997 ± 0.001	0.994 ± 0.005	0.983 ± 0.007	S Asia M	E Europe F	0.02
33	0.95 ± 0.01	0.984 ± 0.003	0.92 ± 0.01	0.952 ± 0.006	0.985 ± 0.005	0.96 ± 0.01	0.996 ± 0.004	0.995 ± 0.003	0.996 ± 0.004	0.998 ± 0.001	0.997 ± 0.004	0.987 ± 0.007	S Asia M	E Europe F	0.01
34	0.96 ± 0.01	0.991 ± 0.002	0.94 ± 0.01	0.968 ± 0.005	0.991 ± 0.004	0.978 ± 0.008	0.996 ± 0.004	0.998 ± 0.002	0.997 ± 0.003	0.999 ± 0.001	0.999 ± 0.002	0.994 ± 0.004	S E Asia M	E Europe F	0.01

Table 198. *For algorithm idemia-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.03 ± 0.02	0.002 ± 0.001	0.000 ± 0.000	0.007 ± 0.005	0.000 ± 0.000	0.007 ± 0.007	0.03 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.01 ± 0.01	E Africa M	E Europe F	0.76
15	0.03 ± 0.02	0.002 ± 0.001	0.000 ± 0.000	0.008 ± 0.005	0.000 ± 0.000	0.09 ± 0.04	0.04 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.05 ± 0.03	W Africa F	E Europe F	0.78
16	0.06 ± 0.03	0.006 ± 0.003	0.003 ± 0.003	0.021 ± 0.007	0.010 ± 0.005	0.06 ± 0.03	0.04 ± 0.03	0.004 ± 0.002	0.002 ± 0.002	0.001 ± 0.001	0.005 ± 0.005	0.06 ± 0.03	E Africa F	S Asia M	0.61
17	0.10 ± 0.03	0.017 ± 0.004	0.010 ± 0.006	0.035 ± 0.009	0.022 ± 0.008	0.11 ± 0.04	0.11 ± 0.04	0.008 ± 0.003	0.003 ± 0.003	0.022 ± 0.007	0.009 ± 0.006	0.07 ± 0.03	W Africa F	E Europe M	0.55
18	0.17 ± 0.04	0.020 ± 0.004	0.023 ± 0.008	0.057 ± 0.010	0.028 ± 0.008	0.13 ± 0.03	0.16 ± 0.04	0.013 ± 0.003	0.008 ± 0.006	0.039 ± 0.008	0.016 ± 0.007	0.10 ± 0.03	E Africa F	E Europe M	0.52
19	0.24 ± 0.04	0.041 ± 0.005	0.033 ± 0.008	0.10 ± 0.01	0.07 ± 0.01	0.22 ± 0.04	0.26 ± 0.05	0.033 ± 0.005	0.010 ± 0.006	0.10 ± 0.01	0.05 ± 0.01	0.14 ± 0.03	E Africa M	E Europe M	0.47
20	0.30 ± 0.04	0.074 ± 0.005	0.047 ± 0.009	0.12 ± 0.01	0.12 ± 0.01	0.29 ± 0.03	0.34 ± 0.04	0.066 ± 0.006	0.028 ± 0.010	0.17 ± 0.01	0.10 ± 0.01	0.23 ± 0.03	E Africa M	E Europe M	0.40
21	0.36 ± 0.03	0.106 ± 0.006	0.071 ± 0.009	0.18 ± 0.01	0.16 ± 0.01	0.35 ± 0.03	0.39 ± 0.04	0.122 ± 0.009	0.06 ± 0.01	0.26 ± 0.02	0.18 ± 0.02	0.30 ± 0.03	E Africa M	E Europe M	0.33
22	0.46 ± 0.03	0.170 ± 0.008	0.11 ± 0.01	0.24 ± 0.01	0.24 ± 0.02	0.43 ± 0.03	0.56 ± 0.04	0.210 ± 0.010	0.11 ± 0.02	0.41 ± 0.01	0.27 ± 0.02	0.40 ± 0.03	E Africa M	E Europe M	0.29
23	0.51 ± 0.04	0.232 ± 0.007	0.15 ± 0.01	0.31 ± 0.01	0.35 ± 0.02	0.50 ± 0.03	0.63 ± 0.04	0.31 ± 0.01	0.21 ± 0.02	0.53 ± 0.01	0.36 ± 0.03	0.48 ± 0.03	E Africa M	E Europe F	0.23
24	0.57 ± 0.03	0.309 ± 0.008	0.22 ± 0.01	0.39 ± 0.01	0.45 ± 0.02	0.54 ± 0.03	0.71 ± 0.03	0.44 ± 0.01	0.33 ± 0.02	0.64 ± 0.01	0.48 ± 0.02	0.58 ± 0.03	E Africa M	E Europe F	0.18
25	0.63 ± 0.03	0.411 ± 0.009	0.30 ± 0.01	0.45 ± 0.01	0.53 ± 0.02	0.65 ± 0.03	0.81 ± 0.03	0.56 ± 0.01	0.46 ± 0.02	0.75 ± 0.01	0.61 ± 0.02	0.69 ± 0.02	E Africa M	E Europe F	0.15
26	0.72 ± 0.02	0.508 ± 0.008	0.37 ± 0.01	0.530 ± 0.010	0.63 ± 0.02	0.68 ± 0.02	0.88 ± 0.02	0.665 ± 0.010	0.60 ± 0.02	0.824 ± 0.008	0.72 ± 0.02	0.77 ± 0.02	E Africa M	E Europe F	0.13
27	0.75 ± 0.02	0.599 ± 0.007	0.46 ± 0.01	0.589 ± 0.009	0.71 ± 0.01	0.75 ± 0.02	0.91 ± 0.02	0.758 ± 0.009	0.70 ± 0.02	0.882 ± 0.007	0.79 ± 0.02	0.85 ± 0.02	E Africa M	E Europe F	0.10
28	0.81 ± 0.02	0.689 ± 0.007	0.55 ± 0.01	0.664 ± 0.008	0.78 ± 0.01	0.79 ± 0.02	0.94 ± 0.01	0.829 ± 0.008	0.80 ± 0.02	0.928 ± 0.005	0.87 ± 0.02	0.88 ± 0.01	E Africa M	E Europe F	0.08
29	0.83 ± 0.02	0.760 ± 0.006	0.65 ± 0.01	0.718 ± 0.008	0.83 ± 0.01	0.85 ± 0.02	0.95 ± 0.01	0.887 ± 0.006	0.86 ± 0.01	0.957 ± 0.004	0.91 ± 0.01	0.93 ± 0.01	S Asia M	E Europe F	0.07
30	0.87 ± 0.02	0.832 ± 0.005	0.72 ± 0.01	0.785 ± 0.007	0.89 ± 0.01	0.88 ± 0.02	0.979 ± 0.007	0.930 ± 0.005	0.922 ± 0.009	0.972 ± 0.003	0.956 ± 0.009	0.954 ± 0.009	E Africa M	E Europe F	0.05
31	0.91 ± 0.02	0.886 ± 0.004	0.799 ± 0.009	0.839 ± 0.006	0.915 ± 0.008	0.91 ± 0.01	0.985 ± 0.007	0.958 ± 0.004	0.955 ± 0.006	0.986 ± 0.002	0.963 ± 0.008	0.963 ± 0.007	S Asia M	E Europe F	0.04
32	0.94 ± 0.01	0.926 ± 0.004	0.864 ± 0.008	0.880 ± 0.005	0.949 ± 0.006	0.92 ± 0.01	0.992 ± 0.004	0.976 ± 0.003	0.977 ± 0.005	0.991 ± 0.001	0.982 ± 0.006	0.983 ± 0.005	E Africa M	E Europe F	0.03
33	0.94 ± 0.01	0.951 ± 0.003	0.906 ± 0.007	0.917 ± 0.005	0.961 ± 0.006	0.957 ± 0.010	0.994 ± 0.005	0.986 ± 0.002	0.989 ± 0.003	0.995 ± 0.001	0.989 ± 0.005	0.986 ± 0.005	S Asia M	E Europe F	0.02
34	0.96 ± 0.01	0.968 ± 0.002	0.936 ± 0.006	0.942 ± 0.004	0.975 ± 0.005	0.969 ± 0.009	0.995 ± 0.005	0.991 ± 0.002	0.995 ± 0.002	0.997 ± 0.001	0.994 ± 0.004	0.993 ± 0.003	S Asia M	E Europe F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 199. *For algorithm idemia-002 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	S Asia F	E Africa F	0.78
15	0.009 ± 0.009	0.002 ± 0.002	0.000 ± 0.000	0.006 ± 0.004	0.010 ± 0.007	0.03 ± 0.02	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Europe F	0.76
16	0.03 ± 0.02	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.004	0.01 ± 0.01	0.03 ± 0.02	0.01 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Europe F	0.71
17	0.03 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.018 ± 0.008	0.02 ± 0.01	0.07 ± 0.03	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.006 ± 0.004	0.006 ± 0.006	0.03 ± 0.02	W Africa F	E Africa M	0.55
18	0.07 ± 0.02	0.015 ± 0.005	0.04 ± 0.02	0.025 ± 0.007	0.03 ± 0.01	0.09 ± 0.03	0.02 ± 0.01	0.012 ± 0.004	0.000 ± 0.000	0.012 ± 0.005	0.011 ± 0.007	0.03 ± 0.01	W Africa F	E Europe M	0.48
19	0.11 ± 0.02	0.031 ± 0.007	0.04 ± 0.02	0.05 ± 0.01	0.06 ± 0.01	0.13 ± 0.03	0.08 ± 0.02	0.027 ± 0.007	0.013 ± 0.009	0.040 ± 0.009	0.022 ± 0.010	0.08 ± 0.02	W Africa F	E Europe M	0.37
20	0.18 ± 0.03	0.060 ± 0.010	0.09 ± 0.02	0.11 ± 0.01	0.11 ± 0.02	0.19 ± 0.03	0.16 ± 0.03	0.052 ± 0.009	0.04 ± 0.01	0.08 ± 0.01	0.06 ± 0.02	0.10 ± 0.03	W Africa F	E Europe M	0.28
21	0.22 ± 0.03	0.10 ± 0.01	0.13 ± 0.02	0.15 ± 0.02	0.15 ± 0.02	0.24 ± 0.03	0.22 ± 0.03	0.10 ± 0.01	0.07 ± 0.02	0.15 ± 0.02	0.14 ± 0.02	0.15 ± 0.03	W Africa F	E Europe M	0.19
22	0.29 ± 0.03	0.15 ± 0.01	0.21 ± 0.02	0.22 ± 0.02	0.23 ± 0.02	0.30 ± 0.03	0.33 ± 0.03	0.17 ± 0.02	0.16 ± 0.03	0.23 ± 0.02	0.21 ± 0.02	0.19 ± 0.03	E Africa M	E Asia F	0.15
23	0.37 ± 0.03	0.22 ± 0.01	0.28 ± 0.02	0.31 ± 0.02	0.33 ± 0.02	0.37 ± 0.03	0.40 ± 0.03	0.28 ± 0.02	0.27 ± 0.03	0.34 ± 0.02	0.34 ± 0.03	0.30 ± 0.03	E Africa M	E Asia F	0.10
24	0.44 ± 0.03	0.31 ± 0.01	0.35 ± 0.02	0.41 ± 0.02	0.43 ± 0.02	0.46 ± 0.03	0.50 ± 0.03	0.40 ± 0.02	0.45 ± 0.03	0.48 ± 0.02	0.46 ± 0.03	0.38 ± 0.03	E Africa M	E Asia F	0.07
25	0.50 ± 0.03	0.41 ± 0.01	0.47 ± 0.02	0.49 ± 0.01	0.52 ± 0.02	0.52 ± 0.03	0.63 ± 0.03	0.55 ± 0.02	0.60 ± 0.03	0.60 ± 0.02	0.61 ± 0.03	0.48 ± 0.03	E Africa M	E Asia F	0.07
26	0.59 ± 0.03	0.51 ± 0.01	0.55 ± 0.02	0.56 ± 0.01	0.64 ± 0.02	0.61 ± 0.03	0.70 ± 0.03	0.69 ± 0.02	0.73 ± 0.02	0.71 ± 0.02	0.73 ± 0.03	0.58 ± 0.03	E Europe M	E Asia F	0.07
27	0.67 ± 0.03	0.62 ± 0.01	0.66 ± 0.02	0.64 ± 0.01	0.72 ± 0.02	0.68 ± 0.02	0.77 ± 0.02	0.78 ± 0.02	0.85 ± 0.02	0.81 ± 0.01	0.85 ± 0.02	0.67 ± 0.03	E Europe M	E Asia F	0.07
28	0.72 ± 0.02	0.70 ± 0.01	0.74 ± 0.02	0.72 ± 0.01	0.78 ± 0.01	0.75 ± 0.02	0.84 ± 0.02	0.86 ± 0.01	0.90 ± 0.01	0.87 ± 0.01	0.89 ± 0.02	0.75 ± 0.02	E Europe M	E Asia F	0.05
29	0.81 ± 0.02	0.795 ± 0.010	0.83 ± 0.01	0.790 ± 0.010	0.86 ± 0.01	0.80 ± 0.02	0.90 ± 0.02	0.924 ± 0.010	0.95 ± 0.01	0.921 ± 0.008	0.93 ± 0.01	0.84 ± 0.02	E Europe M	S Asia F	0.04
30	0.85 ± 0.02	0.875 ± 0.009	0.88 ± 0.01	0.849 ± 0.009	0.91 ± 0.01	0.83 ± 0.02	0.94 ± 0.01	0.958 ± 0.007	0.982 ± 0.007	0.950 ± 0.006	0.97 ± 0.01	0.88 ± 0.02	E Europe M	W Africa F	0.03
31	0.88 ± 0.02	0.911 ± 0.007	0.92 ± 0.01	0.882 ± 0.009	0.938 ± 0.009	0.89 ± 0.02	0.96 ± 0.01	0.977 ± 0.006	0.985 ± 0.006	0.970 ± 0.004	0.979 ± 0.009	0.92 ± 0.01	E Europe M	E Africa F	0.03
32	0.92 ± 0.01	0.944 ± 0.006	0.958 ± 0.008	0.925 ± 0.007	0.953 ± 0.009	0.92 ± 0.01	0.974 ± 0.008	0.986 ± 0.004	0.995 ± 0.004	0.988 ± 0.003	0.988 ± 0.006	0.95 ± 0.01	E Europe M	W Africa F	0.02
33	0.94 ± 0.01	0.966 ± 0.005	0.974 ± 0.007	0.956 ± 0.005	0.975 ± 0.007	0.94 ± 0.01	0.984 ± 0.008	0.992 ± 0.003	0.998 ± 0.003	0.993 ± 0.002	0.996 ± 0.004	0.962 ± 0.010	E Europe M	W Africa F	0.01
34	0.95 ± 0.01	0.983 ± 0.004	0.986 ± 0.006	0.972 ± 0.005	0.985 ± 0.005	0.97 ± 0.01	0.987 ± 0.007	0.997 ± 0.002	0.999 ± 0.002	0.997 ± 0.001	0.998 ± 0.003	0.987 ± 0.006	E Europe M	E Africa F	0.01

Table 200. *For algorithm idemia-002 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.03 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.007 ± 0.005	0.000 ± 0.000	0.000 ± 0.000	0.01 ± 0.01	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.007 ± 0.007	E Africa F	E Europe F	0.82
15	0.04 ± 0.03	0.000 ± 0.000	0.004 ± 0.004	0.011 ± 0.005	0.000 ± 0.000	0.09 ± 0.04	0.02 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.02 ± 0.02	W Africa F	S E Asia F	0.81
16	0.06 ± 0.03	0.004 ± 0.002	0.011 ± 0.008	0.024 ± 0.008	0.003 ± 0.003	0.05 ± 0.03	0.02 ± 0.02	0.003 ± 0.002	0.002 ± 0.002	0.001 ± 0.001	0.003 ± 0.003	0.04 ± 0.02	E Africa F	S Asia M	0.62
17	0.09 ± 0.03	0.010 ± 0.003	0.03 ± 0.01	0.034 ± 0.009	0.014 ± 0.006	0.10 ± 0.03	0.08 ± 0.04	0.005 ± 0.002	0.003 ± 0.003	0.016 ± 0.005	0.005 ± 0.004	0.04 ± 0.02	W Africa F	E Europe M	0.55
18	0.15 ± 0.04	0.011 ± 0.002	0.07 ± 0.01	0.058 ± 0.010	0.018 ± 0.007	0.10 ± 0.03	0.11 ± 0.03	0.007 ± 0.002	0.014 ± 0.008	0.021 ± 0.006	0.009 ± 0.005	0.05 ± 0.02	E Africa F	E Asia M	0.52
19	0.24 ± 0.04	0.022 ± 0.003	0.11 ± 0.01	0.10 ± 0.01	0.041 ± 0.009	0.19 ± 0.03	0.18 ± 0.04	0.021 ± 0.004	0.017 ± 0.008	0.057 ± 0.009	0.033 ± 0.009	0.10 ± 0.03	E Africa F	E Europe M	0.46
20	0.29 ± 0.04	0.043 ± 0.004	0.13 ± 0.01	0.13 ± 0.01	0.07 ± 0.01	0.24 ± 0.03	0.27 ± 0.04	0.041 ± 0.005	0.04 ± 0.01	0.10 ± 0.01	0.07 ± 0.01	0.14 ± 0.03	E Africa F	E Asia M	0.39
21	0.35 ± 0.04	0.064 ± 0.005	0.19 ± 0.01	0.19 ± 0.01	0.09 ± 0.01	0.30 ± 0.03	0.33 ± 0.04	0.078 ± 0.006	0.09 ± 0.01	0.15 ± 0.01	0.12 ± 0.02	0.18 ± 0.03	E Africa F	E Asia F	0.32
22	0.45 ± 0.04	0.105 ± 0.006	0.26 ± 0.01	0.26 ± 0.01	0.16 ± 0.01	0.38 ± 0.03	0.46 ± 0.04	0.142 ± 0.008	0.16 ± 0.02	0.24 ± 0.01	0.20 ± 0.02	0.28 ± 0.03	E Africa M	E Asia F	0.27
23	0.48 ± 0.04	0.149 ± 0.007	0.34 ± 0.02	0.32 ± 0.01	0.26 ± 0.02	0.44 ± 0.03	0.48 ± 0.04	0.225 ± 0.010	0.29 ± 0.02	0.34 ± 0.01	0.28 ± 0.02	0.33 ± 0.03	E Africa M	E Asia F	0.18
24	0.57 ± 0.03	0.216 ± 0.007	0.43 ± 0.01	0.41 ± 0.01	0.34 ± 0.02	0.48 ± 0.03	0.59 ± 0.03	0.33 ± 0.01	0.41 ± 0.02	0.45 ± 0.01	0.40 ± 0.03	0.41 ± 0.03	E Africa M	E Asia F	0.14
25	0.62 ± 0.03	0.300 ± 0.008	0.54 ± 0.01	0.46 ± 0.01	0.42 ± 0.02	0.59 ± 0.02	0.68 ± 0.03	0.46 ± 0.01	0.55 ± 0.02	0.56 ± 0.01	0.51 ± 0.02	0.52 ± 0.03	E Africa M	E Asia F	0.11
26	0.69 ± 0.02	0.393 ± 0.008	0.60 ± 0.01	0.548 ± 0.010	0.52 ± 0.02	0.62 ± 0.02	0.77 ± 0.03	0.56 ± 0.01	0.67 ± 0.02	0.66 ± 0.01	0.62 ± 0.02	0.61 ± 0.03	E Africa M	E Asia F	0.09
27	0.72 ± 0.03	0.482 ± 0.008	0.69 ± 0.01	0.608 ± 0.008	0.62 ± 0.02	0.71 ± 0.02	0.82 ± 0.03	0.67 ± 0.01	0.76 ± 0.02	0.750 ± 0.009	0.72 ± 0.02	0.71 ± 0.02	E Africa M	E Asia F	0.07
28	0.80 ± 0.02	0.585 ± 0.007	0.77 ± 0.01	0.680 ± 0.009	0.70 ± 0.01	0.75 ± 0.02	0.87 ± 0.02	0.756 ± 0.009	0.85 ± 0.01	0.825 ± 0.007	0.81 ± 0.02	0.77 ± 0.02	E Africa M	E Asia F	0.06
29	0.82 ± 0.02	0.666 ± 0.006	0.835 ± 0.008	0.735 ± 0.008	0.76 ± 0.01	0.81 ± 0.02	0.90 ± 0.02	0.837 ± 0.008	0.898 ± 0.010	0.882 ± 0.006	0.86 ± 0.02	0.84 ± 0.02	E Africa M	E Asia F	0.05
30	0.86 ± 0.02	0.751 ± 0.006	0.882 ± 0.007	0.798 ± 0.007	0.83 ± 0.01	0.86 ± 0.02	0.95 ± 0.01	0.891 ± 0.006	0.949 ± 0.007	0.921 ± 0.004	0.92 ± 0.01	0.89 ± 0.01	E Africa M	E Asia F	0.04
31	0.89 ± 0.02	0.823 ± 0.005	0.916 ± 0.007	0.851 ± 0.006	0.874 ± 0.010	0.89 ± 0.01	0.96 ± 0.01	0.935 ± 0.005	0.970 ± 0.006	0.952 ± 0.003	0.95 ± 0.01	0.91 ± 0.01	E Europe M	E Asia F	0.03
32	0.93 ± 0.01	0.880 ± 0.004	0.949 ± 0.006	0.891 ± 0.005	0.915 ± 0.007	0.90 ± 0.01	0.980 ± 0.007	0.961 ± 0.004	0.984 ± 0.004	0.969 ± 0.003	0.968 ± 0.008	0.941 ± 0.010	E Europe M	E Asia F	0.02
33	0.93 ± 0.02	0.918 ± 0.004	0.964 ± 0.005	0.925 ± 0.004	0.937 ± 0.008	0.94 ± 0.01	0.978 ± 0.009	0.977 ± 0.003	0.991 ± 0.003	0.983 ± 0.002	0.978 ± 0.007	0.962 ± 0.007	E Europe M	E Asia F	0.01
34	0.96 ± 0.01	0.947 ± 0.003	0.979 ± 0.004	0.947 ± 0.004	0.960 ± 0.006	0.958 ± 0.010	0.987 ± 0.007	0.984 ± 0.002	0.997 ± 0.002	0.990 ± 0.001	0.989 ± 0.005	0.974 ± 0.006	E Europe M	E Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 201. *For algorithm idemia-003 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	S E Asia F	E Africa F	0.80
15	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.003 ± 0.003	0.005 ± 0.005	0.009 ± 0.009	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Africa F	0.70
16	0.01 ± 0.01	0.003 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.005 ± 0.005	0.02 ± 0.02	0.02 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Europe F	0.75
17	0.02 ± 0.01	0.008 ± 0.004	0.000 ± 0.000	0.007 ± 0.005	0.01 ± 0.01	0.04 ± 0.02	0.006 ± 0.006	0.003 ± 0.002	0.000 ± 0.000	0.005 ± 0.004	0.006 ± 0.006	0.03 ± 0.02	W Africa F	E Europe F	0.59
18	0.04 ± 0.02	0.008 ± 0.003	0.005 ± 0.005	0.006 ± 0.004	0.012 ± 0.007	0.05 ± 0.02	0.013 ± 0.009	0.005 ± 0.003	0.000 ± 0.000	0.011 ± 0.005	0.006 ± 0.004	0.03 ± 0.01	W Africa F	E Europe M	0.53
19	0.08 ± 0.02	0.015 ± 0.005	0.011 ± 0.007	0.024 ± 0.007	0.029 ± 0.009	0.09 ± 0.03	0.08 ± 0.02	0.010 ± 0.004	0.004 ± 0.004	0.029 ± 0.008	0.010 ± 0.007	0.09 ± 0.02	W Africa F	E Europe M	0.49
20	0.13 ± 0.02	0.040 ± 0.007	0.015 ± 0.008	0.042 ± 0.009	0.05 ± 0.01	0.14 ± 0.03	0.15 ± 0.03	0.016 ± 0.005	0.009 ± 0.007	0.06 ± 0.01	0.03 ± 0.01	0.11 ± 0.03	E Africa M	E Europe M	0.45
21	0.15 ± 0.03	0.07 ± 0.01	0.023 ± 0.009	0.08 ± 0.01	0.09 ± 0.01	0.18 ± 0.03	0.21 ± 0.03	0.043 ± 0.008	0.021 ± 0.010	0.13 ± 0.01	0.07 ± 0.02	0.19 ± 0.03	E Africa M	E Europe M	0.37
22	0.24 ± 0.03	0.12 ± 0.01	0.05 ± 0.01	0.11 ± 0.01	0.16 ± 0.02	0.25 ± 0.03	0.35 ± 0.03	0.09 ± 0.01	0.05 ± 0.01	0.21 ± 0.02	0.11 ± 0.02	0.24 ± 0.03	E Africa M	E Europe M	0.33
23	0.30 ± 0.03	0.19 ± 0.01	0.10 ± 0.01	0.21 ± 0.01	0.23 ± 0.02	0.33 ± 0.03	0.43 ± 0.03	0.17 ± 0.02	0.11 ± 0.02	0.36 ± 0.02	0.24 ± 0.03	0.39 ± 0.03	E Africa M	E Europe F	0.25
24	0.40 ± 0.03	0.27 ± 0.01	0.15 ± 0.02	0.29 ± 0.02	0.33 ± 0.02	0.40 ± 0.03	0.54 ± 0.03	0.28 ± 0.02	0.25 ± 0.03	0.51 ± 0.02	0.33 ± 0.03	0.49 ± 0.03	E Africa M	E Europe F	0.20
25	0.45 ± 0.03	0.39 ± 0.01	0.23 ± 0.02	0.36 ± 0.01	0.44 ± 0.02	0.49 ± 0.03	0.67 ± 0.03	0.42 ± 0.02	0.40 ± 0.03	0.63 ± 0.02	0.48 ± 0.03	0.60 ± 0.03	E Africa M	E Europe F	0.15
26	0.55 ± 0.03	0.49 ± 0.01	0.35 ± 0.02	0.45 ± 0.01	0.57 ± 0.02	0.59 ± 0.03	0.77 ± 0.03	0.57 ± 0.02	0.57 ± 0.03	0.77 ± 0.01	0.62 ± 0.03	0.70 ± 0.03	S Asia M	E Europe F	0.12
27	0.62 ± 0.03	0.61 ± 0.01	0.47 ± 0.02	0.55 ± 0.01	0.66 ± 0.02	0.67 ± 0.02	0.82 ± 0.02	0.70 ± 0.02	0.73 ± 0.02	0.84 ± 0.01	0.75 ± 0.02	0.79 ± 0.02	S Asia M	E Europe F	0.10
28	0.68 ± 0.02	0.72 ± 0.01	0.60 ± 0.02	0.64 ± 0.01	0.75 ± 0.02	0.76 ± 0.02	0.89 ± 0.02	0.80 ± 0.02	0.82 ± 0.02	0.906 ± 0.009	0.85 ± 0.02	0.86 ± 0.02	S Asia M	E Europe F	0.08
29	0.79 ± 0.02	0.80 ± 0.01	0.74 ± 0.02	0.73 ± 0.01	0.83 ± 0.01	0.81 ± 0.02	0.93 ± 0.01	0.89 ± 0.01	0.91 ± 0.01	0.943 ± 0.006	0.89 ± 0.02	0.92 ± 0.01	S Asia M	S Asia F	0.05
30	0.82 ± 0.02	0.878 ± 0.008	0.82 ± 0.02	0.797 ± 0.009	0.89 ± 0.01	0.85 ± 0.02	0.970 ± 0.010	0.942 ± 0.008	0.961 ± 0.010	0.969 ± 0.005	0.95 ± 0.01	0.95 ± 0.01	E Africa M	S Asia F	0.04
31	0.86 ± 0.02	0.922 ± 0.007	0.89 ± 0.01	0.843 ± 0.009	0.940 ± 0.009	0.90 ± 0.02	0.976 ± 0.008	0.970 ± 0.006	0.974 ± 0.008	0.984 ± 0.003	0.973 ± 0.009	0.970 ± 0.008	S Asia M	S Asia F	0.03
32	0.92 ± 0.02	0.957 ± 0.005	0.941 ± 0.009	0.899 ± 0.007	0.955 ± 0.007	0.93 ± 0.01	0.985 ± 0.007	0.981 ± 0.005	0.987 ± 0.006	0.993 ± 0.002	0.987 ± 0.007	0.982 ± 0.007	S Asia M	S Asia F	0.02
33	0.95 ± 0.01	0.976 ± 0.004	0.960 ± 0.008	0.932 ± 0.007	0.978 ± 0.006	0.95 ± 0.01	0.994 ± 0.005	0.992 ± 0.004	0.997 ± 0.003	0.997 ± 0.001	0.993 ± 0.006	0.988 ± 0.005	S Asia M	S Asia F	0.01
34	0.96 ± 0.01	0.988 ± 0.003	0.983 ± 0.005	0.961 ± 0.005	0.985 ± 0.005	0.96 ± 0.01	0.994 ± 0.004	0.995 ± 0.002	0.997 ± 0.004	0.997 ± 0.001	0.994 ± 0.005	0.994 ± 0.004	S Asia M	E Africa F	0.01

Table 202. *For algorithm idemia-003 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.01 ± 0.01	0.02 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.01 ± 0.01	E Africa M	E Europe F	0.72
15	0.03 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.06 ± 0.03	0.02 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.02 ± 0.02	W Africa F	E Europe F	0.81
16	0.04 ± 0.02	0.003 ± 0.002	0.003 ± 0.003	0.013 ± 0.006	0.004 ± 0.004	0.06 ± 0.03	0.02 ± 0.02	0.002 ± 0.001	0.003 ± 0.003	0.001 ± 0.001	0.003 ± 0.003	0.04 ± 0.02	W Africa F	S Asia M	0.66
17	0.08 ± 0.03	0.007 ± 0.003	0.004 ± 0.004	0.015 ± 0.005	0.006 ± 0.004	0.08 ± 0.03	0.07 ± 0.03	0.003 ± 0.002	0.000 ± 0.000	0.016 ± 0.006	0.005 ± 0.004	0.06 ± 0.03	W Africa F	E Europe M	0.61
18	0.12 ± 0.03	0.007 ± 0.002	0.013 ± 0.006	0.034 ± 0.007	0.007 ± 0.004	0.13 ± 0.03	0.09 ± 0.03	0.003 ± 0.001	0.003 ± 0.003	0.023 ± 0.006	0.002 ± 0.002	0.06 ± 0.02	W Africa F	S E Asia M	0.63
19	0.18 ± 0.03	0.015 ± 0.003	0.028 ± 0.008	0.058 ± 0.009	0.018 ± 0.006	0.20 ± 0.04	0.15 ± 0.04	0.010 ± 0.002	0.011 ± 0.006	0.064 ± 0.009	0.010 ± 0.005	0.11 ± 0.03	W Africa F	E Asia M	0.55
20	0.24 ± 0.04	0.033 ± 0.004	0.047 ± 0.009	0.076 ± 0.009	0.046 ± 0.009	0.23 ± 0.03	0.28 ± 0.04	0.022 ± 0.004	0.019 ± 0.008	0.11 ± 0.01	0.030 ± 0.008	0.16 ± 0.03	E Africa M	E Europe M	0.50
21	0.30 ± 0.04	0.051 ± 0.005	0.07 ± 0.01	0.13 ± 0.01	0.066 ± 0.009	0.29 ± 0.03	0.31 ± 0.04	0.049 ± 0.006	0.06 ± 0.01	0.18 ± 0.01	0.07 ± 0.01	0.24 ± 0.03	E Africa M	E Asia M	0.40
22	0.38 ± 0.04	0.091 ± 0.006	0.12 ± 0.01	0.19 ± 0.01	0.12 ± 0.01	0.38 ± 0.03	0.46 ± 0.04	0.094 ± 0.007	0.12 ± 0.02	0.29 ± 0.01	0.13 ± 0.02	0.35 ± 0.04	E Africa M	E Asia F	0.34
23	0.46 ± 0.04	0.141 ± 0.007	0.17 ± 0.01	0.24 ± 0.01	0.20 ± 0.01	0.43 ± 0.03	0.54 ± 0.04	0.168 ± 0.009	0.24 ± 0.02	0.42 ± 0.01	0.22 ± 0.02	0.43 ± 0.03	E Africa M	E Asia F	0.26
24	0.55 ± 0.03	0.202 ± 0.007	0.25 ± 0.01	0.33 ± 0.01	0.28 ± 0.02	0.52 ± 0.03	0.66 ± 0.03	0.270 ± 0.010	0.37 ± 0.02	0.54 ± 0.01	0.30 ± 0.02	0.53 ± 0.03	E Africa M	E Asia F	0.22
25	0.59 ± 0.03	0.296 ± 0.008	0.36 ± 0.01	0.39 ± 0.01	0.37 ± 0.02	0.62 ± 0.02	0.73 ± 0.03	0.39 ± 0.01	0.51 ± 0.02	0.67 ± 0.01	0.43 ± 0.02	0.66 ± 0.03	E Africa M	E Asia F	0.17
26	0.68 ± 0.03	0.390 ± 0.008	0.45 ± 0.01	0.483 ± 0.010	0.47 ± 0.02	0.65 ± 0.02	0.83 ± 0.03	0.50 ± 0.01	0.64 ± 0.02	0.76 ± 0.01	0.55 ± 0.02	0.73 ± 0.02	E Africa M	E Asia F	0.14
27	0.70 ± 0.03	0.482 ± 0.007	0.56 ± 0.01	0.556 ± 0.009	0.57 ± 0.02	0.74 ± 0.02	0.88 ± 0.02	0.61 ± 0.01	0.76 ± 0.02	0.837 ± 0.007	0.66 ± 0.02	0.84 ± 0.02	E Africa M	E Asia F	0.11
28	0.79 ± 0.02	0.592 ± 0.007	0.67 ± 0.01	0.631 ± 0.009	0.68 ± 0.01	0.78 ± 0.02	0.91 ± 0.02	0.723 ± 0.010	0.86 ± 0.01	0.897 ± 0.006	0.77 ± 0.02	0.88 ± 0.02	E Africa M	E Asia F	0.08
29	0.82 ± 0.02	0.679 ± 0.007	0.763 ± 0.010	0.698 ± 0.008	0.75 ± 0.01	0.84 ± 0.02	0.96 ± 0.01	0.813 ± 0.007	0.904 ± 0.009	0.935 ± 0.004	0.84 ± 0.02	0.93 ± 0.01	E Africa M	E Asia F	0.07
30	0.86 ± 0.02	0.765 ± 0.006	0.832 ± 0.009	0.772 ± 0.007	0.82 ± 0.01	0.89 ± 0.01	0.97 ± 0.01	0.870 ± 0.007	0.950 ± 0.008	0.957 ± 0.003	0.90 ± 0.01	0.949 ± 0.008	E Africa M	E Asia F	0.05
31	0.89 ± 0.02	0.836 ± 0.005	0.892 ± 0.008	0.825 ± 0.006	0.87 ± 0.01	0.92 ± 0.01	0.978 ± 0.009	0.927 ± 0.005	0.973 ± 0.005	0.979 ± 0.002	0.93 ± 0.01	0.966 ± 0.007	S Asia M	S Asia F	0.04
32	0.93 ± 0.02	0.891 ± 0.005	0.939 ± 0.006	0.873 ± 0.005	0.914 ± 0.009	0.94 ± 0.01	0.990 ± 0.005	0.953 ± 0.004	0.987 ± 0.004	0.987 ± 0.002	0.964 ± 0.009	0.975 ± 0.006	E Africa M	S Asia F	0.02
33	0.95 ± 0.01	0.930 ± 0.004	0.959 ± 0.005	0.909 ± 0.005	0.939 ± 0.007	0.964 ± 0.009	0.992 ± 0.005	0.974 ± 0.003	0.992 ± 0.003	0.992 ± 0.001	0.977 ± 0.007	0.989 ± 0.004	S Asia M	S Asia F	0.02
34	0.96 ± 0.01	0.956 ± 0.003	0.976 ± 0.004	0.939 ± 0.004	0.963 ± 0.006	0.977 ± 0.008	0.993 ± 0.005	0.984 ± 0.003	0.998 ± 0.002	0.995 ± 0.001	0.989 ± 0.005	0.994 ± 0.003	E Europe M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 203. *For algorithm inbut-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.17 ± 0.03	0.019 ± 0.007	0.10 ± 0.03	0.05 ± 0.01	0.03 ± 0.02	0.22 ± 0.05	0.20 ± 0.03	0.034 ± 0.008	0.04 ± 0.02	0.07 ± 0.01	0.06 ± 0.02	0.10 ± 0.04	W Africa F	E Asia F	0.43
15	0.26 ± 0.05	0.040 ± 0.010	0.15 ± 0.03	0.09 ± 0.02	0.06 ± 0.02	0.24 ± 0.05	0.19 ± 0.04	0.06 ± 0.01	0.06 ± 0.02	0.08 ± 0.02	0.07 ± 0.02	0.18 ± 0.05	E Africa F	E Asia F	0.36
16	0.26 ± 0.04	0.06 ± 0.01	0.19 ± 0.04	0.09 ± 0.02	0.09 ± 0.03	0.35 ± 0.06	0.23 ± 0.05	0.07 ± 0.01	0.12 ± 0.03	0.11 ± 0.02	0.12 ± 0.03	0.22 ± 0.05	W Africa F	E Asia F	0.33
17	0.39 ± 0.05	0.08 ± 0.01	0.22 ± 0.04	0.16 ± 0.02	0.11 ± 0.03	0.40 ± 0.05	0.30 ± 0.05	0.10 ± 0.01	0.12 ± 0.03	0.13 ± 0.02	0.13 ± 0.03	0.27 ± 0.05	W Africa F	E Asia F	0.32
18	0.40 ± 0.04	0.10 ± 0.01	0.23 ± 0.03	0.15 ± 0.02	0.11 ± 0.02	0.45 ± 0.04	0.27 ± 0.03	0.10 ± 0.01	0.15 ± 0.03	0.14 ± 0.02	0.08 ± 0.02	0.24 ± 0.04	W Africa F	S E Asia M	0.33
19	0.53 ± 0.04	0.15 ± 0.02	0.29 ± 0.04	0.25 ± 0.02	0.16 ± 0.02	0.54 ± 0.04	0.39 ± 0.04	0.16 ± 0.01	0.24 ± 0.04	0.22 ± 0.02	0.14 ± 0.02	0.38 ± 0.05	W Africa F	S E Asia M	0.28
20	0.60 ± 0.04	0.22 ± 0.02	0.37 ± 0.03	0.34 ± 0.02	0.23 ± 0.03	0.66 ± 0.04	0.51 ± 0.04	0.22 ± 0.02	0.33 ± 0.04	0.30 ± 0.02	0.18 ± 0.03	0.49 ± 0.04	W Africa F	S E Asia M	0.25
21	0.68 ± 0.03	0.31 ± 0.02	0.50 ± 0.04	0.44 ± 0.02	0.31 ± 0.02	0.70 ± 0.04	0.64 ± 0.03	0.33 ± 0.02	0.43 ± 0.04	0.41 ± 0.02	0.29 ± 0.03	0.61 ± 0.04	W Africa F	S E Asia M	0.19
22	0.78 ± 0.03	0.39 ± 0.02	0.58 ± 0.03	0.54 ± 0.02	0.40 ± 0.02	0.77 ± 0.03	0.79 ± 0.03	0.44 ± 0.02	0.61 ± 0.04	0.57 ± 0.02	0.42 ± 0.03	0.68 ± 0.04	E Africa M	E Asia F	0.15
23	0.83 ± 0.02	0.52 ± 0.02	0.67 ± 0.02	0.65 ± 0.02	0.52 ± 0.02	0.87 ± 0.02	0.84 ± 0.03	0.56 ± 0.02	0.73 ± 0.03	0.70 ± 0.02	0.52 ± 0.03	0.81 ± 0.03	W Africa F	S E Asia M	0.12
24	0.87 ± 0.02	0.60 ± 0.02	0.77 ± 0.02	0.73 ± 0.01	0.62 ± 0.02	0.87 ± 0.02	0.91 ± 0.02	0.69 ± 0.02	0.83 ± 0.02	0.81 ± 0.01	0.67 ± 0.03	0.87 ± 0.02	E Africa M	E Asia F	0.08
25	0.90 ± 0.02	0.71 ± 0.01	0.83 ± 0.01	0.81 ± 0.01	0.69 ± 0.02	0.91 ± 0.02	0.93 ± 0.02	0.79 ± 0.02	0.89 ± 0.02	0.89 ± 0.01	0.77 ± 0.02	0.91 ± 0.02	E Africa M	S E Asia F	0.06
26	0.93 ± 0.01	0.78 ± 0.01	0.90 ± 0.01	0.850 ± 0.009	0.79 ± 0.02	0.94 ± 0.01	0.965 ± 0.010	0.87 ± 0.01	0.93 ± 0.02	0.928 ± 0.009	0.86 ± 0.02	0.94 ± 0.01	E Africa M	E Asia F	0.04
27	0.96 ± 0.01	0.855 ± 0.009	0.926 ± 0.009	0.890 ± 0.008	0.85 ± 0.01	0.96 ± 0.01	0.974 ± 0.009	0.92 ± 0.01	0.965 ± 0.010	0.955 ± 0.007	0.93 ± 0.01	0.963 ± 0.010	E Africa M	E Asia F	0.03
28	0.967 ± 0.010	0.893 ± 0.008	0.963 ± 0.007	0.921 ± 0.007	0.90 ± 0.01	0.975 ± 0.009	0.985 ± 0.007	0.961 ± 0.007	0.988 ± 0.006	0.972 ± 0.005	0.95 ± 0.01	0.980 ± 0.007	E Europe M	E Asia F	0.02
29	0.985 ± 0.007	0.937 ± 0.006	0.980 ± 0.005	0.946 ± 0.006	0.925 ± 0.009	0.980 ± 0.007	0.995 ± 0.004	0.980 ± 0.005	0.995 ± 0.003	0.984 ± 0.003	0.97 ± 0.01	0.994 ± 0.004	E Africa M	S E Asia F	0.01
30	0.981 ± 0.008	0.957 ± 0.005	0.983 ± 0.006	0.962 ± 0.005	0.947 ± 0.009	0.984 ± 0.006	0.995 ± 0.004	0.988 ± 0.004	0.997 ± 0.003	0.989 ± 0.003	0.984 ± 0.008	0.994 ± 0.004	E Europe M	S E Asia F	0.01
31	0.990 ± 0.006	0.975 ± 0.004	0.994 ± 0.003	0.972 ± 0.004	0.970 ± 0.007	0.991 ± 0.005	0.999 ± 0.002	0.997 ± 0.002	0.999 ± 0.002	0.995 ± 0.002	0.991 ± 0.007	0.995 ± 0.003	E Europe M	S E Asia F	0.01
32	0.995 ± 0.004	0.984 ± 0.003	0.997 ± 0.002	0.981 ± 0.004	0.984 ± 0.005	0.994 ± 0.005	0.999 ± 0.001	0.997 ± 0.002	0.999 ± 0.002	0.997 ± 0.001	0.998 ± 0.003	0.999 ± 0.002	E Africa M	S Asia F	0.00
33	0.995 ± 0.005	0.994 ± 0.002	0.995 ± 0.003	0.989 ± 0.003	0.988 ± 0.004	0.994 ± 0.004	1.000 ± 0.000	0.999 ± 0.002	0.999 ± 0.001	0.999 ± 0.001	0.997 ± 0.004	0.999 ± 0.002	E Africa M	S E Asia F	0.00
34	0.995 ± 0.004	0.996 ± 0.002	0.998 ± 0.002	0.992 ± 0.003	0.993 ± 0.004	0.995 ± 0.004	1.000 ± 0.000	0.999 ± 0.001	0.999 ± 0.001	0.999 ± 0.001	1.000 ± 0.000	0.998 ± 0.003	E Africa M	S Asia F	0.00

Table 204. *For algorithm inbut-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.31 ± 0.07	0.011 ± 0.004	0.006 ± 0.006	0.04 ± 0.01	0.011 ± 0.009	0.37 ± 0.07	0.23 ± 0.06	0.007 ± 0.003	0.000 ± 0.000	0.008 ± 0.005	0.02 ± 0.01	0.15 ± 0.06	W Africa F	E Europe M	0.72
15	0.39 ± 0.07	0.015 ± 0.004	0.05 ± 0.02	0.08 ± 0.01	0.03 ± 0.01	0.51 ± 0.07	0.28 ± 0.07	0.015 ± 0.004	0.004 ± 0.004	0.023 ± 0.008	0.02 ± 0.01	0.20 ± 0.06	W Africa F	E Europe M	0.67
16	0.48 ± 0.06	0.039 ± 0.007	0.06 ± 0.02	0.12 ± 0.02	0.04 ± 0.01	0.52 ± 0.07	0.40 ± 0.07	0.040 ± 0.006	0.03 ± 0.01	0.05 ± 0.01	0.04 ± 0.01	0.26 ± 0.05	W Africa F	E Europe M	0.58
17	0.53 ± 0.05	0.071 ± 0.008	0.09 ± 0.02	0.17 ± 0.02	0.06 ± 0.01	0.64 ± 0.06	0.47 ± 0.07	0.083 ± 0.008	0.04 ± 0.02	0.14 ± 0.02	0.08 ± 0.02	0.44 ± 0.06	W Africa F	E Europe M	0.51
18	0.62 ± 0.05	0.096 ± 0.008	0.15 ± 0.02	0.22 ± 0.02	0.10 ± 0.01	0.63 ± 0.05	0.57 ± 0.06	0.138 ± 0.010	0.13 ± 0.03	0.22 ± 0.02	0.13 ± 0.02	0.52 ± 0.05	W Africa F	E Asia F	0.41
19	0.66 ± 0.04	0.148 ± 0.008	0.20 ± 0.02	0.30 ± 0.02	0.14 ± 0.02	0.72 ± 0.04	0.69 ± 0.05	0.21 ± 0.01	0.19 ± 0.02	0.35 ± 0.02	0.18 ± 0.02	0.59 ± 0.05	W Africa F	S E Asia F	0.36
20	0.70 ± 0.04	0.210 ± 0.009	0.27 ± 0.02	0.36 ± 0.02	0.23 ± 0.02	0.80 ± 0.03	0.76 ± 0.04	0.29 ± 0.01	0.31 ± 0.03	0.48 ± 0.02	0.29 ± 0.02	0.70 ± 0.04	W Africa F	E Asia F	0.29
21	0.76 ± 0.03	0.264 ± 0.009	0.33 ± 0.02	0.42 ± 0.02	0.30 ± 0.02	0.82 ± 0.03	0.78 ± 0.04	0.39 ± 0.01	0.50 ± 0.03	0.61 ± 0.02	0.39 ± 0.03	0.83 ± 0.03	W Africa M	E Asia F	0.24
22	0.85 ± 0.03	0.334 ± 0.009	0.42 ± 0.02	0.50 ± 0.01	0.36 ± 0.02	0.87 ± 0.02	0.89 ± 0.03	0.49 ± 0.01	0.59 ± 0.03	0.72 ± 0.02	0.49 ± 0.03	0.86 ± 0.03	E Africa M	E Asia F	0.20
23	0.86 ± 0.02	0.399 ± 0.009	0.49 ± 0.01	0.56 ± 0.01	0.49 ± 0.02	0.90 ± 0.02	0.89 ± 0.02	0.57 ± 0.01	0.69 ± 0.02	0.79 ± 0.01	0.58 ± 0.03	0.90 ± 0.02	W Africa M	E Asia F	0.16
24	0.87 ± 0.02	0.482 ± 0.009	0.57 ± 0.01	0.64 ± 0.01	0.55 ± 0.02	0.91 ± 0.02	0.95 ± 0.02	0.66 ± 0.01	0.80 ± 0.02	0.863 ± 0.008	0.66 ± 0.02	0.92 ± 0.02	E Africa M	E Asia F	0.13
25	0.91 ± 0.02	0.556 ± 0.008	0.66 ± 0.01	0.691 ± 0.010	0.63 ± 0.02	0.94 ± 0.01	0.96 ± 0.01	0.73 ± 0.01	0.86 ± 0.02	0.894 ± 0.007	0.75 ± 0.02	0.96 ± 0.01	E Africa M	E Asia F	0.11
26	0.93 ± 0.01	0.632 ± 0.007	0.72 ± 0.01	0.736 ± 0.008	0.69 ± 0.01	0.94 ± 0.01	0.97 ± 0.01	0.794 ± 0.009	0.90 ± 0.01	0.926 ± 0.006	0.81 ± 0.02	0.959 ± 0.010	E Africa M	E Asia F	0.08
27	0.94 ± 0.01	0.684 ± 0.007	0.790 ± 0.009	0.776 ± 0.008	0.76 ± 0.01	0.962 ± 0.009	0.980 ± 0.009	0.837 ± 0.009	0.940 ± 0.008	0.947 ± 0.005	0.86 ± 0.02	0.984 ± 0.006	W Africa M	E Asia F	0.07
28	0.95 ± 0.01	0.750 ± 0.006	0.848 ± 0.008	0.816 ± 0.007	0.81 ± 0.01	0.965 ± 0.009	0.985 ± 0.007	0.878 ± 0.008	0.965 ± 0.006	0.965 ± 0.004	0.90 ± 0.01	0.983 ± 0.006	E Africa M	E Asia F	0.05
29	0.97 ± 0.01	0.804 ± 0.006	0.894 ± 0.007	0.849 ± 0.006	0.84 ± 0.01	0.975 ± 0.007	0.991 ± 0.005	0.908 ± 0.006	0.974 ± 0.005	0.970 ± 0.003	0.92 ± 0.01	0.989 ± 0.005	E Africa M	E Asia F	0.04
30	0.97 ± 0.01	0.841 ± 0.005	0.924 ± 0.006	0.883 ± 0.005	0.876 ± 0.010	0.979 ± 0.007	0.997 ± 0.003	0.929 ± 0.005	0.984 ± 0.004	0.982 ± 0.002	0.94 ± 0.01	0.993 ± 0.003	E Africa M	E Asia F	0.03
31	0.985 ± 0.007	0.873 ± 0.005	0.948 ± 0.006	0.911 ± 0.004	0.904 ± 0.008	0.986 ± 0.005	0.999 ± 0.002	0.949 ± 0.005	0.995 ± 0.003	0.986 ± 0.002	0.954 ± 0.010	0.994 ± 0.003	E Africa M	E Asia F	0.03
32	0.980 ± 0.008	0.901 ± 0.005	0.969 ± 0.004	0.929 ± 0.004	0.921 ± 0.008	0.987 ± 0.006	0.998 ± 0.002	0.961 ± 0.004	0.995 ± 0.002	0.991 ± 0.001	0.965 ± 0.009	0.995 ± 0.003	E Africa M	E Asia F	0.02
33	0.985 ± 0.008	0.926 ± 0.004	0.975 ± 0.004	0.945 ± 0.004	0.939 ± 0.008	0.991 ± 0.005	0.999 ± 0.002	0.970 ± 0.004	0.997 ± 0.002	0.992 ± 0.001	0.971 ± 0.007	0.998 ± 0.002	E Africa M	E Asia F	0.01
34	0.985 ± 0.007	0.943 ± 0.004	0.981 ± 0.004	0.960 ± 0.003	0.950 ± 0.007	0.993 ± 0.004	0.998 ± 0.003	0.977 ± 0.003	0.999 ± 0.001	0.995 ± 0.001	0.977 ± 0.007	0.998 ± 0.002	E Europe M	E Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 205. *For algorithm incode-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.01	0.007 ± 0.004	0.02 ± 0.01	0.008 ± 0.004	0.013 ± 0.009	0.008 ± 0.008	0.010 ± 0.008	0.002 ± 0.002	0.002 ± 0.002	0.003 ± 0.003	0.000 ± 0.000	0.004 ± 0.004	E Africa F	S E Asia M	0.47
15	0.03 ± 0.01	0.010 ± 0.005	0.02 ± 0.01	0.018 ± 0.008	0.02 ± 0.01	0.02 ± 0.02	0.008 ± 0.008	0.001 ± 0.001	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.01 ± 0.01	E Africa F	E Europe M	0.47
16	0.08 ± 0.03	0.026 ± 0.009	0.04 ± 0.02	0.03 ± 0.01	0.05 ± 0.02	0.09 ± 0.03	0.03 ± 0.02	0.002 ± 0.002	0.006 ± 0.006	0.004 ± 0.003	0.006 ± 0.006	0.01 ± 0.01	W Africa F	E Asia M	0.52
17	0.11 ± 0.03	0.05 ± 0.01	0.07 ± 0.03	0.06 ± 0.02	0.06 ± 0.02	0.11 ± 0.03	0.02 ± 0.01	0.006 ± 0.004	0.003 ± 0.003	0.017 ± 0.007	0.01 ± 0.01	0.05 ± 0.02	E Africa F	E Europe M	0.46
18	0.15 ± 0.03	0.07 ± 0.01	0.08 ± 0.02	0.08 ± 0.01	0.09 ± 0.02	0.13 ± 0.03	0.04 ± 0.01	0.013 ± 0.004	0.013 ± 0.009	0.023 ± 0.006	0.015 ± 0.008	0.06 ± 0.02	E Africa F	E Europe M	0.42
19	0.24 ± 0.03	0.11 ± 0.01	0.14 ± 0.03	0.13 ± 0.02	0.14 ± 0.02	0.19 ± 0.04	0.12 ± 0.03	0.032 ± 0.007	0.03 ± 0.01	0.06 ± 0.01	0.03 ± 0.01	0.11 ± 0.03	E Africa F	E Europe M	0.34
20	0.30 ± 0.03	0.17 ± 0.01	0.22 ± 0.03	0.20 ± 0.02	0.22 ± 0.02	0.26 ± 0.03	0.20 ± 0.03	0.044 ± 0.009	0.07 ± 0.02	0.13 ± 0.02	0.09 ± 0.02	0.17 ± 0.03	E Africa F	E Asia M	0.27
21	0.39 ± 0.04	0.24 ± 0.02	0.29 ± 0.03	0.26 ± 0.02	0.31 ± 0.02	0.36 ± 0.04	0.30 ± 0.03	0.10 ± 0.01	0.12 ± 0.02	0.20 ± 0.02	0.16 ± 0.02	0.24 ± 0.04	E Africa F	E Asia M	0.22
22	0.47 ± 0.03	0.32 ± 0.02	0.40 ± 0.03	0.34 ± 0.02	0.38 ± 0.02	0.39 ± 0.04	0.46 ± 0.03	0.18 ± 0.02	0.23 ± 0.03	0.31 ± 0.02	0.21 ± 0.03	0.31 ± 0.03	E Africa F	E Asia M	0.17
23	0.56 ± 0.03	0.41 ± 0.02	0.50 ± 0.02	0.45 ± 0.02	0.49 ± 0.02	0.50 ± 0.03	0.51 ± 0.03	0.28 ± 0.02	0.34 ± 0.03	0.45 ± 0.02	0.35 ± 0.03	0.46 ± 0.03	E Africa F	E Asia M	0.11
24	0.63 ± 0.03	0.49 ± 0.02	0.61 ± 0.02	0.54 ± 0.02	0.57 ± 0.02	0.54 ± 0.03	0.64 ± 0.03	0.38 ± 0.02	0.50 ± 0.03	0.59 ± 0.02	0.46 ± 0.03	0.53 ± 0.03	E Africa M	E Asia M	0.08
25	0.69 ± 0.02	0.60 ± 0.01	0.70 ± 0.02	0.61 ± 0.01	0.67 ± 0.02	0.64 ± 0.03	0.74 ± 0.03	0.52 ± 0.02	0.65 ± 0.03	0.71 ± 0.02	0.61 ± 0.03	0.62 ± 0.03	E Africa M	E Asia M	0.05
26	0.77 ± 0.02	0.68 ± 0.01	0.79 ± 0.02	0.69 ± 0.01	0.75 ± 0.02	0.71 ± 0.03	0.80 ± 0.02	0.64 ± 0.02	0.75 ± 0.02	0.79 ± 0.01	0.72 ± 0.02	0.70 ± 0.02	E Africa M	E Asia M	0.04
27	0.81 ± 0.02	0.75 ± 0.01	0.85 ± 0.01	0.75 ± 0.01	0.82 ± 0.01	0.77 ± 0.02	0.86 ± 0.02	0.74 ± 0.02	0.86 ± 0.02	0.85 ± 0.01	0.81 ± 0.02	0.76 ± 0.02	E Africa M	E Asia M	0.04
28	0.85 ± 0.02	0.812 ± 0.010	0.91 ± 0.01	0.807 ± 0.010	0.86 ± 0.01	0.83 ± 0.02	0.90 ± 0.02	0.82 ± 0.01	0.91 ± 0.02	0.902 ± 0.009	0.87 ± 0.02	0.83 ± 0.02	E Europe F	S Asia F	0.03
29	0.90 ± 0.02	0.866 ± 0.009	0.946 ± 0.008	0.853 ± 0.009	0.911 ± 0.010	0.85 ± 0.02	0.94 ± 0.01	0.88 ± 0.01	0.95 ± 0.01	0.934 ± 0.007	0.91 ± 0.01	0.89 ± 0.02	E Europe M	S Asia F	0.02
30	0.92 ± 0.01	0.911 ± 0.007	0.963 ± 0.006	0.895 ± 0.008	0.942 ± 0.009	0.87 ± 0.02	0.95 ± 0.01	0.92 ± 0.01	0.973 ± 0.008	0.955 ± 0.006	0.96 ± 0.01	0.92 ± 0.01	E Europe M	W Africa F	0.02
31	0.93 ± 0.01	0.940 ± 0.006	0.984 ± 0.005	0.926 ± 0.007	0.962 ± 0.007	0.92 ± 0.01	0.968 ± 0.010	0.955 ± 0.007	0.984 ± 0.007	0.966 ± 0.005	0.96 ± 0.01	0.950 ± 0.010	E Europe F	W Africa F	0.01
32	0.96 ± 0.01	0.958 ± 0.006	0.990 ± 0.005	0.939 ± 0.006	0.971 ± 0.007	0.94 ± 0.01	0.976 ± 0.009	0.968 ± 0.006	0.994 ± 0.004	0.978 ± 0.004	0.986 ± 0.008	0.958 ± 0.010	E Europe M	W Africa F	0.01
33	0.974 ± 0.009	0.971 ± 0.004	0.993 ± 0.004	0.966 ± 0.005	0.984 ± 0.006	0.95 ± 0.01	0.989 ± 0.006	0.981 ± 0.005	0.997 ± 0.004	0.989 ± 0.003	0.991 ± 0.006	0.973 ± 0.008	E Europe M	W Africa F	0.01
34	0.97 ± 0.01	0.985 ± 0.003	0.996 ± 0.003	0.980 ± 0.004	0.990 ± 0.004	0.96 ± 0.01	0.993 ± 0.005	0.988 ± 0.004	0.997 ± 0.003	0.992 ± 0.003	0.992 ± 0.006	0.987 ± 0.006	E Europe M	W Africa F	0.01

Table 206. *For algorithm incode-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.33 ± 0.06	0.059 ± 0.010	0.22 ± 0.04	0.20 ± 0.02	0.06 ± 0.02	0.20 ± 0.06	0.27 ± 0.06	0.012 ± 0.004	0.06 ± 0.02	0.05 ± 0.01	0.02 ± 0.01	0.22 ± 0.06	E Africa F	E Asia M	0.44
15	0.33 ± 0.07	0.063 ± 0.008	0.27 ± 0.04	0.25 ± 0.02	0.10 ± 0.03	0.34 ± 0.06	0.37 ± 0.07	0.017 ± 0.005	0.06 ± 0.02	0.06 ± 0.01	0.02 ± 0.01	0.23 ± 0.07	E Africa M	E Asia M	0.45
16	0.43 ± 0.07	0.080 ± 0.009	0.32 ± 0.03	0.30 ± 0.03	0.13 ± 0.02	0.35 ± 0.06	0.34 ± 0.07	0.024 ± 0.005	0.11 ± 0.02	0.08 ± 0.01	0.03 ± 0.01	0.20 ± 0.05	E Africa F	E Asia M	0.42
17	0.48 ± 0.06	0.12 ± 0.01	0.40 ± 0.03	0.33 ± 0.02	0.14 ± 0.02	0.42 ± 0.06	0.43 ± 0.06	0.038 ± 0.006	0.12 ± 0.03	0.15 ± 0.02	0.05 ± 0.02	0.36 ± 0.05	E Africa F	E Asia M	0.38
18	0.55 ± 0.06	0.139 ± 0.009	0.45 ± 0.03	0.36 ± 0.02	0.20 ± 0.02	0.42 ± 0.05	0.46 ± 0.06	0.053 ± 0.006	0.19 ± 0.03	0.20 ± 0.02	0.07 ± 0.02	0.36 ± 0.04	E Africa F	E Asia M	0.34
19	0.58 ± 0.05	0.179 ± 0.009	0.50 ± 0.02	0.42 ± 0.02	0.23 ± 0.02	0.53 ± 0.04	0.52 ± 0.05	0.077 ± 0.007	0.24 ± 0.03	0.28 ± 0.02	0.13 ± 0.02	0.45 ± 0.05	E Africa F	E Asia M	0.30
20	0.65 ± 0.04	0.224 ± 0.009	0.56 ± 0.02	0.49 ± 0.02	0.29 ± 0.02	0.57 ± 0.04	0.60 ± 0.05	0.111 ± 0.008	0.35 ± 0.03	0.40 ± 0.02	0.16 ± 0.02	0.50 ± 0.04	E Africa F	E Asia M	0.26
21	0.69 ± 0.04	0.262 ± 0.009	0.62 ± 0.02	0.55 ± 0.02	0.37 ± 0.02	0.64 ± 0.04	0.69 ± 0.04	0.160 ± 0.009	0.44 ± 0.03	0.50 ± 0.02	0.23 ± 0.02	0.60 ± 0.04	E Africa M	E Asia M	0.23
22	0.78 ± 0.03	0.319 ± 0.010	0.68 ± 0.02	0.60 ± 0.01	0.41 ± 0.02	0.70 ± 0.03	0.76 ± 0.03	0.22 ± 0.01	0.56 ± 0.03	0.59 ± 0.02	0.34 ± 0.03	0.65 ± 0.03	E Africa F	E Asia M	0.20
23	0.79 ± 0.03	0.370 ± 0.009	0.74 ± 0.01	0.66 ± 0.01	0.52 ± 0.02	0.73 ± 0.03	0.82 ± 0.03	0.30 ± 0.01	0.67 ± 0.02	0.67 ± 0.01	0.42 ± 0.03	0.71 ± 0.03	E Africa M	E Asia M	0.16
24	0.84 ± 0.02	0.436 ± 0.009	0.80 ± 0.01	0.71 ± 0.01	0.56 ± 0.02	0.77 ± 0.02	0.86 ± 0.02	0.38 ± 0.01	0.75 ± 0.02	0.76 ± 0.01	0.49 ± 0.02	0.76 ± 0.03	E Africa M	E Asia M	0.14
25	0.83 ± 0.02	0.502 ± 0.009	0.849 ± 0.009	0.747 ± 0.008	0.64 ± 0.02	0.82 ± 0.02	0.89 ± 0.02	0.46 ± 0.01	0.82 ± 0.02	0.815 ± 0.010	0.59 ± 0.02	0.83 ± 0.02	E Africa M	E Asia M	0.11
26	0.89 ± 0.02	0.561 ± 0.008	0.874 ± 0.008	0.795 ± 0.008	0.69 ± 0.01	0.84 ± 0.02	0.92 ± 0.02	0.55 ± 0.01	0.88 ± 0.01	0.852 ± 0.007	0.67 ± 0.02	0.86 ± 0.02	E Africa M	E Asia M	0.09
27	0.90 ± 0.02	0.622 ± 0.008	0.906 ± 0.007	0.828 ± 0.007	0.75 ± 0.01	0.87 ± 0.02	0.95 ± 0.01	0.61 ± 0.01	0.91 ± 0.01	0.887 ± 0.006	0.76 ± 0.02	0.89 ± 0.01	E Africa M	E Asia M	0.08
28	0.93 ± 0.01	0.688 ± 0.007	0.935 ± 0.006	0.858 ± 0.006	0.80 ± 0.01	0.88 ± 0.01	0.96 ± 0.01	0.70 ± 0.01	0.947 ± 0.008	0.920 ± 0.005	0.81 ± 0.02	0.92 ± 0.01	E Africa M	E Asia F	0.06
29	0.94 ± 0.01	0.737 ± 0.006	0.954 ± 0.005	0.886 ± 0.005	0.83 ± 0.01	0.91 ± 0.01	0.979 ± 0.008	0.767 ± 0.009	0.953 ± 0.007	0.940 ± 0.004	0.87 ± 0.02	0.94 ± 0.01	E Africa M	E Asia F	0.05
30	0.94 ± 0.01	0.787 ± 0.006	0.970 ± 0.004	0.907 ± 0.005	0.878 ± 0.009	0.93 ± 0.01	0.979 ± 0.009	0.821 ± 0.008	0.975 ± 0.005	0.957 ± 0.003	0.89 ± 0.01	0.957 ± 0.008	E Africa M	E Asia F	0.04
31	0.97 ± 0.01	0.829 ± 0.005	0.978 ± 0.004	0.929 ± 0.004	0.905 ± 0.009	0.95 ± 0.01	0.983 ± 0.007	0.867 ± 0.007	0.987 ± 0.004	0.969 ± 0.003	0.91 ± 0.01	0.960 ± 0.007	E Europe M	E Asia F	0.03
32	0.976 ± 0.010	0.867 ± 0.005	0.986 ± 0.003	0.947 ± 0.004	0.929 ± 0.008	0.957 ± 0.009	0.991 ± 0.006	0.901 ± 0.006	0.992 ± 0.003	0.977 ± 0.002	0.94 ± 0.01	0.970 ± 0.007	E Europe M	E Asia F	0.02
33	0.978 ± 0.008	0.896 ± 0.005	0.989 ± 0.003	0.956 ± 0.003	0.934 ± 0.008	0.966 ± 0.009	0.991 ± 0.005	0.926 ± 0.005	0.992 ± 0.003	0.983 ± 0.002	0.950 ± 0.010	0.980 ± 0.006	E Europe M	E Asia F	0.02
34	0.980 ± 0.008	0.918 ± 0.004	0.991 ± 0.002	0.973 ± 0.003	0.958 ± 0.007	0.979 ± 0.008	0.993 ± 0.005	0.943 ± 0.005	0.997 ± 0.002	0.988 ± 0.002	0.971 ± 0.007	0.983 ± 0.005	E Europe M	E Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 207. *For algorithm incode-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.01	0.003 ± 0.002	0.005 ± 0.005	0.005 ± 0.004	0.007 ± 0.007	0.02 ± 0.01	0.004 ± 0.004	0.003 ± 0.002	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.004 ± 0.004	E Africa F	E Europe M	0.53
15	0.03 ± 0.02	0.011 ± 0.005	0.01 ± 0.01	0.015 ± 0.008	0.02 ± 0.01	0.03 ± 0.02	0.01 ± 0.01	0.002 ± 0.002	0.000 ± 0.000	0.003 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	E Africa F	E Europe M	0.53
16	0.07 ± 0.02	0.023 ± 0.008	0.04 ± 0.02	0.03 ± 0.01	0.06 ± 0.02	0.08 ± 0.03	0.02 ± 0.01	0.005 ± 0.003	0.003 ± 0.003	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	S E Asia M	0.57
17	0.11 ± 0.03	0.07 ± 0.01	0.06 ± 0.02	0.06 ± 0.02	0.06 ± 0.02	0.16 ± 0.03	0.02 ± 0.01	0.011 ± 0.004	0.000 ± 0.000	0.011 ± 0.006	0.02 ± 0.01	0.04 ± 0.02	W Africa F	E Europe M	0.49
18	0.13 ± 0.03	0.10 ± 0.01	0.08 ± 0.02	0.10 ± 0.01	0.15 ± 0.02	0.19 ± 0.04	0.04 ± 0.01	0.022 ± 0.006	0.009 ± 0.007	0.025 ± 0.008	0.03 ± 0.01	0.06 ± 0.02	W Africa F	E Europe M	0.43
19	0.26 ± 0.03	0.17 ± 0.02	0.13 ± 0.03	0.16 ± 0.02	0.21 ± 0.02	0.27 ± 0.04	0.14 ± 0.03	0.07 ± 0.01	0.02 ± 0.01	0.06 ± 0.01	0.05 ± 0.02	0.14 ± 0.03	W Africa F	E Europe M	0.34
20	0.36 ± 0.03	0.26 ± 0.02	0.20 ± 0.03	0.24 ± 0.02	0.30 ± 0.03	0.35 ± 0.04	0.21 ± 0.03	0.13 ± 0.01	0.06 ± 0.02	0.13 ± 0.02	0.13 ± 0.02	0.20 ± 0.04	E Africa F	E Europe M	0.26
21	0.47 ± 0.04	0.37 ± 0.02	0.28 ± 0.03	0.32 ± 0.02	0.42 ± 0.02	0.46 ± 0.04	0.34 ± 0.04	0.24 ± 0.02	0.10 ± 0.02	0.23 ± 0.02	0.26 ± 0.03	0.29 ± 0.04	E Africa F	E Europe M	0.20
22	0.53 ± 0.03	0.50 ± 0.02	0.39 ± 0.03	0.41 ± 0.02	0.51 ± 0.02	0.54 ± 0.04	0.53 ± 0.04	0.40 ± 0.02	0.22 ± 0.03	0.35 ± 0.02	0.36 ± 0.03	0.37 ± 0.03	W Africa F	E Europe M	0.13
23	0.65 ± 0.03	0.60 ± 0.02	0.51 ± 0.02	0.52 ± 0.02	0.64 ± 0.02	0.67 ± 0.03	0.62 ± 0.04	0.55 ± 0.02	0.36 ± 0.04	0.52 ± 0.02	0.54 ± 0.03	0.54 ± 0.04	W Africa F	E Europe M	0.09
24	0.73 ± 0.03	0.69 ± 0.01	0.62 ± 0.02	0.60 ± 0.02	0.72 ± 0.02	0.71 ± 0.03	0.75 ± 0.03	0.68 ± 0.02	0.53 ± 0.03	0.65 ± 0.02	0.67 ± 0.03	0.64 ± 0.03	E Africa M	E Europe M	0.05
25	0.77 ± 0.02	0.78 ± 0.01	0.72 ± 0.02	0.67 ± 0.01	0.80 ± 0.02	0.78 ± 0.03	0.83 ± 0.02	0.80 ± 0.01	0.70 ± 0.03	0.78 ± 0.02	0.80 ± 0.02	0.76 ± 0.03	E Africa M	S Asia F	0.04
26	0.85 ± 0.02	0.84 ± 0.01	0.82 ± 0.01	0.74 ± 0.01	0.86 ± 0.01	0.86 ± 0.02	0.87 ± 0.02	0.88 ± 0.01	0.81 ± 0.02	0.86 ± 0.01	0.87 ± 0.02	0.82 ± 0.02	E Asia M	S Asia F	0.03
27	0.89 ± 0.02	0.894 ± 0.008	0.89 ± 0.01	0.804 ± 0.010	0.913 ± 0.010	0.88 ± 0.02	0.92 ± 0.01	0.926 ± 0.010	0.90 ± 0.02	0.903 ± 0.009	0.93 ± 0.02	0.88 ± 0.02	S E Asia M	S Asia F	0.02
28	0.93 ± 0.01	0.932 ± 0.006	0.947 ± 0.008	0.852 ± 0.009	0.938 ± 0.008	0.92 ± 0.01	0.95 ± 0.01	0.957 ± 0.007	0.94 ± 0.01	0.944 ± 0.006	0.96 ± 0.01	0.93 ± 0.01	S E Asia M	S Asia F	0.01
29	0.95 ± 0.01	0.954 ± 0.005	0.962 ± 0.008	0.893 ± 0.008	0.965 ± 0.007	0.94 ± 0.01	0.971 ± 0.010	0.977 ± 0.005	0.974 ± 0.009	0.965 ± 0.005	0.972 ± 0.009	0.960 ± 0.010	E Asia M	S Asia F	0.01
30	0.969 ± 0.009	0.974 ± 0.004	0.979 ± 0.006	0.928 ± 0.007	0.980 ± 0.006	0.96 ± 0.01	0.984 ± 0.006	0.989 ± 0.004	0.989 ± 0.006	0.976 ± 0.004	0.985 ± 0.008	0.974 ± 0.008	E Europe M	S Asia F	0.01
31	0.976 ± 0.009	0.981 ± 0.004	0.992 ± 0.004	0.952 ± 0.005	0.986 ± 0.004	0.971 ± 0.009	0.993 ± 0.005	0.992 ± 0.003	0.996 ± 0.003	0.987 ± 0.003	0.989 ± 0.007	0.984 ± 0.006	E Europe M	S Asia F	0.01
32	0.984 ± 0.007	0.991 ± 0.003	0.998 ± 0.002	0.968 ± 0.005	0.987 ± 0.005	0.986 ± 0.007	0.996 ± 0.004	0.996 ± 0.002	0.997 ± 0.003	0.993 ± 0.002	0.991 ± 0.006	0.988 ± 0.006	E Europe F	S Asia F	0.00
33	0.989 ± 0.006	0.992 ± 0.002	0.995 ± 0.003	0.978 ± 0.004	0.994 ± 0.003	0.990 ± 0.005	0.998 ± 0.002	0.997 ± 0.002	0.998 ± 0.003	0.995 ± 0.002	0.997 ± 0.004	0.992 ± 0.005	E Africa M	S Asia F	0.00
34	0.987 ± 0.007	0.996 ± 0.002	0.997 ± 0.003	0.989 ± 0.003	0.995 ± 0.003	0.991 ± 0.005	0.998 ± 0.002	0.999 ± 0.001	0.999 ± 0.002	0.998 ± 0.001	0.995 ± 0.005	0.997 ± 0.003	E Asia M	E Africa F	0.00

Table 208. *For algorithm incode-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.28 ± 0.07	0.047 ± 0.009	0.12 ± 0.03	0.09 ± 0.02	0.05 ± 0.02	0.22 ± 0.06	0.17 ± 0.06	0.011 ± 0.004	0.02 ± 0.01	0.018 ± 0.007	0.02 ± 0.01	0.14 ± 0.06	E Africa F	E Asia M	0.51
15	0.29 ± 0.06	0.058 ± 0.010	0.17 ± 0.03	0.14 ± 0.02	0.07 ± 0.02	0.36 ± 0.07	0.30 ± 0.07	0.016 ± 0.005	0.02 ± 0.01	0.018 ± 0.007	0.007 ± 0.007	0.18 ± 0.06	W Africa F	S E Asia M	0.53
16	0.38 ± 0.06	0.075 ± 0.009	0.22 ± 0.03	0.16 ± 0.02	0.11 ± 0.02	0.37 ± 0.06	0.28 ± 0.06	0.026 ± 0.005	0.05 ± 0.02	0.029 ± 0.008	0.011 ± 0.006	0.19 ± 0.05	E Africa F	S E Asia M	0.48
17	0.48 ± 0.06	0.11 ± 0.01	0.29 ± 0.03	0.21 ± 0.02	0.13 ± 0.02	0.46 ± 0.06	0.38 ± 0.07	0.041 ± 0.006	0.07 ± 0.02	0.09 ± 0.01	0.04 ± 0.01	0.29 ± 0.05	E Africa F	S E Asia M	0.44
18	0.50 ± 0.05	0.148 ± 0.010	0.36 ± 0.03	0.24 ± 0.02	0.17 ± 0.02	0.46 ± 0.05	0.44 ± 0.06	0.063 ± 0.006	0.14 ± 0.03	0.13 ± 0.01	0.05 ± 0.01	0.30 ± 0.04	E Africa F	S E Asia M	0.38
19	0.55 ± 0.05	0.20 ± 0.01	0.39 ± 0.02	0.30 ± 0.02	0.23 ± 0.02	0.62 ± 0.05	0.55 ± 0.05	0.115 ± 0.008	0.20 ± 0.03	0.21 ± 0.02	0.09 ± 0.02	0.44 ± 0.04	W Africa F	S E Asia M	0.33
20	0.65 ± 0.04	0.26 ± 0.01	0.47 ± 0.02	0.36 ± 0.02	0.29 ± 0.02	0.68 ± 0.04	0.61 ± 0.04	0.18 ± 0.01	0.31 ± 0.03	0.33 ± 0.02	0.17 ± 0.02	0.53 ± 0.04	W Africa F	S E Asia M	0.26
21	0.68 ± 0.04	0.305 ± 0.009	0.56 ± 0.02	0.41 ± 0.02	0.35 ± 0.02	0.73 ± 0.03	0.70 ± 0.04	0.26 ± 0.01	0.44 ± 0.03	0.46 ± 0.02	0.26 ± 0.02	0.63 ± 0.04	W Africa F	E Asia M	0.21
22	0.76 ± 0.04	0.370 ± 0.008	0.63 ± 0.02	0.47 ± 0.01	0.42 ± 0.02	0.78 ± 0.03	0.80 ± 0.03	0.35 ± 0.01	0.56 ± 0.03	0.56 ± 0.02	0.36 ± 0.03	0.72 ± 0.03	E Africa M	E Asia M	0.18
23	0.76 ± 0.03	0.434 ± 0.009	0.69 ± 0.01	0.52 ± 0.01	0.50 ± 0.02	0.79 ± 0.03	0.86 ± 0.03	0.45 ± 0.01	0.70 ± 0.02	0.65 ± 0.01	0.47 ± 0.02	0.79 ± 0.03	E Africa M	E Asia F	0.14
24	0.81 ± 0.03	0.500 ± 0.010	0.76 ± 0.01	0.59 ± 0.01	0.56 ± 0.02	0.84 ± 0.02	0.89 ± 0.02	0.55 ± 0.01	0.80 ± 0.02	0.75 ± 0.01	0.55 ± 0.03	0.84 ± 0.02	E Africa M	E Asia F	0.12
25	0.83 ± 0.02	0.570 ± 0.008	0.817 ± 0.010	0.639 ± 0.010	0.62 ± 0.02	0.88 ± 0.02	0.93 ± 0.02	0.65 ± 0.01	0.86 ± 0.01	0.812 ± 0.010	0.65 ± 0.02	0.90 ± 0.02	E Africa M	E Asia F	0.10
26	0.89 ± 0.02	0.634 ± 0.008	0.851 ± 0.009	0.691 ± 0.010	0.69 ± 0.02	0.91 ± 0.01	0.95 ± 0.02	0.735 ± 0.010	0.91 ± 0.01	0.859 ± 0.008	0.75 ± 0.02	0.91 ± 0.01	E Africa M	E Asia F	0.08
27	0.90 ± 0.02	0.689 ± 0.007	0.895 ± 0.007	0.737 ± 0.008	0.73 ± 0.01	0.93 ± 0.01	0.97 ± 0.01	0.795 ± 0.008	0.942 ± 0.009	0.896 ± 0.006	0.82 ± 0.02	0.95 ± 0.01	E Africa M	E Asia F	0.07
28	0.91 ± 0.02	0.748 ± 0.007	0.929 ± 0.006	0.778 ± 0.008	0.79 ± 0.01	0.93 ± 0.01	0.982 ± 0.008	0.850 ± 0.008	0.970 ± 0.006	0.928 ± 0.005	0.87 ± 0.02	0.963 ± 0.008	E Africa M	E Asia F	0.05
29	0.94 ± 0.01	0.798 ± 0.006	0.952 ± 0.005	0.814 ± 0.007	0.83 ± 0.01	0.95 ± 0.01	0.985 ± 0.008	0.891 ± 0.006	0.979 ± 0.005	0.950 ± 0.004	0.90 ± 0.01	0.974 ± 0.007	E Africa M	E Asia F	0.04
30	0.95 ± 0.01	0.840 ± 0.005	0.964 ± 0.004	0.855 ± 0.006	0.870 ± 0.010	0.963 ± 0.008	0.992 ± 0.006	0.923 ± 0.006	0.987 ± 0.004	0.966 ± 0.003	0.93 ± 0.01	0.978 ± 0.006	E Africa M	E Asia F	0.03
31	0.96 ± 0.01	0.873 ± 0.005	0.975 ± 0.004	0.881 ± 0.005	0.894 ± 0.009	0.972 ± 0.008	0.992 ± 0.005	0.948 ± 0.004	0.994 ± 0.002	0.976 ± 0.002	0.95 ± 0.01	0.986 ± 0.005	E Europe M	E Asia F	0.03
32	0.979 ± 0.009	0.900 ± 0.004	0.983 ± 0.003	0.906 ± 0.005	0.923 ± 0.008	0.978 ± 0.007	0.996 ± 0.004	0.964 ± 0.004	0.995 ± 0.002	0.985 ± 0.002	0.967 ± 0.009	0.990 ± 0.004	E Africa M	E Asia F	0.02
33	0.978 ± 0.008	0.927 ± 0.004	0.988 ± 0.003	0.925 ± 0.005	0.938 ± 0.008	0.983 ± 0.007	0.995 ± 0.004	0.974 ± 0.003	0.996 ± 0.002	0.987 ± 0.002	0.981 ± 0.006	0.997 ± 0.002	W Africa M	S Asia F	0.01
34	0.987 ± 0.006	0.941 ± 0.003	0.990 ± 0.003	0.943 ± 0.004	0.954 ± 0.007	0.988 ± 0.006	0.998 ± 0.003	0.981 ± 0.002	0.999 ± 0.001	0.992 ± 0.001	0.987 ± 0.005	0.995 ± 0.003	E Europe M	E Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 209. *For algorithm incode-002 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.009 ± 0.007	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.004 ± 0.004	0.008 ± 0.008	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	E Africa F	E Europe F	0.75
15	0.02 ± 0.01	0.006 ± 0.004	0.008 ± 0.008	0.011 ± 0.006	0.010 ± 0.007	0.004 ± 0.004	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	E Africa F	E Asia M	0.56
16	0.06 ± 0.02	0.016 ± 0.006	0.04 ± 0.02	0.010 ± 0.006	0.03 ± 0.02	0.05 ± 0.02	0.02 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	E Africa F	S E Asia M	0.60
17	0.08 ± 0.03	0.031 ± 0.008	0.03 ± 0.01	0.03 ± 0.01	0.04 ± 0.02	0.08 ± 0.03	0.012 ± 0.009	0.005 ± 0.003	0.000 ± 0.000	0.010 ± 0.006	0.006 ± 0.006	0.02 ± 0.02	E Africa F	E Europe M	0.53
18	0.09 ± 0.02	0.056 ± 0.010	0.03 ± 0.01	0.07 ± 0.01	0.08 ± 0.02	0.12 ± 0.03	0.02 ± 0.01	0.012 ± 0.004	0.005 ± 0.005	0.019 ± 0.006	0.011 ± 0.007	0.05 ± 0.02	W Africa F	E Europe M	0.46
19	0.19 ± 0.03	0.12 ± 0.01	0.09 ± 0.02	0.10 ± 0.01	0.12 ± 0.02	0.19 ± 0.04	0.09 ± 0.02	0.028 ± 0.007	0.008 ± 0.006	0.035 ± 0.009	0.023 ± 0.010	0.09 ± 0.03	W Africa F	E Europe M	0.39
20	0.27 ± 0.03	0.17 ± 0.02	0.11 ± 0.02	0.17 ± 0.02	0.18 ± 0.02	0.25 ± 0.03	0.16 ± 0.03	0.054 ± 0.009	0.05 ± 0.02	0.10 ± 0.01	0.06 ± 0.02	0.12 ± 0.03	E Africa F	E Europe M	0.30
21	0.37 ± 0.03	0.26 ± 0.02	0.20 ± 0.02	0.23 ± 0.02	0.27 ± 0.02	0.34 ± 0.04	0.25 ± 0.03	0.12 ± 0.01	0.07 ± 0.02	0.19 ± 0.02	0.14 ± 0.02	0.22 ± 0.04	E Africa F	E Europe M	0.23
22	0.43 ± 0.04	0.35 ± 0.02	0.29 ± 0.02	0.31 ± 0.02	0.37 ± 0.02	0.41 ± 0.04	0.43 ± 0.03	0.24 ± 0.02	0.17 ± 0.03	0.28 ± 0.02	0.22 ± 0.03	0.24 ± 0.03	E Africa M	E Europe M	0.17
23	0.56 ± 0.03	0.45 ± 0.02	0.41 ± 0.03	0.42 ± 0.02	0.49 ± 0.02	0.54 ± 0.03	0.49 ± 0.03	0.36 ± 0.02	0.28 ± 0.03	0.44 ± 0.02	0.37 ± 0.03	0.41 ± 0.04	E Africa F	E Europe M	0.11
24	0.64 ± 0.03	0.56 ± 0.02	0.53 ± 0.02	0.51 ± 0.02	0.59 ± 0.02	0.58 ± 0.03	0.64 ± 0.03	0.50 ± 0.02	0.47 ± 0.03	0.59 ± 0.02	0.52 ± 0.03	0.53 ± 0.03	E Africa F	E Europe M	0.06
25	0.70 ± 0.02	0.66 ± 0.01	0.64 ± 0.02	0.59 ± 0.01	0.70 ± 0.02	0.69 ± 0.03	0.75 ± 0.03	0.65 ± 0.02	0.65 ± 0.03	0.72 ± 0.02	0.65 ± 0.03	0.64 ± 0.03	E Africa M	S Asia F	0.04
26	0.79 ± 0.02	0.74 ± 0.01	0.75 ± 0.02	0.68 ± 0.01	0.77 ± 0.01	0.76 ± 0.02	0.82 ± 0.02	0.77 ± 0.02	0.77 ± 0.02	0.82 ± 0.01	0.80 ± 0.02	0.75 ± 0.02	S Asia M	S Asia F	0.03
27	0.83 ± 0.02	0.81 ± 0.01	0.83 ± 0.01	0.75 ± 0.01	0.84 ± 0.01	0.82 ± 0.02	0.88 ± 0.02	0.85 ± 0.01	0.88 ± 0.02	0.88 ± 0.01	0.86 ± 0.02	0.82 ± 0.02	E Europe M	S Asia F	0.03
28	0.89 ± 0.02	0.870 ± 0.009	0.90 ± 0.01	0.80 ± 0.01	0.89 ± 0.01	0.87 ± 0.02	0.92 ± 0.01	0.914 ± 0.009	0.93 ± 0.01	0.933 ± 0.007	0.92 ± 0.02	0.88 ± 0.02	S Asia M	S Asia F	0.02
29	0.93 ± 0.01	0.912 ± 0.007	0.944 ± 0.009	0.859 ± 0.009	0.935 ± 0.010	0.91 ± 0.02	0.96 ± 0.01	0.955 ± 0.008	0.97 ± 0.01	0.957 ± 0.005	0.94 ± 0.01	0.93 ± 0.01	E Europe M	S Asia F	0.02
30	0.94 ± 0.01	0.939 ± 0.006	0.968 ± 0.007	0.898 ± 0.008	0.960 ± 0.008	0.93 ± 0.01	0.970 ± 0.010	0.973 ± 0.006	0.986 ± 0.006	0.972 ± 0.004	0.979 ± 0.009	0.954 ± 0.010	E Europe M	S Asia F	0.01
31	0.95 ± 0.01	0.959 ± 0.005	0.983 ± 0.005	0.931 ± 0.007	0.976 ± 0.006	0.95 ± 0.01	0.987 ± 0.007	0.984 ± 0.004	0.992 ± 0.005	0.987 ± 0.003	0.984 ± 0.007	0.974 ± 0.008	E Europe M	S Asia F	0.01
32	0.974 ± 0.009	0.974 ± 0.004	0.993 ± 0.004	0.958 ± 0.005	0.983 ± 0.005	0.96 ± 0.01	0.993 ± 0.004	0.991 ± 0.003	0.996 ± 0.004	0.991 ± 0.002	0.988 ± 0.007	0.977 ± 0.007	E Europe M	S Asia F	0.01
33	0.982 ± 0.007	0.986 ± 0.003	0.994 ± 0.004	0.971 ± 0.005	0.992 ± 0.004	0.982 ± 0.007	0.995 ± 0.004	0.996 ± 0.002	0.999 ± 0.002	0.996 ± 0.001	0.995 ± 0.005	0.988 ± 0.005	E Europe M	S Asia F	0.00
34	0.986 ± 0.007	0.992 ± 0.002	0.995 ± 0.003	0.985 ± 0.004	0.994 ± 0.003	0.984 ± 0.007	0.997 ± 0.003	0.998 ± 0.002	0.998 ± 0.003	0.998 ± 0.001	0.997 ± 0.004	0.994 ± 0.004	S Asia M	W Africa F	0.00

Table 210. *For algorithm incode-002 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.03	0.008 ± 0.004	0.02 ± 0.01	0.019 ± 0.008	0.005 ± 0.005	0.04 ± 0.03	0.04 ± 0.02	0.003 ± 0.002	0.002 ± 0.002	0.002 ± 0.002	0.004 ± 0.004	0.03 ± 0.02	E Africa F	E Europe M	0.54
15	0.07 ± 0.03	0.013 ± 0.004	0.05 ± 0.02	0.03 ± 0.01	0.011 ± 0.007	0.12 ± 0.04	0.05 ± 0.03	0.002 ± 0.001	0.004 ± 0.004	0.003 ± 0.002	0.004 ± 0.004	0.03 ± 0.02	W Africa F	E Asia M	0.59
16	0.15 ± 0.05	0.017 ± 0.004	0.07 ± 0.02	0.046 ± 0.010	0.022 ± 0.010	0.09 ± 0.04	0.06 ± 0.03	0.004 ± 0.002	0.013 ± 0.008	0.009 ± 0.004	0.003 ± 0.003	0.03 ± 0.02	E Africa F	S E Asia M	0.56
17	0.17 ± 0.04	0.025 ± 0.005	0.10 ± 0.02	0.07 ± 0.01	0.04 ± 0.01	0.17 ± 0.04	0.09 ± 0.03	0.007 ± 0.003	0.014 ± 0.008	0.023 ± 0.007	0.008 ± 0.005	0.07 ± 0.03	E Africa F	E Asia M	0.51
18	0.26 ± 0.05	0.037 ± 0.005	0.14 ± 0.02	0.10 ± 0.01	0.05 ± 0.01	0.18 ± 0.04	0.17 ± 0.04	0.014 ± 0.003	0.03 ± 0.01	0.035 ± 0.008	0.007 ± 0.005	0.09 ± 0.03	E Africa F	S E Asia M	0.49
19	0.31 ± 0.04	0.060 ± 0.006	0.16 ± 0.02	0.14 ± 0.01	0.07 ± 0.01	0.28 ± 0.04	0.21 ± 0.04	0.026 ± 0.004	0.05 ± 0.01	0.080 ± 0.009	0.027 ± 0.009	0.14 ± 0.03	E Africa F	E Asia M	0.42
20	0.40 ± 0.04	0.092 ± 0.007	0.22 ± 0.02	0.17 ± 0.01	0.11 ± 0.01	0.34 ± 0.04	0.33 ± 0.04	0.049 ± 0.006	0.11 ± 0.02	0.16 ± 0.01	0.05 ± 0.01	0.18 ± 0.03	E Africa F	E Asia M	0.37
21	0.45 ± 0.04	0.122 ± 0.007	0.29 ± 0.02	0.21 ± 0.01	0.15 ± 0.01	0.44 ± 0.04	0.39 ± 0.04	0.085 ± 0.007	0.19 ± 0.02	0.23 ± 0.01	0.08 ± 0.01	0.28 ± 0.04	E Africa F	S E Asia M	0.31
22	0.58 ± 0.04	0.159 ± 0.007	0.37 ± 0.02	0.28 ± 0.01	0.19 ± 0.01	0.52 ± 0.03	0.54 ± 0.04	0.147 ± 0.009	0.28 ± 0.02	0.34 ± 0.01	0.15 ± 0.02	0.39 ± 0.03	E Africa F	E Asia M	0.28
23	0.60 ± 0.04	0.205 ± 0.008	0.44 ± 0.02	0.33 ± 0.01	0.25 ± 0.02	0.56 ± 0.03	0.59 ± 0.04	0.22 ± 0.01	0.42 ± 0.02	0.43 ± 0.01	0.23 ± 0.02	0.48 ± 0.03	E Africa F	E Asia F	0.22
24	0.66 ± 0.03	0.260 ± 0.008	0.54 ± 0.01	0.40 ± 0.01	0.33 ± 0.01	0.62 ± 0.03	0.69 ± 0.03	0.32 ± 0.01	0.57 ± 0.02	0.54 ± 0.01	0.32 ± 0.02	0.55 ± 0.03	E Africa M	E Asia F	0.18
25	0.72 ± 0.03	0.326 ± 0.008	0.62 ± 0.01	0.47 ± 0.01	0.40 ± 0.02	0.69 ± 0.02	0.77 ± 0.03	0.42 ± 0.01	0.69 ± 0.02	0.65 ± 0.01	0.45 ± 0.03	0.66 ± 0.03	E Africa M	E Asia F	0.15
26	0.76 ± 0.02	0.403 ± 0.008	0.69 ± 0.01	0.53 ± 0.01	0.48 ± 0.01	0.73 ± 0.02	0.86 ± 0.02	0.53 ± 0.01	0.77 ± 0.02	0.723 ± 0.010	0.53 ± 0.02	0.72 ± 0.02	E Africa M	E Asia F	0.13
27	0.81 ± 0.02	0.467 ± 0.007	0.771 ± 0.010	0.597 ± 0.009	0.55 ± 0.02	0.80 ± 0.02	0.87 ± 0.02	0.61 ± 0.01	0.85 ± 0.01	0.793 ± 0.009	0.66 ± 0.03	0.81 ± 0.02	E Africa M	E Asia F	0.11
28	0.85 ± 0.02	0.555 ± 0.007	0.837 ± 0.009	0.651 ± 0.008	0.64 ± 0.01	0.82 ± 0.02	0.92 ± 0.02	0.705 ± 0.010	0.912 ± 0.010	0.847 ± 0.006	0.73 ± 0.02	0.86 ± 0.02	E Africa M	E Asia F	0.09
29	0.87 ± 0.02	0.621 ± 0.007	0.886 ± 0.007	0.705 ± 0.008	0.70 ± 0.02	0.86 ± 0.02	0.95 ± 0.01	0.784 ± 0.008	0.932 ± 0.009	0.885 ± 0.006	0.81 ± 0.02	0.90 ± 0.01	E Africa M	E Asia F	0.07
30	0.90 ± 0.02	0.694 ± 0.007	0.914 ± 0.007	0.766 ± 0.008	0.76 ± 0.01	0.89 ± 0.01	0.96 ± 0.01	0.845 ± 0.007	0.964 ± 0.006	0.920 ± 0.004	0.86 ± 0.02	0.92 ± 0.01	E Europe M	E Asia F	0.06
31	0.92 ± 0.01	0.758 ± 0.006	0.940 ± 0.006	0.814 ± 0.007	0.82 ± 0.01	0.92 ± 0.01	0.97 ± 0.01	0.893 ± 0.006	0.980 ± 0.004	0.946 ± 0.003	0.91 ± 0.01	0.94 ± 0.01	E Europe M	E Asia F	0.04
32	0.94 ± 0.01	0.809 ± 0.006	0.962 ± 0.005	0.857 ± 0.006	0.86 ± 0.01	0.93 ± 0.01	0.984 ± 0.007	0.925 ± 0.005	0.986 ± 0.004	0.961 ± 0.003	0.93 ± 0.01	0.958 ± 0.007	E Europe M	E Asia F	0.03
33	0.95 ± 0.01	0.855 ± 0.005	0.972 ± 0.004	0.891 ± 0.005	0.894 ± 0.009	0.95 ± 0.01	0.988 ± 0.006	0.946 ± 0.004	0.992 ± 0.003	0.975 ± 0.002	0.957 ± 0.009	0.974 ± 0.007	E Europe M	E Asia F	0.03
34	0.96 ± 0.01	0.888 ± 0.004	0.982 ± 0.004	0.920 ± 0.005	0.917 ± 0.009	0.967 ± 0.009	0.986 ± 0.006	0.961 ± 0.004	0.996 ± 0.002	0.982 ± 0.002	0.974 ± 0.007	0.981 ± 0.006	E Europe M	E Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 211. *For algorithm innovatrics-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.03 ± 0.02	0.001 ± 0.001	0.002 ± 0.002	0.006 ± 0.004	0.000 ± 0.000	0.04 ± 0.02	0.012 ± 0.008	0.002 ± 0.002	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.000 ± 0.000	W Africa F	S E Asia F	0.77
15	0.05 ± 0.02	0.003 ± 0.002	0.000 ± 0.000	0.018 ± 0.009	0.003 ± 0.003	0.08 ± 0.04	0.008 ± 0.008	0.001 ± 0.001	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe F	0.79
16	0.11 ± 0.03	0.015 ± 0.006	0.005 ± 0.005	0.015 ± 0.008	0.02 ± 0.01	0.12 ± 0.04	0.03 ± 0.02	0.001 ± 0.001	0.003 ± 0.003	0.006 ± 0.004	0.000 ± 0.000	0.02 ± 0.01	W Africa F	S E Asia M	0.70
17	0.20 ± 0.04	0.020 ± 0.007	0.01 ± 0.01	0.07 ± 0.02	0.01 ± 0.01	0.22 ± 0.05	0.03 ± 0.01	0.006 ± 0.004	0.000 ± 0.000	0.020 ± 0.008	0.003 ± 0.003	0.07 ± 0.03	W Africa F	E Europe M	0.68
18	0.23 ± 0.03	0.029 ± 0.007	0.02 ± 0.01	0.08 ± 0.01	0.03 ± 0.01	0.25 ± 0.04	0.07 ± 0.02	0.015 ± 0.005	0.011 ± 0.007	0.043 ± 0.009	0.010 ± 0.007	0.10 ± 0.03	W Africa F	S E Asia M	0.58
19	0.34 ± 0.04	0.07 ± 0.01	0.06 ± 0.02	0.14 ± 0.02	0.05 ± 0.01	0.37 ± 0.04	0.17 ± 0.03	0.030 ± 0.007	0.03 ± 0.01	0.10 ± 0.01	0.02 ± 0.01	0.20 ± 0.04	W Africa F	S E Asia M	0.50
20	0.45 ± 0.04	0.12 ± 0.01	0.09 ± 0.02	0.20 ± 0.02	0.08 ± 0.01	0.48 ± 0.04	0.28 ± 0.04	0.057 ± 0.010	0.07 ± 0.02	0.19 ± 0.02	0.04 ± 0.01	0.27 ± 0.04	W Africa F	S E Asia M	0.44
21	0.53 ± 0.04	0.18 ± 0.02	0.15 ± 0.02	0.31 ± 0.02	0.15 ± 0.02	0.53 ± 0.04	0.37 ± 0.03	0.12 ± 0.01	0.15 ± 0.02	0.30 ± 0.02	0.09 ± 0.02	0.40 ± 0.04	W Africa F	S E Asia M	0.34
22	0.63 ± 0.03	0.25 ± 0.02	0.24 ± 0.02	0.39 ± 0.02	0.21 ± 0.02	0.63 ± 0.04	0.56 ± 0.04	0.19 ± 0.02	0.28 ± 0.03	0.43 ± 0.02	0.14 ± 0.02	0.51 ± 0.04	W Africa F	S E Asia M	0.28
23	0.71 ± 0.03	0.35 ± 0.02	0.32 ± 0.03	0.51 ± 0.02	0.29 ± 0.02	0.72 ± 0.03	0.65 ± 0.03	0.30 ± 0.02	0.40 ± 0.03	0.58 ± 0.02	0.23 ± 0.03	0.66 ± 0.03	W Africa F	S E Asia M	0.22
24	0.76 ± 0.03	0.43 ± 0.02	0.47 ± 0.02	0.59 ± 0.02	0.39 ± 0.02	0.75 ± 0.03	0.78 ± 0.03	0.40 ± 0.02	0.57 ± 0.03	0.72 ± 0.02	0.35 ± 0.03	0.74 ± 0.03	E Africa M	S E Asia M	0.17
25	0.81 ± 0.02	0.55 ± 0.02	0.56 ± 0.02	0.68 ± 0.01	0.49 ± 0.02	0.82 ± 0.02	0.84 ± 0.02	0.54 ± 0.02	0.71 ± 0.03	0.82 ± 0.01	0.47 ± 0.03	0.82 ± 0.02	E Africa M	S E Asia M	0.12
26	0.85 ± 0.02	0.63 ± 0.01	0.68 ± 0.02	0.74 ± 0.01	0.60 ± 0.02	0.90 ± 0.02	0.89 ± 0.02	0.66 ± 0.02	0.79 ± 0.02	0.88 ± 0.01	0.61 ± 0.03	0.89 ± 0.02	W Africa F	S E Asia F	0.09
27	0.89 ± 0.02	0.72 ± 0.01	0.76 ± 0.01	0.80 ± 0.01	0.67 ± 0.02	0.91 ± 0.01	0.92 ± 0.01	0.75 ± 0.02	0.89 ± 0.02	0.923 ± 0.008	0.72 ± 0.02	0.92 ± 0.01	S Asia M	S E Asia F	0.07
28	0.92 ± 0.01	0.79 ± 0.01	0.85 ± 0.01	0.848 ± 0.009	0.76 ± 0.02	0.94 ± 0.01	0.96 ± 0.01	0.84 ± 0.01	0.94 ± 0.01	0.949 ± 0.006	0.82 ± 0.02	0.96 ± 0.01	W Africa M	S E Asia F	0.05
29	0.95 ± 0.01	0.852 ± 0.010	0.91 ± 0.01	0.887 ± 0.008	0.82 ± 0.01	0.96 ± 0.01	0.972 ± 0.009	0.90 ± 0.01	0.968 ± 0.009	0.971 ± 0.005	0.87 ± 0.02	0.976 ± 0.008	W Africa M	S E Asia F	0.03
30	0.96 ± 0.01	0.901 ± 0.007	0.935 ± 0.009	0.919 ± 0.007	0.88 ± 0.01	0.96 ± 0.01	0.986 ± 0.006	0.939 ± 0.008	0.987 ± 0.006	0.981 ± 0.004	0.92 ± 0.02	0.985 ± 0.006	E Europe M	S E Asia F	0.02
31	0.980 ± 0.007	0.929 ± 0.006	0.958 ± 0.008	0.936 ± 0.007	0.91 ± 0.01	0.985 ± 0.007	0.987 ± 0.006	0.966 ± 0.007	0.994 ± 0.004	0.989 ± 0.003	0.95 ± 0.01	0.992 ± 0.004	E Europe M	S E Asia F	0.02
32	0.984 ± 0.007	0.957 ± 0.005	0.980 ± 0.006	0.961 ± 0.005	0.944 ± 0.010	0.986 ± 0.007	0.993 ± 0.004	0.977 ± 0.005	0.994 ± 0.004	0.995 ± 0.002	0.972 ± 0.010	0.994 ± 0.004	S Asia M	S E Asia F	0.01
33	0.987 ± 0.006	0.976 ± 0.004	0.987 ± 0.005	0.975 ± 0.004	0.961 ± 0.009	0.996 ± 0.004	0.999 ± 0.002	0.988 ± 0.004	0.997 ± 0.003	0.998 ± 0.001	0.984 ± 0.008	0.998 ± 0.002	E Africa M	S E Asia F	0.01
34	0.987 ± 0.006	0.982 ± 0.004	0.991 ± 0.004	0.984 ± 0.004	0.974 ± 0.006	0.993 ± 0.005	0.998 ± 0.003	0.993 ± 0.003	0.999 ± 0.002	0.998 ± 0.001	0.990 ± 0.007	0.999 ± 0.002	W Africa M	S E Asia F	0.00

Table 212. *For algorithm innovatrics-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.12 ± 0.05	0.002 ± 0.001	0.004 ± 0.004	0.024 ± 0.009	0.000 ± 0.000	0.11 ± 0.05	0.07 ± 0.04	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.004 ± 0.004	0.04 ± 0.03	E Africa F	S E Asia F	0.75
15	0.16 ± 0.05	0.002 ± 0.001	0.004 ± 0.004	0.04 ± 0.01	0.000 ± 0.000	0.22 ± 0.06	0.11 ± 0.04	0.002 ± 0.002	0.000 ± 0.000	0.004 ± 0.003	0.004 ± 0.004	0.12 ± 0.04	W Africa F	S E Asia F	0.73
16	0.30 ± 0.06	0.007 ± 0.003	0.012 ± 0.008	0.07 ± 0.01	0.007 ± 0.005	0.25 ± 0.05	0.16 ± 0.05	0.004 ± 0.002	0.007 ± 0.005	0.009 ± 0.004	0.000 ± 0.000	0.11 ± 0.04	E Africa F	S E Asia M	0.71
17	0.35 ± 0.06	0.019 ± 0.004	0.03 ± 0.01	0.10 ± 0.01	0.008 ± 0.005	0.38 ± 0.06	0.20 ± 0.05	0.011 ± 0.003	0.005 ± 0.005	0.05 ± 0.01	0.005 ± 0.004	0.21 ± 0.05	W Africa F	S E Asia M	0.65
18	0.43 ± 0.05	0.028 ± 0.004	0.07 ± 0.01	0.15 ± 0.02	0.014 ± 0.006	0.37 ± 0.05	0.29 ± 0.05	0.019 ± 0.004	0.03 ± 0.01	0.09 ± 0.01	0.011 ± 0.006	0.27 ± 0.04	E Africa F	S E Asia M	0.58
19	0.48 ± 0.05	0.045 ± 0.005	0.10 ± 0.01	0.22 ± 0.01	0.033 ± 0.008	0.52 ± 0.04	0.46 ± 0.05	0.041 ± 0.005	0.06 ± 0.02	0.20 ± 0.02	0.025 ± 0.009	0.36 ± 0.04	W Africa F	S E Asia M	0.52
20	0.61 ± 0.04	0.080 ± 0.006	0.14 ± 0.02	0.29 ± 0.02	0.06 ± 0.01	0.62 ± 0.04	0.53 ± 0.05	0.077 ± 0.006	0.12 ± 0.02	0.32 ± 0.02	0.06 ± 0.01	0.48 ± 0.04	W Africa F	S E Asia M	0.46
21	0.67 ± 0.03	0.112 ± 0.007	0.19 ± 0.01	0.35 ± 0.02	0.08 ± 0.01	0.69 ± 0.03	0.62 ± 0.04	0.125 ± 0.008	0.23 ± 0.02	0.45 ± 0.02	0.10 ± 0.01	0.64 ± 0.04	W Africa F	S E Asia F	0.40
22	0.77 ± 0.03	0.157 ± 0.007	0.28 ± 0.01	0.44 ± 0.01	0.14 ± 0.01	0.77 ± 0.03	0.75 ± 0.03	0.206 ± 0.010	0.35 ± 0.03	0.58 ± 0.02	0.16 ± 0.02	0.73 ± 0.03	E Africa F	S E Asia F	0.35
23	0.81 ± 0.03	0.217 ± 0.008	0.36 ± 0.01	0.51 ± 0.01	0.22 ± 0.01	0.81 ± 0.02	0.81 ± 0.03	0.30 ± 0.01	0.49 ± 0.02	0.68 ± 0.01	0.24 ± 0.02	0.81 ± 0.02	W Africa F	E Asia F	0.28
24	0.85 ± 0.02	0.286 ± 0.008	0.45 ± 0.01	0.60 ± 0.01	0.28 ± 0.02	0.85 ± 0.02	0.88 ± 0.02	0.40 ± 0.01	0.63 ± 0.02	0.78 ± 0.01	0.34 ± 0.02	0.86 ± 0.02	E Africa M	S E Asia F	0.24
25	0.89 ± 0.02	0.365 ± 0.008	0.56 ± 0.01	0.656 ± 0.010	0.37 ± 0.02	0.89 ± 0.02	0.92 ± 0.02	0.49 ± 0.01	0.73 ± 0.02	0.850 ± 0.008	0.44 ± 0.02	0.91 ± 0.02	E Africa M	E Asia F	0.19
26	0.91 ± 0.02	0.454 ± 0.008	0.64 ± 0.01	0.714 ± 0.009	0.46 ± 0.02	0.91 ± 0.01	0.96 ± 0.01	0.59 ± 0.01	0.81 ± 0.01	0.896 ± 0.007	0.55 ± 0.02	0.93 ± 0.01	E Africa M	E Asia F	0.15
27	0.92 ± 0.02	0.525 ± 0.007	0.73 ± 0.01	0.766 ± 0.008	0.54 ± 0.02	0.94 ± 0.01	0.96 ± 0.01	0.67 ± 0.01	0.89 ± 0.01	0.932 ± 0.005	0.66 ± 0.02	0.967 ± 0.009	W Africa M	E Asia F	0.12
28	0.95 ± 0.01	0.608 ± 0.007	0.798 ± 0.009	0.817 ± 0.007	0.62 ± 0.02	0.947 ± 0.010	0.977 ± 0.009	0.748 ± 0.009	0.934 ± 0.009	0.956 ± 0.004	0.73 ± 0.02	0.977 ± 0.007	W Africa M	E Asia F	0.09
29	0.966 ± 0.010	0.682 ± 0.007	0.860 ± 0.008	0.848 ± 0.006	0.69 ± 0.01	0.969 ± 0.008	0.991 ± 0.005	0.817 ± 0.008	0.951 ± 0.008	0.966 ± 0.003	0.80 ± 0.02	0.988 ± 0.005	E Africa M	E Asia F	0.07
30	0.970 ± 0.009	0.743 ± 0.006	0.905 ± 0.007	0.886 ± 0.005	0.75 ± 0.01	0.975 ± 0.008	0.994 ± 0.005	0.867 ± 0.007	0.980 ± 0.005	0.980 ± 0.002	0.86 ± 0.02	0.990 ± 0.004	E Africa M	E Asia F	0.06
31	0.979 ± 0.008	0.802 ± 0.006	0.936 ± 0.006	0.915 ± 0.005	0.80 ± 0.01	0.980 ± 0.007	0.997 ± 0.004	0.908 ± 0.005	0.988 ± 0.004	0.988 ± 0.002	0.89 ± 0.01	0.993 ± 0.004	E Africa M	S E Asia F	0.04
32	0.987 ± 0.006	0.852 ± 0.005	0.962 ± 0.005	0.934 ± 0.004	0.85 ± 0.01	0.989 ± 0.005	0.997 ± 0.003	0.940 ± 0.004	0.992 ± 0.003	0.992 ± 0.001	0.92 ± 0.01	0.995 ± 0.003	E Africa M	S E Asia F	0.03
33	0.987 ± 0.007	0.887 ± 0.004	0.974 ± 0.004	0.953 ± 0.004	0.895 ± 0.009	0.993 ± 0.004	0.999 ± 0.002	0.956 ± 0.004	0.998 ± 0.001	0.995 ± 0.001	0.956 ± 0.009	0.997 ± 0.002	E Africa M	E Asia F	0.02
34	0.990 ± 0.006	0.920 ± 0.004	0.982 ± 0.004	0.967 ± 0.003	0.920 ± 0.009	0.994 ± 0.004	0.999 ± 0.002	0.969 ± 0.003	0.998 ± 0.001	0.997 ± 0.001	0.963 ± 0.009	0.998 ± 0.002	E Africa M	S E Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 213. *For algorithm innovatrics-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.01	0.000 ± 0.000	0.000 ± 0.000	0.005 ± 0.003	0.000 ± 0.000	0.04 ± 0.02	0.010 ± 0.008	0.001 ± 0.001	0.000 ± 0.000	0.003 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Asia F	0.84
15	0.04 ± 0.02	0.002 ± 0.002	0.000 ± 0.000	0.011 ± 0.006	0.003 ± 0.003	0.07 ± 0.03	0.005 ± 0.005	0.000 ± 0.000	0.000 ± 0.000	0.003 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe F	0.82
16	0.09 ± 0.03	0.008 ± 0.005	0.005 ± 0.005	0.011 ± 0.006	0.005 ± 0.005	0.13 ± 0.03	0.03 ± 0.02	0.000 ± 0.000	0.003 ± 0.003	0.006 ± 0.004	0.000 ± 0.000	0.01 ± 0.01	W Africa F	E Asia M	0.75
17	0.17 ± 0.04	0.014 ± 0.005	0.02 ± 0.01	0.04 ± 0.01	0.01 ± 0.01	0.22 ± 0.04	0.02 ± 0.01	0.004 ± 0.003	0.000 ± 0.000	0.012 ± 0.006	0.003 ± 0.003	0.06 ± 0.02	W Africa F	E Europe M	0.71
18	0.20 ± 0.03	0.024 ± 0.006	0.02 ± 0.01	0.051 ± 0.009	0.020 ± 0.009	0.25 ± 0.04	0.06 ± 0.02	0.011 ± 0.004	0.007 ± 0.005	0.026 ± 0.007	0.006 ± 0.004	0.11 ± 0.03	W Africa F	S E Asia M	0.63
19	0.29 ± 0.03	0.051 ± 0.009	0.05 ± 0.02	0.10 ± 0.01	0.04 ± 0.01	0.37 ± 0.04	0.17 ± 0.03	0.019 ± 0.006	0.02 ± 0.01	0.06 ± 0.01	0.011 ± 0.007	0.19 ± 0.04	W Africa F	S E Asia M	0.56
20	0.40 ± 0.04	0.08 ± 0.01	0.06 ± 0.02	0.15 ± 0.02	0.06 ± 0.01	0.49 ± 0.04	0.26 ± 0.04	0.034 ± 0.007	0.05 ± 0.02	0.15 ± 0.02	0.022 ± 0.010	0.26 ± 0.04	W Africa F	S E Asia M	0.51
21	0.49 ± 0.04	0.14 ± 0.01	0.11 ± 0.02	0.24 ± 0.02	0.10 ± 0.01	0.55 ± 0.04	0.36 ± 0.03	0.08 ± 0.01	0.11 ± 0.02	0.25 ± 0.02	0.07 ± 0.02	0.37 ± 0.04	W Africa F	S E Asia M	0.40
22	0.59 ± 0.03	0.19 ± 0.02	0.19 ± 0.02	0.32 ± 0.02	0.16 ± 0.02	0.65 ± 0.03	0.53 ± 0.03	0.14 ± 0.01	0.22 ± 0.03	0.36 ± 0.02	0.10 ± 0.02	0.50 ± 0.04	W Africa F	S E Asia M	0.34
23	0.66 ± 0.03	0.28 ± 0.02	0.27 ± 0.02	0.44 ± 0.02	0.24 ± 0.02	0.75 ± 0.03	0.63 ± 0.03	0.22 ± 0.02	0.34 ± 0.03	0.53 ± 0.02	0.20 ± 0.02	0.63 ± 0.03	W Africa F	S E Asia M	0.27
24	0.72 ± 0.03	0.35 ± 0.01	0.40 ± 0.02	0.52 ± 0.02	0.34 ± 0.02	0.77 ± 0.03	0.73 ± 0.03	0.34 ± 0.02	0.49 ± 0.03	0.67 ± 0.02	0.30 ± 0.03	0.73 ± 0.03	W Africa F	S E Asia M	0.20
25	0.77 ± 0.02	0.48 ± 0.01	0.51 ± 0.02	0.61 ± 0.01	0.44 ± 0.02	0.84 ± 0.02	0.82 ± 0.02	0.47 ± 0.02	0.66 ± 0.03	0.77 ± 0.01	0.41 ± 0.03	0.80 ± 0.02	W Africa F	S E Asia M	0.15
26	0.82 ± 0.02	0.56 ± 0.01	0.63 ± 0.02	0.68 ± 0.01	0.55 ± 0.02	0.90 ± 0.02	0.88 ± 0.02	0.59 ± 0.02	0.76 ± 0.02	0.85 ± 0.01	0.56 ± 0.03	0.88 ± 0.02	W Africa F	S E Asia F	0.11
27	0.88 ± 0.02	0.66 ± 0.01	0.73 ± 0.02	0.74 ± 0.01	0.62 ± 0.02	0.92 ± 0.01	0.91 ± 0.01	0.70 ± 0.02	0.87 ± 0.02	0.898 ± 0.009	0.68 ± 0.03	0.91 ± 0.02	W Africa F	S E Asia F	0.08
28	0.91 ± 0.01	0.75 ± 0.01	0.82 ± 0.01	0.803 ± 0.010	0.72 ± 0.02	0.95 ± 0.01	0.95 ± 0.01	0.80 ± 0.01	0.93 ± 0.01	0.938 ± 0.007	0.79 ± 0.02	0.95 ± 0.01	E Africa M	S E Asia F	0.06
29	0.94 ± 0.01	0.81 ± 0.01	0.90 ± 0.01	0.855 ± 0.009	0.79 ± 0.01	0.96 ± 0.01	0.964 ± 0.010	0.89 ± 0.01	0.957 ± 0.010	0.962 ± 0.005	0.85 ± 0.02	0.973 ± 0.008	W Africa M	S E Asia F	0.04
30	0.95 ± 0.01	0.869 ± 0.008	0.92 ± 0.01	0.891 ± 0.008	0.85 ± 0.01	0.969 ± 0.009	0.982 ± 0.007	0.923 ± 0.009	0.982 ± 0.007	0.975 ± 0.004	0.90 ± 0.02	0.983 ± 0.006	W Africa M	S E Asia F	0.03
31	0.971 ± 0.010	0.911 ± 0.007	0.953 ± 0.008	0.919 ± 0.007	0.90 ± 0.01	0.984 ± 0.007	0.987 ± 0.007	0.957 ± 0.007	0.989 ± 0.006	0.984 ± 0.003	0.94 ± 0.01	0.991 ± 0.004	W Africa M	S E Asia F	0.02
32	0.981 ± 0.007	0.943 ± 0.006	0.976 ± 0.006	0.949 ± 0.005	0.932 ± 0.010	0.982 ± 0.007	0.993 ± 0.005	0.974 ± 0.006	0.994 ± 0.004	0.992 ± 0.002	0.97 ± 0.01	0.994 ± 0.004	E Europe M	S E Asia F	0.01
33	0.988 ± 0.006	0.963 ± 0.005	0.985 ± 0.005	0.965 ± 0.004	0.951 ± 0.009	0.995 ± 0.004	0.997 ± 0.004	0.985 ± 0.004	0.998 ± 0.002	0.996 ± 0.001	0.986 ± 0.007	0.996 ± 0.003	E Europe M	S E Asia F	0.01
34	0.985 ± 0.008	0.976 ± 0.004	0.990 ± 0.004	0.979 ± 0.004	0.971 ± 0.007	0.993 ± 0.004	0.999 ± 0.002	0.993 ± 0.003	0.999 ± 0.002	0.997 ± 0.002	0.986 ± 0.007	0.996 ± 0.004	E Africa M	S E Asia F	0.01

Table 214. *For algorithm innovatrics-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.12 ± 0.05	0.001 ± 0.001	0.004 ± 0.004	0.021 ± 0.008	0.000 ± 0.000	0.09 ± 0.04	0.06 ± 0.04	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.03 ± 0.02	E Africa F	S E Asia F	0.76
15	0.12 ± 0.04	0.001 ± 0.001	0.004 ± 0.004	0.03 ± 0.01	0.002 ± 0.002	0.19 ± 0.06	0.07 ± 0.04	0.002 ± 0.001	0.000 ± 0.000	0.003 ± 0.002	0.000 ± 0.000	0.10 ± 0.04	W Africa F	E Europe M	0.75
16	0.23 ± 0.06	0.004 ± 0.002	0.008 ± 0.006	0.06 ± 0.01	0.003 ± 0.003	0.21 ± 0.05	0.12 ± 0.05	0.002 ± 0.002	0.002 ± 0.002	0.007 ± 0.004	0.000 ± 0.000	0.10 ± 0.04	E Africa F	S E Asia M	0.72
17	0.29 ± 0.05	0.012 ± 0.004	0.03 ± 0.01	0.09 ± 0.01	0.007 ± 0.005	0.33 ± 0.05	0.18 ± 0.05	0.005 ± 0.002	0.003 ± 0.003	0.040 ± 0.009	0.003 ± 0.003	0.20 ± 0.04	W Africa F	S E Asia M	0.66
18	0.40 ± 0.05	0.021 ± 0.004	0.06 ± 0.01	0.12 ± 0.01	0.011 ± 0.006	0.33 ± 0.05	0.30 ± 0.05	0.011 ± 0.003	0.019 ± 0.009	0.068 ± 0.010	0.006 ± 0.004	0.26 ± 0.04	E Africa F	S E Asia M	0.61
19	0.45 ± 0.05	0.028 ± 0.004	0.08 ± 0.01	0.18 ± 0.01	0.022 ± 0.007	0.51 ± 0.04	0.44 ± 0.05	0.023 ± 0.004	0.05 ± 0.01	0.15 ± 0.01	0.015 ± 0.006	0.34 ± 0.05	W Africa F	S E Asia M	0.56
20	0.57 ± 0.04	0.054 ± 0.005	0.13 ± 0.01	0.23 ± 0.01	0.041 ± 0.009	0.60 ± 0.04	0.54 ± 0.05	0.044 ± 0.005	0.10 ± 0.02	0.26 ± 0.02	0.04 ± 0.01	0.47 ± 0.04	W Africa F	S E Asia M	0.50
21	0.65 ± 0.04	0.078 ± 0.005	0.17 ± 0.01	0.30 ± 0.01	0.064 ± 0.009	0.67 ± 0.04	0.61 ± 0.04	0.081 ± 0.008	0.21 ± 0.02	0.38 ± 0.02	0.07 ± 0.01	0.61 ± 0.04	W Africa F	S E Asia F	0.44
22	0.72 ± 0.03	0.110 ± 0.006	0.26 ± 0.02	0.38 ± 0.01	0.11 ± 0.01	0.76 ± 0.03	0.73 ± 0.04	0.141 ± 0.008	0.33 ± 0.02	0.51 ± 0.02	0.12 ± 0.02	0.73 ± 0.03	W Africa F	S E Asia F	0.39
23	0.77 ± 0.03	0.156 ± 0.007	0.33 ± 0.01	0.44 ± 0.01	0.16 ± 0.01	0.79 ± 0.02	0.80 ± 0.03	0.219 ± 0.010	0.48 ± 0.02	0.62 ± 0.01	0.19 ± 0.02	0.80 ± 0.03	E Africa M	E Asia F	0.33
24	0.81 ± 0.02	0.214 ± 0.007	0.43 ± 0.01	0.53 ± 0.01	0.22 ± 0.01	0.84 ± 0.02	0.87 ± 0.02	0.31 ± 0.01	0.61 ± 0.02	0.73 ± 0.01	0.27 ± 0.02	0.86 ± 0.02	E Africa M	E Asia F	0.28
25	0.86 ± 0.02	0.284 ± 0.008	0.53 ± 0.01	0.60 ± 0.01	0.30 ± 0.02	0.89 ± 0.02	0.92 ± 0.02	0.40 ± 0.01	0.72 ± 0.02	0.809 ± 0.009	0.37 ± 0.02	0.91 ± 0.02	E Africa M	E Asia F	0.23
26	0.90 ± 0.02	0.364 ± 0.007	0.62 ± 0.01	0.66 ± 0.01	0.38 ± 0.02	0.91 ± 0.01	0.95 ± 0.01	0.51 ± 0.01	0.81 ± 0.02	0.859 ± 0.008	0.48 ± 0.02	0.93 ± 0.01	E Africa M	E Asia F	0.19
27	0.90 ± 0.02	0.433 ± 0.008	0.710 ± 0.010	0.713 ± 0.008	0.47 ± 0.02	0.94 ± 0.01	0.96 ± 0.01	0.58 ± 0.01	0.88 ± 0.01	0.906 ± 0.006	0.59 ± 0.02	0.969 ± 0.008	W Africa M	E Asia F	0.15
28	0.93 ± 0.01	0.522 ± 0.007	0.782 ± 0.009	0.766 ± 0.008	0.55 ± 0.02	0.95 ± 0.01	0.974 ± 0.010	0.680 ± 0.009	0.936 ± 0.008	0.935 ± 0.005	0.66 ± 0.02	0.975 ± 0.007	W Africa M	E Asia F	0.12
29	0.95 ± 0.01	0.601 ± 0.007	0.852 ± 0.008	0.803 ± 0.007	0.62 ± 0.02	0.967 ± 0.009	0.989 ± 0.006	0.761 ± 0.009	0.951 ± 0.008	0.951 ± 0.004	0.75 ± 0.02	0.986 ± 0.005	E Africa M	E Asia F	0.10
30	0.96 ± 0.01	0.671 ± 0.007	0.897 ± 0.007	0.847 ± 0.006	0.69 ± 0.01	0.972 ± 0.008	0.990 ± 0.006	0.823 ± 0.008	0.976 ± 0.005	0.969 ± 0.003	0.82 ± 0.02	0.987 ± 0.004	E Africa M	E Asia F	0.07
31	0.97 ± 0.01	0.741 ± 0.006	0.933 ± 0.006	0.885 ± 0.005	0.75 ± 0.01	0.982 ± 0.007	0.995 ± 0.004	0.878 ± 0.006	0.983 ± 0.004	0.979 ± 0.002	0.87 ± 0.02	0.993 ± 0.004	E Africa M	E Asia F	0.06
32	0.987 ± 0.006	0.805 ± 0.005	0.959 ± 0.005	0.910 ± 0.005	0.81 ± 0.01	0.990 ± 0.005	0.997 ± 0.004	0.916 ± 0.006	0.991 ± 0.003	0.987 ± 0.002	0.91 ± 0.01	0.995 ± 0.003	E Africa M	E Asia F	0.04
33	0.990 ± 0.007	0.849 ± 0.005	0.973 ± 0.004	0.936 ± 0.004	0.85 ± 0.01	0.990 ± 0.005	0.999 ± 0.002	0.940 ± 0.005	0.997 ± 0.001	0.993 ± 0.001	0.94 ± 0.01	0.998 ± 0.002	E Africa M	E Asia F	0.03
34	0.990 ± 0.006	0.887 ± 0.005	0.982 ± 0.004	0.955 ± 0.003	0.89 ± 0.01	0.993 ± 0.004	1.000 ± 0.000	0.961 ± 0.004	0.998 ± 0.001	0.995 ± 0.001	0.959 ± 0.008	0.998 ± 0.002	E Africa M	E Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 215. *For algorithm innovatrics-002 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.03 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.06 ± 0.03	0.008 ± 0.006	0.001 ± 0.001	0.000 ± 0.000	0.003 ± 0.002	0.002 ± 0.002	0.009 ± 0.009	W Africa F	E Asia F	0.81
15	0.05 ± 0.02	0.005 ± 0.004	0.003 ± 0.003	0.016 ± 0.008	0.003 ± 0.003	0.10 ± 0.04	0.01 ± 0.01	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.009 ± 0.009	W Africa F	E Asia M	0.79
16	0.15 ± 0.03	0.011 ± 0.005	0.01 ± 0.01	0.018 ± 0.009	0.010 ± 0.008	0.18 ± 0.05	0.03 ± 0.02	0.001 ± 0.001	0.003 ± 0.003	0.006 ± 0.004	0.003 ± 0.003	0.03 ± 0.02	W Africa F	E Asia M	0.73
17	0.22 ± 0.04	0.024 ± 0.007	0.04 ± 0.02	0.05 ± 0.01	0.02 ± 0.01	0.31 ± 0.05	0.05 ± 0.02	0.008 ± 0.004	0.003 ± 0.003	0.021 ± 0.009	0.003 ± 0.003	0.09 ± 0.03	W Africa F	S E Asia M	0.68
18	0.26 ± 0.03	0.032 ± 0.007	0.03 ± 0.01	0.07 ± 0.01	0.04 ± 0.01	0.33 ± 0.04	0.09 ± 0.02	0.018 ± 0.005	0.015 ± 0.009	0.044 ± 0.009	0.010 ± 0.006	0.13 ± 0.03	W Africa F	S E Asia M	0.59
19	0.37 ± 0.04	0.07 ± 0.01	0.08 ± 0.02	0.12 ± 0.01	0.07 ± 0.02	0.48 ± 0.04	0.21 ± 0.03	0.035 ± 0.007	0.03 ± 0.01	0.11 ± 0.01	0.03 ± 0.01	0.26 ± 0.04	W Africa F	S E Asia M	0.51
20	0.47 ± 0.04	0.12 ± 0.01	0.11 ± 0.02	0.18 ± 0.02	0.10 ± 0.02	0.60 ± 0.04	0.32 ± 0.04	0.07 ± 0.01	0.07 ± 0.02	0.20 ± 0.02	0.06 ± 0.02	0.34 ± 0.04	W Africa F	S E Asia M	0.44
21	0.53 ± 0.04	0.20 ± 0.02	0.18 ± 0.03	0.27 ± 0.02	0.15 ± 0.02	0.64 ± 0.04	0.44 ± 0.04	0.14 ± 0.01	0.15 ± 0.03	0.31 ± 0.02	0.11 ± 0.02	0.44 ± 0.04	W Africa F	S E Asia M	0.34
22	0.64 ± 0.03	0.26 ± 0.02	0.27 ± 0.02	0.34 ± 0.02	0.23 ± 0.02	0.73 ± 0.04	0.62 ± 0.03	0.22 ± 0.02	0.30 ± 0.03	0.44 ± 0.02	0.16 ± 0.02	0.60 ± 0.04	W Africa F	S E Asia M	0.28
23	0.71 ± 0.03	0.36 ± 0.02	0.34 ± 0.02	0.44 ± 0.02	0.32 ± 0.02	0.82 ± 0.03	0.69 ± 0.03	0.34 ± 0.02	0.39 ± 0.03	0.61 ± 0.02	0.26 ± 0.03	0.70 ± 0.03	W Africa F	S E Asia M	0.22
24	0.76 ± 0.03	0.43 ± 0.02	0.48 ± 0.02	0.53 ± 0.02	0.40 ± 0.02	0.84 ± 0.02	0.79 ± 0.03	0.44 ± 0.02	0.56 ± 0.03	0.71 ± 0.02	0.39 ± 0.03	0.78 ± 0.03	W Africa F	S E Asia M	0.17
25	0.81 ± 0.02	0.54 ± 0.02	0.60 ± 0.02	0.60 ± 0.01	0.50 ± 0.02	0.88 ± 0.02	0.85 ± 0.02	0.57 ± 0.02	0.72 ± 0.03	0.81 ± 0.01	0.51 ± 0.03	0.85 ± 0.02	W Africa F	S E Asia F	0.13
26	0.84 ± 0.02	0.61 ± 0.01	0.69 ± 0.02	0.67 ± 0.01	0.59 ± 0.02	0.93 ± 0.02	0.91 ± 0.02	0.69 ± 0.02	0.78 ± 0.02	0.88 ± 0.01	0.64 ± 0.03	0.92 ± 0.02	W Africa F	S E Asia F	0.10
27	0.90 ± 0.01	0.71 ± 0.01	0.76 ± 0.02	0.72 ± 0.01	0.66 ± 0.02	0.95 ± 0.01	0.93 ± 0.01	0.78 ± 0.01	0.88 ± 0.02	0.916 ± 0.009	0.75 ± 0.03	0.94 ± 0.01	W Africa F	S E Asia F	0.07
28	0.92 ± 0.01	0.78 ± 0.01	0.84 ± 0.01	0.78 ± 0.01	0.74 ± 0.02	0.96 ± 0.01	0.96 ± 0.01	0.86 ± 0.01	0.94 ± 0.01	0.946 ± 0.007	0.83 ± 0.02	0.96 ± 0.01	W Africa F	S E Asia F	0.05
29	0.95 ± 0.01	0.835 ± 0.010	0.90 ± 0.01	0.84 ± 0.01	0.80 ± 0.02	0.967 ± 0.009	0.969 ± 0.009	0.913 ± 0.010	0.96 ± 0.01	0.966 ± 0.005	0.87 ± 0.02	0.982 ± 0.007	W Africa M	S E Asia F	0.04
30	0.96 ± 0.01	0.883 ± 0.008	0.92 ± 0.01	0.871 ± 0.009	0.86 ± 0.01	0.978 ± 0.008	0.987 ± 0.006	0.943 ± 0.008	0.982 ± 0.008	0.976 ± 0.004	0.92 ± 0.02	0.988 ± 0.005	W Africa M	S E Asia F	0.03
31	0.97 ± 0.01	0.919 ± 0.007	0.953 ± 0.009	0.896 ± 0.008	0.89 ± 0.01	0.991 ± 0.005	0.988 ± 0.007	0.968 ± 0.006	0.988 ± 0.006	0.987 ± 0.003	0.95 ± 0.01	0.995 ± 0.003	W Africa M	S E Asia F	0.02
32	0.981 ± 0.007	0.941 ± 0.006	0.975 ± 0.006	0.932 ± 0.007	0.92 ± 0.01	0.986 ± 0.005	0.996 ± 0.004	0.979 ± 0.005	0.994 ± 0.004	0.992 ± 0.002	0.970 ± 0.010	0.996 ± 0.003	W Africa M	S E Asia F	0.01
33	0.988 ± 0.006	0.962 ± 0.005	0.979 ± 0.006	0.947 ± 0.006	0.952 ± 0.009	0.997 ± 0.003	0.997 ± 0.003	0.988 ± 0.004	0.999 ± 0.002	0.996 ± 0.002	0.986 ± 0.008	0.998 ± 0.002	E Europe M	S Asia F	0.01
34	0.988 ± 0.006	0.975 ± 0.004	0.988 ± 0.005	0.965 ± 0.005	0.970 ± 0.007	0.994 ± 0.004	0.998 ± 0.002	0.995 ± 0.002	0.998 ± 0.002	0.996 ± 0.002	0.989 ± 0.006	0.999 ± 0.001	W Africa M	S Asia F	0.01

Table 216. *For algorithm innovatrics-002 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.07 ± 0.04	0.001 ± 0.001	0.000 ± 0.000	0.010 ± 0.006	0.000 ± 0.000	0.05 ± 0.03	0.03 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.04 ± 0.03	E Africa F	E Europe F	0.77
15	0.10 ± 0.04	0.000 ± 0.000	0.000 ± 0.000	0.009 ± 0.005	0.002 ± 0.002	0.16 ± 0.05	0.03 ± 0.02	0.001 ± 0.001	0.002 ± 0.002	0.001 ± 0.001	0.000 ± 0.000	0.07 ± 0.04	W Africa F	E Asia F	0.81
16	0.18 ± 0.05	0.002 ± 0.001	0.005 ± 0.005	0.026 ± 0.008	0.000 ± 0.000	0.17 ± 0.04	0.07 ± 0.04	0.001 ± 0.001	0.002 ± 0.002	0.003 ± 0.003	0.000 ± 0.000	0.09 ± 0.04	E Africa F	S E Asia F	0.75
17	0.19 ± 0.04	0.007 ± 0.003	0.018 ± 0.009	0.031 ± 0.009	0.003 ± 0.003	0.24 ± 0.05	0.15 ± 0.05	0.003 ± 0.002	0.002 ± 0.002	0.020 ± 0.006	0.003 ± 0.003	0.19 ± 0.04	W Africa F	E Europe M	0.68
18	0.32 ± 0.05	0.010 ± 0.003	0.031 ± 0.010	0.061 ± 0.010	0.003 ± 0.003	0.26 ± 0.04	0.22 ± 0.04	0.005 ± 0.002	0.008 ± 0.006	0.030 ± 0.007	0.003 ± 0.003	0.20 ± 0.04	E Africa F	S E Asia F	0.67
19	0.38 ± 0.05	0.018 ± 0.003	0.043 ± 0.009	0.10 ± 0.01	0.011 ± 0.005	0.40 ± 0.04	0.35 ± 0.05	0.014 ± 0.003	0.019 ± 0.008	0.087 ± 0.010	0.009 ± 0.005	0.29 ± 0.04	W Africa F	S E Asia M	0.61
20	0.49 ± 0.04	0.031 ± 0.004	0.08 ± 0.01	0.13 ± 0.01	0.022 ± 0.006	0.49 ± 0.04	0.48 ± 0.05	0.027 ± 0.004	0.05 ± 0.01	0.17 ± 0.01	0.025 ± 0.008	0.39 ± 0.04	W Africa F	S E Asia F	0.56
21	0.57 ± 0.04	0.047 ± 0.004	0.11 ± 0.01	0.18 ± 0.01	0.038 ± 0.008	0.57 ± 0.04	0.53 ± 0.04	0.052 ± 0.005	0.12 ± 0.02	0.25 ± 0.01	0.05 ± 0.01	0.52 ± 0.04	W Africa F	S E Asia F	0.50
22	0.65 ± 0.04	0.074 ± 0.005	0.17 ± 0.01	0.24 ± 0.01	0.068 ± 0.010	0.66 ± 0.03	0.68 ± 0.04	0.098 ± 0.007	0.19 ± 0.02	0.36 ± 0.02	0.09 ± 0.01	0.64 ± 0.03	E Africa M	S E Asia F	0.45
23	0.69 ± 0.03	0.110 ± 0.006	0.24 ± 0.01	0.29 ± 0.01	0.12 ± 0.01	0.72 ± 0.03	0.75 ± 0.03	0.164 ± 0.009	0.32 ± 0.02	0.47 ± 0.01	0.15 ± 0.02	0.73 ± 0.03	E Africa M	E Asia F	0.38
24	0.76 ± 0.03	0.154 ± 0.006	0.30 ± 0.01	0.37 ± 0.01	0.15 ± 0.01	0.77 ± 0.02	0.82 ± 0.03	0.24 ± 0.01	0.46 ± 0.02	0.59 ± 0.01	0.21 ± 0.02	0.81 ± 0.02	E Africa M	S E Asia F	0.34
25	0.81 ± 0.02	0.213 ± 0.007	0.41 ± 0.01	0.423 ± 0.010	0.22 ± 0.01	0.82 ± 0.02	0.87 ± 0.02	0.32 ± 0.01	0.57 ± 0.02	0.68 ± 0.01	0.30 ± 0.02	0.86 ± 0.02	E Africa M	E Asia F	0.28
26	0.84 ± 0.02	0.280 ± 0.007	0.48 ± 0.01	0.491 ± 0.010	0.29 ± 0.01	0.85 ± 0.02	0.92 ± 0.02	0.42 ± 0.01	0.68 ± 0.02	0.757 ± 0.010	0.40 ± 0.02	0.89 ± 0.01	E Africa M	E Asia F	0.23
27	0.84 ± 0.02	0.345 ± 0.007	0.59 ± 0.01	0.551 ± 0.009	0.36 ± 0.01	0.90 ± 0.01	0.94 ± 0.02	0.50 ± 0.01	0.76 ± 0.02	0.817 ± 0.008	0.51 ± 0.02	0.95 ± 0.01	W Africa M	E Asia F	0.19
28	0.90 ± 0.02	0.428 ± 0.007	0.67 ± 0.01	0.609 ± 0.008	0.44 ± 0.01	0.91 ± 0.01	0.96 ± 0.01	0.60 ± 0.01	0.84 ± 0.01	0.874 ± 0.006	0.58 ± 0.02	0.958 ± 0.009	W Africa M	E Asia F	0.16
29	0.92 ± 0.01	0.502 ± 0.007	0.761 ± 0.010	0.666 ± 0.008	0.51 ± 0.01	0.94 ± 0.01	0.975 ± 0.010	0.684 ± 0.009	0.88 ± 0.01	0.904 ± 0.006	0.68 ± 0.02	0.975 ± 0.007	E Africa M	E Asia F	0.13
30	0.93 ± 0.01	0.576 ± 0.007	0.815 ± 0.009	0.724 ± 0.007	0.58 ± 0.01	0.94 ± 0.01	0.984 ± 0.007	0.756 ± 0.008	0.931 ± 0.008	0.934 ± 0.004	0.77 ± 0.02	0.981 ± 0.005	E Africa M	E Asia F	0.10
31	0.96 ± 0.01	0.648 ± 0.007	0.865 ± 0.008	0.776 ± 0.007	0.65 ± 0.01	0.970 ± 0.008	0.987 ± 0.007	0.823 ± 0.008	0.954 ± 0.007	0.953 ± 0.003	0.82 ± 0.02	0.990 ± 0.004	W Africa M	E Asia F	0.08
32	0.975 ± 0.010	0.722 ± 0.006	0.917 ± 0.007	0.817 ± 0.006	0.72 ± 0.01	0.974 ± 0.008	0.995 ± 0.005	0.875 ± 0.007	0.978 ± 0.005	0.967 ± 0.003	0.85 ± 0.02	0.991 ± 0.004	E Africa M	S E Asia F	0.06
33	0.973 ± 0.009	0.777 ± 0.006	0.938 ± 0.006	0.862 ± 0.006	0.77 ± 0.01	0.981 ± 0.007	0.998 ± 0.002	0.906 ± 0.006	0.987 ± 0.004	0.979 ± 0.002	0.91 ± 0.01	0.995 ± 0.003	E Africa M	S E Asia F	0.05
34	0.983 ± 0.008	0.826 ± 0.006	0.956 ± 0.006	0.896 ± 0.005	0.83 ± 0.01	0.986 ± 0.006	0.996 ± 0.004	0.936 ± 0.005	0.994 ± 0.002	0.987 ± 0.002	0.93 ± 0.01	0.997 ± 0.002	W Africa M	E Asia F	0.04

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 217. *For algorithm innovatrics-003 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.003 ± 0.002	0.000 ± 0.000	0.004 ± 0.004	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Africa F	0.82
15	0.003 ± 0.003	0.002 ± 0.002	0.003 ± 0.003	0.011 ± 0.006	0.005 ± 0.005	0.04 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Africa M	0.78
16	0.03 ± 0.02	0.011 ± 0.005	0.011 ± 0.008	0.011 ± 0.006	0.008 ± 0.008	0.04 ± 0.02	0.008 ± 0.008	0.000 ± 0.000	0.003 ± 0.003	0.003 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Asia M	0.57
17	0.05 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.04 ± 0.01	0.005 ± 0.005	0.07 ± 0.03	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.007 ± 0.004	0.003 ± 0.003	0.02 ± 0.02	W Africa F	E Africa M	0.61
18	0.06 ± 0.02	0.030 ± 0.007	0.03 ± 0.01	0.05 ± 0.01	0.021 ± 0.008	0.10 ± 0.03	0.002 ± 0.002	0.012 ± 0.004	0.005 ± 0.005	0.015 ± 0.005	0.007 ± 0.006	0.03 ± 0.01	W Africa F	E Africa M	0.51
19	0.11 ± 0.02	0.058 ± 0.010	0.07 ± 0.02	0.11 ± 0.02	0.06 ± 0.01	0.16 ± 0.03	0.05 ± 0.02	0.024 ± 0.006	0.017 ± 0.009	0.039 ± 0.009	0.015 ± 0.008	0.06 ± 0.02	W Africa F	S E Asia M	0.38
20	0.16 ± 0.03	0.10 ± 0.01	0.09 ± 0.02	0.17 ± 0.02	0.09 ± 0.02	0.22 ± 0.04	0.09 ± 0.02	0.049 ± 0.008	0.05 ± 0.02	0.09 ± 0.01	0.03 ± 0.01	0.09 ± 0.02	W Africa F	S E Asia M	0.29
21	0.23 ± 0.03	0.17 ± 0.01	0.14 ± 0.02	0.26 ± 0.02	0.13 ± 0.02	0.28 ± 0.04	0.14 ± 0.03	0.10 ± 0.01	0.10 ± 0.02	0.17 ± 0.02	0.08 ± 0.02	0.16 ± 0.03	W Africa F	S E Asia M	0.23
22	0.31 ± 0.03	0.23 ± 0.02	0.23 ± 0.02	0.33 ± 0.02	0.21 ± 0.02	0.36 ± 0.04	0.25 ± 0.03	0.18 ± 0.02	0.21 ± 0.03	0.25 ± 0.02	0.13 ± 0.02	0.20 ± 0.03	W Africa F	S E Asia M	0.16
23	0.36 ± 0.03	0.33 ± 0.02	0.33 ± 0.02	0.45 ± 0.02	0.30 ± 0.02	0.47 ± 0.03	0.31 ± 0.03	0.29 ± 0.02	0.33 ± 0.03	0.41 ± 0.02	0.22 ± 0.03	0.32 ± 0.03	W Africa F	S E Asia M	0.12
24	0.45 ± 0.03	0.41 ± 0.02	0.46 ± 0.02	0.54 ± 0.02	0.40 ± 0.02	0.51 ± 0.03	0.39 ± 0.03	0.40 ± 0.02	0.51 ± 0.03	0.55 ± 0.02	0.34 ± 0.03	0.41 ± 0.03	S Asia M	S E Asia M	0.09
25	0.52 ± 0.03	0.53 ± 0.02	0.56 ± 0.02	0.62 ± 0.01	0.49 ± 0.02	0.61 ± 0.03	0.51 ± 0.03	0.53 ± 0.02	0.67 ± 0.03	0.66 ± 0.02	0.46 ± 0.03	0.50 ± 0.03	E Europe M	S E Asia M	0.07
26	0.61 ± 0.03	0.61 ± 0.01	0.68 ± 0.02	0.70 ± 0.01	0.61 ± 0.02	0.69 ± 0.03	0.60 ± 0.03	0.65 ± 0.02	0.75 ± 0.02	0.76 ± 0.01	0.60 ± 0.03	0.61 ± 0.03	S Asia M	E Africa M	0.05
27	0.68 ± 0.02	0.71 ± 0.01	0.77 ± 0.02	0.75 ± 0.01	0.67 ± 0.02	0.76 ± 0.02	0.67 ± 0.03	0.76 ± 0.02	0.87 ± 0.02	0.82 ± 0.01	0.73 ± 0.02	0.69 ± 0.02	E Europe M	S E Asia F	0.05
28	0.75 ± 0.02	0.79 ± 0.01	0.85 ± 0.01	0.810 ± 0.009	0.76 ± 0.01	0.83 ± 0.02	0.75 ± 0.02	0.84 ± 0.01	0.92 ± 0.01	0.885 ± 0.009	0.82 ± 0.02	0.76 ± 0.02	E Europe M	E Africa M	0.04
29	0.82 ± 0.02	0.84 ± 0.01	0.91 ± 0.01	0.859 ± 0.009	0.82 ± 0.01	0.87 ± 0.02	0.81 ± 0.02	0.91 ± 0.01	0.96 ± 0.01	0.926 ± 0.007	0.87 ± 0.02	0.85 ± 0.02	E Europe M	E Africa M	0.03
30	0.87 ± 0.02	0.895 ± 0.008	0.940 ± 0.009	0.897 ± 0.008	0.88 ± 0.01	0.89 ± 0.02	0.87 ± 0.02	0.941 ± 0.008	0.985 ± 0.007	0.945 ± 0.006	0.92 ± 0.02	0.89 ± 0.01	E Europe M	E Africa F	0.02
31	0.89 ± 0.02	0.930 ± 0.007	0.957 ± 0.009	0.919 ± 0.007	0.92 ± 0.01	0.93 ± 0.01	0.92 ± 0.01	0.968 ± 0.007	0.989 ± 0.006	0.969 ± 0.005	0.96 ± 0.01	0.92 ± 0.01	E Europe M	E Africa F	0.02
32	0.94 ± 0.01	0.953 ± 0.005	0.982 ± 0.005	0.951 ± 0.006	0.94 ± 0.01	0.95 ± 0.01	0.95 ± 0.01	0.978 ± 0.005	0.994 ± 0.004	0.982 ± 0.003	0.975 ± 0.009	0.95 ± 0.01	E Europe M	E Africa F	0.01
33	0.94 ± 0.01	0.971 ± 0.004	0.985 ± 0.005	0.965 ± 0.005	0.965 ± 0.008	0.96 ± 0.01	0.95 ± 0.01	0.988 ± 0.004	0.999 ± 0.002	0.991 ± 0.003	0.988 ± 0.006	0.970 ± 0.009	E Europe M	E Africa F	0.01
34	0.96 ± 0.01	0.981 ± 0.004	0.989 ± 0.005	0.979 ± 0.004	0.976 ± 0.006	0.978 ± 0.008	0.97 ± 0.01	0.997 ± 0.002	0.999 ± 0.002	0.991 ± 0.003	0.992 ± 0.006	0.985 ± 0.006	E Europe M	E Africa F	0.01

Table 218. *For algorithm innovatrics-003 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.02	0.002 ± 0.002	0.000 ± 0.000	0.015 ± 0.007	0.000 ± 0.000	0.02 ± 0.02	0.006 ± 0.006	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.01 ± 0.01	W Africa F	E Europe F	0.69
15	0.03 ± 0.02	0.000 ± 0.000	0.002 ± 0.002	0.017 ± 0.007	0.002 ± 0.002	0.07 ± 0.03	0.02 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.01 ± 0.01	W Africa F	E Europe M	0.76
16	0.07 ± 0.03	0.004 ± 0.002	0.006 ± 0.005	0.04 ± 0.01	0.001 ± 0.001	0.07 ± 0.03	0.02 ± 0.02	0.000 ± 0.000	0.002 ± 0.002	0.003 ± 0.003	0.000 ± 0.000	0.02 ± 0.01	E Africa F	S E Asia M	0.70
17	0.08 ± 0.03	0.015 ± 0.004	0.019 ± 0.009	0.07 ± 0.01	0.007 ± 0.005	0.13 ± 0.04	0.02 ± 0.02	0.006 ± 0.002	0.005 ± 0.005	0.017 ± 0.005	0.003 ± 0.003	0.06 ± 0.03	W Africa F	S E Asia M	0.59
18	0.15 ± 0.04	0.020 ± 0.004	0.07 ± 0.01	0.11 ± 0.01	0.013 ± 0.006	0.13 ± 0.03	0.06 ± 0.03	0.013 ± 0.003	0.012 ± 0.008	0.031 ± 0.008	0.003 ± 0.003	0.07 ± 0.02	E Africa F	S E Asia M	0.52
19	0.21 ± 0.04	0.035 ± 0.004	0.08 ± 0.01	0.16 ± 0.01	0.026 ± 0.007	0.20 ± 0.04	0.12 ± 0.03	0.027 ± 0.004	0.04 ± 0.01	0.08 ± 0.01	0.013 ± 0.005	0.11 ± 0.03	E Africa F	S E Asia M	0.44
20	0.28 ± 0.04	0.059 ± 0.005	0.13 ± 0.01	0.22 ± 0.01	0.045 ± 0.008	0.29 ± 0.04	0.22 ± 0.04	0.053 ± 0.006	0.06 ± 0.01	0.15 ± 0.01	0.035 ± 0.009	0.16 ± 0.03	W Africa F	S E Asia M	0.38
21	0.39 ± 0.03	0.095 ± 0.006	0.18 ± 0.01	0.28 ± 0.01	0.07 ± 0.01	0.37 ± 0.04	0.26 ± 0.04	0.097 ± 0.007	0.17 ± 0.02	0.24 ± 0.01	0.07 ± 0.01	0.21 ± 0.03	E Africa F	S E Asia F	0.32
22	0.45 ± 0.04	0.133 ± 0.006	0.26 ± 0.02	0.37 ± 0.01	0.13 ± 0.01	0.45 ± 0.04	0.36 ± 0.04	0.167 ± 0.009	0.27 ± 0.02	0.34 ± 0.02	0.13 ± 0.02	0.33 ± 0.03	E Africa F	S E Asia F	0.25
23	0.54 ± 0.04	0.183 ± 0.007	0.34 ± 0.01	0.44 ± 0.01	0.18 ± 0.01	0.50 ± 0.03	0.42 ± 0.04	0.25 ± 0.01	0.42 ± 0.02	0.46 ± 0.01	0.21 ± 0.02	0.41 ± 0.03	E Africa F	S E Asia F	0.20
24	0.60 ± 0.03	0.244 ± 0.008	0.44 ± 0.01	0.54 ± 0.01	0.25 ± 0.01	0.57 ± 0.03	0.55 ± 0.03	0.35 ± 0.01	0.55 ± 0.02	0.57 ± 0.01	0.30 ± 0.02	0.50 ± 0.03	E Africa F	E Asia F	0.17
25	0.64 ± 0.03	0.322 ± 0.008	0.54 ± 0.01	0.59 ± 0.01	0.34 ± 0.01	0.66 ± 0.02	0.63 ± 0.03	0.44 ± 0.01	0.66 ± 0.02	0.68 ± 0.01	0.41 ± 0.02	0.60 ± 0.03	S Asia M	E Asia F	0.14
26	0.72 ± 0.03	0.408 ± 0.008	0.62 ± 0.01	0.656 ± 0.009	0.42 ± 0.02	0.69 ± 0.02	0.73 ± 0.03	0.55 ± 0.01	0.77 ± 0.01	0.743 ± 0.010	0.52 ± 0.02	0.69 ± 0.02	E Europe M	E Asia F	0.11
27	0.75 ± 0.02	0.479 ± 0.008	0.715 ± 0.010	0.712 ± 0.008	0.51 ± 0.02	0.77 ± 0.02	0.80 ± 0.03	0.62 ± 0.01	0.84 ± 0.01	0.804 ± 0.008	0.62 ± 0.02	0.79 ± 0.02	E Europe M	E Asia F	0.10
28	0.81 ± 0.02	0.563 ± 0.007	0.789 ± 0.009	0.765 ± 0.007	0.58 ± 0.01	0.80 ± 0.02	0.86 ± 0.02	0.711 ± 0.009	0.90 ± 0.01	0.859 ± 0.007	0.69 ± 0.02	0.84 ± 0.02	E Europe M	E Asia F	0.08
29	0.87 ± 0.02	0.639 ± 0.007	0.853 ± 0.009	0.802 ± 0.007	0.65 ± 0.02	0.85 ± 0.02	0.90 ± 0.02	0.789 ± 0.009	0.929 ± 0.009	0.899 ± 0.005	0.79 ± 0.02	0.89 ± 0.01	E Europe M	E Asia F	0.06
30	0.88 ± 0.02	0.704 ± 0.006	0.896 ± 0.007	0.847 ± 0.006	0.71 ± 0.02	0.88 ± 0.01	0.93 ± 0.01	0.842 ± 0.007	0.966 ± 0.006	0.929 ± 0.005	0.84 ± 0.02	0.92 ± 0.01	E Europe M	E Asia F	0.05
31	0.92 ± 0.01	0.766 ± 0.006	0.932 ± 0.006	0.884 ± 0.005	0.77 ± 0.01	0.93 ± 0.01	0.95 ± 0.01	0.889 ± 0.006	0.978 ± 0.005	0.952 ± 0.004	0.87 ± 0.02	0.942 ± 0.009	E Europe M	E Asia F	0.04
32	0.95 ± 0.01	0.820 ± 0.005	0.960 ± 0.005	0.910 ± 0.005	0.82 ± 0.01	0.94 ± 0.01	0.970 ± 0.010	0.926 ± 0.006	0.987 ± 0.004	0.967 ± 0.003	0.92 ± 0.01	0.961 ± 0.008	E Europe M	E Asia F	0.03
33	0.97 ± 0.01	0.860 ± 0.005	0.970 ± 0.004	0.935 ± 0.004	0.861 ± 0.010	0.95 ± 0.01	0.981 ± 0.008	0.947 ± 0.004	0.995 ± 0.002	0.979 ± 0.002	0.95 ± 0.01	0.978 ± 0.006	E Europe M	E Asia F	0.03
34	0.967 ± 0.010	0.898 ± 0.005	0.979 ± 0.004	0.953 ± 0.004	0.902 ± 0.009	0.968 ± 0.010	0.984 ± 0.007	0.963 ± 0.004	0.997 ± 0.002	0.986 ± 0.002	0.964 ± 0.009	0.982 ± 0.005	E Europe M	E Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 219. *For algorithm innovatrics-004 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	S Asia F	E Africa F	0.89
15	0.003 ± 0.003	0.002 ± 0.002	0.003 ± 0.003	0.009 ± 0.005	0.005 ± 0.005	0.04 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Africa M	0.76
16	0.03 ± 0.02	0.011 ± 0.005	0.011 ± 0.008	0.009 ± 0.005	0.008 ± 0.008	0.04 ± 0.02	0.008 ± 0.008	0.000 ± 0.000	0.003 ± 0.003	0.003 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Asia M	0.58
17	0.05 ± 0.02	0.013 ± 0.005	0.03 ± 0.02	0.03 ± 0.01	0.005 ± 0.005	0.06 ± 0.03	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.007 ± 0.004	0.003 ± 0.003	0.02 ± 0.02	W Africa F	E Africa M	0.60
18	0.06 ± 0.02	0.029 ± 0.007	0.03 ± 0.01	0.046 ± 0.010	0.022 ± 0.009	0.09 ± 0.02	0.002 ± 0.002	0.012 ± 0.004	0.002 ± 0.002	0.011 ± 0.005	0.008 ± 0.006	0.03 ± 0.01	W Africa F	E Europe M	0.51
19	0.10 ± 0.02	0.058 ± 0.010	0.06 ± 0.02	0.09 ± 0.01	0.06 ± 0.01	0.14 ± 0.03	0.04 ± 0.02	0.025 ± 0.007	0.011 ± 0.008	0.026 ± 0.007	0.015 ± 0.008	0.06 ± 0.02	W Africa F	E Europe M	0.38
20	0.15 ± 0.02	0.09 ± 0.01	0.09 ± 0.02	0.14 ± 0.02	0.09 ± 0.02	0.21 ± 0.03	0.08 ± 0.02	0.049 ± 0.009	0.03 ± 0.01	0.07 ± 0.01	0.03 ± 0.01	0.08 ± 0.03	W Africa F	E Europe M	0.31
21	0.21 ± 0.03	0.16 ± 0.02	0.14 ± 0.02	0.22 ± 0.02	0.13 ± 0.02	0.26 ± 0.03	0.14 ± 0.02	0.10 ± 0.01	0.07 ± 0.02	0.13 ± 0.01	0.07 ± 0.02	0.16 ± 0.03	W Africa F	E Europe M	0.23
22	0.30 ± 0.03	0.22 ± 0.02	0.23 ± 0.02	0.30 ± 0.02	0.21 ± 0.02	0.34 ± 0.04	0.24 ± 0.03	0.18 ± 0.02	0.15 ± 0.02	0.20 ± 0.02	0.13 ± 0.02	0.19 ± 0.03	W Africa F	S E Asia M	0.16
23	0.33 ± 0.03	0.33 ± 0.02	0.33 ± 0.02	0.41 ± 0.02	0.30 ± 0.02	0.45 ± 0.03	0.30 ± 0.03	0.29 ± 0.02	0.24 ± 0.03	0.33 ± 0.02	0.22 ± 0.03	0.32 ± 0.03	W Africa F	S E Asia M	0.11
24	0.43 ± 0.03	0.41 ± 0.02	0.45 ± 0.02	0.50 ± 0.01	0.39 ± 0.02	0.49 ± 0.03	0.38 ± 0.03	0.40 ± 0.02	0.40 ± 0.03	0.46 ± 0.02	0.34 ± 0.03	0.40 ± 0.03	S Asia F	S E Asia M	0.07
25	0.50 ± 0.03	0.53 ± 0.02	0.56 ± 0.02	0.57 ± 0.01	0.49 ± 0.02	0.59 ± 0.03	0.50 ± 0.03	0.53 ± 0.02	0.56 ± 0.03	0.58 ± 0.02	0.46 ± 0.03	0.49 ± 0.03	W Africa F	S E Asia M	0.05
26	0.58 ± 0.03	0.61 ± 0.01	0.67 ± 0.02	0.65 ± 0.01	0.61 ± 0.02	0.67 ± 0.02	0.59 ± 0.03	0.65 ± 0.02	0.68 ± 0.03	0.69 ± 0.02	0.60 ± 0.03	0.60 ± 0.03	S Asia M	E Africa F	0.04
27	0.66 ± 0.02	0.71 ± 0.01	0.77 ± 0.01	0.71 ± 0.01	0.67 ± 0.02	0.74 ± 0.02	0.67 ± 0.03	0.76 ± 0.01	0.82 ± 0.02	0.76 ± 0.01	0.73 ± 0.02	0.69 ± 0.02	E Europe M	E Africa F	0.04
28	0.73 ± 0.02	0.79 ± 0.01	0.85 ± 0.01	0.779 ± 0.010	0.76 ± 0.01	0.82 ± 0.02	0.74 ± 0.02	0.84 ± 0.01	0.88 ± 0.02	0.84 ± 0.01	0.82 ± 0.02	0.76 ± 0.02	E Europe M	E Africa F	0.04
29	0.81 ± 0.02	0.845 ± 0.010	0.91 ± 0.01	0.833 ± 0.009	0.82 ± 0.01	0.85 ± 0.02	0.80 ± 0.02	0.91 ± 0.01	0.94 ± 0.01	0.889 ± 0.009	0.86 ± 0.02	0.85 ± 0.02	E Europe M	E Africa M	0.03
30	0.85 ± 0.02	0.895 ± 0.008	0.939 ± 0.009	0.876 ± 0.008	0.88 ± 0.01	0.88 ± 0.02	0.87 ± 0.02	0.940 ± 0.008	0.971 ± 0.009	0.918 ± 0.008	0.92 ± 0.02	0.88 ± 0.02	E Europe M	E Africa F	0.02
31	0.88 ± 0.02	0.930 ± 0.006	0.957 ± 0.009	0.901 ± 0.007	0.91 ± 0.01	0.92 ± 0.01	0.92 ± 0.02	0.968 ± 0.007	0.981 ± 0.008	0.948 ± 0.006	0.95 ± 0.01	0.92 ± 0.01	E Europe M	E Africa F	0.02
32	0.93 ± 0.01	0.954 ± 0.005	0.982 ± 0.005	0.938 ± 0.006	0.941 ± 0.010	0.94 ± 0.01	0.95 ± 0.01	0.977 ± 0.005	0.991 ± 0.004	0.968 ± 0.005	0.975 ± 0.010	0.948 ± 0.010	E Europe M	E Africa F	0.01
33	0.94 ± 0.01	0.971 ± 0.004	0.985 ± 0.005	0.954 ± 0.005	0.965 ± 0.007	0.95 ± 0.01	0.95 ± 0.01	0.987 ± 0.004	0.998 ± 0.003	0.984 ± 0.003	0.989 ± 0.007	0.968 ± 0.009	E Europe M	E Africa F	0.01
34	0.95 ± 0.01	0.980 ± 0.004	0.989 ± 0.005	0.971 ± 0.005	0.975 ± 0.006	0.977 ± 0.007	0.967 ± 0.010	0.997 ± 0.002	0.997 ± 0.003	0.987 ± 0.003	0.992 ± 0.006	0.983 ± 0.006	E Europe M	E Africa F	0.01

Table 220. *For algorithm innovatrics-004 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.01 ± 0.01	0.001 ± 0.001	0.000 ± 0.000	0.006 ± 0.004	0.000 ± 0.000	0.01 ± 0.01	0.006 ± 0.006	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.01 ± 0.01	W Africa M	E Europe F	0.71
15	0.03 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.006 ± 0.005	0.002 ± 0.002	0.07 ± 0.03	0.02 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.01 ± 0.01	W Africa F	E Asia F	0.81
16	0.05 ± 0.03	0.003 ± 0.002	0.005 ± 0.005	0.013 ± 0.006	0.001 ± 0.001	0.07 ± 0.03	0.01 ± 0.01	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.02 ± 0.01	W Africa F	E Europe M	0.76
17	0.07 ± 0.03	0.004 ± 0.002	0.008 ± 0.005	0.016 ± 0.006	0.004 ± 0.003	0.11 ± 0.04	0.03 ± 0.02	0.003 ± 0.002	0.000 ± 0.000	0.008 ± 0.004	0.003 ± 0.003	0.06 ± 0.03	W Africa F	E Europe M	0.69
18	0.13 ± 0.04	0.008 ± 0.002	0.025 ± 0.009	0.037 ± 0.008	0.004 ± 0.003	0.12 ± 0.04	0.06 ± 0.02	0.005 ± 0.002	0.005 ± 0.005	0.011 ± 0.004	0.000 ± 0.000	0.07 ± 0.02	E Africa F	S E Asia M	0.64
19	0.19 ± 0.04	0.012 ± 0.003	0.038 ± 0.009	0.057 ± 0.009	0.010 ± 0.004	0.19 ± 0.03	0.12 ± 0.03	0.011 ± 0.003	0.007 ± 0.005	0.040 ± 0.008	0.007 ± 0.004	0.11 ± 0.03	E Africa F	S E Asia M	0.58
20	0.27 ± 0.04	0.022 ± 0.003	0.07 ± 0.01	0.093 ± 0.010	0.013 ± 0.005	0.27 ± 0.04	0.22 ± 0.04	0.018 ± 0.003	0.021 ± 0.009	0.082 ± 0.010	0.021 ± 0.007	0.16 ± 0.03	E Africa F	S E Asia F	0.53
21	0.37 ± 0.04	0.036 ± 0.004	0.10 ± 0.01	0.13 ± 0.01	0.024 ± 0.006	0.34 ± 0.04	0.25 ± 0.04	0.036 ± 0.005	0.06 ± 0.01	0.13 ± 0.01	0.031 ± 0.008	0.20 ± 0.03	E Africa F	S E Asia F	0.49
22	0.42 ± 0.04	0.054 ± 0.004	0.15 ± 0.01	0.18 ± 0.01	0.055 ± 0.009	0.41 ± 0.03	0.35 ± 0.04	0.072 ± 0.006	0.10 ± 0.01	0.22 ± 0.01	0.06 ± 0.01	0.32 ± 0.03	E Africa F	E Asia F	0.41
23	0.51 ± 0.03	0.086 ± 0.005	0.21 ± 0.01	0.23 ± 0.01	0.087 ± 0.010	0.47 ± 0.03	0.40 ± 0.04	0.124 ± 0.007	0.21 ± 0.02	0.32 ± 0.01	0.11 ± 0.02	0.40 ± 0.03	E Africa F	E Asia F	0.34
24	0.57 ± 0.03	0.126 ± 0.006	0.29 ± 0.01	0.30 ± 0.01	0.13 ± 0.01	0.54 ± 0.03	0.54 ± 0.04	0.193 ± 0.009	0.32 ± 0.02	0.42 ± 0.01	0.16 ± 0.02	0.49 ± 0.03	E Africa F	E Asia F	0.29
25	0.61 ± 0.03	0.173 ± 0.006	0.39 ± 0.01	0.360 ± 0.010	0.19 ± 0.01	0.64 ± 0.03	0.62 ± 0.03	0.265 ± 0.010	0.44 ± 0.02	0.52 ± 0.01	0.25 ± 0.02	0.59 ± 0.03	W Africa F	E Asia F	0.25
26	0.68 ± 0.02	0.245 ± 0.007	0.46 ± 0.01	0.435 ± 0.010	0.25 ± 0.01	0.67 ± 0.02	0.71 ± 0.03	0.36 ± 0.01	0.56 ± 0.02	0.61 ± 0.01	0.35 ± 0.02	0.68 ± 0.02	E Africa M	E Asia F	0.20
27	0.72 ± 0.03	0.306 ± 0.007	0.58 ± 0.01	0.497 ± 0.009	0.34 ± 0.01	0.75 ± 0.02	0.78 ± 0.03	0.44 ± 0.01	0.68 ± 0.02	0.698 ± 0.008	0.46 ± 0.02	0.78 ± 0.02	E Africa M	E Asia F	0.17
28	0.79 ± 0.02	0.387 ± 0.007	0.66 ± 0.01	0.566 ± 0.008	0.42 ± 0.01	0.78 ± 0.02	0.84 ± 0.02	0.548 ± 0.010	0.78 ± 0.01	0.765 ± 0.007	0.53 ± 0.02	0.83 ± 0.02	E Africa M	E Asia F	0.14
29	0.84 ± 0.02	0.464 ± 0.007	0.758 ± 0.010	0.619 ± 0.008	0.48 ± 0.02	0.83 ± 0.02	0.90 ± 0.02	0.64 ± 0.01	0.84 ± 0.01	0.827 ± 0.007	0.66 ± 0.02	0.88 ± 0.01	E Africa M	E Asia F	0.12
30	0.85 ± 0.02	0.545 ± 0.007	0.817 ± 0.009	0.690 ± 0.008	0.57 ± 0.02	0.86 ± 0.02	0.93 ± 0.02	0.719 ± 0.009	0.897 ± 0.010	0.869 ± 0.005	0.73 ± 0.02	0.91 ± 0.01	E Africa M	E Asia F	0.10
31	0.90 ± 0.02	0.623 ± 0.007	0.871 ± 0.007	0.747 ± 0.008	0.65 ± 0.01	0.91 ± 0.01	0.94 ± 0.01	0.793 ± 0.008	0.941 ± 0.007	0.904 ± 0.005	0.79 ± 0.02	0.937 ± 0.010	E Africa M	E Asia F	0.08
32	0.93 ± 0.01	0.703 ± 0.006	0.915 ± 0.007	0.798 ± 0.006	0.71 ± 0.01	0.92 ± 0.01	0.968 ± 0.010	0.853 ± 0.008	0.964 ± 0.005	0.935 ± 0.004	0.83 ± 0.02	0.959 ± 0.007	E Africa M	E Asia F	0.06
33	0.95 ± 0.01	0.765 ± 0.006	0.939 ± 0.006	0.845 ± 0.006	0.77 ± 0.01	0.94 ± 0.01	0.981 ± 0.007	0.895 ± 0.006	0.981 ± 0.004	0.957 ± 0.003	0.90 ± 0.01	0.975 ± 0.006	E Africa M	E Asia F	0.05
34	0.96 ± 0.01	0.817 ± 0.006	0.960 ± 0.005	0.883 ± 0.005	0.82 ± 0.01	0.96 ± 0.01	0.981 ± 0.008	0.927 ± 0.005	0.988 ± 0.003	0.969 ± 0.003	0.93 ± 0.01	0.981 ± 0.006	E Europe M	E Asia F	0.04

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 221. *For algorithm intellicheck-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.011 ± 0.009	0.016 ± 0.006	0.002 ± 0.002	0.011 ± 0.005	0.011 ± 0.009	0.008 ± 0.008	0.004 ± 0.004	0.006 ± 0.003	0.000 ± 0.000	0.004 ± 0.003	0.002 ± 0.002	0.009 ± 0.009	E Asia F	E Europe M	0.40
15	0.02 ± 0.01	0.013 ± 0.005	0.000 ± 0.000	0.016 ± 0.008	0.02 ± 0.01	0.02 ± 0.02	0.008 ± 0.008	0.006 ± 0.004	0.000 ± 0.000	0.003 ± 0.003	0.005 ± 0.005	0.009 ± 0.009	W Africa F	E Europe F	0.46
16	0.005 ± 0.005	0.026 ± 0.008	0.000 ± 0.000	0.013 ± 0.006	0.02 ± 0.01	0.05 ± 0.02	0.011 ± 0.008	0.007 ± 0.003	0.000 ± 0.000	0.009 ± 0.006	0.003 ± 0.003	0.02 ± 0.02	W Africa F	E Europe F	0.56
17	0.04 ± 0.02	0.028 ± 0.009	0.006 ± 0.006	0.03 ± 0.01	0.03 ± 0.02	0.05 ± 0.02	0.01 ± 0.01	0.010 ± 0.004	0.000 ± 0.000	0.017 ± 0.007	0.011 ± 0.008	0.03 ± 0.02	W Africa F	E Europe M	0.40
18	0.04 ± 0.02	0.033 ± 0.008	0.011 ± 0.007	0.036 ± 0.009	0.03 ± 0.01	0.08 ± 0.02	0.03 ± 0.01	0.015 ± 0.005	0.000 ± 0.000	0.032 ± 0.008	0.02 ± 0.01	0.05 ± 0.02	W Africa F	E Europe M	0.35
19	0.05 ± 0.02	0.042 ± 0.008	0.009 ± 0.007	0.048 ± 0.009	0.05 ± 0.01	0.09 ± 0.03	0.04 ± 0.02	0.029 ± 0.007	0.006 ± 0.006	0.06 ± 0.01	0.03 ± 0.01	0.12 ± 0.03	W Africa M	E Europe M	0.36
20	0.05 ± 0.02	0.050 ± 0.009	0.021 ± 0.009	0.059 ± 0.010	0.03 ± 0.01	0.09 ± 0.02	0.10 ± 0.03	0.032 ± 0.007	0.02 ± 0.01	0.10 ± 0.01	0.04 ± 0.01	0.18 ± 0.03	W Africa M	E Europe M	0.39
21	0.07 ± 0.02	0.055 ± 0.010	0.023 ± 0.009	0.07 ± 0.01	0.04 ± 0.01	0.15 ± 0.03	0.15 ± 0.03	0.055 ± 0.009	0.05 ± 0.02	0.15 ± 0.02	0.06 ± 0.02	0.21 ± 0.03	W Africa M	E Europe F	0.36
22	0.08 ± 0.02	0.068 ± 0.010	0.04 ± 0.01	0.09 ± 0.01	0.06 ± 0.01	0.16 ± 0.03	0.20 ± 0.03	0.073 ± 0.010	0.08 ± 0.02	0.20 ± 0.02	0.08 ± 0.02	0.28 ± 0.03	W Africa M	E Europe F	0.34
23	0.11 ± 0.02	0.078 ± 0.009	0.040 ± 0.010	0.12 ± 0.01	0.08 ± 0.01	0.21 ± 0.03	0.28 ± 0.03	0.10 ± 0.01	0.10 ± 0.02	0.24 ± 0.02	0.12 ± 0.02	0.29 ± 0.03	W Africa M	E Europe F	0.32
24	0.16 ± 0.02	0.084 ± 0.009	0.06 ± 0.01	0.13 ± 0.01	0.10 ± 0.01	0.22 ± 0.03	0.32 ± 0.03	0.12 ± 0.01	0.15 ± 0.02	0.29 ± 0.02	0.12 ± 0.02	0.39 ± 0.03	W Africa M	E Europe F	0.32
25	0.19 ± 0.02	0.095 ± 0.009	0.075 ± 0.010	0.153 ± 0.010	0.11 ± 0.01	0.28 ± 0.03	0.38 ± 0.03	0.15 ± 0.01	0.17 ± 0.02	0.33 ± 0.02	0.14 ± 0.02	0.41 ± 0.03	W Africa M	E Europe F	0.32
26	0.22 ± 0.02	0.106 ± 0.008	0.09 ± 0.01	0.179 ± 0.010	0.14 ± 0.01	0.31 ± 0.03	0.43 ± 0.03	0.18 ± 0.01	0.23 ± 0.02	0.38 ± 0.02	0.19 ± 0.02	0.49 ± 0.03	W Africa M	E Europe F	0.30
27	0.25 ± 0.02	0.126 ± 0.009	0.12 ± 0.01	0.204 ± 0.009	0.17 ± 0.01	0.33 ± 0.02	0.50 ± 0.03	0.22 ± 0.01	0.27 ± 0.02	0.38 ± 0.02	0.24 ± 0.02	0.49 ± 0.03	E Africa M	E Europe F	0.27
28	0.27 ± 0.02	0.157 ± 0.009	0.15 ± 0.01	0.22 ± 0.01	0.20 ± 0.01	0.38 ± 0.02	0.52 ± 0.03	0.25 ± 0.02	0.33 ± 0.02	0.41 ± 0.01	0.26 ± 0.02	0.57 ± 0.03	W Africa M	E Europe F	0.25
29	0.33 ± 0.02	0.173 ± 0.009	0.19 ± 0.01	0.26 ± 0.01	0.24 ± 0.02	0.43 ± 0.03	0.57 ± 0.02	0.29 ± 0.02	0.36 ± 0.02	0.41 ± 0.01	0.28 ± 0.02	0.62 ± 0.02	W Africa M	E Asia F	0.24
30	0.36 ± 0.02	0.193 ± 0.010	0.22 ± 0.02	0.31 ± 0.01	0.28 ± 0.02	0.45 ± 0.03	0.60 ± 0.03	0.33 ± 0.02	0.41 ± 0.03	0.44 ± 0.01	0.35 ± 0.03	0.65 ± 0.02	W Africa M	E Asia F	0.21
31	0.37 ± 0.02	0.23 ± 0.01	0.24 ± 0.02	0.33 ± 0.01	0.31 ± 0.02	0.46 ± 0.03	0.63 ± 0.03	0.36 ± 0.02	0.47 ± 0.03	0.46 ± 0.01	0.41 ± 0.03	0.66 ± 0.02	W Africa M	E Asia F	0.19
32	0.41 ± 0.03	0.26 ± 0.01	0.30 ± 0.02	0.38 ± 0.01	0.34 ± 0.02	0.51 ± 0.02	0.66 ± 0.02	0.40 ± 0.02	0.48 ± 0.03	0.47 ± 0.01	0.42 ± 0.03	0.70 ± 0.02	W Africa M	E Asia F	0.17
33	0.44 ± 0.03	0.30 ± 0.01	0.35 ± 0.02	0.42 ± 0.01	0.39 ± 0.02	0.53 ± 0.03	0.70 ± 0.02	0.42 ± 0.02	0.52 ± 0.03	0.50 ± 0.01	0.49 ± 0.03	0.74 ± 0.02	W Africa M	E Asia F	0.15
34	0.50 ± 0.03	0.33 ± 0.01	0.37 ± 0.02	0.46 ± 0.01	0.42 ± 0.02	0.58 ± 0.03	0.73 ± 0.02	0.45 ± 0.02	0.60 ± 0.03	0.54 ± 0.01	0.52 ± 0.03	0.74 ± 0.02	W Africa M	E Asia F	0.14

Table 222. *For algorithm intellicheck-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.006 ± 0.006	0.003 ± 0.002	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	E Africa F	E Europe F	0.74
15	0.000 ± 0.000	0.003 ± 0.002	0.000 ± 0.000	0.004 ± 0.003	0.005 ± 0.005	0.005 ± 0.005	0.000 ± 0.000	0.002 ± 0.001	0.002 ± 0.002	0.001 ± 0.001	0.000 ± 0.000	0.006 ± 0.006	W Africa M	E Africa F	0.57
16	0.000 ± 0.000	0.003 ± 0.002	0.002 ± 0.002	0.002 ± 0.002	0.004 ± 0.004	0.004 ± 0.004	0.005 ± 0.005	0.001 ± 0.001	0.003 ± 0.003	0.002 ± 0.002	0.003 ± 0.003	0.004 ± 0.004	E Africa M	E Africa F	0.32
17	0.007 ± 0.007	0.003 ± 0.001	0.005 ± 0.004	0.004 ± 0.003	0.003 ± 0.003	0.004 ± 0.004	0.02 ± 0.02	0.002 ± 0.001	0.002 ± 0.002	0.001 ± 0.001	0.001 ± 0.001	0.000 ± 0.000	E Africa M	W Africa M	0.58
18	0.003 ± 0.003	0.003 ± 0.002	0.005 ± 0.004	0.008 ± 0.004	0.003 ± 0.002	0.006 ± 0.006	0.007 ± 0.007	0.001 ± 0.001	0.002 ± 0.002	0.003 ± 0.002	0.000 ± 0.000	0.02 ± 0.01	W Africa M	S E Asia M	0.48
19	0.002 ± 0.002	0.005 ± 0.002	0.006 ± 0.003	0.007 ± 0.003	0.006 ± 0.004	0.02 ± 0.01	0.011 ± 0.009	0.002 ± 0.001	0.002 ± 0.002	0.007 ± 0.003	0.004 ± 0.003	0.02 ± 0.01	W Africa F	E Asia M	0.40
20	0.013 ± 0.010	0.005 ± 0.001	0.005 ± 0.003	0.007 ± 0.003	0.003 ± 0.002	0.02 ± 0.01	0.02 ± 0.01	0.003 ± 0.001	0.003 ± 0.003	0.009 ± 0.004	0.002 ± 0.002	0.014 ± 0.009	E Africa M	S E Asia M	0.42
21	0.019 ± 0.009	0.006 ± 0.002	0.009 ± 0.004	0.012 ± 0.003	0.005 ± 0.003	0.03 ± 0.01	0.016 ± 0.009	0.005 ± 0.002	0.006 ± 0.003	0.016 ± 0.004	0.003 ± 0.002	0.015 ± 0.009	W Africa F	S E Asia M	0.39
22	0.020 ± 0.009	0.008 ± 0.002	0.014 ± 0.004	0.015 ± 0.003	0.007 ± 0.003	0.03 ± 0.01	0.05 ± 0.02	0.005 ± 0.001	0.006 ± 0.004	0.018 ± 0.004	0.004 ± 0.003	0.03 ± 0.01	E Africa M	S E Asia M	0.41
23	0.04 ± 0.01	0.008 ± 0.002	0.016 ± 0.004	0.016 ± 0.003	0.006 ± 0.002	0.03 ± 0.01	0.03 ± 0.01	0.006 ± 0.002	0.012 ± 0.005	0.024 ± 0.004	0.004 ± 0.003	0.029 ± 0.010	E Africa F	S E Asia M	0.37
24	0.03 ± 0.01	0.009 ± 0.002	0.019 ± 0.004	0.020 ± 0.003	0.007 ± 0.002	0.027 ± 0.009	0.05 ± 0.01	0.009 ± 0.002	0.018 ± 0.005	0.033 ± 0.005	0.005 ± 0.003	0.03 ± 0.01	E Africa M	S E Asia M	0.36
25	0.034 ± 0.009	0.012 ± 0.002	0.021 ± 0.004	0.026 ± 0.003	0.008 ± 0.003	0.036 ± 0.009	0.06 ± 0.02	0.011 ± 0.002	0.029 ± 0.007	0.047 ± 0.005	0.011 ± 0.004	0.05 ± 0.01	E Africa M	S E Asia F	0.35
26	0.04 ± 0.01	0.013 ± 0.002	0.024 ± 0.003	0.028 ± 0.003	0.011 ± 0.003	0.037 ± 0.009	0.05 ± 0.01	0.013 ± 0.002	0.029 ± 0.006	0.051 ± 0.005	0.013 ± 0.005	0.05 ± 0.01	E Africa M	S E Asia F	0.31
27	0.05 ± 0.01	0.014 ± 0.002	0.031 ± 0.004	0.034 ± 0.003	0.013 ± 0.003	0.052 ± 0.010	0.07 ± 0.01	0.015 ± 0.003	0.042 ± 0.007	0.054 ± 0.004	0.013 ± 0.005	0.06 ± 0.01	E Africa M	S E Asia M	0.33
28	0.05 ± 0.01	0.019 ± 0.002	0.043 ± 0.005	0.038 ± 0.003	0.015 ± 0.003	0.06 ± 0.01	0.09 ± 0.02	0.018 ± 0.003	0.065 ± 0.008	0.057 ± 0.004	0.015 ± 0.006	0.07 ± 0.01	E Africa M	S E Asia M	0.32
29	0.06 ± 0.01	0.019 ± 0.002	0.050 ± 0.005	0.044 ± 0.003	0.023 ± 0.004	0.07 ± 0.01	0.08 ± 0.01	0.022 ± 0.003	0.067 ± 0.008	0.065 ± 0.004	0.025 ± 0.007	0.09 ± 0.01	W Africa M	E Asia F	0.28
30	0.06 ± 0.01	0.025 ± 0.002	0.061 ± 0.005	0.050 ± 0.003	0.025 ± 0.004	0.07 ± 0.01	0.10 ± 0.02	0.030 ± 0.004	0.077 ± 0.009	0.069 ± 0.004	0.027 ± 0.007	0.09 ± 0.01	E Africa M	S E Asia F	0.27
31	0.09 ± 0.02	0.030 ± 0.002	0.075 ± 0.006	0.054 ± 0.004	0.032 ± 0.005	0.08 ± 0.01	0.13 ± 0.02	0.034 ± 0.003	0.090 ± 0.009	0.080 ± 0.004	0.025 ± 0.007	0.11 ± 0.01	E Africa M	S E Asia M	0.29
32	0.08 ± 0.01	0.036 ± 0.003	0.097 ± 0.007	0.068 ± 0.004	0.041 ± 0.006	0.09 ± 0.01	0.14 ± 0.02	0.036 ± 0.003	0.103 ± 0.009	0.082 ± 0.004	0.033 ± 0.008	0.12 ± 0.01	E Africa M	S E Asia M	0.28
33	0.11 ± 0.02	0.044 ± 0.003	0.102 ± 0.008	0.078 ± 0.004	0.045 ± 0.006	0.10 ± 0.01	0.16 ± 0.02	0.044 ± 0.004	0.12 ± 0.01	0.088 ± 0.004	0.048 ± 0.009	0.14 ± 0.01	E Africa M	E Asia M	0.25
34	0.10 ± 0.02	0.051 ± 0.003	0.121 ± 0.009	0.087 ± 0.005	0.057 ± 0.007	0.12 ± 0.02	0.18 ± 0.02	0.049 ± 0.004	0.14 ± 0.01	0.099 ± 0.004	0.05 ± 0.01	0.15 ± 0.01	E Africa M	E Asia M	0.25

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 223. *For algorithm ionetworks-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.02	0.003 ± 0.002	0.005 ± 0.005	0.005 ± 0.004	0.002 ± 0.002	0.07 ± 0.03	0.017 ± 0.010	0.003 ± 0.002	0.000 ± 0.000	0.007 ± 0.004	0.000 ± 0.000	0.01 ± 0.01	W Africa F	E Europe M	0.72
15	0.10 ± 0.03	0.016 ± 0.006	0.008 ± 0.008	0.025 ± 0.010	0.01 ± 0.01	0.17 ± 0.04	0.04 ± 0.02	0.001 ± 0.001	0.003 ± 0.003	0.015 ± 0.007	0.002 ± 0.002	0.01 ± 0.01	W Africa F	E Asia M	0.69
16	0.15 ± 0.03	0.026 ± 0.009	0.01 ± 0.01	0.05 ± 0.01	0.03 ± 0.02	0.24 ± 0.05	0.07 ± 0.02	0.007 ± 0.004	0.003 ± 0.003	0.03 ± 0.01	0.008 ± 0.008	0.06 ± 0.03	W Africa F	E Europe M	0.62
17	0.24 ± 0.04	0.04 ± 0.01	0.05 ± 0.02	0.07 ± 0.02	0.03 ± 0.02	0.35 ± 0.05	0.13 ± 0.04	0.023 ± 0.007	0.01 ± 0.01	0.09 ± 0.02	0.02 ± 0.01	0.13 ± 0.03	W Africa F	E Europe M	0.53
18	0.26 ± 0.03	0.06 ± 0.01	0.05 ± 0.02	0.12 ± 0.01	0.07 ± 0.02	0.37 ± 0.04	0.25 ± 0.04	0.034 ± 0.007	0.04 ± 0.02	0.18 ± 0.02	0.04 ± 0.01	0.26 ± 0.04	W Africa F	E Asia M	0.45
19	0.39 ± 0.04	0.10 ± 0.01	0.12 ± 0.03	0.17 ± 0.02	0.12 ± 0.02	0.48 ± 0.05	0.37 ± 0.04	0.10 ± 0.01	0.10 ± 0.02	0.29 ± 0.02	0.10 ± 0.02	0.33 ± 0.04	W Africa F	E Asia F	0.36
20	0.44 ± 0.04	0.16 ± 0.02	0.14 ± 0.02	0.22 ± 0.02	0.18 ± 0.02	0.54 ± 0.04	0.50 ± 0.04	0.15 ± 0.02	0.20 ± 0.03	0.42 ± 0.02	0.19 ± 0.03	0.45 ± 0.04	W Africa F	E Europe F	0.29
21	0.54 ± 0.03	0.23 ± 0.02	0.21 ± 0.03	0.31 ± 0.02	0.22 ± 0.02	0.62 ± 0.04	0.62 ± 0.04	0.26 ± 0.02	0.29 ± 0.03	0.55 ± 0.02	0.28 ± 0.03	0.57 ± 0.04	E Africa M	E Europe F	0.25
22	0.58 ± 0.03	0.31 ± 0.02	0.27 ± 0.02	0.37 ± 0.02	0.32 ± 0.02	0.67 ± 0.04	0.75 ± 0.03	0.39 ± 0.02	0.44 ± 0.04	0.66 ± 0.02	0.37 ± 0.03	0.64 ± 0.04	E Africa M	E Europe F	0.20
23	0.67 ± 0.03	0.41 ± 0.02	0.35 ± 0.02	0.46 ± 0.02	0.41 ± 0.02	0.76 ± 0.03	0.79 ± 0.03	0.52 ± 0.02	0.53 ± 0.04	0.76 ± 0.02	0.48 ± 0.03	0.75 ± 0.03	E Africa M	E Europe F	0.16
24	0.72 ± 0.03	0.49 ± 0.02	0.45 ± 0.02	0.52 ± 0.01	0.48 ± 0.02	0.76 ± 0.03	0.84 ± 0.02	0.62 ± 0.02	0.69 ± 0.03	0.84 ± 0.01	0.62 ± 0.03	0.81 ± 0.03	S Asia M	E Europe F	0.13
25	0.77 ± 0.02	0.58 ± 0.01	0.55 ± 0.02	0.57 ± 0.02	0.56 ± 0.02	0.82 ± 0.02	0.89 ± 0.02	0.74 ± 0.02	0.80 ± 0.02	0.89 ± 0.01	0.70 ± 0.02	0.85 ± 0.02	S Asia M	E Europe F	0.11
26	0.80 ± 0.02	0.65 ± 0.01	0.63 ± 0.02	0.64 ± 0.01	0.65 ± 0.02	0.86 ± 0.02	0.92 ± 0.02	0.82 ± 0.01	0.84 ± 0.02	0.928 ± 0.009	0.80 ± 0.02	0.90 ± 0.02	S Asia M	E Europe F	0.09
27	0.84 ± 0.02	0.74 ± 0.01	0.73 ± 0.02	0.68 ± 0.01	0.71 ± 0.02	0.89 ± 0.02	0.95 ± 0.01	0.88 ± 0.01	0.92 ± 0.01	0.940 ± 0.007	0.86 ± 0.02	0.92 ± 0.01	E Africa M	S Asia F	0.07
28	0.88 ± 0.02	0.80 ± 0.01	0.80 ± 0.01	0.73 ± 0.01	0.76 ± 0.01	0.91 ± 0.02	0.96 ± 0.01	0.93 ± 0.01	0.95 ± 0.01	0.955 ± 0.006	0.90 ± 0.02	0.94 ± 0.01	E Africa M	S Asia F	0.05
29	0.90 ± 0.02	0.860 ± 0.009	0.86 ± 0.01	0.79 ± 0.01	0.82 ± 0.01	0.93 ± 0.01	0.972 ± 0.010	0.960 ± 0.008	0.972 ± 0.008	0.968 ± 0.005	0.93 ± 0.01	0.963 ± 0.010	E Africa M	S Asia F	0.04
30	0.92 ± 0.01	0.907 ± 0.007	0.91 ± 0.01	0.826 ± 0.009	0.87 ± 0.01	0.94 ± 0.01	0.989 ± 0.006	0.971 ± 0.006	0.989 ± 0.006	0.981 ± 0.003	0.96 ± 0.01	0.973 ± 0.008	E Europe M	S Asia F	0.03
31	0.94 ± 0.01	0.929 ± 0.007	0.93 ± 0.01	0.852 ± 0.009	0.90 ± 0.01	0.96 ± 0.01	0.988 ± 0.006	0.983 ± 0.005	0.990 ± 0.006	0.987 ± 0.003	0.97 ± 0.01	0.981 ± 0.006	E Europe M	S Asia F	0.03
32	0.96 ± 0.01	0.955 ± 0.005	0.960 ± 0.008	0.893 ± 0.008	0.93 ± 0.01	0.965 ± 0.010	0.996 ± 0.004	0.989 ± 0.004	0.994 ± 0.004	0.989 ± 0.003	0.985 ± 0.008	0.989 ± 0.005	E Africa M	S Asia F	0.02
33	0.96 ± 0.01	0.974 ± 0.004	0.974 ± 0.008	0.919 ± 0.007	0.948 ± 0.008	0.980 ± 0.007	0.998 ± 0.002	0.995 ± 0.003	0.996 ± 0.004	0.994 ± 0.002	0.987 ± 0.007	0.990 ± 0.005	E Africa M	S Asia F	0.01
34	0.971 ± 0.009	0.983 ± 0.004	0.983 ± 0.006	0.932 ± 0.007	0.964 ± 0.009	0.981 ± 0.008	0.998 ± 0.003	0.998 ± 0.002	0.999 ± 0.001	0.996 ± 0.002	0.996 ± 0.004	0.996 ± 0.003	E Europe M	S Asia F	0.01

Table 224. *For algorithm ionetworks-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.09 ± 0.04	0.010 ± 0.004	0.013 ± 0.009	0.018 ± 0.008	0.000 ± 0.000	0.10 ± 0.05	0.05 ± 0.03	0.003 ± 0.002	0.000 ± 0.000	0.004 ± 0.003	0.002 ± 0.002	0.02 ± 0.02	W Africa F	S E Asia F	0.70
15	0.11 ± 0.04	0.014 ± 0.004	0.010 ± 0.008	0.020 ± 0.008	0.02 ± 0.01	0.23 ± 0.06	0.07 ± 0.04	0.005 ± 0.002	0.000 ± 0.000	0.004 ± 0.003	0.007 ± 0.005	0.04 ± 0.03	W Africa F	E Europe M	0.71
16	0.26 ± 0.06	0.028 ± 0.006	0.02 ± 0.01	0.05 ± 0.01	0.012 ± 0.007	0.23 ± 0.05	0.08 ± 0.04	0.008 ± 0.003	0.003 ± 0.003	0.022 ± 0.007	0.016 ± 0.009	0.06 ± 0.03	E Africa F	E Europe M	0.64
17	0.24 ± 0.05	0.056 ± 0.007	0.04 ± 0.01	0.07 ± 0.01	0.04 ± 0.01	0.27 ± 0.05	0.18 ± 0.05	0.019 ± 0.004	0.010 ± 0.007	0.06 ± 0.01	0.018 ± 0.009	0.12 ± 0.04	W Africa F	E Europe M	0.52
18	0.36 ± 0.05	0.076 ± 0.007	0.09 ± 0.02	0.11 ± 0.01	0.06 ± 0.01	0.33 ± 0.05	0.25 ± 0.05	0.038 ± 0.005	0.04 ± 0.02	0.12 ± 0.01	0.03 ± 0.01	0.21 ± 0.04	E Africa F	S E Asia M	0.46
19	0.42 ± 0.05	0.121 ± 0.007	0.09 ± 0.01	0.15 ± 0.01	0.08 ± 0.01	0.41 ± 0.05	0.36 ± 0.05	0.067 ± 0.007	0.08 ± 0.02	0.21 ± 0.02	0.07 ± 0.01	0.24 ± 0.04	E Africa F	E Asia M	0.40
20	0.50 ± 0.04	0.167 ± 0.008	0.15 ± 0.02	0.19 ± 0.01	0.14 ± 0.01	0.51 ± 0.04	0.48 ± 0.05	0.113 ± 0.008	0.13 ± 0.02	0.30 ± 0.02	0.13 ± 0.02	0.31 ± 0.04	W Africa F	E Asia M	0.34
21	0.57 ± 0.04	0.224 ± 0.009	0.20 ± 0.01	0.23 ± 0.01	0.17 ± 0.01	0.53 ± 0.04	0.55 ± 0.04	0.19 ± 0.01	0.25 ± 0.02	0.40 ± 0.02	0.20 ± 0.02	0.42 ± 0.04	E Africa F	S E Asia F	0.27
22	0.64 ± 0.03	0.287 ± 0.008	0.26 ± 0.02	0.29 ± 0.01	0.25 ± 0.01	0.58 ± 0.03	0.68 ± 0.04	0.27 ± 0.01	0.36 ± 0.02	0.50 ± 0.02	0.29 ± 0.02	0.52 ± 0.03	E Africa M	S E Asia F	0.23
23	0.66 ± 0.03	0.350 ± 0.009	0.33 ± 0.01	0.33 ± 0.01	0.33 ± 0.02	0.65 ± 0.03	0.72 ± 0.03	0.38 ± 0.01	0.50 ± 0.02	0.59 ± 0.01	0.39 ± 0.02	0.60 ± 0.03	E Africa M	E Europe F	0.18
24	0.72 ± 0.03	0.432 ± 0.009	0.41 ± 0.01	0.39 ± 0.01	0.40 ± 0.02	0.69 ± 0.03	0.78 ± 0.03	0.50 ± 0.01	0.61 ± 0.02	0.67 ± 0.01	0.50 ± 0.02	0.67 ± 0.03	E Africa M	S Asia F	0.15
25	0.75 ± 0.02	0.516 ± 0.009	0.48 ± 0.01	0.43 ± 0.01	0.48 ± 0.02	0.76 ± 0.02	0.83 ± 0.02	0.60 ± 0.01	0.70 ± 0.02	0.75 ± 0.01	0.61 ± 0.02	0.73 ± 0.02	E Africa M	S Asia F	0.12
26	0.78 ± 0.02	0.592 ± 0.008	0.56 ± 0.01	0.49 ± 0.01	0.54 ± 0.02	0.78 ± 0.02	0.89 ± 0.02	0.68 ± 0.01	0.79 ± 0.02	0.793 ± 0.009	0.69 ± 0.02	0.79 ± 0.02	E Africa M	S Asia F	0.11
27	0.80 ± 0.02	0.662 ± 0.008	0.64 ± 0.01	0.535 ± 0.009	0.61 ± 0.01	0.82 ± 0.02	0.90 ± 0.02	0.762 ± 0.009	0.85 ± 0.01	0.839 ± 0.007	0.76 ± 0.02	0.86 ± 0.02	E Africa M	S Asia F	0.09
28	0.84 ± 0.02	0.725 ± 0.006	0.72 ± 0.01	0.589 ± 0.009	0.68 ± 0.01	0.84 ± 0.02	0.93 ± 0.01	0.831 ± 0.008	0.899 ± 0.010	0.868 ± 0.006	0.83 ± 0.02	0.89 ± 0.01	E Africa M	S Asia F	0.07
29	0.86 ± 0.02	0.784 ± 0.006	0.799 ± 0.009	0.629 ± 0.008	0.74 ± 0.01	0.88 ± 0.01	0.96 ± 0.01	0.884 ± 0.007	0.921 ± 0.010	0.897 ± 0.005	0.88 ± 0.02	0.93 ± 0.01	E Africa M	S Asia F	0.06
30	0.88 ± 0.02	0.838 ± 0.005	0.843 ± 0.008	0.689 ± 0.008	0.78 ± 0.01	0.88 ± 0.01	0.96 ± 0.01	0.924 ± 0.006	0.956 ± 0.006	0.918 ± 0.004	0.92 ± 0.01	0.935 ± 0.010	E Africa M	S Asia F	0.05
31	0.92 ± 0.02	0.883 ± 0.005	0.889 ± 0.007	0.731 ± 0.008	0.83 ± 0.01	0.91 ± 0.01	0.980 ± 0.007	0.949 ± 0.004	0.974 ± 0.005	0.942 ± 0.004	0.94 ± 0.01	0.948 ± 0.009	E Africa M	S Asia F	0.04
32	0.93 ± 0.01	0.913 ± 0.004	0.931 ± 0.006	0.771 ± 0.007	0.86 ± 0.01	0.93 ± 0.01	0.982 ± 0.007	0.969 ± 0.004	0.979 ± 0.004	0.956 ± 0.003	0.964 ± 0.008	0.955 ± 0.008	E Africa M	S Asia F	0.03
33	0.95 ± 0.01	0.939 ± 0.003	0.948 ± 0.005	0.818 ± 0.007	0.89 ± 0.01	0.94 ± 0.01	0.988 ± 0.006	0.981 ± 0.003	0.990 ± 0.003	0.967 ± 0.003	0.972 ± 0.008	0.968 ± 0.007	E Europe M	S Asia F	0.03
34	0.95 ± 0.01	0.956 ± 0.003	0.964 ± 0.004	0.858 ± 0.006	0.917 ± 0.010	0.95 ± 0.01	0.989 ± 0.005	0.987 ± 0.002	0.993 ± 0.003	0.974 ± 0.002	0.986 ± 0.005	0.983 ± 0.006	E Europe M	S Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 225. *For algorithm jumio-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.07 ± 0.02	0.022 ± 0.007	0.06 ± 0.02	0.029 ± 0.009	0.04 ± 0.02	0.07 ± 0.03	0.04 ± 0.02	0.003 ± 0.002	0.08 ± 0.02	0.012 ± 0.005	0.005 ± 0.005	0.02 ± 0.01	E Europe M	E Asia M	0.42
15	0.11 ± 0.03	0.041 ± 0.010	0.08 ± 0.02	0.06 ± 0.02	0.07 ± 0.02	0.13 ± 0.04	0.03 ± 0.01	0.002 ± 0.002	0.08 ± 0.03	0.016 ± 0.007	0.005 ± 0.005	0.01 ± 0.01	W Africa F	E Asia M	0.47
16	0.18 ± 0.04	0.06 ± 0.01	0.11 ± 0.03	0.10 ± 0.02	0.12 ± 0.03	0.22 ± 0.05	0.04 ± 0.02	0.009 ± 0.005	0.08 ± 0.03	0.006 ± 0.004	0.011 ± 0.008	0.02 ± 0.01	W Africa F	S Asia M	0.50
17	0.25 ± 0.05	0.10 ± 0.01	0.16 ± 0.04	0.16 ± 0.02	0.15 ± 0.03	0.29 ± 0.05	0.04 ± 0.02	0.019 ± 0.006	0.11 ± 0.03	0.017 ± 0.008	0.03 ± 0.02	0.06 ± 0.03	W Africa F	S Asia M	0.45
18	0.28 ± 0.04	0.15 ± 0.01	0.18 ± 0.03	0.18 ± 0.02	0.20 ± 0.03	0.37 ± 0.04	0.07 ± 0.02	0.039 ± 0.008	0.13 ± 0.03	0.041 ± 0.009	0.03 ± 0.01	0.10 ± 0.03	W Africa F	S E Asia M	0.40
19	0.41 ± 0.04	0.23 ± 0.02	0.23 ± 0.03	0.28 ± 0.02	0.30 ± 0.03	0.47 ± 0.05	0.16 ± 0.03	0.09 ± 0.01	0.11 ± 0.02	0.08 ± 0.01	0.06 ± 0.02	0.21 ± 0.04	W Africa F	S E Asia M	0.34
20	0.51 ± 0.04	0.31 ± 0.02	0.31 ± 0.03	0.36 ± 0.02	0.41 ± 0.03	0.54 ± 0.04	0.27 ± 0.04	0.14 ± 0.01	0.16 ± 0.03	0.17 ± 0.02	0.17 ± 0.03	0.27 ± 0.04	W Africa F	E Asia M	0.26
21	0.59 ± 0.04	0.41 ± 0.02	0.39 ± 0.03	0.44 ± 0.02	0.50 ± 0.02	0.65 ± 0.04	0.36 ± 0.04	0.27 ± 0.02	0.23 ± 0.03	0.26 ± 0.02	0.27 ± 0.03	0.41 ± 0.04	W Africa F	E Europe M	0.20
22	0.65 ± 0.03	0.52 ± 0.02	0.49 ± 0.03	0.54 ± 0.02	0.60 ± 0.02	0.70 ± 0.03	0.54 ± 0.04	0.40 ± 0.02	0.37 ± 0.04	0.38 ± 0.02	0.39 ± 0.03	0.49 ± 0.04	W Africa F	E Europe M	0.13
23	0.73 ± 0.03	0.61 ± 0.02	0.58 ± 0.02	0.64 ± 0.02	0.68 ± 0.02	0.81 ± 0.03	0.62 ± 0.03	0.52 ± 0.02	0.47 ± 0.03	0.52 ± 0.02	0.54 ± 0.03	0.65 ± 0.03	W Africa F	E Europe M	0.09
24	0.80 ± 0.02	0.69 ± 0.01	0.70 ± 0.02	0.71 ± 0.01	0.78 ± 0.02	0.80 ± 0.03	0.76 ± 0.03	0.67 ± 0.02	0.63 ± 0.03	0.66 ± 0.02	0.67 ± 0.03	0.76 ± 0.03	W Africa F	E Europe M	0.05
25	0.83 ± 0.02	0.78 ± 0.01	0.78 ± 0.02	0.77 ± 0.01	0.83 ± 0.01	0.86 ± 0.02	0.83 ± 0.02	0.77 ± 0.02	0.76 ± 0.03	0.78 ± 0.02	0.77 ± 0.02	0.82 ± 0.02	W Africa F	E Europe M	0.02
26	0.88 ± 0.02	0.84 ± 0.01	0.83 ± 0.01	0.82 ± 0.01	0.88 ± 0.01	0.89 ± 0.02	0.89 ± 0.02	0.85 ± 0.01	0.84 ± 0.02	0.84 ± 0.01	0.86 ± 0.02	0.88 ± 0.02	W Africa F	S Asia F	0.02
27	0.90 ± 0.01	0.883 ± 0.009	0.90 ± 0.01	0.868 ± 0.009	0.92 ± 0.01	0.93 ± 0.01	0.91 ± 0.02	0.90 ± 0.01	0.93 ± 0.01	0.890 ± 0.009	0.92 ± 0.02	0.92 ± 0.01	E Europe M	S Asia F	0.01
28	0.93 ± 0.01	0.917 ± 0.007	0.937 ± 0.009	0.909 ± 0.007	0.943 ± 0.008	0.95 ± 0.01	0.95 ± 0.01	0.943 ± 0.008	0.95 ± 0.01	0.928 ± 0.007	0.94 ± 0.01	0.95 ± 0.01	E Europe M	S Asia F	0.01
29	0.95 ± 0.01	0.946 ± 0.005	0.956 ± 0.008	0.934 ± 0.007	0.963 ± 0.007	0.966 ± 0.010	0.972 ± 0.009	0.966 ± 0.007	0.969 ± 0.010	0.951 ± 0.006	0.97 ± 0.01	0.970 ± 0.009	E Africa M	S Asia F	0.01
30	0.966 ± 0.009	0.969 ± 0.005	0.972 ± 0.007	0.951 ± 0.005	0.978 ± 0.006	0.973 ± 0.009	0.980 ± 0.008	0.977 ± 0.005	0.985 ± 0.007	0.964 ± 0.005	0.981 ± 0.009	0.976 ± 0.008	E Europe M	S Asia F	0.01
31	0.968 ± 0.010	0.976 ± 0.004	0.985 ± 0.005	0.966 ± 0.004	0.986 ± 0.004	0.978 ± 0.007	0.990 ± 0.005	0.990 ± 0.004	0.992 ± 0.005	0.980 ± 0.004	0.981 ± 0.008	0.989 ± 0.005	E Europe M	S Asia F	0.01
32	0.978 ± 0.008	0.987 ± 0.003	0.989 ± 0.005	0.976 ± 0.004	0.988 ± 0.004	0.982 ± 0.007	0.993 ± 0.004	0.995 ± 0.003	0.996 ± 0.004	0.989 ± 0.003	0.989 ± 0.006	0.991 ± 0.005	E Europe M	S Asia F	0.00
33	0.993 ± 0.005	0.992 ± 0.002	0.994 ± 0.003	0.988 ± 0.003	0.996 ± 0.003	0.994 ± 0.005	0.998 ± 0.003	0.995 ± 0.003	0.999 ± 0.002	0.991 ± 0.003	0.997 ± 0.003	0.995 ± 0.004	E Europe M	S Asia F	0.00
34	0.990 ± 0.006	0.995 ± 0.002	0.997 ± 0.002	0.993 ± 0.002	0.998 ± 0.002	0.993 ± 0.004	0.995 ± 0.005	0.997 ± 0.002	0.999 ± 0.002	0.995 ± 0.002	0.996 ± 0.004	0.997 ± 0.003	E Europe M	E Africa F	0.00

Table 226. *For algorithm jumio-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.58 ± 0.08	0.26 ± 0.02	0.42 ± 0.05	0.41 ± 0.03	0.33 ± 0.04	0.42 ± 0.08	0.52 ± 0.08	0.15 ± 0.01	0.26 ± 0.04	0.29 ± 0.03	0.18 ± 0.04	0.45 ± 0.09	E Africa F	E Asia M	0.22
15	0.57 ± 0.07	0.28 ± 0.02	0.48 ± 0.05	0.44 ± 0.03	0.34 ± 0.04	0.60 ± 0.07	0.44 ± 0.08	0.15 ± 0.01	0.22 ± 0.04	0.22 ± 0.02	0.17 ± 0.03	0.33 ± 0.08	W Africa F	E Asia M	0.26
16	0.66 ± 0.06	0.32 ± 0.02	0.55 ± 0.04	0.50 ± 0.03	0.41 ± 0.04	0.65 ± 0.06	0.41 ± 0.07	0.16 ± 0.01	0.22 ± 0.03	0.20 ± 0.02	0.15 ± 0.03	0.35 ± 0.06	E Africa F	S E Asia M	0.28
17	0.69 ± 0.05	0.38 ± 0.02	0.65 ± 0.03	0.54 ± 0.03	0.45 ± 0.03	0.70 ± 0.06	0.47 ± 0.07	0.20 ± 0.01	0.22 ± 0.03	0.27 ± 0.02	0.20 ± 0.03	0.40 ± 0.05	W Africa F	S E Asia M	0.25
18	0.73 ± 0.05	0.42 ± 0.01	0.65 ± 0.03	0.60 ± 0.02	0.48 ± 0.03	0.66 ± 0.05	0.49 ± 0.05	0.24 ± 0.01	0.25 ± 0.03	0.29 ± 0.02	0.22 ± 0.02	0.43 ± 0.05	E Africa F	S E Asia M	0.24
19	0.77 ± 0.04	0.48 ± 0.01	0.71 ± 0.02	0.67 ± 0.02	0.53 ± 0.02	0.79 ± 0.04	0.50 ± 0.05	0.30 ± 0.01	0.32 ± 0.03	0.36 ± 0.02	0.30 ± 0.03	0.51 ± 0.05	W Africa F	E Asia M	0.20
20	0.80 ± 0.04	0.55 ± 0.01	0.76 ± 0.02	0.72 ± 0.02	0.59 ± 0.02	0.83 ± 0.03	0.65 ± 0.04	0.37 ± 0.01	0.42 ± 0.03	0.45 ± 0.02	0.39 ± 0.03	0.57 ± 0.04	W Africa F	E Asia M	0.16
21	0.85 ± 0.03	0.59 ± 0.01	0.80 ± 0.02	0.75 ± 0.01	0.65 ± 0.02	0.88 ± 0.03	0.67 ± 0.04	0.46 ± 0.01	0.50 ± 0.03	0.56 ± 0.02	0.46 ± 0.03	0.68 ± 0.04	W Africa F	S E Asia M	0.13
22	0.88 ± 0.03	0.661 ± 0.010	0.85 ± 0.01	0.81 ± 0.01	0.72 ± 0.02	0.89 ± 0.02	0.79 ± 0.03	0.56 ± 0.01	0.59 ± 0.02	0.65 ± 0.01	0.56 ± 0.03	0.76 ± 0.03	W Africa F	S E Asia M	0.10
23	0.91 ± 0.02	0.706 ± 0.009	0.88 ± 0.01	0.84 ± 0.01	0.78 ± 0.02	0.90 ± 0.02	0.81 ± 0.03	0.65 ± 0.01	0.71 ± 0.02	0.74 ± 0.01	0.63 ± 0.02	0.83 ± 0.03	E Africa F	S E Asia M	0.07
24	0.92 ± 0.02	0.750 ± 0.008	0.914 ± 0.008	0.874 ± 0.007	0.81 ± 0.01	0.92 ± 0.02	0.88 ± 0.02	0.729 ± 0.010	0.80 ± 0.02	0.81 ± 0.01	0.73 ± 0.02	0.88 ± 0.02	E Africa F	E Asia M	0.05
25	0.93 ± 0.01	0.800 ± 0.007	0.939 ± 0.006	0.884 ± 0.006	0.85 ± 0.01	0.93 ± 0.01	0.91 ± 0.02	0.801 ± 0.009	0.86 ± 0.01	0.865 ± 0.009	0.80 ± 0.02	0.89 ± 0.02	E Europe F	E Asia F	0.04
26	0.96 ± 0.01	0.840 ± 0.006	0.954 ± 0.005	0.910 ± 0.006	0.89 ± 0.01	0.95 ± 0.01	0.93 ± 0.02	0.851 ± 0.008	0.90 ± 0.01	0.898 ± 0.007	0.85 ± 0.02	0.93 ± 0.01	E Africa F	E Asia F	0.03
27	0.96 ± 0.01	0.870 ± 0.005	0.968 ± 0.005	0.928 ± 0.005	0.910 ± 0.009	0.96 ± 0.01	0.95 ± 0.01	0.901 ± 0.006	0.939 ± 0.009	0.924 ± 0.006	0.89 ± 0.01	0.95 ± 0.01	E Europe F	E Asia F	0.02
28	0.970 ± 0.009	0.900 ± 0.004	0.981 ± 0.003	0.943 ± 0.005	0.931 ± 0.008	0.964 ± 0.009	0.975 ± 0.009	0.931 ± 0.005	0.971 ± 0.006	0.948 ± 0.004	0.93 ± 0.01	0.963 ± 0.008	E Europe F	E Asia F	0.01
29	0.976 ± 0.009	0.923 ± 0.004	0.987 ± 0.002	0.957 ± 0.004	0.944 ± 0.007	0.975 ± 0.007	0.988 ± 0.006	0.953 ± 0.005	0.970 ± 0.006	0.963 ± 0.004	0.95 ± 0.01	0.975 ± 0.007	E Africa M	E Asia F	0.01
30	0.981 ± 0.008	0.942 ± 0.003	0.991 ± 0.002	0.968 ± 0.003	0.961 ± 0.006	0.982 ± 0.006	0.979 ± 0.009	0.967 ± 0.004	0.985 ± 0.004	0.976 ± 0.003	0.969 ± 0.009	0.981 ± 0.006	E Europe F	E Asia F	0.01
31	0.991 ± 0.006	0.958 ± 0.003	0.994 ± 0.002	0.973 ± 0.003	0.968 ± 0.006	0.981 ± 0.007	0.989 ± 0.006	0.979 ± 0.003	0.992 ± 0.003	0.983 ± 0.002	0.977 ± 0.008	0.984 ± 0.005	E Europe F	E Asia F	0.01
32	0.987 ± 0.007	0.970 ± 0.002	0.996 ± 0.001	0.981 ± 0.002	0.972 ± 0.005	0.990 ± 0.005	0.991 ± 0.005	0.985 ± 0.002	0.994 ± 0.003	0.988 ± 0.002	0.984 ± 0.006	0.992 ± 0.004	E Europe F	E Asia F	0.00
33	0.991 ± 0.006	0.977 ± 0.002	0.998 ± 0.001	0.985 ± 0.002	0.978 ± 0.005	0.992 ± 0.004	0.998 ± 0.003	0.989 ± 0.002	0.995 ± 0.002	0.991 ± 0.001	0.991 ± 0.005	0.993 ± 0.003	E Europe F	E Asia F	0.00
34	0.992 ± 0.006	0.982 ± 0.002	0.999 ± 0.001	0.990 ± 0.002	0.988 ± 0.004	0.995 ± 0.004	0.994 ± 0.005	0.990 ± 0.002	0.996 ± 0.002	0.994 ± 0.001	0.994 ± 0.004	0.993 ± 0.003	E Europe F	E Asia F	0.00

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 227. *For algorithm neurotechnology-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.21 ± 0.04	0.12 ± 0.02	0.03 ± 0.01	0.04 ± 0.01	0.06 ± 0.02	0.53 ± 0.06	0.42 ± 0.04	0.16 ± 0.02	0.013 ± 0.009	0.05 ± 0.01	0.12 ± 0.03	0.65 ± 0.06	W Africa M	E Europe M	0.57
15	0.20 ± 0.04	0.19 ± 0.02	0.04 ± 0.02	0.07 ± 0.02	0.12 ± 0.03	0.49 ± 0.06	0.49 ± 0.05	0.22 ± 0.02	0.02 ± 0.01	0.10 ± 0.02	0.16 ± 0.04	0.67 ± 0.06	W Africa M	E Europe M	0.49
16	0.31 ± 0.05	0.20 ± 0.02	0.08 ± 0.03	0.10 ± 0.02	0.16 ± 0.03	0.59 ± 0.06	0.66 ± 0.05	0.29 ± 0.02	0.03 ± 0.01	0.14 ± 0.02	0.19 ± 0.04	0.76 ± 0.05	W Africa M	E Europe M	0.47
17	0.39 ± 0.05	0.24 ± 0.02	0.12 ± 0.03	0.13 ± 0.02	0.21 ± 0.04	0.64 ± 0.05	0.76 ± 0.05	0.36 ± 0.03	0.06 ± 0.02	0.20 ± 0.02	0.28 ± 0.04	0.84 ± 0.05	W Africa M	E Europe M	0.41
18	0.40 ± 0.04	0.26 ± 0.02	0.13 ± 0.03	0.14 ± 0.02	0.23 ± 0.03	0.66 ± 0.04	0.77 ± 0.04	0.41 ± 0.02	0.10 ± 0.03	0.27 ± 0.02	0.34 ± 0.03	0.85 ± 0.03	W Africa M	E Europe M	0.38
19	0.43 ± 0.04	0.28 ± 0.02	0.16 ± 0.03	0.18 ± 0.02	0.23 ± 0.03	0.74 ± 0.04	0.86 ± 0.03	0.46 ± 0.02	0.11 ± 0.02	0.36 ± 0.02	0.37 ± 0.03	0.91 ± 0.03	W Africa M	E Europe M	0.37
20	0.47 ± 0.03	0.30 ± 0.02	0.20 ± 0.03	0.22 ± 0.02	0.26 ± 0.03	0.75 ± 0.04	0.88 ± 0.03	0.51 ± 0.02	0.19 ± 0.03	0.44 ± 0.02	0.42 ± 0.03	0.95 ± 0.02	W Africa M	E Europe M	0.33
21	0.51 ± 0.04	0.33 ± 0.02	0.26 ± 0.03	0.26 ± 0.02	0.31 ± 0.02	0.79 ± 0.03	0.91 ± 0.02	0.55 ± 0.02	0.28 ± 0.04	0.51 ± 0.02	0.49 ± 0.04	0.95 ± 0.02	W Africa M	S Asia F	0.28
22	0.59 ± 0.03	0.35 ± 0.02	0.32 ± 0.02	0.28 ± 0.02	0.31 ± 0.02	0.83 ± 0.03	0.94 ± 0.02	0.59 ± 0.02	0.38 ± 0.04	0.58 ± 0.02	0.54 ± 0.03	0.96 ± 0.02	W Africa M	S Asia F	0.25
23	0.61 ± 0.03	0.40 ± 0.02	0.38 ± 0.02	0.34 ± 0.02	0.38 ± 0.02	0.84 ± 0.02	0.94 ± 0.02	0.66 ± 0.02	0.41 ± 0.03	0.64 ± 0.02	0.59 ± 0.03	0.98 ± 0.01	W Africa M	S Asia F	0.22
24	0.63 ± 0.03	0.42 ± 0.01	0.44 ± 0.02	0.38 ± 0.02	0.42 ± 0.02	0.86 ± 0.02	0.96 ± 0.01	0.69 ± 0.02	0.52 ± 0.03	0.71 ± 0.02	0.65 ± 0.03	0.987 ± 0.008	W Africa M	S Asia F	0.19
25	0.66 ± 0.02	0.47 ± 0.01	0.51 ± 0.02	0.42 ± 0.01	0.45 ± 0.02	0.85 ± 0.02	0.97 ± 0.01	0.73 ± 0.02	0.61 ± 0.03	0.76 ± 0.02	0.68 ± 0.03	0.986 ± 0.008	W Africa M	S Asia F	0.17
26	0.69 ± 0.02	0.50 ± 0.01	0.57 ± 0.02	0.45 ± 0.01	0.51 ± 0.02	0.89 ± 0.02	0.977 ± 0.008	0.78 ± 0.02	0.68 ± 0.03	0.79 ± 0.01	0.74 ± 0.03	0.991 ± 0.006	W Africa M	S Asia F	0.15
27	0.75 ± 0.02	0.53 ± 0.01	0.62 ± 0.02	0.48 ± 0.01	0.56 ± 0.02	0.91 ± 0.02	0.984 ± 0.007	0.81 ± 0.02	0.75 ± 0.02	0.82 ± 0.01	0.79 ± 0.02	0.990 ± 0.006	W Africa M	S Asia F	0.13
28	0.75 ± 0.02	0.59 ± 0.01	0.68 ± 0.02	0.52 ± 0.01	0.60 ± 0.02	0.92 ± 0.01	0.986 ± 0.007	0.85 ± 0.01	0.82 ± 0.02	0.83 ± 0.01	0.82 ± 0.02	0.991 ± 0.005	W Africa M	S Asia F	0.12
29	0.80 ± 0.02	0.63 ± 0.01	0.73 ± 0.02	0.56 ± 0.01	0.64 ± 0.02	0.93 ± 0.01	0.989 ± 0.006	0.90 ± 0.01	0.84 ± 0.02	0.857 ± 0.009	0.87 ± 0.02	0.997 ± 0.003	W Africa M	S Asia F	0.10
30	0.82 ± 0.02	0.68 ± 0.01	0.77 ± 0.02	0.59 ± 0.01	0.69 ± 0.02	0.93 ± 0.01	0.994 ± 0.004	0.924 ± 0.010	0.90 ± 0.01	0.878 ± 0.008	0.89 ± 0.02	0.996 ± 0.003	W Africa M	S Asia F	0.09
31	0.84 ± 0.02	0.71 ± 0.01	0.81 ± 0.01	0.63 ± 0.01	0.73 ± 0.02	0.95 ± 0.01	0.996 ± 0.004	0.937 ± 0.009	0.91 ± 0.02	0.899 ± 0.008	0.91 ± 0.02	0.995 ± 0.003	E Africa M	S Asia F	0.08
32	0.89 ± 0.02	0.76 ± 0.01	0.85 ± 0.01	0.66 ± 0.01	0.76 ± 0.02	0.94 ± 0.01	0.993 ± 0.004	0.947 ± 0.007	0.93 ± 0.02	0.917 ± 0.007	0.92 ± 0.02	0.999 ± 0.002	W Africa M	S Asia F	0.07
33	0.88 ± 0.02	0.78 ± 0.01	0.87 ± 0.01	0.69 ± 0.01	0.79 ± 0.02	0.95 ± 0.01	0.993 ± 0.005	0.964 ± 0.006	0.968 ± 0.009	0.936 ± 0.006	0.95 ± 0.01	0.999 ± 0.001	W Africa M	S Asia F	0.06
34	0.90 ± 0.02	0.83 ± 0.01	0.89 ± 0.01	0.73 ± 0.01	0.83 ± 0.01	0.96 ± 0.01	0.997 ± 0.003	0.970 ± 0.006	0.968 ± 0.009	0.948 ± 0.005	0.96 ± 0.01	0.999 ± 0.002	W Africa M	S Asia F	0.05

Table 228. *For algorithm neurotechnology-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.26 ± 0.07	0.06 ± 0.01	0.07 ± 0.02	0.09 ± 0.02	0.05 ± 0.02	0.47 ± 0.08	0.36 ± 0.07	0.10 ± 0.01	0.04 ± 0.02	0.08 ± 0.01	0.08 ± 0.02	0.52 ± 0.09	W Africa M	E Europe M	0.51
15	0.24 ± 0.06	0.083 ± 0.010	0.10 ± 0.02	0.12 ± 0.02	0.08 ± 0.02	0.49 ± 0.07	0.60 ± 0.07	0.14 ± 0.01	0.05 ± 0.02	0.12 ± 0.02	0.10 ± 0.02	0.65 ± 0.07	W Africa M	E Europe M	0.49
16	0.37 ± 0.06	0.10 ± 0.01	0.11 ± 0.02	0.14 ± 0.02	0.08 ± 0.02	0.51 ± 0.07	0.60 ± 0.07	0.19 ± 0.01	0.07 ± 0.02	0.14 ± 0.02	0.13 ± 0.03	0.70 ± 0.06	W Africa M	E Europe M	0.46
17	0.36 ± 0.05	0.12 ± 0.01	0.17 ± 0.03	0.17 ± 0.02	0.09 ± 0.02	0.60 ± 0.06	0.72 ± 0.06	0.24 ± 0.01	0.08 ± 0.02	0.22 ± 0.02	0.16 ± 0.02	0.74 ± 0.05	W Africa M	E Europe M	0.43
18	0.42 ± 0.05	0.131 ± 0.009	0.19 ± 0.02	0.19 ± 0.02	0.13 ± 0.02	0.63 ± 0.05	0.75 ± 0.06	0.27 ± 0.01	0.16 ± 0.03	0.26 ± 0.02	0.18 ± 0.02	0.82 ± 0.04	W Africa M	S E Asia F	0.40
19	0.45 ± 0.05	0.153 ± 0.009	0.25 ± 0.02	0.22 ± 0.02	0.13 ± 0.02	0.66 ± 0.04	0.82 ± 0.04	0.31 ± 0.01	0.18 ± 0.03	0.32 ± 0.02	0.23 ± 0.02	0.86 ± 0.03	W Africa M	S E Asia F	0.37
20	0.51 ± 0.04	0.180 ± 0.008	0.30 ± 0.02	0.25 ± 0.01	0.18 ± 0.02	0.67 ± 0.04	0.87 ± 0.03	0.35 ± 0.01	0.21 ± 0.03	0.43 ± 0.02	0.29 ± 0.02	0.84 ± 0.03	E Africa M	E Asia F	0.33
21	0.56 ± 0.04	0.195 ± 0.008	0.33 ± 0.02	0.28 ± 0.01	0.18 ± 0.01	0.69 ± 0.03	0.85 ± 0.03	0.40 ± 0.01	0.34 ± 0.03	0.49 ± 0.02	0.32 ± 0.02	0.89 ± 0.02	W Africa M	S E Asia F	0.30
22	0.60 ± 0.03	0.228 ± 0.008	0.38 ± 0.02	0.32 ± 0.01	0.22 ± 0.02	0.75 ± 0.03	0.88 ± 0.03	0.45 ± 0.01	0.38 ± 0.02	0.56 ± 0.02	0.38 ± 0.02	0.91 ± 0.02	W Africa M	S E Asia F	0.27
23	0.60 ± 0.04	0.237 ± 0.008	0.44 ± 0.02	0.34 ± 0.01	0.27 ± 0.02	0.76 ± 0.03	0.92 ± 0.02	0.49 ± 0.01	0.48 ± 0.02	0.61 ± 0.01	0.43 ± 0.03	0.94 ± 0.02	W Africa M	E Asia F	0.25
24	0.65 ± 0.03	0.276 ± 0.008	0.47 ± 0.01	0.38 ± 0.01	0.29 ± 0.02	0.80 ± 0.02	0.94 ± 0.02	0.55 ± 0.01	0.57 ± 0.02	0.67 ± 0.01	0.49 ± 0.03	0.95 ± 0.01	W Africa M	E Asia F	0.23
25	0.70 ± 0.03	0.321 ± 0.008	0.55 ± 0.01	0.410 ± 0.010	0.34 ± 0.02	0.84 ± 0.02	0.96 ± 0.01	0.60 ± 0.01	0.62 ± 0.02	0.71 ± 0.01	0.54 ± 0.02	0.96 ± 0.01	W Africa M	E Asia F	0.20
26	0.73 ± 0.02	0.350 ± 0.007	0.58 ± 0.01	0.444 ± 0.010	0.37 ± 0.01	0.84 ± 0.02	0.97 ± 0.01	0.64 ± 0.01	0.68 ± 0.02	0.738 ± 0.010	0.62 ± 0.02	0.975 ± 0.008	W Africa M	E Asia F	0.19
27	0.74 ± 0.03	0.379 ± 0.007	0.63 ± 0.01	0.473 ± 0.009	0.43 ± 0.02	0.85 ± 0.02	0.96 ± 0.01	0.68 ± 0.01	0.74 ± 0.02	0.779 ± 0.008	0.65 ± 0.02	0.973 ± 0.008	W Africa M	E Asia F	0.16
28	0.79 ± 0.02	0.422 ± 0.007	0.671 ± 0.010	0.513 ± 0.009	0.48 ± 0.01	0.87 ± 0.02	0.96 ± 0.01	0.725 ± 0.010	0.80 ± 0.01	0.811 ± 0.007	0.71 ± 0.02	0.982 ± 0.006	W Africa M	E Asia F	0.15
29	0.80 ± 0.02	0.460 ± 0.007	0.71 ± 0.01	0.537 ± 0.009	0.51 ± 0.02	0.87 ± 0.02	0.97 ± 0.01	0.767 ± 0.009	0.82 ± 0.01	0.834 ± 0.007	0.76 ± 0.02	0.988 ± 0.005	W Africa M	E Asia F	0.13
30	0.81 ± 0.02	0.506 ± 0.008	0.76 ± 0.01	0.570 ± 0.008	0.56 ± 0.02	0.89 ± 0.01	0.978 ± 0.009	0.798 ± 0.008	0.88 ± 0.01	0.856 ± 0.006	0.78 ± 0.02	0.983 ± 0.005	W Africa M	E Asia F	0.12
31	0.85 ± 0.02	0.553 ± 0.007	0.793 ± 0.010	0.594 ± 0.008	0.61 ± 0.01	0.90 ± 0.01	0.978 ± 0.008	0.832 ± 0.007	0.899 ± 0.009	0.879 ± 0.005	0.80 ± 0.02	0.990 ± 0.004	W Africa M	E Asia F	0.10
32	0.87 ± 0.02	0.595 ± 0.007	0.826 ± 0.010	0.642 ± 0.008	0.64 ± 0.01	0.92 ± 0.01	0.986 ± 0.006	0.858 ± 0.007	0.925 ± 0.008	0.902 ± 0.005	0.83 ± 0.02	0.991 ± 0.004	W Africa M	E Asia F	0.09
33	0.88 ± 0.02	0.631 ± 0.007	0.843 ± 0.009	0.674 ± 0.008	0.68 ± 0.02	0.92 ± 0.01	0.991 ± 0.005	0.890 ± 0.006	0.940 ± 0.007	0.921 ± 0.004	0.87 ± 0.02	0.990 ± 0.004	E Africa M	E Asia F	0.08
34	0.87 ± 0.02	0.677 ± 0.007	0.867 ± 0.009	0.711 ± 0.008	0.71 ± 0.01	0.94 ± 0.01	0.987 ± 0.007	0.896 ± 0.007	0.964 ± 0.006	0.930 ± 0.004	0.90 ± 0.01	0.990 ± 0.004	W Africa M	E Asia F	0.07

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 229. *For algorithm neurotechnology-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.04 ± 0.02	0.13 ± 0.02	0.03 ± 0.02	0.04 ± 0.01	0.06 ± 0.02	0.02 ± 0.02	0.04 ± 0.02	0.16 ± 0.01	0.011 ± 0.009	0.05 ± 0.01	0.10 ± 0.03	0.01 ± 0.01	E Asia M	E Europe M	0.45
15	0.04 ± 0.02	0.19 ± 0.02	0.04 ± 0.02	0.07 ± 0.02	0.12 ± 0.03	0.04 ± 0.02	0.04 ± 0.02	0.23 ± 0.02	0.02 ± 0.01	0.09 ± 0.02	0.17 ± 0.03	0.04 ± 0.02	E Asia M	E Europe M	0.44
16	0.07 ± 0.02	0.21 ± 0.02	0.08 ± 0.03	0.10 ± 0.02	0.17 ± 0.04	0.06 ± 0.03	0.05 ± 0.02	0.30 ± 0.02	0.03 ± 0.01	0.12 ± 0.02	0.21 ± 0.04	0.03 ± 0.02	E Asia M	E Europe M	0.41
17	0.08 ± 0.03	0.26 ± 0.02	0.14 ± 0.03	0.13 ± 0.02	0.23 ± 0.04	0.09 ± 0.03	0.12 ± 0.03	0.37 ± 0.02	0.06 ± 0.02	0.20 ± 0.03	0.26 ± 0.04	0.10 ± 0.03	E Asia M	E Europe M	0.32
18	0.12 ± 0.02	0.26 ± 0.02	0.13 ± 0.03	0.14 ± 0.02	0.23 ± 0.03	0.11 ± 0.03	0.16 ± 0.03	0.41 ± 0.02	0.10 ± 0.02	0.25 ± 0.02	0.35 ± 0.04	0.15 ± 0.03	E Asia M	E Europe M	0.28
19	0.16 ± 0.03	0.29 ± 0.02	0.18 ± 0.03	0.18 ± 0.02	0.23 ± 0.03	0.15 ± 0.03	0.24 ± 0.03	0.46 ± 0.02	0.12 ± 0.03	0.34 ± 0.02	0.37 ± 0.04	0.21 ± 0.04	E Asia M	E Europe M	0.24
20	0.20 ± 0.03	0.31 ± 0.02	0.21 ± 0.03	0.21 ± 0.02	0.27 ± 0.03	0.20 ± 0.03	0.35 ± 0.04	0.52 ± 0.02	0.20 ± 0.03	0.42 ± 0.02	0.42 ± 0.03	0.31 ± 0.04	E Asia M	E Europe M	0.20
21	0.20 ± 0.03	0.34 ± 0.02	0.27 ± 0.03	0.26 ± 0.02	0.31 ± 0.03	0.23 ± 0.03	0.47 ± 0.04	0.55 ± 0.02	0.30 ± 0.04	0.49 ± 0.02	0.49 ± 0.04	0.38 ± 0.04	E Asia M	E Africa F	0.19
22	0.29 ± 0.03	0.35 ± 0.02	0.33 ± 0.03	0.28 ± 0.02	0.32 ± 0.02	0.28 ± 0.03	0.57 ± 0.03	0.60 ± 0.02	0.38 ± 0.04	0.56 ± 0.02	0.54 ± 0.03	0.47 ± 0.04	E Asia M	S Asia F	0.17
23	0.32 ± 0.03	0.41 ± 0.02	0.39 ± 0.03	0.35 ± 0.02	0.39 ± 0.02	0.34 ± 0.03	0.61 ± 0.03	0.66 ± 0.02	0.42 ± 0.04	0.61 ± 0.02	0.60 ± 0.03	0.57 ± 0.03	E Asia M	E Africa F	0.15
24	0.39 ± 0.03	0.43 ± 0.02	0.45 ± 0.02	0.39 ± 0.02	0.43 ± 0.02	0.36 ± 0.03	0.71 ± 0.03	0.69 ± 0.02	0.52 ± 0.03	0.69 ± 0.02	0.66 ± 0.03	0.64 ± 0.03	E Africa M	W Africa F	0.15
25	0.42 ± 0.03	0.48 ± 0.01	0.53 ± 0.02	0.42 ± 0.01	0.45 ± 0.02	0.42 ± 0.03	0.76 ± 0.03	0.74 ± 0.02	0.61 ± 0.03	0.74 ± 0.02	0.70 ± 0.03	0.70 ± 0.03	E Africa M	W Africa F	0.14
26	0.47 ± 0.03	0.51 ± 0.02	0.58 ± 0.02	0.45 ± 0.01	0.52 ± 0.02	0.48 ± 0.03	0.79 ± 0.02	0.79 ± 0.02	0.68 ± 0.03	0.77 ± 0.01	0.73 ± 0.02	0.76 ± 0.02	E Asia M	S Asia F	0.13
27	0.53 ± 0.02	0.55 ± 0.01	0.63 ± 0.02	0.48 ± 0.01	0.57 ± 0.02	0.51 ± 0.03	0.84 ± 0.02	0.82 ± 0.02	0.76 ± 0.02	0.81 ± 0.01	0.80 ± 0.02	0.82 ± 0.02	E Africa M	S Asia F	0.12
28	0.56 ± 0.03	0.60 ± 0.01	0.69 ± 0.02	0.52 ± 0.01	0.60 ± 0.02	0.56 ± 0.03	0.86 ± 0.02	0.86 ± 0.01	0.82 ± 0.02	0.83 ± 0.01	0.82 ± 0.02	0.84 ± 0.02	E Asia M	S Asia F	0.11
29	0.63 ± 0.03	0.64 ± 0.01	0.75 ± 0.02	0.57 ± 0.01	0.64 ± 0.02	0.62 ± 0.02	0.89 ± 0.02	0.89 ± 0.01	0.84 ± 0.02	0.851 ± 0.009	0.87 ± 0.02	0.88 ± 0.02	E Asia M	S Asia F	0.10
30	0.66 ± 0.02	0.68 ± 0.01	0.77 ± 0.02	0.60 ± 0.01	0.69 ± 0.02	0.66 ± 0.02	0.93 ± 0.01	0.924 ± 0.010	0.90 ± 0.02	0.868 ± 0.009	0.90 ± 0.02	0.90 ± 0.01	E Africa M	S Asia F	0.09
31	0.68 ± 0.02	0.72 ± 0.01	0.81 ± 0.02	0.63 ± 0.01	0.74 ± 0.02	0.70 ± 0.02	0.94 ± 0.01	0.942 ± 0.009	0.92 ± 0.01	0.894 ± 0.008	0.90 ± 0.02	0.93 ± 0.01	E Asia M	S Asia F	0.08
32	0.76 ± 0.02	0.76 ± 0.01	0.86 ± 0.01	0.66 ± 0.01	0.77 ± 0.02	0.75 ± 0.02	0.96 ± 0.01	0.948 ± 0.007	0.93 ± 0.01	0.910 ± 0.007	0.93 ± 0.02	0.93 ± 0.01	E Africa M	S Asia F	0.07
33	0.77 ± 0.02	0.79 ± 0.01	0.87 ± 0.02	0.69 ± 0.01	0.79 ± 0.02	0.78 ± 0.02	0.96 ± 0.01	0.964 ± 0.006	0.97 ± 0.01	0.927 ± 0.006	0.95 ± 0.01	0.961 ± 0.010	E Europe M	S Asia F	0.07
34	0.80 ± 0.02	0.831 ± 0.010	0.89 ± 0.01	0.74 ± 0.01	0.83 ± 0.02	0.82 ± 0.02	0.96 ± 0.01	0.972 ± 0.006	0.97 ± 0.01	0.940 ± 0.006	0.95 ± 0.01	0.96 ± 0.01	E Asia M	S Asia F	0.05

Table 230. *For algorithm neurotechnology-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.06 ± 0.03	0.06 ± 0.01	0.07 ± 0.02	0.09 ± 0.02	0.05 ± 0.02	0.007 ± 0.007	0.04 ± 0.02	0.10 ± 0.01	0.03 ± 0.01	0.08 ± 0.01	0.08 ± 0.02	0.04 ± 0.03	E Asia M	W Africa F	0.28
15	0.08 ± 0.04	0.083 ± 0.010	0.10 ± 0.03	0.12 ± 0.02	0.07 ± 0.02	0.06 ± 0.03	0.11 ± 0.04	0.14 ± 0.01	0.05 ± 0.02	0.11 ± 0.02	0.10 ± 0.02	0.06 ± 0.03	E Asia M	E Europe M	0.19
16	0.11 ± 0.04	0.10 ± 0.01	0.11 ± 0.02	0.14 ± 0.02	0.07 ± 0.02	0.09 ± 0.04	0.12 ± 0.05	0.19 ± 0.01	0.07 ± 0.02	0.14 ± 0.02	0.13 ± 0.03	0.11 ± 0.04	E Asia M	E Europe M	0.17
17	0.14 ± 0.04	0.12 ± 0.01	0.16 ± 0.03	0.16 ± 0.02	0.09 ± 0.02	0.10 ± 0.03	0.26 ± 0.06	0.24 ± 0.01	0.09 ± 0.02	0.23 ± 0.02	0.16 ± 0.03	0.19 ± 0.04	E Africa M	E Europe M	0.21
18	0.19 ± 0.04	0.136 ± 0.009	0.19 ± 0.02	0.19 ± 0.02	0.12 ± 0.02	0.12 ± 0.03	0.32 ± 0.05	0.27 ± 0.01	0.14 ± 0.03	0.26 ± 0.02	0.20 ± 0.03	0.25 ± 0.04	E Africa M	W Africa F	0.19
19	0.23 ± 0.04	0.154 ± 0.009	0.25 ± 0.02	0.21 ± 0.02	0.14 ± 0.02	0.17 ± 0.03	0.38 ± 0.05	0.30 ± 0.01	0.18 ± 0.02	0.32 ± 0.02	0.24 ± 0.02	0.31 ± 0.04	E Africa M	S E Asia F	0.18
20	0.24 ± 0.04	0.185 ± 0.009	0.29 ± 0.02	0.25 ± 0.01	0.18 ± 0.02	0.20 ± 0.03	0.47 ± 0.04	0.36 ± 0.01	0.21 ± 0.02	0.43 ± 0.02	0.30 ± 0.02	0.33 ± 0.04	E Africa M	S E Asia F	0.19
21	0.32 ± 0.03	0.197 ± 0.008	0.34 ± 0.02	0.28 ± 0.01	0.19 ± 0.02	0.25 ± 0.03	0.53 ± 0.04	0.40 ± 0.01	0.33 ± 0.03	0.48 ± 0.02	0.33 ± 0.02	0.44 ± 0.04	E Africa M	S E Asia F	0.18
22	0.38 ± 0.04	0.236 ± 0.008	0.39 ± 0.02	0.32 ± 0.01	0.22 ± 0.02	0.30 ± 0.03	0.58 ± 0.04	0.45 ± 0.01	0.38 ± 0.02	0.55 ± 0.02	0.39 ± 0.02	0.49 ± 0.04	E Africa M	S E Asia F	0.17
23	0.36 ± 0.03	0.248 ± 0.008	0.45 ± 0.02	0.34 ± 0.01	0.27 ± 0.01	0.33 ± 0.03	0.64 ± 0.04	0.50 ± 0.01	0.49 ± 0.02	0.60 ± 0.01	0.44 ± 0.03	0.58 ± 0.03	E Africa M	E Asia F	0.18
24	0.43 ± 0.03	0.281 ± 0.008	0.48 ± 0.01	0.39 ± 0.01	0.30 ± 0.02	0.36 ± 0.03	0.71 ± 0.03	0.55 ± 0.01	0.57 ± 0.02	0.66 ± 0.01	0.50 ± 0.02	0.62 ± 0.03	E Africa M	E Asia F	0.17
25	0.47 ± 0.03	0.322 ± 0.008	0.55 ± 0.01	0.41 ± 0.01	0.35 ± 0.01	0.40 ± 0.02	0.77 ± 0.03	0.60 ± 0.01	0.63 ± 0.02	0.70 ± 0.01	0.54 ± 0.02	0.67 ± 0.03	E Africa M	E Asia F	0.16
26	0.49 ± 0.03	0.354 ± 0.007	0.58 ± 0.01	0.446 ± 0.009	0.38 ± 0.02	0.43 ± 0.03	0.80 ± 0.03	0.650 ± 0.010	0.68 ± 0.02	0.727 ± 0.010	0.62 ± 0.02	0.71 ± 0.02	E Africa M	E Asia F	0.15
27	0.56 ± 0.03	0.386 ± 0.008	0.63 ± 0.01	0.475 ± 0.009	0.43 ± 0.02	0.48 ± 0.02	0.83 ± 0.02	0.68 ± 0.01	0.74 ± 0.01	0.772 ± 0.009	0.65 ± 0.02	0.76 ± 0.02	E Africa M	E Asia F	0.14
28	0.58 ± 0.03	0.425 ± 0.007	0.67 ± 0.01	0.513 ± 0.008	0.48 ± 0.02	0.50 ± 0.02	0.85 ± 0.02	0.731 ± 0.009	0.80 ± 0.01	0.801 ± 0.008	0.71 ± 0.02	0.81 ± 0.02	E Africa M	E Asia F	0.14
29	0.62 ± 0.03	0.465 ± 0.007	0.71 ± 0.01	0.541 ± 0.008	0.52 ± 0.01	0.54 ± 0.02	0.86 ± 0.02	0.769 ± 0.009	0.82 ± 0.01	0.824 ± 0.007	0.75 ± 0.02	0.82 ± 0.02	E Africa M	E Asia F	0.12
30	0.62 ± 0.03	0.511 ± 0.008	0.75 ± 0.01	0.570 ± 0.009	0.56 ± 0.02	0.60 ± 0.02	0.87 ± 0.02	0.800 ± 0.008	0.88 ± 0.01	0.846 ± 0.006	0.78 ± 0.02	0.84 ± 0.02	E Europe M	E Asia F	0.11
31	0.67 ± 0.03	0.559 ± 0.007	0.794 ± 0.009	0.599 ± 0.008	0.60 ± 0.01	0.64 ± 0.02	0.89 ± 0.02	0.836 ± 0.008	0.902 ± 0.010	0.867 ± 0.006	0.80 ± 0.02	0.85 ± 0.01	E Europe M	E Asia F	0.10
32	0.69 ± 0.03	0.600 ± 0.007	0.830 ± 0.009	0.644 ± 0.008	0.64 ± 0.01	0.65 ± 0.02	0.92 ± 0.02	0.859 ± 0.007	0.923 ± 0.008	0.892 ± 0.005	0.83 ± 0.02	0.86 ± 0.01	E Europe M	E Asia F	0.09
33	0.74 ± 0.02	0.637 ± 0.006	0.847 ± 0.010	0.675 ± 0.008	0.68 ± 0.01	0.70 ± 0.02	0.92 ± 0.01	0.890 ± 0.006	0.940 ± 0.008	0.910 ± 0.004	0.88 ± 0.02	0.88 ± 0.01	E Europe M	E Asia F	0.08
34	0.75 ± 0.03	0.682 ± 0.007	0.871 ± 0.009	0.710 ± 0.007	0.72 ± 0.01	0.75 ± 0.02	0.92 ± 0.01	0.899 ± 0.006	0.963 ± 0.006	0.921 ± 0.004	0.90 ± 0.01	0.90 ± 0.01	E Europe M	E Asia F	0.07

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 231. *For algorithm neurotechnology-003 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.04 ± 0.02	0.005 ± 0.003	0.03 ± 0.01	0.029 ± 0.009	0.009 ± 0.007	0.09 ± 0.04	0.05 ± 0.02	0.004 ± 0.003	0.002 ± 0.002	0.031 ± 0.009	0.007 ± 0.007	0.05 ± 0.03	W Africa F	E Europe M	0.51
15	0.06 ± 0.02	0.012 ± 0.005	0.06 ± 0.02	0.06 ± 0.02	0.02 ± 0.01	0.15 ± 0.04	0.07 ± 0.02	0.008 ± 0.004	0.012 ± 0.009	0.06 ± 0.01	0.02 ± 0.01	0.07 ± 0.03	W Africa F	E Asia M	0.41
16	0.12 ± 0.03	0.026 ± 0.009	0.09 ± 0.03	0.11 ± 0.02	0.05 ± 0.02	0.23 ± 0.05	0.18 ± 0.04	0.035 ± 0.009	0.02 ± 0.01	0.13 ± 0.02	0.05 ± 0.02	0.19 ± 0.05	W Africa F	E Europe M	0.40
17	0.22 ± 0.04	0.06 ± 0.01	0.19 ± 0.04	0.17 ± 0.02	0.11 ± 0.03	0.32 ± 0.05	0.27 ± 0.05	0.07 ± 0.01	0.03 ± 0.02	0.21 ± 0.02	0.13 ± 0.03	0.30 ± 0.05	W Africa F	E Europe M	0.33
18	0.23 ± 0.03	0.09 ± 0.01	0.27 ± 0.04	0.25 ± 0.02	0.13 ± 0.02	0.37 ± 0.04	0.43 ± 0.04	0.13 ± 0.01	0.14 ± 0.03	0.38 ± 0.02	0.20 ± 0.03	0.45 ± 0.05	W Africa M	E Asia F	0.29
19	0.32 ± 0.04	0.13 ± 0.01	0.34 ± 0.04	0.34 ± 0.02	0.19 ± 0.02	0.49 ± 0.05	0.57 ± 0.04	0.20 ± 0.02	0.22 ± 0.03	0.53 ± 0.02	0.28 ± 0.03	0.57 ± 0.05	W Africa M	E Asia F	0.26
20	0.43 ± 0.04	0.19 ± 0.02	0.46 ± 0.03	0.43 ± 0.02	0.26 ± 0.02	0.58 ± 0.04	0.73 ± 0.04	0.31 ± 0.02	0.36 ± 0.04	0.66 ± 0.02	0.41 ± 0.04	0.68 ± 0.04	E Africa M	E Asia F	0.22
21	0.50 ± 0.04	0.26 ± 0.02	0.55 ± 0.03	0.51 ± 0.02	0.31 ± 0.02	0.64 ± 0.04	0.81 ± 0.03	0.41 ± 0.02	0.50 ± 0.04	0.76 ± 0.02	0.53 ± 0.03	0.75 ± 0.04	E Africa M	E Asia F	0.19
22	0.57 ± 0.03	0.33 ± 0.02	0.66 ± 0.03	0.58 ± 0.02	0.41 ± 0.02	0.69 ± 0.04	0.87 ± 0.02	0.52 ± 0.02	0.65 ± 0.04	0.85 ± 0.02	0.61 ± 0.03	0.86 ± 0.03	E Africa M	E Asia F	0.16
23	0.66 ± 0.03	0.43 ± 0.02	0.72 ± 0.02	0.68 ± 0.02	0.48 ± 0.02	0.79 ± 0.03	0.91 ± 0.02	0.63 ± 0.02	0.76 ± 0.03	0.90 ± 0.01	0.74 ± 0.03	0.87 ± 0.02	E Africa M	E Asia F	0.12
24	0.71 ± 0.03	0.50 ± 0.02	0.81 ± 0.02	0.74 ± 0.01	0.56 ± 0.02	0.80 ± 0.02	0.95 ± 0.01	0.72 ± 0.02	0.86 ± 0.02	0.944 ± 0.009	0.81 ± 0.02	0.92 ± 0.02	E Africa M	E Asia F	0.10
25	0.75 ± 0.02	0.60 ± 0.01	0.87 ± 0.01	0.78 ± 0.01	0.63 ± 0.02	0.85 ± 0.02	0.972 ± 0.009	0.81 ± 0.02	0.92 ± 0.02	0.969 ± 0.006	0.85 ± 0.02	0.94 ± 0.02	E Africa M	E Asia F	0.09
26	0.80 ± 0.02	0.65 ± 0.01	0.90 ± 0.01	0.83 ± 0.01	0.72 ± 0.02	0.90 ± 0.02	0.981 ± 0.008	0.87 ± 0.01	0.95 ± 0.01	0.981 ± 0.005	0.92 ± 0.02	0.97 ± 0.01	S Asia M	E Asia F	0.07
27	0.85 ± 0.02	0.73 ± 0.01	0.944 ± 0.008	0.863 ± 0.008	0.78 ± 0.01	0.92 ± 0.01	0.984 ± 0.008	0.91 ± 0.01	0.975 ± 0.009	0.987 ± 0.004	0.95 ± 0.01	0.977 ± 0.008	S Asia M	E Asia F	0.05
28	0.86 ± 0.02	0.796 ± 0.010	0.961 ± 0.007	0.889 ± 0.008	0.84 ± 0.01	0.94 ± 0.01	0.994 ± 0.004	0.946 ± 0.008	0.983 ± 0.007	0.990 ± 0.003	0.97 ± 0.01	0.985 ± 0.007	E Africa M	E Asia F	0.04
29	0.91 ± 0.02	0.853 ± 0.009	0.979 ± 0.005	0.918 ± 0.007	0.88 ± 0.01	0.95 ± 0.01	0.995 ± 0.004	0.967 ± 0.007	0.989 ± 0.006	0.996 ± 0.002	0.981 ± 0.008	0.994 ± 0.004	S Asia M	E Asia F	0.03
30	0.93 ± 0.01	0.891 ± 0.007	0.985 ± 0.005	0.939 ± 0.006	0.908 ± 0.010	0.96 ± 0.01	0.996 ± 0.004	0.978 ± 0.005	0.998 ± 0.003	0.997 ± 0.002	0.984 ± 0.009	0.995 ± 0.004	E Europe M	E Asia F	0.02
31	0.95 ± 0.01	0.918 ± 0.008	0.995 ± 0.003	0.948 ± 0.005	0.929 ± 0.010	0.982 ± 0.007	0.997 ± 0.003	0.988 ± 0.004	0.997 ± 0.003	0.998 ± 0.001	0.994 ± 0.005	0.996 ± 0.003	S Asia M	E Asia F	0.02
32	0.95 ± 0.01	0.946 ± 0.006	0.995 ± 0.003	0.966 ± 0.005	0.950 ± 0.009	0.982 ± 0.007	0.999 ± 0.001	0.993 ± 0.003	0.999 ± 0.001	0.999 ± 0.001	0.998 ± 0.004	0.998 ± 0.002	E Europe M	E Asia F	0.01
33	0.973 ± 0.009	0.966 ± 0.005	0.992 ± 0.004	0.977 ± 0.004	0.970 ± 0.008	0.984 ± 0.007	1.000 ± 0.000	0.995 ± 0.003	0.999 ± 0.001	1.000 ± 0.000	0.994 ± 0.005	0.999 ± 0.002	E Africa M	E Asia F	0.01
34	0.980 ± 0.009	0.978 ± 0.004	0.998 ± 0.002	0.985 ± 0.004	0.982 ± 0.005	0.990 ± 0.006	0.999 ± 0.002	0.998 ± 0.002	0.999 ± 0.001	1.000 ± 0.001	0.997 ± 0.004	1.000 ± 0.000	W Africa M	E Asia F	0.00

Table 232. *For algorithm neurotechnology-003 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.14 ± 0.05	0.009 ± 0.004	0.03 ± 0.01	0.05 ± 0.01	0.014 ± 0.009	0.13 ± 0.06	0.09 ± 0.04	0.002 ± 0.002	0.002 ± 0.002	0.010 ± 0.005	0.02 ± 0.01	0.08 ± 0.04	E Africa F	E Asia M	0.59
15	0.18 ± 0.05	0.016 ± 0.004	0.05 ± 0.02	0.09 ± 0.02	0.02 ± 0.01	0.29 ± 0.06	0.17 ± 0.05	0.004 ± 0.002	0.007 ± 0.007	0.028 ± 0.008	0.007 ± 0.005	0.15 ± 0.05	W Africa F	E Asia M	0.61
16	0.31 ± 0.06	0.025 ± 0.005	0.08 ± 0.02	0.13 ± 0.02	0.03 ± 0.01	0.33 ± 0.06	0.19 ± 0.05	0.012 ± 0.004	0.008 ± 0.007	0.05 ± 0.01	0.04 ± 0.02	0.18 ± 0.05	W Africa F	E Europe M	0.56
17	0.32 ± 0.05	0.056 ± 0.007	0.12 ± 0.02	0.19 ± 0.02	0.07 ± 0.01	0.41 ± 0.06	0.33 ± 0.06	0.029 ± 0.005	0.02 ± 0.01	0.12 ± 0.02	0.04 ± 0.01	0.31 ± 0.05	W Africa F	E Europe M	0.48
18	0.49 ± 0.05	0.076 ± 0.007	0.18 ± 0.02	0.25 ± 0.02	0.10 ± 0.02	0.47 ± 0.05	0.49 ± 0.06	0.051 ± 0.006	0.06 ± 0.02	0.19 ± 0.02	0.09 ± 0.02	0.39 ± 0.05	E Africa M	E Asia M	0.43
19	0.51 ± 0.05	0.121 ± 0.008	0.22 ± 0.02	0.32 ± 0.02	0.15 ± 0.02	0.60 ± 0.04	0.57 ± 0.05	0.091 ± 0.008	0.10 ± 0.02	0.32 ± 0.02	0.14 ± 0.02	0.48 ± 0.05	W Africa F	E Asia M	0.37
20	0.61 ± 0.04	0.166 ± 0.009	0.28 ± 0.02	0.38 ± 0.02	0.21 ± 0.02	0.66 ± 0.04	0.69 ± 0.04	0.146 ± 0.009	0.18 ± 0.02	0.45 ± 0.02	0.23 ± 0.02	0.58 ± 0.04	E Africa M	E Asia M	0.32
21	0.66 ± 0.04	0.216 ± 0.008	0.35 ± 0.02	0.45 ± 0.02	0.25 ± 0.02	0.73 ± 0.03	0.73 ± 0.04	0.22 ± 0.01	0.31 ± 0.03	0.58 ± 0.02	0.32 ± 0.02	0.70 ± 0.04	W Africa F	E Asia F	0.27
22	0.75 ± 0.04	0.279 ± 0.009	0.44 ± 0.02	0.53 ± 0.01	0.33 ± 0.02	0.81 ± 0.03	0.85 ± 0.03	0.32 ± 0.01	0.40 ± 0.03	0.69 ± 0.01	0.42 ± 0.03	0.77 ± 0.03	E Africa M	E Asia F	0.23
23	0.77 ± 0.03	0.329 ± 0.009	0.51 ± 0.02	0.58 ± 0.01	0.42 ± 0.02	0.82 ± 0.02	0.90 ± 0.02	0.42 ± 0.01	0.55 ± 0.02	0.78 ± 0.01	0.50 ± 0.03	0.85 ± 0.02	E Africa M	E Asia F	0.18
24	0.83 ± 0.02	0.401 ± 0.008	0.58 ± 0.01	0.64 ± 0.01	0.49 ± 0.02	0.85 ± 0.02	0.91 ± 0.02	0.53 ± 0.01	0.64 ± 0.02	0.845 ± 0.010	0.61 ± 0.02	0.88 ± 0.02	E Africa M	E Asia F	0.15
25	0.86 ± 0.02	0.471 ± 0.008	0.67 ± 0.01	0.686 ± 0.010	0.56 ± 0.02	0.90 ± 0.01	0.95 ± 0.02	0.61 ± 0.01	0.74 ± 0.02	0.899 ± 0.007	0.68 ± 0.02	0.92 ± 0.02	E Africa M	E Asia F	0.12
26	0.88 ± 0.02	0.544 ± 0.008	0.72 ± 0.01	0.731 ± 0.009	0.63 ± 0.01	0.91 ± 0.01	0.97 ± 0.01	0.70 ± 0.01	0.80 ± 0.02	0.923 ± 0.006	0.78 ± 0.02	0.96 ± 0.01	E Africa M	E Asia F	0.10
27	0.89 ± 0.02	0.600 ± 0.008	0.795 ± 0.009	0.765 ± 0.007	0.69 ± 0.01	0.943 ± 0.010	0.982 ± 0.009	0.763 ± 0.009	0.86 ± 0.01	0.947 ± 0.004	0.83 ± 0.02	0.974 ± 0.008	E Africa M	E Asia F	0.08
28	0.92 ± 0.01	0.672 ± 0.007	0.846 ± 0.009	0.803 ± 0.007	0.75 ± 0.01	0.947 ± 0.010	0.986 ± 0.007	0.824 ± 0.008	0.920 ± 0.009	0.966 ± 0.003	0.87 ± 0.02	0.981 ± 0.007	E Africa M	E Asia F	0.07
29	0.93 ± 0.01	0.726 ± 0.006	0.891 ± 0.008	0.832 ± 0.006	0.78 ± 0.01	0.961 ± 0.009	0.990 ± 0.006	0.873 ± 0.007	0.944 ± 0.007	0.978 ± 0.002	0.89 ± 0.01	0.988 ± 0.005	E Africa M	E Asia F	0.05
30	0.95 ± 0.01	0.787 ± 0.006	0.926 ± 0.006	0.865 ± 0.006	0.83 ± 0.01	0.964 ± 0.009	0.996 ± 0.003	0.903 ± 0.006	0.966 ± 0.006	0.984 ± 0.002	0.93 ± 0.01	0.990 ± 0.004	E Africa M	E Asia F	0.04
31	0.96 ± 0.01	0.834 ± 0.005	0.944 ± 0.006	0.896 ± 0.005	0.871 ± 0.010	0.978 ± 0.007	0.997 ± 0.003	0.933 ± 0.005	0.983 ± 0.004	0.989 ± 0.002	0.95 ± 0.01	0.991 ± 0.004	E Africa M	E Asia F	0.03
32	0.96 ± 0.01	0.870 ± 0.005	0.970 ± 0.004	0.918 ± 0.005	0.893 ± 0.009	0.983 ± 0.006	0.999 ± 0.002	0.956 ± 0.004	0.988 ± 0.004	0.992 ± 0.001	0.963 ± 0.009	0.995 ± 0.003	E Africa M	E Asia F	0.02
33	0.988 ± 0.006	0.906 ± 0.004	0.977 ± 0.004	0.936 ± 0.004	0.917 ± 0.009	0.991 ± 0.005	0.999 ± 0.002	0.970 ± 0.003	0.995 ± 0.002	0.995 ± 0.001	0.973 ± 0.007	0.998 ± 0.002	E Africa M	E Asia F	0.02
34	0.983 ± 0.007	0.928 ± 0.004	0.985 ± 0.003	0.950 ± 0.004	0.944 ± 0.007	0.990 ± 0.005	0.999 ± 0.002	0.978 ± 0.003	0.996 ± 0.002	0.997 ± 0.001	0.984 ± 0.006	0.998 ± 0.002	E Africa M	E Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 233. *For algorithm nominder-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.04 ± 0.02	0.007 ± 0.004	0.005 ± 0.005	0.008 ± 0.005	0.009 ± 0.007	0.09 ± 0.03	0.006 ± 0.006	0.007 ± 0.003	0.004 ± 0.004	0.006 ± 0.003	0.007 ± 0.007	0.01 ± 0.01	W Africa F	E Europe M	0.61
15	0.05 ± 0.02	0.018 ± 0.007	0.01 ± 0.01	0.019 ± 0.009	0.01 ± 0.01	0.11 ± 0.04	0.02 ± 0.01	0.007 ± 0.004	0.012 ± 0.009	0.006 ± 0.004	0.012 ± 0.010	0.02 ± 0.01	W Africa F	S Asia M	0.51
16	0.08 ± 0.03	0.028 ± 0.009	0.01 ± 0.01	0.03 ± 0.01	0.05 ± 0.02	0.18 ± 0.04	0.03 ± 0.01	0.026 ± 0.008	0.009 ± 0.009	0.013 ± 0.007	0.01 ± 0.01	0.02 ± 0.02	W Africa F	E Europe M	0.52
17	0.14 ± 0.03	0.06 ± 0.01	0.04 ± 0.02	0.04 ± 0.01	0.06 ± 0.02	0.27 ± 0.05	0.04 ± 0.02	0.05 ± 0.01	0.008 ± 0.008	0.04 ± 0.01	0.03 ± 0.01	0.10 ± 0.03	W Africa F	E Europe M	0.47
18	0.17 ± 0.03	0.10 ± 0.01	0.05 ± 0.02	0.05 ± 0.01	0.07 ± 0.02	0.31 ± 0.04	0.09 ± 0.02	0.07 ± 0.01	0.03 ± 0.01	0.08 ± 0.01	0.06 ± 0.02	0.12 ± 0.03	W Africa F	E Europe M	0.37
19	0.23 ± 0.03	0.12 ± 0.01	0.09 ± 0.03	0.09 ± 0.01	0.11 ± 0.02	0.44 ± 0.05	0.17 ± 0.03	0.13 ± 0.01	0.07 ± 0.02	0.15 ± 0.02	0.10 ± 0.02	0.24 ± 0.04	W Africa F	E Europe M	0.32
20	0.29 ± 0.03	0.18 ± 0.02	0.12 ± 0.02	0.15 ± 0.02	0.16 ± 0.02	0.49 ± 0.04	0.29 ± 0.04	0.19 ± 0.02	0.11 ± 0.03	0.26 ± 0.02	0.18 ± 0.02	0.32 ± 0.04	W Africa F	E Europe M	0.26
21	0.37 ± 0.04	0.23 ± 0.02	0.18 ± 0.02	0.19 ± 0.02	0.21 ± 0.02	0.56 ± 0.04	0.38 ± 0.04	0.26 ± 0.02	0.17 ± 0.03	0.34 ± 0.02	0.23 ± 0.03	0.45 ± 0.04	W Africa F	E Europe M	0.23
22	0.45 ± 0.03	0.30 ± 0.02	0.26 ± 0.02	0.25 ± 0.02	0.27 ± 0.02	0.60 ± 0.04	0.52 ± 0.04	0.35 ± 0.02	0.31 ± 0.03	0.47 ± 0.02	0.29 ± 0.03	0.50 ± 0.04	W Africa F	S Asia F	0.18
23	0.50 ± 0.03	0.38 ± 0.02	0.35 ± 0.02	0.33 ± 0.02	0.33 ± 0.02	0.70 ± 0.03	0.57 ± 0.04	0.45 ± 0.02	0.40 ± 0.04	0.57 ± 0.02	0.38 ± 0.03	0.61 ± 0.03	W Africa F	S Asia F	0.16
24	0.58 ± 0.03	0.45 ± 0.02	0.45 ± 0.02	0.37 ± 0.02	0.42 ± 0.02	0.71 ± 0.03	0.69 ± 0.03	0.54 ± 0.02	0.54 ± 0.03	0.69 ± 0.02	0.50 ± 0.03	0.71 ± 0.03	W Africa F	S Asia F	0.13
25	0.61 ± 0.03	0.54 ± 0.01	0.55 ± 0.02	0.45 ± 0.01	0.49 ± 0.02	0.79 ± 0.02	0.76 ± 0.03	0.63 ± 0.02	0.68 ± 0.03	0.77 ± 0.01	0.60 ± 0.03	0.76 ± 0.03	W Africa F	S Asia F	0.11
26	0.69 ± 0.02	0.61 ± 0.01	0.65 ± 0.02	0.49 ± 0.01	0.59 ± 0.02	0.83 ± 0.02	0.81 ± 0.02	0.72 ± 0.02	0.76 ± 0.02	0.83 ± 0.01	0.69 ± 0.02	0.83 ± 0.02	W Africa M	S Asia F	0.09
27	0.73 ± 0.02	0.67 ± 0.01	0.74 ± 0.02	0.55 ± 0.01	0.66 ± 0.02	0.86 ± 0.02	0.87 ± 0.02	0.79 ± 0.02	0.86 ± 0.02	0.88 ± 0.01	0.78 ± 0.02	0.86 ± 0.02	S Asia M	S Asia F	0.08
28	0.79 ± 0.02	0.74 ± 0.01	0.81 ± 0.01	0.62 ± 0.01	0.72 ± 0.02	0.89 ± 0.02	0.89 ± 0.02	0.84 ± 0.01	0.91 ± 0.02	0.904 ± 0.009	0.82 ± 0.02	0.90 ± 0.02	E Europe M	S Asia F	0.06
29	0.83 ± 0.02	0.81 ± 0.01	0.87 ± 0.01	0.69 ± 0.01	0.78 ± 0.02	0.92 ± 0.01	0.93 ± 0.01	0.90 ± 0.01	0.94 ± 0.01	0.937 ± 0.007	0.87 ± 0.02	0.94 ± 0.01	E Europe M	S Asia F	0.05
30	0.86 ± 0.02	0.846 ± 0.009	0.93 ± 0.01	0.73 ± 0.01	0.84 ± 0.01	0.93 ± 0.01	0.95 ± 0.01	0.925 ± 0.009	0.969 ± 0.008	0.949 ± 0.005	0.91 ± 0.02	0.949 ± 0.010	E Europe M	S Asia F	0.04
31	0.89 ± 0.02	0.886 ± 0.008	0.948 ± 0.009	0.778 ± 0.010	0.88 ± 0.01	0.95 ± 0.01	0.964 ± 0.010	0.946 ± 0.008	0.981 ± 0.008	0.967 ± 0.004	0.94 ± 0.01	0.968 ± 0.009	E Europe M	S Asia F	0.03
32	0.92 ± 0.02	0.919 ± 0.008	0.965 ± 0.008	0.830 ± 0.009	0.91 ± 0.01	0.96 ± 0.01	0.981 ± 0.008	0.966 ± 0.006	0.991 ± 0.005	0.981 ± 0.003	0.96 ± 0.01	0.979 ± 0.007	E Europe M	S Asia F	0.03
33	0.93 ± 0.01	0.950 ± 0.006	0.975 ± 0.007	0.869 ± 0.009	0.94 ± 0.01	0.97 ± 0.01	0.984 ± 0.007	0.977 ± 0.005	0.996 ± 0.004	0.987 ± 0.003	0.977 ± 0.009	0.982 ± 0.007	E Europe M	S Asia F	0.02
34	0.96 ± 0.01	0.963 ± 0.005	0.981 ± 0.006	0.897 ± 0.008	0.948 ± 0.009	0.972 ± 0.009	0.990 ± 0.006	0.984 ± 0.004	0.998 ± 0.003	0.990 ± 0.003	0.979 ± 0.009	0.992 ± 0.005	E Europe M	S Asia F	0.01

Table 234. *For algorithm nominder-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.14 ± 0.05	0.015 ± 0.005	0.03 ± 0.02	0.04 ± 0.01	0.03 ± 0.01	0.17 ± 0.06	0.15 ± 0.05	0.011 ± 0.004	0.03 ± 0.01	0.024 ± 0.008	0.03 ± 0.01	0.18 ± 0.06	W Africa M	E Asia M	0.50
15	0.17 ± 0.05	0.023 ± 0.005	0.04 ± 0.01	0.08 ± 0.02	0.04 ± 0.02	0.26 ± 0.06	0.27 ± 0.07	0.023 ± 0.005	0.04 ± 0.02	0.07 ± 0.01	0.04 ± 0.01	0.21 ± 0.06	E Africa M	E Asia M	0.50
16	0.33 ± 0.06	0.032 ± 0.006	0.07 ± 0.02	0.11 ± 0.02	0.05 ± 0.02	0.33 ± 0.06	0.28 ± 0.06	0.038 ± 0.006	0.05 ± 0.02	0.10 ± 0.01	0.08 ± 0.02	0.26 ± 0.05	W Africa F	E Asia F	0.45
17	0.30 ± 0.05	0.063 ± 0.008	0.12 ± 0.02	0.16 ± 0.02	0.08 ± 0.01	0.41 ± 0.06	0.38 ± 0.06	0.068 ± 0.008	0.08 ± 0.02	0.20 ± 0.02	0.08 ± 0.02	0.43 ± 0.06	W Africa M	E Asia F	0.41
18	0.40 ± 0.05	0.086 ± 0.007	0.16 ± 0.02	0.19 ± 0.02	0.10 ± 0.02	0.44 ± 0.05	0.56 ± 0.06	0.108 ± 0.008	0.15 ± 0.02	0.29 ± 0.02	0.18 ± 0.02	0.48 ± 0.05	E Africa M	E Asia F	0.36
19	0.48 ± 0.05	0.134 ± 0.009	0.20 ± 0.02	0.25 ± 0.01	0.16 ± 0.02	0.56 ± 0.04	0.58 ± 0.05	0.158 ± 0.010	0.21 ± 0.03	0.40 ± 0.02	0.24 ± 0.02	0.54 ± 0.05	E Africa M	E Asia F	0.31
20	0.54 ± 0.04	0.169 ± 0.009	0.23 ± 0.02	0.30 ± 0.01	0.22 ± 0.02	0.61 ± 0.04	0.68 ± 0.04	0.23 ± 0.01	0.30 ± 0.02	0.52 ± 0.02	0.32 ± 0.02	0.60 ± 0.04	E Africa M	E Asia F	0.27
21	0.60 ± 0.04	0.220 ± 0.009	0.29 ± 0.02	0.35 ± 0.02	0.27 ± 0.02	0.65 ± 0.04	0.74 ± 0.04	0.32 ± 0.01	0.43 ± 0.03	0.63 ± 0.02	0.45 ± 0.03	0.69 ± 0.03	E Africa M	E Asia F	0.23
22	0.66 ± 0.04	0.276 ± 0.009	0.35 ± 0.02	0.40 ± 0.01	0.34 ± 0.02	0.74 ± 0.03	0.79 ± 0.03	0.40 ± 0.01	0.52 ± 0.03	0.72 ± 0.01	0.51 ± 0.03	0.75 ± 0.03	E Africa M	E Asia F	0.20
23	0.70 ± 0.04	0.325 ± 0.009	0.43 ± 0.02	0.44 ± 0.01	0.44 ± 0.02	0.76 ± 0.03	0.85 ± 0.03	0.48 ± 0.01	0.64 ± 0.02	0.78 ± 0.01	0.57 ± 0.02	0.83 ± 0.02	E Africa M	E Asia F	0.18
24	0.74 ± 0.03	0.393 ± 0.009	0.50 ± 0.01	0.51 ± 0.01	0.50 ± 0.02	0.78 ± 0.02	0.91 ± 0.02	0.57 ± 0.01	0.72 ± 0.02	0.839 ± 0.009	0.68 ± 0.02	0.84 ± 0.02	E Africa M	E Asia F	0.15
25	0.80 ± 0.03	0.469 ± 0.009	0.57 ± 0.01	0.55 ± 0.01	0.56 ± 0.02	0.83 ± 0.02	0.94 ± 0.02	0.65 ± 0.01	0.79 ± 0.02	0.875 ± 0.008	0.74 ± 0.02	0.90 ± 0.02	E Africa M	E Asia F	0.13
26	0.82 ± 0.02	0.531 ± 0.009	0.63 ± 0.01	0.59 ± 0.01	0.63 ± 0.02	0.84 ± 0.02	0.95 ± 0.01	0.721 ± 0.009	0.84 ± 0.01	0.894 ± 0.006	0.80 ± 0.02	0.92 ± 0.01	E Africa M	E Asia F	0.11
27	0.85 ± 0.02	0.592 ± 0.008	0.70 ± 0.01	0.631 ± 0.009	0.70 ± 0.01	0.88 ± 0.01	0.96 ± 0.01	0.771 ± 0.010	0.89 ± 0.01	0.920 ± 0.006	0.84 ± 0.02	0.94 ± 0.01	E Africa M	E Asia F	0.09
28	0.87 ± 0.02	0.658 ± 0.007	0.757 ± 0.009	0.671 ± 0.008	0.74 ± 0.01	0.88 ± 0.02	0.969 ± 0.010	0.831 ± 0.008	0.924 ± 0.009	0.942 ± 0.005	0.88 ± 0.01	0.959 ± 0.010	E Africa M	E Asia F	0.08
29	0.90 ± 0.02	0.707 ± 0.006	0.814 ± 0.010	0.721 ± 0.007	0.78 ± 0.01	0.91 ± 0.01	0.984 ± 0.008	0.864 ± 0.007	0.947 ± 0.007	0.957 ± 0.004	0.91 ± 0.01	0.965 ± 0.008	E Africa M	E Asia F	0.06
30	0.90 ± 0.02	0.761 ± 0.006	0.865 ± 0.008	0.754 ± 0.007	0.83 ± 0.01	0.93 ± 0.01	0.989 ± 0.007	0.899 ± 0.006	0.964 ± 0.006	0.969 ± 0.003	0.94 ± 0.01	0.976 ± 0.006	E Africa M	S Asia F	0.05
31	0.93 ± 0.01	0.805 ± 0.006	0.883 ± 0.008	0.793 ± 0.007	0.85 ± 0.01	0.947 ± 0.010	0.989 ± 0.007	0.925 ± 0.005	0.977 ± 0.005	0.978 ± 0.002	0.94 ± 0.01	0.983 ± 0.006	E Africa M	S Asia F	0.04
32	0.93 ± 0.01	0.847 ± 0.005	0.925 ± 0.006	0.832 ± 0.006	0.881 ± 0.009	0.95 ± 0.01	0.990 ± 0.005	0.946 ± 0.005	0.984 ± 0.004	0.982 ± 0.002	0.95 ± 0.01	0.979 ± 0.006	E Africa M	S Asia F	0.03
33	0.94 ± 0.01	0.880 ± 0.005	0.934 ± 0.006	0.861 ± 0.006	0.902 ± 0.009	0.965 ± 0.009	0.991 ± 0.005	0.957 ± 0.004	0.989 ± 0.003	0.986 ± 0.002	0.967 ± 0.008	0.986 ± 0.005	E Africa M	S Asia F	0.03
34	0.96 ± 0.01	0.907 ± 0.004	0.955 ± 0.006	0.884 ± 0.005	0.925 ± 0.009	0.965 ± 0.010	0.993 ± 0.005	0.969 ± 0.004	0.993 ± 0.003	0.991 ± 0.001	0.978 ± 0.007	0.989 ± 0.004	E Africa M	S Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 235. *For algorithm nominder-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.002 ± 0.002	0.000 ± 0.000	0.007 ± 0.007	0.002 ± 0.002	0.004 ± 0.004	0.02 ± 0.02	0.004 ± 0.004	0.003 ± 0.002	0.004 ± 0.004	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Asia F	0.65
15	0.006 ± 0.006	0.003 ± 0.002	0.010 ± 0.008	0.010 ± 0.005	0.005 ± 0.005	0.04 ± 0.02	0.003 ± 0.003	0.004 ± 0.003	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.009 ± 0.009	W Africa F	S E Asia M	0.56
16	0.04 ± 0.02	0.015 ± 0.006	0.02 ± 0.01	0.010 ± 0.006	0.03 ± 0.02	0.12 ± 0.04	0.01 ± 0.01	0.009 ± 0.005	0.003 ± 0.003	0.004 ± 0.003	0.008 ± 0.008	0.005 ± 0.005	W Africa F	E Europe M	0.61
17	0.08 ± 0.03	0.024 ± 0.007	0.03 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.18 ± 0.04	0.01 ± 0.01	0.016 ± 0.006	0.008 ± 0.008	0.016 ± 0.007	0.03 ± 0.01	0.04 ± 0.02	W Africa F	E Europe M	0.51
18	0.10 ± 0.02	0.033 ± 0.008	0.04 ± 0.02	0.033 ± 0.009	0.05 ± 0.01	0.24 ± 0.04	0.04 ± 0.02	0.039 ± 0.008	0.016 ± 0.009	0.031 ± 0.008	0.03 ± 0.01	0.07 ± 0.02	W Africa F	E Europe M	0.43
19	0.17 ± 0.03	0.050 ± 0.009	0.06 ± 0.02	0.07 ± 0.01	0.07 ± 0.02	0.34 ± 0.04	0.08 ± 0.02	0.07 ± 0.01	0.02 ± 0.01	0.049 ± 0.010	0.06 ± 0.02	0.12 ± 0.03	W Africa F	E Europe M	0.40
20	0.25 ± 0.04	0.09 ± 0.01	0.08 ± 0.02	0.10 ± 0.01	0.12 ± 0.02	0.40 ± 0.04	0.20 ± 0.03	0.10 ± 0.01	0.04 ± 0.02	0.12 ± 0.01	0.09 ± 0.02	0.20 ± 0.04	W Africa F	E Europe M	0.34
21	0.31 ± 0.03	0.14 ± 0.01	0.14 ± 0.02	0.17 ± 0.02	0.16 ± 0.02	0.47 ± 0.04	0.26 ± 0.03	0.18 ± 0.02	0.10 ± 0.02	0.19 ± 0.02	0.17 ± 0.03	0.29 ± 0.04	W Africa F	E Europe M	0.25
22	0.43 ± 0.03	0.18 ± 0.02	0.20 ± 0.02	0.22 ± 0.02	0.23 ± 0.02	0.53 ± 0.04	0.42 ± 0.03	0.27 ± 0.02	0.19 ± 0.03	0.30 ± 0.02	0.21 ± 0.03	0.36 ± 0.04	W Africa F	E Asia F	0.22
23	0.49 ± 0.03	0.28 ± 0.02	0.28 ± 0.02	0.30 ± 0.02	0.29 ± 0.02	0.64 ± 0.03	0.50 ± 0.03	0.38 ± 0.02	0.27 ± 0.03	0.45 ± 0.02	0.33 ± 0.03	0.51 ± 0.03	W Africa F	E Europe M	0.18
24	0.58 ± 0.03	0.34 ± 0.01	0.38 ± 0.02	0.38 ± 0.02	0.39 ± 0.02	0.69 ± 0.03	0.64 ± 0.03	0.50 ± 0.02	0.42 ± 0.03	0.57 ± 0.02	0.42 ± 0.03	0.59 ± 0.03	W Africa F	E Asia F	0.14
25	0.63 ± 0.03	0.45 ± 0.01	0.45 ± 0.02	0.45 ± 0.01	0.46 ± 0.02	0.75 ± 0.03	0.72 ± 0.03	0.59 ± 0.02	0.58 ± 0.03	0.70 ± 0.02	0.57 ± 0.03	0.70 ± 0.03	W Africa F	E Europe F	0.12
26	0.72 ± 0.03	0.53 ± 0.01	0.57 ± 0.02	0.51 ± 0.01	0.57 ± 0.02	0.84 ± 0.02	0.80 ± 0.02	0.70 ± 0.02	0.70 ± 0.03	0.78 ± 0.01	0.68 ± 0.03	0.79 ± 0.02	W Africa F	S Asia F	0.10
27	0.77 ± 0.02	0.62 ± 0.01	0.67 ± 0.02	0.59 ± 0.01	0.65 ± 0.02	0.86 ± 0.02	0.86 ± 0.02	0.79 ± 0.02	0.82 ± 0.02	0.85 ± 0.01	0.78 ± 0.02	0.85 ± 0.02	E Africa M	S Asia F	0.07
28	0.83 ± 0.02	0.70 ± 0.01	0.75 ± 0.02	0.67 ± 0.01	0.73 ± 0.02	0.91 ± 0.02	0.89 ± 0.02	0.85 ± 0.01	0.88 ± 0.02	0.889 ± 0.009	0.85 ± 0.02	0.88 ± 0.02	W Africa F	S Asia F	0.06
29	0.89 ± 0.02	0.78 ± 0.01	0.84 ± 0.01	0.73 ± 0.01	0.80 ± 0.01	0.93 ± 0.01	0.94 ± 0.01	0.91 ± 0.01	0.93 ± 0.01	0.927 ± 0.007	0.89 ± 0.02	0.94 ± 0.01	E Africa M	S Asia F	0.05
30	0.92 ± 0.02	0.833 ± 0.010	0.90 ± 0.01	0.79 ± 0.01	0.85 ± 0.01	0.94 ± 0.01	0.969 ± 0.010	0.942 ± 0.008	0.95 ± 0.01	0.946 ± 0.006	0.94 ± 0.01	0.955 ± 0.010	E Africa M	S Asia F	0.03
31	0.93 ± 0.01	0.878 ± 0.008	0.935 ± 0.009	0.835 ± 0.009	0.89 ± 0.01	0.96 ± 0.01	0.987 ± 0.007	0.969 ± 0.007	0.979 ± 0.007	0.968 ± 0.005	0.97 ± 0.01	0.967 ± 0.009	E Africa M	S Asia F	0.03
32	0.96 ± 0.01	0.916 ± 0.007	0.960 ± 0.007	0.875 ± 0.009	0.931 ± 0.010	0.97 ± 0.01	0.990 ± 0.006	0.979 ± 0.005	0.989 ± 0.006	0.982 ± 0.003	0.971 ± 0.010	0.982 ± 0.006	E Africa M	S Asia F	0.02
33	0.967 ± 0.009	0.940 ± 0.007	0.976 ± 0.007	0.918 ± 0.007	0.954 ± 0.009	0.981 ± 0.008	0.992 ± 0.005	0.988 ± 0.004	0.996 ± 0.004	0.992 ± 0.002	0.987 ± 0.007	0.984 ± 0.006	E Europe M	S Asia F	0.01
34	0.97 ± 0.01	0.960 ± 0.005	0.983 ± 0.006	0.949 ± 0.005	0.974 ± 0.006	0.980 ± 0.007	0.995 ± 0.004	0.993 ± 0.003	0.996 ± 0.003	0.992 ± 0.003	0.983 ± 0.009	0.992 ± 0.004	E Europe M	S Asia F	0.01

Table 236. *For algorithm nominder-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.03	0.007 ± 0.003	0.02 ± 0.01	0.018 ± 0.007	0.02 ± 0.01	0.09 ± 0.04	0.02 ± 0.02	0.005 ± 0.003	0.002 ± 0.002	0.003 ± 0.002	0.013 ± 0.008	0.04 ± 0.03	W Africa F	E Europe M	0.54
15	0.08 ± 0.04	0.009 ± 0.003	0.02 ± 0.01	0.034 ± 0.010	0.02 ± 0.01	0.13 ± 0.05	0.04 ± 0.02	0.009 ± 0.004	0.007 ± 0.007	0.013 ± 0.006	0.011 ± 0.007	0.06 ± 0.04	W Africa F	E Europe M	0.53
16	0.12 ± 0.05	0.019 ± 0.005	0.03 ± 0.01	0.05 ± 0.01	0.022 ± 0.010	0.19 ± 0.05	0.07 ± 0.04	0.019 ± 0.004	0.008 ± 0.007	0.025 ± 0.008	0.03 ± 0.01	0.09 ± 0.04	W Africa F	E Europe M	0.51
17	0.15 ± 0.04	0.031 ± 0.006	0.04 ± 0.01	0.06 ± 0.01	0.03 ± 0.01	0.30 ± 0.05	0.13 ± 0.04	0.038 ± 0.006	0.008 ± 0.007	0.07 ± 0.01	0.05 ± 0.02	0.17 ± 0.04	W Africa F	E Europe M	0.48
18	0.27 ± 0.04	0.047 ± 0.005	0.08 ± 0.02	0.11 ± 0.01	0.06 ± 0.01	0.31 ± 0.05	0.17 ± 0.04	0.065 ± 0.007	0.03 ± 0.01	0.10 ± 0.01	0.07 ± 0.02	0.23 ± 0.04	W Africa F	E Europe M	0.40
19	0.31 ± 0.05	0.071 ± 0.006	0.11 ± 0.01	0.13 ± 0.01	0.09 ± 0.01	0.39 ± 0.04	0.23 ± 0.04	0.109 ± 0.008	0.05 ± 0.01	0.18 ± 0.02	0.15 ± 0.02	0.27 ± 0.04	W Africa F	E Europe M	0.35
20	0.36 ± 0.04	0.103 ± 0.007	0.14 ± 0.01	0.17 ± 0.01	0.14 ± 0.02	0.47 ± 0.04	0.40 ± 0.04	0.16 ± 0.01	0.10 ± 0.02	0.26 ± 0.02	0.22 ± 0.02	0.31 ± 0.04	W Africa F	E Europe M	0.31
21	0.44 ± 0.04	0.139 ± 0.007	0.19 ± 0.01	0.21 ± 0.01	0.17 ± 0.02	0.55 ± 0.04	0.44 ± 0.04	0.24 ± 0.01	0.15 ± 0.02	0.35 ± 0.02	0.29 ± 0.02	0.39 ± 0.04	W Africa F	E Asia F	0.27
22	0.49 ± 0.04	0.184 ± 0.007	0.26 ± 0.02	0.25 ± 0.01	0.24 ± 0.02	0.64 ± 0.03	0.51 ± 0.04	0.33 ± 0.01	0.24 ± 0.02	0.45 ± 0.02	0.36 ± 0.03	0.48 ± 0.03	W Africa F	E Asia F	0.22
23	0.58 ± 0.04	0.229 ± 0.007	0.31 ± 0.01	0.29 ± 0.01	0.32 ± 0.02	0.66 ± 0.03	0.59 ± 0.04	0.42 ± 0.01	0.35 ± 0.02	0.55 ± 0.01	0.46 ± 0.03	0.56 ± 0.03	W Africa F	E Asia F	0.19
24	0.64 ± 0.03	0.291 ± 0.008	0.38 ± 0.01	0.35 ± 0.01	0.38 ± 0.02	0.72 ± 0.03	0.67 ± 0.03	0.52 ± 0.01	0.47 ± 0.02	0.65 ± 0.01	0.56 ± 0.02	0.62 ± 0.03	W Africa F	E Asia F	0.16
25	0.70 ± 0.03	0.364 ± 0.008	0.48 ± 0.01	0.40 ± 0.01	0.46 ± 0.01	0.78 ± 0.02	0.74 ± 0.03	0.61 ± 0.01	0.57 ± 0.02	0.72 ± 0.01	0.66 ± 0.03	0.72 ± 0.02	W Africa F	E Asia F	0.14
26	0.74 ± 0.03	0.430 ± 0.008	0.54 ± 0.01	0.443 ± 0.009	0.53 ± 0.02	0.78 ± 0.02	0.81 ± 0.03	0.676 ± 0.010	0.66 ± 0.02	0.780 ± 0.010	0.72 ± 0.02	0.78 ± 0.02	E Africa M	E Asia F	0.12
27	0.77 ± 0.02	0.494 ± 0.007	0.63 ± 0.01	0.497 ± 0.010	0.61 ± 0.02	0.84 ± 0.02	0.84 ± 0.02	0.738 ± 0.009	0.76 ± 0.01	0.824 ± 0.008	0.79 ± 0.02	0.84 ± 0.02	E Africa M	E Asia F	0.10
28	0.82 ± 0.02	0.574 ± 0.007	0.71 ± 0.01	0.553 ± 0.009	0.66 ± 0.02	0.85 ± 0.02	0.89 ± 0.02	0.803 ± 0.008	0.83 ± 0.01	0.874 ± 0.006	0.84 ± 0.01	0.87 ± 0.02	E Africa M	S Asia F	0.09
29	0.84 ± 0.02	0.631 ± 0.007	0.78 ± 0.01	0.604 ± 0.008	0.71 ± 0.01	0.87 ± 0.01	0.93 ± 0.01	0.854 ± 0.007	0.88 ± 0.01	0.907 ± 0.005	0.87 ± 0.02	0.91 ± 0.01	E Africa M	S Asia F	0.07
30	0.86 ± 0.02	0.699 ± 0.007	0.831 ± 0.009	0.660 ± 0.008	0.77 ± 0.01	0.91 ± 0.01	0.95 ± 0.01	0.891 ± 0.006	0.919 ± 0.009	0.927 ± 0.005	0.91 ± 0.01	0.94 ± 0.01	E Africa M	S Asia F	0.06
31	0.89 ± 0.02	0.756 ± 0.007	0.865 ± 0.008	0.707 ± 0.008	0.81 ± 0.01	0.93 ± 0.01	0.96 ± 0.01	0.921 ± 0.005	0.953 ± 0.006	0.949 ± 0.003	0.93 ± 0.01	0.943 ± 0.009	E Africa M	S Asia F	0.05
32	0.92 ± 0.01	0.805 ± 0.005	0.909 ± 0.007	0.761 ± 0.007	0.84 ± 0.01	0.94 ± 0.01	0.980 ± 0.008	0.949 ± 0.004	0.976 ± 0.005	0.963 ± 0.003	0.94 ± 0.01	0.950 ± 0.008	E Africa M	S Asia F	0.04
33	0.92 ± 0.01	0.843 ± 0.005	0.936 ± 0.006	0.807 ± 0.007	0.88 ± 0.01	0.962 ± 0.009	0.979 ± 0.008	0.962 ± 0.004	0.982 ± 0.004	0.974 ± 0.002	0.964 ± 0.008	0.968 ± 0.007	E Europe M	S Asia F	0.03
34	0.94 ± 0.01	0.884 ± 0.005	0.957 ± 0.005	0.848 ± 0.006	0.906 ± 0.009	0.96 ± 0.01	0.983 ± 0.007	0.968 ± 0.003	0.989 ± 0.003	0.983 ± 0.002	0.980 ± 0.006	0.980 ± 0.006	E Europe M	S Asia F	0.03

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 237. *For algorithm ondato-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.08 ± 0.02	0.027 ± 0.007	0.005 ± 0.005	0.023 ± 0.008	0.03 ± 0.02	0.09 ± 0.03	0.03 ± 0.02	0.011 ± 0.004	0.004 ± 0.004	0.007 ± 0.004	0.005 ± 0.005	0.03 ± 0.02	W Africa F	E Europe M	0.54
15	0.10 ± 0.03	0.04 ± 0.01	0.02 ± 0.01	0.04 ± 0.01	0.06 ± 0.02	0.15 ± 0.04	0.04 ± 0.02	0.013 ± 0.005	0.009 ± 0.009	0.009 ± 0.005	0.010 ± 0.007	0.04 ± 0.02	W Africa F	S Asia M	0.50
16	0.14 ± 0.03	0.06 ± 0.01	0.05 ± 0.02	0.05 ± 0.01	0.08 ± 0.03	0.23 ± 0.05	0.07 ± 0.02	0.026 ± 0.007	0.009 ± 0.009	0.017 ± 0.008	0.03 ± 0.01	0.05 ± 0.03	W Africa F	E Europe M	0.47
17	0.23 ± 0.04	0.11 ± 0.02	0.05 ± 0.02	0.10 ± 0.02	0.10 ± 0.03	0.30 ± 0.05	0.10 ± 0.03	0.045 ± 0.010	0.011 ± 0.008	0.05 ± 0.01	0.05 ± 0.02	0.16 ± 0.04	W Africa F	E Europe M	0.43
18	0.24 ± 0.03	0.14 ± 0.01	0.07 ± 0.02	0.12 ± 0.01	0.13 ± 0.02	0.34 ± 0.04	0.14 ± 0.03	0.06 ± 0.01	0.02 ± 0.01	0.07 ± 0.01	0.06 ± 0.02	0.16 ± 0.03	W Africa F	E Europe M	0.38
19	0.33 ± 0.04	0.19 ± 0.02	0.13 ± 0.03	0.17 ± 0.02	0.19 ± 0.02	0.43 ± 0.04	0.26 ± 0.04	0.11 ± 0.01	0.05 ± 0.02	0.13 ± 0.02	0.14 ± 0.02	0.26 ± 0.04	W Africa F	E Europe M	0.30
20	0.40 ± 0.04	0.26 ± 0.02	0.18 ± 0.03	0.23 ± 0.02	0.26 ± 0.02	0.52 ± 0.04	0.36 ± 0.04	0.17 ± 0.02	0.10 ± 0.02	0.24 ± 0.02	0.20 ± 0.03	0.38 ± 0.04	W Africa F	E Europe M	0.25
21	0.47 ± 0.04	0.32 ± 0.02	0.24 ± 0.03	0.30 ± 0.02	0.34 ± 0.02	0.58 ± 0.04	0.49 ± 0.04	0.26 ± 0.02	0.13 ± 0.02	0.33 ± 0.02	0.33 ± 0.03	0.48 ± 0.04	W Africa F	E Europe M	0.21
22	0.56 ± 0.03	0.42 ± 0.02	0.35 ± 0.03	0.37 ± 0.02	0.43 ± 0.02	0.63 ± 0.04	0.62 ± 0.03	0.37 ± 0.02	0.26 ± 0.03	0.46 ± 0.02	0.41 ± 0.03	0.56 ± 0.04	W Africa F	E Europe M	0.15
23	0.63 ± 0.03	0.51 ± 0.02	0.44 ± 0.02	0.47 ± 0.02	0.50 ± 0.02	0.72 ± 0.03	0.67 ± 0.03	0.49 ± 0.02	0.36 ± 0.03	0.59 ± 0.02	0.53 ± 0.03	0.70 ± 0.03	W Africa F	E Europe M	0.12
24	0.69 ± 0.03	0.58 ± 0.02	0.55 ± 0.02	0.53 ± 0.02	0.60 ± 0.02	0.74 ± 0.03	0.77 ± 0.03	0.60 ± 0.02	0.51 ± 0.03	0.70 ± 0.02	0.64 ± 0.03	0.77 ± 0.03	E Africa M	E Europe M	0.09
25	0.74 ± 0.02	0.67 ± 0.01	0.63 ± 0.02	0.60 ± 0.01	0.67 ± 0.02	0.79 ± 0.03	0.84 ± 0.02	0.71 ± 0.02	0.66 ± 0.03	0.80 ± 0.01	0.75 ± 0.02	0.84 ± 0.02	W Africa M	S Asia F	0.07
26	0.80 ± 0.02	0.74 ± 0.01	0.73 ± 0.02	0.66 ± 0.01	0.75 ± 0.02	0.82 ± 0.02	0.89 ± 0.02	0.81 ± 0.02	0.74 ± 0.02	0.86 ± 0.01	0.82 ± 0.02	0.89 ± 0.02	E Africa M	S Asia F	0.05
27	0.85 ± 0.02	0.79 ± 0.01	0.79 ± 0.02	0.72 ± 0.01	0.81 ± 0.01	0.88 ± 0.02	0.91 ± 0.01	0.87 ± 0.01	0.86 ± 0.02	0.902 ± 0.010	0.89 ± 0.02	0.92 ± 0.01	W Africa M	S Asia F	0.04
28	0.88 ± 0.02	0.851 ± 0.009	0.86 ± 0.01	0.77 ± 0.01	0.86 ± 0.01	0.90 ± 0.02	0.96 ± 0.01	0.92 ± 0.01	0.92 ± 0.02	0.936 ± 0.007	0.93 ± 0.01	0.94 ± 0.01	E Africa M	S Asia F	0.03
29	0.91 ± 0.02	0.885 ± 0.008	0.90 ± 0.01	0.821 ± 0.010	0.89 ± 0.01	0.92 ± 0.01	0.972 ± 0.009	0.949 ± 0.008	0.94 ± 0.01	0.957 ± 0.006	0.96 ± 0.01	0.970 ± 0.009	E Africa M	S Asia F	0.03
30	0.93 ± 0.01	0.925 ± 0.006	0.938 ± 0.009	0.858 ± 0.009	0.922 ± 0.010	0.94 ± 0.01	0.978 ± 0.009	0.974 ± 0.005	0.972 ± 0.009	0.972 ± 0.004	0.974 ± 0.009	0.975 ± 0.008	E Africa M	S Asia F	0.02
31	0.95 ± 0.01	0.955 ± 0.005	0.964 ± 0.007	0.895 ± 0.008	0.945 ± 0.009	0.94 ± 0.01	0.985 ± 0.007	0.984 ± 0.005	0.981 ± 0.007	0.981 ± 0.003	0.984 ± 0.008	0.988 ± 0.006	W Africa M	S Asia F	0.02
32	0.95 ± 0.01	0.964 ± 0.005	0.974 ± 0.007	0.927 ± 0.007	0.965 ± 0.007	0.95 ± 0.01	0.991 ± 0.005	0.990 ± 0.004	0.991 ± 0.005	0.988 ± 0.003	0.989 ± 0.006	0.990 ± 0.005	E Africa M	S Asia F	0.01
33	0.96 ± 0.01	0.977 ± 0.004	0.983 ± 0.005	0.943 ± 0.007	0.978 ± 0.006	0.969 ± 0.008	0.995 ± 0.005	0.995 ± 0.003	0.994 ± 0.004	0.993 ± 0.002	0.994 ± 0.006	0.991 ± 0.005	E Africa M	S Asia F	0.01
34	0.978 ± 0.008	0.984 ± 0.004	0.987 ± 0.005	0.965 ± 0.006	0.986 ± 0.005	0.973 ± 0.009	0.997 ± 0.004	0.998 ± 0.002	0.997 ± 0.004	0.997 ± 0.001	0.997 ± 0.003	0.997 ± 0.003	E Asia M	S Asia F	0.01

Table 238. *For algorithm ondato-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.19 ± 0.05	0.015 ± 0.005	0.02 ± 0.01	0.06 ± 0.01	0.02 ± 0.01	0.17 ± 0.05	0.16 ± 0.06	0.010 ± 0.004	0.010 ± 0.007	0.031 ± 0.009	0.01 ± 0.01	0.15 ± 0.06	E Africa F	E Asia M	0.56
15	0.17 ± 0.06	0.018 ± 0.005	0.04 ± 0.02	0.08 ± 0.02	0.02 ± 0.01	0.26 ± 0.06	0.29 ± 0.07	0.014 ± 0.004	0.02 ± 0.01	0.06 ± 0.01	0.016 ± 0.009	0.23 ± 0.07	E Africa M	E Asia M	0.57
16	0.23 ± 0.05	0.025 ± 0.005	0.03 ± 0.01	0.10 ± 0.02	0.04 ± 0.01	0.25 ± 0.06	0.28 ± 0.07	0.022 ± 0.005	0.04 ± 0.01	0.08 ± 0.01	0.02 ± 0.01	0.22 ± 0.05	E Africa M	E Asia M	0.51
17	0.25 ± 0.05	0.042 ± 0.006	0.07 ± 0.02	0.12 ± 0.02	0.04 ± 0.01	0.24 ± 0.05	0.41 ± 0.06	0.040 ± 0.006	0.05 ± 0.02	0.16 ± 0.02	0.05 ± 0.01	0.38 ± 0.06	E Africa M	S E Asia F	0.49
18	0.33 ± 0.05	0.051 ± 0.006	0.10 ± 0.02	0.15 ± 0.02	0.06 ± 0.01	0.32 ± 0.04	0.43 ± 0.06	0.061 ± 0.006	0.10 ± 0.02	0.22 ± 0.02	0.06 ± 0.01	0.41 ± 0.05	E Africa M	E Asia F	0.44
19	0.37 ± 0.05	0.070 ± 0.006	0.13 ± 0.02	0.18 ± 0.01	0.06 ± 0.01	0.44 ± 0.04	0.47 ± 0.05	0.088 ± 0.007	0.11 ± 0.02	0.29 ± 0.02	0.14 ± 0.02	0.46 ± 0.05	E Africa M	S E Asia F	0.40
20	0.43 ± 0.04	0.093 ± 0.006	0.15 ± 0.02	0.22 ± 0.01	0.10 ± 0.01	0.44 ± 0.04	0.60 ± 0.04	0.126 ± 0.008	0.18 ± 0.02	0.41 ± 0.02	0.19 ± 0.02	0.53 ± 0.04	E Africa M	E Asia F	0.36
21	0.43 ± 0.04	0.109 ± 0.007	0.19 ± 0.01	0.26 ± 0.01	0.12 ± 0.01	0.53 ± 0.04	0.69 ± 0.04	0.194 ± 0.010	0.27 ± 0.03	0.51 ± 0.02	0.24 ± 0.02	0.62 ± 0.03	E Africa M	E Asia F	0.34
22	0.57 ± 0.04	0.142 ± 0.007	0.24 ± 0.01	0.31 ± 0.01	0.16 ± 0.01	0.62 ± 0.03	0.75 ± 0.04	0.25 ± 0.01	0.39 ± 0.03	0.59 ± 0.02	0.33 ± 0.02	0.67 ± 0.03	E Africa M	E Asia F	0.30
23	0.58 ± 0.04	0.178 ± 0.007	0.31 ± 0.01	0.35 ± 0.01	0.21 ± 0.01	0.64 ± 0.03	0.80 ± 0.03	0.32 ± 0.01	0.46 ± 0.02	0.67 ± 0.01	0.39 ± 0.03	0.76 ± 0.03	E Africa M	E Asia F	0.27
24	0.63 ± 0.03	0.227 ± 0.008	0.36 ± 0.01	0.41 ± 0.01	0.25 ± 0.02	0.65 ± 0.03	0.86 ± 0.03	0.40 ± 0.01	0.58 ± 0.02	0.74 ± 0.01	0.46 ± 0.03	0.79 ± 0.03	E Africa M	E Asia F	0.24
25	0.64 ± 0.03	0.269 ± 0.008	0.43 ± 0.01	0.45 ± 0.01	0.31 ± 0.01	0.72 ± 0.02	0.89 ± 0.02	0.48 ± 0.01	0.67 ± 0.02	0.799 ± 0.010	0.56 ± 0.03	0.83 ± 0.02	E Africa M	E Asia F	0.21
26	0.70 ± 0.03	0.322 ± 0.007	0.49 ± 0.01	0.498 ± 0.009	0.36 ± 0.01	0.73 ± 0.02	0.92 ± 0.02	0.57 ± 0.01	0.72 ± 0.02	0.833 ± 0.008	0.63 ± 0.02	0.88 ± 0.02	E Africa M	E Asia F	0.18
27	0.71 ± 0.03	0.378 ± 0.007	0.57 ± 0.01	0.538 ± 0.009	0.42 ± 0.01	0.78 ± 0.02	0.91 ± 0.02	0.63 ± 0.01	0.79 ± 0.01	0.868 ± 0.007	0.70 ± 0.02	0.90 ± 0.01	E Africa M	E Asia F	0.16
28	0.77 ± 0.02	0.445 ± 0.007	0.64 ± 0.01	0.582 ± 0.009	0.49 ± 0.02	0.81 ± 0.02	0.94 ± 0.02	0.70 ± 0.01	0.85 ± 0.01	0.900 ± 0.006	0.74 ± 0.02	0.92 ± 0.01	E Africa M	E Asia F	0.13
29	0.79 ± 0.02	0.498 ± 0.008	0.70 ± 0.01	0.625 ± 0.008	0.53 ± 0.02	0.83 ± 0.02	0.96 ± 0.01	0.754 ± 0.009	0.88 ± 0.01	0.920 ± 0.005	0.79 ± 0.02	0.94 ± 0.01	E Africa M	E Asia F	0.12
30	0.83 ± 0.02	0.563 ± 0.007	0.758 ± 0.010	0.672 ± 0.008	0.60 ± 0.01	0.86 ± 0.02	0.97 ± 0.01	0.801 ± 0.008	0.916 ± 0.009	0.933 ± 0.004	0.84 ± 0.02	0.944 ± 0.009	E Africa M	E Asia F	0.10
31	0.84 ± 0.02	0.619 ± 0.006	0.811 ± 0.009	0.722 ± 0.007	0.66 ± 0.01	0.89 ± 0.02	0.971 ± 0.010	0.853 ± 0.007	0.950 ± 0.007	0.952 ± 0.003	0.87 ± 0.01	0.946 ± 0.009	E Africa M	E Asia F	0.08
32	0.90 ± 0.02	0.671 ± 0.007	0.848 ± 0.009	0.757 ± 0.007	0.70 ± 0.01	0.89 ± 0.02	0.980 ± 0.008	0.879 ± 0.007	0.954 ± 0.007	0.958 ± 0.003	0.89 ± 0.02	0.964 ± 0.007	E Africa M	E Asia F	0.07
33	0.91 ± 0.02	0.724 ± 0.007	0.877 ± 0.008	0.796 ± 0.007	0.74 ± 0.01	0.91 ± 0.01	0.984 ± 0.007	0.907 ± 0.006	0.968 ± 0.005	0.967 ± 0.003	0.92 ± 0.01	0.973 ± 0.007	E Africa M	E Asia F	0.06
34	0.91 ± 0.02	0.769 ± 0.006	0.901 ± 0.007	0.834 ± 0.007	0.79 ± 0.01	0.93 ± 0.01	0.989 ± 0.005	0.926 ± 0.005	0.980 ± 0.004	0.973 ± 0.003	0.94 ± 0.01	0.976 ± 0.006	E Africa M	E Asia F	0.05

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 239. *For algorithm ondato-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.04 ± 0.02	0.010 ± 0.005	0.005 ± 0.005	0.011 ± 0.005	0.013 ± 0.009	0.05 ± 0.02	0.02 ± 0.01	0.004 ± 0.003	0.004 ± 0.004	0.004 ± 0.003	0.002 ± 0.002	0.01 ± 0.01	W Africa F	S E Asia M	0.52
15	0.08 ± 0.03	0.025 ± 0.008	0.010 ± 0.008	0.028 ± 0.010	0.04 ± 0.02	0.10 ± 0.04	0.03 ± 0.01	0.004 ± 0.003	0.000 ± 0.000	0.007 ± 0.005	0.002 ± 0.002	0.03 ± 0.02	W Africa F	E Europe M	0.57
16	0.10 ± 0.03	0.04 ± 0.01	0.04 ± 0.02	0.05 ± 0.01	0.05 ± 0.02	0.16 ± 0.05	0.05 ± 0.02	0.014 ± 0.005	0.003 ± 0.003	0.007 ± 0.004	0.008 ± 0.008	0.04 ± 0.02	W Africa F	E Europe M	0.50
17	0.16 ± 0.04	0.07 ± 0.01	0.04 ± 0.02	0.10 ± 0.02	0.11 ± 0.03	0.22 ± 0.04	0.06 ± 0.02	0.018 ± 0.006	0.006 ± 0.006	0.024 ± 0.008	0.04 ± 0.02	0.09 ± 0.03	W Africa F	E Europe M	0.46
18	0.20 ± 0.03	0.12 ± 0.01	0.07 ± 0.02	0.12 ± 0.01	0.14 ± 0.02	0.26 ± 0.04	0.11 ± 0.03	0.036 ± 0.007	0.013 ± 0.009	0.05 ± 0.01	0.04 ± 0.01	0.12 ± 0.03	W Africa F	E Europe M	0.39
19	0.29 ± 0.03	0.18 ± 0.02	0.12 ± 0.03	0.18 ± 0.02	0.21 ± 0.02	0.36 ± 0.04	0.20 ± 0.03	0.06 ± 0.01	0.04 ± 0.02	0.09 ± 0.01	0.08 ± 0.02	0.21 ± 0.04	W Africa F	E Europe M	0.33
20	0.38 ± 0.03	0.27 ± 0.02	0.19 ± 0.03	0.26 ± 0.02	0.30 ± 0.02	0.42 ± 0.04	0.31 ± 0.04	0.12 ± 0.01	0.09 ± 0.02	0.19 ± 0.02	0.15 ± 0.02	0.30 ± 0.04	W Africa F	E Europe M	0.24
21	0.45 ± 0.04	0.36 ± 0.02	0.24 ± 0.03	0.34 ± 0.02	0.41 ± 0.02	0.51 ± 0.04	0.39 ± 0.04	0.19 ± 0.02	0.13 ± 0.03	0.29 ± 0.02	0.26 ± 0.03	0.36 ± 0.04	W Africa F	E Europe M	0.20
22	0.52 ± 0.03	0.46 ± 0.02	0.36 ± 0.03	0.40 ± 0.02	0.49 ± 0.02	0.55 ± 0.04	0.57 ± 0.03	0.30 ± 0.02	0.26 ± 0.03	0.41 ± 0.02	0.35 ± 0.03	0.48 ± 0.04	E Africa M	E Europe M	0.14
23	0.62 ± 0.03	0.56 ± 0.02	0.47 ± 0.02	0.50 ± 0.02	0.58 ± 0.02	0.66 ± 0.03	0.65 ± 0.03	0.43 ± 0.02	0.34 ± 0.03	0.55 ± 0.02	0.48 ± 0.03	0.63 ± 0.03	W Africa F	E Europe M	0.10
24	0.68 ± 0.03	0.64 ± 0.02	0.58 ± 0.02	0.55 ± 0.02	0.66 ± 0.02	0.70 ± 0.03	0.73 ± 0.03	0.56 ± 0.02	0.53 ± 0.03	0.67 ± 0.02	0.62 ± 0.03	0.73 ± 0.03	E Africa M	E Europe M	0.07
25	0.73 ± 0.02	0.73 ± 0.01	0.68 ± 0.02	0.64 ± 0.01	0.75 ± 0.02	0.77 ± 0.02	0.83 ± 0.02	0.68 ± 0.02	0.67 ± 0.03	0.79 ± 0.01	0.73 ± 0.02	0.79 ± 0.02	E Africa M	S Asia F	0.05
26	0.79 ± 0.02	0.79 ± 0.01	0.77 ± 0.02	0.70 ± 0.01	0.82 ± 0.01	0.81 ± 0.02	0.87 ± 0.02	0.78 ± 0.02	0.77 ± 0.02	0.84 ± 0.01	0.83 ± 0.02	0.86 ± 0.02	E Africa M	S Asia F	0.03
27	0.84 ± 0.02	0.85 ± 0.01	0.84 ± 0.01	0.76 ± 0.01	0.86 ± 0.01	0.85 ± 0.02	0.91 ± 0.01	0.85 ± 0.01	0.88 ± 0.02	0.893 ± 0.009	0.88 ± 0.02	0.90 ± 0.01	E Africa M	S Asia F	0.03
28	0.88 ± 0.02	0.890 ± 0.008	0.90 ± 0.01	0.807 ± 0.009	0.89 ± 0.01	0.89 ± 0.02	0.94 ± 0.01	0.91 ± 0.01	0.92 ± 0.01	0.931 ± 0.007	0.93 ± 0.02	0.92 ± 0.01	E Africa M	S Asia F	0.02
29	0.91 ± 0.01	0.921 ± 0.007	0.931 ± 0.009	0.857 ± 0.008	0.927 ± 0.010	0.91 ± 0.01	0.96 ± 0.01	0.945 ± 0.009	0.968 ± 0.010	0.951 ± 0.006	0.95 ± 0.01	0.95 ± 0.01	E Europe M	S Asia F	0.02
30	0.93 ± 0.01	0.945 ± 0.006	0.955 ± 0.008	0.887 ± 0.008	0.947 ± 0.010	0.93 ± 0.01	0.975 ± 0.009	0.976 ± 0.005	0.978 ± 0.008	0.968 ± 0.004	0.979 ± 0.009	0.965 ± 0.009	S E Asia M	S Asia F	0.02
31	0.95 ± 0.01	0.963 ± 0.005	0.974 ± 0.006	0.920 ± 0.007	0.963 ± 0.007	0.95 ± 0.01	0.982 ± 0.008	0.984 ± 0.004	0.987 ± 0.006	0.981 ± 0.004	0.981 ± 0.008	0.980 ± 0.006	E Europe M	S Asia F	0.01
32	0.96 ± 0.01	0.978 ± 0.004	0.984 ± 0.005	0.942 ± 0.006	0.973 ± 0.006	0.958 ± 0.010	0.991 ± 0.005	0.988 ± 0.004	0.995 ± 0.004	0.989 ± 0.003	0.988 ± 0.007	0.984 ± 0.007	E Europe M	S Asia F	0.01
33	0.971 ± 0.009	0.985 ± 0.003	0.989 ± 0.005	0.960 ± 0.005	0.983 ± 0.006	0.97 ± 0.01	0.992 ± 0.005	0.994 ± 0.003	0.998 ± 0.003	0.992 ± 0.002	0.993 ± 0.006	0.991 ± 0.005	E Europe M	S Asia F	0.01
34	0.981 ± 0.008	0.989 ± 0.003	0.988 ± 0.005	0.974 ± 0.004	0.991 ± 0.004	0.978 ± 0.008	0.998 ± 0.003	0.996 ± 0.002	0.996 ± 0.004	0.995 ± 0.002	0.996 ± 0.005	0.994 ± 0.004	E Africa M	S Asia F	0.00

Table 240. *For algorithm ondato-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.11 ± 0.05	0.013 ± 0.004	0.03 ± 0.01	0.04 ± 0.01	0.014 ± 0.009	0.09 ± 0.04	0.09 ± 0.04	0.006 ± 0.003	0.007 ± 0.007	0.020 ± 0.008	0.011 ± 0.008	0.08 ± 0.04	E Africa F	E Asia M	0.51
15	0.12 ± 0.05	0.012 ± 0.004	0.04 ± 0.01	0.07 ± 0.01	0.012 ± 0.009	0.18 ± 0.05	0.20 ± 0.06	0.008 ± 0.003	0.02 ± 0.01	0.031 ± 0.009	0.016 ± 0.009	0.13 ± 0.05	E Africa M	E Asia M	0.56
16	0.18 ± 0.05	0.018 ± 0.005	0.04 ± 0.01	0.07 ± 0.01	0.03 ± 0.01	0.18 ± 0.04	0.19 ± 0.05	0.016 ± 0.004	0.02 ± 0.01	0.05 ± 0.01	0.03 ± 0.01	0.13 ± 0.04	E Africa M	E Asia M	0.49
17	0.21 ± 0.05	0.031 ± 0.006	0.09 ± 0.02	0.11 ± 0.02	0.024 ± 0.010	0.21 ± 0.05	0.30 ± 0.06	0.031 ± 0.006	0.05 ± 0.02	0.12 ± 0.02	0.05 ± 0.02	0.29 ± 0.05	E Africa M	S E Asia F	0.47
18	0.28 ± 0.05	0.039 ± 0.005	0.11 ± 0.02	0.13 ± 0.01	0.05 ± 0.01	0.29 ± 0.05	0.39 ± 0.06	0.051 ± 0.006	0.09 ± 0.02	0.17 ± 0.02	0.06 ± 0.01	0.33 ± 0.04	E Africa M	E Asia F	0.43
19	0.34 ± 0.05	0.061 ± 0.006	0.13 ± 0.02	0.18 ± 0.01	0.05 ± 0.01	0.36 ± 0.04	0.46 ± 0.05	0.078 ± 0.007	0.14 ± 0.02	0.25 ± 0.02	0.12 ± 0.02	0.38 ± 0.04	E Africa M	S E Asia F	0.38
20	0.40 ± 0.04	0.086 ± 0.006	0.17 ± 0.01	0.21 ± 0.01	0.09 ± 0.01	0.38 ± 0.04	0.55 ± 0.05	0.122 ± 0.008	0.20 ± 0.02	0.37 ± 0.02	0.18 ± 0.02	0.43 ± 0.04	E Africa M	E Asia F	0.34
21	0.44 ± 0.04	0.115 ± 0.007	0.21 ± 0.02	0.25 ± 0.01	0.11 ± 0.01	0.47 ± 0.04	0.62 ± 0.04	0.188 ± 0.009	0.31 ± 0.02	0.48 ± 0.02	0.24 ± 0.02	0.55 ± 0.04	E Africa M	S E Asia F	0.31
22	0.54 ± 0.04	0.147 ± 0.007	0.27 ± 0.02	0.31 ± 0.01	0.15 ± 0.01	0.56 ± 0.03	0.73 ± 0.04	0.26 ± 0.01	0.44 ± 0.03	0.57 ± 0.02	0.34 ± 0.02	0.61 ± 0.03	E Africa M	E Asia F	0.28
23	0.58 ± 0.03	0.186 ± 0.007	0.34 ± 0.02	0.35 ± 0.01	0.21 ± 0.01	0.59 ± 0.03	0.78 ± 0.03	0.34 ± 0.01	0.50 ± 0.02	0.65 ± 0.01	0.42 ± 0.03	0.70 ± 0.03	E Africa M	E Asia F	0.24
24	0.59 ± 0.03	0.236 ± 0.007	0.41 ± 0.01	0.41 ± 0.01	0.25 ± 0.02	0.63 ± 0.03	0.84 ± 0.03	0.43 ± 0.01	0.63 ± 0.02	0.73 ± 0.01	0.50 ± 0.02	0.74 ± 0.03	E Africa M	E Asia F	0.22
25	0.64 ± 0.03	0.294 ± 0.008	0.49 ± 0.01	0.46 ± 0.01	0.32 ± 0.01	0.70 ± 0.02	0.88 ± 0.02	0.51 ± 0.01	0.72 ± 0.02	0.796 ± 0.010	0.58 ± 0.02	0.81 ± 0.02	E Africa M	E Asia F	0.19
26	0.69 ± 0.03	0.359 ± 0.008	0.55 ± 0.01	0.506 ± 0.010	0.39 ± 0.02	0.71 ± 0.02	0.91 ± 0.02	0.60 ± 0.01	0.78 ± 0.02	0.832 ± 0.008	0.66 ± 0.02	0.85 ± 0.02	E Africa M	E Asia F	0.16
27	0.72 ± 0.03	0.410 ± 0.008	0.64 ± 0.01	0.552 ± 0.009	0.43 ± 0.02	0.75 ± 0.02	0.92 ± 0.02	0.67 ± 0.01	0.85 ± 0.01	0.867 ± 0.008	0.73 ± 0.02	0.88 ± 0.01	E Africa M	E Asia F	0.14
28	0.77 ± 0.02	0.482 ± 0.008	0.70 ± 0.01	0.599 ± 0.008	0.51 ± 0.01	0.77 ± 0.02	0.95 ± 0.01	0.744 ± 0.010	0.90 ± 0.01	0.902 ± 0.006	0.78 ± 0.02	0.90 ± 0.01	E Africa M	E Asia F	0.12
29	0.78 ± 0.02	0.535 ± 0.007	0.758 ± 0.009	0.646 ± 0.008	0.56 ± 0.02	0.82 ± 0.02	0.96 ± 0.01	0.795 ± 0.008	0.918 ± 0.009	0.921 ± 0.005	0.83 ± 0.02	0.93 ± 0.01	E Africa M	E Asia F	0.10
30	0.82 ± 0.02	0.597 ± 0.007	0.814 ± 0.009	0.694 ± 0.007	0.63 ± 0.01	0.83 ± 0.02	0.968 ± 0.010	0.836 ± 0.008	0.939 ± 0.008	0.935 ± 0.004	0.86 ± 0.01	0.945 ± 0.009	E Africa M	E Asia F	0.09
31	0.86 ± 0.02	0.657 ± 0.007	0.858 ± 0.008	0.737 ± 0.007	0.68 ± 0.01	0.86 ± 0.02	0.970 ± 0.010	0.882 ± 0.006	0.967 ± 0.006	0.957 ± 0.003	0.90 ± 0.01	0.946 ± 0.009	E Africa M	E Asia F	0.07
32	0.89 ± 0.02	0.705 ± 0.007	0.898 ± 0.008	0.774 ± 0.007	0.71 ± 0.01	0.89 ± 0.02	0.977 ± 0.009	0.902 ± 0.006	0.972 ± 0.005	0.963 ± 0.003	0.92 ± 0.01	0.954 ± 0.008	E Africa M	E Asia F	0.06
33	0.91 ± 0.02	0.753 ± 0.006	0.915 ± 0.007	0.809 ± 0.007	0.77 ± 0.01	0.90 ± 0.02	0.985 ± 0.007	0.929 ± 0.005	0.982 ± 0.004	0.971 ± 0.002	0.93 ± 0.01	0.970 ± 0.007	E Africa M	E Asia F	0.05
34	0.92 ± 0.02	0.791 ± 0.006	0.934 ± 0.006	0.845 ± 0.006	0.81 ± 0.01	0.93 ± 0.01	0.992 ± 0.005	0.940 ± 0.005	0.989 ± 0.003	0.978 ± 0.002	0.95 ± 0.01	0.974 ± 0.006	E Africa M	E Asia F	0.04

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 241. *For algorithm onfido-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.03 ± 0.02	0.029 ± 0.008	0.02 ± 0.01	0.027 ± 0.009	0.04 ± 0.02	0.03 ± 0.02	0.000 ± 0.000	0.006 ± 0.003	0.002 ± 0.002	0.004 ± 0.003	0.000 ± 0.000	0.004 ± 0.004	S E Asia F	E Africa M	0.53
15	0.05 ± 0.02	0.05 ± 0.01	0.05 ± 0.02	0.07 ± 0.02	0.06 ± 0.02	0.04 ± 0.02	0.02 ± 0.01	0.004 ± 0.003	0.000 ± 0.000	0.007 ± 0.005	0.002 ± 0.002	0.005 ± 0.005	S Asia F	E Europe M	0.53
16	0.11 ± 0.03	0.10 ± 0.02	0.08 ± 0.03	0.10 ± 0.02	0.15 ± 0.04	0.15 ± 0.04	0.02 ± 0.01	0.011 ± 0.005	0.003 ± 0.003	0.008 ± 0.006	0.011 ± 0.008	0.009 ± 0.009	S E Asia F	E Europe M	0.53
17	0.19 ± 0.04	0.16 ± 0.02	0.13 ± 0.03	0.21 ± 0.03	0.21 ± 0.04	0.23 ± 0.05	0.02 ± 0.01	0.026 ± 0.008	0.003 ± 0.003	0.025 ± 0.009	0.04 ± 0.02	0.04 ± 0.02	W Africa F	E Europe M	0.48
18	0.23 ± 0.03	0.24 ± 0.02	0.16 ± 0.03	0.28 ± 0.02	0.32 ± 0.03	0.28 ± 0.04	0.05 ± 0.02	0.053 ± 0.009	0.007 ± 0.005	0.06 ± 0.01	0.06 ± 0.02	0.07 ± 0.02	S E Asia F	E Europe M	0.43
19	0.34 ± 0.04	0.35 ± 0.02	0.24 ± 0.04	0.39 ± 0.02	0.46 ± 0.03	0.39 ± 0.04	0.15 ± 0.03	0.12 ± 0.01	0.03 ± 0.01	0.11 ± 0.01	0.15 ± 0.03	0.16 ± 0.04	S E Asia F	E Europe M	0.34
20	0.45 ± 0.04	0.48 ± 0.02	0.33 ± 0.03	0.48 ± 0.02	0.57 ± 0.03	0.48 ± 0.04	0.23 ± 0.03	0.22 ± 0.02	0.08 ± 0.02	0.23 ± 0.02	0.28 ± 0.03	0.24 ± 0.04	S E Asia F	E Europe M	0.25
21	0.56 ± 0.04	0.59 ± 0.02	0.41 ± 0.03	0.59 ± 0.02	0.69 ± 0.02	0.60 ± 0.04	0.37 ± 0.04	0.38 ± 0.02	0.14 ± 0.03	0.36 ± 0.02	0.44 ± 0.03	0.33 ± 0.04	S E Asia F	E Europe M	0.20
22	0.64 ± 0.03	0.72 ± 0.02	0.54 ± 0.03	0.69 ± 0.02	0.79 ± 0.02	0.67 ± 0.04	0.56 ± 0.04	0.54 ± 0.02	0.28 ± 0.03	0.52 ± 0.02	0.57 ± 0.03	0.45 ± 0.04	S E Asia F	E Europe M	0.13
23	0.75 ± 0.03	0.81 ± 0.01	0.64 ± 0.02	0.78 ± 0.01	0.86 ± 0.01	0.77 ± 0.03	0.64 ± 0.03	0.68 ± 0.02	0.42 ± 0.03	0.69 ± 0.02	0.72 ± 0.03	0.62 ± 0.03	S E Asia F	E Europe M	0.09
24	0.82 ± 0.02	0.86 ± 0.01	0.76 ± 0.02	0.83 ± 0.01	0.91 ± 0.01	0.80 ± 0.03	0.78 ± 0.03	0.80 ± 0.01	0.62 ± 0.03	0.79 ± 0.02	0.85 ± 0.02	0.73 ± 0.03	S E Asia F	E Europe M	0.05
25	0.85 ± 0.02	0.918 ± 0.009	0.85 ± 0.02	0.889 ± 0.009	0.94 ± 0.01	0.88 ± 0.02	0.85 ± 0.02	0.89 ± 0.01	0.78 ± 0.02	0.90 ± 0.01	0.92 ± 0.01	0.83 ± 0.02	S E Asia F	E Europe M	0.03
26	0.91 ± 0.02	0.949 ± 0.007	0.90 ± 0.01	0.920 ± 0.007	0.969 ± 0.006	0.91 ± 0.02	0.90 ± 0.02	0.951 ± 0.008	0.88 ± 0.02	0.940 ± 0.007	0.97 ± 0.01	0.90 ± 0.02	S E Asia F	E Europe M	0.02
27	0.94 ± 0.01	0.974 ± 0.004	0.941 ± 0.008	0.949 ± 0.006	0.981 ± 0.005	0.94 ± 0.01	0.94 ± 0.01	0.969 ± 0.007	0.94 ± 0.01	0.973 ± 0.005	0.977 ± 0.009	0.93 ± 0.01	S E Asia F	W Africa M	0.01
28	0.963 ± 0.009	0.986 ± 0.003	0.975 ± 0.006	0.968 ± 0.005	0.988 ± 0.004	0.972 ± 0.009	0.972 ± 0.009	0.985 ± 0.004	0.973 ± 0.009	0.987 ± 0.003	0.990 ± 0.006	0.957 ± 0.010	S E Asia M	W Africa M	0.01
29	0.978 ± 0.008	0.992 ± 0.003	0.988 ± 0.004	0.978 ± 0.004	0.992 ± 0.004	0.971 ± 0.009	0.983 ± 0.007	0.992 ± 0.003	0.984 ± 0.006	0.994 ± 0.002	0.995 ± 0.004	0.985 ± 0.006	S E Asia M	W Africa F	0.00
30	0.985 ± 0.006	0.996 ± 0.001	0.992 ± 0.003	0.988 ± 0.003	0.997 ± 0.002	0.982 ± 0.007	0.990 ± 0.005	0.997 ± 0.002	0.997 ± 0.003	0.996 ± 0.002	0.994 ± 0.004	0.988 ± 0.005	E Europe M	W Africa F	0.00
31	0.986 ± 0.007	0.997 ± 0.001	0.998 ± 0.002	0.991 ± 0.003	0.997 ± 0.002	0.988 ± 0.005	0.996 ± 0.004	0.999 ± 0.002	0.996 ± 0.004	0.998 ± 0.001	0.998 ± 0.003	0.990 ± 0.005	E Asia M	E Africa F	0.00
32	0.986 ± 0.006	0.999 ± 0.001	0.999 ± 0.002	0.995 ± 0.002	0.998 ± 0.002	0.993 ± 0.005	0.996 ± 0.004	0.998 ± 0.002	0.998 ± 0.003	0.999 ± 0.001	0.997 ± 0.004	0.993 ± 0.004	S Asia M	E Africa F	0.00
33	0.998 ± 0.002	0.999 ± 0.001	0.997 ± 0.002	0.998 ± 0.001	0.999 ± 0.001	0.996 ± 0.004	1.000 ± 0.000	0.999 ± 0.001	0.998 ± 0.003	1.000 ± 0.001	0.998 ± 0.003	0.996 ± 0.003	E Africa M	W Africa F	0.00
34	0.994 ± 0.004	0.999 ± 0.001	0.999 ± 0.002	0.998 ± 0.001	1.000 ± 0.001	0.994 ± 0.004	0.999 ± 0.002	1.000 ± 0.001	0.999 ± 0.002	1.000 ± 0.001	0.999 ± 0.002	0.998 ± 0.003	E Asia M	W Africa F	0.00

Table 242. *For algorithm onfido-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.19 ± 0.06	0.08 ± 0.01	0.10 ± 0.03	0.09 ± 0.02	0.08 ± 0.02	0.10 ± 0.05	0.10 ± 0.04	0.015 ± 0.005	0.02 ± 0.01	0.015 ± 0.007	0.02 ± 0.01	0.04 ± 0.03	E Africa F	S Asia M	0.41
15	0.17 ± 0.05	0.11 ± 0.01	0.15 ± 0.03	0.13 ± 0.02	0.10 ± 0.02	0.19 ± 0.05	0.10 ± 0.04	0.030 ± 0.006	0.015 ± 0.009	0.014 ± 0.006	0.012 ± 0.009	0.05 ± 0.03	W Africa F	S E Asia M	0.42
16	0.31 ± 0.06	0.15 ± 0.01	0.19 ± 0.03	0.18 ± 0.02	0.16 ± 0.02	0.23 ± 0.06	0.08 ± 0.04	0.048 ± 0.007	0.020 ± 0.010	0.028 ± 0.008	0.03 ± 0.01	0.09 ± 0.04	E Africa F	E Europe M	0.42
17	0.38 ± 0.06	0.22 ± 0.01	0.24 ± 0.03	0.23 ± 0.02	0.21 ± 0.03	0.29 ± 0.06	0.18 ± 0.05	0.088 ± 0.009	0.03 ± 0.01	0.07 ± 0.01	0.07 ± 0.02	0.12 ± 0.04	E Africa F	E Europe M	0.35
18	0.43 ± 0.05	0.28 ± 0.01	0.31 ± 0.03	0.29 ± 0.02	0.29 ± 0.02	0.31 ± 0.04	0.21 ± 0.04	0.134 ± 0.009	0.06 ± 0.02	0.10 ± 0.01	0.11 ± 0.02	0.17 ± 0.04	E Africa F	E Europe M	0.29
19	0.50 ± 0.05	0.36 ± 0.01	0.33 ± 0.02	0.37 ± 0.02	0.34 ± 0.02	0.47 ± 0.05	0.26 ± 0.05	0.22 ± 0.01	0.08 ± 0.02	0.19 ± 0.01	0.20 ± 0.02	0.22 ± 0.04	E Africa F	E Europe M	0.24
20	0.60 ± 0.04	0.45 ± 0.01	0.41 ± 0.02	0.44 ± 0.02	0.44 ± 0.02	0.56 ± 0.04	0.41 ± 0.05	0.33 ± 0.01	0.15 ± 0.02	0.30 ± 0.02	0.32 ± 0.03	0.31 ± 0.04	E Africa F	E Europe M	0.18
21	0.66 ± 0.04	0.52 ± 0.01	0.50 ± 0.02	0.51 ± 0.02	0.53 ± 0.02	0.64 ± 0.04	0.49 ± 0.04	0.45 ± 0.01	0.25 ± 0.02	0.40 ± 0.02	0.43 ± 0.02	0.42 ± 0.04	E Africa F	E Europe M	0.13
22	0.77 ± 0.03	0.599 ± 0.009	0.58 ± 0.02	0.58 ± 0.02	0.60 ± 0.02	0.71 ± 0.03	0.61 ± 0.04	0.58 ± 0.01	0.37 ± 0.03	0.54 ± 0.02	0.55 ± 0.03	0.54 ± 0.03	E Africa F	E Europe M	0.09
23	0.78 ± 0.03	0.678 ± 0.009	0.65 ± 0.01	0.65 ± 0.01	0.70 ± 0.02	0.76 ± 0.03	0.72 ± 0.03	0.69 ± 0.01	0.52 ± 0.02	0.66 ± 0.01	0.67 ± 0.02	0.65 ± 0.03	E Africa F	E Europe M	0.05
24	0.84 ± 0.02	0.734 ± 0.008	0.74 ± 0.01	0.719 ± 0.010	0.75 ± 0.02	0.78 ± 0.03	0.78 ± 0.03	0.771 ± 0.010	0.65 ± 0.02	0.75 ± 0.01	0.78 ± 0.02	0.72 ± 0.03	E Africa F	E Europe M	0.03
25	0.86 ± 0.02	0.793 ± 0.007	0.81 ± 0.01	0.766 ± 0.008	0.79 ± 0.01	0.86 ± 0.02	0.86 ± 0.02	0.865 ± 0.008	0.76 ± 0.02	0.841 ± 0.010	0.85 ± 0.02	0.82 ± 0.02	E Asia M	E Europe M	0.03
26	0.89 ± 0.02	0.849 ± 0.006	0.850 ± 0.008	0.813 ± 0.008	0.86 ± 0.01	0.88 ± 0.02	0.91 ± 0.02	0.905 ± 0.007	0.84 ± 0.01	0.891 ± 0.007	0.90 ± 0.01	0.86 ± 0.02	E Africa M	S Asia F	0.02
27	0.91 ± 0.02	0.888 ± 0.005	0.902 ± 0.007	0.854 ± 0.006	0.887 ± 0.009	0.92 ± 0.01	0.94 ± 0.02	0.942 ± 0.005	0.91 ± 0.01	0.933 ± 0.005	0.94 ± 0.01	0.92 ± 0.01	E Asia M	S Asia F	0.02
28	0.94 ± 0.01	0.916 ± 0.004	0.936 ± 0.006	0.889 ± 0.005	0.923 ± 0.008	0.93 ± 0.01	0.97 ± 0.01	0.962 ± 0.004	0.957 ± 0.007	0.960 ± 0.004	0.962 ± 0.009	0.94 ± 0.01	E Africa M	S Asia F	0.01
29	0.963 ± 0.010	0.943 ± 0.004	0.959 ± 0.005	0.916 ± 0.005	0.939 ± 0.007	0.951 ± 0.010	0.983 ± 0.008	0.979 ± 0.003	0.967 ± 0.006	0.972 ± 0.003	0.975 ± 0.007	0.969 ± 0.007	E Africa M	S Asia F	0.01
30	0.966 ± 0.009	0.961 ± 0.003	0.975 ± 0.004	0.945 ± 0.004	0.959 ± 0.006	0.966 ± 0.008	0.988 ± 0.006	0.987 ± 0.003	0.982 ± 0.004	0.984 ± 0.002	0.989 ± 0.005	0.976 ± 0.007	S E Asia M	S Asia F	0.01
31	0.983 ± 0.007	0.974 ± 0.002	0.985 ± 0.003	0.956 ± 0.003	0.970 ± 0.005	0.981 ± 0.007	0.989 ± 0.007	0.992 ± 0.002	0.993 ± 0.003	0.991 ± 0.002	0.989 ± 0.005	0.980 ± 0.006	E Europe M	S Asia F	0.01
32	0.987 ± 0.006	0.983 ± 0.002	0.993 ± 0.002	0.972 ± 0.003	0.980 ± 0.004	0.984 ± 0.006	0.992 ± 0.005	0.996 ± 0.001	0.995 ± 0.003	0.994 ± 0.001	0.995 ± 0.003	0.989 ± 0.004	E Asia M	S Asia F	0.00
33	0.984 ± 0.008	0.990 ± 0.001	0.996 ± 0.002	0.979 ± 0.002	0.985 ± 0.004	0.991 ± 0.004	0.998 ± 0.003	0.997 ± 0.001	0.997 ± 0.002	0.997 ± 0.001	0.998 ± 0.002	0.998 ± 0.002	S E Asia M	S Asia F	0.00
34	0.996 ± 0.004	0.992 ± 0.001	0.996 ± 0.002	0.987 ± 0.002	0.989 ± 0.003	0.990 ± 0.005	0.998 ± 0.002	0.998 ± 0.001	1.000 ± 0.001	0.997 ± 0.001	0.998 ± 0.003	0.997 ± 0.002	E Europe M	S Asia F	0.00

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 243. *For algorithm paravision-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.000 ± 0.000	0.002 ± 0.002	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	S E Asia F	E Africa F	0.73
15	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.007 ± 0.007	0.004 ± 0.004	0.005 ± 0.005	0.000 ± 0.000	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	S E Asia F	E Africa F	0.62
16	0.003 ± 0.003	0.002 ± 0.002	0.005 ± 0.005	0.001 ± 0.001	0.008 ± 0.008	0.02 ± 0.02	0.02 ± 0.01	0.002 ± 0.002	0.006 ± 0.006	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	S E Asia M	0.54
17	0.011 ± 0.008	0.013 ± 0.005	0.006 ± 0.006	0.013 ± 0.007	0.01 ± 0.01	0.02 ± 0.01	0.003 ± 0.003	0.008 ± 0.004	0.003 ± 0.003	0.007 ± 0.005	0.006 ± 0.006	0.05 ± 0.02	W Africa M	E Europe M	0.45
18	0.04 ± 0.01	0.023 ± 0.006	0.007 ± 0.005	0.018 ± 0.006	0.03 ± 0.01	0.04 ± 0.02	0.017 ± 0.009	0.015 ± 0.004	0.011 ± 0.007	0.022 ± 0.006	0.013 ± 0.008	0.06 ± 0.02	W Africa M	E Europe F	0.35
19	0.04 ± 0.02	0.041 ± 0.008	0.04 ± 0.01	0.043 ± 0.010	0.06 ± 0.02	0.07 ± 0.02	0.06 ± 0.02	0.053 ± 0.009	0.02 ± 0.01	0.06 ± 0.01	0.03 ± 0.01	0.13 ± 0.03	W Africa M	E Europe M	0.26
20	0.07 ± 0.02	0.08 ± 0.01	0.05 ± 0.01	0.07 ± 0.01	0.11 ± 0.02	0.10 ± 0.02	0.14 ± 0.03	0.10 ± 0.01	0.09 ± 0.02	0.14 ± 0.02	0.07 ± 0.02	0.23 ± 0.04	W Africa M	E Europe F	0.25
21	0.11 ± 0.02	0.13 ± 0.01	0.11 ± 0.02	0.13 ± 0.01	0.16 ± 0.02	0.13 ± 0.03	0.18 ± 0.03	0.17 ± 0.02	0.19 ± 0.03	0.23 ± 0.02	0.13 ± 0.02	0.28 ± 0.04	W Africa M	E Africa F	0.17
22	0.15 ± 0.02	0.21 ± 0.02	0.16 ± 0.02	0.18 ± 0.01	0.26 ± 0.02	0.18 ± 0.03	0.32 ± 0.03	0.29 ± 0.02	0.31 ± 0.03	0.35 ± 0.02	0.21 ± 0.02	0.38 ± 0.04	W Africa M	E Africa F	0.18
23	0.18 ± 0.02	0.31 ± 0.02	0.26 ± 0.02	0.26 ± 0.02	0.35 ± 0.02	0.24 ± 0.03	0.41 ± 0.03	0.42 ± 0.02	0.45 ± 0.03	0.48 ± 0.02	0.32 ± 0.03	0.52 ± 0.03	W Africa M	E Africa F	0.18
24	0.24 ± 0.03	0.40 ± 0.02	0.38 ± 0.02	0.34 ± 0.02	0.45 ± 0.02	0.29 ± 0.03	0.51 ± 0.03	0.53 ± 0.02	0.58 ± 0.03	0.63 ± 0.02	0.45 ± 0.03	0.61 ± 0.03	S Asia M	E Africa F	0.17
25	0.29 ± 0.02	0.51 ± 0.01	0.49 ± 0.02	0.41 ± 0.01	0.56 ± 0.02	0.34 ± 0.03	0.62 ± 0.03	0.68 ± 0.02	0.71 ± 0.02	0.72 ± 0.02	0.58 ± 0.03	0.69 ± 0.03	S Asia M	E Africa F	0.15
26	0.33 ± 0.03	0.61 ± 0.01	0.60 ± 0.02	0.47 ± 0.01	0.65 ± 0.02	0.41 ± 0.03	0.67 ± 0.02	0.76 ± 0.02	0.78 ± 0.02	0.79 ± 0.01	0.67 ± 0.03	0.77 ± 0.02	S Asia M	E Africa F	0.14
27	0.39 ± 0.03	0.70 ± 0.01	0.69 ± 0.02	0.54 ± 0.01	0.71 ± 0.01	0.46 ± 0.03	0.74 ± 0.02	0.83 ± 0.01	0.87 ± 0.02	0.85 ± 0.01	0.78 ± 0.02	0.83 ± 0.02	E Europe M	E Africa F	0.13
28	0.43 ± 0.02	0.780 ± 0.010	0.78 ± 0.02	0.61 ± 0.01	0.77 ± 0.01	0.52 ± 0.03	0.80 ± 0.02	0.88 ± 0.01	0.91 ± 0.02	0.88 ± 0.01	0.84 ± 0.02	0.87 ± 0.02	E Europe M	E Africa F	0.11
29	0.51 ± 0.03	0.844 ± 0.010	0.84 ± 0.02	0.67 ± 0.01	0.84 ± 0.01	0.55 ± 0.03	0.87 ± 0.02	0.931 ± 0.009	0.94 ± 0.01	0.917 ± 0.008	0.88 ± 0.02	0.92 ± 0.01	E Europe M	E Africa F	0.10
30	0.55 ± 0.03	0.888 ± 0.007	0.88 ± 0.01	0.73 ± 0.01	0.88 ± 0.01	0.62 ± 0.02	0.89 ± 0.02	0.955 ± 0.007	0.968 ± 0.009	0.935 ± 0.006	0.93 ± 0.01	0.94 ± 0.01	E Europe M	E Africa F	0.09
31	0.59 ± 0.03	0.919 ± 0.007	0.91 ± 0.01	0.78 ± 0.01	0.91 ± 0.01	0.67 ± 0.02	0.93 ± 0.01	0.971 ± 0.006	0.975 ± 0.008	0.958 ± 0.005	0.95 ± 0.01	0.95 ± 0.01	E Europe M	E Africa F	0.07
32	0.64 ± 0.03	0.950 ± 0.005	0.94 ± 0.01	0.83 ± 0.01	0.92 ± 0.01	0.73 ± 0.02	0.94 ± 0.01	0.981 ± 0.005	0.985 ± 0.006	0.971 ± 0.004	0.96 ± 0.01	0.975 ± 0.007	E Europe M	E Africa F	0.06
33	0.72 ± 0.03	0.969 ± 0.005	0.957 ± 0.009	0.868 ± 0.009	0.957 ± 0.009	0.77 ± 0.02	0.96 ± 0.01	0.987 ± 0.004	0.993 ± 0.005	0.981 ± 0.003	0.97 ± 0.01	0.979 ± 0.007	E Europe M	E Africa F	0.05
34	0.74 ± 0.02	0.981 ± 0.003	0.972 ± 0.007	0.896 ± 0.009	0.962 ± 0.008	0.81 ± 0.02	0.976 ± 0.009	0.993 ± 0.003	0.996 ± 0.004	0.987 ± 0.003	0.982 ± 0.009	0.985 ± 0.006	E Europe M	E Africa F	0.04

Table 244. *For algorithm paravision-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.002 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.007 ± 0.007	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Africa F	0.85
15	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.004 ± 0.004	0.000 ± 0.000	0.03 ± 0.02	0.02 ± 0.02	0.002 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.02 ± 0.02	W Africa F	E Africa F	0.78
16	0.000 ± 0.000	0.005 ± 0.002	0.000 ± 0.000	0.003 ± 0.002	0.003 ± 0.003	0.02 ± 0.01	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.001 ± 0.001	0.000 ± 0.000	0.02 ± 0.02	W Africa F	E Africa F	0.72
17	0.03 ± 0.02	0.012 ± 0.003	0.001 ± 0.001	0.013 ± 0.005	0.013 ± 0.006	0.01 ± 0.01	0.01 ± 0.01	0.007 ± 0.003	0.002 ± 0.002	0.007 ± 0.004	0.005 ± 0.004	0.05 ± 0.02	W Africa M	E Europe F	0.49
18	0.02 ± 0.01	0.019 ± 0.003	0.014 ± 0.006	0.017 ± 0.005	0.015 ± 0.006	0.02 ± 0.01	0.04 ± 0.02	0.016 ± 0.003	0.006 ± 0.005	0.021 ± 0.006	0.008 ± 0.005	0.07 ± 0.02	W Africa M	E Europe M	0.36
19	0.06 ± 0.02	0.037 ± 0.004	0.014 ± 0.005	0.038 ± 0.008	0.021 ± 0.007	0.06 ± 0.02	0.09 ± 0.03	0.032 ± 0.005	0.012 ± 0.007	0.052 ± 0.009	0.021 ± 0.008	0.12 ± 0.03	W Africa M	E Europe M	0.39
20	0.05 ± 0.02	0.060 ± 0.005	0.031 ± 0.008	0.063 ± 0.009	0.055 ± 0.010	0.08 ± 0.02	0.14 ± 0.03	0.065 ± 0.006	0.05 ± 0.01	0.11 ± 0.01	0.05 ± 0.01	0.14 ± 0.03	E Africa M	E Europe F	0.27
21	0.09 ± 0.02	0.087 ± 0.006	0.052 ± 0.009	0.083 ± 0.009	0.07 ± 0.01	0.14 ± 0.02	0.19 ± 0.03	0.116 ± 0.008	0.10 ± 0.02	0.17 ± 0.01	0.09 ± 0.02	0.22 ± 0.03	W Africa M	E Europe F	0.25
22	0.12 ± 0.02	0.136 ± 0.007	0.079 ± 0.009	0.117 ± 0.010	0.12 ± 0.01	0.18 ± 0.03	0.25 ± 0.04	0.176 ± 0.009	0.16 ± 0.02	0.27 ± 0.01	0.14 ± 0.02	0.33 ± 0.03	W Africa M	E Europe F	0.24
23	0.14 ± 0.02	0.188 ± 0.007	0.13 ± 0.01	0.153 ± 0.009	0.17 ± 0.01	0.19 ± 0.02	0.32 ± 0.04	0.28 ± 0.01	0.29 ± 0.02	0.38 ± 0.01	0.22 ± 0.02	0.40 ± 0.03	W Africa M	E Europe F	0.23
24	0.17 ± 0.02	0.258 ± 0.008	0.17 ± 0.01	0.203 ± 0.009	0.23 ± 0.01	0.23 ± 0.02	0.41 ± 0.03	0.37 ± 0.01	0.41 ± 0.02	0.48 ± 0.01	0.29 ± 0.02	0.49 ± 0.03	W Africa M	E Europe F	0.22
25	0.20 ± 0.02	0.338 ± 0.008	0.25 ± 0.01	0.245 ± 0.009	0.30 ± 0.02	0.28 ± 0.02	0.46 ± 0.03	0.47 ± 0.01	0.50 ± 0.02	0.58 ± 0.01	0.40 ± 0.02	0.60 ± 0.02	W Africa M	E Africa F	0.21
26	0.25 ± 0.02	0.423 ± 0.007	0.31 ± 0.01	0.299 ± 0.009	0.37 ± 0.01	0.32 ± 0.02	0.57 ± 0.03	0.57 ± 0.01	0.61 ± 0.02	0.66 ± 0.01	0.48 ± 0.02	0.67 ± 0.02	W Africa M	E Africa F	0.19
27	0.27 ± 0.02	0.489 ± 0.008	0.41 ± 0.01	0.345 ± 0.009	0.44 ± 0.01	0.36 ± 0.02	0.65 ± 0.03	0.64 ± 0.01	0.70 ± 0.02	0.737 ± 0.008	0.60 ± 0.02	0.76 ± 0.02	W Africa M	E Africa F	0.19
28	0.32 ± 0.03	0.569 ± 0.007	0.49 ± 0.01	0.402 ± 0.008	0.50 ± 0.02	0.40 ± 0.02	0.73 ± 0.03	0.737 ± 0.009	0.79 ± 0.01	0.794 ± 0.007	0.67 ± 0.02	0.80 ± 0.02	W Africa M	E Africa F	0.17
29	0.37 ± 0.03	0.646 ± 0.007	0.60 ± 0.01	0.455 ± 0.009	0.56 ± 0.01	0.47 ± 0.02	0.77 ± 0.02	0.808 ± 0.008	0.85 ± 0.01	0.846 ± 0.007	0.75 ± 0.02	0.86 ± 0.01	W Africa M	E Africa F	0.15
30	0.40 ± 0.03	0.710 ± 0.007	0.66 ± 0.01	0.523 ± 0.009	0.62 ± 0.02	0.51 ± 0.02	0.81 ± 0.02	0.861 ± 0.007	0.90 ± 0.01	0.883 ± 0.006	0.83 ± 0.02	0.88 ± 0.01	E Europe M	E Africa F	0.14
31	0.41 ± 0.03	0.777 ± 0.006	0.74 ± 0.01	0.572 ± 0.008	0.68 ± 0.01	0.58 ± 0.02	0.86 ± 0.02	0.905 ± 0.005	0.931 ± 0.008	0.915 ± 0.004	0.86 ± 0.02	0.91 ± 0.01	E Europe M	E Africa F	0.13
32	0.48 ± 0.03	0.824 ± 0.005	0.80 ± 0.01	0.641 ± 0.009	0.74 ± 0.01	0.59 ± 0.02	0.89 ± 0.02	0.938 ± 0.005	0.959 ± 0.006	0.941 ± 0.004	0.91 ± 0.01	0.94 ± 0.01	E Europe M	E Africa F	0.11
33	0.53 ± 0.03	0.866 ± 0.005	0.844 ± 0.008	0.691 ± 0.008	0.78 ± 0.01	0.65 ± 0.02	0.91 ± 0.02	0.961 ± 0.004	0.979 ± 0.005	0.959 ± 0.003	0.94 ± 0.01	0.958 ± 0.008	E Europe M	E Africa F	0.10
34	0.54 ± 0.03	0.892 ± 0.005	0.878 ± 0.009	0.745 ± 0.008	0.82 ± 0.01	0.70 ± 0.02	0.93 ± 0.01	0.970 ± 0.004	0.983 ± 0.004	0.969 ± 0.003	0.956 ± 0.009	0.971 ± 0.007	E Europe M	E Africa F	0.09

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 245. *For algorithm paravision-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.000 ± 0.000	0.004 ± 0.004	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	E Africa M	E Africa F	0.78
15	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.004	0.005 ± 0.005	0.01 ± 0.01	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Africa F	0.67
16	0.01 ± 0.01	0.002 ± 0.002	0.008 ± 0.008	0.003 ± 0.003	0.003 ± 0.003	0.04 ± 0.02	0.011 ± 0.008	0.001 ± 0.001	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	S E Asia M	0.66
17	0.04 ± 0.02	0.009 ± 0.004	0.01 ± 0.01	0.017 ± 0.008	0.011 ± 0.008	0.04 ± 0.02	0.006 ± 0.006	0.004 ± 0.003	0.006 ± 0.006	0.010 ± 0.006	0.006 ± 0.006	0.05 ± 0.02	W Africa M	E Asia M	0.48
18	0.05 ± 0.02	0.011 ± 0.004	0.02 ± 0.01	0.027 ± 0.007	0.024 ± 0.009	0.09 ± 0.02	0.02 ± 0.01	0.009 ± 0.004	0.015 ± 0.009	0.041 ± 0.009	0.007 ± 0.006	0.07 ± 0.02	W Africa F	S E Asia M	0.44
19	0.10 ± 0.03	0.026 ± 0.006	0.07 ± 0.02	0.05 ± 0.01	0.04 ± 0.01	0.15 ± 0.03	0.10 ± 0.03	0.026 ± 0.007	0.04 ± 0.02	0.08 ± 0.01	0.016 ± 0.008	0.12 ± 0.03	W Africa F	S E Asia M	0.36
20	0.15 ± 0.03	0.056 ± 0.009	0.11 ± 0.02	0.11 ± 0.01	0.09 ± 0.02	0.21 ± 0.03	0.20 ± 0.03	0.07 ± 0.01	0.09 ± 0.02	0.18 ± 0.02	0.07 ± 0.02	0.21 ± 0.04	W Africa M	E Asia F	0.27
21	0.21 ± 0.03	0.10 ± 0.01	0.18 ± 0.02	0.18 ± 0.02	0.14 ± 0.02	0.27 ± 0.04	0.26 ± 0.03	0.11 ± 0.01	0.21 ± 0.03	0.28 ± 0.02	0.13 ± 0.02	0.31 ± 0.04	W Africa M	E Asia F	0.21
22	0.28 ± 0.03	0.16 ± 0.01	0.31 ± 0.02	0.26 ± 0.02	0.24 ± 0.02	0.31 ± 0.03	0.42 ± 0.04	0.21 ± 0.02	0.39 ± 0.03	0.42 ± 0.02	0.21 ± 0.03	0.39 ± 0.04	E Africa M	E Asia F	0.17
23	0.35 ± 0.03	0.25 ± 0.02	0.43 ± 0.02	0.37 ± 0.02	0.34 ± 0.02	0.42 ± 0.04	0.53 ± 0.03	0.32 ± 0.02	0.53 ± 0.04	0.59 ± 0.02	0.33 ± 0.03	0.53 ± 0.03	S Asia M	E Asia F	0.15
24	0.46 ± 0.03	0.35 ± 0.02	0.58 ± 0.02	0.46 ± 0.02	0.43 ± 0.02	0.49 ± 0.03	0.64 ± 0.03	0.45 ± 0.02	0.66 ± 0.03	0.70 ± 0.02	0.47 ± 0.03	0.62 ± 0.03	S Asia M	E Asia F	0.12
25	0.52 ± 0.03	0.46 ± 0.01	0.70 ± 0.02	0.54 ± 0.01	0.55 ± 0.02	0.58 ± 0.03	0.72 ± 0.03	0.60 ± 0.02	0.81 ± 0.03	0.81 ± 0.01	0.62 ± 0.03	0.73 ± 0.03	E Europe M	E Asia F	0.11
26	0.59 ± 0.03	0.56 ± 0.01	0.80 ± 0.02	0.62 ± 0.01	0.66 ± 0.02	0.66 ± 0.03	0.79 ± 0.02	0.73 ± 0.02	0.88 ± 0.02	0.87 ± 0.01	0.73 ± 0.03	0.80 ± 0.02	E Europe M	E Asia F	0.09
27	0.65 ± 0.03	0.67 ± 0.01	0.87 ± 0.01	0.69 ± 0.01	0.74 ± 0.02	0.70 ± 0.02	0.84 ± 0.02	0.81 ± 0.02	0.95 ± 0.01	0.912 ± 0.009	0.82 ± 0.02	0.86 ± 0.02	E Europe M	E Africa F	0.07
28	0.73 ± 0.02	0.77 ± 0.01	0.930 ± 0.009	0.76 ± 0.01	0.82 ± 0.02	0.78 ± 0.02	0.90 ± 0.02	0.87 ± 0.01	0.966 ± 0.009	0.944 ± 0.007	0.89 ± 0.02	0.91 ± 0.01	E Europe M	E Africa F	0.06
29	0.80 ± 0.02	0.835 ± 0.009	0.959 ± 0.008	0.822 ± 0.010	0.87 ± 0.01	0.82 ± 0.02	0.93 ± 0.01	0.940 ± 0.009	0.982 ± 0.007	0.965 ± 0.005	0.92 ± 0.02	0.93 ± 0.01	E Europe M	E Africa F	0.04
30	0.85 ± 0.02	0.892 ± 0.008	0.980 ± 0.006	0.866 ± 0.008	0.92 ± 0.01	0.87 ± 0.02	0.96 ± 0.01	0.958 ± 0.007	0.993 ± 0.005	0.976 ± 0.004	0.95 ± 0.01	0.956 ± 0.009	E Europe M	E Africa F	0.03
31	0.88 ± 0.02	0.923 ± 0.007	0.987 ± 0.004	0.904 ± 0.008	0.944 ± 0.009	0.91 ± 0.02	0.979 ± 0.008	0.981 ± 0.005	0.996 ± 0.003	0.986 ± 0.003	0.978 ± 0.009	0.973 ± 0.008	E Europe M	E Africa F	0.02
32	0.91 ± 0.02	0.957 ± 0.006	0.994 ± 0.003	0.938 ± 0.006	0.966 ± 0.007	0.93 ± 0.01	0.983 ± 0.007	0.988 ± 0.004	0.998 ± 0.002	0.992 ± 0.002	0.983 ± 0.008	0.981 ± 0.007	E Europe M	E Africa F	0.02
33	0.94 ± 0.01	0.975 ± 0.004	0.997 ± 0.003	0.954 ± 0.006	0.983 ± 0.006	0.95 ± 0.01	0.990 ± 0.005	0.993 ± 0.003	0.999 ± 0.002	0.996 ± 0.002	0.991 ± 0.006	0.984 ± 0.007	E Europe M	E Africa F	0.01
34	0.95 ± 0.01	0.982 ± 0.004	0.997 ± 0.002	0.973 ± 0.004	0.991 ± 0.004	0.975 ± 0.008	0.996 ± 0.004	0.996 ± 0.002	0.999 ± 0.002	0.997 ± 0.001	0.991 ± 0.007	0.990 ± 0.005	E Europe M	E Africa F	0.01

Table 246. *For algorithm paravision-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.02 ± 0.02	0.01 ± 0.01	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.007 ± 0.007	W Africa F	E Europe F	0.74
15	0.01 ± 0.01	0.001 ± 0.001	0.000 ± 0.000	0.005 ± 0.004	0.005 ± 0.005	0.03 ± 0.02	0.02 ± 0.02	0.000 ± 0.000	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.006 ± 0.006	W Africa F	E Europe F	0.70
16	0.03 ± 0.02	0.004 ± 0.002	0.005 ± 0.005	0.014 ± 0.006	0.005 ± 0.004	0.04 ± 0.02	0.01 ± 0.01	0.002 ± 0.002	0.000 ± 0.000	0.003 ± 0.002	0.002 ± 0.002	0.02 ± 0.01	W Africa F	E Europe M	0.61
17	0.07 ± 0.03	0.014 ± 0.004	0.012 ± 0.006	0.031 ± 0.009	0.010 ± 0.005	0.05 ± 0.02	0.04 ± 0.02	0.006 ± 0.002	0.002 ± 0.002	0.011 ± 0.005	0.008 ± 0.005	0.04 ± 0.02	E Africa F	E Europe M	0.49
18	0.07 ± 0.03	0.018 ± 0.004	0.05 ± 0.01	0.041 ± 0.009	0.023 ± 0.007	0.08 ± 0.03	0.06 ± 0.03	0.012 ± 0.003	0.005 ± 0.005	0.038 ± 0.008	0.010 ± 0.006	0.05 ± 0.02	W Africa F	E Europe M	0.39
19	0.16 ± 0.03	0.039 ± 0.005	0.08 ± 0.01	0.078 ± 0.010	0.040 ± 0.010	0.13 ± 0.03	0.09 ± 0.03	0.026 ± 0.004	0.019 ± 0.010	0.08 ± 0.01	0.023 ± 0.008	0.09 ± 0.03	E Africa F	E Europe M	0.36
20	0.17 ± 0.03	0.072 ± 0.006	0.13 ± 0.01	0.12 ± 0.01	0.08 ± 0.01	0.19 ± 0.03	0.23 ± 0.04	0.053 ± 0.005	0.05 ± 0.01	0.15 ± 0.01	0.06 ± 0.01	0.13 ± 0.03	E Africa M	E Europe M	0.28
21	0.24 ± 0.03	0.106 ± 0.006	0.19 ± 0.01	0.18 ± 0.01	0.12 ± 0.01	0.26 ± 0.03	0.27 ± 0.04	0.099 ± 0.008	0.13 ± 0.02	0.23 ± 0.01	0.10 ± 0.02	0.19 ± 0.03	E Africa M	E Asia M	0.21
22	0.32 ± 0.03	0.163 ± 0.007	0.30 ± 0.02	0.25 ± 0.01	0.19 ± 0.01	0.32 ± 0.03	0.40 ± 0.04	0.163 ± 0.009	0.22 ± 0.02	0.34 ± 0.02	0.17 ± 0.02	0.29 ± 0.03	E Africa M	E Asia F	0.18
23	0.37 ± 0.03	0.230 ± 0.008	0.40 ± 0.02	0.30 ± 0.01	0.29 ± 0.02	0.36 ± 0.03	0.49 ± 0.04	0.26 ± 0.01	0.34 ± 0.02	0.46 ± 0.01	0.26 ± 0.02	0.42 ± 0.03	E Africa M	E Asia F	0.14
24	0.43 ± 0.03	0.315 ± 0.008	0.51 ± 0.01	0.39 ± 0.01	0.39 ± 0.02	0.43 ± 0.03	0.58 ± 0.04	0.36 ± 0.01	0.47 ± 0.02	0.57 ± 0.01	0.37 ± 0.02	0.47 ± 0.03	E Africa M	E Asia F	0.11
25	0.48 ± 0.03	0.407 ± 0.008	0.62 ± 0.01	0.45 ± 0.01	0.47 ± 0.02	0.52 ± 0.03	0.66 ± 0.03	0.48 ± 0.01	0.61 ± 0.02	0.68 ± 0.01	0.48 ± 0.02	0.58 ± 0.03	S Asia M	E Asia F	0.10
26	0.55 ± 0.03	0.508 ± 0.008	0.70 ± 0.01	0.52 ± 0.01	0.56 ± 0.02	0.58 ± 0.02	0.77 ± 0.03	0.58 ± 0.01	0.72 ± 0.02	0.75 ± 0.01	0.59 ± 0.02	0.67 ± 0.02	E Africa M	E Asia F	0.09
27	0.61 ± 0.03	0.582 ± 0.007	0.79 ± 0.01	0.586 ± 0.009	0.65 ± 0.01	0.64 ± 0.02	0.82 ± 0.02	0.68 ± 0.01	0.82 ± 0.01	0.824 ± 0.007	0.69 ± 0.02	0.76 ± 0.02	S Asia M	E Asia F	0.08
28	0.70 ± 0.03	0.674 ± 0.007	0.865 ± 0.008	0.656 ± 0.008	0.73 ± 0.01	0.70 ± 0.02	0.87 ± 0.02	0.768 ± 0.009	0.90 ± 0.01	0.878 ± 0.006	0.78 ± 0.02	0.81 ± 0.02	E Europe M	S Asia F	0.07
29	0.74 ± 0.02	0.748 ± 0.006	0.909 ± 0.007	0.715 ± 0.008	0.79 ± 0.01	0.77 ± 0.02	0.90 ± 0.02	0.844 ± 0.008	0.929 ± 0.008	0.915 ± 0.005	0.85 ± 0.02	0.87 ± 0.01	E Europe M	S Asia F	0.05
30	0.79 ± 0.02	0.814 ± 0.005	0.946 ± 0.005	0.770 ± 0.007	0.84 ± 0.01	0.81 ± 0.02	0.93 ± 0.01	0.893 ± 0.006	0.961 ± 0.006	0.942 ± 0.004	0.90 ± 0.01	0.90 ± 0.01	E Europe M	S Asia F	0.04
31	0.82 ± 0.02	0.869 ± 0.005	0.964 ± 0.005	0.816 ± 0.007	0.89 ± 0.01	0.84 ± 0.02	0.95 ± 0.01	0.931 ± 0.005	0.982 ± 0.005	0.962 ± 0.003	0.92 ± 0.01	0.92 ± 0.01	E Europe M	S Asia F	0.04
32	0.87 ± 0.02	0.908 ± 0.004	0.979 ± 0.004	0.856 ± 0.006	0.917 ± 0.008	0.88 ± 0.02	0.969 ± 0.010	0.957 ± 0.004	0.987 ± 0.004	0.976 ± 0.002	0.953 ± 0.010	0.942 ± 0.009	E Europe M	S Asia F	0.03
33	0.91 ± 0.02	0.939 ± 0.003	0.985 ± 0.003	0.894 ± 0.005	0.942 ± 0.007	0.91 ± 0.01	0.981 ± 0.007	0.977 ± 0.003	0.996 ± 0.002	0.984 ± 0.002	0.976 ± 0.007	0.961 ± 0.007	E Europe M	S Asia F	0.02
34	0.91 ± 0.02	0.957 ± 0.003	0.992 ± 0.003	0.919 ± 0.005	0.958 ± 0.006	0.93 ± 0.01	0.982 ± 0.008	0.984 ± 0.002	0.997 ± 0.002	0.991 ± 0.001	0.984 ± 0.006	0.980 ± 0.006	E Europe M	E Africa F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 247. *For algorithm privately-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.02 ± 0.01	0.030 ± 0.008	0.005 ± 0.005	0.014 ± 0.006	0.05 ± 0.02	0.02 ± 0.02	0.006 ± 0.006	0.015 ± 0.005	0.002 ± 0.002	0.005 ± 0.003	0.005 ± 0.005	0.000 ± 0.000	S E Asia F	W Africa M	0.54
15	0.02 ± 0.01	0.07 ± 0.01	0.02 ± 0.01	0.04 ± 0.01	0.09 ± 0.03	0.04 ± 0.02	0.005 ± 0.005	0.015 ± 0.006	0.000 ± 0.000	0.005 ± 0.004	0.007 ± 0.007	0.009 ± 0.009	S E Asia F	E Europe M	0.57
16	0.06 ± 0.02	0.11 ± 0.02	0.03 ± 0.02	0.06 ± 0.01	0.13 ± 0.03	0.08 ± 0.03	0.02 ± 0.01	0.026 ± 0.008	0.01 ± 0.01	0.006 ± 0.004	0.03 ± 0.01	0.005 ± 0.005	S E Asia F	W Africa M	0.49
17	0.08 ± 0.03	0.14 ± 0.02	0.07 ± 0.03	0.08 ± 0.02	0.12 ± 0.03	0.11 ± 0.03	0.01 ± 0.01	0.037 ± 0.009	0.003 ± 0.003	0.015 ± 0.006	0.03 ± 0.01	0.03 ± 0.02	E Asia F	E Europe M	0.46
18	0.10 ± 0.02	0.19 ± 0.02	0.08 ± 0.02	0.10 ± 0.01	0.18 ± 0.02	0.11 ± 0.03	0.05 ± 0.02	0.043 ± 0.008	0.007 ± 0.005	0.010 ± 0.004	0.03 ± 0.01	0.03 ± 0.01	E Asia F	E Europe M	0.45
19	0.15 ± 0.03	0.24 ± 0.02	0.11 ± 0.03	0.15 ± 0.02	0.23 ± 0.03	0.15 ± 0.03	0.08 ± 0.02	0.07 ± 0.01	0.02 ± 0.01	0.034 ± 0.008	0.04 ± 0.01	0.04 ± 0.02	E Asia F	E Europe M	0.40
20	0.22 ± 0.03	0.31 ± 0.02	0.15 ± 0.02	0.18 ± 0.02	0.31 ± 0.03	0.22 ± 0.03	0.16 ± 0.03	0.10 ± 0.01	0.03 ± 0.01	0.08 ± 0.01	0.07 ± 0.02	0.09 ± 0.03	S E Asia F	E Europe M	0.34
21	0.24 ± 0.03	0.40 ± 0.02	0.16 ± 0.02	0.23 ± 0.02	0.37 ± 0.02	0.27 ± 0.03	0.19 ± 0.03	0.13 ± 0.01	0.05 ± 0.02	0.11 ± 0.01	0.11 ± 0.02	0.13 ± 0.03	E Asia F	E Europe M	0.31
22	0.32 ± 0.03	0.46 ± 0.02	0.24 ± 0.02	0.25 ± 0.02	0.45 ± 0.02	0.33 ± 0.04	0.29 ± 0.03	0.18 ± 0.01	0.10 ± 0.02	0.16 ± 0.02	0.14 ± 0.02	0.19 ± 0.03	E Asia F	E Europe M	0.26
23	0.34 ± 0.03	0.53 ± 0.02	0.31 ± 0.02	0.32 ± 0.02	0.52 ± 0.02	0.36 ± 0.03	0.33 ± 0.03	0.22 ± 0.02	0.16 ± 0.03	0.22 ± 0.02	0.18 ± 0.02	0.24 ± 0.03	E Asia F	E Europe M	0.22
24	0.42 ± 0.03	0.59 ± 0.02	0.38 ± 0.02	0.37 ± 0.01	0.59 ± 0.02	0.39 ± 0.03	0.41 ± 0.03	0.31 ± 0.02	0.21 ± 0.02	0.32 ± 0.02	0.25 ± 0.02	0.28 ± 0.03	E Asia F	E Europe M	0.18
25	0.48 ± 0.03	0.68 ± 0.01	0.43 ± 0.02	0.42 ± 0.01	0.64 ± 0.02	0.44 ± 0.03	0.50 ± 0.03	0.39 ± 0.02	0.32 ± 0.03	0.39 ± 0.02	0.32 ± 0.02	0.34 ± 0.03	E Asia F	S E Asia M	0.15
26	0.53 ± 0.03	0.73 ± 0.01	0.51 ± 0.02	0.48 ± 0.01	0.71 ± 0.02	0.48 ± 0.03	0.57 ± 0.03	0.45 ± 0.02	0.38 ± 0.03	0.47 ± 0.02	0.41 ± 0.03	0.42 ± 0.03	E Asia F	E Europe M	0.12
27	0.60 ± 0.03	0.79 ± 0.01	0.59 ± 0.02	0.53 ± 0.01	0.75 ± 0.02	0.54 ± 0.03	0.62 ± 0.03	0.55 ± 0.02	0.51 ± 0.03	0.54 ± 0.02	0.51 ± 0.03	0.48 ± 0.03	E Asia F	W Africa M	0.09
28	0.63 ± 0.02	0.843 ± 0.010	0.66 ± 0.02	0.58 ± 0.01	0.81 ± 0.02	0.58 ± 0.03	0.68 ± 0.02	0.62 ± 0.02	0.65 ± 0.03	0.62 ± 0.01	0.61 ± 0.03	0.54 ± 0.03	E Asia F	W Africa M	0.07
29	0.69 ± 0.02	0.884 ± 0.008	0.73 ± 0.02	0.64 ± 0.01	0.85 ± 0.01	0.61 ± 0.03	0.75 ± 0.02	0.72 ± 0.02	0.69 ± 0.02	0.68 ± 0.01	0.68 ± 0.03	0.63 ± 0.03	E Asia F	W Africa F	0.07
30	0.73 ± 0.02	0.908 ± 0.007	0.78 ± 0.02	0.67 ± 0.01	0.89 ± 0.01	0.64 ± 0.02	0.79 ± 0.02	0.77 ± 0.02	0.78 ± 0.02	0.73 ± 0.01	0.76 ± 0.03	0.68 ± 0.02	E Asia F	W Africa F	0.06
31	0.76 ± 0.02	0.926 ± 0.007	0.83 ± 0.02	0.72 ± 0.01	0.91 ± 0.01	0.71 ± 0.02	0.84 ± 0.02	0.83 ± 0.01	0.84 ± 0.02	0.78 ± 0.01	0.79 ± 0.02	0.73 ± 0.02	E Asia F	W Africa F	0.05
32	0.80 ± 0.02	0.946 ± 0.006	0.87 ± 0.01	0.77 ± 0.01	0.92 ± 0.01	0.72 ± 0.02	0.88 ± 0.02	0.88 ± 0.01	0.91 ± 0.02	0.829 ± 0.010	0.86 ± 0.02	0.77 ± 0.02	E Asia F	W Africa F	0.05
33	0.83 ± 0.02	0.963 ± 0.005	0.90 ± 0.01	0.80 ± 0.01	0.94 ± 0.01	0.77 ± 0.02	0.90 ± 0.02	0.91 ± 0.01	0.95 ± 0.01	0.860 ± 0.009	0.90 ± 0.02	0.82 ± 0.02	E Asia F	W Africa F	0.04
34	0.86 ± 0.02	0.975 ± 0.004	0.93 ± 0.01	0.85 ± 0.01	0.964 ± 0.007	0.80 ± 0.02	0.91 ± 0.02	0.936 ± 0.008	0.96 ± 0.01	0.894 ± 0.008	0.93 ± 0.02	0.85 ± 0.02	E Asia F	W Africa F	0.04

Table 248. *For algorithm privately-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.03	0.08 ± 0.01	0.04 ± 0.02	0.06 ± 0.01	0.09 ± 0.03	0.02 ± 0.02	0.06 ± 0.03	0.040 ± 0.008	0.02 ± 0.01	0.023 ± 0.008	0.05 ± 0.02	0.05 ± 0.03	S E Asia F	E Europe M	0.28
15	0.14 ± 0.05	0.11 ± 0.01	0.07 ± 0.02	0.07 ± 0.02	0.13 ± 0.03	0.07 ± 0.04	0.11 ± 0.05	0.073 ± 0.009	0.03 ± 0.01	0.040 ± 0.009	0.04 ± 0.01	0.06 ± 0.03	E Africa F	E Europe M	0.27
16	0.12 ± 0.04	0.15 ± 0.01	0.07 ± 0.02	0.12 ± 0.02	0.16 ± 0.03	0.11 ± 0.04	0.09 ± 0.04	0.105 ± 0.010	0.04 ± 0.01	0.06 ± 0.01	0.09 ± 0.02	0.07 ± 0.03	S E Asia F	E Europe M	0.21
17	0.14 ± 0.04	0.21 ± 0.01	0.11 ± 0.02	0.17 ± 0.02	0.21 ± 0.02	0.16 ± 0.04	0.20 ± 0.05	0.15 ± 0.01	0.06 ± 0.02	0.13 ± 0.02	0.13 ± 0.02	0.16 ± 0.04	E Asia F	E Europe M	0.17
18	0.23 ± 0.05	0.25 ± 0.01	0.13 ± 0.02	0.19 ± 0.02	0.27 ± 0.02	0.17 ± 0.04	0.27 ± 0.05	0.20 ± 0.01	0.11 ± 0.02	0.16 ± 0.02	0.18 ± 0.02	0.19 ± 0.04	E Africa M	E Europe M	0.15
19	0.23 ± 0.03	0.30 ± 0.01	0.18 ± 0.02	0.24 ± 0.02	0.31 ± 0.02	0.19 ± 0.03	0.30 ± 0.05	0.25 ± 0.01	0.14 ± 0.02	0.22 ± 0.02	0.22 ± 0.02	0.23 ± 0.04	S E Asia F	E Europe M	0.13
20	0.29 ± 0.04	0.36 ± 0.01	0.19 ± 0.02	0.27 ± 0.02	0.38 ± 0.02	0.24 ± 0.03	0.41 ± 0.04	0.32 ± 0.01	0.20 ± 0.02	0.30 ± 0.02	0.28 ± 0.02	0.27 ± 0.03	E Africa M	E Europe F	0.14
21	0.34 ± 0.04	0.42 ± 0.01	0.24 ± 0.02	0.32 ± 0.02	0.42 ± 0.02	0.30 ± 0.03	0.46 ± 0.04	0.38 ± 0.01	0.28 ± 0.02	0.38 ± 0.02	0.33 ± 0.02	0.34 ± 0.04	E Africa M	E Europe F	0.11
22	0.43 ± 0.03	0.486 ± 0.009	0.30 ± 0.02	0.36 ± 0.01	0.47 ± 0.02	0.38 ± 0.03	0.53 ± 0.04	0.45 ± 0.01	0.34 ± 0.02	0.47 ± 0.01	0.43 ± 0.02	0.40 ± 0.04	E Africa M	E Europe F	0.10
23	0.43 ± 0.04	0.538 ± 0.009	0.35 ± 0.01	0.41 ± 0.01	0.53 ± 0.02	0.39 ± 0.03	0.62 ± 0.04	0.51 ± 0.01	0.45 ± 0.02	0.54 ± 0.01	0.49 ± 0.02	0.50 ± 0.03	E Africa M	E Europe F	0.09
24	0.49 ± 0.03	0.595 ± 0.009	0.40 ± 0.01	0.46 ± 0.01	0.59 ± 0.02	0.43 ± 0.03	0.67 ± 0.03	0.58 ± 0.01	0.57 ± 0.02	0.63 ± 0.01	0.56 ± 0.02	0.54 ± 0.03	E Africa M	E Europe F	0.09
25	0.53 ± 0.03	0.654 ± 0.009	0.47 ± 0.01	0.51 ± 0.01	0.65 ± 0.02	0.51 ± 0.03	0.73 ± 0.03	0.64 ± 0.01	0.63 ± 0.02	0.68 ± 0.01	0.62 ± 0.02	0.62 ± 0.03	E Africa M	E Europe F	0.08
26	0.59 ± 0.03	0.705 ± 0.007	0.53 ± 0.01	0.556 ± 0.009	0.69 ± 0.01	0.50 ± 0.03	0.77 ± 0.03	0.700 ± 0.009	0.71 ± 0.02	0.74 ± 0.01	0.67 ± 0.02	0.65 ± 0.02	E Africa M	W Africa F	0.08
27	0.61 ± 0.03	0.740 ± 0.006	0.60 ± 0.01	0.590 ± 0.009	0.74 ± 0.01	0.56 ± 0.02	0.80 ± 0.02	0.740 ± 0.009	0.77 ± 0.01	0.778 ± 0.009	0.76 ± 0.02	0.73 ± 0.02	E Africa M	W Africa F	0.07
28	0.68 ± 0.03	0.788 ± 0.006	0.66 ± 0.01	0.635 ± 0.008	0.78 ± 0.01	0.58 ± 0.02	0.84 ± 0.02	0.796 ± 0.009	0.85 ± 0.01	0.824 ± 0.007	0.80 ± 0.02	0.77 ± 0.02	E Europe M	W Africa F	0.07
29	0.73 ± 0.03	0.825 ± 0.005	0.71 ± 0.01	0.673 ± 0.008	0.81 ± 0.01	0.63 ± 0.02	0.86 ± 0.02	0.830 ± 0.008	0.87 ± 0.01	0.854 ± 0.006	0.83 ± 0.02	0.80 ± 0.02	E Europe M	W Africa F	0.06
30	0.72 ± 0.02	0.854 ± 0.005	0.764 ± 0.010	0.712 ± 0.007	0.84 ± 0.01	0.66 ± 0.02	0.89 ± 0.02	0.859 ± 0.007	0.910 ± 0.009	0.878 ± 0.005	0.86 ± 0.02	0.84 ± 0.01	E Europe M	W Africa F	0.06
31	0.77 ± 0.02	0.883 ± 0.005	0.807 ± 0.009	0.750 ± 0.007	0.868 ± 0.010	0.71 ± 0.02	0.91 ± 0.02	0.889 ± 0.006	0.932 ± 0.008	0.909 ± 0.005	0.90 ± 0.01	0.85 ± 0.01	E Europe M	W Africa F	0.05
32	0.79 ± 0.02	0.903 ± 0.005	0.848 ± 0.009	0.786 ± 0.007	0.898 ± 0.009	0.72 ± 0.02	0.93 ± 0.01	0.918 ± 0.005	0.951 ± 0.007	0.925 ± 0.004	0.91 ± 0.01	0.88 ± 0.01	E Europe M	W Africa F	0.05
33	0.83 ± 0.02	0.917 ± 0.004	0.877 ± 0.009	0.810 ± 0.006	0.902 ± 0.010	0.74 ± 0.02	0.93 ± 0.01	0.933 ± 0.005	0.963 ± 0.006	0.938 ± 0.004	0.93 ± 0.01	0.90 ± 0.01	E Europe M	W Africa F	0.04
34	0.81 ± 0.02	0.933 ± 0.004	0.905 ± 0.008	0.840 ± 0.006	0.923 ± 0.010	0.76 ± 0.02	0.95 ± 0.01	0.947 ± 0.004	0.973 ± 0.005	0.950 ± 0.003	0.95 ± 0.01	0.91 ± 0.01	E Europe M	W Africa F	0.04

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 249. *For algorithm regula-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.004 ± 0.004	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	E Africa F	E Europe F	0.74
15	0.01 ± 0.01	0.002 ± 0.002	0.000 ± 0.000	0.009 ± 0.005	0.010 ± 0.007	0.009 ± 0.009	0.003 ± 0.003	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	E Africa F	E Europe F	0.62
16	0.03 ± 0.02	0.003 ± 0.002	0.003 ± 0.003	0.004 ± 0.004	0.02 ± 0.01	0.05 ± 0.02	0.02 ± 0.01	0.001 ± 0.001	0.003 ± 0.003	0.002 ± 0.002	0.003 ± 0.003	0.009 ± 0.009	W Africa F	E Asia M	0.62
17	0.07 ± 0.02	0.013 ± 0.006	0.02 ± 0.01	0.03 ± 0.01	0.02 ± 0.01	0.09 ± 0.03	0.003 ± 0.003	0.002 ± 0.002	0.000 ± 0.000	0.007 ± 0.005	0.011 ± 0.008	0.03 ± 0.02	W Africa F	E Europe M	0.59
18	0.10 ± 0.02	0.015 ± 0.005	0.03 ± 0.01	0.034 ± 0.009	0.04 ± 0.01	0.14 ± 0.03	0.015 ± 0.009	0.009 ± 0.004	0.002 ± 0.002	0.014 ± 0.006	0.011 ± 0.007	0.06 ± 0.02	W Africa F	E Europe M	0.56
19	0.19 ± 0.03	0.040 ± 0.008	0.06 ± 0.02	0.07 ± 0.01	0.10 ± 0.02	0.23 ± 0.03	0.07 ± 0.02	0.012 ± 0.004	0.011 ± 0.008	0.029 ± 0.007	0.016 ± 0.008	0.09 ± 0.03	W Africa F	E Europe M	0.49
20	0.24 ± 0.03	0.08 ± 0.01	0.08 ± 0.02	0.11 ± 0.02	0.14 ± 0.02	0.33 ± 0.04	0.13 ± 0.03	0.020 ± 0.006	0.02 ± 0.01	0.07 ± 0.01	0.05 ± 0.01	0.17 ± 0.03	W Africa F	E Europe M	0.43
21	0.31 ± 0.04	0.14 ± 0.01	0.16 ± 0.02	0.19 ± 0.02	0.21 ± 0.02	0.40 ± 0.04	0.22 ± 0.03	0.05 ± 0.01	0.04 ± 0.02	0.13 ± 0.02	0.11 ± 0.02	0.26 ± 0.04	W Africa F	E Europe M	0.33
22	0.43 ± 0.03	0.19 ± 0.02	0.24 ± 0.02	0.26 ± 0.02	0.31 ± 0.02	0.46 ± 0.04	0.37 ± 0.03	0.11 ± 0.01	0.13 ± 0.02	0.22 ± 0.02	0.16 ± 0.02	0.33 ± 0.04	W Africa F	E Asia M	0.26
23	0.52 ± 0.03	0.30 ± 0.02	0.35 ± 0.02	0.37 ± 0.02	0.41 ± 0.02	0.60 ± 0.03	0.45 ± 0.04	0.19 ± 0.02	0.23 ± 0.03	0.33 ± 0.02	0.30 ± 0.03	0.49 ± 0.03	W Africa F	E Asia M	0.19
24	0.62 ± 0.03	0.40 ± 0.02	0.49 ± 0.02	0.48 ± 0.02	0.52 ± 0.02	0.66 ± 0.03	0.57 ± 0.03	0.30 ± 0.02	0.40 ± 0.03	0.50 ± 0.02	0.42 ± 0.03	0.60 ± 0.03	W Africa F	E Asia M	0.13
25	0.66 ± 0.03	0.54 ± 0.01	0.59 ± 0.02	0.55 ± 0.01	0.64 ± 0.02	0.76 ± 0.02	0.70 ± 0.03	0.44 ± 0.02	0.57 ± 0.03	0.62 ± 0.02	0.57 ± 0.03	0.70 ± 0.03	W Africa F	E Asia M	0.08
26	0.73 ± 0.02	0.63 ± 0.01	0.71 ± 0.02	0.65 ± 0.01	0.74 ± 0.02	0.83 ± 0.02	0.78 ± 0.02	0.59 ± 0.02	0.70 ± 0.03	0.73 ± 0.02	0.68 ± 0.03	0.80 ± 0.02	W Africa F	E Asia M	0.06
27	0.82 ± 0.02	0.74 ± 0.01	0.80 ± 0.02	0.71 ± 0.01	0.81 ± 0.02	0.88 ± 0.02	0.84 ± 0.02	0.70 ± 0.02	0.84 ± 0.02	0.82 ± 0.01	0.81 ± 0.02	0.88 ± 0.02	W Africa F	E Asia M	0.04
28	0.87 ± 0.02	0.81 ± 0.01	0.90 ± 0.01	0.80 ± 0.01	0.88 ± 0.01	0.91 ± 0.01	0.89 ± 0.02	0.81 ± 0.01	0.90 ± 0.02	0.887 ± 0.009	0.88 ± 0.02	0.91 ± 0.01	W Africa F	S Asia F	0.03
29	0.91 ± 0.01	0.869 ± 0.008	0.940 ± 0.008	0.852 ± 0.009	0.926 ± 0.010	0.94 ± 0.01	0.94 ± 0.01	0.89 ± 0.01	0.96 ± 0.01	0.927 ± 0.007	0.91 ± 0.02	0.95 ± 0.01	E Europe M	S Asia F	0.02
30	0.93 ± 0.01	0.922 ± 0.007	0.960 ± 0.008	0.889 ± 0.008	0.950 ± 0.009	0.95 ± 0.01	0.966 ± 0.010	0.937 ± 0.008	0.981 ± 0.008	0.958 ± 0.005	0.96 ± 0.01	0.962 ± 0.009	E Europe M	S Asia F	0.01
31	0.95 ± 0.01	0.950 ± 0.005	0.982 ± 0.005	0.924 ± 0.007	0.970 ± 0.007	0.974 ± 0.007	0.976 ± 0.009	0.965 ± 0.006	0.989 ± 0.006	0.975 ± 0.004	0.981 ± 0.008	0.983 ± 0.007	E Europe M	S Asia F	0.01
32	0.97 ± 0.01	0.973 ± 0.005	0.993 ± 0.003	0.957 ± 0.006	0.978 ± 0.006	0.982 ± 0.007	0.986 ± 0.007	0.982 ± 0.004	0.995 ± 0.004	0.985 ± 0.003	0.987 ± 0.007	0.988 ± 0.005	E Europe M	S Asia F	0.01
33	0.983 ± 0.007	0.985 ± 0.003	0.992 ± 0.004	0.972 ± 0.005	0.991 ± 0.004	0.991 ± 0.005	0.993 ± 0.005	0.992 ± 0.004	0.998 ± 0.003	0.993 ± 0.002	0.988 ± 0.006	0.990 ± 0.005	E Europe M	S Asia F	0.00
34	0.979 ± 0.008	0.991 ± 0.002	0.997 ± 0.002	0.983 ± 0.004	0.993 ± 0.004	0.993 ± 0.005	0.995 ± 0.004	0.995 ± 0.002	0.998 ± 0.003	0.995 ± 0.002	0.996 ± 0.005	0.996 ± 0.004	E Europe M	E Africa F	0.00

Table 250. *For algorithm regula-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.06 ± 0.03	0.012 ± 0.005	0.02 ± 0.01	0.018 ± 0.008	0.011 ± 0.009	0.03 ± 0.03	0.02 ± 0.02	0.005 ± 0.003	0.002 ± 0.002	0.003 ± 0.002	0.006 ± 0.006	0.04 ± 0.03	E Africa F	E Europe M	0.50
15	0.09 ± 0.04	0.017 ± 0.004	0.03 ± 0.01	0.030 ± 0.009	0.02 ± 0.01	0.14 ± 0.05	0.04 ± 0.02	0.008 ± 0.003	0.004 ± 0.004	0.005 ± 0.004	0.005 ± 0.005	0.03 ± 0.02	W Africa F	E Europe M	0.58
16	0.13 ± 0.05	0.024 ± 0.005	0.03 ± 0.01	0.04 ± 0.01	0.03 ± 0.01	0.10 ± 0.04	0.04 ± 0.02	0.007 ± 0.003	0.003 ± 0.003	0.005 ± 0.003	0.008 ± 0.006	0.04 ± 0.02	E Africa F	E Europe M	0.55
17	0.17 ± 0.05	0.049 ± 0.007	0.05 ± 0.02	0.07 ± 0.01	0.04 ± 0.01	0.17 ± 0.04	0.11 ± 0.04	0.010 ± 0.003	0.003 ± 0.003	0.013 ± 0.005	0.013 ± 0.008	0.10 ± 0.03	W Africa F	E Europe M	0.51
18	0.27 ± 0.05	0.062 ± 0.006	0.11 ± 0.02	0.11 ± 0.01	0.07 ± 0.01	0.19 ± 0.04	0.12 ± 0.04	0.023 ± 0.004	0.009 ± 0.006	0.028 ± 0.007	0.021 ± 0.009	0.11 ± 0.03	E Africa F	E Europe M	0.46
19	0.36 ± 0.05	0.093 ± 0.007	0.13 ± 0.02	0.18 ± 0.01	0.11 ± 0.01	0.32 ± 0.04	0.20 ± 0.04	0.041 ± 0.005	0.04 ± 0.01	0.053 ± 0.008	0.04 ± 0.01	0.15 ± 0.03	E Africa F	E Europe M	0.42
20	0.43 ± 0.04	0.146 ± 0.007	0.19 ± 0.02	0.22 ± 0.01	0.17 ± 0.02	0.38 ± 0.04	0.27 ± 0.04	0.068 ± 0.006	0.05 ± 0.01	0.09 ± 0.01	0.09 ± 0.02	0.21 ± 0.03	E Africa F	E Europe M	0.36
21	0.49 ± 0.04	0.205 ± 0.008	0.26 ± 0.02	0.28 ± 0.01	0.22 ± 0.02	0.49 ± 0.04	0.33 ± 0.04	0.121 ± 0.008	0.09 ± 0.02	0.15 ± 0.01	0.12 ± 0.02	0.30 ± 0.04	E Africa F	E Europe M	0.30
22	0.60 ± 0.04	0.272 ± 0.009	0.35 ± 0.02	0.36 ± 0.01	0.31 ± 0.02	0.57 ± 0.03	0.44 ± 0.04	0.188 ± 0.009	0.17 ± 0.02	0.23 ± 0.01	0.23 ± 0.02	0.40 ± 0.03	E Africa F	E Europe M	0.24
23	0.63 ± 0.04	0.349 ± 0.009	0.43 ± 0.02	0.43 ± 0.01	0.41 ± 0.02	0.62 ± 0.03	0.50 ± 0.03	0.28 ± 0.01	0.27 ± 0.02	0.31 ± 0.01	0.31 ± 0.02	0.48 ± 0.03	E Africa F	E Europe M	0.17
24	0.72 ± 0.03	0.436 ± 0.009	0.53 ± 0.02	0.51 ± 0.01	0.50 ± 0.02	0.67 ± 0.03	0.62 ± 0.03	0.39 ± 0.01	0.40 ± 0.02	0.42 ± 0.01	0.42 ± 0.02	0.57 ± 0.03	E Africa F	E Asia M	0.13
25	0.75 ± 0.03	0.533 ± 0.008	0.63 ± 0.01	0.57 ± 0.01	0.58 ± 0.02	0.77 ± 0.02	0.69 ± 0.03	0.49 ± 0.01	0.51 ± 0.02	0.53 ± 0.01	0.54 ± 0.02	0.67 ± 0.03	W Africa F	E Asia M	0.09
26	0.81 ± 0.02	0.624 ± 0.008	0.70 ± 0.01	0.634 ± 0.009	0.67 ± 0.01	0.78 ± 0.02	0.78 ± 0.03	0.61 ± 0.01	0.64 ± 0.02	0.61 ± 0.01	0.64 ± 0.02	0.75 ± 0.02	E Africa F	E Asia M	0.06
27	0.84 ± 0.02	0.690 ± 0.008	0.792 ± 0.009	0.695 ± 0.008	0.74 ± 0.01	0.86 ± 0.02	0.82 ± 0.02	0.687 ± 0.010	0.74 ± 0.01	0.696 ± 0.009	0.74 ± 0.02	0.82 ± 0.02	W Africa F	E Asia M	0.05
28	0.89 ± 0.02	0.759 ± 0.006	0.855 ± 0.008	0.744 ± 0.008	0.81 ± 0.01	0.88 ± 0.01	0.89 ± 0.02	0.769 ± 0.009	0.84 ± 0.01	0.779 ± 0.008	0.81 ± 0.02	0.88 ± 0.01	E Africa F	S Asia F	0.04
29	0.91 ± 0.01	0.816 ± 0.006	0.900 ± 0.007	0.793 ± 0.007	0.85 ± 0.01	0.91 ± 0.01	0.91 ± 0.02	0.838 ± 0.008	0.891 ± 0.010	0.836 ± 0.007	0.86 ± 0.02	0.90 ± 0.01	E Africa M	S Asia F	0.03
30	0.93 ± 0.01	0.868 ± 0.005	0.932 ± 0.006	0.842 ± 0.006	0.900 ± 0.010	0.93 ± 0.01	0.95 ± 0.01	0.886 ± 0.007	0.936 ± 0.008	0.879 ± 0.005	0.90 ± 0.01	0.93 ± 0.01	E Africa M	S Asia F	0.02
31	0.94 ± 0.01	0.906 ± 0.004	0.953 ± 0.005	0.881 ± 0.005	0.915 ± 0.008	0.960 ± 0.009	0.97 ± 0.01	0.922 ± 0.006	0.961 ± 0.006	0.916 ± 0.004	0.92 ± 0.01	0.954 ± 0.008	E Africa M	S Asia F	0.02
32	0.97 ± 0.01	0.930 ± 0.004	0.974 ± 0.004	0.909 ± 0.005	0.938 ± 0.007	0.960 ± 0.010	0.974 ± 0.009	0.947 ± 0.005	0.979 ± 0.004	0.936 ± 0.003	0.953 ± 0.010	0.964 ± 0.008	E Europe M	S Asia F	0.01
33	0.96 ± 0.01	0.952 ± 0.003	0.982 ± 0.003	0.935 ± 0.004	0.961 ± 0.006	0.973 ± 0.009	0.985 ± 0.008	0.963 ± 0.004	0.984 ± 0.004	0.956 ± 0.003	0.966 ± 0.008	0.977 ± 0.007	E Africa M	S Asia F	0.01
34	0.980 ± 0.008	0.965 ± 0.003	0.988 ± 0.003	0.953 ± 0.004	0.969 ± 0.006	0.984 ± 0.007	0.989 ± 0.006	0.972 ± 0.003	0.992 ± 0.003	0.971 ± 0.002	0.976 ± 0.007	0.987 ± 0.005	E Europe M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 251. *For algorithm rigrai-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.002 ± 0.002	0.001 ± 0.001	0.000 ± 0.000	0.003 ± 0.002	0.000 ± 0.000	0.02 ± 0.01	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	W Africa F	E Europe F	0.82
15	0.009 ± 0.009	0.006 ± 0.004	0.003 ± 0.003	0.008 ± 0.005	0.005 ± 0.005	0.04 ± 0.02	0.005 ± 0.005	0.001 ± 0.001	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe M	0.63
16	0.03 ± 0.02	0.010 ± 0.005	0.005 ± 0.005	0.015 ± 0.008	0.010 ± 0.008	0.02 ± 0.02	0.01 ± 0.01	0.003 ± 0.002	0.003 ± 0.003	0.006 ± 0.004	0.006 ± 0.006	0.01 ± 0.01	E Africa F	E Asia M	0.40
17	0.05 ± 0.02	0.014 ± 0.005	0.011 ± 0.008	0.03 ± 0.01	0.02 ± 0.01	0.09 ± 0.03	0.009 ± 0.009	0.008 ± 0.004	0.000 ± 0.000	0.022 ± 0.008	0.02 ± 0.01	0.05 ± 0.02	W Africa F	E Europe M	0.51
18	0.06 ± 0.02	0.022 ± 0.006	0.04 ± 0.02	0.052 ± 0.010	0.03 ± 0.01	0.13 ± 0.03	0.019 ± 0.009	0.012 ± 0.004	0.013 ± 0.009	0.039 ± 0.009	0.022 ± 0.010	0.05 ± 0.02	W Africa F	E Asia M	0.40
19	0.06 ± 0.02	0.041 ± 0.008	0.06 ± 0.02	0.09 ± 0.01	0.05 ± 0.01	0.18 ± 0.03	0.06 ± 0.02	0.031 ± 0.007	0.03 ± 0.01	0.09 ± 0.01	0.06 ± 0.02	0.14 ± 0.03	W Africa F	E Europe M	0.33
20	0.10 ± 0.02	0.064 ± 0.010	0.09 ± 0.02	0.13 ± 0.02	0.10 ± 0.02	0.21 ± 0.03	0.12 ± 0.03	0.06 ± 0.01	0.05 ± 0.02	0.17 ± 0.02	0.09 ± 0.02	0.17 ± 0.03	W Africa F	E Europe M	0.26
21	0.13 ± 0.03	0.11 ± 0.01	0.13 ± 0.02	0.20 ± 0.02	0.10 ± 0.02	0.28 ± 0.04	0.16 ± 0.03	0.11 ± 0.01	0.11 ± 0.02	0.27 ± 0.02	0.15 ± 0.02	0.25 ± 0.04	W Africa F	S E Asia F	0.22
22	0.18 ± 0.03	0.15 ± 0.01	0.19 ± 0.02	0.25 ± 0.02	0.17 ± 0.02	0.31 ± 0.03	0.28 ± 0.03	0.20 ± 0.02	0.19 ± 0.03	0.38 ± 0.02	0.22 ± 0.02	0.32 ± 0.03	S Asia M	E Asia F	0.17
23	0.21 ± 0.03	0.24 ± 0.01	0.26 ± 0.02	0.33 ± 0.02	0.23 ± 0.02	0.38 ± 0.03	0.34 ± 0.03	0.30 ± 0.02	0.32 ± 0.03	0.53 ± 0.02	0.30 ± 0.03	0.45 ± 0.04	S Asia M	E Africa F	0.16
24	0.25 ± 0.03	0.29 ± 0.01	0.35 ± 0.02	0.41 ± 0.02	0.28 ± 0.02	0.42 ± 0.03	0.40 ± 0.03	0.40 ± 0.02	0.45 ± 0.03	0.66 ± 0.02	0.43 ± 0.03	0.53 ± 0.03	S Asia M	E Africa F	0.15
25	0.28 ± 0.03	0.37 ± 0.02	0.44 ± 0.02	0.49 ± 0.01	0.36 ± 0.02	0.47 ± 0.03	0.49 ± 0.03	0.54 ± 0.02	0.60 ± 0.03	0.76 ± 0.01	0.54 ± 0.03	0.59 ± 0.03	S Asia M	E Africa F	0.15
26	0.33 ± 0.03	0.45 ± 0.01	0.56 ± 0.02	0.55 ± 0.01	0.42 ± 0.02	0.53 ± 0.03	0.55 ± 0.03	0.63 ± 0.02	0.70 ± 0.02	0.83 ± 0.01	0.67 ± 0.03	0.68 ± 0.03	S Asia M	E Africa F	0.14
27	0.38 ± 0.03	0.53 ± 0.01	0.65 ± 0.02	0.60 ± 0.01	0.49 ± 0.02	0.59 ± 0.03	0.66 ± 0.03	0.74 ± 0.02	0.82 ± 0.02	0.877 ± 0.010	0.75 ± 0.02	0.75 ± 0.02	S Asia M	E Africa F	0.13
28	0.42 ± 0.02	0.62 ± 0.01	0.74 ± 0.02	0.66 ± 0.01	0.55 ± 0.02	0.62 ± 0.03	0.72 ± 0.03	0.82 ± 0.01	0.89 ± 0.02	0.910 ± 0.008	0.81 ± 0.02	0.81 ± 0.02	S Asia M	E Africa F	0.12
29	0.49 ± 0.03	0.69 ± 0.01	0.82 ± 0.01	0.72 ± 0.01	0.62 ± 0.02	0.69 ± 0.02	0.79 ± 0.02	0.89 ± 0.01	0.92 ± 0.02	0.944 ± 0.006	0.86 ± 0.02	0.85 ± 0.02	S Asia M	E Africa F	0.10
30	0.54 ± 0.02	0.75 ± 0.01	0.88 ± 0.01	0.76 ± 0.01	0.70 ± 0.02	0.68 ± 0.02	0.84 ± 0.02	0.916 ± 0.010	0.963 ± 0.010	0.959 ± 0.005	0.91 ± 0.02	0.89 ± 0.02	E Europe M	E Africa F	0.09
31	0.56 ± 0.03	0.794 ± 0.009	0.92 ± 0.01	0.80 ± 0.01	0.75 ± 0.02	0.75 ± 0.02	0.88 ± 0.02	0.953 ± 0.008	0.977 ± 0.008	0.976 ± 0.004	0.95 ± 0.01	0.91 ± 0.01	E Europe M	E Africa F	0.08
32	0.63 ± 0.03	0.843 ± 0.010	0.944 ± 0.009	0.844 ± 0.010	0.79 ± 0.02	0.78 ± 0.02	0.90 ± 0.02	0.969 ± 0.006	0.986 ± 0.006	0.979 ± 0.004	0.96 ± 0.01	0.95 ± 0.01	E Europe M	E Africa F	0.07
33	0.67 ± 0.03	0.876 ± 0.009	0.955 ± 0.010	0.872 ± 0.009	0.83 ± 0.01	0.81 ± 0.02	0.92 ± 0.01	0.980 ± 0.005	0.998 ± 0.003	0.990 ± 0.003	0.976 ± 0.009	0.96 ± 0.01	E Europe M	E Africa F	0.06
34	0.73 ± 0.03	0.901 ± 0.008	0.971 ± 0.007	0.908 ± 0.008	0.88 ± 0.02	0.85 ± 0.02	0.94 ± 0.01	0.985 ± 0.004	0.997 ± 0.004	0.990 ± 0.003	0.982 ± 0.008	0.971 ± 0.008	E Europe M	E Africa F	0.04

Table 252. *For algorithm rigrai-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.006 ± 0.006	0.005 ± 0.003	0.004 ± 0.004	0.004 ± 0.003	0.005 ± 0.005	0.007 ± 0.007	0.006 ± 0.006	0.005 ± 0.003	0.000 ± 0.000	0.002 ± 0.002	0.008 ± 0.006	0.000 ± 0.000	S E Asia M	E Europe M	0.35
15	0.005 ± 0.005	0.006 ± 0.003	0.006 ± 0.006	0.014 ± 0.006	0.009 ± 0.007	0.05 ± 0.03	0.02 ± 0.02	0.006 ± 0.003	0.002 ± 0.002	0.009 ± 0.004	0.004 ± 0.004	0.02 ± 0.02	W Africa F	E Europe M	0.51
16	0.08 ± 0.03	0.010 ± 0.004	0.012 ± 0.008	0.013 ± 0.006	0.010 ± 0.007	0.06 ± 0.03	0.02 ± 0.02	0.012 ± 0.004	0.008 ± 0.007	0.019 ± 0.006	0.013 ± 0.008	0.04 ± 0.02	E Africa F	E Europe M	0.46
17	0.03 ± 0.02	0.018 ± 0.004	0.02 ± 0.01	0.025 ± 0.008	0.010 ± 0.005	0.07 ± 0.03	0.06 ± 0.03	0.025 ± 0.005	0.007 ± 0.005	0.039 ± 0.008	0.014 ± 0.008	0.06 ± 0.02	W Africa F	E Europe M	0.38
18	0.05 ± 0.02	0.027 ± 0.004	0.028 ± 0.009	0.041 ± 0.008	0.025 ± 0.008	0.08 ± 0.03	0.07 ± 0.03	0.049 ± 0.006	0.03 ± 0.01	0.08 ± 0.01	0.04 ± 0.01	0.15 ± 0.03	W Africa M	S E Asia F	0.33
19	0.09 ± 0.02	0.036 ± 0.005	0.055 ± 0.010	0.059 ± 0.008	0.038 ± 0.008	0.16 ± 0.03	0.14 ± 0.04	0.075 ± 0.007	0.05 ± 0.02	0.14 ± 0.01	0.07 ± 0.01	0.16 ± 0.03	W Africa M	E Asia F	0.30
20	0.12 ± 0.03	0.050 ± 0.005	0.08 ± 0.01	0.071 ± 0.008	0.046 ± 0.009	0.18 ± 0.03	0.24 ± 0.04	0.123 ± 0.008	0.10 ± 0.02	0.23 ± 0.02	0.13 ± 0.02	0.20 ± 0.04	E Africa M	S E Asia F	0.31
21	0.15 ± 0.02	0.065 ± 0.005	0.11 ± 0.01	0.105 ± 0.009	0.059 ± 0.010	0.22 ± 0.03	0.26 ± 0.04	0.173 ± 0.010	0.17 ± 0.02	0.32 ± 0.02	0.17 ± 0.02	0.27 ± 0.03	S Asia M	S E Asia F	0.28
22	0.18 ± 0.03	0.096 ± 0.006	0.15 ± 0.01	0.132 ± 0.010	0.09 ± 0.01	0.27 ± 0.03	0.37 ± 0.04	0.26 ± 0.01	0.26 ± 0.02	0.42 ± 0.01	0.26 ± 0.02	0.39 ± 0.03	S Asia M	S E Asia F	0.28
23	0.22 ± 0.03	0.123 ± 0.006	0.19 ± 0.01	0.155 ± 0.009	0.12 ± 0.01	0.29 ± 0.03	0.42 ± 0.03	0.34 ± 0.01	0.40 ± 0.02	0.52 ± 0.01	0.31 ± 0.02	0.44 ± 0.03	S Asia M	E Asia F	0.27
24	0.24 ± 0.03	0.149 ± 0.006	0.24 ± 0.01	0.212 ± 0.009	0.14 ± 0.01	0.31 ± 0.02	0.50 ± 0.03	0.42 ± 0.01	0.50 ± 0.02	0.61 ± 0.01	0.43 ± 0.02	0.50 ± 0.03	S Asia M	S E Asia F	0.26
25	0.30 ± 0.03	0.195 ± 0.007	0.33 ± 0.01	0.242 ± 0.008	0.19 ± 0.01	0.36 ± 0.02	0.57 ± 0.03	0.52 ± 0.01	0.61 ± 0.02	0.71 ± 0.01	0.53 ± 0.02	0.60 ± 0.03	S Asia M	S E Asia F	0.25
26	0.33 ± 0.03	0.236 ± 0.007	0.38 ± 0.01	0.282 ± 0.009	0.22 ± 0.01	0.40 ± 0.02	0.64 ± 0.03	0.60 ± 0.01	0.72 ± 0.02	0.769 ± 0.009	0.58 ± 0.02	0.67 ± 0.02	S Asia M	S E Asia F	0.24
27	0.37 ± 0.03	0.283 ± 0.006	0.48 ± 0.01	0.328 ± 0.008	0.28 ± 0.01	0.44 ± 0.02	0.71 ± 0.03	0.67 ± 0.01	0.80 ± 0.01	0.826 ± 0.008	0.67 ± 0.02	0.75 ± 0.02	S Asia M	S E Asia F	0.22
28	0.44 ± 0.03	0.331 ± 0.007	0.56 ± 0.01	0.375 ± 0.008	0.32 ± 0.01	0.49 ± 0.02	0.79 ± 0.03	0.738 ± 0.009	0.87 ± 0.01	0.870 ± 0.006	0.76 ± 0.02	0.78 ± 0.02	E Europe M	S E Asia F	0.21
29	0.47 ± 0.03	0.384 ± 0.007	0.63 ± 0.01	0.420 ± 0.008	0.36 ± 0.01	0.51 ± 0.02	0.81 ± 0.02	0.798 ± 0.008	0.910 ± 0.010	0.899 ± 0.005	0.80 ± 0.02	0.84 ± 0.01	E Europe M	S E Asia F	0.19
30	0.48 ± 0.03	0.458 ± 0.007	0.70 ± 0.01	0.475 ± 0.009	0.43 ± 0.01	0.55 ± 0.02	0.84 ± 0.02	0.857 ± 0.007	0.943 ± 0.007	0.925 ± 0.004	0.85 ± 0.02	0.88 ± 0.01	E Europe M	S E Asia F	0.17
31	0.56 ± 0.03	0.515 ± 0.008	0.78 ± 0.01	0.527 ± 0.008	0.49 ± 0.02	0.62 ± 0.02	0.89 ± 0.02	0.887 ± 0.006	0.961 ± 0.006	0.947 ± 0.004	0.88 ± 0.02	0.89 ± 0.01	E Europe M	S E Asia F	0.14
32	0.60 ± 0.03	0.579 ± 0.007	0.822 ± 0.010	0.584 ± 0.009	0.55 ± 0.02	0.62 ± 0.02	0.91 ± 0.02	0.923 ± 0.006	0.976 ± 0.005	0.963 ± 0.003	0.92 ± 0.01	0.91 ± 0.01	E Europe M	S E Asia F	0.13
33	0.63 ± 0.03	0.627 ± 0.007	0.858 ± 0.009	0.626 ± 0.008	0.60 ± 0.02	0.69 ± 0.02	0.94 ± 0.01	0.944 ± 0.005	0.986 ± 0.004	0.971 ± 0.003	0.945 ± 0.009	0.939 ± 0.009	E Europe M	S E Asia F	0.11
34	0.65 ± 0.03	0.684 ± 0.007	0.903 ± 0.008	0.689 ± 0.008	0.64 ± 0.02	0.72 ± 0.02	0.95 ± 0.01	0.962 ± 0.004	0.993 ± 0.003	0.981 ± 0.002	0.957 ± 0.009	0.953 ± 0.008	E Europe M	S E Asia F	0.10

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 253. *For algorithm roc-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.04 ± 0.02	0.034 ± 0.009	0.000 ± 0.000	0.006 ± 0.004	0.04 ± 0.02	0.04 ± 0.02	0.013 ± 0.008	0.030 ± 0.007	0.000 ± 0.000	0.003 ± 0.003	0.03 ± 0.02	0.004 ± 0.004	S E Asia F	E Europe F	0.49
15	0.06 ± 0.02	0.07 ± 0.01	0.003 ± 0.003	0.027 ± 0.010	0.06 ± 0.02	0.08 ± 0.04	0.03 ± 0.02	0.05 ± 0.01	0.000 ± 0.000	0.011 ± 0.006	0.03 ± 0.01	0.02 ± 0.02	W Africa F	E Europe M	0.43
16	0.11 ± 0.03	0.14 ± 0.02	0.005 ± 0.005	0.03 ± 0.01	0.11 ± 0.03	0.14 ± 0.04	0.05 ± 0.02	0.06 ± 0.01	0.003 ± 0.003	0.018 ± 0.008	0.05 ± 0.02	0.05 ± 0.03	W Africa F	E Europe M	0.45
17	0.18 ± 0.04	0.17 ± 0.02	0.02 ± 0.01	0.07 ± 0.01	0.13 ± 0.03	0.22 ± 0.04	0.07 ± 0.03	0.12 ± 0.02	0.000 ± 0.000	0.04 ± 0.01	0.11 ± 0.03	0.11 ± 0.03	W Africa F	E Europe M	0.38
18	0.19 ± 0.03	0.22 ± 0.02	0.05 ± 0.02	0.07 ± 0.01	0.20 ± 0.03	0.26 ± 0.04	0.13 ± 0.03	0.17 ± 0.01	0.007 ± 0.005	0.07 ± 0.01	0.14 ± 0.03	0.15 ± 0.03	W Africa F	E Europe M	0.33
19	0.26 ± 0.03	0.31 ± 0.02	0.08 ± 0.02	0.12 ± 0.01	0.29 ± 0.03	0.38 ± 0.05	0.25 ± 0.04	0.28 ± 0.02	0.019 ± 0.009	0.11 ± 0.01	0.23 ± 0.03	0.28 ± 0.04	W Africa F	E Europe M	0.29
20	0.37 ± 0.04	0.40 ± 0.02	0.10 ± 0.02	0.18 ± 0.02	0.38 ± 0.03	0.41 ± 0.04	0.32 ± 0.04	0.39 ± 0.02	0.04 ± 0.01	0.21 ± 0.02	0.35 ± 0.03	0.39 ± 0.04	W Africa F	E Europe M	0.24
21	0.41 ± 0.04	0.52 ± 0.02	0.15 ± 0.02	0.23 ± 0.02	0.48 ± 0.03	0.50 ± 0.04	0.46 ± 0.04	0.51 ± 0.02	0.06 ± 0.02	0.30 ± 0.02	0.50 ± 0.03	0.51 ± 0.04	E Asia F	E Europe M	0.23
22	0.51 ± 0.03	0.60 ± 0.02	0.22 ± 0.02	0.28 ± 0.02	0.59 ± 0.02	0.57 ± 0.04	0.63 ± 0.04	0.62 ± 0.02	0.18 ± 0.03	0.42 ± 0.02	0.58 ± 0.03	0.61 ± 0.04	E Africa M	E Europe M	0.19
23	0.57 ± 0.03	0.70 ± 0.02	0.29 ± 0.02	0.35 ± 0.02	0.68 ± 0.02	0.65 ± 0.03	0.66 ± 0.03	0.74 ± 0.02	0.23 ± 0.03	0.55 ± 0.02	0.72 ± 0.03	0.70 ± 0.03	E Asia M	E Europe M	0.17
24	0.65 ± 0.03	0.76 ± 0.01	0.39 ± 0.02	0.42 ± 0.01	0.76 ± 0.02	0.70 ± 0.03	0.78 ± 0.03	0.82 ± 0.01	0.41 ± 0.03	0.66 ± 0.02	0.81 ± 0.02	0.79 ± 0.02	E Asia M	E Europe F	0.14
25	0.69 ± 0.02	0.83 ± 0.01	0.47 ± 0.02	0.47 ± 0.01	0.82 ± 0.02	0.78 ± 0.02	0.83 ± 0.02	0.88 ± 0.01	0.55 ± 0.03	0.73 ± 0.02	0.88 ± 0.02	0.86 ± 0.02	E Asia M	E Europe F	0.12
26	0.74 ± 0.02	0.872 ± 0.010	0.57 ± 0.02	0.55 ± 0.01	0.87 ± 0.01	0.82 ± 0.02	0.88 ± 0.02	0.936 ± 0.009	0.64 ± 0.03	0.81 ± 0.01	0.92 ± 0.02	0.91 ± 0.02	E Asia M	S Asia F	0.10
27	0.78 ± 0.02	0.915 ± 0.008	0.67 ± 0.02	0.61 ± 0.01	0.90 ± 0.01	0.86 ± 0.02	0.91 ± 0.02	0.965 ± 0.007	0.77 ± 0.02	0.86 ± 0.01	0.95 ± 0.01	0.93 ± 0.01	E Asia M	S Asia F	0.08
28	0.83 ± 0.02	0.939 ± 0.006	0.75 ± 0.02	0.67 ± 0.01	0.932 ± 0.009	0.90 ± 0.02	0.94 ± 0.01	0.982 ± 0.005	0.85 ± 0.02	0.903 ± 0.009	0.973 ± 0.008	0.96 ± 0.01	E Asia M	S Asia F	0.06
29	0.88 ± 0.02	0.968 ± 0.004	0.83 ± 0.01	0.73 ± 0.01	0.949 ± 0.008	0.93 ± 0.01	0.967 ± 0.010	0.989 ± 0.004	0.91 ± 0.02	0.943 ± 0.006	0.980 ± 0.008	0.975 ± 0.008	E Asia M	S Asia F	0.04
30	0.91 ± 0.02	0.981 ± 0.003	0.88 ± 0.01	0.78 ± 0.01	0.976 ± 0.006	0.93 ± 0.01	0.972 ± 0.010	0.992 ± 0.003	0.95 ± 0.01	0.955 ± 0.006	0.987 ± 0.008	0.984 ± 0.006	E Asia M	S Asia F	0.03
31	0.92 ± 0.01	0.988 ± 0.003	0.91 ± 0.01	0.825 ± 0.009	0.982 ± 0.005	0.96 ± 0.01	0.981 ± 0.008	0.998 ± 0.002	0.970 ± 0.008	0.974 ± 0.004	0.995 ± 0.005	0.989 ± 0.005	E Asia M	S Asia F	0.03
32	0.95 ± 0.01	0.991 ± 0.002	0.953 ± 0.009	0.875 ± 0.009	0.986 ± 0.005	0.97 ± 0.01	0.990 ± 0.005	0.999 ± 0.001	0.980 ± 0.008	0.985 ± 0.003	0.995 ± 0.004	0.995 ± 0.004	E Asia M	S Asia F	0.02
33	0.96 ± 0.01	0.995 ± 0.002	0.963 ± 0.008	0.903 ± 0.008	0.992 ± 0.004	0.978 ± 0.009	0.995 ± 0.005	0.999 ± 0.001	0.994 ± 0.004	0.989 ± 0.002	0.996 ± 0.004	0.996 ± 0.003	E Asia M	S Asia F	0.01
34	0.979 ± 0.008	0.998 ± 0.001	0.980 ± 0.006	0.933 ± 0.007	0.997 ± 0.002	0.989 ± 0.006	0.995 ± 0.005	0.999 ± 0.001	0.996 ± 0.004	0.993 ± 0.003	1.000 ± 0.000	0.996 ± 0.004	S E Asia M	S Asia F	0.01

Table 254. *For algorithm roc-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.14 ± 0.05	0.10 ± 0.01	0.009 ± 0.006	0.032 ± 0.010	0.05 ± 0.02	0.13 ± 0.05	0.12 ± 0.04	0.045 ± 0.009	0.002 ± 0.002	0.007 ± 0.004	0.03 ± 0.01	0.09 ± 0.04	E Africa F	E Europe M	0.47
15	0.18 ± 0.05	0.15 ± 0.01	0.02 ± 0.01	0.05 ± 0.01	0.08 ± 0.02	0.25 ± 0.06	0.19 ± 0.06	0.088 ± 0.010	0.004 ± 0.004	0.010 ± 0.004	0.06 ± 0.02	0.18 ± 0.06	W Africa F	E Europe M	0.47
16	0.29 ± 0.06	0.19 ± 0.01	0.03 ± 0.01	0.07 ± 0.01	0.14 ± 0.02	0.27 ± 0.05	0.22 ± 0.06	0.13 ± 0.01	0.002 ± 0.002	0.023 ± 0.007	0.09 ± 0.02	0.13 ± 0.04	E Africa F	E Europe M	0.43
17	0.38 ± 0.06	0.27 ± 0.01	0.05 ± 0.02	0.10 ± 0.02	0.20 ± 0.03	0.37 ± 0.05	0.25 ± 0.05	0.19 ± 0.01	0.014 ± 0.008	0.07 ± 0.01	0.15 ± 0.02	0.25 ± 0.05	E Africa F	E Europe M	0.37
18	0.45 ± 0.05	0.35 ± 0.01	0.09 ± 0.02	0.14 ± 0.02	0.27 ± 0.02	0.38 ± 0.05	0.32 ± 0.06	0.26 ± 0.01	0.020 ± 0.009	0.10 ± 0.01	0.22 ± 0.03	0.34 ± 0.04	E Africa F	E Europe M	0.32
19	0.49 ± 0.05	0.42 ± 0.01	0.12 ± 0.02	0.20 ± 0.02	0.32 ± 0.02	0.47 ± 0.04	0.44 ± 0.05	0.36 ± 0.01	0.03 ± 0.01	0.16 ± 0.01	0.31 ± 0.03	0.42 ± 0.04	E Africa F	E Europe M	0.28
20	0.58 ± 0.04	0.51 ± 0.01	0.18 ± 0.02	0.24 ± 0.01	0.42 ± 0.02	0.58 ± 0.04	0.58 ± 0.04	0.47 ± 0.01	0.07 ± 0.01	0.26 ± 0.02	0.42 ± 0.03	0.52 ± 0.04	E Africa M	E Europe M	0.25
21	0.61 ± 0.04	0.58 ± 0.01	0.23 ± 0.02	0.32 ± 0.01	0.49 ± 0.02	0.61 ± 0.04	0.61 ± 0.04	0.59 ± 0.01	0.13 ± 0.02	0.34 ± 0.02	0.55 ± 0.03	0.61 ± 0.04	E Africa F	E Europe M	0.20
22	0.72 ± 0.04	0.663 ± 0.009	0.31 ± 0.02	0.38 ± 0.01	0.58 ± 0.02	0.70 ± 0.03	0.75 ± 0.03	0.69 ± 0.01	0.22 ± 0.02	0.46 ± 0.01	0.67 ± 0.02	0.73 ± 0.03	E Africa M	E Europe M	0.18
23	0.76 ± 0.03	0.727 ± 0.008	0.37 ± 0.01	0.44 ± 0.01	0.67 ± 0.02	0.76 ± 0.03	0.80 ± 0.03	0.77 ± 0.01	0.32 ± 0.02	0.57 ± 0.01	0.74 ± 0.02	0.80 ± 0.03	W Africa M	E Europe M	0.15
24	0.79 ± 0.03	0.781 ± 0.007	0.45 ± 0.01	0.51 ± 0.01	0.74 ± 0.02	0.80 ± 0.02	0.85 ± 0.03	0.831 ± 0.008	0.46 ± 0.02	0.66 ± 0.01	0.81 ± 0.02	0.86 ± 0.02	W Africa M	E Europe F	0.12
25	0.82 ± 0.03	0.836 ± 0.007	0.53 ± 0.01	0.56 ± 0.01	0.79 ± 0.01	0.84 ± 0.02	0.91 ± 0.02	0.893 ± 0.007	0.57 ± 0.02	0.74 ± 0.01	0.89 ± 0.02	0.90 ± 0.02	E Africa M	E Europe F	0.10
26	0.86 ± 0.02	0.875 ± 0.005	0.60 ± 0.01	0.632 ± 0.009	0.85 ± 0.01	0.86 ± 0.02	0.93 ± 0.02	0.927 ± 0.006	0.67 ± 0.02	0.797 ± 0.009	0.92 ± 0.01	0.93 ± 0.01	E Africa M	E Europe F	0.08
27	0.85 ± 0.02	0.905 ± 0.004	0.68 ± 0.01	0.677 ± 0.009	0.875 ± 0.010	0.90 ± 0.01	0.94 ± 0.02	0.948 ± 0.005	0.76 ± 0.02	0.855 ± 0.007	0.95 ± 0.01	0.953 ± 0.010	W Africa M	S Asia F	0.07
28	0.92 ± 0.02	0.927 ± 0.004	0.75 ± 0.01	0.735 ± 0.008	0.912 ± 0.009	0.91 ± 0.01	0.96 ± 0.01	0.966 ± 0.004	0.84 ± 0.01	0.898 ± 0.005	0.958 ± 0.009	0.969 ± 0.008	W Africa M	S Asia F	0.05
29	0.93 ± 0.01	0.949 ± 0.003	0.815 ± 0.009	0.773 ± 0.007	0.933 ± 0.008	0.94 ± 0.01	0.982 ± 0.009	0.978 ± 0.003	0.86 ± 0.01	0.922 ± 0.004	0.973 ± 0.008	0.980 ± 0.005	E Africa M	S Asia F	0.04
30	0.93 ± 0.01	0.961 ± 0.003	0.861 ± 0.008	0.824 ± 0.006	0.952 ± 0.007	0.954 ± 0.009	0.986 ± 0.007	0.984 ± 0.003	0.922 ± 0.009	0.943 ± 0.004	0.983 ± 0.006	0.984 ± 0.005	E Africa M	S Asia F	0.03
31	0.95 ± 0.01	0.972 ± 0.003	0.892 ± 0.007	0.855 ± 0.006	0.962 ± 0.006	0.970 ± 0.008	0.988 ± 0.007	0.986 ± 0.002	0.949 ± 0.008	0.961 ± 0.003	0.982 ± 0.007	0.989 ± 0.004	W Africa M	S Asia F	0.02
32	0.97 ± 0.01	0.979 ± 0.002	0.931 ± 0.006	0.884 ± 0.005	0.967 ± 0.006	0.974 ± 0.008	0.991 ± 0.005	0.991 ± 0.002	0.964 ± 0.006	0.971 ± 0.003	0.986 ± 0.006	0.992 ± 0.004	W Africa M	S Asia F	0.02
33	0.981 ± 0.008	0.983 ± 0.002	0.949 ± 0.006	0.914 ± 0.005	0.977 ± 0.005	0.981 ± 0.007	0.996 ± 0.004	0.994 ± 0.001	0.979 ± 0.004	0.980 ± 0.002	0.990 ± 0.005	0.995 ± 0.003	E Africa M	S Asia F	0.01
34	0.975 ± 0.009	0.986 ± 0.002	0.967 ± 0.005	0.933 ± 0.005	0.984 ± 0.004	0.989 ± 0.005	0.999 ± 0.002	0.994 ± 0.002	0.983 ± 0.004	0.985 ± 0.002	0.995 ± 0.004	0.996 ± 0.003	E Africa M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 255. *For algorithm roc-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.011 ± 0.009	0.005 ± 0.003	0.000 ± 0.000	0.003 ± 0.002	0.004 ± 0.004	0.02 ± 0.01	0.002 ± 0.002	0.002 ± 0.002	0.000 ± 0.000	0.003 ± 0.002	0.002 ± 0.002	0.004 ± 0.004	W Africa F	E Europe F	0.54
15	0.04 ± 0.02	0.016 ± 0.007	0.000 ± 0.000	0.023 ± 0.010	0.03 ± 0.01	0.07 ± 0.03	0.010 ± 0.008	0.004 ± 0.003	0.000 ± 0.000	0.005 ± 0.004	0.002 ± 0.002	0.005 ± 0.005	W Africa F	E Europe F	0.64
16	0.09 ± 0.03	0.04 ± 0.01	0.000 ± 0.000	0.023 ± 0.009	0.05 ± 0.02	0.09 ± 0.03	0.03 ± 0.02	0.014 ± 0.006	0.003 ± 0.003	0.004 ± 0.003	0.01 ± 0.01	0.01 ± 0.01	E Africa F	E Europe F	0.57
17	0.14 ± 0.04	0.10 ± 0.02	0.003 ± 0.003	0.07 ± 0.02	0.10 ± 0.03	0.18 ± 0.04	0.05 ± 0.02	0.042 ± 0.010	0.003 ± 0.003	0.019 ± 0.008	0.03 ± 0.02	0.08 ± 0.03	W Africa F	E Europe F	0.47
18	0.19 ± 0.03	0.15 ± 0.01	0.02 ± 0.01	0.10 ± 0.01	0.14 ± 0.02	0.23 ± 0.04	0.09 ± 0.02	0.09 ± 0.01	0.002 ± 0.002	0.045 ± 0.009	0.06 ± 0.02	0.13 ± 0.03	W Africa F	E Europe M	0.39
19	0.32 ± 0.04	0.25 ± 0.02	0.04 ± 0.02	0.17 ± 0.02	0.25 ± 0.03	0.36 ± 0.04	0.19 ± 0.03	0.18 ± 0.02	0.013 ± 0.009	0.10 ± 0.01	0.13 ± 0.02	0.24 ± 0.04	W Africa F	E Europe M	0.33
20	0.44 ± 0.04	0.35 ± 0.02	0.08 ± 0.02	0.26 ± 0.02	0.37 ± 0.03	0.43 ± 0.04	0.30 ± 0.04	0.31 ± 0.02	0.03 ± 0.01	0.18 ± 0.02	0.25 ± 0.03	0.32 ± 0.04	E Africa F	E Europe M	0.26
21	0.54 ± 0.04	0.48 ± 0.02	0.14 ± 0.02	0.35 ± 0.02	0.48 ± 0.03	0.51 ± 0.04	0.45 ± 0.04	0.48 ± 0.02	0.08 ± 0.02	0.29 ± 0.02	0.41 ± 0.03	0.45 ± 0.04	E Africa F	E Europe M	0.21
22	0.64 ± 0.03	0.61 ± 0.02	0.23 ± 0.02	0.48 ± 0.02	0.60 ± 0.02	0.61 ± 0.04	0.61 ± 0.03	0.62 ± 0.02	0.14 ± 0.03	0.43 ± 0.02	0.56 ± 0.03	0.57 ± 0.04	E Africa F	E Europe M	0.17
23	0.72 ± 0.03	0.72 ± 0.02	0.35 ± 0.02	0.60 ± 0.02	0.72 ± 0.02	0.69 ± 0.03	0.68 ± 0.03	0.76 ± 0.02	0.29 ± 0.03	0.58 ± 0.02	0.72 ± 0.03	0.72 ± 0.03	E Asia M	E Europe M	0.12
24	0.78 ± 0.03	0.80 ± 0.01	0.49 ± 0.02	0.68 ± 0.01	0.80 ± 0.02	0.76 ± 0.03	0.81 ± 0.03	0.85 ± 0.01	0.47 ± 0.03	0.70 ± 0.02	0.81 ± 0.02	0.80 ± 0.02	E Asia M	E Europe M	0.09
25	0.82 ± 0.02	0.872 ± 0.010	0.61 ± 0.02	0.76 ± 0.01	0.87 ± 0.01	0.85 ± 0.02	0.87 ± 0.02	0.92 ± 0.01	0.61 ± 0.03	0.81 ± 0.02	0.88 ± 0.02	0.87 ± 0.02	E Asia M	E Europe F	0.07
26	0.89 ± 0.02	0.914 ± 0.008	0.74 ± 0.02	0.82 ± 0.01	0.92 ± 0.01	0.89 ± 0.02	0.91 ± 0.02	0.956 ± 0.008	0.77 ± 0.02	0.88 ± 0.01	0.94 ± 0.01	0.92 ± 0.02	E Asia M	E Europe F	0.04
27	0.92 ± 0.01	0.953 ± 0.006	0.83 ± 0.01	0.872 ± 0.009	0.945 ± 0.008	0.92 ± 0.02	0.95 ± 0.01	0.976 ± 0.006	0.89 ± 0.02	0.927 ± 0.008	0.97 ± 0.01	0.95 ± 0.01	E Asia M	E Europe F	0.03
28	0.95 ± 0.01	0.972 ± 0.005	0.91 ± 0.01	0.919 ± 0.007	0.971 ± 0.006	0.96 ± 0.01	0.972 ± 0.008	0.989 ± 0.004	0.93 ± 0.01	0.958 ± 0.006	0.986 ± 0.008	0.965 ± 0.009	E Asia M	E Europe F	0.01
29	0.966 ± 0.010	0.989 ± 0.003	0.947 ± 0.009	0.947 ± 0.006	0.987 ± 0.004	0.96 ± 0.01	0.981 ± 0.008	0.996 ± 0.002	0.966 ± 0.009	0.978 ± 0.004	0.992 ± 0.005	0.985 ± 0.006	E Asia M	E Europe F	0.01
30	0.978 ± 0.008	0.995 ± 0.002	0.974 ± 0.006	0.969 ± 0.005	0.992 ± 0.004	0.978 ± 0.007	0.990 ± 0.006	0.999 ± 0.001	0.992 ± 0.005	0.988 ± 0.003	0.993 ± 0.005	0.992 ± 0.005	E Asia M	S Asia F	0.01
31	0.990 ± 0.005	0.997 ± 0.002	0.991 ± 0.004	0.980 ± 0.004	0.994 ± 0.003	0.984 ± 0.007	0.995 ± 0.004	0.999 ± 0.001	0.995 ± 0.004	0.994 ± 0.002	0.997 ± 0.004	0.995 ± 0.003	E Asia M	S Asia F	0.00
32	0.990 ± 0.005	0.999 ± 0.001	0.996 ± 0.003	0.990 ± 0.003	0.997 ± 0.002	0.988 ± 0.005	0.998 ± 0.002	0.999 ± 0.001	0.997 ± 0.003	0.997 ± 0.001	0.998 ± 0.003	0.998 ± 0.002	E Asia M	W Africa F	0.00
33	0.997 ± 0.003	0.999 ± 0.001	0.996 ± 0.003	0.993 ± 0.002	0.999 ± 0.001	0.994 ± 0.004	1.000 ± 0.000	1.000 ± 0.001	0.999 ± 0.002	0.999 ± 0.001	0.999 ± 0.002	0.996 ± 0.004	E Africa M	S Asia F	0.00
34	0.999 ± 0.002	1.000 ± 0.000	1.000 ± 0.001	0.997 ± 0.002	0.999 ± 0.002	0.999 ± 0.001	0.999 ± 0.002	1.000 ± 0.001	0.999 ± 0.002	0.999 ± 0.001	1.000 ± 0.000	1.000 ± 0.000	E Asia F	S Asia F	0.00

Table 256. *For algorithm roc-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.11 ± 0.04	0.009 ± 0.004	0.000 ± 0.000	0.017 ± 0.007	0.011 ± 0.009	0.07 ± 0.04	0.03 ± 0.02	0.004 ± 0.003	0.000 ± 0.000	0.002 ± 0.002	0.008 ± 0.006	0.04 ± 0.03	E Africa F	E Europe F	0.68
15	0.16 ± 0.05	0.022 ± 0.006	0.006 ± 0.006	0.028 ± 0.009	0.02 ± 0.01	0.14 ± 0.04	0.000 ± 0.000	0.010 ± 0.004	0.000 ± 0.000	0.004 ± 0.003	0.009 ± 0.007	0.07 ± 0.04	E Africa F	E Africa M	0.70
16	0.23 ± 0.06	0.056 ± 0.008	0.006 ± 0.005	0.07 ± 0.01	0.04 ± 0.01	0.22 ± 0.05	0.08 ± 0.04	0.024 ± 0.005	0.000 ± 0.000	0.009 ± 0.005	0.03 ± 0.01	0.09 ± 0.04	E Africa F	E Europe M	0.57
17	0.32 ± 0.05	0.11 ± 0.01	0.03 ± 0.01	0.10 ± 0.01	0.09 ± 0.02	0.29 ± 0.05	0.15 ± 0.04	0.073 ± 0.008	0.005 ± 0.005	0.034 ± 0.008	0.07 ± 0.02	0.18 ± 0.04	E Africa F	E Europe M	0.46
18	0.43 ± 0.05	0.172 ± 0.010	0.07 ± 0.01	0.17 ± 0.02	0.15 ± 0.02	0.34 ± 0.05	0.26 ± 0.05	0.137 ± 0.009	0.015 ± 0.009	0.056 ± 0.009	0.10 ± 0.02	0.26 ± 0.04	E Africa F	E Europe M	0.39
19	0.52 ± 0.05	0.27 ± 0.01	0.10 ± 0.01	0.25 ± 0.02	0.26 ± 0.02	0.47 ± 0.04	0.36 ± 0.05	0.24 ± 0.01	0.025 ± 0.010	0.14 ± 0.01	0.20 ± 0.02	0.34 ± 0.05	E Africa F	E Europe M	0.32
20	0.63 ± 0.04	0.38 ± 0.01	0.17 ± 0.02	0.34 ± 0.02	0.39 ± 0.02	0.60 ± 0.04	0.48 ± 0.04	0.38 ± 0.01	0.05 ± 0.01	0.21 ± 0.01	0.37 ± 0.03	0.48 ± 0.04	E Africa F	E Europe M	0.26
21	0.71 ± 0.04	0.49 ± 0.01	0.25 ± 0.02	0.43 ± 0.02	0.49 ± 0.02	0.67 ± 0.04	0.61 ± 0.04	0.52 ± 0.01	0.16 ± 0.02	0.32 ± 0.02	0.50 ± 0.02	0.63 ± 0.03	E Africa F	E Europe M	0.21
22	0.80 ± 0.03	0.603 ± 0.009	0.36 ± 0.02	0.53 ± 0.01	0.60 ± 0.02	0.77 ± 0.03	0.71 ± 0.04	0.65 ± 0.01	0.27 ± 0.02	0.46 ± 0.02	0.62 ± 0.02	0.73 ± 0.03	E Africa F	E Europe M	0.16
23	0.83 ± 0.03	0.693 ± 0.009	0.46 ± 0.02	0.61 ± 0.01	0.71 ± 0.02	0.81 ± 0.02	0.78 ± 0.03	0.77 ± 0.01	0.44 ± 0.02	0.59 ± 0.01	0.74 ± 0.02	0.82 ± 0.02	E Africa F	E Europe M	0.11
24	0.88 ± 0.02	0.775 ± 0.007	0.58 ± 0.01	0.71 ± 0.01	0.79 ± 0.01	0.86 ± 0.02	0.87 ± 0.02	0.847 ± 0.009	0.57 ± 0.02	0.70 ± 0.01	0.82 ± 0.02	0.88 ± 0.02	W Africa M	E Europe M	0.08
25	0.91 ± 0.02	0.843 ± 0.006	0.69 ± 0.01	0.765 ± 0.009	0.85 ± 0.01	0.91 ± 0.02	0.92 ± 0.02	0.912 ± 0.006	0.71 ± 0.02	0.80 ± 0.01	0.89 ± 0.02	0.92 ± 0.01	W Africa M	E Europe F	0.06
26	0.94 ± 0.01	0.897 ± 0.005	0.78 ± 0.01	0.826 ± 0.008	0.902 ± 0.009	0.92 ± 0.01	0.95 ± 0.01	0.942 ± 0.005	0.81 ± 0.02	0.866 ± 0.007	0.94 ± 0.01	0.95 ± 0.01	E Africa M	E Europe F	0.04
27	0.95 ± 0.01	0.932 ± 0.004	0.860 ± 0.008	0.868 ± 0.006	0.939 ± 0.007	0.957 ± 0.010	0.97 ± 0.01	0.971 ± 0.004	0.89 ± 0.01	0.917 ± 0.006	0.964 ± 0.009	0.976 ± 0.008	W Africa M	E Europe F	0.03
28	0.968 ± 0.010	0.956 ± 0.003	0.912 ± 0.007	0.905 ± 0.005	0.960 ± 0.006	0.963 ± 0.009	0.982 ± 0.008	0.982 ± 0.003	0.945 ± 0.008	0.949 ± 0.004	0.974 ± 0.008	0.980 ± 0.007	E Asia M	S Asia F	0.01
29	0.977 ± 0.008	0.976 ± 0.002	0.948 ± 0.005	0.936 ± 0.004	0.975 ± 0.005	0.979 ± 0.007	0.992 ± 0.006	0.990 ± 0.002	0.959 ± 0.006	0.970 ± 0.003	0.987 ± 0.006	0.988 ± 0.005	E Africa M	S Asia F	0.01
30	0.981 ± 0.008	0.983 ± 0.002	0.970 ± 0.004	0.955 ± 0.003	0.987 ± 0.004	0.985 ± 0.005	0.996 ± 0.004	0.994 ± 0.002	0.982 ± 0.005	0.982 ± 0.002	0.992 ± 0.004	0.992 ± 0.004	E Africa M	S Asia F	0.01
31	0.995 ± 0.004	0.990 ± 0.001	0.982 ± 0.003	0.971 ± 0.003	0.994 ± 0.003	0.988 ± 0.005	0.995 ± 0.004	0.996 ± 0.001	0.992 ± 0.003	0.990 ± 0.002	0.997 ± 0.003	0.995 ± 0.003	S E Asia M	S Asia F	0.00
32	0.991 ± 0.005	0.995 ± 0.001	0.993 ± 0.002	0.981 ± 0.003	0.995 ± 0.002	0.994 ± 0.004	0.995 ± 0.004	0.999 ± 0.001	0.995 ± 0.002	0.993 ± 0.001	0.997 ± 0.003	0.998 ± 0.002	E Asia M	S Asia F	0.00
33	0.997 ± 0.003	0.996 ± 0.001	0.996 ± 0.002	0.988 ± 0.002	0.995 ± 0.002	0.999 ± 0.002	0.999 ± 0.002	0.999 ± 0.001	0.997 ± 0.002	0.996 ± 0.001	0.999 ± 0.001	0.999 ± 0.001	S E Asia M	S Asia F	0.00
34	0.998 ± 0.003	0.997 ± 0.001	0.998 ± 0.001	0.993 ± 0.002	0.998 ± 0.002	0.998 ± 0.003	1.000 ± 0.000	1.000 ± 0.000	1.000 ± 0.001	0.998 ± 0.001	0.999 ± 0.002	1.000 ± 0.000	E Africa M	S Asia F	0.00

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 257. *For algorithm roc-002 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.004 ± 0.004	0.004 ± 0.004	0.002 ± 0.002	0.003 ± 0.002	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.004 ± 0.004	S E Asia F	E Africa F	0.58
15	0.012 ± 0.009	0.008 ± 0.004	0.000 ± 0.000	0.006 ± 0.004	0.01 ± 0.01	0.009 ± 0.009	0.005 ± 0.005	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	S E Asia F	E Europe F	0.56
16	0.03 ± 0.02	0.019 ± 0.007	0.000 ± 0.000	0.005 ± 0.004	0.04 ± 0.02	0.04 ± 0.02	0.02 ± 0.01	0.004 ± 0.003	0.003 ± 0.003	0.002 ± 0.002	0.008 ± 0.008	0.005 ± 0.005	W Africa F	E Europe F	0.57
17	0.05 ± 0.02	0.040 ± 0.010	0.008 ± 0.008	0.025 ± 0.009	0.06 ± 0.02	0.05 ± 0.02	0.012 ± 0.009	0.014 ± 0.005	0.000 ± 0.000	0.010 ± 0.006	0.02 ± 0.01	0.04 ± 0.02	S E Asia F	E Europe M	0.42
18	0.08 ± 0.02	0.07 ± 0.01	0.007 ± 0.005	0.030 ± 0.009	0.07 ± 0.02	0.06 ± 0.02	0.03 ± 0.01	0.037 ± 0.007	0.002 ± 0.002	0.023 ± 0.007	0.02 ± 0.01	0.05 ± 0.02	E Africa F	E Europe M	0.39
19	0.15 ± 0.03	0.12 ± 0.01	0.02 ± 0.01	0.06 ± 0.01	0.10 ± 0.02	0.13 ± 0.03	0.11 ± 0.03	0.08 ± 0.01	0.011 ± 0.008	0.045 ± 0.010	0.06 ± 0.02	0.11 ± 0.03	E Africa F	E Europe M	0.31
20	0.24 ± 0.03	0.22 ± 0.02	0.03 ± 0.01	0.08 ± 0.01	0.20 ± 0.02	0.21 ± 0.03	0.17 ± 0.03	0.15 ± 0.01	0.03 ± 0.01	0.09 ± 0.01	0.11 ± 0.02	0.15 ± 0.03	E Africa F	E Europe F	0.30
21	0.31 ± 0.03	0.32 ± 0.02	0.07 ± 0.02	0.16 ± 0.01	0.29 ± 0.03	0.24 ± 0.03	0.28 ± 0.04	0.26 ± 0.02	0.06 ± 0.02	0.16 ± 0.02	0.18 ± 0.03	0.25 ± 0.04	E Asia F	E Europe M	0.24
22	0.41 ± 0.03	0.44 ± 0.02	0.13 ± 0.02	0.24 ± 0.02	0.39 ± 0.02	0.35 ± 0.03	0.42 ± 0.03	0.37 ± 0.02	0.14 ± 0.02	0.27 ± 0.02	0.28 ± 0.03	0.31 ± 0.04	E Asia F	E Europe F	0.20
23	0.49 ± 0.03	0.55 ± 0.02	0.24 ± 0.02	0.34 ± 0.02	0.51 ± 0.02	0.45 ± 0.03	0.49 ± 0.03	0.50 ± 0.02	0.23 ± 0.03	0.42 ± 0.02	0.43 ± 0.03	0.46 ± 0.04	E Asia F	E Europe M	0.14
24	0.59 ± 0.03	0.67 ± 0.01	0.35 ± 0.02	0.44 ± 0.02	0.62 ± 0.02	0.53 ± 0.03	0.61 ± 0.03	0.63 ± 0.02	0.39 ± 0.03	0.56 ± 0.02	0.55 ± 0.03	0.57 ± 0.03	E Asia F	E Europe F	0.11
25	0.62 ± 0.03	0.76 ± 0.01	0.48 ± 0.02	0.54 ± 0.01	0.70 ± 0.02	0.61 ± 0.03	0.73 ± 0.03	0.76 ± 0.02	0.54 ± 0.03	0.69 ± 0.02	0.71 ± 0.03	0.69 ± 0.03	E Asia F	E Europe F	0.08
26	0.72 ± 0.02	0.83 ± 0.01	0.60 ± 0.02	0.62 ± 0.01	0.80 ± 0.02	0.70 ± 0.02	0.80 ± 0.02	0.85 ± 0.01	0.69 ± 0.03	0.80 ± 0.01	0.79 ± 0.02	0.77 ± 0.02	E Asia M	E Europe F	0.06
27	0.78 ± 0.02	0.892 ± 0.008	0.72 ± 0.02	0.70 ± 0.01	0.86 ± 0.01	0.76 ± 0.02	0.85 ± 0.02	0.91 ± 0.01	0.81 ± 0.02	0.86 ± 0.01	0.88 ± 0.02	0.84 ± 0.02	E Asia M	S Asia F	0.05
28	0.84 ± 0.02	0.930 ± 0.007	0.82 ± 0.01	0.78 ± 0.01	0.904 ± 0.010	0.83 ± 0.02	0.91 ± 0.02	0.954 ± 0.008	0.88 ± 0.02	0.922 ± 0.008	0.94 ± 0.01	0.89 ± 0.02	E Asia M	S Asia F	0.04
29	0.89 ± 0.02	0.958 ± 0.005	0.89 ± 0.01	0.843 ± 0.010	0.941 ± 0.009	0.89 ± 0.02	0.95 ± 0.01	0.978 ± 0.006	0.95 ± 0.01	0.949 ± 0.006	0.95 ± 0.01	0.94 ± 0.01	E Asia M	S Asia F	0.02
30	0.93 ± 0.01	0.978 ± 0.004	0.942 ± 0.009	0.890 ± 0.008	0.963 ± 0.008	0.91 ± 0.01	0.970 ± 0.010	0.987 ± 0.005	0.980 ± 0.008	0.970 ± 0.004	0.983 ± 0.008	0.958 ± 0.010	E Asia M	S Asia F	0.02
31	0.95 ± 0.01	0.985 ± 0.003	0.973 ± 0.007	0.922 ± 0.007	0.984 ± 0.005	0.94 ± 0.01	0.975 ± 0.009	0.996 ± 0.003	0.983 ± 0.007	0.985 ± 0.003	0.984 ± 0.008	0.977 ± 0.008	E Asia M	S Asia F	0.01
32	0.96 ± 0.01	0.993 ± 0.002	0.988 ± 0.005	0.954 ± 0.006	0.986 ± 0.005	0.96 ± 0.01	0.987 ± 0.007	0.997 ± 0.002	0.993 ± 0.005	0.992 ± 0.002	0.994 ± 0.004	0.983 ± 0.006	E Asia M	S Asia F	0.01
33	0.977 ± 0.009	0.996 ± 0.002	0.991 ± 0.004	0.972 ± 0.005	0.992 ± 0.004	0.978 ± 0.008	0.995 ± 0.004	0.998 ± 0.002	0.998 ± 0.003	0.996 ± 0.001	0.996 ± 0.004	0.991 ± 0.005	E Asia M	S Asia F	0.00
34	0.983 ± 0.008	0.999 ± 0.001	0.997 ± 0.002	0.983 ± 0.004	0.998 ± 0.002	0.985 ± 0.007	0.993 ± 0.004	0.999 ± 0.001	0.999 ± 0.002	0.998 ± 0.001	0.998 ± 0.003	0.994 ± 0.004	E Asia F	S Asia F	0.00

Table 258. *For algorithm roc-002 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.03	0.010 ± 0.004	0.000 ± 0.000	0.007 ± 0.005	0.005 ± 0.005	0.03 ± 0.03	0.02 ± 0.02	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	0.000 ± 0.000	0.01 ± 0.01	E Africa F	E Europe F	0.70
15	0.06 ± 0.03	0.023 ± 0.005	0.004 ± 0.004	0.011 ± 0.005	0.018 ± 0.009	0.10 ± 0.04	0.006 ± 0.006	0.012 ± 0.004	0.000 ± 0.000	0.003 ± 0.002	0.002 ± 0.002	0.04 ± 0.02	W Africa F	E Europe M	0.66
16	0.13 ± 0.04	0.054 ± 0.008	0.006 ± 0.005	0.035 ± 0.010	0.04 ± 0.01	0.11 ± 0.04	0.03 ± 0.02	0.028 ± 0.005	0.002 ± 0.002	0.005 ± 0.003	0.016 ± 0.009	0.06 ± 0.03	E Africa F	E Europe M	0.53
17	0.17 ± 0.04	0.11 ± 0.01	0.017 ± 0.009	0.06 ± 0.01	0.08 ± 0.02	0.18 ± 0.04	0.08 ± 0.04	0.067 ± 0.008	0.002 ± 0.002	0.028 ± 0.007	0.04 ± 0.01	0.15 ± 0.04	W Africa F	E Europe M	0.43
18	0.25 ± 0.05	0.175 ± 0.010	0.06 ± 0.01	0.09 ± 0.01	0.11 ± 0.02	0.22 ± 0.04	0.14 ± 0.04	0.129 ± 0.010	0.014 ± 0.008	0.044 ± 0.009	0.06 ± 0.01	0.17 ± 0.04	E Africa F	E Europe M	0.36
19	0.32 ± 0.04	0.26 ± 0.01	0.09 ± 0.01	0.16 ± 0.01	0.18 ± 0.02	0.32 ± 0.04	0.22 ± 0.04	0.22 ± 0.01	0.03 ± 0.01	0.10 ± 0.01	0.14 ± 0.02	0.24 ± 0.04	E Africa F	E Europe M	0.29
20	0.43 ± 0.04	0.37 ± 0.01	0.14 ± 0.02	0.21 ± 0.01	0.29 ± 0.02	0.43 ± 0.04	0.35 ± 0.04	0.36 ± 0.01	0.05 ± 0.01	0.15 ± 0.01	0.27 ± 0.03	0.35 ± 0.03	E Africa F	E Europe M	0.25
21	0.53 ± 0.04	0.45 ± 0.01	0.20 ± 0.01	0.30 ± 0.01	0.36 ± 0.02	0.52 ± 0.04	0.44 ± 0.04	0.47 ± 0.01	0.12 ± 0.02	0.24 ± 0.02	0.36 ± 0.02	0.47 ± 0.04	E Africa F	E Europe M	0.21
22	0.61 ± 0.04	0.557 ± 0.009	0.31 ± 0.02	0.38 ± 0.01	0.49 ± 0.02	0.61 ± 0.03	0.55 ± 0.04	0.61 ± 0.01	0.21 ± 0.02	0.37 ± 0.01	0.50 ± 0.02	0.60 ± 0.03	E Africa F	E Europe M	0.16
23	0.66 ± 0.03	0.643 ± 0.009	0.40 ± 0.01	0.46 ± 0.01	0.59 ± 0.02	0.66 ± 0.03	0.65 ± 0.04	0.72 ± 0.01	0.35 ± 0.02	0.50 ± 0.01	0.59 ± 0.03	0.69 ± 0.03	E Asia M	E Europe M	0.12
24	0.76 ± 0.03	0.731 ± 0.008	0.52 ± 0.01	0.56 ± 0.01	0.68 ± 0.02	0.77 ± 0.02	0.77 ± 0.03	0.800 ± 0.010	0.48 ± 0.02	0.64 ± 0.01	0.70 ± 0.02	0.79 ± 0.02	E Asia M	E Europe M	0.09
25	0.78 ± 0.03	0.797 ± 0.007	0.63 ± 0.01	0.62 ± 0.01	0.74 ± 0.02	0.82 ± 0.02	0.82 ± 0.03	0.875 ± 0.007	0.61 ± 0.02	0.74 ± 0.01	0.80 ± 0.02	0.86 ± 0.02	E Asia M	E Europe M	0.07
26	0.83 ± 0.02	0.860 ± 0.005	0.71 ± 0.01	0.707 ± 0.009	0.82 ± 0.01	0.85 ± 0.02	0.89 ± 0.02	0.923 ± 0.006	0.73 ± 0.02	0.814 ± 0.009	0.88 ± 0.02	0.89 ± 0.02	E Asia M	S Asia F	0.05
27	0.88 ± 0.02	0.897 ± 0.004	0.801 ± 0.010	0.760 ± 0.008	0.87 ± 0.01	0.91 ± 0.01	0.92 ± 0.02	0.949 ± 0.005	0.83 ± 0.01	0.883 ± 0.007	0.91 ± 0.01	0.94 ± 0.01	E Asia M	S Asia F	0.04
28	0.93 ± 0.01	0.930 ± 0.004	0.872 ± 0.007	0.824 ± 0.006	0.905 ± 0.009	0.92 ± 0.01	0.96 ± 0.01	0.972 ± 0.004	0.903 ± 0.010	0.929 ± 0.005	0.966 ± 0.008	0.955 ± 0.010	E Asia M	S Asia F	0.03
29	0.94 ± 0.01	0.957 ± 0.003	0.920 ± 0.006	0.866 ± 0.006	0.935 ± 0.007	0.959 ± 0.010	0.975 ± 0.010	0.986 ± 0.003	0.927 ± 0.009	0.955 ± 0.004	0.973 ± 0.007	0.974 ± 0.007	E Asia M	S Asia F	0.02
30	0.95 ± 0.01	0.969 ± 0.002	0.949 ± 0.005	0.902 ± 0.005	0.960 ± 0.007	0.965 ± 0.009	0.983 ± 0.007	0.989 ± 0.002	0.966 ± 0.006	0.973 ± 0.003	0.988 ± 0.005	0.981 ± 0.005	E Asia M	S Asia F	0.01
31	0.97 ± 0.01	0.981 ± 0.002	0.970 ± 0.004	0.930 ± 0.004	0.973 ± 0.005	0.980 ± 0.007	0.990 ± 0.006	0.995 ± 0.001	0.980 ± 0.004	0.984 ± 0.002	0.991 ± 0.005	0.988 ± 0.004	E Asia M	S Asia F	0.01
32	0.976 ± 0.009	0.988 ± 0.002	0.985 ± 0.003	0.954 ± 0.003	0.985 ± 0.004	0.985 ± 0.006	0.996 ± 0.004	0.998 ± 0.001	0.988 ± 0.004	0.991 ± 0.001	0.994 ± 0.004	0.994 ± 0.003	E Asia M	S Asia F	0.01
33	0.990 ± 0.006	0.993 ± 0.001	0.990 ± 0.002	0.971 ± 0.003	0.987 ± 0.003	0.993 ± 0.004	0.998 ± 0.003	0.999 ± 0.001	0.995 ± 0.002	0.994 ± 0.001	0.998 ± 0.003	0.998 ± 0.002	E Asia M	S Asia F	0.00
34	0.992 ± 0.005	0.996 ± 0.001	0.994 ± 0.002	0.980 ± 0.002	0.992 ± 0.003	0.995 ± 0.003	0.998 ± 0.003	0.999 ± 0.001	0.999 ± 0.001	0.997 ± 0.001	0.998 ± 0.002	0.998 ± 0.002	E Asia M	S Asia F	0.00

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 259. *For algorithm roc-003 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	E Asia M	E Africa F	0.75
15	0.006 ± 0.006	0.002 ± 0.002	0.000 ± 0.000	0.008 ± 0.005	0.01 ± 0.01	0.01 ± 0.01	0.003 ± 0.003	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.005 ± 0.005	W Africa F	E Europe F	0.61
16	0.03 ± 0.02	0.012 ± 0.005	0.000 ± 0.000	0.004 ± 0.004	0.03 ± 0.02	0.03 ± 0.02	0.02 ± 0.01	0.003 ± 0.003	0.003 ± 0.003	0.001 ± 0.001	0.003 ± 0.003	0.009 ± 0.009	W Africa F	E Europe F	0.56
17	0.05 ± 0.02	0.034 ± 0.009	0.000 ± 0.000	0.013 ± 0.007	0.04 ± 0.02	0.05 ± 0.02	0.006 ± 0.006	0.011 ± 0.005	0.000 ± 0.000	0.008 ± 0.005	0.006 ± 0.006	0.05 ± 0.02	W Africa M	E Europe F	0.54
18	0.08 ± 0.02	0.053 ± 0.009	0.005 ± 0.005	0.025 ± 0.006	0.05 ± 0.01	0.07 ± 0.02	0.03 ± 0.01	0.026 ± 0.006	0.000 ± 0.000	0.019 ± 0.006	0.017 ± 0.008	0.07 ± 0.02	E Africa F	E Europe M	0.43
19	0.15 ± 0.03	0.11 ± 0.01	0.03 ± 0.01	0.05 ± 0.01	0.10 ± 0.02	0.16 ± 0.03	0.11 ± 0.03	0.056 ± 0.010	0.002 ± 0.002	0.037 ± 0.008	0.04 ± 0.02	0.13 ± 0.03	W Africa F	E Europe M	0.37
20	0.21 ± 0.03	0.17 ± 0.02	0.03 ± 0.01	0.09 ± 0.01	0.16 ± 0.02	0.23 ± 0.04	0.19 ± 0.03	0.10 ± 0.01	0.02 ± 0.01	0.09 ± 0.01	0.09 ± 0.02	0.22 ± 0.04	W Africa F	E Europe M	0.32
21	0.29 ± 0.03	0.28 ± 0.02	0.07 ± 0.02	0.16 ± 0.01	0.26 ± 0.02	0.28 ± 0.04	0.32 ± 0.03	0.20 ± 0.02	0.05 ± 0.02	0.17 ± 0.02	0.18 ± 0.03	0.31 ± 0.04	E Africa M	E Europe M	0.24
22	0.39 ± 0.04	0.40 ± 0.02	0.13 ± 0.02	0.24 ± 0.02	0.39 ± 0.02	0.36 ± 0.04	0.46 ± 0.03	0.35 ± 0.02	0.15 ± 0.03	0.27 ± 0.02	0.28 ± 0.03	0.39 ± 0.04	E Africa M	E Europe F	0.19
23	0.48 ± 0.03	0.53 ± 0.02	0.22 ± 0.02	0.36 ± 0.02	0.53 ± 0.02	0.48 ± 0.03	0.56 ± 0.03	0.47 ± 0.02	0.26 ± 0.03	0.44 ± 0.02	0.45 ± 0.03	0.55 ± 0.04	E Africa M	E Europe F	0.14
24	0.59 ± 0.03	0.64 ± 0.02	0.35 ± 0.02	0.46 ± 0.02	0.62 ± 0.02	0.56 ± 0.03	0.70 ± 0.03	0.64 ± 0.02	0.44 ± 0.03	0.58 ± 0.02	0.59 ± 0.03	0.67 ± 0.03	E Africa M	E Europe F	0.10
25	0.64 ± 0.03	0.73 ± 0.01	0.49 ± 0.02	0.56 ± 0.01	0.74 ± 0.02	0.67 ± 0.03	0.80 ± 0.02	0.76 ± 0.02	0.61 ± 0.03	0.72 ± 0.02	0.73 ± 0.03	0.77 ± 0.03	E Africa M	E Europe F	0.08
26	0.71 ± 0.02	0.825 ± 0.010	0.62 ± 0.02	0.66 ± 0.01	0.82 ± 0.01	0.75 ± 0.02	0.87 ± 0.02	0.86 ± 0.01	0.76 ± 0.02	0.83 ± 0.01	0.83 ± 0.02	0.86 ± 0.02	E Africa M	E Europe F	0.06
27	0.79 ± 0.02	0.889 ± 0.009	0.74 ± 0.02	0.74 ± 0.01	0.88 ± 0.01	0.82 ± 0.02	0.91 ± 0.02	0.919 ± 0.010	0.89 ± 0.02	0.894 ± 0.009	0.90 ± 0.02	0.92 ± 0.01	E Asia M	S Asia F	0.04
28	0.85 ± 0.02	0.936 ± 0.006	0.85 ± 0.01	0.821 ± 0.010	0.923 ± 0.010	0.88 ± 0.02	0.94 ± 0.01	0.961 ± 0.007	0.93 ± 0.02	0.944 ± 0.006	0.95 ± 0.01	0.94 ± 0.01	E Asia M	S Asia F	0.03
29	0.91 ± 0.01	0.961 ± 0.005	0.91 ± 0.01	0.878 ± 0.008	0.957 ± 0.008	0.91 ± 0.01	0.967 ± 0.009	0.987 ± 0.004	0.968 ± 0.009	0.968 ± 0.005	0.97 ± 0.01	0.972 ± 0.008	E Asia M	S Asia F	0.02
30	0.93 ± 0.01	0.980 ± 0.004	0.949 ± 0.009	0.920 ± 0.006	0.971 ± 0.006	0.93 ± 0.01	0.984 ± 0.007	0.990 ± 0.004	0.988 ± 0.006	0.986 ± 0.003	0.985 ± 0.007	0.977 ± 0.007	E Asia M	S Asia F	0.01
31	0.96 ± 0.01	0.987 ± 0.003	0.980 ± 0.006	0.945 ± 0.005	0.990 ± 0.004	0.95 ± 0.01	0.986 ± 0.007	0.998 ± 0.002	0.994 ± 0.004	0.991 ± 0.003	0.993 ± 0.005	0.990 ± 0.005	E Asia M	S Asia F	0.01
32	0.972 ± 0.009	0.996 ± 0.002	0.990 ± 0.004	0.973 ± 0.004	0.991 ± 0.004	0.978 ± 0.007	0.993 ± 0.004	0.998 ± 0.002	0.997 ± 0.003	0.996 ± 0.002	0.997 ± 0.004	0.994 ± 0.004	E Asia M	E Africa F	0.01
33	0.977 ± 0.009	0.998 ± 0.001	0.996 ± 0.003	0.981 ± 0.004	0.996 ± 0.003	0.986 ± 0.007	0.998 ± 0.003	0.999 ± 0.001	0.998 ± 0.003	0.999 ± 0.001	0.997 ± 0.004	0.995 ± 0.004	E Asia M	E Africa F	0.00
34	0.985 ± 0.007	0.999 ± 0.001	0.998 ± 0.002	0.988 ± 0.003	0.997 ± 0.002	0.993 ± 0.005	0.998 ± 0.002	0.999 ± 0.001	0.998 ± 0.003	0.999 ± 0.001	0.998 ± 0.003	0.999 ± 0.002	S Asia M	E Africa F	0.00

Table 260. *For algorithm roc-003 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.06 ± 0.03	0.006 ± 0.003	0.000 ± 0.000	0.006 ± 0.004	0.007 ± 0.007	0.03 ± 0.03	0.01 ± 0.01	0.003 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	0.002 ± 0.002	0.007 ± 0.007	E Africa F	E Europe F	0.71
15	0.07 ± 0.03	0.014 ± 0.004	0.000 ± 0.000	0.014 ± 0.006	0.011 ± 0.007	0.07 ± 0.04	0.006 ± 0.006	0.005 ± 0.002	0.000 ± 0.000	0.002 ± 0.002	0.004 ± 0.004	0.02 ± 0.02	W Africa F	E Europe F	0.69
16	0.14 ± 0.04	0.031 ± 0.006	0.000 ± 0.000	0.025 ± 0.009	0.03 ± 0.01	0.10 ± 0.04	0.02 ± 0.02	0.018 ± 0.004	0.000 ± 0.000	0.001 ± 0.001	0.006 ± 0.005	0.04 ± 0.03	E Africa F	E Europe F	0.65
17	0.16 ± 0.04	0.073 ± 0.008	0.012 ± 0.008	0.039 ± 0.009	0.06 ± 0.01	0.13 ± 0.04	0.08 ± 0.03	0.045 ± 0.006	0.000 ± 0.000	0.013 ± 0.005	0.03 ± 0.01	0.08 ± 0.03	E Africa F	E Europe M	0.47
18	0.23 ± 0.05	0.131 ± 0.008	0.025 ± 0.008	0.07 ± 0.01	0.09 ± 0.02	0.19 ± 0.04	0.08 ± 0.03	0.080 ± 0.007	0.006 ± 0.005	0.025 ± 0.006	0.04 ± 0.01	0.13 ± 0.03	E Africa F	E Europe M	0.43
19	0.32 ± 0.04	0.208 ± 0.010	0.045 ± 0.009	0.13 ± 0.01	0.17 ± 0.02	0.29 ± 0.04	0.17 ± 0.04	0.158 ± 0.009	0.006 ± 0.005	0.07 ± 0.01	0.10 ± 0.02	0.19 ± 0.04	E Africa F	E Europe M	0.36
20	0.44 ± 0.05	0.31 ± 0.01	0.09 ± 0.01	0.18 ± 0.01	0.25 ± 0.02	0.37 ± 0.04	0.33 ± 0.04	0.27 ± 0.01	0.018 ± 0.008	0.12 ± 0.01	0.21 ± 0.02	0.26 ± 0.04	E Africa F	E Europe M	0.30
21	0.53 ± 0.04	0.406 ± 0.010	0.13 ± 0.01	0.24 ± 0.01	0.33 ± 0.02	0.50 ± 0.04	0.41 ± 0.04	0.39 ± 0.01	0.08 ± 0.01	0.19 ± 0.01	0.29 ± 0.02	0.38 ± 0.04	E Africa F	E Europe M	0.26
22	0.63 ± 0.04	0.504 ± 0.010	0.21 ± 0.01	0.34 ± 0.01	0.43 ± 0.02	0.57 ± 0.03	0.53 ± 0.04	0.54 ± 0.01	0.16 ± 0.02	0.31 ± 0.01	0.42 ± 0.03	0.54 ± 0.03	E Africa F	E Europe M	0.20
23	0.68 ± 0.03	0.600 ± 0.009	0.29 ± 0.01	0.42 ± 0.01	0.55 ± 0.02	0.64 ± 0.03	0.64 ± 0.04	0.66 ± 0.01	0.30 ± 0.02	0.45 ± 0.01	0.54 ± 0.03	0.64 ± 0.03	E Africa F	E Europe F	0.15
24	0.75 ± 0.03	0.687 ± 0.008	0.40 ± 0.01	0.54 ± 0.01	0.66 ± 0.02	0.72 ± 0.03	0.76 ± 0.03	0.75 ± 0.01	0.44 ± 0.02	0.57 ± 0.01	0.68 ± 0.02	0.75 ± 0.03	E Africa M	E Europe F	0.11
25	0.79 ± 0.03	0.772 ± 0.008	0.53 ± 0.01	0.607 ± 0.009	0.71 ± 0.02	0.80 ± 0.02	0.82 ± 0.03	0.842 ± 0.008	0.59 ± 0.02	0.71 ± 0.01	0.78 ± 0.02	0.83 ± 0.02	E Asia M	E Europe F	0.08
26	0.84 ± 0.02	0.844 ± 0.006	0.63 ± 0.01	0.697 ± 0.009	0.81 ± 0.01	0.83 ± 0.02	0.90 ± 0.02	0.898 ± 0.006	0.73 ± 0.02	0.788 ± 0.009	0.86 ± 0.02	0.87 ± 0.02	E Africa M	E Europe F	0.06
27	0.89 ± 0.02	0.888 ± 0.005	0.74 ± 0.01	0.756 ± 0.008	0.868 ± 0.010	0.89 ± 0.01	0.92 ± 0.02	0.937 ± 0.005	0.82 ± 0.01	0.866 ± 0.007	0.91 ± 0.01	0.93 ± 0.01	E Asia M	E Europe F	0.04
28	0.92 ± 0.02	0.924 ± 0.004	0.825 ± 0.009	0.817 ± 0.007	0.902 ± 0.010	0.91 ± 0.01	0.96 ± 0.01	0.965 ± 0.004	0.907 ± 0.010	0.922 ± 0.005	0.953 ± 0.010	0.950 ± 0.010	E Asia M	S Asia F	0.03
29	0.93 ± 0.01	0.954 ± 0.003	0.883 ± 0.008	0.864 ± 0.006	0.940 ± 0.007	0.95 ± 0.01	0.973 ± 0.010	0.982 ± 0.003	0.937 ± 0.008	0.956 ± 0.004	0.970 ± 0.008	0.967 ± 0.007	E Asia M	S Asia F	0.02
30	0.95 ± 0.01	0.969 ± 0.002	0.929 ± 0.006	0.907 ± 0.005	0.963 ± 0.006	0.969 ± 0.008	0.984 ± 0.007	0.989 ± 0.002	0.967 ± 0.006	0.970 ± 0.003	0.986 ± 0.006	0.978 ± 0.006	E Asia M	S Asia F	0.01
31	0.97 ± 0.01	0.983 ± 0.002	0.959 ± 0.005	0.939 ± 0.004	0.979 ± 0.004	0.973 ± 0.008	0.985 ± 0.007	0.994 ± 0.002	0.983 ± 0.004	0.984 ± 0.002	0.992 ± 0.005	0.988 ± 0.005	E Asia M	S Asia F	0.01
32	0.983 ± 0.007	0.990 ± 0.002	0.977 ± 0.004	0.957 ± 0.003	0.985 ± 0.004	0.985 ± 0.006	0.995 ± 0.004	0.997 ± 0.001	0.990 ± 0.003	0.990 ± 0.002	0.994 ± 0.004	0.994 ± 0.003	E Asia M	S Asia F	0.01
33	0.988 ± 0.007	0.993 ± 0.001	0.987 ± 0.003	0.974 ± 0.003	0.988 ± 0.004	0.991 ± 0.005	0.996 ± 0.004	0.998 ± 0.001	0.996 ± 0.002	0.994 ± 0.001	0.998 ± 0.002	0.997 ± 0.002	S E Asia M	S Asia F	0.00
34	0.989 ± 0.006	0.996 ± 0.001	0.995 ± 0.002	0.984 ± 0.002	0.995 ± 0.002	0.992 ± 0.005	0.999 ± 0.002	0.999 ± 0.001	0.999 ± 0.001	0.998 ± 0.001	0.998 ± 0.002	0.998 ± 0.002	E Africa M	S Asia F	0.00

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 261. *For algorithm shufti-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.06 ± 0.02	0.021 ± 0.007	0.02 ± 0.01	0.016 ± 0.007	0.02 ± 0.01	0.05 ± 0.02	0.04 ± 0.02	0.016 ± 0.005	0.002 ± 0.002	0.007 ± 0.004	0.002 ± 0.002	0.009 ± 0.009	E Africa F	E Europe M	0.47
15	0.08 ± 0.03	0.041 ± 0.010	0.06 ± 0.02	0.05 ± 0.01	0.03 ± 0.02	0.06 ± 0.03	0.06 ± 0.02	0.018 ± 0.006	0.006 ± 0.006	0.011 ± 0.006	0.012 ± 0.010	0.01 ± 0.01	E Africa F	E Europe M	0.39
16	0.13 ± 0.03	0.05 ± 0.01	0.11 ± 0.03	0.06 ± 0.02	0.07 ± 0.02	0.12 ± 0.04	0.10 ± 0.03	0.027 ± 0.007	0.02 ± 0.01	0.022 ± 0.009	0.02 ± 0.01	0.03 ± 0.02	E Africa F	E Europe M	0.38
17	0.21 ± 0.04	0.09 ± 0.01	0.14 ± 0.03	0.14 ± 0.02	0.11 ± 0.03	0.17 ± 0.04	0.11 ± 0.03	0.05 ± 0.01	0.02 ± 0.01	0.05 ± 0.01	0.06 ± 0.02	0.09 ± 0.03	E Africa F	E Europe M	0.32
18	0.24 ± 0.03	0.14 ± 0.01	0.17 ± 0.03	0.18 ± 0.02	0.15 ± 0.02	0.20 ± 0.04	0.16 ± 0.03	0.09 ± 0.01	0.03 ± 0.01	0.12 ± 0.01	0.09 ± 0.02	0.11 ± 0.03	E Africa F	E Europe M	0.22
19	0.38 ± 0.04	0.19 ± 0.02	0.27 ± 0.04	0.28 ± 0.02	0.24 ± 0.02	0.31 ± 0.04	0.24 ± 0.03	0.19 ± 0.02	0.14 ± 0.03	0.22 ± 0.02	0.19 ± 0.03	0.24 ± 0.04	E Africa F	E Europe M	0.15
20	0.45 ± 0.04	0.27 ± 0.02	0.39 ± 0.04	0.35 ± 0.02	0.33 ± 0.03	0.37 ± 0.04	0.33 ± 0.04	0.30 ± 0.02	0.25 ± 0.04	0.36 ± 0.02	0.31 ± 0.03	0.32 ± 0.04	E Africa F	E Europe M	0.09
21	0.55 ± 0.04	0.37 ± 0.02	0.47 ± 0.03	0.47 ± 0.02	0.44 ± 0.03	0.48 ± 0.04	0.52 ± 0.04	0.44 ± 0.02	0.38 ± 0.04	0.50 ± 0.02	0.46 ± 0.03	0.45 ± 0.04	E Africa F	E Asia F	0.07
22	0.61 ± 0.03	0.48 ± 0.02	0.56 ± 0.03	0.56 ± 0.02	0.50 ± 0.02	0.51 ± 0.04	0.66 ± 0.03	0.60 ± 0.02	0.53 ± 0.04	0.64 ± 0.02	0.58 ± 0.03	0.53 ± 0.04	E Africa M	E Asia F	0.06
23	0.70 ± 0.03	0.56 ± 0.02	0.64 ± 0.02	0.66 ± 0.02	0.62 ± 0.02	0.65 ± 0.03	0.73 ± 0.03	0.70 ± 0.02	0.65 ± 0.03	0.76 ± 0.02	0.70 ± 0.03	0.66 ± 0.04	S Asia M	E Asia F	0.04
24	0.75 ± 0.02	0.67 ± 0.02	0.73 ± 0.02	0.73 ± 0.01	0.71 ± 0.02	0.69 ± 0.03	0.81 ± 0.03	0.82 ± 0.02	0.79 ± 0.03	0.85 ± 0.01	0.80 ± 0.02	0.76 ± 0.03	S Asia M	E Asia F	0.04
25	0.78 ± 0.02	0.75 ± 0.01	0.81 ± 0.02	0.80 ± 0.01	0.79 ± 0.02	0.73 ± 0.02	0.87 ± 0.02	0.88 ± 0.01	0.89 ± 0.02	0.921 ± 0.010	0.88 ± 0.02	0.83 ± 0.02	S Asia M	W Africa F	0.04
26	0.85 ± 0.02	0.81 ± 0.01	0.86 ± 0.01	0.84 ± 0.01	0.86 ± 0.01	0.82 ± 0.02	0.92 ± 0.02	0.93 ± 0.01	0.92 ± 0.02	0.953 ± 0.007	0.93 ± 0.02	0.90 ± 0.02	S Asia M	E Asia F	0.03
27	0.88 ± 0.02	0.854 ± 0.010	0.91 ± 0.01	0.885 ± 0.008	0.89 ± 0.01	0.85 ± 0.02	0.95 ± 0.01	0.953 ± 0.008	0.971 ± 0.010	0.968 ± 0.006	0.95 ± 0.01	0.93 ± 0.01	E Europe M	W Africa F	0.03
28	0.91 ± 0.01	0.908 ± 0.007	0.944 ± 0.009	0.920 ± 0.007	0.925 ± 0.009	0.89 ± 0.02	0.969 ± 0.010	0.972 ± 0.006	0.976 ± 0.008	0.980 ± 0.004	0.97 ± 0.01	0.95 ± 0.01	S Asia M	W Africa F	0.02
29	0.94 ± 0.01	0.937 ± 0.006	0.963 ± 0.007	0.942 ± 0.006	0.950 ± 0.008	0.91 ± 0.01	0.987 ± 0.007	0.983 ± 0.005	0.986 ± 0.007	0.990 ± 0.003	0.973 ± 0.009	0.973 ± 0.008	S Asia M	W Africa F	0.01
30	0.96 ± 0.01	0.956 ± 0.005	0.972 ± 0.006	0.956 ± 0.005	0.966 ± 0.007	0.93 ± 0.01	0.988 ± 0.006	0.993 ± 0.003	0.992 ± 0.005	0.991 ± 0.003	0.986 ± 0.007	0.987 ± 0.005	E Asia M	W Africa F	0.01
31	0.972 ± 0.009	0.968 ± 0.004	0.981 ± 0.005	0.970 ± 0.004	0.972 ± 0.006	0.95 ± 0.01	0.992 ± 0.005	0.996 ± 0.002	0.997 ± 0.003	0.994 ± 0.002	0.995 ± 0.004	0.988 ± 0.005	E Europe M	W Africa F	0.01
32	0.966 ± 0.010	0.985 ± 0.003	0.991 ± 0.004	0.979 ± 0.004	0.983 ± 0.005	0.967 ± 0.009	0.993 ± 0.005	0.994 ± 0.003	0.997 ± 0.003	0.999 ± 0.001	0.992 ± 0.005	0.991 ± 0.005	S Asia M	E Africa F	0.01
33	0.984 ± 0.007	0.987 ± 0.003	0.988 ± 0.005	0.988 ± 0.003	0.990 ± 0.004	0.978 ± 0.008	0.996 ± 0.004	0.998 ± 0.002	0.999 ± 0.002	0.999 ± 0.001	0.996 ± 0.004	0.996 ± 0.003	S Asia M	W Africa F	0.00
34	0.994 ± 0.005	0.992 ± 0.002	0.992 ± 0.004	0.991 ± 0.003	0.995 ± 0.003	0.984 ± 0.007	0.994 ± 0.005	0.998 ± 0.002	0.999 ± 0.002	0.999 ± 0.001	0.998 ± 0.003	0.997 ± 0.003	S Asia M	W Africa F	0.00

Table 262. *For algorithm shufti-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.07 ± 0.03	0.032 ± 0.008	0.04 ± 0.02	0.05 ± 0.01	0.02 ± 0.01	0.08 ± 0.04	0.09 ± 0.04	0.018 ± 0.005	0.005 ± 0.005	0.013 ± 0.006	0.02 ± 0.01	0.06 ± 0.04	E Africa M	E Europe M	0.40
15	0.13 ± 0.05	0.039 ± 0.007	0.08 ± 0.02	0.08 ± 0.02	0.03 ± 0.01	0.11 ± 0.04	0.16 ± 0.05	0.031 ± 0.006	0.013 ± 0.009	0.028 ± 0.008	0.04 ± 0.02	0.09 ± 0.04	E Africa M	E Europe M	0.39
16	0.14 ± 0.05	0.062 ± 0.008	0.10 ± 0.02	0.12 ± 0.02	0.06 ± 0.02	0.15 ± 0.04	0.27 ± 0.06	0.055 ± 0.008	0.02 ± 0.01	0.06 ± 0.01	0.04 ± 0.01	0.13 ± 0.04	E Africa M	E Europe M	0.36
17	0.20 ± 0.04	0.094 ± 0.010	0.13 ± 0.02	0.14 ± 0.02	0.09 ± 0.02	0.19 ± 0.05	0.32 ± 0.06	0.092 ± 0.009	0.05 ± 0.02	0.10 ± 0.02	0.09 ± 0.02	0.21 ± 0.05	E Africa M	E Europe M	0.29
18	0.30 ± 0.05	0.120 ± 0.009	0.21 ± 0.02	0.20 ± 0.02	0.13 ± 0.02	0.29 ± 0.05	0.40 ± 0.06	0.129 ± 0.009	0.09 ± 0.02	0.16 ± 0.02	0.11 ± 0.02	0.25 ± 0.04	E Africa M	E Europe M	0.27
19	0.36 ± 0.04	0.158 ± 0.009	0.24 ± 0.02	0.26 ± 0.02	0.16 ± 0.02	0.39 ± 0.04	0.50 ± 0.05	0.193 ± 0.010	0.13 ± 0.02	0.26 ± 0.02	0.18 ± 0.02	0.29 ± 0.05	E Africa M	E Europe M	0.24
20	0.42 ± 0.04	0.208 ± 0.009	0.31 ± 0.02	0.32 ± 0.02	0.19 ± 0.02	0.43 ± 0.04	0.55 ± 0.05	0.27 ± 0.01	0.19 ± 0.02	0.36 ± 0.02	0.28 ± 0.02	0.40 ± 0.04	E Africa M	S E Asia F	0.20
21	0.48 ± 0.04	0.245 ± 0.008	0.36 ± 0.02	0.39 ± 0.02	0.24 ± 0.02	0.52 ± 0.04	0.65 ± 0.04	0.38 ± 0.01	0.31 ± 0.03	0.47 ± 0.02	0.36 ± 0.02	0.53 ± 0.04	E Africa M	S E Asia F	0.17
22	0.55 ± 0.04	0.307 ± 0.009	0.42 ± 0.02	0.45 ± 0.01	0.30 ± 0.02	0.55 ± 0.03	0.74 ± 0.04	0.47 ± 0.01	0.40 ± 0.02	0.60 ± 0.02	0.45 ± 0.03	0.57 ± 0.03	E Africa M	S E Asia F	0.15
23	0.56 ± 0.04	0.367 ± 0.008	0.51 ± 0.02	0.51 ± 0.01	0.39 ± 0.02	0.57 ± 0.03	0.76 ± 0.03	0.56 ± 0.01	0.52 ± 0.02	0.67 ± 0.01	0.55 ± 0.03	0.65 ± 0.03	E Africa M	E Asia F	0.12
24	0.60 ± 0.03	0.424 ± 0.009	0.57 ± 0.01	0.57 ± 0.01	0.45 ± 0.02	0.63 ± 0.03	0.80 ± 0.03	0.64 ± 0.01	0.63 ± 0.02	0.77 ± 0.01	0.67 ± 0.02	0.73 ± 0.03	E Africa M	E Asia F	0.11
25	0.66 ± 0.03	0.492 ± 0.008	0.66 ± 0.01	0.63 ± 0.01	0.51 ± 0.02	0.67 ± 0.02	0.85 ± 0.02	0.724 ± 0.010	0.71 ± 0.02	0.836 ± 0.009	0.74 ± 0.02	0.80 ± 0.02	E Africa M	E Asia F	0.10
26	0.72 ± 0.03	0.557 ± 0.007	0.71 ± 0.01	0.670 ± 0.009	0.59 ± 0.02	0.74 ± 0.02	0.91 ± 0.02	0.792 ± 0.009	0.80 ± 0.02	0.881 ± 0.007	0.80 ± 0.02	0.85 ± 0.02	E Africa M	E Asia F	0.09
27	0.74 ± 0.03	0.609 ± 0.007	0.769 ± 0.010	0.711 ± 0.008	0.63 ± 0.01	0.76 ± 0.02	0.91 ± 0.02	0.842 ± 0.008	0.86 ± 0.01	0.914 ± 0.006	0.86 ± 0.02	0.90 ± 0.01	S Asia M	E Asia F	0.08
28	0.78 ± 0.02	0.677 ± 0.007	0.823 ± 0.009	0.757 ± 0.008	0.68 ± 0.02	0.77 ± 0.02	0.95 ± 0.01	0.884 ± 0.007	0.91 ± 0.01	0.938 ± 0.005	0.89 ± 0.01	0.91 ± 0.01	E Africa M	E Asia F	0.07
29	0.79 ± 0.02	0.714 ± 0.007	0.851 ± 0.008	0.785 ± 0.007	0.74 ± 0.01	0.81 ± 0.02	0.95 ± 0.01	0.920 ± 0.006	0.930 ± 0.008	0.956 ± 0.003	0.92 ± 0.01	0.93 ± 0.01	S Asia M	E Asia F	0.06
30	0.82 ± 0.02	0.770 ± 0.006	0.882 ± 0.008	0.826 ± 0.007	0.78 ± 0.01	0.84 ± 0.02	0.96 ± 0.01	0.943 ± 0.005	0.950 ± 0.008	0.966 ± 0.003	0.94 ± 0.01	0.948 ± 0.009	S Asia M	E Asia F	0.05
31	0.84 ± 0.02	0.800 ± 0.006	0.910 ± 0.006	0.856 ± 0.005	0.82 ± 0.01	0.86 ± 0.02	0.972 ± 0.009	0.954 ± 0.004	0.967 ± 0.006	0.977 ± 0.002	0.957 ± 0.010	0.964 ± 0.007	S Asia M	E Asia F	0.04
32	0.85 ± 0.02	0.833 ± 0.006	0.930 ± 0.007	0.877 ± 0.005	0.85 ± 0.01	0.88 ± 0.02	0.971 ± 0.009	0.966 ± 0.004	0.975 ± 0.005	0.979 ± 0.002	0.968 ± 0.008	0.971 ± 0.006	S Asia M	E Asia F	0.04
33	0.86 ± 0.02	0.862 ± 0.005	0.939 ± 0.007	0.897 ± 0.005	0.85 ± 0.01	0.88 ± 0.02	0.971 ± 0.009	0.977 ± 0.003	0.980 ± 0.005	0.982 ± 0.002	0.976 ± 0.008	0.978 ± 0.006	S Asia M	S E Asia F	0.03
34	0.88 ± 0.02	0.884 ± 0.005	0.947 ± 0.006	0.915 ± 0.005	0.89 ± 0.01	0.90 ± 0.01	0.981 ± 0.008	0.981 ± 0.003	0.988 ± 0.003	0.987 ± 0.002	0.983 ± 0.006	0.977 ± 0.006	E Europe M	E Africa F	0.03

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 263. *For algorithm shufti-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.02	0.014 ± 0.006	0.04 ± 0.02	0.018 ± 0.007	0.03 ± 0.01	0.02 ± 0.02	0.013 ± 0.010	0.003 ± 0.002	0.000 ± 0.000	0.010 ± 0.005	0.007 ± 0.007	0.009 ± 0.009	E Africa F	E Europe M	0.47
15	0.08 ± 0.03	0.029 ± 0.008	0.08 ± 0.03	0.05 ± 0.01	0.04 ± 0.02	0.04 ± 0.03	0.02 ± 0.01	0.002 ± 0.002	0.003 ± 0.003	0.012 ± 0.006	0.002 ± 0.002	0.009 ± 0.009	E Europe F	E Asia M	0.53
16	0.13 ± 0.03	0.04 ± 0.01	0.13 ± 0.03	0.08 ± 0.02	0.09 ± 0.03	0.04 ± 0.02	0.03 ± 0.02	0.004 ± 0.003	0.003 ± 0.003	0.006 ± 0.004	0.008 ± 0.008	0.02 ± 0.01	E Africa F	E Europe M	0.56
17	0.19 ± 0.04	0.07 ± 0.01	0.19 ± 0.04	0.11 ± 0.02	0.12 ± 0.03	0.10 ± 0.03	0.009 ± 0.009	0.010 ± 0.004	0.008 ± 0.008	0.023 ± 0.009	0.008 ± 0.008	0.05 ± 0.02	E Europe F	S E Asia M	0.53
18	0.21 ± 0.03	0.10 ± 0.01	0.22 ± 0.03	0.17 ± 0.02	0.15 ± 0.02	0.15 ± 0.03	0.06 ± 0.02	0.018 ± 0.005	0.03 ± 0.01	0.048 ± 0.009	0.028 ± 0.010	0.07 ± 0.02	E Europe F	E Asia M	0.41
19	0.31 ± 0.04	0.16 ± 0.02	0.32 ± 0.04	0.27 ± 0.02	0.23 ± 0.02	0.22 ± 0.04	0.10 ± 0.03	0.043 ± 0.008	0.06 ± 0.02	0.09 ± 0.01	0.05 ± 0.02	0.17 ± 0.03	E Europe F	E Asia M	0.36
20	0.41 ± 0.04	0.23 ± 0.02	0.43 ± 0.03	0.34 ± 0.02	0.33 ± 0.03	0.27 ± 0.04	0.24 ± 0.03	0.08 ± 0.01	0.09 ± 0.02	0.17 ± 0.02	0.11 ± 0.02	0.19 ± 0.03	E Europe F	E Asia M	0.29
21	0.50 ± 0.04	0.33 ± 0.02	0.47 ± 0.03	0.46 ± 0.02	0.44 ± 0.02	0.32 ± 0.04	0.32 ± 0.04	0.15 ± 0.02	0.19 ± 0.03	0.28 ± 0.02	0.20 ± 0.03	0.28 ± 0.04	E Africa F	E Asia M	0.21
22	0.57 ± 0.03	0.43 ± 0.02	0.56 ± 0.03	0.55 ± 0.02	0.52 ± 0.02	0.38 ± 0.04	0.52 ± 0.04	0.25 ± 0.02	0.35 ± 0.03	0.40 ± 0.02	0.29 ± 0.03	0.39 ± 0.04	E Africa F	E Asia M	0.15
23	0.66 ± 0.03	0.53 ± 0.02	0.65 ± 0.02	0.66 ± 0.02	0.61 ± 0.02	0.53 ± 0.03	0.60 ± 0.03	0.37 ± 0.02	0.47 ± 0.04	0.55 ± 0.02	0.44 ± 0.03	0.52 ± 0.04	E Africa F	E Asia M	0.10
24	0.75 ± 0.03	0.64 ± 0.02	0.74 ± 0.02	0.72 ± 0.02	0.71 ± 0.02	0.58 ± 0.03	0.73 ± 0.03	0.52 ± 0.02	0.63 ± 0.03	0.69 ± 0.02	0.58 ± 0.03	0.64 ± 0.03	E Africa F	E Asia M	0.07
25	0.78 ± 0.02	0.73 ± 0.01	0.80 ± 0.01	0.79 ± 0.01	0.79 ± 0.01	0.62 ± 0.03	0.80 ± 0.02	0.62 ± 0.02	0.75 ± 0.03	0.80 ± 0.01	0.70 ± 0.03	0.71 ± 0.03	E Europe F	E Asia M	0.05
26	0.84 ± 0.02	0.80 ± 0.01	0.85 ± 0.01	0.834 ± 0.009	0.85 ± 0.01	0.71 ± 0.03	0.85 ± 0.02	0.73 ± 0.02	0.81 ± 0.02	0.86 ± 0.01	0.80 ± 0.03	0.79 ± 0.02	S Asia M	W Africa F	0.03
27	0.87 ± 0.02	0.857 ± 0.009	0.90 ± 0.01	0.874 ± 0.008	0.89 ± 0.01	0.75 ± 0.02	0.89 ± 0.02	0.82 ± 0.02	0.91 ± 0.01	0.90 ± 0.01	0.85 ± 0.02	0.86 ± 0.02	E Europe M	W Africa F	0.03
28	0.90 ± 0.01	0.906 ± 0.008	0.939 ± 0.009	0.911 ± 0.007	0.93 ± 0.01	0.80 ± 0.02	0.93 ± 0.01	0.89 ± 0.01	0.94 ± 0.01	0.943 ± 0.007	0.92 ± 0.02	0.89 ± 0.02	S Asia M	W Africa F	0.02
29	0.93 ± 0.01	0.936 ± 0.006	0.958 ± 0.007	0.936 ± 0.006	0.948 ± 0.008	0.86 ± 0.02	0.967 ± 0.009	0.933 ± 0.009	0.967 ± 0.010	0.956 ± 0.006	0.94 ± 0.01	0.94 ± 0.01	E Africa M	W Africa F	0.01
30	0.95 ± 0.01	0.961 ± 0.005	0.974 ± 0.006	0.962 ± 0.005	0.969 ± 0.007	0.88 ± 0.02	0.97 ± 0.01	0.961 ± 0.007	0.985 ± 0.007	0.973 ± 0.004	0.973 ± 0.009	0.95 ± 0.01	E Europe M	W Africa F	0.01
31	0.96 ± 0.01	0.971 ± 0.004	0.987 ± 0.004	0.971 ± 0.004	0.977 ± 0.006	0.91 ± 0.01	0.984 ± 0.007	0.980 ± 0.005	0.988 ± 0.006	0.980 ± 0.004	0.97 ± 0.01	0.978 ± 0.007	E Europe M	W Africa F	0.01
32	0.97 ± 0.01	0.989 ± 0.003	0.992 ± 0.003	0.981 ± 0.003	0.987 ± 0.005	0.94 ± 0.01	0.990 ± 0.005	0.988 ± 0.004	0.991 ± 0.005	0.990 ± 0.003	0.987 ± 0.008	0.980 ± 0.007	E Europe F	W Africa F	0.01
33	0.978 ± 0.008	0.990 ± 0.002	0.992 ± 0.004	0.987 ± 0.003	0.995 ± 0.003	0.95 ± 0.01	0.995 ± 0.004	0.991 ± 0.004	0.996 ± 0.004	0.994 ± 0.002	0.995 ± 0.005	0.988 ± 0.005	E Europe M	W Africa F	0.01
34	0.984 ± 0.008	0.995 ± 0.002	0.994 ± 0.003	0.993 ± 0.002	0.996 ± 0.003	0.96 ± 0.01	0.996 ± 0.004	0.996 ± 0.002	0.999 ± 0.002	0.996 ± 0.002	0.996 ± 0.004	0.992 ± 0.004	E Europe M	W Africa F	0.00

Table 264. *For algorithm shufti-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.08 ± 0.04	0.08 ± 0.01	0.10 ± 0.03	0.08 ± 0.02	0.08 ± 0.02	0.04 ± 0.03	0.03 ± 0.02	0.006 ± 0.003	0.02 ± 0.01	0.006 ± 0.004	0.008 ± 0.006	0.04 ± 0.03	E Europe F	S Asia M	0.43
15	0.19 ± 0.05	0.09 ± 0.01	0.15 ± 0.03	0.12 ± 0.02	0.11 ± 0.02	0.08 ± 0.04	0.05 ± 0.04	0.015 ± 0.004	0.02 ± 0.01	0.015 ± 0.006	0.012 ± 0.009	0.03 ± 0.02	E Africa F	S E Asia M	0.47
16	0.25 ± 0.06	0.12 ± 0.01	0.17 ± 0.03	0.16 ± 0.02	0.13 ± 0.02	0.08 ± 0.03	0.06 ± 0.03	0.022 ± 0.005	0.03 ± 0.01	0.025 ± 0.008	0.014 ± 0.008	0.07 ± 0.03	E Africa F	S E Asia M	0.44
17	0.26 ± 0.05	0.17 ± 0.01	0.23 ± 0.03	0.21 ± 0.02	0.18 ± 0.02	0.14 ± 0.04	0.14 ± 0.04	0.036 ± 0.006	0.03 ± 0.01	0.05 ± 0.01	0.04 ± 0.01	0.12 ± 0.04	E Africa F	E Europe M	0.36
18	0.33 ± 0.05	0.22 ± 0.01	0.28 ± 0.03	0.28 ± 0.02	0.26 ± 0.02	0.17 ± 0.04	0.16 ± 0.04	0.052 ± 0.006	0.06 ± 0.02	0.08 ± 0.01	0.06 ± 0.01	0.15 ± 0.03	E Africa F	E Asia M	0.33
19	0.40 ± 0.05	0.29 ± 0.01	0.34 ± 0.02	0.37 ± 0.02	0.30 ± 0.02	0.24 ± 0.03	0.19 ± 0.04	0.083 ± 0.007	0.09 ± 0.02	0.17 ± 0.01	0.12 ± 0.02	0.18 ± 0.03	E Africa F	E Asia M	0.28
20	0.49 ± 0.04	0.36 ± 0.01	0.40 ± 0.02	0.43 ± 0.02	0.37 ± 0.02	0.29 ± 0.04	0.35 ± 0.04	0.128 ± 0.008	0.17 ± 0.02	0.23 ± 0.02	0.16 ± 0.02	0.21 ± 0.03	E Africa F	E Asia M	0.23
21	0.54 ± 0.04	0.42 ± 0.01	0.45 ± 0.02	0.49 ± 0.02	0.41 ± 0.02	0.34 ± 0.04	0.40 ± 0.04	0.188 ± 0.010	0.27 ± 0.02	0.33 ± 0.02	0.23 ± 0.02	0.33 ± 0.04	E Africa F	E Asia M	0.17
22	0.62 ± 0.04	0.490 ± 0.009	0.51 ± 0.02	0.55 ± 0.02	0.51 ± 0.02	0.43 ± 0.03	0.54 ± 0.04	0.28 ± 0.01	0.34 ± 0.02	0.44 ± 0.02	0.32 ± 0.02	0.39 ± 0.04	E Africa F	E Asia M	0.14
23	0.63 ± 0.03	0.558 ± 0.010	0.58 ± 0.02	0.62 ± 0.01	0.58 ± 0.02	0.43 ± 0.03	0.59 ± 0.04	0.37 ± 0.01	0.47 ± 0.02	0.55 ± 0.01	0.39 ± 0.03	0.51 ± 0.03	E Africa F	E Asia M	0.10
24	0.70 ± 0.03	0.617 ± 0.009	0.65 ± 0.01	0.69 ± 0.01	0.64 ± 0.02	0.51 ± 0.03	0.67 ± 0.03	0.46 ± 0.01	0.58 ± 0.02	0.65 ± 0.01	0.51 ± 0.02	0.55 ± 0.03	E Africa F	E Asia M	0.08
25	0.72 ± 0.03	0.679 ± 0.008	0.72 ± 0.01	0.736 ± 0.009	0.69 ± 0.02	0.56 ± 0.03	0.75 ± 0.03	0.55 ± 0.01	0.67 ± 0.02	0.75 ± 0.01	0.58 ± 0.02	0.65 ± 0.02	E Africa M	E Asia M	0.06
26	0.77 ± 0.02	0.737 ± 0.007	0.75 ± 0.01	0.773 ± 0.008	0.75 ± 0.01	0.61 ± 0.02	0.82 ± 0.03	0.64 ± 0.01	0.74 ± 0.02	0.805 ± 0.009	0.70 ± 0.02	0.73 ± 0.02	E Africa M	W Africa F	0.05
27	0.81 ± 0.02	0.782 ± 0.006	0.813 ± 0.010	0.810 ± 0.007	0.80 ± 0.01	0.67 ± 0.02	0.85 ± 0.02	0.707 ± 0.009	0.82 ± 0.01	0.850 ± 0.007	0.76 ± 0.02	0.80 ± 0.02	S Asia M	W Africa F	0.04
28	0.84 ± 0.02	0.831 ± 0.006	0.855 ± 0.008	0.843 ± 0.006	0.84 ± 0.01	0.71 ± 0.02	0.91 ± 0.02	0.788 ± 0.009	0.89 ± 0.01	0.893 ± 0.006	0.81 ± 0.02	0.82 ± 0.02	E Africa M	W Africa F	0.04
29	0.87 ± 0.02	0.868 ± 0.005	0.897 ± 0.007	0.869 ± 0.006	0.870 ± 0.009	0.75 ± 0.02	0.94 ± 0.01	0.844 ± 0.008	0.90 ± 0.01	0.922 ± 0.005	0.86 ± 0.02	0.86 ± 0.02	E Africa M	W Africa F	0.03
30	0.86 ± 0.02	0.900 ± 0.004	0.921 ± 0.006	0.896 ± 0.005	0.904 ± 0.009	0.80 ± 0.02	0.95 ± 0.01	0.885 ± 0.006	0.937 ± 0.008	0.946 ± 0.004	0.90 ± 0.01	0.90 ± 0.01	E Africa M	W Africa F	0.03
31	0.89 ± 0.02	0.930 ± 0.004	0.945 ± 0.005	0.920 ± 0.004	0.924 ± 0.008	0.83 ± 0.02	0.96 ± 0.01	0.920 ± 0.005	0.960 ± 0.007	0.961 ± 0.003	0.94 ± 0.01	0.92 ± 0.01	S Asia M	W Africa F	0.02
32	0.92 ± 0.02	0.950 ± 0.003	0.957 ± 0.005	0.937 ± 0.004	0.937 ± 0.007	0.85 ± 0.02	0.973 ± 0.009	0.945 ± 0.005	0.974 ± 0.005	0.972 ± 0.002	0.952 ± 0.010	0.945 ± 0.009	E Europe M	W Africa F	0.02
33	0.94 ± 0.01	0.962 ± 0.003	0.971 ± 0.004	0.953 ± 0.004	0.956 ± 0.006	0.88 ± 0.02	0.974 ± 0.009	0.963 ± 0.004	0.980 ± 0.004	0.980 ± 0.002	0.968 ± 0.008	0.955 ± 0.009	E Europe M	W Africa F	0.01
34	0.93 ± 0.01	0.973 ± 0.002	0.980 ± 0.004	0.967 ± 0.003	0.966 ± 0.006	0.91 ± 0.02	0.983 ± 0.007	0.971 ± 0.003	0.988 ± 0.003	0.987 ± 0.002	0.974 ± 0.007	0.972 ± 0.007	E Europe M	W Africa F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 265. *For algorithm tsight-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.05 ± 0.02	0.005 ± 0.003	0.002 ± 0.002	0.007 ± 0.004	0.004 ± 0.004	0.11 ± 0.04	0.017 ± 0.010	0.011 ± 0.004	0.000 ± 0.000	0.009 ± 0.005	0.005 ± 0.005	0.06 ± 0.03	W Africa F	E Europe M	0.69
15	0.07 ± 0.03	0.015 ± 0.006	0.000 ± 0.000	0.016 ± 0.008	0.03 ± 0.02	0.14 ± 0.04	0.03 ± 0.02	0.015 ± 0.006	0.003 ± 0.003	0.025 ± 0.009	0.015 ± 0.010	0.05 ± 0.02	W Africa F	E Europe F	0.57
16	0.13 ± 0.03	0.022 ± 0.008	0.03 ± 0.02	0.03 ± 0.01	0.02 ± 0.01	0.25 ± 0.05	0.09 ± 0.03	0.028 ± 0.008	0.009 ± 0.009	0.04 ± 0.01	0.03 ± 0.02	0.14 ± 0.05	W Africa F	E Europe M	0.54
17	0.18 ± 0.04	0.035 ± 0.009	0.04 ± 0.02	0.06 ± 0.02	0.04 ± 0.02	0.35 ± 0.05	0.13 ± 0.04	0.044 ± 0.010	0.006 ± 0.006	0.10 ± 0.02	0.04 ± 0.02	0.28 ± 0.05	W Africa F	E Europe M	0.53
18	0.25 ± 0.04	0.049 ± 0.010	0.04 ± 0.02	0.08 ± 0.01	0.05 ± 0.01	0.42 ± 0.05	0.22 ± 0.04	0.067 ± 0.010	0.02 ± 0.01	0.17 ± 0.02	0.07 ± 0.02	0.35 ± 0.05	W Africa F	E Europe M	0.49
19	0.30 ± 0.04	0.059 ± 0.010	0.09 ± 0.02	0.13 ± 0.02	0.07 ± 0.02	0.52 ± 0.04	0.32 ± 0.04	0.12 ± 0.01	0.06 ± 0.02	0.27 ± 0.02	0.10 ± 0.02	0.46 ± 0.05	W Africa F	E Europe M	0.44
20	0.39 ± 0.04	0.09 ± 0.01	0.14 ± 0.02	0.18 ± 0.02	0.10 ± 0.02	0.59 ± 0.04	0.42 ± 0.04	0.17 ± 0.02	0.10 ± 0.02	0.39 ± 0.02	0.18 ± 0.03	0.59 ± 0.04	W Africa M	E Asia F	0.38
21	0.45 ± 0.04	0.15 ± 0.01	0.22 ± 0.03	0.25 ± 0.02	0.15 ± 0.02	0.65 ± 0.04	0.56 ± 0.04	0.24 ± 0.02	0.17 ± 0.03	0.50 ± 0.02	0.24 ± 0.03	0.70 ± 0.04	W Africa M	S E Asia F	0.33
22	0.50 ± 0.03	0.17 ± 0.01	0.30 ± 0.03	0.32 ± 0.02	0.19 ± 0.02	0.70 ± 0.03	0.69 ± 0.03	0.33 ± 0.02	0.32 ± 0.03	0.62 ± 0.02	0.30 ± 0.03	0.74 ± 0.04	W Africa M	E Asia F	0.28
23	0.60 ± 0.03	0.24 ± 0.02	0.42 ± 0.02	0.42 ± 0.02	0.23 ± 0.02	0.77 ± 0.03	0.75 ± 0.03	0.43 ± 0.02	0.40 ± 0.03	0.72 ± 0.02	0.38 ± 0.03	0.85 ± 0.03	W Africa M	S E Asia F	0.24
24	0.65 ± 0.03	0.30 ± 0.01	0.54 ± 0.02	0.50 ± 0.01	0.30 ± 0.02	0.79 ± 0.03	0.83 ± 0.03	0.51 ± 0.02	0.59 ± 0.03	0.82 ± 0.02	0.51 ± 0.03	0.89 ± 0.02	W Africa M	E Asia F	0.19
25	0.69 ± 0.03	0.38 ± 0.01	0.64 ± 0.02	0.56 ± 0.01	0.38 ± 0.02	0.83 ± 0.02	0.87 ± 0.02	0.62 ± 0.02	0.72 ± 0.03	0.87 ± 0.01	0.59 ± 0.03	0.91 ± 0.02	W Africa M	S E Asia F	0.16
26	0.73 ± 0.02	0.45 ± 0.01	0.75 ± 0.02	0.62 ± 0.01	0.47 ± 0.02	0.85 ± 0.02	0.91 ± 0.02	0.72 ± 0.02	0.81 ± 0.02	0.916 ± 0.009	0.69 ± 0.03	0.94 ± 0.01	W Africa M	E Asia F	0.13
27	0.78 ± 0.02	0.54 ± 0.01	0.82 ± 0.01	0.67 ± 0.01	0.54 ± 0.02	0.89 ± 0.02	0.94 ± 0.01	0.79 ± 0.02	0.90 ± 0.02	0.943 ± 0.007	0.77 ± 0.02	0.95 ± 0.01	W Africa M	E Asia F	0.10
28	0.82 ± 0.02	0.62 ± 0.01	0.89 ± 0.01	0.74 ± 0.01	0.62 ± 0.02	0.91 ± 0.02	0.95 ± 0.01	0.84 ± 0.01	0.94 ± 0.01	0.959 ± 0.006	0.83 ± 0.02	0.968 ± 0.009	W Africa M	E Asia F	0.08
29	0.85 ± 0.02	0.70 ± 0.01	0.92 ± 0.01	0.794 ± 0.010	0.69 ± 0.02	0.92 ± 0.01	0.967 ± 0.010	0.91 ± 0.01	0.97 ± 0.01	0.977 ± 0.004	0.87 ± 0.02	0.976 ± 0.008	S Asia M	S E Asia F	0.07
30	0.87 ± 0.02	0.77 ± 0.01	0.960 ± 0.008	0.836 ± 0.010	0.77 ± 0.02	0.95 ± 0.01	0.983 ± 0.007	0.932 ± 0.009	0.985 ± 0.006	0.983 ± 0.003	0.92 ± 0.02	0.986 ± 0.006	W Africa M	S E Asia F	0.05
31	0.92 ± 0.02	0.823 ± 0.010	0.975 ± 0.006	0.861 ± 0.009	0.82 ± 0.01	0.96 ± 0.01	0.989 ± 0.006	0.955 ± 0.007	0.992 ± 0.006	0.991 ± 0.003	0.94 ± 0.01	0.984 ± 0.006	E Europe M	S E Asia F	0.04
32	0.92 ± 0.01	0.869 ± 0.008	0.987 ± 0.005	0.901 ± 0.007	0.86 ± 0.01	0.960 ± 0.010	0.989 ± 0.006	0.969 ± 0.006	0.996 ± 0.004	0.995 ± 0.002	0.97 ± 0.01	0.993 ± 0.004	E Europe M	S E Asia F	0.03
33	0.94 ± 0.01	0.908 ± 0.007	0.995 ± 0.003	0.923 ± 0.007	0.89 ± 0.01	0.972 ± 0.009	0.995 ± 0.004	0.982 ± 0.005	0.999 ± 0.001	0.997 ± 0.001	0.975 ± 0.009	0.997 ± 0.003	E Europe M	S E Asia F	0.02
34	0.95 ± 0.01	0.942 ± 0.006	0.996 ± 0.003	0.949 ± 0.006	0.93 ± 0.01	0.982 ± 0.007	0.997 ± 0.003	0.989 ± 0.003	0.998 ± 0.003	0.997 ± 0.001	0.984 ± 0.008	0.994 ± 0.004	E Europe M	S E Asia F	0.01

Table 266. *For algorithm tsight-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.14 ± 0.05	0.012 ± 0.004	0.02 ± 0.01	0.031 ± 0.010	0.007 ± 0.007	0.19 ± 0.05	0.04 ± 0.02	0.013 ± 0.004	0.000 ± 0.000	0.016 ± 0.007	0.013 ± 0.008	0.06 ± 0.04	W Africa F	E Europe M	0.64
15	0.14 ± 0.04	0.025 ± 0.006	0.02 ± 0.01	0.05 ± 0.01	0.011 ± 0.007	0.29 ± 0.06	0.10 ± 0.05	0.023 ± 0.005	0.009 ± 0.007	0.032 ± 0.009	0.02 ± 0.01	0.13 ± 0.05	W Africa F	E Europe M	0.60
16	0.24 ± 0.06	0.040 ± 0.007	0.04 ± 0.01	0.09 ± 0.01	0.014 ± 0.008	0.35 ± 0.06	0.17 ± 0.05	0.044 ± 0.007	0.010 ± 0.007	0.07 ± 0.01	0.03 ± 0.01	0.21 ± 0.05	W Africa F	E Europe M	0.54
17	0.26 ± 0.05	0.064 ± 0.008	0.08 ± 0.02	0.12 ± 0.02	0.04 ± 0.01	0.42 ± 0.06	0.25 ± 0.06	0.068 ± 0.008	0.014 ± 0.008	0.15 ± 0.02	0.04 ± 0.01	0.34 ± 0.05	W Africa F	E Europe M	0.49
18	0.37 ± 0.05	0.078 ± 0.007	0.12 ± 0.02	0.16 ± 0.02	0.05 ± 0.01	0.45 ± 0.05	0.40 ± 0.06	0.096 ± 0.008	0.05 ± 0.02	0.19 ± 0.02	0.06 ± 0.01	0.42 ± 0.05	W Africa F	E Europe M	0.44
19	0.45 ± 0.05	0.108 ± 0.008	0.16 ± 0.02	0.22 ± 0.02	0.06 ± 0.01	0.60 ± 0.04	0.51 ± 0.05	0.130 ± 0.009	0.09 ± 0.02	0.31 ± 0.02	0.12 ± 0.02	0.50 ± 0.04	W Africa F	S E Asia F	0.41
20	0.53 ± 0.05	0.139 ± 0.007	0.23 ± 0.02	0.28 ± 0.02	0.11 ± 0.01	0.64 ± 0.04	0.64 ± 0.04	0.20 ± 0.01	0.14 ± 0.02	0.42 ± 0.02	0.16 ± 0.02	0.63 ± 0.04	W Africa F	S E Asia F	0.36
21	0.62 ± 0.04	0.173 ± 0.007	0.31 ± 0.02	0.35 ± 0.02	0.13 ± 0.01	0.70 ± 0.04	0.71 ± 0.04	0.28 ± 0.01	0.25 ± 0.02	0.54 ± 0.02	0.23 ± 0.02	0.73 ± 0.03	W Africa M	S E Asia F	0.31
22	0.67 ± 0.04	0.219 ± 0.008	0.42 ± 0.02	0.43 ± 0.01	0.19 ± 0.01	0.77 ± 0.03	0.80 ± 0.04	0.38 ± 0.01	0.36 ± 0.03	0.64 ± 0.02	0.32 ± 0.02	0.77 ± 0.03	E Africa M	S E Asia F	0.26
23	0.72 ± 0.03	0.272 ± 0.008	0.52 ± 0.02	0.49 ± 0.01	0.26 ± 0.02	0.80 ± 0.02	0.85 ± 0.03	0.46 ± 0.01	0.51 ± 0.02	0.74 ± 0.01	0.41 ± 0.02	0.84 ± 0.02	E Africa M	S E Asia F	0.22
24	0.79 ± 0.03	0.333 ± 0.008	0.61 ± 0.01	0.57 ± 0.01	0.32 ± 0.02	0.82 ± 0.02	0.90 ± 0.02	0.55 ± 0.01	0.64 ± 0.02	0.814 ± 0.010	0.50 ± 0.02	0.88 ± 0.02	E Africa M	S E Asia F	0.18
25	0.82 ± 0.03	0.406 ± 0.008	0.72 ± 0.01	0.611 ± 0.010	0.39 ± 0.02	0.87 ± 0.02	0.92 ± 0.02	0.64 ± 0.01	0.76 ± 0.02	0.875 ± 0.008	0.59 ± 0.02	0.92 ± 0.02	E Africa M	S E Asia F	0.15
26	0.85 ± 0.02	0.480 ± 0.008	0.78 ± 0.01	0.672 ± 0.010	0.46 ± 0.01	0.86 ± 0.02	0.95 ± 0.01	0.72 ± 0.01	0.83 ± 0.01	0.906 ± 0.007	0.67 ± 0.02	0.93 ± 0.01	E Africa M	S E Asia F	0.13
27	0.87 ± 0.02	0.542 ± 0.008	0.854 ± 0.009	0.723 ± 0.008	0.54 ± 0.02	0.92 ± 0.01	0.96 ± 0.01	0.777 ± 0.009	0.89 ± 0.01	0.939 ± 0.005	0.75 ± 0.02	0.960 ± 0.009	E Africa M	S E Asia F	0.10
28	0.89 ± 0.02	0.614 ± 0.007	0.899 ± 0.007	0.775 ± 0.008	0.62 ± 0.01	0.92 ± 0.01	0.978 ± 0.009	0.839 ± 0.007	0.944 ± 0.009	0.960 ± 0.003	0.82 ± 0.02	0.971 ± 0.008	E Africa M	E Asia F	0.08
29	0.92 ± 0.01	0.677 ± 0.007	0.939 ± 0.005	0.807 ± 0.007	0.68 ± 0.01	0.94 ± 0.01	0.985 ± 0.008	0.879 ± 0.006	0.965 ± 0.006	0.971 ± 0.003	0.86 ± 0.02	0.976 ± 0.006	E Africa M	E Asia F	0.07
30	0.93 ± 0.01	0.743 ± 0.006	0.956 ± 0.005	0.853 ± 0.005	0.74 ± 0.01	0.954 ± 0.010	0.987 ± 0.007	0.914 ± 0.006	0.983 ± 0.005	0.981 ± 0.002	0.90 ± 0.01	0.992 ± 0.004	W Africa M	E Asia F	0.05
31	0.95 ± 0.01	0.801 ± 0.006	0.974 ± 0.004	0.884 ± 0.005	0.80 ± 0.01	0.960 ± 0.009	0.990 ± 0.006	0.937 ± 0.005	0.990 ± 0.003	0.989 ± 0.002	0.93 ± 0.01	0.987 ± 0.005	E Africa M	S E Asia F	0.04
32	0.96 ± 0.01	0.846 ± 0.005	0.986 ± 0.003	0.908 ± 0.005	0.84 ± 0.01	0.972 ± 0.008	0.995 ± 0.004	0.963 ± 0.004	0.997 ± 0.002	0.992 ± 0.001	0.95 ± 0.01	0.993 ± 0.004	E Europe M	S E Asia F	0.03
33	0.96 ± 0.01	0.887 ± 0.005	0.991 ± 0.002	0.932 ± 0.004	0.877 ± 0.010	0.983 ± 0.006	0.998 ± 0.002	0.974 ± 0.003	0.998 ± 0.001	0.995 ± 0.001	0.969 ± 0.008	0.996 ± 0.003	E Africa M	S E Asia F	0.02
34	0.973 ± 0.009	0.914 ± 0.004	0.994 ± 0.002	0.949 ± 0.004	0.908 ± 0.009	0.990 ± 0.005	0.998 ± 0.002	0.983 ± 0.003	0.999 ± 0.001	0.997 ± 0.001	0.978 ± 0.007	0.996 ± 0.002	E Europe M	S E Asia F	0.02

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 267. *For algorithm unissey-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.04 ± 0.02	0.07 ± 0.01	0.02 ± 0.01	0.024 ± 0.008	0.05 ± 0.02	0.11 ± 0.04	0.04 ± 0.02	0.07 ± 0.01	0.009 ± 0.007	0.022 ± 0.007	0.06 ± 0.02	0.04 ± 0.02	W Africa F	E Europe M	0.35
15	0.09 ± 0.03	0.13 ± 0.02	0.06 ± 0.02	0.06 ± 0.01	0.10 ± 0.03	0.15 ± 0.04	0.06 ± 0.02	0.12 ± 0.02	0.02 ± 0.01	0.05 ± 0.01	0.09 ± 0.03	0.06 ± 0.03	W Africa F	E Europe M	0.27
16	0.12 ± 0.03	0.19 ± 0.02	0.10 ± 0.03	0.10 ± 0.02	0.16 ± 0.03	0.19 ± 0.05	0.11 ± 0.03	0.17 ± 0.02	0.05 ± 0.02	0.10 ± 0.02	0.17 ± 0.04	0.08 ± 0.04	E Asia F	E Europe M	0.21
17	0.17 ± 0.04	0.26 ± 0.02	0.19 ± 0.04	0.15 ± 0.02	0.21 ± 0.04	0.29 ± 0.05	0.20 ± 0.04	0.26 ± 0.02	0.04 ± 0.02	0.15 ± 0.02	0.23 ± 0.04	0.14 ± 0.03	W Africa F	E Europe M	0.20
18	0.22 ± 0.03	0.32 ± 0.02	0.22 ± 0.03	0.18 ± 0.02	0.24 ± 0.03	0.32 ± 0.04	0.27 ± 0.04	0.32 ± 0.02	0.12 ± 0.03	0.26 ± 0.02	0.28 ± 0.03	0.25 ± 0.04	E Asia F	E Europe M	0.14
19	0.28 ± 0.04	0.41 ± 0.02	0.25 ± 0.04	0.27 ± 0.02	0.32 ± 0.03	0.41 ± 0.04	0.41 ± 0.04	0.40 ± 0.02	0.22 ± 0.03	0.36 ± 0.02	0.36 ± 0.04	0.29 ± 0.04	E Asia F	E Europe M	0.12
20	0.37 ± 0.04	0.48 ± 0.02	0.36 ± 0.03	0.32 ± 0.02	0.39 ± 0.03	0.50 ± 0.04	0.52 ± 0.04	0.49 ± 0.02	0.30 ± 0.04	0.47 ± 0.03	0.46 ± 0.03	0.42 ± 0.04	E Africa M	E Europe M	0.10
21	0.42 ± 0.04	0.55 ± 0.02	0.42 ± 0.03	0.38 ± 0.02	0.46 ± 0.03	0.52 ± 0.04	0.57 ± 0.04	0.57 ± 0.02	0.40 ± 0.04	0.54 ± 0.02	0.55 ± 0.03	0.48 ± 0.04	E Africa M	S Asia F	0.08
22	0.48 ± 0.03	0.61 ± 0.02	0.54 ± 0.03	0.44 ± 0.02	0.53 ± 0.02	0.59 ± 0.04	0.69 ± 0.03	0.64 ± 0.02	0.54 ± 0.04	0.65 ± 0.02	0.60 ± 0.03	0.52 ± 0.04	E Africa M	S Asia F	0.08
23	0.52 ± 0.03	0.69 ± 0.02	0.60 ± 0.02	0.51 ± 0.02	0.61 ± 0.02	0.65 ± 0.03	0.73 ± 0.03	0.74 ± 0.02	0.60 ± 0.04	0.73 ± 0.02	0.69 ± 0.03	0.60 ± 0.04	E Asia M	S Asia F	0.07
24	0.58 ± 0.03	0.73 ± 0.01	0.68 ± 0.02	0.57 ± 0.02	0.68 ± 0.02	0.68 ± 0.03	0.77 ± 0.03	0.76 ± 0.02	0.73 ± 0.03	0.80 ± 0.02	0.75 ± 0.03	0.66 ± 0.03	S Asia M	S Asia F	0.06
25	0.64 ± 0.03	0.78 ± 0.01	0.75 ± 0.02	0.60 ± 0.01	0.72 ± 0.02	0.74 ± 0.03	0.84 ± 0.02	0.83 ± 0.02	0.80 ± 0.02	0.85 ± 0.01	0.81 ± 0.02	0.72 ± 0.03	S Asia M	S Asia F	0.06
26	0.72 ± 0.02	0.82 ± 0.01	0.82 ± 0.02	0.65 ± 0.01	0.77 ± 0.02	0.77 ± 0.02	0.88 ± 0.02	0.87 ± 0.01	0.85 ± 0.02	0.87 ± 0.01	0.85 ± 0.02	0.77 ± 0.02	E Africa M	S Asia F	0.05
27	0.73 ± 0.02	0.865 ± 0.010	0.85 ± 0.01	0.69 ± 0.01	0.81 ± 0.01	0.81 ± 0.02	0.90 ± 0.02	0.90 ± 0.01	0.90 ± 0.02	0.906 ± 0.009	0.88 ± 0.02	0.81 ± 0.02	S Asia M	S Asia F	0.05
28	0.78 ± 0.02	0.894 ± 0.008	0.88 ± 0.01	0.72 ± 0.01	0.85 ± 0.01	0.85 ± 0.02	0.92 ± 0.01	0.929 ± 0.010	0.93 ± 0.01	0.926 ± 0.008	0.91 ± 0.02	0.82 ± 0.02	E Europe M	S Asia F	0.04
29	0.83 ± 0.02	0.922 ± 0.007	0.92 ± 0.01	0.78 ± 0.01	0.88 ± 0.01	0.88 ± 0.02	0.93 ± 0.01	0.954 ± 0.008	0.95 ± 0.01	0.944 ± 0.006	0.93 ± 0.01	0.89 ± 0.02	E Asia M	S Asia F	0.03
30	0.85 ± 0.02	0.942 ± 0.006	0.934 ± 0.010	0.808 ± 0.010	0.91 ± 0.01	0.88 ± 0.02	0.94 ± 0.01	0.966 ± 0.006	0.971 ± 0.009	0.954 ± 0.006	0.95 ± 0.01	0.89 ± 0.02	E Europe M	S Asia F	0.03
31	0.87 ± 0.02	0.951 ± 0.005	0.961 ± 0.008	0.842 ± 0.009	0.925 ± 0.010	0.89 ± 0.02	0.969 ± 0.010	0.977 ± 0.005	0.981 ± 0.008	0.964 ± 0.005	0.97 ± 0.01	0.91 ± 0.01	E Europe M	S Asia F	0.03
32	0.90 ± 0.02	0.958 ± 0.005	0.969 ± 0.007	0.873 ± 0.009	0.940 ± 0.010	0.91 ± 0.01	0.974 ± 0.009	0.982 ± 0.005	0.989 ± 0.006	0.976 ± 0.004	0.978 ± 0.009	0.92 ± 0.01	E Europe M	S Asia F	0.02
33	0.91 ± 0.01	0.976 ± 0.004	0.969 ± 0.008	0.895 ± 0.008	0.952 ± 0.009	0.94 ± 0.01	0.967 ± 0.009	0.991 ± 0.004	0.996 ± 0.004	0.981 ± 0.003	0.986 ± 0.007	0.95 ± 0.01	E Europe M	S Asia F	0.02
34	0.93 ± 0.02	0.982 ± 0.004	0.982 ± 0.006	0.922 ± 0.007	0.971 ± 0.007	0.94 ± 0.01	0.988 ± 0.007	0.993 ± 0.003	0.998 ± 0.003	0.987 ± 0.003	0.987 ± 0.007	0.95 ± 0.01	E Europe M	S Asia F	0.01

Table 268. *For algorithm unissey-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.10 ± 0.05	0.050 ± 0.009	0.03 ± 0.02	0.03 ± 0.01	0.03 ± 0.02	0.06 ± 0.03	0.05 ± 0.03	0.033 ± 0.007	0.007 ± 0.007	0.013 ± 0.006	0.04 ± 0.01	0.01 ± 0.01	E Africa F	E Europe M	0.34
15	0.09 ± 0.04	0.08 ± 0.01	0.07 ± 0.02	0.05 ± 0.01	0.08 ± 0.02	0.13 ± 0.05	0.15 ± 0.05	0.060 ± 0.009	0.03 ± 0.01	0.03 ± 0.01	0.04 ± 0.02	0.06 ± 0.03	E Africa M	E Europe M	0.29
16	0.14 ± 0.04	0.12 ± 0.01	0.10 ± 0.02	0.08 ± 0.01	0.08 ± 0.02	0.18 ± 0.05	0.12 ± 0.04	0.098 ± 0.009	0.03 ± 0.01	0.06 ± 0.01	0.08 ± 0.02	0.08 ± 0.04	W Africa F	E Europe M	0.22
17	0.14 ± 0.04	0.16 ± 0.01	0.12 ± 0.02	0.11 ± 0.02	0.11 ± 0.02	0.24 ± 0.05	0.14 ± 0.05	0.14 ± 0.01	0.03 ± 0.01	0.11 ± 0.02	0.12 ± 0.02	0.13 ± 0.04	W Africa F	E Europe M	0.19
18	0.25 ± 0.04	0.20 ± 0.01	0.20 ± 0.02	0.14 ± 0.02	0.14 ± 0.02	0.24 ± 0.05	0.24 ± 0.05	0.19 ± 0.01	0.10 ± 0.02	0.15 ± 0.02	0.15 ± 0.02	0.19 ± 0.04	E Africa F	E Europe M	0.15
19	0.29 ± 0.04	0.25 ± 0.01	0.21 ± 0.02	0.18 ± 0.02	0.18 ± 0.02	0.31 ± 0.04	0.32 ± 0.05	0.24 ± 0.01	0.12 ± 0.02	0.22 ± 0.02	0.20 ± 0.02	0.21 ± 0.04	E Africa M	E Europe M	0.14
20	0.33 ± 0.04	0.31 ± 0.01	0.28 ± 0.02	0.21 ± 0.02	0.23 ± 0.02	0.37 ± 0.04	0.39 ± 0.05	0.30 ± 0.01	0.19 ± 0.02	0.31 ± 0.02	0.28 ± 0.02	0.23 ± 0.03	E Africa M	E Europe M	0.13
21	0.39 ± 0.04	0.35 ± 0.01	0.32 ± 0.02	0.25 ± 0.01	0.26 ± 0.02	0.43 ± 0.04	0.44 ± 0.04	0.36 ± 0.01	0.29 ± 0.03	0.40 ± 0.02	0.34 ± 0.02	0.29 ± 0.03	E Africa M	S Asia F	0.11
22	0.45 ± 0.04	0.388 ± 0.010	0.40 ± 0.02	0.30 ± 0.01	0.31 ± 0.02	0.47 ± 0.03	0.52 ± 0.04	0.43 ± 0.01	0.36 ± 0.03	0.47 ± 0.02	0.41 ± 0.02	0.35 ± 0.03	E Africa M	S Asia F	0.10
23	0.51 ± 0.04	0.438 ± 0.010	0.45 ± 0.02	0.34 ± 0.01	0.38 ± 0.02	0.53 ± 0.03	0.57 ± 0.04	0.50 ± 0.01	0.47 ± 0.02	0.55 ± 0.01	0.51 ± 0.03	0.41 ± 0.03	E Africa M	S Asia F	0.09
24	0.54 ± 0.03	0.506 ± 0.009	0.51 ± 0.01	0.40 ± 0.01	0.45 ± 0.02	0.56 ± 0.03	0.61 ± 0.03	0.57 ± 0.01	0.57 ± 0.02	0.63 ± 0.01	0.56 ± 0.02	0.44 ± 0.03	S Asia M	S Asia F	0.08
25	0.61 ± 0.03	0.558 ± 0.008	0.58 ± 0.01	0.41 ± 0.01	0.51 ± 0.02	0.61 ± 0.02	0.70 ± 0.03	0.62 ± 0.01	0.63 ± 0.02	0.68 ± 0.01	0.63 ± 0.02	0.52 ± 0.03	E Africa M	S Asia F	0.08
26	0.67 ± 0.03	0.615 ± 0.008	0.64 ± 0.01	0.478 ± 0.009	0.54 ± 0.01	0.62 ± 0.02	0.73 ± 0.03	0.69 ± 0.01	0.71 ± 0.02	0.720 ± 0.010	0.68 ± 0.02	0.56 ± 0.02	E Africa M	S Asia F	0.07
27	0.68 ± 0.02	0.653 ± 0.007	0.69 ± 0.01	0.501 ± 0.009	0.61 ± 0.01	0.68 ± 0.02	0.76 ± 0.03	0.738 ± 0.009	0.78 ± 0.01	0.766 ± 0.009	0.74 ± 0.02	0.63 ± 0.02	E Europe M	S Asia F	0.07
28	0.74 ± 0.03	0.710 ± 0.007	0.74 ± 0.01	0.550 ± 0.009	0.65 ± 0.01	0.68 ± 0.02	0.82 ± 0.02	0.788 ± 0.008	0.84 ± 0.01	0.810 ± 0.007	0.78 ± 0.02	0.68 ± 0.02	E Europe M	S Asia F	0.07
29	0.77 ± 0.02	0.745 ± 0.006	0.796 ± 0.010	0.586 ± 0.008	0.69 ± 0.01	0.74 ± 0.02	0.83 ± 0.02	0.825 ± 0.008	0.87 ± 0.01	0.841 ± 0.006	0.83 ± 0.02	0.72 ± 0.02	E Europe M	S Asia F	0.06
30	0.77 ± 0.02	0.781 ± 0.006	0.834 ± 0.008	0.628 ± 0.008	0.74 ± 0.01	0.75 ± 0.02	0.85 ± 0.02	0.859 ± 0.007	0.904 ± 0.009	0.867 ± 0.006	0.85 ± 0.02	0.76 ± 0.02	E Europe M	S Asia F	0.05
31	0.81 ± 0.02	0.821 ± 0.005	0.861 ± 0.008	0.665 ± 0.007	0.77 ± 0.01	0.78 ± 0.02	0.89 ± 0.02	0.886 ± 0.006	0.933 ± 0.008	0.891 ± 0.005	0.86 ± 0.02	0.76 ± 0.02	E Europe M	S Asia F	0.05
32	0.83 ± 0.02	0.845 ± 0.005	0.893 ± 0.008	0.715 ± 0.007	0.80 ± 0.01	0.80 ± 0.02	0.92 ± 0.02	0.912 ± 0.006	0.951 ± 0.007	0.910 ± 0.004	0.88 ± 0.01	0.79 ± 0.02	E Europe M	S Asia F	0.05
33	0.87 ± 0.02	0.872 ± 0.004	0.914 ± 0.008	0.755 ± 0.007	0.84 ± 0.01	0.84 ± 0.02	0.92 ± 0.02	0.930 ± 0.005	0.961 ± 0.006	0.925 ± 0.004	0.93 ± 0.01	0.82 ± 0.01	E Europe M	S Asia F	0.04
34	0.87 ± 0.02	0.895 ± 0.004	0.935 ± 0.006	0.791 ± 0.008	0.86 ± 0.01	0.85 ± 0.02	0.94 ± 0.01	0.942 ± 0.005	0.979 ± 0.004	0.938 ± 0.004	0.94 ± 0.01	0.86 ± 0.01	E Europe M	S Asia F	0.04

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 269. *For algorithm viante-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.25 ± 0.04	0.06 ± 0.01	0.007 ± 0.007	0.17 ± 0.02	0.14 ± 0.03	0.21 ± 0.05	0.09 ± 0.02	0.022 ± 0.007	0.000 ± 0.000	0.036 ± 0.009	0.05 ± 0.02	0.07 ± 0.03	E Africa F	E Europe M	0.52
15	0.36 ± 0.05	0.11 ± 0.02	0.02 ± 0.01	0.29 ± 0.03	0.21 ± 0.04	0.29 ± 0.06	0.11 ± 0.03	0.05 ± 0.01	0.003 ± 0.003	0.09 ± 0.02	0.09 ± 0.03	0.15 ± 0.05	E Africa F	E Europe M	0.45
16	0.49 ± 0.04	0.21 ± 0.02	0.03 ± 0.02	0.41 ± 0.03	0.39 ± 0.05	0.43 ± 0.06	0.28 ± 0.05	0.14 ± 0.02	0.01 ± 0.01	0.21 ± 0.03	0.23 ± 0.04	0.28 ± 0.06	E Africa F	E Europe M	0.34
17	0.60 ± 0.05	0.33 ± 0.03	0.12 ± 0.04	0.51 ± 0.03	0.46 ± 0.05	0.57 ± 0.05	0.43 ± 0.05	0.25 ± 0.02	0.02 ± 0.01	0.35 ± 0.03	0.37 ± 0.05	0.47 ± 0.05	E Africa F	E Europe M	0.27
18	0.65 ± 0.04	0.42 ± 0.02	0.18 ± 0.03	0.56 ± 0.02	0.56 ± 0.03	0.61 ± 0.04	0.54 ± 0.04	0.36 ± 0.02	0.06 ± 0.02	0.48 ± 0.02	0.47 ± 0.04	0.55 ± 0.05	E Africa F	E Europe M	0.21
19	0.74 ± 0.04	0.55 ± 0.02	0.25 ± 0.03	0.70 ± 0.02	0.68 ± 0.03	0.71 ± 0.04	0.70 ± 0.04	0.54 ± 0.02	0.12 ± 0.03	0.67 ± 0.02	0.61 ± 0.03	0.69 ± 0.04	E Africa F	E Europe M	0.17
20	0.80 ± 0.03	0.66 ± 0.02	0.42 ± 0.03	0.77 ± 0.02	0.78 ± 0.02	0.78 ± 0.04	0.82 ± 0.03	0.68 ± 0.02	0.22 ± 0.03	0.78 ± 0.02	0.78 ± 0.03	0.81 ± 0.04	E Africa M	E Europe M	0.13
21	0.88 ± 0.02	0.76 ± 0.02	0.51 ± 0.03	0.84 ± 0.01	0.85 ± 0.02	0.83 ± 0.03	0.90 ± 0.02	0.80 ± 0.02	0.38 ± 0.04	0.86 ± 0.02	0.84 ± 0.03	0.86 ± 0.03	E Africa M	E Europe M	0.10
22	0.91 ± 0.02	0.84 ± 0.02	0.64 ± 0.03	0.90 ± 0.01	0.90 ± 0.01	0.87 ± 0.03	0.95 ± 0.02	0.88 ± 0.01	0.61 ± 0.03	0.92 ± 0.01	0.91 ± 0.02	0.92 ± 0.02	E Africa M	E Europe M	0.06
23	0.92 ± 0.02	0.90 ± 0.01	0.75 ± 0.02	0.934 ± 0.008	0.93 ± 0.01	0.92 ± 0.02	0.97 ± 0.01	0.937 ± 0.010	0.71 ± 0.03	0.961 ± 0.009	0.95 ± 0.01	0.96 ± 0.01	E Africa M	E Europe M	0.04
24	0.95 ± 0.01	0.935 ± 0.008	0.87 ± 0.01	0.963 ± 0.007	0.959 ± 0.007	0.94 ± 0.02	0.989 ± 0.006	0.957 ± 0.008	0.86 ± 0.02	0.981 ± 0.005	0.972 ± 0.009	0.97 ± 0.01	E Africa M	E Europe M	0.02
25	0.96 ± 0.01	0.957 ± 0.006	0.92 ± 0.01	0.967 ± 0.005	0.970 ± 0.006	0.96 ± 0.01	0.994 ± 0.005	0.978 ± 0.006	0.93 ± 0.02	0.992 ± 0.003	0.988 ± 0.006	0.988 ± 0.007	E Africa M	E Europe F	0.01
26	0.968 ± 0.010	0.971 ± 0.005	0.956 ± 0.008	0.981 ± 0.004	0.987 ± 0.004	0.96 ± 0.01	0.995 ± 0.004	0.989 ± 0.004	0.95 ± 0.01	0.995 ± 0.002	0.995 ± 0.004	0.994 ± 0.005	E Africa M	E Europe M	0.01
27	0.979 ± 0.008	0.983 ± 0.003	0.975 ± 0.007	0.986 ± 0.003	0.988 ± 0.004	0.981 ± 0.008	0.995 ± 0.004	0.995 ± 0.003	0.988 ± 0.006	0.997 ± 0.002	0.997 ± 0.003	0.996 ± 0.004	S Asia M	E Europe F	0.00
28	0.991 ± 0.005	0.989 ± 0.003	0.993 ± 0.003	0.989 ± 0.003	0.995 ± 0.002	0.984 ± 0.007	0.999 ± 0.001	0.998 ± 0.002	0.991 ± 0.005	0.998 ± 0.001	0.997 ± 0.003	0.998 ± 0.003	E Africa M	W Africa F	0.00
29	0.993 ± 0.004	0.996 ± 0.002	0.997 ± 0.003	0.994 ± 0.002	0.997 ± 0.002	0.988 ± 0.005	0.999 ± 0.002	0.999 ± 0.001	0.996 ± 0.003	1.000 ± 0.001	0.999 ± 0.002	1.000 ± 0.000	W Africa M	W Africa F	0.00
30	0.992 ± 0.005	0.997 ± 0.001	0.996 ± 0.003	0.997 ± 0.001	0.998 ± 0.002	0.991 ± 0.005	0.999 ± 0.002	1.000 ± 0.001	0.999 ± 0.002	1.000 ± 0.000	0.998 ± 0.003	1.000 ± 0.000	W Africa M	W Africa F	0.00
31	0.997 ± 0.003	0.998 ± 0.001	0.999 ± 0.001	0.997 ± 0.001	1.000 ± 0.001	0.997 ± 0.003	0.999 ± 0.001	1.000 ± 0.001	0.999 ± 0.001	1.000 ± 0.000	0.999 ± 0.003	0.999 ± 0.002	S Asia M	W Africa F	0.00
32	0.998 ± 0.003	0.999 ± 0.001	0.999 ± 0.001	0.999 ± 0.001	1.000 ± 0.001	0.997 ± 0.003	1.000 ± 0.000	1.000 ± 0.000	0.998 ± 0.003	1.000 ± 0.000	1.000 ± 0.000	1.000 ± 0.000	E Africa M	W Africa F	0.00
33	0.995 ± 0.005	1.000 ± 0.000	1.000 ± 0.000	0.999 ± 0.001	1.000 ± 0.000	0.999 ± 0.002	1.000 ± 0.000	1.000 ± 0.000	0.999 ± 0.002	1.000 ± 0.000	0.999 ± 0.002	1.000 ± 0.000	E Europe F	E Africa F	0.00
34	0.995 ± 0.004	1.000 ± 0.001	1.000 ± 0.001	1.000 ± 0.001	1.000 ± 0.000	1.000 ± 0.000	1.000 ± 0.000	1.000 ± 0.001	0.999 ± 0.001	1.000 ± 0.000	1.000 ± 0.000	1.000 ± 0.000	S E Asia F	E Africa F	0.00

Table 270. *For algorithm viante-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.38 ± 0.07	0.025 ± 0.006	0.009 ± 0.006	0.26 ± 0.02	0.10 ± 0.03	0.44 ± 0.08	0.25 ± 0.06	0.009 ± 0.004	0.000 ± 0.000	0.032 ± 0.009	0.03 ± 0.01	0.25 ± 0.08	W Africa F	E Europe M	0.60
15	0.58 ± 0.07	0.043 ± 0.008	0.04 ± 0.02	0.37 ± 0.03	0.14 ± 0.03	0.55 ± 0.07	0.40 ± 0.08	0.014 ± 0.004	0.007 ± 0.007	0.09 ± 0.01	0.05 ± 0.02	0.38 ± 0.07	E Africa F	E Europe M	0.56
16	0.69 ± 0.06	0.074 ± 0.009	0.06 ± 0.02	0.50 ± 0.03	0.23 ± 0.03	0.71 ± 0.06	0.55 ± 0.07	0.035 ± 0.006	0.018 ± 0.010	0.21 ± 0.02	0.12 ± 0.03	0.56 ± 0.07	W Africa F	E Europe M	0.50
17	0.74 ± 0.05	0.13 ± 0.01	0.11 ± 0.02	0.63 ± 0.02	0.30 ± 0.03	0.76 ± 0.06	0.70 ± 0.07	0.086 ± 0.009	0.03 ± 0.01	0.40 ± 0.02	0.23 ± 0.03	0.66 ± 0.06	W Africa F	E Europe M	0.42
18	0.81 ± 0.04	0.205 ± 0.010	0.18 ± 0.02	0.72 ± 0.02	0.41 ± 0.03	0.83 ± 0.04	0.83 ± 0.04	0.16 ± 0.01	0.08 ± 0.02	0.55 ± 0.02	0.35 ± 0.03	0.78 ± 0.04	W Africa F	E Europe M	0.35
19	0.90 ± 0.03	0.29 ± 0.01	0.25 ± 0.02	0.79 ± 0.02	0.53 ± 0.02	0.86 ± 0.03	0.89 ± 0.03	0.23 ± 0.01	0.10 ± 0.02	0.71 ± 0.02	0.49 ± 0.03	0.84 ± 0.04	E Africa F	E Europe M	0.30
20	0.91 ± 0.02	0.40 ± 0.01	0.33 ± 0.02	0.86 ± 0.01	0.62 ± 0.02	0.90 ± 0.02	0.94 ± 0.02	0.33 ± 0.01	0.20 ± 0.02	0.82 ± 0.01	0.60 ± 0.03	0.89 ± 0.03	E Africa M	E Europe M	0.24
21	0.96 ± 0.02	0.49 ± 0.01	0.43 ± 0.02	0.897 ± 0.010	0.70 ± 0.02	0.94 ± 0.02	0.98 ± 0.01	0.45 ± 0.01	0.33 ± 0.03	0.900 ± 0.010	0.70 ± 0.02	0.97 ± 0.01	E Africa M	E Europe M	0.19
22	0.97 ± 0.01	0.572 ± 0.010	0.54 ± 0.02	0.926 ± 0.007	0.78 ± 0.02	0.95 ± 0.02	0.99 ± 0.01	0.57 ± 0.01	0.45 ± 0.03	0.940 ± 0.008	0.79 ± 0.02	0.97 ± 0.01	E Africa M	E Europe M	0.15
23	0.97 ± 0.01	0.651 ± 0.009	0.64 ± 0.01	0.951 ± 0.006	0.84 ± 0.01	0.97 ± 0.01	0.990 ± 0.009	0.66 ± 0.01	0.59 ± 0.02	0.966 ± 0.005	0.85 ± 0.02	0.98 ± 0.01	E Africa M	E Europe M	0.11
24	0.977 ± 0.010	0.726 ± 0.008	0.73 ± 0.01	0.970 ± 0.004	0.88 ± 0.01	0.981 ± 0.008	0.997 ± 0.004	0.748 ± 0.010	0.73 ± 0.02	0.985 ± 0.003	0.89 ± 0.02	0.991 ± 0.006	E Africa M	E Asia F	0.07
25	0.987 ± 0.007	0.796 ± 0.006	0.824 ± 0.010	0.972 ± 0.003	0.912 ± 0.008	0.983 ± 0.007	1.000 ± 0.000	0.830 ± 0.009	0.82 ± 0.01	0.989 ± 0.003	0.93 ± 0.01	0.995 ± 0.004	E Africa M	E Asia F	0.05
26	0.990 ± 0.006	0.848 ± 0.006	0.869 ± 0.008	0.982 ± 0.002	0.943 ± 0.007	0.982 ± 0.007	0.999 ± 0.002	0.883 ± 0.007	0.89 ± 0.01	0.994 ± 0.002	0.95 ± 0.01	0.995 ± 0.004	E Africa M	E Asia F	0.03
27	0.996 ± 0.003	0.886 ± 0.005	0.923 ± 0.006	0.987 ± 0.002	0.958 ± 0.006	0.993 ± 0.004	0.999 ± 0.002	0.918 ± 0.006	0.935 ± 0.010	0.996 ± 0.001	0.973 ± 0.007	0.998 ± 0.002	E Africa M	E Asia F	0.02
28	0.998 ± 0.003	0.920 ± 0.004	0.952 ± 0.005	0.989 ± 0.002	0.971 ± 0.005	0.992 ± 0.004	0.999 ± 0.002	0.949 ± 0.004	0.966 ± 0.006	0.998 ± 0.001	0.977 ± 0.007	0.998 ± 0.002	E Africa M	E Asia F	0.01
29	0.996 ± 0.004	0.941 ± 0.003	0.972 ± 0.004	0.993 ± 0.001	0.978 ± 0.004	0.996 ± 0.003	1.000 ± 0.000	0.964 ± 0.004	0.978 ± 0.006	0.998 ± 0.001	0.982 ± 0.007	0.999 ± 0.001	E Africa M	E Asia F	0.01
30	0.995 ± 0.004	0.960 ± 0.003	0.987 ± 0.003	0.995 ± 0.001	0.984 ± 0.004	0.995 ± 0.003	1.000 ± 0.000	0.976 ± 0.004	0.992 ± 0.003	1.000 ± 0.000	0.990 ± 0.004	1.000 ± 0.001	E Africa M	E Asia F	0.01
31	0.998 ± 0.003	0.974 ± 0.002	0.992 ± 0.002	0.996 ± 0.001	0.990 ± 0.003	0.997 ± 0.003	1.000 ± 0.000	0.986 ± 0.002	0.996 ± 0.002	1.000 ± 0.000	0.990 ± 0.005	0.999 ± 0.001	E Africa M	E Asia F	0.00
32	0.998 ± 0.003	0.981 ± 0.002	0.997 ± 0.001	0.997 ± 0.001	0.992 ± 0.003	0.999 ± 0.002	1.000 ± 0.000	0.992 ± 0.002	0.998 ± 0.001	1.000 ± 0.000	0.993 ± 0.004	1.000 ± 0.001	E Africa M	E Asia F	0.00
33	0.998 ± 0.003	0.988 ± 0.002	0.997 ± 0.001	0.998 ± 0.001	0.994 ± 0.003	0.999 ± 0.001	1.000 ± 0.000	0.994 ± 0.001	1.000 ± 0.000	1.000 ± 0.000	0.998 ± 0.003	1.000 ± 0.000	E Africa M	E Asia F	0.00
34	1.000 ± 0.000	0.990 ± 0.001	0.998 ± 0.001	0.998 ± 0.001	0.994 ± 0.003	0.998 ± 0.003	1.000 ± 0.000	0.995 ± 0.002	1.000 ± 0.000	1.000 ± 0.000	0.999 ± 0.001	1.000 ± 0.000	E Africa F	E Asia F	0.00

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 271. *For algorithm yoti-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.03 ± 0.02	0.014 ± 0.005	0.03 ± 0.01	0.027 ± 0.008	0.04 ± 0.02	0.06 ± 0.03	0.006 ± 0.006	0.005 ± 0.003	0.000 ± 0.000	0.002 ± 0.002	0.005 ± 0.005	0.000 ± 0.000	W Africa F	E Europe M	0.60
15	0.05 ± 0.02	0.041 ± 0.010	0.07 ± 0.03	0.07 ± 0.02	0.04 ± 0.02	0.09 ± 0.04	0.008 ± 0.008	0.006 ± 0.004	0.000 ± 0.000	0.007 ± 0.005	0.002 ± 0.002	0.01 ± 0.01	W Africa F	E Europe M	0.54
16	0.13 ± 0.03	0.08 ± 0.01	0.11 ± 0.03	0.12 ± 0.02	0.15 ± 0.03	0.17 ± 0.04	0.02 ± 0.01	0.010 ± 0.005	0.003 ± 0.003	0.006 ± 0.004	0.003 ± 0.003	0.02 ± 0.02	W Africa F	S E Asia M	0.54
17	0.18 ± 0.04	0.14 ± 0.02	0.19 ± 0.04	0.21 ± 0.02	0.18 ± 0.04	0.24 ± 0.05	0.02 ± 0.01	0.036 ± 0.009	0.003 ± 0.003	0.021 ± 0.008	0.02 ± 0.01	0.08 ± 0.03	W Africa F	E Europe M	0.46
18	0.23 ± 0.04	0.19 ± 0.02	0.26 ± 0.04	0.25 ± 0.02	0.26 ± 0.03	0.32 ± 0.04	0.07 ± 0.02	0.059 ± 0.009	0.03 ± 0.01	0.043 ± 0.009	0.04 ± 0.01	0.10 ± 0.03	W Africa F	E Europe M	0.40
19	0.34 ± 0.04	0.29 ± 0.02	0.36 ± 0.04	0.35 ± 0.02	0.38 ± 0.03	0.44 ± 0.05	0.13 ± 0.03	0.12 ± 0.01	0.05 ± 0.02	0.09 ± 0.01	0.11 ± 0.02	0.18 ± 0.03	W Africa F	E Europe M	0.34
20	0.39 ± 0.04	0.40 ± 0.02	0.45 ± 0.04	0.43 ± 0.02	0.48 ± 0.03	0.49 ± 0.04	0.24 ± 0.04	0.22 ± 0.02	0.13 ± 0.03	0.18 ± 0.02	0.22 ± 0.03	0.28 ± 0.04	W Africa F	E Europe M	0.23
21	0.50 ± 0.04	0.51 ± 0.02	0.56 ± 0.03	0.56 ± 0.02	0.62 ± 0.02	0.61 ± 0.04	0.32 ± 0.03	0.35 ± 0.02	0.23 ± 0.03	0.30 ± 0.02	0.35 ± 0.03	0.38 ± 0.04	S E Asia F	E Europe M	0.18
22	0.56 ± 0.03	0.63 ± 0.02	0.68 ± 0.02	0.63 ± 0.02	0.70 ± 0.02	0.65 ± 0.04	0.50 ± 0.03	0.51 ± 0.02	0.40 ± 0.04	0.43 ± 0.02	0.49 ± 0.03	0.50 ± 0.04	S E Asia F	E Europe M	0.11
23	0.67 ± 0.03	0.73 ± 0.02	0.76 ± 0.02	0.72 ± 0.02	0.78 ± 0.02	0.77 ± 0.03	0.59 ± 0.03	0.62 ± 0.02	0.55 ± 0.04	0.60 ± 0.02	0.64 ± 0.03	0.65 ± 0.03	S E Asia F	E Europe M	0.07
24	0.72 ± 0.03	0.80 ± 0.01	0.86 ± 0.02	0.79 ± 0.01	0.86 ± 0.01	0.79 ± 0.03	0.73 ± 0.03	0.75 ± 0.02	0.73 ± 0.03	0.72 ± 0.02	0.77 ± 0.03	0.73 ± 0.03	S E Asia F	E Africa F	0.04
25	0.77 ± 0.02	0.870 ± 0.010	0.90 ± 0.01	0.84 ± 0.01	0.90 ± 0.01	0.84 ± 0.02	0.78 ± 0.02	0.84 ± 0.02	0.85 ± 0.02	0.83 ± 0.01	0.85 ± 0.02	0.81 ± 0.02	E Europe F	E Africa F	0.03
26	0.82 ± 0.02	0.913 ± 0.007	0.949 ± 0.008	0.883 ± 0.009	0.939 ± 0.009	0.88 ± 0.02	0.87 ± 0.02	0.92 ± 0.01	0.91 ± 0.02	0.89 ± 0.01	0.92 ± 0.01	0.88 ± 0.02	E Europe F	E Africa F	0.02
27	0.86 ± 0.02	0.950 ± 0.006	0.967 ± 0.007	0.912 ± 0.007	0.955 ± 0.007	0.91 ± 0.02	0.89 ± 0.02	0.949 ± 0.008	0.95 ± 0.01	0.941 ± 0.007	0.95 ± 0.01	0.91 ± 0.02	E Europe F	E Africa F	0.02
28	0.90 ± 0.02	0.967 ± 0.005	0.983 ± 0.005	0.931 ± 0.006	0.965 ± 0.007	0.94 ± 0.01	0.95 ± 0.01	0.971 ± 0.006	0.977 ± 0.008	0.963 ± 0.006	0.97 ± 0.01	0.95 ± 0.01	E Europe F	E Africa F	0.01
29	0.93 ± 0.01	0.980 ± 0.003	0.989 ± 0.004	0.954 ± 0.005	0.985 ± 0.004	0.94 ± 0.01	0.96 ± 0.01	0.986 ± 0.004	0.990 ± 0.006	0.978 ± 0.004	0.978 ± 0.008	0.972 ± 0.007	E Europe M	E Africa F	0.01
30	0.95 ± 0.01	0.987 ± 0.003	0.995 ± 0.003	0.965 ± 0.005	0.990 ± 0.004	0.96 ± 0.01	0.972 ± 0.010	0.991 ± 0.004	0.995 ± 0.004	0.986 ± 0.003	0.987 ± 0.007	0.978 ± 0.006	E Europe M	E Africa F	0.01
31	0.96 ± 0.01	0.991 ± 0.002	0.996 ± 0.003	0.975 ± 0.004	0.991 ± 0.004	0.96 ± 0.01	0.985 ± 0.007	0.996 ± 0.002	0.997 ± 0.003	0.992 ± 0.002	0.991 ± 0.007	0.989 ± 0.006	E Europe M	E Africa F	0.01
32	0.96 ± 0.01	0.995 ± 0.002	0.999 ± 0.002	0.982 ± 0.003	0.993 ± 0.003	0.965 ± 0.010	0.987 ± 0.007	0.996 ± 0.003	0.998 ± 0.003	0.997 ± 0.001	0.993 ± 0.005	0.994 ± 0.004	E Europe F	E Africa F	0.01
33	0.980 ± 0.008	0.996 ± 0.002	0.997 ± 0.002	0.987 ± 0.003	0.996 ± 0.003	0.978 ± 0.008	0.995 ± 0.004	0.998 ± 0.002	0.999 ± 0.002	0.997 ± 0.001	0.996 ± 0.005	0.994 ± 0.004	E Europe M	W Africa F	0.00
34	0.980 ± 0.008	0.998 ± 0.001	0.997 ± 0.002	0.993 ± 0.002	0.997 ± 0.002	0.983 ± 0.007	0.997 ± 0.003	0.998 ± 0.002	0.999 ± 0.002	0.998 ± 0.001	0.997 ± 0.004	0.997 ± 0.003	E Europe M	E Africa F	0.00

Table 272. *For algorithm yoti-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.15 ± 0.05	0.11 ± 0.01	0.08 ± 0.02	0.07 ± 0.02	0.13 ± 0.03	0.17 ± 0.05	0.06 ± 0.03	0.033 ± 0.007	0.012 ± 0.010	0.020 ± 0.007	0.05 ± 0.02	0.07 ± 0.04	W Africa F	E Europe M	0.37
15	0.16 ± 0.05	0.14 ± 0.01	0.12 ± 0.03	0.10 ± 0.02	0.19 ± 0.03	0.20 ± 0.05	0.09 ± 0.04	0.072 ± 0.009	0.02 ± 0.01	0.026 ± 0.008	0.07 ± 0.02	0.14 ± 0.05	W Africa F	E Europe M	0.31
16	0.21 ± 0.05	0.20 ± 0.01	0.18 ± 0.03	0.15 ± 0.02	0.28 ± 0.03	0.25 ± 0.05	0.16 ± 0.05	0.11 ± 0.01	0.04 ± 0.01	0.05 ± 0.01	0.12 ± 0.03	0.18 ± 0.05	S E Asia F	E Europe M	0.27
17	0.23 ± 0.05	0.28 ± 0.01	0.26 ± 0.03	0.21 ± 0.02	0.34 ± 0.03	0.29 ± 0.05	0.22 ± 0.05	0.19 ± 0.01	0.06 ± 0.02	0.12 ± 0.02	0.20 ± 0.03	0.28 ± 0.05	S E Asia F	E Europe M	0.19
18	0.36 ± 0.05	0.34 ± 0.01	0.33 ± 0.03	0.27 ± 0.02	0.44 ± 0.03	0.38 ± 0.05	0.33 ± 0.06	0.28 ± 0.01	0.13 ± 0.03	0.15 ± 0.02	0.32 ± 0.03	0.33 ± 0.05	S E Asia F	E Europe M	0.16
19	0.40 ± 0.05	0.42 ± 0.01	0.40 ± 0.02	0.35 ± 0.02	0.48 ± 0.02	0.44 ± 0.05	0.39 ± 0.05	0.37 ± 0.01	0.20 ± 0.03	0.26 ± 0.02	0.41 ± 0.03	0.43 ± 0.04	S E Asia F	E Europe M	0.11
20	0.49 ± 0.04	0.51 ± 0.01	0.47 ± 0.02	0.43 ± 0.02	0.56 ± 0.02	0.50 ± 0.04	0.52 ± 0.05	0.49 ± 0.01	0.31 ± 0.03	0.36 ± 0.02	0.54 ± 0.03	0.53 ± 0.04	S E Asia F	E Europe M	0.09
21	0.54 ± 0.04	0.58 ± 0.01	0.55 ± 0.02	0.49 ± 0.02	0.63 ± 0.02	0.60 ± 0.04	0.61 ± 0.04	0.61 ± 0.01	0.47 ± 0.03	0.45 ± 0.02	0.63 ± 0.02	0.66 ± 0.04	W Africa M	S Asia M	0.07
22	0.62 ± 0.03	0.643 ± 0.009	0.61 ± 0.02	0.56 ± 0.01	0.68 ± 0.02	0.66 ± 0.03	0.73 ± 0.04	0.720 ± 0.010	0.58 ± 0.03	0.58 ± 0.01	0.74 ± 0.02	0.73 ± 0.03	S E Asia M	S Asia F	0.06
23	0.62 ± 0.04	0.719 ± 0.009	0.69 ± 0.01	0.62 ± 0.01	0.76 ± 0.01	0.67 ± 0.03	0.76 ± 0.03	0.789 ± 0.009	0.71 ± 0.02	0.67 ± 0.01	0.82 ± 0.02	0.80 ± 0.03	S E Asia M	S Asia F	0.06
24	0.70 ± 0.03	0.759 ± 0.007	0.75 ± 0.01	0.67 ± 0.01	0.79 ± 0.01	0.71 ± 0.02	0.82 ± 0.03	0.845 ± 0.008	0.80 ± 0.02	0.76 ± 0.01	0.86 ± 0.02	0.86 ± 0.02	S E Asia M	S Asia F	0.05
25	0.72 ± 0.03	0.810 ± 0.007	0.81 ± 0.01	0.706 ± 0.010	0.83 ± 0.01	0.75 ± 0.02	0.90 ± 0.02	0.902 ± 0.007	0.87 ± 0.01	0.835 ± 0.009	0.91 ± 0.01	0.90 ± 0.02	S E Asia M	S Asia F	0.05
26	0.77 ± 0.03	0.850 ± 0.006	0.840 ± 0.009	0.748 ± 0.009	0.87 ± 0.01	0.80 ± 0.02	0.91 ± 0.02	0.932 ± 0.005	0.90 ± 0.01	0.877 ± 0.007	0.94 ± 0.01	0.93 ± 0.01	S E Asia M	S Asia F	0.04
27	0.81 ± 0.02	0.881 ± 0.005	0.885 ± 0.008	0.783 ± 0.008	0.893 ± 0.009	0.83 ± 0.02	0.94 ± 0.01	0.951 ± 0.005	0.937 ± 0.009	0.908 ± 0.006	0.959 ± 0.010	0.94 ± 0.01	S E Asia M	S Asia F	0.04
28	0.83 ± 0.02	0.908 ± 0.004	0.914 ± 0.007	0.815 ± 0.008	0.913 ± 0.009	0.83 ± 0.02	0.96 ± 0.01	0.964 ± 0.004	0.965 ± 0.006	0.936 ± 0.005	0.968 ± 0.008	0.959 ± 0.008	S E Asia M	S Asia F	0.04
29	0.88 ± 0.02	0.929 ± 0.004	0.938 ± 0.006	0.833 ± 0.006	0.928 ± 0.009	0.87 ± 0.01	0.978 ± 0.009	0.978 ± 0.003	0.968 ± 0.006	0.950 ± 0.004	0.978 ± 0.007	0.974 ± 0.006	S E Asia M	S Asia F	0.03
30	0.88 ± 0.02	0.944 ± 0.003	0.954 ± 0.005	0.858 ± 0.006	0.944 ± 0.007	0.88 ± 0.01	0.978 ± 0.009	0.983 ± 0.003	0.977 ± 0.005	0.967 ± 0.003	0.986 ± 0.006	0.977 ± 0.006	S E Asia M	S Asia F	0.03
31	0.90 ± 0.02	0.957 ± 0.003	0.966 ± 0.004	0.888 ± 0.005	0.946 ± 0.007	0.90 ± 0.01	0.984 ± 0.007	0.990 ± 0.002	0.989 ± 0.003	0.975 ± 0.003	0.991 ± 0.005	0.987 ± 0.005	S E Asia M	S Asia F	0.02
32	0.92 ± 0.02	0.965 ± 0.003	0.976 ± 0.004	0.904 ± 0.005	0.965 ± 0.006	0.91 ± 0.01	0.986 ± 0.007	0.990 ± 0.002	0.990 ± 0.003	0.982 ± 0.002	0.984 ± 0.007	0.987 ± 0.005	E Asia M	S Asia F	0.02
33	0.93 ± 0.02	0.972 ± 0.002	0.979 ± 0.004	0.912 ± 0.005	0.968 ± 0.005	0.93 ± 0.01	0.993 ± 0.005	0.993 ± 0.002	0.996 ± 0.002	0.987 ± 0.002	0.992 ± 0.004	0.994 ± 0.003	E Europe M	S Asia F	0.02
34	0.93 ± 0.01	0.977 ± 0.002	0.984 ± 0.003	0.930 ± 0.005	0.975 ± 0.005	0.95 ± 0.01	0.993 ± 0.005	0.994 ± 0.002	0.997 ± 0.002	0.990 ± 0.002	0.995 ± 0.003	0.993 ± 0.004	E Europe M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 273. *For algorithm yoti-002 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.013 ± 0.009	0.021 ± 0.007	0.007 ± 0.007	0.014 ± 0.006	0.04 ± 0.02	0.03 ± 0.02	0.006 ± 0.006	0.004 ± 0.003	0.000 ± 0.000	0.003 ± 0.002	0.002 ± 0.002	0.000 ± 0.000	S E Asia F	E Europe M	0.60
15	0.03 ± 0.02	0.04 ± 0.01	0.02 ± 0.01	0.03 ± 0.01	0.04 ± 0.02	0.05 ± 0.03	0.008 ± 0.008	0.006 ± 0.004	0.000 ± 0.000	0.003 ± 0.003	0.005 ± 0.005	0.005 ± 0.005	W Africa F	E Europe M	0.52
16	0.07 ± 0.02	0.07 ± 0.01	0.04 ± 0.02	0.07 ± 0.02	0.13 ± 0.03	0.11 ± 0.04	0.02 ± 0.01	0.011 ± 0.005	0.003 ± 0.003	0.008 ± 0.006	0.01 ± 0.01	0.009 ± 0.009	S E Asia F	E Europe M	0.54
17	0.10 ± 0.03	0.12 ± 0.02	0.06 ± 0.02	0.14 ± 0.02	0.16 ± 0.04	0.18 ± 0.04	0.012 ± 0.009	0.028 ± 0.007	0.006 ± 0.006	0.018 ± 0.007	0.011 ± 0.008	0.04 ± 0.02	W Africa F	E Europe M	0.51
18	0.12 ± 0.02	0.16 ± 0.02	0.09 ± 0.02	0.18 ± 0.02	0.22 ± 0.03	0.19 ± 0.03	0.04 ± 0.02	0.043 ± 0.008	0.005 ± 0.005	0.043 ± 0.009	0.03 ± 0.01	0.07 ± 0.02	S E Asia F	E Europe M	0.43
19	0.22 ± 0.03	0.24 ± 0.02	0.15 ± 0.03	0.29 ± 0.02	0.33 ± 0.03	0.29 ± 0.04	0.11 ± 0.03	0.10 ± 0.01	0.02 ± 0.01	0.08 ± 0.01	0.08 ± 0.02	0.15 ± 0.03	S E Asia F	E Europe M	0.34
20	0.29 ± 0.03	0.37 ± 0.02	0.19 ± 0.03	0.39 ± 0.02	0.45 ± 0.03	0.38 ± 0.04	0.16 ± 0.03	0.16 ± 0.02	0.06 ± 0.02	0.16 ± 0.02	0.16 ± 0.03	0.19 ± 0.03	S E Asia F	E Europe M	0.28
21	0.36 ± 0.04	0.49 ± 0.02	0.32 ± 0.03	0.51 ± 0.02	0.57 ± 0.03	0.46 ± 0.04	0.27 ± 0.03	0.29 ± 0.02	0.14 ± 0.03	0.28 ± 0.02	0.29 ± 0.03	0.30 ± 0.04	S E Asia F	E Europe M	0.20
22	0.47 ± 0.03	0.60 ± 0.02	0.43 ± 0.03	0.62 ± 0.02	0.67 ± 0.02	0.55 ± 0.04	0.46 ± 0.04	0.44 ± 0.02	0.29 ± 0.03	0.43 ± 0.02	0.40 ± 0.03	0.36 ± 0.04	S E Asia F	E Europe M	0.14
23	0.56 ± 0.03	0.71 ± 0.02	0.53 ± 0.02	0.71 ± 0.02	0.77 ± 0.02	0.66 ± 0.03	0.54 ± 0.03	0.58 ± 0.02	0.43 ± 0.03	0.61 ± 0.02	0.57 ± 0.03	0.55 ± 0.03	S E Asia F	E Europe M	0.09
24	0.64 ± 0.03	0.80 ± 0.01	0.66 ± 0.02	0.79 ± 0.01	0.84 ± 0.01	0.70 ± 0.03	0.66 ± 0.03	0.72 ± 0.02	0.63 ± 0.03	0.73 ± 0.02	0.71 ± 0.02	0.66 ± 0.03	S E Asia F	E Europe M	0.06
25	0.70 ± 0.03	0.863 ± 0.010	0.77 ± 0.02	0.84 ± 0.01	0.89 ± 0.01	0.78 ± 0.03	0.75 ± 0.03	0.82 ± 0.01	0.78 ± 0.03	0.85 ± 0.01	0.82 ± 0.02	0.76 ± 0.03	S E Asia F	E Africa F	0.04
26	0.77 ± 0.02	0.915 ± 0.008	0.85 ± 0.01	0.881 ± 0.009	0.936 ± 0.009	0.83 ± 0.02	0.84 ± 0.02	0.91 ± 0.01	0.88 ± 0.02	0.908 ± 0.010	0.89 ± 0.02	0.83 ± 0.02	S E Asia F	E Africa F	0.03
27	0.82 ± 0.02	0.950 ± 0.006	0.91 ± 0.01	0.912 ± 0.008	0.953 ± 0.009	0.85 ± 0.02	0.89 ± 0.02	0.947 ± 0.009	0.94 ± 0.01	0.948 ± 0.007	0.92 ± 0.02	0.89 ± 0.02	S E Asia F	E Africa F	0.03
28	0.85 ± 0.02	0.971 ± 0.005	0.954 ± 0.008	0.938 ± 0.006	0.969 ± 0.007	0.91 ± 0.02	0.94 ± 0.01	0.969 ± 0.007	0.968 ± 0.009	0.965 ± 0.005	0.97 ± 0.01	0.93 ± 0.01	E Asia F	E Africa F	0.02
29	0.92 ± 0.01	0.983 ± 0.003	0.977 ± 0.006	0.951 ± 0.006	0.981 ± 0.005	0.93 ± 0.01	0.96 ± 0.01	0.983 ± 0.005	0.986 ± 0.006	0.982 ± 0.003	0.981 ± 0.008	0.96 ± 0.01	E Europe M	E Africa F	0.01
30	0.92 ± 0.01	0.989 ± 0.003	0.983 ± 0.006	0.967 ± 0.005	0.987 ± 0.004	0.94 ± 0.01	0.969 ± 0.010	0.992 ± 0.003	0.994 ± 0.004	0.987 ± 0.003	0.987 ± 0.007	0.973 ± 0.008	E Europe M	E Africa F	0.01
31	0.93 ± 0.01	0.995 ± 0.002	0.991 ± 0.004	0.977 ± 0.004	0.988 ± 0.004	0.95 ± 0.01	0.990 ± 0.006	0.994 ± 0.003	0.994 ± 0.004	0.993 ± 0.002	0.989 ± 0.007	0.987 ± 0.005	E Asia F	E Africa F	0.01
32	0.96 ± 0.01	0.997 ± 0.002	0.997 ± 0.002	0.987 ± 0.003	0.991 ± 0.004	0.967 ± 0.010	0.988 ± 0.006	0.998 ± 0.002	0.998 ± 0.003	0.996 ± 0.002	0.992 ± 0.005	0.990 ± 0.005	E Asia M	E Africa F	0.01
33	0.97 ± 0.01	0.998 ± 0.001	0.994 ± 0.004	0.988 ± 0.003	0.998 ± 0.002	0.984 ± 0.007	0.996 ± 0.004	0.998 ± 0.001	0.999 ± 0.002	0.997 ± 0.001	0.997 ± 0.004	0.991 ± 0.005	E Europe M	E Africa F	0.00
34	0.972 ± 0.009	0.998 ± 0.001	0.997 ± 0.002	0.992 ± 0.003	0.999 ± 0.002	0.988 ± 0.006	0.998 ± 0.003	0.998 ± 0.002	0.999 ± 0.001	0.997 ± 0.001	0.998 ± 0.003	0.997 ± 0.003	E Europe M	E Africa F	0.00

Table 274. *For algorithm yoti-002 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.08 ± 0.04	0.12 ± 0.01	0.04 ± 0.02	0.05 ± 0.01	0.19 ± 0.03	0.07 ± 0.03	0.02 ± 0.02	0.021 ± 0.006	0.007 ± 0.007	0.012 ± 0.006	0.03 ± 0.01	0.06 ± 0.04	S E Asia F	E Europe M	0.49
15	0.09 ± 0.04	0.18 ± 0.02	0.07 ± 0.02	0.07 ± 0.02	0.23 ± 0.04	0.17 ± 0.05	0.08 ± 0.04	0.051 ± 0.007	0.02 ± 0.01	0.015 ± 0.006	0.04 ± 0.02	0.08 ± 0.04	S E Asia F	S Asia M	0.41
16	0.20 ± 0.05	0.25 ± 0.01	0.11 ± 0.02	0.12 ± 0.02	0.34 ± 0.03	0.17 ± 0.04	0.07 ± 0.04	0.081 ± 0.009	0.018 ± 0.010	0.027 ± 0.008	0.07 ± 0.02	0.08 ± 0.04	S E Asia F	E Europe M	0.42
17	0.21 ± 0.04	0.34 ± 0.01	0.16 ± 0.02	0.15 ± 0.02	0.39 ± 0.03	0.26 ± 0.06	0.17 ± 0.05	0.15 ± 0.01	0.03 ± 0.01	0.08 ± 0.01	0.15 ± 0.03	0.20 ± 0.05	S E Asia F	E Europe M	0.30
18	0.30 ± 0.05	0.41 ± 0.01	0.24 ± 0.02	0.23 ± 0.02	0.50 ± 0.03	0.29 ± 0.05	0.27 ± 0.05	0.22 ± 0.01	0.08 ± 0.02	0.10 ± 0.01	0.22 ± 0.03	0.23 ± 0.04	S E Asia F	E Europe M	0.24
19	0.35 ± 0.04	0.50 ± 0.01	0.29 ± 0.02	0.30 ± 0.02	0.54 ± 0.02	0.39 ± 0.04	0.34 ± 0.05	0.32 ± 0.01	0.15 ± 0.02	0.19 ± 0.02	0.31 ± 0.03	0.34 ± 0.04	S E Asia F	E Europe M	0.19
20	0.47 ± 0.04	0.60 ± 0.01	0.37 ± 0.02	0.36 ± 0.02	0.63 ± 0.02	0.50 ± 0.04	0.45 ± 0.04	0.43 ± 0.01	0.26 ± 0.02	0.28 ± 0.02	0.44 ± 0.03	0.45 ± 0.04	S E Asia F	E Europe M	0.15
21	0.51 ± 0.04	0.669 ± 0.009	0.45 ± 0.02	0.43 ± 0.02	0.69 ± 0.02	0.55 ± 0.04	0.55 ± 0.04	0.56 ± 0.01	0.43 ± 0.03	0.38 ± 0.02	0.56 ± 0.03	0.58 ± 0.04	S E Asia F	S Asia M	0.10
22	0.63 ± 0.04	0.733 ± 0.009	0.53 ± 0.02	0.51 ± 0.01	0.74 ± 0.02	0.64 ± 0.03	0.68 ± 0.04	0.68 ± 0.01	0.56 ± 0.03	0.51 ± 0.02	0.68 ± 0.02	0.65 ± 0.03	S E Asia F	S Asia M	0.08
23	0.62 ± 0.03	0.798 ± 0.007	0.62 ± 0.02	0.56 ± 0.01	0.82 ± 0.01	0.66 ± 0.03	0.72 ± 0.03	0.77 ± 0.01	0.70 ± 0.02	0.61 ± 0.01	0.76 ± 0.02	0.76 ± 0.03	S E Asia F	S Asia F	0.07
24	0.69 ± 0.03	0.837 ± 0.006	0.70 ± 0.01	0.63 ± 0.01	0.85 ± 0.01	0.71 ± 0.03	0.81 ± 0.03	0.833 ± 0.009	0.81 ± 0.02	0.72 ± 0.01	0.84 ± 0.02	0.82 ± 0.02	S E Asia F	S Asia F	0.06
25	0.72 ± 0.03	0.880 ± 0.005	0.77 ± 0.01	0.668 ± 0.010	0.87 ± 0.01	0.75 ± 0.02	0.86 ± 0.02	0.899 ± 0.007	0.87 ± 0.01	0.803 ± 0.010	0.89 ± 0.02	0.88 ± 0.02	E Asia M	S Asia F	0.05
26	0.78 ± 0.02	0.906 ± 0.005	0.811 ± 0.009	0.712 ± 0.009	0.909 ± 0.009	0.80 ± 0.02	0.91 ± 0.02	0.936 ± 0.005	0.916 ± 0.010	0.856 ± 0.008	0.92 ± 0.01	0.91 ± 0.02	E Asia M	S Asia F	0.05
27	0.80 ± 0.02	0.933 ± 0.004	0.869 ± 0.008	0.753 ± 0.008	0.918 ± 0.008	0.83 ± 0.02	0.93 ± 0.02	0.960 ± 0.004	0.948 ± 0.008	0.900 ± 0.006	0.95 ± 0.01	0.93 ± 0.01	E Asia M	S Asia F	0.04
28	0.85 ± 0.02	0.951 ± 0.003	0.909 ± 0.006	0.784 ± 0.007	0.940 ± 0.008	0.85 ± 0.02	0.95 ± 0.01	0.972 ± 0.003	0.972 ± 0.006	0.929 ± 0.005	0.963 ± 0.009	0.957 ± 0.010	E Europe M	S Asia F	0.04
29	0.87 ± 0.02	0.966 ± 0.003	0.935 ± 0.005	0.813 ± 0.007	0.955 ± 0.006	0.88 ± 0.01	0.970 ± 0.010	0.984 ± 0.003	0.978 ± 0.005	0.947 ± 0.004	0.982 ± 0.006	0.971 ± 0.007	E Asia M	S Asia F	0.03
30	0.91 ± 0.01	0.975 ± 0.002	0.951 ± 0.005	0.847 ± 0.006	0.963 ± 0.006	0.91 ± 0.01	0.980 ± 0.008	0.989 ± 0.002	0.987 ± 0.004	0.962 ± 0.003	0.986 ± 0.006	0.974 ± 0.007	E Asia M	S Asia F	0.02
31	0.90 ± 0.02	0.982 ± 0.002	0.968 ± 0.004	0.866 ± 0.006	0.970 ± 0.006	0.93 ± 0.01	0.984 ± 0.007	0.994 ± 0.002	0.994 ± 0.003	0.974 ± 0.002	0.992 ± 0.005	0.985 ± 0.005	E Europe M	S Asia F	0.02
32	0.91 ± 0.02	0.988 ± 0.002	0.979 ± 0.003	0.888 ± 0.005	0.978 ± 0.005	0.93 ± 0.01	0.990 ± 0.006	0.996 ± 0.001	0.994 ± 0.003	0.981 ± 0.002	0.992 ± 0.004	0.986 ± 0.005	E Asia M	S Asia F	0.02
33	0.93 ± 0.01	0.991 ± 0.001	0.983 ± 0.003	0.903 ± 0.005	0.985 ± 0.004	0.94 ± 0.01	0.993 ± 0.005	0.997 ± 0.001	0.996 ± 0.002	0.986 ± 0.002	0.993 ± 0.004	0.994 ± 0.003	E Asia M	S Asia F	0.02
34	0.94 ± 0.01	0.992 ± 0.001	0.988 ± 0.003	0.924 ± 0.005	0.986 ± 0.004	0.96 ± 0.01	0.992 ± 0.005	0.997 ± 0.001	0.999 ± 0.001	0.990 ± 0.001	0.997 ± 0.003	0.994 ± 0.003	E Europe M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 275. *For algorithm yoti-003 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.013 ± 0.009	0.018 ± 0.007	0.005 ± 0.005	0.008 ± 0.005	0.04 ± 0.02	0.02 ± 0.02	0.002 ± 0.002	0.008 ± 0.004	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.004 ± 0.004	S E Asia F	E Europe M	0.61
15	0.03 ± 0.02	0.040 ± 0.010	0.02 ± 0.01	0.026 ± 0.010	0.05 ± 0.02	0.01 ± 0.01	0.005 ± 0.005	0.004 ± 0.003	0.000 ± 0.000	0.004 ± 0.003	0.002 ± 0.002	0.005 ± 0.005	S E Asia F	E Europe M	0.56
16	0.07 ± 0.02	0.06 ± 0.01	0.04 ± 0.02	0.04 ± 0.01	0.10 ± 0.03	0.10 ± 0.03	0.02 ± 0.01	0.010 ± 0.005	0.003 ± 0.003	0.003 ± 0.003	0.008 ± 0.008	0.009 ± 0.009	W Africa F	E Europe M	0.54
17	0.11 ± 0.03	0.12 ± 0.02	0.05 ± 0.02	0.12 ± 0.02	0.14 ± 0.03	0.14 ± 0.04	0.012 ± 0.009	0.020 ± 0.007	0.006 ± 0.006	0.016 ± 0.008	0.03 ± 0.02	0.04 ± 0.02	W Africa F	E Europe M	0.46
18	0.14 ± 0.03	0.15 ± 0.02	0.05 ± 0.02	0.14 ± 0.02	0.19 ± 0.03	0.16 ± 0.03	0.03 ± 0.01	0.041 ± 0.007	0.005 ± 0.005	0.037 ± 0.009	0.03 ± 0.01	0.06 ± 0.02	S E Asia F	E Europe M	0.42
19	0.27 ± 0.04	0.24 ± 0.02	0.10 ± 0.02	0.25 ± 0.02	0.30 ± 0.03	0.25 ± 0.04	0.10 ± 0.02	0.09 ± 0.01	0.02 ± 0.01	0.08 ± 0.01	0.08 ± 0.02	0.15 ± 0.03	S E Asia F	E Europe M	0.34
20	0.34 ± 0.04	0.37 ± 0.02	0.15 ± 0.03	0.35 ± 0.02	0.44 ± 0.03	0.34 ± 0.04	0.17 ± 0.03	0.16 ± 0.01	0.07 ± 0.02	0.17 ± 0.02	0.18 ± 0.03	0.17 ± 0.03	S E Asia F	E Europe M	0.28
21	0.44 ± 0.04	0.49 ± 0.02	0.26 ± 0.03	0.48 ± 0.02	0.56 ± 0.03	0.45 ± 0.04	0.26 ± 0.03	0.30 ± 0.02	0.12 ± 0.02	0.29 ± 0.02	0.31 ± 0.03	0.26 ± 0.04	S E Asia F	E Europe M	0.21
22	0.53 ± 0.03	0.60 ± 0.02	0.37 ± 0.03	0.59 ± 0.02	0.66 ± 0.02	0.52 ± 0.04	0.43 ± 0.03	0.44 ± 0.02	0.28 ± 0.03	0.43 ± 0.02	0.43 ± 0.03	0.34 ± 0.04	S E Asia F	E Europe M	0.14
23	0.62 ± 0.03	0.71 ± 0.02	0.48 ± 0.02	0.70 ± 0.02	0.77 ± 0.02	0.63 ± 0.03	0.51 ± 0.03	0.59 ± 0.02	0.45 ± 0.03	0.61 ± 0.02	0.62 ± 0.03	0.53 ± 0.03	S E Asia F	E Europe M	0.10
24	0.72 ± 0.03	0.79 ± 0.01	0.65 ± 0.02	0.79 ± 0.01	0.85 ± 0.01	0.69 ± 0.03	0.64 ± 0.03	0.73 ± 0.02	0.66 ± 0.03	0.75 ± 0.02	0.78 ± 0.02	0.64 ± 0.03	S E Asia F	E Africa M	0.06
25	0.77 ± 0.02	0.877 ± 0.010	0.75 ± 0.02	0.84 ± 0.01	0.89 ± 0.01	0.77 ± 0.02	0.75 ± 0.03	0.85 ± 0.01	0.79 ± 0.02	0.86 ± 0.01	0.86 ± 0.02	0.74 ± 0.03	S E Asia F	W Africa M	0.04
26	0.81 ± 0.02	0.919 ± 0.008	0.85 ± 0.01	0.883 ± 0.009	0.942 ± 0.008	0.83 ± 0.02	0.84 ± 0.02	0.92 ± 0.01	0.88 ± 0.02	0.920 ± 0.009	0.93 ± 0.02	0.83 ± 0.02	S E Asia F	E Africa F	0.03
27	0.88 ± 0.02	0.955 ± 0.005	0.90 ± 0.01	0.924 ± 0.007	0.963 ± 0.006	0.88 ± 0.02	0.88 ± 0.02	0.954 ± 0.008	0.95 ± 0.01	0.960 ± 0.007	0.96 ± 0.01	0.89 ± 0.02	S E Asia M	W Africa F	0.02
28	0.91 ± 0.01	0.976 ± 0.004	0.951 ± 0.008	0.946 ± 0.006	0.977 ± 0.006	0.91 ± 0.02	0.93 ± 0.01	0.980 ± 0.005	0.973 ± 0.009	0.977 ± 0.005	0.987 ± 0.007	0.93 ± 0.01	S E Asia M	E Africa F	0.02
29	0.94 ± 0.01	0.987 ± 0.003	0.975 ± 0.006	0.960 ± 0.005	0.986 ± 0.005	0.93 ± 0.01	0.95 ± 0.01	0.988 ± 0.004	0.990 ± 0.006	0.991 ± 0.003	0.993 ± 0.005	0.96 ± 0.01	S E Asia M	W Africa F	0.01
30	0.96 ± 0.01	0.993 ± 0.002	0.985 ± 0.005	0.977 ± 0.004	0.992 ± 0.003	0.96 ± 0.01	0.973 ± 0.009	0.996 ± 0.002	0.996 ± 0.004	0.993 ± 0.002	0.994 ± 0.004	0.973 ± 0.008	E Europe M	E Africa F	0.01
31	0.96 ± 0.01	0.996 ± 0.002	0.993 ± 0.004	0.983 ± 0.003	0.996 ± 0.003	0.96 ± 0.01	0.988 ± 0.006	0.999 ± 0.001	0.999 ± 0.002	0.996 ± 0.002	0.994 ± 0.005	0.987 ± 0.006	E Asia M	W Africa F	0.01
32	0.972 ± 0.009	0.998 ± 0.001	0.998 ± 0.002	0.990 ± 0.003	0.997 ± 0.002	0.976 ± 0.007	0.988 ± 0.006	0.999 ± 0.001	0.999 ± 0.002	0.998 ± 0.001	0.995 ± 0.004	0.991 ± 0.005	E Asia M	E Africa F	0.00
33	0.984 ± 0.008	0.999 ± 0.001	0.996 ± 0.003	0.992 ± 0.002	1.000 ± 0.000	0.989 ± 0.006	0.998 ± 0.003	1.000 ± 0.001	0.999 ± 0.002	0.998 ± 0.001	0.998 ± 0.003	0.993 ± 0.004	S E Asia F	E Africa F	0.00
34	0.986 ± 0.007	0.999 ± 0.001	0.998 ± 0.002	0.996 ± 0.002	1.000 ± 0.001	0.987 ± 0.007	0.999 ± 0.002	0.999 ± 0.001	0.999 ± 0.001	0.999 ± 0.001	1.000 ± 0.000	0.998 ± 0.003	S E Asia M	E Africa F	0.00

Table 276. *For algorithm yoti-003 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.09 ± 0.04	0.13 ± 0.01	0.03 ± 0.02	0.05 ± 0.01	0.19 ± 0.04	0.07 ± 0.04	0.06 ± 0.03	0.041 ± 0.008	0.010 ± 0.007	0.008 ± 0.004	0.03 ± 0.01	0.04 ± 0.03	S E Asia F	S Asia M	0.46
15	0.11 ± 0.05	0.19 ± 0.01	0.08 ± 0.02	0.08 ± 0.02	0.24 ± 0.04	0.16 ± 0.05	0.07 ± 0.04	0.067 ± 0.008	0.007 ± 0.007	0.022 ± 0.007	0.05 ± 0.02	0.04 ± 0.03	S E Asia F	E Europe M	0.43
16	0.21 ± 0.05	0.24 ± 0.02	0.10 ± 0.02	0.12 ± 0.02	0.33 ± 0.03	0.17 ± 0.05	0.05 ± 0.03	0.103 ± 0.010	0.018 ± 0.010	0.034 ± 0.009	0.10 ± 0.02	0.06 ± 0.03	S E Asia F	E Europe M	0.42
17	0.22 ± 0.05	0.32 ± 0.02	0.15 ± 0.02	0.18 ± 0.02	0.40 ± 0.03	0.19 ± 0.05	0.15 ± 0.05	0.16 ± 0.01	0.02 ± 0.01	0.08 ± 0.01	0.15 ± 0.03	0.15 ± 0.04	S E Asia F	E Europe M	0.30
18	0.30 ± 0.04	0.40 ± 0.01	0.24 ± 0.02	0.25 ± 0.02	0.48 ± 0.02	0.26 ± 0.04	0.15 ± 0.04	0.23 ± 0.01	0.06 ± 0.02	0.10 ± 0.01	0.24 ± 0.03	0.16 ± 0.04	S E Asia F	E Europe M	0.28
19	0.35 ± 0.04	0.49 ± 0.01	0.31 ± 0.02	0.34 ± 0.02	0.50 ± 0.02	0.36 ± 0.04	0.24 ± 0.05	0.35 ± 0.01	0.10 ± 0.02	0.18 ± 0.01	0.36 ± 0.03	0.27 ± 0.04	S E Asia F	E Europe M	0.20
20	0.46 ± 0.04	0.58 ± 0.01	0.39 ± 0.02	0.40 ± 0.02	0.62 ± 0.02	0.44 ± 0.04	0.37 ± 0.04	0.46 ± 0.01	0.22 ± 0.02	0.27 ± 0.02	0.49 ± 0.03	0.36 ± 0.04	S E Asia F	E Europe M	0.16
21	0.51 ± 0.04	0.652 ± 0.009	0.48 ± 0.02	0.49 ± 0.02	0.66 ± 0.02	0.51 ± 0.04	0.45 ± 0.04	0.59 ± 0.01	0.35 ± 0.03	0.38 ± 0.02	0.58 ± 0.03	0.48 ± 0.04	S E Asia F	E Europe M	0.11
22	0.64 ± 0.04	0.724 ± 0.009	0.56 ± 0.02	0.56 ± 0.01	0.73 ± 0.02	0.60 ± 0.04	0.56 ± 0.04	0.70 ± 0.01	0.50 ± 0.03	0.52 ± 0.02	0.70 ± 0.02	0.58 ± 0.03	S E Asia F	E Europe M	0.08
23	0.61 ± 0.03	0.789 ± 0.008	0.64 ± 0.02	0.61 ± 0.01	0.79 ± 0.01	0.60 ± 0.03	0.64 ± 0.04	0.795 ± 0.009	0.64 ± 0.02	0.62 ± 0.01	0.79 ± 0.02	0.65 ± 0.03	E Asia M	W Africa F	0.07
24	0.69 ± 0.03	0.829 ± 0.007	0.73 ± 0.01	0.682 ± 0.009	0.84 ± 0.01	0.64 ± 0.03	0.72 ± 0.03	0.852 ± 0.008	0.77 ± 0.02	0.72 ± 0.01	0.87 ± 0.02	0.76 ± 0.03	S E Asia M	W Africa F	0.06
25	0.74 ± 0.03	0.869 ± 0.006	0.80 ± 0.01	0.732 ± 0.009	0.86 ± 0.01	0.72 ± 0.02	0.79 ± 0.03	0.916 ± 0.006	0.86 ± 0.01	0.809 ± 0.009	0.91 ± 0.01	0.82 ± 0.02	E Asia M	W Africa F	0.05
26	0.80 ± 0.02	0.906 ± 0.005	0.851 ± 0.008	0.776 ± 0.009	0.908 ± 0.009	0.75 ± 0.02	0.87 ± 0.02	0.948 ± 0.005	0.90 ± 0.01	0.870 ± 0.007	0.94 ± 0.01	0.87 ± 0.02	E Asia M	W Africa F	0.04
27	0.82 ± 0.02	0.934 ± 0.004	0.897 ± 0.007	0.807 ± 0.007	0.931 ± 0.007	0.81 ± 0.02	0.89 ± 0.02	0.969 ± 0.004	0.944 ± 0.008	0.907 ± 0.006	0.964 ± 0.009	0.92 ± 0.01	E Asia M	W Africa F	0.04
28	0.86 ± 0.02	0.952 ± 0.003	0.929 ± 0.005	0.841 ± 0.007	0.948 ± 0.007	0.84 ± 0.02	0.94 ± 0.01	0.981 ± 0.003	0.970 ± 0.006	0.939 ± 0.004	0.974 ± 0.008	0.93 ± 0.01	E Asia M	W Africa F	0.03
29	0.89 ± 0.02	0.967 ± 0.003	0.951 ± 0.005	0.864 ± 0.006	0.954 ± 0.007	0.85 ± 0.02	0.96 ± 0.01	0.990 ± 0.002	0.977 ± 0.005	0.960 ± 0.003	0.983 ± 0.006	0.959 ± 0.008	E Asia M	W Africa F	0.03
30	0.91 ± 0.01	0.979 ± 0.002	0.967 ± 0.004	0.896 ± 0.005	0.973 ± 0.005	0.89 ± 0.01	0.96 ± 0.01	0.994 ± 0.002	0.988 ± 0.004	0.973 ± 0.003	0.992 ± 0.004	0.970 ± 0.007	E Asia M	W Africa F	0.02
31	0.92 ± 0.02	0.985 ± 0.002	0.977 ± 0.003	0.915 ± 0.004	0.977 ± 0.005	0.91 ± 0.01	0.980 ± 0.008	0.995 ± 0.001	0.993 ± 0.003	0.984 ± 0.002	0.996 ± 0.003	0.976 ± 0.006	S E Asia M	W Africa F	0.02
32	0.95 ± 0.01	0.991 ± 0.001	0.987 ± 0.003	0.930 ± 0.004	0.981 ± 0.004	0.91 ± 0.01	0.987 ± 0.007	0.998 ± 0.001	0.995 ± 0.002	0.988 ± 0.002	0.995 ± 0.003	0.987 ± 0.004	E Asia M	W Africa F	0.01
33	0.94 ± 0.01	0.994 ± 0.001	0.991 ± 0.002	0.946 ± 0.004	0.987 ± 0.003	0.93 ± 0.01	0.993 ± 0.005	0.998 ± 0.001	0.998 ± 0.001	0.991 ± 0.001	0.999 ± 0.001	0.992 ± 0.004	S E Asia M	W Africa F	0.01
34	0.97 ± 0.01	0.994 ± 0.001	0.993 ± 0.002	0.958 ± 0.003	0.991 ± 0.003	0.96 ± 0.01	0.997 ± 0.003	0.998 ± 0.001	0.999 ± 0.001	0.995 ± 0.001	1.000 ± 0.000	0.997 ± 0.002	S E Asia M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 277. *For algorithm yoti-004 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.007 ± 0.007	0.008 ± 0.004	0.000 ± 0.000	0.004 ± 0.003	0.009 ± 0.007	0.004 ± 0.004	0.002 ± 0.002	0.002 ± 0.002	0.000 ± 0.000	0.002 ± 0.002	0.000 ± 0.000	0.000 ± 0.000	S E Asia F	E Europe F	0.59
15	0.01 ± 0.01	0.013 ± 0.006	0.000 ± 0.000	0.015 ± 0.008	0.03 ± 0.02	0.009 ± 0.009	0.010 ± 0.008	0.001 ± 0.001	0.000 ± 0.000	0.003 ± 0.003	0.002 ± 0.002	0.005 ± 0.005	S E Asia F	E Europe F	0.55
16	0.04 ± 0.02	0.031 ± 0.009	0.011 ± 0.008	0.022 ± 0.009	0.05 ± 0.02	0.03 ± 0.02	0.01 ± 0.01	0.003 ± 0.002	0.003 ± 0.003	0.003 ± 0.003	0.003 ± 0.003	0.000 ± 0.000	S E Asia F	W Africa M	0.57
17	0.06 ± 0.02	0.05 ± 0.01	0.011 ± 0.008	0.06 ± 0.02	0.09 ± 0.03	0.09 ± 0.03	0.012 ± 0.009	0.011 ± 0.005	0.003 ± 0.003	0.011 ± 0.006	0.011 ± 0.008	0.03 ± 0.02	W Africa F	E Europe M	0.50
18	0.08 ± 0.02	0.09 ± 0.01	0.02 ± 0.01	0.08 ± 0.01	0.12 ± 0.02	0.12 ± 0.03	0.02 ± 0.01	0.014 ± 0.004	0.000 ± 0.000	0.022 ± 0.006	0.013 ± 0.008	0.04 ± 0.02	S E Asia F	E Europe M	0.48
19	0.17 ± 0.03	0.15 ± 0.02	0.06 ± 0.02	0.15 ± 0.02	0.21 ± 0.03	0.21 ± 0.03	0.08 ± 0.02	0.042 ± 0.008	0.006 ± 0.006	0.040 ± 0.009	0.05 ± 0.01	0.10 ± 0.03	S E Asia F	E Europe M	0.39
20	0.22 ± 0.03	0.25 ± 0.02	0.07 ± 0.02	0.23 ± 0.02	0.34 ± 0.03	0.27 ± 0.04	0.13 ± 0.03	0.07 ± 0.01	0.03 ± 0.01	0.11 ± 0.01	0.10 ± 0.02	0.14 ± 0.03	S E Asia F	E Europe M	0.34
21	0.32 ± 0.04	0.36 ± 0.02	0.13 ± 0.02	0.35 ± 0.02	0.43 ± 0.03	0.38 ± 0.04	0.21 ± 0.03	0.16 ± 0.02	0.05 ± 0.02	0.19 ± 0.02	0.20 ± 0.03	0.23 ± 0.04	S E Asia F	E Europe M	0.27
22	0.41 ± 0.03	0.48 ± 0.02	0.24 ± 0.02	0.46 ± 0.02	0.56 ± 0.02	0.45 ± 0.04	0.35 ± 0.03	0.29 ± 0.02	0.13 ± 0.02	0.31 ± 0.02	0.31 ± 0.03	0.29 ± 0.04	S E Asia F	E Europe M	0.20
23	0.51 ± 0.03	0.59 ± 0.02	0.33 ± 0.02	0.59 ± 0.02	0.67 ± 0.02	0.58 ± 0.03	0.42 ± 0.03	0.42 ± 0.02	0.27 ± 0.03	0.47 ± 0.02	0.48 ± 0.03	0.48 ± 0.03	S E Asia F	E Europe M	0.14
24	0.62 ± 0.03	0.71 ± 0.01	0.50 ± 0.02	0.67 ± 0.01	0.78 ± 0.02	0.61 ± 0.03	0.56 ± 0.03	0.58 ± 0.02	0.48 ± 0.03	0.63 ± 0.02	0.65 ± 0.03	0.57 ± 0.04	S E Asia F	E Europe M	0.08
25	0.67 ± 0.03	0.81 ± 0.01	0.63 ± 0.02	0.75 ± 0.01	0.83 ± 0.01	0.73 ± 0.03	0.67 ± 0.03	0.73 ± 0.02	0.64 ± 0.03	0.77 ± 0.02	0.78 ± 0.02	0.67 ± 0.03	S E Asia F	E Europe F	0.06
26	0.75 ± 0.02	0.870 ± 0.010	0.75 ± 0.02	0.82 ± 0.01	0.90 ± 0.01	0.80 ± 0.02	0.77 ± 0.02	0.84 ± 0.01	0.78 ± 0.02	0.86 ± 0.01	0.86 ± 0.02	0.78 ± 0.02	S E Asia F	E Europe F	0.04
27	0.82 ± 0.02	0.925 ± 0.008	0.84 ± 0.01	0.872 ± 0.008	0.933 ± 0.009	0.85 ± 0.02	0.83 ± 0.02	0.91 ± 0.01	0.91 ± 0.02	0.919 ± 0.008	0.93 ± 0.01	0.86 ± 0.02	S E Asia F	E Africa F	0.03
28	0.86 ± 0.02	0.956 ± 0.006	0.919 ± 0.009	0.907 ± 0.007	0.961 ± 0.008	0.91 ± 0.02	0.89 ± 0.02	0.956 ± 0.008	0.94 ± 0.01	0.958 ± 0.006	0.97 ± 0.01	0.90 ± 0.02	S E Asia M	E Africa F	0.02
29	0.92 ± 0.01	0.979 ± 0.004	0.954 ± 0.008	0.933 ± 0.006	0.978 ± 0.005	0.92 ± 0.01	0.94 ± 0.01	0.980 ± 0.005	0.975 ± 0.009	0.977 ± 0.004	0.982 ± 0.008	0.95 ± 0.01	S E Asia M	W Africa F	0.01
30	0.94 ± 0.01	0.988 ± 0.003	0.968 ± 0.007	0.957 ± 0.005	0.990 ± 0.004	0.94 ± 0.01	0.96 ± 0.01	0.989 ± 0.004	0.993 ± 0.004	0.984 ± 0.003	0.991 ± 0.006	0.961 ± 0.009	E Europe M	E Africa F	0.01
31	0.95 ± 0.01	0.994 ± 0.002	0.985 ± 0.005	0.971 ± 0.004	0.991 ± 0.004	0.96 ± 0.01	0.980 ± 0.007	0.995 ± 0.003	0.993 ± 0.005	0.992 ± 0.003	0.990 ± 0.007	0.981 ± 0.006	E Asia M	E Africa F	0.01
32	0.968 ± 0.010	0.997 ± 0.001	0.995 ± 0.003	0.981 ± 0.004	0.995 ± 0.003	0.969 ± 0.010	0.984 ± 0.007	0.998 ± 0.002	0.998 ± 0.003	0.996 ± 0.002	0.995 ± 0.004	0.988 ± 0.005	E Europe M	E Africa F	0.01
33	0.97 ± 0.01	0.998 ± 0.001	0.994 ± 0.004	0.990 ± 0.003	0.999 ± 0.001	0.987 ± 0.007	0.992 ± 0.005	0.999 ± 0.001	0.999 ± 0.002	0.997 ± 0.001	0.998 ± 0.003	0.993 ± 0.004	S E Asia F	E Africa F	0.00
34	0.977 ± 0.008	0.999 ± 0.001	0.997 ± 0.002	0.992 ± 0.003	1.000 ± 0.001	0.987 ± 0.007	0.995 ± 0.004	0.999 ± 0.001	0.999 ± 0.002	0.999 ± 0.001	0.999 ± 0.002	0.997 ± 0.003	S E Asia F	E Africa F	0.00

Table 278. *For algorithm yoti-004 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.08 ± 0.04	0.11 ± 0.01	0.03 ± 0.02	0.04 ± 0.01	0.14 ± 0.03	0.06 ± 0.03	0.04 ± 0.02	0.028 ± 0.006	0.005 ± 0.005	0.007 ± 0.004	0.02 ± 0.01	0.04 ± 0.03	S E Asia F	E Europe M	0.45
15	0.08 ± 0.04	0.16 ± 0.01	0.05 ± 0.02	0.06 ± 0.01	0.21 ± 0.03	0.12 ± 0.05	0.06 ± 0.04	0.043 ± 0.007	0.000 ± 0.000	0.017 ± 0.007	0.02 ± 0.01	0.05 ± 0.03	S E Asia F	E Europe M	0.47
16	0.15 ± 0.04	0.22 ± 0.01	0.08 ± 0.02	0.10 ± 0.01	0.28 ± 0.03	0.13 ± 0.04	0.10 ± 0.04	0.068 ± 0.009	0.020 ± 0.010	0.018 ± 0.006	0.05 ± 0.01	0.07 ± 0.03	S E Asia F	S Asia M	0.41
17	0.17 ± 0.04	0.28 ± 0.02	0.11 ± 0.02	0.13 ± 0.02	0.35 ± 0.03	0.17 ± 0.04	0.14 ± 0.04	0.109 ± 0.010	0.015 ± 0.008	0.051 ± 0.010	0.08 ± 0.02	0.13 ± 0.04	S E Asia F	E Europe M	0.36
18	0.27 ± 0.04	0.36 ± 0.01	0.19 ± 0.02	0.18 ± 0.02	0.42 ± 0.03	0.20 ± 0.04	0.16 ± 0.04	0.163 ± 0.010	0.04 ± 0.01	0.07 ± 0.01	0.15 ± 0.02	0.16 ± 0.04	S E Asia F	E Europe M	0.30
19	0.31 ± 0.04	0.45 ± 0.01	0.23 ± 0.02	0.26 ± 0.02	0.47 ± 0.02	0.28 ± 0.04	0.23 ± 0.04	0.25 ± 0.01	0.08 ± 0.02	0.14 ± 0.01	0.23 ± 0.02	0.23 ± 0.04	S E Asia F	E Europe M	0.23
20	0.43 ± 0.04	0.54 ± 0.01	0.32 ± 0.02	0.33 ± 0.02	0.59 ± 0.02	0.39 ± 0.04	0.33 ± 0.04	0.36 ± 0.01	0.17 ± 0.02	0.21 ± 0.02	0.36 ± 0.03	0.31 ± 0.04	S E Asia F	E Europe M	0.19
21	0.46 ± 0.04	0.62 ± 0.01	0.39 ± 0.02	0.40 ± 0.01	0.63 ± 0.02	0.47 ± 0.04	0.42 ± 0.04	0.48 ± 0.01	0.30 ± 0.03	0.30 ± 0.02	0.48 ± 0.03	0.41 ± 0.04	S E Asia F	E Europe M	0.13
22	0.54 ± 0.04	0.691 ± 0.009	0.48 ± 0.02	0.49 ± 0.01	0.70 ± 0.02	0.54 ± 0.03	0.53 ± 0.04	0.62 ± 0.01	0.43 ± 0.03	0.44 ± 0.01	0.60 ± 0.03	0.52 ± 0.03	S E Asia F	E Europe M	0.09
23	0.58 ± 0.03	0.760 ± 0.009	0.57 ± 0.02	0.56 ± 0.01	0.78 ± 0.02	0.57 ± 0.03	0.61 ± 0.03	0.72 ± 0.01	0.58 ± 0.02	0.55 ± 0.01	0.71 ± 0.03	0.63 ± 0.03	S E Asia F	S Asia M	0.08
24	0.64 ± 0.03	0.810 ± 0.007	0.66 ± 0.01	0.64 ± 0.01	0.82 ± 0.01	0.65 ± 0.03	0.69 ± 0.03	0.805 ± 0.009	0.71 ± 0.02	0.65 ± 0.01	0.81 ± 0.02	0.70 ± 0.03	S E Asia F	E Africa F	0.06
25	0.71 ± 0.03	0.858 ± 0.006	0.74 ± 0.01	0.691 ± 0.010	0.85 ± 0.01	0.71 ± 0.02	0.74 ± 0.03	0.881 ± 0.008	0.82 ± 0.02	0.754 ± 0.010	0.88 ± 0.02	0.79 ± 0.02	E Asia M	S Asia F	0.05
26	0.75 ± 0.02	0.901 ± 0.005	0.804 ± 0.009	0.737 ± 0.008	0.900 ± 0.010	0.75 ± 0.02	0.84 ± 0.02	0.923 ± 0.006	0.88 ± 0.01	0.828 ± 0.008	0.92 ± 0.01	0.84 ± 0.02	E Asia M	S Asia F	0.05
27	0.80 ± 0.02	0.929 ± 0.004	0.865 ± 0.008	0.783 ± 0.007	0.920 ± 0.008	0.80 ± 0.02	0.90 ± 0.02	0.951 ± 0.005	0.932 ± 0.009	0.875 ± 0.007	0.95 ± 0.01	0.90 ± 0.01	E Asia M	S Asia F	0.04
28	0.85 ± 0.02	0.952 ± 0.003	0.910 ± 0.007	0.813 ± 0.007	0.945 ± 0.007	0.83 ± 0.02	0.93 ± 0.02	0.972 ± 0.004	0.959 ± 0.006	0.915 ± 0.005	0.971 ± 0.008	0.92 ± 0.01	E Asia M	S Asia F	0.03
29	0.88 ± 0.02	0.968 ± 0.003	0.939 ± 0.005	0.850 ± 0.006	0.952 ± 0.007	0.87 ± 0.02	0.95 ± 0.01	0.984 ± 0.002	0.972 ± 0.006	0.944 ± 0.004	0.981 ± 0.006	0.952 ± 0.008	E Asia M	S Asia F	0.03
30	0.89 ± 0.02	0.977 ± 0.002	0.958 ± 0.005	0.880 ± 0.006	0.969 ± 0.005	0.89 ± 0.01	0.97 ± 0.01	0.992 ± 0.002	0.986 ± 0.004	0.964 ± 0.003	0.985 ± 0.006	0.963 ± 0.008	E Asia M	S Asia F	0.02
31	0.92 ± 0.02	0.984 ± 0.002	0.970 ± 0.004	0.904 ± 0.005	0.978 ± 0.004	0.92 ± 0.01	0.967 ± 0.010	0.994 ± 0.002	0.992 ± 0.003	0.975 ± 0.003	0.989 ± 0.005	0.974 ± 0.007	E Asia M	S Asia F	0.02
32	0.93 ± 0.02	0.990 ± 0.001	0.984 ± 0.003	0.920 ± 0.005	0.981 ± 0.004	0.93 ± 0.01	0.984 ± 0.007	0.998 ± 0.001	0.995 ± 0.002	0.983 ± 0.002	0.992 ± 0.005	0.980 ± 0.006	E Asia M	S Asia F	0.01
33	0.94 ± 0.01	0.994 ± 0.001	0.988 ± 0.003	0.937 ± 0.005	0.987 ± 0.004	0.95 ± 0.01	0.989 ± 0.006	0.997 ± 0.001	0.998 ± 0.001	0.988 ± 0.002	0.997 ± 0.003	0.991 ± 0.004	E Europe M	S Asia F	0.01
34	0.96 ± 0.01	0.995 ± 0.001	0.992 ± 0.002	0.951 ± 0.003	0.990 ± 0.003	0.967 ± 0.010	0.991 ± 0.006	0.999 ± 0.001	0.999 ± 0.001	0.993 ± 0.001	0.996 ± 0.003	0.993 ± 0.003	E Europe M	S Asia F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 279. *For algorithm yoti-005 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.002 ± 0.002	0.007 ± 0.003	0.000 ± 0.000	0.004 ± 0.003	0.007 ± 0.007	0.000 ± 0.000	0.000 ± 0.000	0.003 ± 0.002	0.000 ± 0.000	0.001 ± 0.001	0.000 ± 0.000	0.000 ± 0.000	S E Asia F	E Europe F	0.70
15	0.01 ± 0.01	0.012 ± 0.006	0.000 ± 0.000	0.014 ± 0.008	0.02 ± 0.01	0.01 ± 0.01	0.008 ± 0.008	0.001 ± 0.001	0.000 ± 0.000	0.002 ± 0.002	0.002 ± 0.002	0.005 ± 0.005	S E Asia F	E Europe F	0.53
16	0.03 ± 0.02	0.031 ± 0.009	0.011 ± 0.008	0.018 ± 0.009	0.04 ± 0.02	0.03 ± 0.02	0.01 ± 0.01	0.002 ± 0.002	0.003 ± 0.003	0.003 ± 0.003	0.003 ± 0.003	0.005 ± 0.005	S E Asia F	E Asia M	0.51
17	0.05 ± 0.02	0.05 ± 0.01	0.01 ± 0.01	0.06 ± 0.01	0.08 ± 0.03	0.09 ± 0.03	0.003 ± 0.003	0.009 ± 0.004	0.003 ± 0.003	0.011 ± 0.006	0.008 ± 0.008	0.03 ± 0.02	W Africa F	E Europe M	0.52
18	0.08 ± 0.02	0.08 ± 0.01	0.02 ± 0.01	0.08 ± 0.01	0.11 ± 0.02	0.11 ± 0.03	0.02 ± 0.01	0.014 ± 0.004	0.000 ± 0.000	0.020 ± 0.006	0.013 ± 0.007	0.04 ± 0.02	S E Asia F	E Europe M	0.47
19	0.16 ± 0.03	0.15 ± 0.01	0.06 ± 0.02	0.15 ± 0.02	0.20 ± 0.02	0.20 ± 0.04	0.08 ± 0.02	0.038 ± 0.007	0.004 ± 0.004	0.039 ± 0.009	0.04 ± 0.01	0.09 ± 0.02	S E Asia F	E Europe M	0.40
20	0.21 ± 0.03	0.24 ± 0.02	0.07 ± 0.02	0.24 ± 0.02	0.32 ± 0.03	0.26 ± 0.04	0.13 ± 0.03	0.06 ± 0.01	0.02 ± 0.01	0.11 ± 0.01	0.09 ± 0.02	0.13 ± 0.03	S E Asia F	E Europe M	0.35
21	0.30 ± 0.03	0.35 ± 0.02	0.14 ± 0.02	0.35 ± 0.02	0.41 ± 0.03	0.36 ± 0.04	0.21 ± 0.03	0.15 ± 0.02	0.04 ± 0.02	0.19 ± 0.02	0.19 ± 0.03	0.23 ± 0.04	S E Asia F	E Europe M	0.27
22	0.40 ± 0.04	0.46 ± 0.02	0.24 ± 0.02	0.47 ± 0.02	0.53 ± 0.02	0.44 ± 0.04	0.36 ± 0.04	0.27 ± 0.02	0.12 ± 0.02	0.31 ± 0.02	0.28 ± 0.03	0.28 ± 0.04	S E Asia F	E Europe M	0.20
23	0.50 ± 0.03	0.58 ± 0.02	0.33 ± 0.02	0.59 ± 0.02	0.65 ± 0.02	0.55 ± 0.03	0.42 ± 0.03	0.40 ± 0.02	0.27 ± 0.03	0.47 ± 0.02	0.46 ± 0.03	0.46 ± 0.04	S E Asia F	E Europe M	0.14
24	0.59 ± 0.03	0.69 ± 0.02	0.49 ± 0.02	0.68 ± 0.02	0.76 ± 0.02	0.61 ± 0.03	0.54 ± 0.03	0.56 ± 0.02	0.45 ± 0.03	0.63 ± 0.02	0.62 ± 0.03	0.57 ± 0.03	S E Asia F	E Europe M	0.09
25	0.65 ± 0.03	0.79 ± 0.01	0.63 ± 0.02	0.76 ± 0.01	0.82 ± 0.01	0.71 ± 0.03	0.66 ± 0.03	0.71 ± 0.02	0.62 ± 0.03	0.76 ± 0.02	0.76 ± 0.02	0.67 ± 0.03	S E Asia F	E Europe M	0.06
26	0.74 ± 0.02	0.860 ± 0.010	0.74 ± 0.02	0.82 ± 0.01	0.90 ± 0.01	0.80 ± 0.02	0.76 ± 0.02	0.83 ± 0.01	0.76 ± 0.02	0.87 ± 0.01	0.86 ± 0.02	0.77 ± 0.02	S E Asia F	E Europe F	0.04
27	0.81 ± 0.02	0.915 ± 0.007	0.84 ± 0.01	0.872 ± 0.009	0.928 ± 0.010	0.84 ± 0.02	0.83 ± 0.02	0.90 ± 0.01	0.90 ± 0.02	0.922 ± 0.008	0.93 ± 0.01	0.85 ± 0.02	S E Asia F	E Africa F	0.03
28	0.85 ± 0.02	0.951 ± 0.006	0.92 ± 0.01	0.906 ± 0.008	0.956 ± 0.007	0.90 ± 0.02	0.89 ± 0.02	0.952 ± 0.008	0.93 ± 0.01	0.959 ± 0.006	0.96 ± 0.01	0.90 ± 0.01	S E Asia M	E Africa F	0.02
29	0.91 ± 0.02	0.974 ± 0.004	0.953 ± 0.008	0.935 ± 0.006	0.976 ± 0.006	0.92 ± 0.01	0.94 ± 0.01	0.978 ± 0.005	0.971 ± 0.008	0.978 ± 0.004	0.980 ± 0.008	0.95 ± 0.01	S E Asia M	E Africa F	0.01
30	0.93 ± 0.01	0.987 ± 0.003	0.968 ± 0.007	0.956 ± 0.005	0.988 ± 0.004	0.94 ± 0.01	0.96 ± 0.01	0.986 ± 0.004	0.991 ± 0.006	0.985 ± 0.003	0.987 ± 0.007	0.963 ± 0.009	E Europe M	E Africa F	0.01
31	0.95 ± 0.01	0.993 ± 0.002	0.985 ± 0.005	0.972 ± 0.004	0.990 ± 0.004	0.96 ± 0.01	0.978 ± 0.007	0.996 ± 0.002	0.992 ± 0.005	0.992 ± 0.003	0.991 ± 0.007	0.981 ± 0.006	E Asia M	E Africa F	0.01
32	0.97 ± 0.01	0.996 ± 0.002	0.995 ± 0.003	0.981 ± 0.004	0.994 ± 0.003	0.969 ± 0.010	0.983 ± 0.008	0.997 ± 0.002	0.996 ± 0.004	0.996 ± 0.001	0.995 ± 0.004	0.986 ± 0.005	E Asia M	E Africa F	0.01
33	0.971 ± 0.009	0.998 ± 0.001	0.995 ± 0.003	0.990 ± 0.003	0.998 ± 0.002	0.983 ± 0.007	0.993 ± 0.005	0.999 ± 0.002	0.999 ± 0.002	0.997 ± 0.001	0.998 ± 0.003	0.991 ± 0.004	E Asia M	E Africa F	0.00
34	0.976 ± 0.009	0.998 ± 0.001	0.997 ± 0.002	0.991 ± 0.003	0.999 ± 0.001	0.985 ± 0.007	0.994 ± 0.004	0.999 ± 0.002	0.999 ± 0.002	0.998 ± 0.001	0.999 ± 0.002	0.996 ± 0.003	S E Asia F	E Africa F	0.00

Table 280. *For algorithm yoti-005 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.07 ± 0.03	0.10 ± 0.01	0.03 ± 0.01	0.035 ± 0.010	0.14 ± 0.03	0.05 ± 0.03	0.04 ± 0.02	0.024 ± 0.006	0.010 ± 0.007	0.006 ± 0.004	0.02 ± 0.01	0.03 ± 0.02	S E Asia F	S Asia M	0.47
15	0.04 ± 0.03	0.15 ± 0.01	0.05 ± 0.02	0.05 ± 0.01	0.19 ± 0.03	0.10 ± 0.04	0.05 ± 0.03	0.036 ± 0.007	0.000 ± 0.000	0.009 ± 0.004	0.02 ± 0.01	0.05 ± 0.03	S E Asia F	E Europe M	0.49
16	0.14 ± 0.05	0.20 ± 0.01	0.08 ± 0.02	0.09 ± 0.02	0.28 ± 0.03	0.12 ± 0.04	0.09 ± 0.04	0.060 ± 0.008	0.018 ± 0.010	0.015 ± 0.006	0.05 ± 0.02	0.06 ± 0.03	S E Asia F	S Asia M	0.43
17	0.15 ± 0.04	0.27 ± 0.02	0.11 ± 0.02	0.13 ± 0.02	0.34 ± 0.03	0.15 ± 0.04	0.14 ± 0.05	0.097 ± 0.009	0.014 ± 0.008	0.05 ± 0.01	0.08 ± 0.02	0.12 ± 0.04	S E Asia F	E Europe M	0.36
18	0.25 ± 0.04	0.35 ± 0.01	0.18 ± 0.02	0.18 ± 0.02	0.40 ± 0.03	0.18 ± 0.04	0.15 ± 0.04	0.147 ± 0.009	0.04 ± 0.02	0.059 ± 0.009	0.13 ± 0.02	0.13 ± 0.03	S E Asia F	E Europe M	0.32
19	0.28 ± 0.04	0.43 ± 0.01	0.23 ± 0.02	0.26 ± 0.02	0.46 ± 0.02	0.29 ± 0.04	0.21 ± 0.04	0.23 ± 0.01	0.08 ± 0.02	0.13 ± 0.01	0.21 ± 0.02	0.23 ± 0.04	S E Asia F	E Europe M	0.24
20	0.40 ± 0.04	0.52 ± 0.01	0.31 ± 0.02	0.32 ± 0.02	0.57 ± 0.02	0.37 ± 0.04	0.32 ± 0.04	0.33 ± 0.01	0.15 ± 0.02	0.20 ± 0.01	0.33 ± 0.03	0.28 ± 0.04	S E Asia F	E Europe M	0.19
21	0.43 ± 0.04	0.60 ± 0.01	0.39 ± 0.02	0.40 ± 0.02	0.62 ± 0.02	0.43 ± 0.04	0.40 ± 0.04	0.46 ± 0.01	0.28 ± 0.03	0.28 ± 0.02	0.46 ± 0.02	0.38 ± 0.04	S E Asia F	E Europe M	0.14
22	0.51 ± 0.04	0.677 ± 0.009	0.46 ± 0.02	0.49 ± 0.01	0.69 ± 0.02	0.51 ± 0.03	0.51 ± 0.04	0.59 ± 0.01	0.39 ± 0.03	0.41 ± 0.02	0.56 ± 0.03	0.50 ± 0.04	S E Asia F	E Europe M	0.10
23	0.54 ± 0.04	0.748 ± 0.008	0.56 ± 0.02	0.55 ± 0.01	0.76 ± 0.01	0.54 ± 0.03	0.58 ± 0.04	0.70 ± 0.01	0.56 ± 0.02	0.51 ± 0.01	0.70 ± 0.02	0.62 ± 0.03	S E Asia F	S Asia M	0.08
24	0.61 ± 0.03	0.798 ± 0.007	0.65 ± 0.01	0.63 ± 0.01	0.81 ± 0.01	0.62 ± 0.03	0.66 ± 0.04	0.791 ± 0.010	0.68 ± 0.02	0.63 ± 0.01	0.79 ± 0.02	0.67 ± 0.03	S E Asia F	E Africa F	0.06
25	0.68 ± 0.03	0.850 ± 0.006	0.74 ± 0.01	0.68 ± 0.01	0.84 ± 0.01	0.69 ± 0.02	0.73 ± 0.03	0.870 ± 0.008	0.80 ± 0.02	0.74 ± 0.01	0.87 ± 0.02	0.77 ± 0.02	E Asia M	E Africa F	0.06
26	0.74 ± 0.03	0.892 ± 0.005	0.797 ± 0.010	0.734 ± 0.008	0.890 ± 0.010	0.72 ± 0.02	0.83 ± 0.02	0.912 ± 0.007	0.87 ± 0.01	0.815 ± 0.009	0.91 ± 0.01	0.83 ± 0.02	E Asia M	W Africa F	0.05
27	0.78 ± 0.02	0.922 ± 0.004	0.863 ± 0.008	0.778 ± 0.008	0.912 ± 0.009	0.78 ± 0.02	0.88 ± 0.02	0.945 ± 0.005	0.915 ± 0.009	0.865 ± 0.007	0.94 ± 0.01	0.89 ± 0.02	E Asia M	E Africa F	0.04
28	0.83 ± 0.02	0.946 ± 0.003	0.905 ± 0.007	0.811 ± 0.007	0.937 ± 0.007	0.80 ± 0.02	0.92 ± 0.02	0.967 ± 0.004	0.954 ± 0.007	0.907 ± 0.005	0.966 ± 0.009	0.91 ± 0.01	E Asia M	W Africa F	0.04
29	0.86 ± 0.02	0.963 ± 0.003	0.935 ± 0.006	0.847 ± 0.006	0.947 ± 0.007	0.85 ± 0.02	0.94 ± 0.01	0.982 ± 0.003	0.966 ± 0.006	0.937 ± 0.004	0.977 ± 0.007	0.94 ± 0.01	E Asia M	S Asia F	0.03
30	0.88 ± 0.02	0.975 ± 0.002	0.954 ± 0.005	0.878 ± 0.005	0.966 ± 0.006	0.88 ± 0.02	0.95 ± 0.01	0.990 ± 0.002	0.985 ± 0.004	0.959 ± 0.003	0.982 ± 0.007	0.960 ± 0.008	E Asia M	W Africa F	0.03
31	0.90 ± 0.02	0.982 ± 0.002	0.969 ± 0.004	0.901 ± 0.005	0.974 ± 0.005	0.91 ± 0.01	0.966 ± 0.010	0.993 ± 0.002	0.990 ± 0.003	0.971 ± 0.003	0.989 ± 0.005	0.970 ± 0.006	E Asia M	E Africa F	0.02
32	0.93 ± 0.01	0.989 ± 0.001	0.983 ± 0.003	0.917 ± 0.005	0.979 ± 0.005	0.92 ± 0.01	0.984 ± 0.007	0.997 ± 0.001	0.995 ± 0.002	0.980 ± 0.002	0.991 ± 0.004	0.979 ± 0.006	E Asia M	S Asia F	0.02
33	0.93 ± 0.01	0.993 ± 0.001	0.988 ± 0.003	0.933 ± 0.004	0.987 ± 0.004	0.94 ± 0.01	0.988 ± 0.006	0.997 ± 0.001	0.998 ± 0.002	0.985 ± 0.002	0.996 ± 0.003	0.987 ± 0.004	E Europe M	S Asia F	0.01
34	0.95 ± 0.01	0.994 ± 0.001	0.991 ± 0.003	0.949 ± 0.004	0.989 ± 0.004	0.965 ± 0.010	0.989 ± 0.006	0.998 ± 0.001	0.999 ± 0.001	0.992 ± 0.001	0.996 ± 0.003	0.991 ± 0.004	E Europe M	E Africa F	0.01

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 281. *For algorithm youverse-000 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.06 ± 0.02	0.005 ± 0.003	0.02 ± 0.01	0.027 ± 0.009	0.009 ± 0.007	0.07 ± 0.03	0.03 ± 0.01	0.002 ± 0.002	0.000 ± 0.000	0.013 ± 0.005	0.005 ± 0.005	0.03 ± 0.02	W Africa F	E Europe M	0.56
15	0.07 ± 0.03	0.015 ± 0.006	0.05 ± 0.02	0.06 ± 0.01	0.03 ± 0.02	0.12 ± 0.04	0.04 ± 0.02	0.004 ± 0.003	0.012 ± 0.009	0.022 ± 0.009	0.002 ± 0.002	0.06 ± 0.03	W Africa F	S E Asia M	0.49
16	0.13 ± 0.03	0.015 ± 0.006	0.07 ± 0.02	0.06 ± 0.02	0.02 ± 0.01	0.13 ± 0.04	0.07 ± 0.02	0.009 ± 0.004	0.02 ± 0.01	0.03 ± 0.01	0.03 ± 0.02	0.09 ± 0.03	E Africa F	E Asia M	0.44
17	0.18 ± 0.04	0.037 ± 0.009	0.13 ± 0.03	0.09 ± 0.02	0.04 ± 0.02	0.24 ± 0.04	0.12 ± 0.03	0.021 ± 0.007	0.03 ± 0.02	0.07 ± 0.01	0.02 ± 0.01	0.17 ± 0.04	W Africa F	S E Asia M	0.44
18	0.20 ± 0.04	0.046 ± 0.009	0.16 ± 0.03	0.13 ± 0.02	0.05 ± 0.01	0.24 ± 0.04	0.22 ± 0.04	0.031 ± 0.007	0.08 ± 0.02	0.11 ± 0.02	0.04 ± 0.01	0.25 ± 0.04	W Africa M	E Asia M	0.37
19	0.25 ± 0.04	0.054 ± 0.010	0.21 ± 0.03	0.17 ± 0.02	0.07 ± 0.02	0.29 ± 0.04	0.29 ± 0.04	0.048 ± 0.008	0.11 ± 0.02	0.21 ± 0.02	0.09 ± 0.02	0.28 ± 0.04	W Africa F	E Asia M	0.32
20	0.31 ± 0.04	0.08 ± 0.01	0.30 ± 0.03	0.22 ± 0.02	0.06 ± 0.01	0.35 ± 0.04	0.40 ± 0.04	0.07 ± 0.01	0.18 ± 0.03	0.29 ± 0.02	0.12 ± 0.02	0.38 ± 0.04	E Africa M	S E Asia F	0.32
21	0.36 ± 0.04	0.11 ± 0.01	0.35 ± 0.03	0.27 ± 0.02	0.11 ± 0.02	0.38 ± 0.04	0.48 ± 0.04	0.13 ± 0.01	0.26 ± 0.03	0.36 ± 0.02	0.18 ± 0.03	0.50 ± 0.04	W Africa M	S E Asia F	0.28
22	0.42 ± 0.03	0.15 ± 0.01	0.43 ± 0.03	0.34 ± 0.02	0.12 ± 0.02	0.44 ± 0.04	0.58 ± 0.03	0.19 ± 0.02	0.38 ± 0.04	0.50 ± 0.02	0.22 ± 0.03	0.55 ± 0.04	E Africa M	S E Asia F	0.26
23	0.43 ± 0.03	0.18 ± 0.01	0.52 ± 0.02	0.41 ± 0.02	0.16 ± 0.02	0.53 ± 0.04	0.66 ± 0.03	0.25 ± 0.02	0.51 ± 0.04	0.60 ± 0.02	0.30 ± 0.03	0.63 ± 0.04	E Africa M	S E Asia F	0.24
24	0.52 ± 0.03	0.21 ± 0.01	0.63 ± 0.02	0.46 ± 0.02	0.22 ± 0.02	0.54 ± 0.03	0.71 ± 0.03	0.32 ± 0.02	0.60 ± 0.03	0.69 ± 0.02	0.37 ± 0.03	0.72 ± 0.03	W Africa M	E Asia F	0.22
25	0.57 ± 0.03	0.25 ± 0.01	0.68 ± 0.02	0.53 ± 0.02	0.25 ± 0.02	0.59 ± 0.03	0.77 ± 0.03	0.41 ± 0.02	0.70 ± 0.03	0.76 ± 0.02	0.47 ± 0.03	0.75 ± 0.03	E Africa M	S E Asia F	0.19
26	0.59 ± 0.03	0.30 ± 0.01	0.75 ± 0.02	0.58 ± 0.01	0.31 ± 0.02	0.60 ± 0.03	0.84 ± 0.02	0.48 ± 0.02	0.73 ± 0.02	0.82 ± 0.01	0.56 ± 0.03	0.82 ± 0.02	E Africa M	E Asia F	0.18
27	0.64 ± 0.02	0.35 ± 0.01	0.80 ± 0.01	0.62 ± 0.01	0.38 ± 0.02	0.66 ± 0.02	0.85 ± 0.02	0.56 ± 0.02	0.83 ± 0.02	0.85 ± 0.01	0.62 ± 0.03	0.85 ± 0.02	S Asia M	E Asia F	0.15
28	0.69 ± 0.02	0.41 ± 0.01	0.85 ± 0.01	0.67 ± 0.01	0.43 ± 0.02	0.69 ± 0.02	0.89 ± 0.02	0.64 ± 0.02	0.89 ± 0.02	0.879 ± 0.009	0.68 ± 0.03	0.86 ± 0.02	E Europe M	E Asia F	0.13
29	0.73 ± 0.02	0.48 ± 0.01	0.89 ± 0.01	0.72 ± 0.01	0.49 ± 0.02	0.73 ± 0.02	0.93 ± 0.01	0.71 ± 0.02	0.92 ± 0.01	0.914 ± 0.008	0.76 ± 0.02	0.91 ± 0.01	E Africa M	E Asia F	0.12
30	0.77 ± 0.02	0.52 ± 0.01	0.93 ± 0.01	0.77 ± 0.01	0.57 ± 0.02	0.76 ± 0.03	0.93 ± 0.01	0.78 ± 0.01	0.94 ± 0.01	0.932 ± 0.006	0.82 ± 0.02	0.92 ± 0.01	E Europe M	E Asia F	0.10
31	0.79 ± 0.02	0.59 ± 0.01	0.945 ± 0.009	0.80 ± 0.01	0.60 ± 0.02	0.79 ± 0.02	0.96 ± 0.01	0.82 ± 0.01	0.96 ± 0.01	0.950 ± 0.006	0.85 ± 0.02	0.94 ± 0.01	E Europe M	E Asia F	0.09
32	0.84 ± 0.02	0.64 ± 0.01	0.957 ± 0.009	0.843 ± 0.009	0.67 ± 0.02	0.79 ± 0.02	0.96 ± 0.01	0.86 ± 0.01	0.976 ± 0.007	0.963 ± 0.005	0.89 ± 0.02	0.95 ± 0.01	E Europe M	E Asia F	0.07
33	0.83 ± 0.02	0.70 ± 0.01	0.969 ± 0.008	0.874 ± 0.009	0.71 ± 0.02	0.85 ± 0.02	0.976 ± 0.008	0.89 ± 0.01	0.984 ± 0.007	0.973 ± 0.004	0.91 ± 0.02	0.965 ± 0.009	E Europe M	E Asia F	0.06
34	0.88 ± 0.02	0.75 ± 0.01	0.978 ± 0.006	0.909 ± 0.008	0.76 ± 0.02	0.86 ± 0.02	0.982 ± 0.007	0.918 ± 0.010	0.992 ± 0.005	0.979 ± 0.004	0.94 ± 0.01	0.973 ± 0.008	E Europe M	E Asia F	0.05

Table 282. *For algorithm youverse-000 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.31 ± 0.07	0.046 ± 0.009	0.06 ± 0.02	0.20 ± 0.02	0.04 ± 0.02	0.28 ± 0.07	0.48 ± 0.08	0.09 ± 0.01	0.10 ± 0.03	0.25 ± 0.02	0.11 ± 0.03	0.50 ± 0.09	W Africa M	S E Asia F	0.45
15	0.37 ± 0.07	0.065 ± 0.009	0.11 ± 0.03	0.24 ± 0.03	0.07 ± 0.02	0.35 ± 0.07	0.65 ± 0.07	0.13 ± 0.01	0.13 ± 0.03	0.35 ± 0.03	0.12 ± 0.02	0.63 ± 0.07	E Africa M	E Asia F	0.43
16	0.44 ± 0.06	0.073 ± 0.010	0.15 ± 0.03	0.27 ± 0.02	0.08 ± 0.02	0.41 ± 0.06	0.72 ± 0.06	0.16 ± 0.01	0.19 ± 0.03	0.43 ± 0.03	0.18 ± 0.03	0.70 ± 0.06	E Africa M	E Asia F	0.41
17	0.44 ± 0.05	0.082 ± 0.008	0.22 ± 0.03	0.30 ± 0.02	0.06 ± 0.02	0.45 ± 0.06	0.83 ± 0.05	0.21 ± 0.01	0.25 ± 0.04	0.50 ± 0.03	0.22 ± 0.03	0.77 ± 0.05	E Africa M	S E Asia F	0.39
18	0.53 ± 0.05	0.102 ± 0.008	0.22 ± 0.02	0.33 ± 0.02	0.07 ± 0.01	0.50 ± 0.05	0.87 ± 0.04	0.25 ± 0.01	0.34 ± 0.04	0.56 ± 0.02	0.27 ± 0.03	0.84 ± 0.04	E Africa M	S E Asia F	0.37
19	0.58 ± 0.05	0.117 ± 0.007	0.25 ± 0.02	0.32 ± 0.02	0.10 ± 0.01	0.56 ± 0.04	0.84 ± 0.04	0.28 ± 0.01	0.38 ± 0.03	0.64 ± 0.02	0.33 ± 0.03	0.88 ± 0.03	W Africa M	S E Asia F	0.35
20	0.59 ± 0.04	0.143 ± 0.008	0.30 ± 0.02	0.36 ± 0.02	0.11 ± 0.01	0.59 ± 0.04	0.91 ± 0.03	0.33 ± 0.01	0.46 ± 0.03	0.71 ± 0.02	0.37 ± 0.02	0.89 ± 0.03	E Africa M	S E Asia F	0.32
21	0.62 ± 0.04	0.156 ± 0.008	0.35 ± 0.02	0.40 ± 0.02	0.14 ± 0.01	0.64 ± 0.04	0.92 ± 0.02	0.38 ± 0.01	0.55 ± 0.03	0.74 ± 0.01	0.40 ± 0.02	0.93 ± 0.02	W Africa M	S E Asia F	0.30
22	0.64 ± 0.04	0.176 ± 0.007	0.40 ± 0.02	0.43 ± 0.01	0.14 ± 0.01	0.65 ± 0.03	0.95 ± 0.02	0.42 ± 0.01	0.62 ± 0.02	0.80 ± 0.01	0.48 ± 0.03	0.92 ± 0.02	E Africa M	S E Asia F	0.28
23	0.68 ± 0.03	0.199 ± 0.007	0.47 ± 0.02	0.47 ± 0.01	0.19 ± 0.01	0.67 ± 0.03	0.96 ± 0.02	0.46 ± 0.01	0.70 ± 0.02	0.83 ± 0.01	0.54 ± 0.03	0.94 ± 0.02	E Africa M	S E Asia F	0.25
24	0.70 ± 0.03	0.223 ± 0.007	0.52 ± 0.01	0.51 ± 0.01	0.21 ± 0.01	0.71 ± 0.03	0.96 ± 0.02	0.51 ± 0.01	0.73 ± 0.02	0.862 ± 0.009	0.56 ± 0.02	0.95 ± 0.01	E Africa M	S E Asia F	0.23
25	0.73 ± 0.03	0.246 ± 0.007	0.59 ± 0.01	0.56 ± 0.01	0.24 ± 0.01	0.74 ± 0.02	0.98 ± 0.01	0.55 ± 0.01	0.79 ± 0.02	0.881 ± 0.008	0.62 ± 0.02	0.96 ± 0.01	E Africa M	S E Asia F	0.21
26	0.76 ± 0.03	0.278 ± 0.007	0.63 ± 0.01	0.59 ± 0.01	0.28 ± 0.01	0.78 ± 0.02	0.977 ± 0.010	0.60 ± 0.01	0.83 ± 0.01	0.906 ± 0.006	0.65 ± 0.02	0.971 ± 0.008	E Africa M	S E Asia F	0.20
27	0.77 ± 0.02	0.305 ± 0.007	0.69 ± 0.01	0.623 ± 0.009	0.32 ± 0.01	0.78 ± 0.02	0.975 ± 0.010	0.64 ± 0.01	0.87 ± 0.01	0.921 ± 0.006	0.72 ± 0.02	0.977 ± 0.008	W Africa M	E Asia F	0.18
28	0.78 ± 0.03	0.341 ± 0.008	0.724 ± 0.010	0.645 ± 0.008	0.35 ± 0.02	0.81 ± 0.02	0.982 ± 0.008	0.67 ± 0.01	0.89 ± 0.01	0.935 ± 0.005	0.73 ± 0.02	0.976 ± 0.007	E Africa M	E Asia F	0.17
29	0.82 ± 0.02	0.374 ± 0.007	0.77 ± 0.01	0.685 ± 0.008	0.38 ± 0.01	0.83 ± 0.01	0.982 ± 0.008	0.707 ± 0.009	0.907 ± 0.010	0.943 ± 0.004	0.78 ± 0.02	0.981 ± 0.006	E Africa M	E Asia F	0.15
30	0.83 ± 0.02	0.416 ± 0.007	0.793 ± 0.009	0.708 ± 0.007	0.43 ± 0.01	0.83 ± 0.02	0.986 ± 0.007	0.743 ± 0.009	0.931 ± 0.008	0.954 ± 0.004	0.81 ± 0.02	0.991 ± 0.004	W Africa M	E Asia F	0.14
31	0.84 ± 0.02	0.451 ± 0.007	0.837 ± 0.009	0.751 ± 0.007	0.47 ± 0.01	0.86 ± 0.02	0.986 ± 0.007	0.782 ± 0.009	0.946 ± 0.008	0.963 ± 0.003	0.83 ± 0.02	0.990 ± 0.004	W Africa M	E Asia F	0.12
32	0.86 ± 0.02	0.490 ± 0.007	0.871 ± 0.008	0.784 ± 0.007	0.51 ± 0.02	0.85 ± 0.02	0.986 ± 0.007	0.809 ± 0.009	0.962 ± 0.006	0.968 ± 0.003	0.84 ± 0.02	0.988 ± 0.004	W Africa M	E Asia F	0.11
33	0.88 ± 0.02	0.530 ± 0.008	0.881 ± 0.008	0.804 ± 0.007	0.54 ± 0.01	0.89 ± 0.01	0.991 ± 0.005	0.842 ± 0.007	0.969 ± 0.005	0.977 ± 0.002	0.88 ± 0.02	0.991 ± 0.004	W Africa M	E Asia F	0.10
34	0.89 ± 0.02	0.566 ± 0.007	0.907 ± 0.008	0.827 ± 0.006	0.57 ± 0.02	0.91 ± 0.02	0.991 ± 0.005	0.868 ± 0.007	0.979 ± 0.005	0.980 ± 0.002	0.89 ± 0.01	0.989 ± 0.004	E Africa M	E Asia F	0.09

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525

Table 283. *For algorithm youverse-001 with Application images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.013 ± 0.009	0.002 ± 0.002	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.02 ± 0.02	0.02 ± 0.01	0.002 ± 0.002	0.000 ± 0.000	0.004 ± 0.003	0.000 ± 0.000	0.004 ± 0.004	W Africa F	E Europe F	0.71
15	0.012 ± 0.009	0.005 ± 0.003	0.02 ± 0.01	0.012 ± 0.006	0.005 ± 0.005	0.04 ± 0.02	0.008 ± 0.008	0.004 ± 0.003	0.003 ± 0.003	0.009 ± 0.005	0.005 ± 0.005	0.01 ± 0.01	W Africa F	E Europe M	0.42
16	0.02 ± 0.01	0.009 ± 0.005	0.02 ± 0.01	0.015 ± 0.008	0.010 ± 0.008	0.08 ± 0.03	0.03 ± 0.01	0.009 ± 0.005	0.012 ± 0.009	0.018 ± 0.008	0.003 ± 0.003	0.02 ± 0.02	W Africa F	S E Asia M	0.43
17	0.04 ± 0.02	0.022 ± 0.007	0.06 ± 0.02	0.05 ± 0.01	0.02 ± 0.01	0.11 ± 0.03	0.04 ± 0.02	0.022 ± 0.007	0.02 ± 0.01	0.06 ± 0.01	0.02 ± 0.01	0.07 ± 0.03	W Africa F	S E Asia F	0.34
18	0.08 ± 0.02	0.029 ± 0.007	0.06 ± 0.02	0.07 ± 0.01	0.03 ± 0.01	0.16 ± 0.03	0.11 ± 0.02	0.028 ± 0.007	0.07 ± 0.02	0.13 ± 0.02	0.03 ± 0.01	0.11 ± 0.03	W Africa F	E Asia M	0.34
19	0.11 ± 0.02	0.042 ± 0.008	0.11 ± 0.03	0.11 ± 0.02	0.04 ± 0.01	0.22 ± 0.04	0.17 ± 0.03	0.053 ± 0.009	0.11 ± 0.02	0.22 ± 0.02	0.06 ± 0.02	0.19 ± 0.04	S Asia M	S E Asia F	0.32
20	0.14 ± 0.02	0.056 ± 0.009	0.19 ± 0.03	0.16 ± 0.02	0.05 ± 0.01	0.28 ± 0.03	0.28 ± 0.04	0.09 ± 0.01	0.18 ± 0.03	0.35 ± 0.02	0.11 ± 0.02	0.29 ± 0.04	S Asia M	S E Asia F	0.32
21	0.19 ± 0.03	0.10 ± 0.01	0.24 ± 0.03	0.20 ± 0.02	0.09 ± 0.01	0.34 ± 0.04	0.40 ± 0.04	0.15 ± 0.01	0.33 ± 0.04	0.47 ± 0.02	0.18 ± 0.03	0.37 ± 0.04	S Asia M	S E Asia F	0.29
22	0.25 ± 0.03	0.12 ± 0.01	0.30 ± 0.02	0.24 ± 0.02	0.12 ± 0.02	0.38 ± 0.04	0.53 ± 0.04	0.21 ± 0.02	0.46 ± 0.04	0.59 ± 0.02	0.23 ± 0.03	0.47 ± 0.04	S Asia M	E Asia F	0.29
23	0.30 ± 0.03	0.16 ± 0.01	0.41 ± 0.02	0.34 ± 0.02	0.17 ± 0.02	0.46 ± 0.03	0.58 ± 0.04	0.28 ± 0.02	0.62 ± 0.04	0.70 ± 0.02	0.33 ± 0.03	0.53 ± 0.03	S Asia M	E Asia F	0.26
24	0.36 ± 0.03	0.20 ± 0.01	0.53 ± 0.02	0.39 ± 0.01	0.22 ± 0.02	0.51 ± 0.03	0.67 ± 0.03	0.38 ± 0.02	0.72 ± 0.03	0.79 ± 0.02	0.38 ± 0.03	0.62 ± 0.03	S Asia M	E Asia F	0.24
25	0.42 ± 0.02	0.26 ± 0.01	0.61 ± 0.02	0.46 ± 0.02	0.28 ± 0.02	0.57 ± 0.03	0.76 ± 0.02	0.48 ± 0.02	0.79 ± 0.03	0.85 ± 0.01	0.51 ± 0.03	0.70 ± 0.03	S Asia M	E Asia F	0.20
26	0.49 ± 0.03	0.33 ± 0.01	0.70 ± 0.02	0.51 ± 0.01	0.34 ± 0.02	0.62 ± 0.03	0.81 ± 0.02	0.55 ± 0.02	0.84 ± 0.02	0.90 ± 0.01	0.60 ± 0.03	0.77 ± 0.02	S Asia M	E Asia F	0.18
27	0.54 ± 0.03	0.39 ± 0.01	0.78 ± 0.02	0.57 ± 0.01	0.43 ± 0.02	0.68 ± 0.02	0.86 ± 0.02	0.67 ± 0.02	0.92 ± 0.01	0.930 ± 0.008	0.67 ± 0.03	0.83 ± 0.02	S Asia M	E Asia F	0.16
28	0.58 ± 0.03	0.47 ± 0.01	0.84 ± 0.01	0.63 ± 0.01	0.50 ± 0.02	0.71 ± 0.02	0.88 ± 0.02	0.73 ± 0.02	0.95 ± 0.01	0.939 ± 0.007	0.75 ± 0.02	0.86 ± 0.02	E Europe M	E Asia F	0.13
29	0.67 ± 0.03	0.54 ± 0.01	0.90 ± 0.01	0.70 ± 0.01	0.58 ± 0.02	0.77 ± 0.02	0.92 ± 0.01	0.80 ± 0.02	0.96 ± 0.01	0.965 ± 0.005	0.80 ± 0.02	0.91 ± 0.02	S Asia M	E Asia F	0.11
30	0.71 ± 0.02	0.61 ± 0.01	0.93 ± 0.01	0.75 ± 0.01	0.65 ± 0.02	0.80 ± 0.02	0.94 ± 0.01	0.85 ± 0.01	0.987 ± 0.006	0.974 ± 0.004	0.88 ± 0.02	0.92 ± 0.01	E Europe M	E Asia F	0.09
31	0.74 ± 0.03	0.67 ± 0.01	0.952 ± 0.008	0.80 ± 0.01	0.70 ± 0.02	0.82 ± 0.02	0.96 ± 0.01	0.89 ± 0.01	0.985 ± 0.006	0.982 ± 0.003	0.90 ± 0.02	0.94 ± 0.01	E Europe M	E Asia F	0.08
32	0.80 ± 0.02	0.74 ± 0.01	0.969 ± 0.007	0.841 ± 0.009	0.76 ± 0.02	0.85 ± 0.02	0.969 ± 0.010	0.92 ± 0.01	0.993 ± 0.005	0.989 ± 0.003	0.94 ± 0.01	0.965 ± 0.009	E Europe M	E Asia F	0.06
33	0.79 ± 0.02	0.78 ± 0.01	0.974 ± 0.006	0.872 ± 0.009	0.80 ± 0.02	0.89 ± 0.02	0.979 ± 0.008	0.943 ± 0.008	0.997 ± 0.003	0.994 ± 0.002	0.94 ± 0.01	0.970 ± 0.009	E Europe M	E Asia F	0.05
34	0.86 ± 0.02	0.837 ± 0.009	0.983 ± 0.006	0.909 ± 0.008	0.85 ± 0.02	0.90 ± 0.02	0.983 ± 0.008	0.965 ± 0.006	0.999 ± 0.002	0.994 ± 0.002	0.97 ± 0.01	0.980 ± 0.008	E Europe M	E Asia F	0.04

Table 284. *For algorithm youverse-001 with Border images, Challenge-25 accept rate by age, sex and region of birth. The final columns give groups that give the highest and lowest accept rate and the Gini summary of variability. Gini is computed over the 12 accept-rate values to its left; lower values are better.*

Age	F E Africa	F E Asia	F E Europe	F S Asia	F SE Asia	F W Africa	M E Africa	M E Asia	M E Europe	M S Asia	M SE Asia	M W Africa	max Accept	min Accept	Gini
14	0.09 ± 0.04	0.008 ± 0.003	0.03 ± 0.01	0.03 ± 0.01	0.011 ± 0.009	0.12 ± 0.05	0.11 ± 0.04	0.006 ± 0.003	0.015 ± 0.010	0.015 ± 0.006	0.011 ± 0.008	0.13 ± 0.05	W Africa M	E Asia M	0.56
15	0.07 ± 0.04	0.010 ± 0.004	0.05 ± 0.02	0.05 ± 0.01	0.012 ± 0.007	0.15 ± 0.05	0.27 ± 0.07	0.010 ± 0.003	0.02 ± 0.01	0.039 ± 0.009	0.011 ± 0.007	0.21 ± 0.06	E Africa M	E Asia F	0.60
16	0.13 ± 0.04	0.016 ± 0.004	0.04 ± 0.01	0.09 ± 0.02	0.016 ± 0.008	0.18 ± 0.05	0.24 ± 0.06	0.017 ± 0.004	0.03 ± 0.01	0.06 ± 0.01	0.016 ± 0.008	0.26 ± 0.06	W Africa M	S E Asia M	0.54
17	0.14 ± 0.04	0.024 ± 0.005	0.06 ± 0.02	0.09 ± 0.01	0.020 ± 0.008	0.19 ± 0.04	0.37 ± 0.06	0.027 ± 0.005	0.04 ± 0.02	0.11 ± 0.01	0.03 ± 0.01	0.37 ± 0.05	E Africa M	S E Asia F	0.55
18	0.23 ± 0.05	0.028 ± 0.005	0.10 ± 0.02	0.11 ± 0.01	0.021 ± 0.007	0.22 ± 0.04	0.51 ± 0.06	0.038 ± 0.005	0.09 ± 0.02	0.17 ± 0.02	0.04 ± 0.01	0.42 ± 0.04	E Africa M	S E Asia F	0.52
19	0.30 ± 0.04	0.033 ± 0.004	0.14 ± 0.02	0.12 ± 0.01	0.026 ± 0.008	0.28 ± 0.04	0.50 ± 0.05	0.050 ± 0.005	0.11 ± 0.02	0.25 ± 0.02	0.06 ± 0.01	0.49 ± 0.04	E Africa M	S E Asia F	0.48
20	0.31 ± 0.04	0.043 ± 0.005	0.17 ± 0.02	0.15 ± 0.01	0.032 ± 0.007	0.36 ± 0.04	0.59 ± 0.05	0.067 ± 0.006	0.18 ± 0.02	0.35 ± 0.02	0.07 ± 0.01	0.53 ± 0.04	E Africa M	S E Asia F	0.46
21	0.38 ± 0.04	0.061 ± 0.005	0.20 ± 0.01	0.20 ± 0.01	0.043 ± 0.008	0.40 ± 0.03	0.66 ± 0.04	0.096 ± 0.007	0.29 ± 0.03	0.45 ± 0.02	0.11 ± 0.02	0.63 ± 0.04	E Africa M	S E Asia F	0.42
22	0.39 ± 0.04	0.072 ± 0.005	0.26 ± 0.02	0.24 ± 0.01	0.059 ± 0.009	0.49 ± 0.03	0.76 ± 0.04	0.126 ± 0.008	0.36 ± 0.03	0.53 ± 0.02	0.16 ± 0.02	0.65 ± 0.03	E Africa M	S E Asia F	0.40
23	0.46 ± 0.04	0.092 ± 0.005	0.33 ± 0.02	0.27 ± 0.01	0.085 ± 0.010	0.50 ± 0.03	0.78 ± 0.03	0.172 ± 0.009	0.49 ± 0.02	0.63 ± 0.01	0.19 ± 0.02	0.74 ± 0.03	E Africa M	S E Asia F	0.36
24	0.52 ± 0.03	0.117 ± 0.006	0.39 ± 0.01	0.33 ± 0.01	0.13 ± 0.01	0.56 ± 0.03	0.86 ± 0.03	0.23 ± 0.01	0.58 ± 0.02	0.72 ± 0.01	0.28 ± 0.02	0.80 ± 0.03	E Africa M	E Asia F	0.33
25	0.56 ± 0.03	0.142 ± 0.006	0.47 ± 0.01	0.37 ± 0.01	0.14 ± 0.01	0.61 ± 0.02	0.88 ± 0.02	0.27 ± 0.01	0.66 ± 0.02	0.78 ± 0.01	0.33 ± 0.02	0.83 ± 0.02	E Africa M	S E Asia F	0.31
26	0.61 ± 0.03	0.175 ± 0.006	0.54 ± 0.01	0.423 ± 0.009	0.19 ± 0.01	0.64 ± 0.02	0.92 ± 0.02	0.33 ± 0.01	0.74 ± 0.02	0.827 ± 0.008	0.40 ± 0.02	0.87 ± 0.02	E Africa M	E Asia F	0.28
27	0.64 ± 0.03	0.205 ± 0.006	0.63 ± 0.01	0.468 ± 0.009	0.24 ± 0.01	0.67 ± 0.02	0.93 ± 0.02	0.39 ± 0.01	0.81 ± 0.01	0.859 ± 0.007	0.48 ± 0.02	0.90 ± 0.02	E Africa M	E Asia F	0.25
28	0.68 ± 0.03	0.256 ± 0.006	0.69 ± 0.01	0.515 ± 0.009	0.28 ± 0.01	0.72 ± 0.02	0.95 ± 0.01	0.45 ± 0.01	0.87 ± 0.01	0.898 ± 0.006	0.54 ± 0.02	0.92 ± 0.01	E Africa M	E Asia F	0.22
29	0.72 ± 0.02	0.293 ± 0.006	0.762 ± 0.010	0.558 ± 0.008	0.32 ± 0.01	0.76 ± 0.02	0.97 ± 0.01	0.53 ± 0.01	0.902 ± 0.010	0.917 ± 0.004	0.60 ± 0.02	0.93 ± 0.01	E Africa M	E Asia F	0.20
30	0.76 ± 0.02	0.351 ± 0.007	0.797 ± 0.010	0.604 ± 0.008	0.37 ± 0.01	0.78 ± 0.02	0.968 ± 0.009	0.58 ± 0.01	0.936 ± 0.009	0.939 ± 0.004	0.67 ± 0.02	0.954 ± 0.008	E Africa M	E Asia F	0.17
31	0.78 ± 0.02	0.400 ± 0.007	0.849 ± 0.008	0.659 ± 0.008	0.44 ± 0.01	0.80 ± 0.02	0.981 ± 0.008	0.668 ± 0.010	0.963 ± 0.007	0.956 ± 0.003	0.71 ± 0.02	0.958 ± 0.008	E Africa M	E Asia F	0.15
32	0.83 ± 0.02	0.463 ± 0.007	0.888 ± 0.008	0.703 ± 0.008	0.49 ± 0.02	0.81 ± 0.02	0.989 ± 0.006	0.721 ± 0.009	0.975 ± 0.005	0.964 ± 0.003	0.75 ± 0.02	0.969 ± 0.007	E Africa M	E Asia F	0.13
33	0.84 ± 0.02	0.505 ± 0.007	0.906 ± 0.008	0.745 ± 0.007	0.54 ± 0.02	0.85 ± 0.02	0.991 ± 0.005	0.775 ± 0.008	0.983 ± 0.004	0.976 ± 0.002	0.82 ± 0.02	0.979 ± 0.006	E Africa M	E Asia F	0.11
34	0.86 ± 0.02	0.560 ± 0.008	0.924 ± 0.007	0.786 ± 0.008	0.59 ± 0.02	0.89 ± 0.02	0.991 ± 0.005	0.817 ± 0.007	0.991 ± 0.003	0.983 ± 0.002	0.86 ± 0.02	0.982 ± 0.005	E Africa M	E Asia F	0.10

Appendix A.4. Age Verification

This section gives age verification performance for those developers who have elected to implement the verifyAge() function described in section 4.3.5 of the FATE AEV API.

In the figures that follow the legal age threshold is set to 18. We exercised the function at several other age thresholds also but, in the interests of brevity, we do not include results here.




Fig. 260. *For algorithm ayonix-001 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 261. *For algorithm bynn-000 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 262. *For algorithm cognitec-000 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 263. *For algorithm cognitec-001 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 264. *For algorithm cvut-003 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 265. *For algorithm cyberlink-001 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 266. *For algorithm davisdesigns-000 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 267. *For algorithm dermalog-003 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 268. *For algorithm facehawk-001 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 269. *For algorithm idemia-002 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 270. *For algorithm idemia-003 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 271. *For algorithm incode-002 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 272. *For algorithm innovatrics-001 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 273. *For algorithm innovatrics-002 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 274. *For algorithm innovatrics-003 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 275. *For algorithm intellicheck-000 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 276. *For algorithm neurotechnology-003 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 277. *For algorithm onfido-000 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 278. *For algorithm rigrai-000 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 279. *For algorithm roc-002 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 280. *For algorithm roc-003 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 281. *For algorithm shufti-000 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 282. *For algorithm yoti-003 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 283. *For algorithm yoti-004 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 284. *For algorithm yoti-005 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 285. *For algorithm youverse-000 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525




Fig. 286. *For algorithm youverse-001 the error tradeoff characteristics show tradeoff between false positive and negative rates as the score confidence threshold is swept across it's full range. FPR quantifies how often the underage are classified above 18; FNR quantifies how those over age are not.*

This publication is available free of charge from: https://doi.org/10.6028/NIST.IR.8525