

**Description**

The provider periodically uses the EHR to review the stock inventory sorted by the expiration date to inform orders for new vaccine stock.

**Comments**

No Comments

**Pre-condition**

Initial Data Load completed with demographic data, vaccination history, and clinical history. Vaccines administered in previous test steps have been deprecated from stock record.

**Post-Condition**

The Cohort report for all inventory stock is available to the provider through the EHR, sorted by expiration date.

**Test Objectives**

**Produce Vaccine History Report:** The EHR or other clinical software system generates inventory reports of remaining stock. The reports can be sorted by expiration date and source (e.g., private or guarantee program).

**Evaluation Criteria**

The following information is (minimally) provided on the inventory report, sorted by expiration date:

1.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0820-43
Product Name:	ENGRIX-B
Lot#:	6332FK18
Expiration Date:	6/15/2021
GTIN:	10358160820431
Vaccine source:	Non-VFC
Quantity:	18 Syringes (or doses)

2.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00
Product Name:	FLUZONE QUADRIVALENT
Lot#:	8L4B3521
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	VFC
Quantity:	11 Vials

3.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00
Product Name:	FLUZONE QUADRIVALENT
Lot#:	D8043IN8422
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	VFC
Quantity:	15 Vials

4.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00

Product Name:	FLUZONE QUADRIVALENT
Lot#:	D8043IN8855
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	Non-VFC
Quantity:	11 Vials

5.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0820-43
Product Name:	ENERGIX-B
Lot#:	6332FK26
Expiration Date:	12/31/2022
GTIN:	10358160820431
Vaccine source:	Non-VFC
Quantity:	19 Syringes (or doses)

6.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0811-43
Product Name:	PEDIARIX
Lot#:	6559FK32
Expiration Date:	12/31/2022
GTIN:	10358160811439
Vaccine source:	Non-VFC
Quantity:	15 Syringes (or doses)

7.

Manufacturer:	Pfizer Manufacturing Belgium NV
NDC:	59267-1000-01
Product Name:	Pfizer-BioNTech Covid-19 Vaccine
Lot#:	8L7B3418
Expiration Date:	12/31/2022
GTIN:	0110359267100013
Vaccine source:	Non-VFC
Quantity:	75 vials (449 doses)

8.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0821-05
Product Name:	ENERGIX-B
Lot#:	6942FL12
Expiration Date:	12/31/2022
GTIN:	10358160821056
Vaccine source:	Non-VFC
Quantity:	15 Syringes (or doses)

**Notes**

A GTIN for FLUZONE QUADRIVALENT (NDC: 49281-0521-00) had not yet been assigned at the time this test plan was generated. A GTIN was generated for the purpose of this test according to GS1 standards and may be updated in the future should this be changed in IIS: NDC Lookup Crosswalk published by CDC.

Because the Flu season may not align with the test plan execution, the most current Flu vaccine may not be present.

