

Description

The provider periodically uses the EHR to review the stock inventory sorted by the expiration date to inform orders for new vaccine stock.

Comments

No Comments

Pre-condition

Initial Data Load completed with demographic data, vaccination history, and clinical history. Vaccines administered in previous test steps have been deprecated from stock record.

Post-Condition

The Cohort report for all inventory stock is available to the provider through the EHR, sorted by expiration date.

Test Objectives

Produce Vaccine History Report: The EHR or other clinical software system generates inventory reports of remaining stock. The reports can be sorted by expiration date and source (e.g., private or guarantee program).

Evaluation Criteria

The following information is (minimally) provided on the inventory report, sorted by expiration date:

1.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0820-43
Product Name:	ENGRIX-B
Lot#:	6332FK18
Expiration Date:	6/15/2021
GTIN:	10358160820431
Vaccine source:	Non-VFC
Quantity:	18 Syringes (or doses)

2.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00
Product Name:	FLUZONE QUADRIVALENT
Lot#:	8L4B3521
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	VFC
Quantity:	11 Vials

3.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00
Product Name:	FLUZONE QUADRIVALENT
Lot#:	D8043IN8422
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	VFC
Quantity:	15 Vials

4.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00

Product Name:	FLUZONE QUADRIVALENT
Lot#:	D8043IN8855
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	Non-VFC
Quantity:	11 Vials

5.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0820-43
Product Name:	ENERGIX-B
Lot#:	6332FK26
Expiration Date:	12/31/2022
GTIN:	10358160820431
Vaccine source:	Non-VFC
Quantity:	19 Syringes (or doses)

6.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0811-43
Product Name:	PEDIARIX
Lot#:	6559FK32
Expiration Date:	12/31/2022
GTIN:	10358160811439
Vaccine source:	Non-VFC
Quantity:	15 Syringes (or doses)

7.

Manufacturer:	Pfizer, Inc
NDC:	59267-1000-01
Product Name:	Pfizer-BioNTech Covid-19 Vaccine
Lot#:	8L7B3418
Expiration Date:	12/31/2022
GTIN:	00359267100016
Vaccine source:	Non-VFC
Quantity:	75 vials (449 doses)

8.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0821-05
Product Name:	ENERGIX-B
Lot#:	6942FL12
Expiration Date:	12/31/2022
GTIN:	10358160821056
Vaccine source:	Non-VFC
Quantity:	15 Syringes (or doses)

Notes

A GTIN for FLUZONE QUADRIVALENT (NDC: 49281-0521-00) had not yet been assigned at the time this test plan was generated. A GTIN was generated for the purpose of this test according to GS1 standards and may be updated in the future should this be changed in IIS: NDC Lookup Crosswalk published by CDC.

Because the Flu season may not align with the test plan execution, the most current Flu vaccine may not be present.

