

**Description**

The provider receives a vaccine delivery and records the new vaccine data in available inventory.

**Comments**

Set-up step evaluating EHR functions for capturing and storing vaccine inventory data.

**Pre-condition**

No Pre-Condition

**Post-Condition**

Vaccine inventory is recorded and available in the EHR.

**Test Objectives**

**Update Vaccine Inventory from Stock Receipt:** The EHR or other clinical software system updates the vaccine inventory when new stock is received at the site and updates the correct count of each vaccine, including those for use in guarantee programs (such as Vaccines for Children) and for private stock.

**Evaluation Criteria**

Vendor successfully records all vaccine inventory data provided:

1.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00
Product Name:	FLUZONE QUADRIVALENT
Lot#:	8L4B3521
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	VFC
Quantity:	12 Vials
2D Barcode:	


2.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00
Product Name:	FLUZONE QUADRIVALENT
Lot#:	D8043IN8422
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	VFC
Quantity:	15 Vials
2D Barcode:	


3.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0521-00
Product Name:	FLUZONE QUADRIVALENT
Lot#:	D8043IN8855
Expiration Date:	12/31/2022
GTIN:	00349281521003
Vaccine source:	Non-VFC
Quantity:	12 Vials
2D Barcode:	

4.


Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0820-43
Product Name:	ENGERIX-B
Lot#:	6332FK18
Expiration Date:	6/15/2021
GTIN:	10358160820431
Vaccine source:	Non-VFC
Quantity:	18 Syringes (or doses)
2D Barcode:	

5.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0820-43
Product Name:	ENGERIX-B
Lot#:	6332FK26
Expiration Date:	12/31/2022
GTIN:	10358160820431
Vaccine source:	Non-VFC
Quantity:	20 Syringes (or doses)
2D Barcode:	

6.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0811-43
Product Name:	PEDIARIX

Lot#:	6559FK32
Expiration Date:	12/31/2022
GTIN:	10358160811439
Vaccine source:	non-VFC
Quantity:	16 Syringes (or doses)
2D Barcode:	

7.

Manufacturer:	Pfizer Manufacturing Belgium NV
NDC:	59267-1000-01
Product Name:	Pfizer-BioNTech Covid-19 Vaccine
Lot#:	8L7B3418
Expiration Date:	12/31/2022
GTIN:	0110359267100013
Vaccine source:	Non-VFC
Quantity:	75 vials (or 450 doses @6-doses/vial)
2D Barcode:	

8.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0821-05
Product Name:	ENERGIX-B
Lot#:	6942FL12
Expiration Date:	12/31/2022
GTIN:	10358160821056
Vaccine source:	Non-VFC
Quantity:	16 Syringes (or doses)
2D Barcode:	

Notes

Vendors are encouraged to scan the 2D Barcode images as data input. Tester should document feedback and any identified issues with 2D Barcode images.

A GTIN for FLUZONE QUADRIVALENT (NDC: 49281-0521-00) had not yet been assigned at the time this test plan was generated. A GTIN was generated for the purpose of this test according to GS1 standards and may be updated in the future should this be changed in IIS: NDC Lookup Crosswalk published by CDC.

Because the Flu season may not align with the test plan execution, the most current Flu vaccine may not be present.

The new vaccine information needs to be added before inventory can be added for a specific vaccine.