

## Test Case Information

## EDOS\_2.1\_2.1-M10-NG - M10\_Update\_add

Test Case ID

EDOS\_2.1\_2.1-M10\_NG

## MSH

Location	Data Element	Data	Categorization
MSH.1	Field Separator		IG Fixed Data
MSH.2	Encoding Characters	^~&#	IG Fixed Data
MSH.3	Sending Application		
MSH.3.1	Namespace ID	NIST Test Lab APP	Configurable Data
MSH.4	Sending Facility		
MSH.4.1	Namespace ID	NIST Lab Facility	Configurable Data
MSH.6	Receiving Facility		
MSH.6.1	Namespace ID	NIST EHR Facility	Configurable Data
MSH.7	Date/Time Of Message		
MSH.7.1	Time	20130421113601-0700	System Generated
MSH.9	Message Type		
MSH.9.1	Message Code	MFN	IG Fixed Data
MSH.9.2	Trigger Event	M10	IG Fixed Data
MSH.9.3	Message Structure	MFN_M10	IG Fixed Data
MSH.10	Message Control ID	EDOS_2.1_2.1-M10-NG	System Generated
MSH.11	Processing ID		
MSH.11.1	Processing ID	D	Changeable Data
MSH.12	VersionID		
MSH.12.1	Version ID	2.5.1	IG Fixed Data
MSH.21	Message Profile Identifier		
MSH.21.1	Entity Identifier	EDOS_Common_Component	Test Case Fixed Data
MSH.21.2	Namespace ID	EDOS Base Profile	Changeable Data
MSH.21.3	Universal ID	2.16.840.1.113883.9.67	Test Case Fixed Data
MSH.21.4	Universal ID Type	ISO	IG Fixed Data
MSH.21[2]	Message Profile Identifier		
MSH.21[2].1	Entity Identifier	EDOS_NG_Component	Test Case Fixed Data
MSH.21[2].2	Namespace ID	EDOS NG Profile	Changeable Data
MSH.21[2].3	Universal ID	2.16.840.1.113883.9.69	Test Case Fixed Data
MSH.21[2].4	Universal ID Type	ISO	IG Fixed Data

## MFI

Location	Data Element	Data	Categorization
MFI.1	Master File Identifier		
MFI.1.1	Identifier	OMC	IG Fixed Data
MFI.1.2	Text	Observation batteries master file	Changeable Data
MFI.1.3	Name of Coding System	HL70175	IG Fixed Data
MFI.1.7	Coding System Version ID	2.5.1	Test Case Fixed Data
MFI.3	File-Level Event Code	UPD	Test Case Fixed Data
MFI.6	Response Level Code	NE	IG Fixed Data

## MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
MFE.4.1	Identifier	1100	Changeable Data
MFE.4.2	Text	Stool culture with Susceptibility	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data

MFE.4.7	Coding System Version ID	20130421	Changeable Data
Location	Data Element	Data	Categorization
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

#### OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	1	IG Fixed Data
OM1.2	Producer's Service/Test/Observation ID		
OM1.2.1	Identifier	1100	Changeable Data
OM1.2.2	Text	Stool culture with Susceptibility	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	Specimen Required	Y	Changeable Data
OM1.5	Producer ID		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
OM1.9	Preferred Report Name for the Observation	Stool Culture with Susceptibility Reflex	Changeable Data
OM1.12	Orderability	Y	Test Case Fixed Data
OM1.18	Nature of Service/Test/Observation	P	Test Case Fixed Data
OM1.39	Factors that may Affect the Observation	Insufficient specimen, Improper labeling.	Changeable Data
OM1.40	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48	Exclusive Test	N	Changeable Data
OM1.49	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.57	Expected Turn-Around Time		
OM1.57.1	Quantity	3	Changeable Data
OM1.57.2	Units		
OM1.57.2.2	Text	day	Changeable Data

#### OM5

Location	Data Element	Data	Categorization
OM5.1	Sequence Number - Test/Observation Master File	1	IG Fixed Data
OM5.2	Test/Observations Included Within an Ordered Test Battery		
OM5.2.1	Identifier	1101	Changeable Data
OM5.2.2	Text	Stool culture	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	625-4	Test Case Fixed Data
OM5.2.5	Alternate Text	Bacteria identified in Stool by Culture	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[2].1	Identifier	1102	Changeable Data
OM5.2[2].2	Text	Colony Count	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	564-5	Test Case Fixed Data
OM5.2[2].5	Alternate Text	COLONY COUNT	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[3].1	Identifier	1500	Changeable Data
OM5.2[3].2	Text	Bacteria susceptibility	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data

Location	Data Element	Data	Categorization
OM5.2[3].4	Alternate Identifier	50545-3	Test Case Fixed Data
OM5.2[3].5	Alternate Text	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data

#### OM4

Location	Data Element	Data	Categorization
<b>OM4.1</b>	<b>Sequence Number - Test/Observation Master File</b>	1.1	IG Fixed Data
<b>OM4.3</b>	<b>Container Description</b>	Enteric Pathogen Transport System - Cary Blair	Changeable Data
<b>OM4.4</b>	<b>Container Volume</b>	15.0	Changeable Data
<b>OM4.5</b>	<b>Container Units</b>		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliter	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
<b>OM4.6</b>	<b>Specimen</b>		
OM4.6.1	Identifier	119339001	Test Case Fixed Data
OM4.6.2	Text	Stool specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
<b>OM4.7</b>	<b>Additive</b>		
OM4.7.1	Identifier	CARY	Changeable Data
OM4.7.2	Text	Cary Blair Medium	Changeable Data
OM4.7.3	Name of Coding System	HL70371	Changeable Data
<b>OM4.10</b>	<b>Normal Collection Volume</b>		
OM4.10.1	Quantity	10	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
<b>OM4.11</b>	<b>Minimum Collection Volume</b>		
OM4.11.1	Quantity	5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
<b>OM4.15</b>	<b>Specimen Handling Code</b>		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
<b>OM4.16</b>	<b>Specimen Preference</b>	P	Test Case Fixed Data

#### OM4

Location	Data Element	Data	Categorization
<b>OM4.1</b>	<b>Sequence Number - Test/Observation Master File</b>	1.2	IG Fixed Data
<b>OM4.3</b>	<b>Container Description</b>	Enteric Pathogen Transport System - Para Pak C and S	Changeable Data
<b>OM4.3[2]</b>	<b>Container Description</b>	Enteric Pathogen Transport System - buffered glycerol saline	Changeable Data
<b>OM4.4</b>	<b>Container Volume</b>	15.0	Changeable Data
<b>OM4.4[2]</b>	<b>Container Volume</b>	15.0	Changeable Data
<b>OM4.5</b>	<b>Container Units</b>		
OM4.5.1	Identifier	mL	Changeable Data

Location	Data Element	Data	Categorization
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
<b>OM4.5[2]</b>	<b>Container Units</b>		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
<b>OM4.6</b>	<b>Specimen</b>		
OM4.6.1	Identifier	119339001	Test Case Fixed Data
OM4.6.2	Text	Stool specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
<b>OM4.10</b>	<b>Normal Collection Volume</b>		
OM4.10.1	Quantity	10	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
<b>OM4.11</b>	<b>Minimum Collection Volume</b>		
OM4.11.1	Quantity	5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
<b>OM4.15</b>	<b>Specimen Handling Code</b>		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
<b>OM4.16</b>	<b>Specimen Preference</b>	A	Test Case Fixed Data
<b>OM4.17</b>	<b>Preferred Specimen/Attribute Sequence</b>	1.1	Test Case Fixed Data

#### MFE

Location	Data Element	Data	Categorization
<b>MFE.1</b>	<b>Record-Level Event Code</b>	MAD	Test Case Fixed Data
<b>MFE.3</b>	<b>Effective Date/Time</b>		
MFE.3.1	Time	20131219145310	System Generated
<b>MFE.4</b>	<b>Primary Key Value - MFE</b>		
MFE.4.1	Identifier	1500	Changeable Data
MFE.4.2	Text	Bacteria susceptibility	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
<b>MFE.5</b>	<b>Primary Key Value Type</b>	CWE	IG Fixed Data

#### OM1

Location	Data Element	Data	Categorization
<b>OM1.1</b>	<b>Sequence Number - Test/Observation Master File</b>	2	IG Fixed Data
<b>OM1.2</b>	<b>Producer's Service/Test/Observation ID</b>		
OM1.2.1	Identifier	1500	Changeable Data
OM1.2.2	Text	Bacteria susceptibility	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
<b>OM1.4</b>	<b>Specimen Required</b>	Y	Changeable Data

Location	Producer ID Data Element	Data	Categorization
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
<b>OM1.7</b>	<b>Other Service/Test/Observation IDs for the Observation</b>		
OM1.7.1	Identifier	50545-3	Test Case Fixed Data
OM1.7.2	Text	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)	Changeable Data
OM1.7.3	Name of Coding System	LN	Test Case Fixed Data
<b>OM1.9</b>	<b>Preferred Report Name for the Observation</b>	Bacteria susceptibility	Changeable Data
<b>OM1.12</b>	<b>Orderability</b>	Y	Test Case Fixed Data
<b>OM1.18</b>	<b>Nature of Service/Test/Observation</b>	P	Test Case Fixed Data
<b>OM1.39</b>	<b>Factors that may Affect the Observation</b>	Insufficient specimen, Improper labeling.	Changeable Data
<b>OM1.40</b>	<b>Service/Test/Observation Performance Schedule</b>	Monday through Friday	Changeable Data
<b>OM1.48</b>	<b>Exclusive Test</b>	N	Changeable Data
<b>OM1.49</b>	<b>Diagnostic Service Sector ID</b>	LAB	Changeable Data
<b>OM1.57</b>	<b>Expected Turn-Around Time</b>		
OM1.57.1	Quantity	3	Changeable Data
OM1.57.2	Units		
OM1.57.2.2	Text	day	Changeable Data

#### OM5

Location	Data Element	Data	Categorization
<b>OM5.1</b>	<b>Sequence Number - Test/Observation Master File</b>	2	IG Fixed Data
<b>OM5.2</b>	<b>Test/Observations Included Within an Ordered Test Battery</b>		
OM5.2.1	Identifier	1501	Changeable Data
OM5.2.2	Text	Ciprofloxacin	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	185-9	Test Case Fixed Data
OM5.2.5	Alternate Text	Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
<b>OM5.2[2]</b>	<b>Test/Observations Included Within an Ordered Test Battery</b>		
OM5.2[2].1	Identifier	1502	Changeable Data
OM5.2[2].2	Text	Gentamicin	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	267-5	Test Case Fixed Data
OM5.2[2].5	Alternate Text	Gentamicin [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
<b>OM5.2[3]</b>	<b>Test/Observations Included Within an Ordered Test Battery</b>		
OM5.2[3].1	Identifier	1503	Changeable Data
OM5.2[3].2	Text	Ampicillin	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data
OM5.2[3].4	Alternate Identifier	28-1	Changeable Data
OM5.2[3].5	Alternate Text	Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data
<b>OM5.2[4]</b>	<b>Test/Observations Included Within an Ordered Test Battery</b>		
OM5.2[4].1	Identifier	1504	Changeable Data

Location	Data Element	Data	Categorization
OM5.2[4].3	Name of Coding System	99USL	Changeable Data
OM5.2[4].4	Alternate Identifier	20-8	Test Case Fixed Data
OM5.2[4].5	Alternate Text	Amoxicillin+Clavulanate [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[4].6	Name of Alternate Coding System	LN	Changeable Data
<b>OM5.2[5]</b>	<b>Test/Observations Included Within an Ordered Test Battery</b>		
OM5.2[5].1	Identifier	1505	Changeable Data
OM5.2[5].2	Text	Trimethoprim-sulfamethoxazole	Changeable Data
OM5.2[5].3	Name of Coding System	99USL	Changeable Data
OM5.2[5].4	Alternate Identifier	516-5	Test Case Fixed Data
OM5.2[5].5	Alternate Text	Trimethoprim+Sulfamethoxazole [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[5].6	Name of Alternate Coding System	LN	Changeable Data