

Test Case Information

EDOS_2.1_1.1-M08_GU - M08_Update_add

Test Case ID

EDOS_2.1_1.1-M08_GU

MSH

| Location | Data Element | Data | Categorization |
|------------------|-----------------------------------|-----------------------------|----------------------|
| MSH.1 | Field Separator | | IG Fixed Data |
| MSH.2 | Encoding Characters | ^~&# | IG Fixed Data |
| MSH.3 | Sending Application | | |
| MSH.3.1 | Namespace ID | NIST Test Lab APP | Configurable Data |
| MSH.3.2 | Universal ID | 2.16.840.1.113883.3.72.5.20 | Configurable Data |
| MSH.3.3 | Universal ID Type | ISO | IG Fixed Data |
| MSH.4 | Sending Facility | | |
| MSH.4.1 | Namespace ID | NIST Lab Facility | Configurable Data |
| MSH.4.2 | Universal ID | 2.16.840.1.113883.3.72.5.21 | Configurable Data |
| MSH.4.3 | Universal ID Type | ISO | IG Fixed Data |
| MSH.6 | Receiving Facility | | |
| MSH.6.1 | Namespace ID | NIST EHR Facility | Configurable Data |
| MSH.6.2 | Universal ID | 2.16.840.1.113883.3.72.5.23 | Configurable Data |
| MSH.6.3 | Universal ID Type | ISO | IG Fixed Data |
| MSH.7 | Date/Time Of Message | | |
| MSH.7.1 | Time | 20130421113601-0700 | System Generated |
| MSH.9 | Message Type | | |
| MSH.9.1 | Message Code | MFN | IG Fixed Data |
| MSH.9.2 | Trigger Event | M08 | IG Fixed Data |
| MSH.9.3 | Message Structure | MFN_M08 | IG Fixed Data |
| MSH.10 | Message Control ID | EDOS_2.1_1.1-M08_GU | System Generated |
| MSH.11 | Processing ID | | |
| MSH.11.1 | Processing ID | D | Changeable Data |
| MSH.12 | VersionID | | |
| MSH.12.1 | Version ID | 2.5.1 | IG Fixed Data |
| MSH.21 | Message Profile Identifier | | |
| MSH.21.1 | Entity Identifier | EDOS_Common_Component | Test Case Fixed Data |
| MSH.21.2 | Namespace ID | EDOS Base Profile | Changeable Data |
| MSH.21.3 | Universal ID | 2.16.840.1.113883.9.67 | Test Case Fixed Data |
| MSH.21.4 | Universal ID Type | ISO | IG Fixed Data |
| MSH.21[2] | Message Profile Identifier | | |
| MSH.21[2].1 | Entity Identifier | EDOS_GU_Component | Test Case Fixed Data |
| MSH.21[2].2 | Namespace ID | EDOS GU Profile | Changeable Data |
| MSH.21[2].3 | Universal ID | 2.16.840.1.113883.9.68 | Test Case Fixed Data |
| MSH.21[2].4 | Universal ID Type | ISO | IG Fixed Data |

MFI

| Location | Data Element | Data | Categorization |
|--------------|-------------------------------|------------------------------------|----------------------|
| MFI.1 | Master File Identifier | | |
| MFI.1.1 | Identifier | OMM | IG Fixed Data |
| MFI.1.2 | Text | Mixed type observation master file | Changeable Data |
| MFI.1.3 | Name of Coding System | HL70175 | IG Fixed Data |
| MFI.1.7 | Coding System Version ID | 2.5.1 | Test Case Fixed Data |
| MFI.3 | File-Level Event Code | UPD | Test Case Fixed Data |
| MFI.6 | Response Level Code | NE | IG Fixed Data |

MFE

| Location | Data Element | Data | Categorization |
|--------------|--------------------------------|------|----------------------|
| MFE.1 | Record-Level Event Code | MAD | Test Case Fixed Data |

| MFE.3 | Location | Effective Date/Time | Data Element | Data | Categorization |
|--------------|-----------------|----------------------------|--------------------------------|----------------|-----------------------|
| MFE.3.1 | | Time | | 20131219145310 | System Generated |
| MFE.4 | | | Primary Key Value - MFE | | |
| MFE.4.1 | | Identifier | | 1101 | Changeable Data |
| MFE.4.2 | | Text | | Stool culture | Changeable Data |
| MFE.4.3 | | Name of Coding System | | 99USL | Changeable Data |
| MFE.4.7 | | Coding System Version ID | | 20130421 | Changeable Data |
| MFE.5 | | | Primary Key Value Type | CWE | IG Fixed Data |

OM1

| Location | Data Element | Data | Categorization |
|-----------------|--|---|-----------------------|
| OM1.1 | Sequence Number - Test/Observation Master File | 1 | IG Fixed Data |
| OM1.2 | Producer's Service/Test/Observation ID | | |
| OM1.2.1 | Identifier | 1101 | Changeable Data |
| OM1.2.2 | Text | Stool culture | Changeable Data |
| OM1.2.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.2.7 | Coding System Version ID | 20130421 | Changeable Data |
| OM1.4 | Specimen Required | Y | Changeable Data |
| OM1.5 | Producer ID | | |
| OM1.5.1 | Identifier | 05D0669071 | Changeable Data |
| OM1.5.2 | Text | Century Hospital Clinical Laboratory | Changeable Data |
| OM1.5.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.5.7 | Coding System Version ID | 2013 | Changeable Data |
| OM1.7 | Other Service/Test/Observation IDs for the Observation | | |
| OM1.7.1 | Identifier | 625-4 | Test Case Fixed Data |
| OM1.7.2 | Text | Bacteria identified in Stool by Culture | Changeable Data |
| OM1.7.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.9 | Preferred Report Name for the Observation | Stool Culture | Changeable Data |
| OM1.12 | Orderability | Y | Test Case Fixed Data |
| OM1.18 | Nature of Service/Test/Observation | A | Test Case Fixed Data |
| OM1.39 | Factors that may Affect the Observation | Insufficient specimen, Improper labeling, delivery over 72 hours. | Changeable Data |
| OM1.40 | Service/Test/Observation Performance Schedule | Monday through Friday | Changeable Data |
| OM1.48 | Exclusive Test | N | Changeable Data |
| OM1.49 | Diagnostic Service Sector ID | LAB | Changeable Data |
| OM1.56 | Observation Identifier associated with Producer's Service/Test/Observation ID | | |
| OM1.56.1 | Identifier | 625-4 | Changeable Data |
| OM1.56.2 | Text | Bacteria identified in Stool by Culture | Changeable Data |
| OM1.56.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.56.4 | Alternate Identifier | 1101 | Changeable Data |
| OM1.56.5 | Alternate Text | Stool culture | Changeable Data |
| OM1.56.6 | Name of Alternate Coding System | 99USL | Changeable Data |
| OM1.57 | Expected Turn-Around Time | | |
| OM1.57.1 | Quantity | 3 | Changeable Data |
| OM1.57.2 | Units | | |
| OM1.57.2.2 | Text | day | Changeable Data |

OM3

| Location | Data Element | Data | Categorization |
|-----------------|---|-------------|-----------------------|
| OM3.1 | Sequence Number - Test/Observation Master File | 1 | IG Fixed Data |
| | Normal Text/Codes for Categorical | | |

| OM3.4 Location | Observations Data Element | Data | Categorization |
|-----------------|---|--|----------------------|
| OM3.4.1 | Identifier | 260385009 | Test Case Fixed Data |
| OM3.4.2 | Text | Negative (qualifier value) | Configurable Data |
| OM3.4.3 | Name of Coding System | SCT | Test Case Fixed Data |
| OM3.4.7 | Coding System Version ID | 20130731 | Changeable Data |
| OM3.5 | Abnormal Text/Codes for Categorical Observations | | |
| OM3.5.1 | Identifier | 85729005 | Test Case Fixed Data |
| OM3.5.2 | Text | Shigella flexneri | Configurable Data |
| OM3.5.3 | Name of Coding System | SCT | Test Case Fixed Data |
| OM3.5.7 | Coding System Version ID | 20130731 | Changeable Data |
| OM3.5[2] | Abnormal Text/Codes for Categorical Observations | | |
| OM3.5[2].1 | Identifier | 398567006 | Test Case Fixed Data |
| OM3.5[2].2 | Text | Salmonella I, group O:4 | Configurable Data |
| OM3.5[2].3 | Name of Coding System | SCT | Test Case Fixed Data |
| OM3.5[2].7 | Coding System Version ID | 20130731 | Changeable Data |
| OM3.5[3] | Abnormal Text/Codes for Categorical Observations | | |
| OM3.5[3].1 | Identifier | 103429008 | Test Case Fixed Data |
| OM3.5[3].2 | Text | Enterohemorrhagic Escherichia coli, serotype O157:H7 | Configurable Data |
| OM3.5[3].3 | Name of Coding System | SCT | Test Case Fixed Data |
| OM3.5[3].7 | Coding System Version ID | 20130731 | Changeable Data |
| OM3.7 | Value Type | CWE | Test Case Fixed Data |

OM4

| Location | Data Element | Data | Categorization |
|---------------|---|--|----------------------|
| OM4.1 | Sequence Number - Test/Observation Master File | 1.1 | IG Fixed Data |
| OM4.3 | Container Description | Enteric Pathogen Transport System - Cary Blair | Changeable Data |
| OM4.4 | Container Volume | 15.0 | Changeable Data |
| OM4.5 | Container Units | | |
| OM4.5.1 | Identifier | mL | Changeable Data |
| OM4.5.2 | Text | milliliter | Changeable Data |
| OM4.5.3 | Name of Coding System | UCUM | Changeable Data |
| OM4.5.7 | Coding System Version ID | 1.8 | Changeable Data |
| OM4.6 | Specimen | | |
| OM4.6.1 | Identifier | 119339001 | Test Case Fixed Data |
| OM4.6.2 | Text | Stool specimen | Changeable Data |
| OM4.6.3 | Name of Coding System | SCT | Test Case Fixed Data |
| OM4.6.7 | Coding System Version ID | 201509-US Ed | Changeable Data |
| OM4.7 | Additive | | |
| OM4.7.1 | Identifier | CARY | Changeable Data |
| OM4.7.2 | Text | Cary Blair Medium | Changeable Data |
| OM4.7.3 | Name of Coding System | HL70371 | Changeable Data |
| OM4.10 | Normal Collection Volume | | |
| OM4.10.1 | Quantity | 10 | Changeable Data |
| OM4.10.2 | Units | | |
| OM4.10.2.1 | Identifier | mL | Changeable Data |
| OM4.10.2.2 | Text | milliliter | Changeable Data |
| OM4.10.2.3 | Name of Coding System | UCUM | IG Fixed Data |
| OM4.10.2.7 | Coding System Version ID | 1.8 | Changeable Data |
| OM4.11 | Minimum Collection Volume | | |
| OM4.11.1 | Quantity | 5 | Changeable Data |
| OM4.11.2 | Units | | |
| OM4.11.2.1 | Identifier | mL | Changeable Data |

| Location | Data Element | Data | Categorization |
|---------------|-------------------------------|--------------|----------------------|
| OM4.11.2.2 | Text | milliliter | Changeable Data |
| OM4.11.2.3 | Name of Coding System | UCUM | IG Fixed Data |
| OM4.11.2.7 | Coding System Version ID | 1.8 | Changeable Data |
| OM4.15 | Specimen Handling Code | | |
| OM4.15.1 | Identifier | REF | Changeable Data |
| OM4.15.2 | Text | Refrigerated | Changeable Data |
| OM4.15.3 | Name of Coding System | HL70376 | IG Fixed Data |
| OM4.16 | Specimen Preference | P | Test Case Fixed Data |

OM4

| Location | Data Element | Data | Categorization |
|-----------------|---|--|----------------------|
| OM4.1 | Sequence Number - Test/Observation Master File | 1.2 | IG Fixed Data |
| OM4.3 | Container Description | Enteric Pathogen Transport System - Para Pak C and S | Changeable Data |
| OM4.3[2] | Container Description | Enteric Pathogen Transport System - buffered glycerol saline | Changeable Data |
| OM4.4 | Container Volume | 15.0 | Changeable Data |
| OM4.4[2] | Container Volume | 15.0 | Changeable Data |
| OM4.5 | Container Units | | |
| OM4.5.1 | Identifier | mL | Changeable Data |
| OM4.5.2 | Text | milliliter | Changeable Data |
| OM4.5.3 | Name of Coding System | UCUM | Changeable Data |
| OM4.5.7 | Coding System Version ID | 1.8 | Changeable Data |
| OM4.5[2] | Container Units | | |
| OM4.5[2].1 | Identifier | mL | Changeable Data |
| OM4.5[2].2 | Text | milliliter | Changeable Data |
| OM4.5[2].3 | Name of Coding System | UCUM | Changeable Data |
| OM4.5[2].7 | Coding System Version ID | 1.8 | Changeable Data |
| OM4.6 | Specimen | | |
| OM4.6.1 | Identifier | 119339001 | Test Case Fixed Data |
| OM4.6.2 | Text | Stool specimen | Changeable Data |
| OM4.6.3 | Name of Coding System | SCT | Test Case Fixed Data |
| OM4.6.7 | Coding System Version ID | 201509-US Ed | Changeable Data |
| OM4.10 | Normal Collection Volume | | |
| OM4.10.1 | Quantity | 10 | Changeable Data |
| OM4.10.2 | Units | | |
| OM4.10.2.1 | Identifier | mL | Changeable Data |
| OM4.10.2.2 | Text | milliliter | Changeable Data |
| OM4.10.2.3 | Name of Coding System | UCUM | IG Fixed Data |
| OM4.10.2.7 | Coding System Version ID | 1.8 | Changeable Data |
| OM4.11 | Minimum Collection Volume | | |
| OM4.11.1 | Quantity | 5 | Changeable Data |
| OM4.11.2 | Units | | |
| OM4.11.2.1 | Identifier | mL | Changeable Data |
| OM4.11.2.2 | Text | milliliter | Changeable Data |
| OM4.11.2.3 | Name of Coding System | UCUM | IG Fixed Data |
| OM4.11.2.7 | Coding System Version ID | 1.8 | Changeable Data |
| OM4.15 | Specimen Handling Code | | |
| OM4.15.1 | Identifier | REF | Changeable Data |
| OM4.15.2 | Text | Refrigerated | Changeable Data |
| OM4.15.3 | Name of Coding System | HL70376 | IG Fixed Data |
| OM4.16 | Specimen Preference | A | Test Case Fixed Data |
| OM4.17 | Preferred Specimen/Attribute Sequence | 1.1 | Test Case Fixed Data |

MFE

| Location | Data Element | Data | Categorization |
|----------|--------------|------|----------------|
|----------|--------------|------|----------------|

| MFE.1 | Location | Record-Level Event Code | MAD | Data | Test Case Fixed Data |
|--------------|--------------------------------|--------------------------------|----------------|-------------|-----------------------------|
| MFE.3 | Effective Date/Time | Data Element | | | Categorization |
| MFE.3.1 | Time | | 20131219145310 | | System Generated |
| MFE.4 | Primary Key Value - MFE | | | | |
| MFE.4.1 | Identifier | | 1102 | | Changeable Data |
| MFE.4.2 | Text | | Colony Count | | Changeable Data |
| MFE.4.3 | Name of Coding System | | 99USL | | Changeable Data |
| MFE.4.7 | Coding System Version ID | | 20130421 | | Changeable Data |
| MFE.5 | Primary Key Value Type | | CWE | | IG Fixed Data |

OM1

| Location | Data Element | Data | Categorization |
|-----------------|--|---|-----------------------|
| OM1.1 | Sequence Number - Test/Observation Master File | 2 | IG Fixed Data |
| OM1.2 | Producer's Service/Test/Observation ID | | |
| OM1.2.1 | Identifier | 1102 | Changeable Data |
| OM1.2.2 | Text | Colony Count | Changeable Data |
| OM1.2.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.2.7 | Coding System Version ID | 20130421 | Changeable Data |
| OM1.4 | Specimen Required | Y | Changeable Data |
| OM1.5 | Producer ID | | |
| OM1.5.1 | Identifier | 05D0669071 | Changeable Data |
| OM1.5.2 | Text | Century Hospital Clinical Laboratory | Changeable Data |
| OM1.5.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.5.7 | Coding System Version ID | 2013 | Changeable Data |
| OM1.7 | Other Service/Test/Observation IDs for the Observation | | |
| OM1.7.1 | Identifier | 564-5 | Test Case Fixed Data |
| OM1.7.2 | Text | COLONY COUNT | Changeable Data |
| OM1.7.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.9 | Preferred Report Name for the Observation | Colony Count | Changeable Data |
| OM1.12 | Orderability | N | Test Case Fixed Data |
| OM1.18 | Nature of Service/Test/Observation | A | Test Case Fixed Data |
| OM1.39 | Factors that may Affect the Observation | Insufficient specimen, Improper labeling. | Changeable Data |
| OM1.40 | Service/Test/Observation Performance Schedule | Monday through Friday | Changeable Data |
| OM1.48 | Exclusive Test | N | Changeable Data |
| OM1.49 | Diagnostic Service Sector ID | LAB | Changeable Data |
| OM1.56 | Observation Identifier associated with Producer's Service/Test/Observation ID | | |
| OM1.56.1 | Identifier | 564-5 | Changeable Data |
| OM1.56.2 | Text | COLONY COUNT | Changeable Data |
| OM1.56.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.56.4 | Alternate Identifier | 1102 | Changeable Data |
| OM1.56.5 | Alternate Text | Colony Count | Changeable Data |
| OM1.56.6 | Name of Alternate Coding System | 99USL | Changeable Data |
| OM1.57 | Expected Turn-Around Time | | |
| OM1.57.1 | Quantity | 3 | Changeable Data |
| OM1.57.2 | Units | | |
| OM1.57.2.2 | Text | day | Changeable Data |

MFE

| Location | Data Element | Data | Categorization |
|-----------------|--------------------------------|-------------|-----------------------|
| MFE.1 | Record-Level Event Code | MAD | Test Case Fixed Data |
| MFE.3 | Effective Date/Time | | |

| Location | Data Element | 20131219145310 Data | System Generated Categorization |
|--------------|--------------------------------|---------------------|---------------------------------|
| MFE.4 | Primary Key Value - MFE | | |
| MFE.4.1 | Identifier | 1501 | Changeable Data |
| MFE.4.2 | Text | Ciprofloxacin | Changeable Data |
| MFE.4.3 | Name of Coding System | 99USL | Changeable Data |
| MFE.4.7 | Coding System Version ID | 20130421 | Changeable Data |
| MFE.5 | Primary Key Value Type | CWE | IG Fixed Data |

OM1

| Location | Data Element | Data | Categorization |
|---------------|--|--|----------------------|
| OM1.1 | Sequence Number - Test/Observation Master File | 3 | IG Fixed Data |
| OM1.2 | Producer's Service/Test/Observation ID | | |
| OM1.2.1 | Identifier | 1501 | Changeable Data |
| OM1.2.2 | Text | Ciprofloxacin | Changeable Data |
| OM1.2.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.2.7 | Coding System Version ID | 20130421 | Changeable Data |
| OM1.4 | Specimen Required | N | Changeable Data |
| OM1.5 | Producer ID | | |
| OM1.5.1 | Identifier | 05D0669071 | Changeable Data |
| OM1.5.2 | Text | Century Hospital Clinical Laboratory | Changeable Data |
| OM1.5.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.5.7 | Coding System Version ID | 2013 | Changeable Data |
| OM1.7 | Other Service/Test/Observation IDs for the Observation | | |
| OM1.7.1 | Identifier | 185-9 | Test Case Fixed Data |
| OM1.7.2 | Text | Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.7.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.9 | Preferred Report Name for the Observation | Ciprofloxacin MIC | Changeable Data |
| OM1.12 | Orderability | N | Test Case Fixed Data |
| OM1.18 | Nature of Service/Test/Observation | A | Test Case Fixed Data |
| OM1.39 | Factors that may Affect the Observation | Insufficient specimen, Improper labeling. | Changeable Data |
| OM1.40 | Service/Test/Observation Performance Schedule | Monday through Friday | Changeable Data |
| OM1.48 | Exclusive Test | N | Changeable Data |
| OM1.49 | Diagnostic Service Sector ID | LAB | Changeable Data |
| OM1.56 | Observation Identifier associated with Producer's Service/Test/Observation ID | | |
| OM1.56.1 | Identifier | 185-9 | Changeable Data |
| OM1.56.2 | Text | Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.56.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.56.4 | Alternate Identifier | 1501 | Changeable Data |
| OM1.56.5 | Alternate Text | Ciprofloxacin | Changeable Data |
| OM1.56.6 | Name of Alternate Coding System | 99USL | Changeable Data |
| OM1.57 | Expected Turn-Around Time | | |
| OM1.57.1 | Quantity | 3 | Changeable Data |
| OM1.57.2 | Units | | |
| OM1.57.2.2 | Text | day | Changeable Data |

MFE

| Location | Data Element | Data | Categorization |
|--------------|--------------------------------|------|----------------------|
| MFE.1 | Record-Level Event Code | MAD | Test Case Fixed Data |
| MFE.3 | Effective Date/Time | | |

| MFE.3.1 Location | Time Data Element | 20131219145310 Data | System Generated Categorization |
|---------------------|--------------------------------|------------------------|------------------------------------|
| MFE.4 | Primary Key Value - MFE | | |
| MFE.4.1 | Identifier | 1502 | Changeable Data |
| MFE.4.2 | Text | Gentamicin | Changeable Data |
| MFE.4.3 | Name of Coding System | 99USL | Changeable Data |
| MFE.4.7 | Coding System Version ID | 20130421 | Changeable Data |
| MFE.5 | Primary Key Value Type | CWE | IG Fixed Data |

OM1

| Location | Data Element | Data | Categorization |
|---------------|--|---|----------------------|
| OM1.1 | Sequence Number - Test/Observation Master File | 4 | IG Fixed Data |
| OM1.2 | Producer's Service/Test/Observation ID | | |
| OM1.2.1 | Identifier | 1502 | Changeable Data |
| OM1.2.2 | Text | Gentamicin | Changeable Data |
| OM1.2.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.2.7 | Coding System Version ID | 20130421 | Changeable Data |
| OM1.4 | Specimen Required | N | Changeable Data |
| OM1.5 | Producer ID | | |
| OM1.5.1 | Identifier | 05D0669071 | Changeable Data |
| OM1.5.2 | Text | Century Hospital Clinical Laboratory | Changeable Data |
| OM1.5.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.5.7 | Coding System Version ID | 2013 | Changeable Data |
| OM1.7 | Other Service/Test/Observation IDs for the Observation | | |
| OM1.7.1 | Identifier | 267-5 | Test Case Fixed Data |
| OM1.7.2 | Text | Gentamicin [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.7.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.9 | Preferred Report Name for the Observation | Gentamicin MIC | Changeable Data |
| OM1.12 | Orderability | N | Test Case Fixed Data |
| OM1.18 | Nature of Service/Test/Observation | A | Test Case Fixed Data |
| OM1.39 | Factors that may Affect the Observation | Insufficient specimen, Improper labeling. | Changeable Data |
| OM1.40 | Service/Test/Observation Performance Schedule | Monday through Friday | Changeable Data |
| OM1.48 | Exclusive Test | N | Changeable Data |
| OM1.49 | Diagnostic Service Sector ID | LAB | Changeable Data |
| OM1.56 | Observation Identifier associated with Producer's Service/Test/Observation ID | | |
| OM1.56.1 | Identifier | 267-5 | Changeable Data |
| OM1.56.2 | Text | Gentamicin [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.56.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.56.4 | Alternate Identifier | 1502 | Changeable Data |
| OM1.56.5 | Alternate Text | Gentamicin | Changeable Data |
| OM1.56.6 | Name of Alternate Coding System | 99USL | Changeable Data |
| OM1.57 | Expected Turn-Around Time | | |
| OM1.57.1 | Quantity | 3 | Changeable Data |
| OM1.57.2 | Units | | |
| OM1.57.2.2 | Text | day | Changeable Data |

MFE

| Location | Data Element | Data | Categorization |
|--------------|--------------------------------|------|----------------------|
| MFE.1 | Record-Level Event Code | MAD | Test Case Fixed Data |
| MFE.3 | Effective Date/Time | | |

| MFE.3.1 Location | Time Data Element | 20131219145310 Data | System Generated Categorization |
|---------------------|--------------------------------|------------------------|------------------------------------|
| MFE.4 | Primary Key Value - MFE | | |
| MFE.4.1 | Identifier | 1503 | Changeable Data |
| MFE.4.2 | Text | Ampicillin | Changeable Data |
| MFE.4.3 | Name of Coding System | 99USL | Changeable Data |
| MFE.4.7 | Coding System Version ID | 20130421 | Changeable Data |
| MFE.5 | Primary Key Value Type | CWE | IG Fixed Data |

OM1

| Location | Data Element | Data | Categorization |
|---------------|--|---|----------------------|
| OM1.1 | Sequence Number - Test/Observation Master File | 5 | IG Fixed Data |
| OM1.2 | Producer's Service/Test/Observation ID | | |
| OM1.2.1 | Identifier | 1503 | Changeable Data |
| OM1.2.2 | Text | Ampicillin | Changeable Data |
| OM1.2.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.2.7 | Coding System Version ID | 20130421 | Changeable Data |
| OM1.4 | Specimen Required | N | Changeable Data |
| OM1.5 | Producer ID | | |
| OM1.5.1 | Identifier | 05D0669071 | Changeable Data |
| OM1.5.2 | Text | Century Hospital Clinical Laboratory | Changeable Data |
| OM1.5.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.5.7 | Coding System Version ID | 2013 | Changeable Data |
| OM1.7 | Other Service/Test/Observation IDs for the Observation | | |
| OM1.7.1 | Identifier | 28-1 | Changeable Data |
| OM1.7.2 | Text | Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.7.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.9 | Preferred Report Name for the Observation | Ampicillin MIC | Changeable Data |
| OM1.12 | Orderability | N | Test Case Fixed Data |
| OM1.18 | Nature of Service/Test/Observation | A | Test Case Fixed Data |
| OM1.39 | Factors that may Affect the Observation | Insufficient specimen, Improper labeling. | Changeable Data |
| OM1.40 | Service/Test/Observation Performance Schedule | Monday through Friday | Changeable Data |
| OM1.48 | Exclusive Test | N | Changeable Data |
| OM1.49 | Diagnostic Service Sector ID | LAB | Changeable Data |
| OM1.56 | Observation Identifier associated with Producer's Service/Test/Observation ID | | |
| OM1.56.1 | Identifier | 28-1 | Changeable Data |
| OM1.56.2 | Text | Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.56.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.56.4 | Alternate Identifier | 1503 | Changeable Data |
| OM1.56.5 | Alternate Text | Ampicillin | Changeable Data |
| OM1.56.6 | Name of Alternate Coding System | 99USL | Changeable Data |
| OM1.57 | Expected Turn-Around Time | | |
| OM1.57.1 | Quantity | 3 | Changeable Data |
| OM1.57.2 | Units | | |
| OM1.57.2.2 | Text | day | Changeable Data |

MFE

| Location | Data Element | Data | Categorization |
|--------------|--------------------------------|------|----------------------|
| MFE.1 | Record-Level Event Code | MAD | Test Case Fixed Data |
| MFE.3 | Effective Date/Time | | |

| MFE.3.1 Location | Time Data Element | 20131219145310 Data | System Generated Categorization |
|---------------------|--------------------------------|-------------------------|------------------------------------|
| MFE.4 | Primary Key Value - MFE | | |
| MFE.4.1 | Identifier | 1504 | Changeable Data |
| MFE.4.2 | Text | Amoxicillin+Clavulanate | Changeable Data |
| MFE.4.3 | Name of Coding System | 99USL | Changeable Data |
| MFE.4.7 | Coding System Version ID | 20130421 | Changeable Data |
| MFE.5 | Primary Key Value Type | CWE | IG Fixed Data |

OM1

| Location | Data Element | Data | Categorization |
|---------------|--|--|----------------------|
| OM1.1 | Sequence Number - Test/Observation Master File | 6 | IG Fixed Data |
| OM1.2 | Producer's Service/Test/Observation ID | | |
| OM1.2.1 | Identifier | 1504 | Changeable Data |
| OM1.2.2 | Text | Amoxicillin+Clavulanate | Changeable Data |
| OM1.2.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.2.7 | Coding System Version ID | 20130421 | Changeable Data |
| OM1.4 | Specimen Required | N | Changeable Data |
| OM1.5 | Producer ID | | |
| OM1.5.1 | Identifier | 05D0669071 | Changeable Data |
| OM1.5.2 | Text | Century Hospital Clinical Laboratory | Changeable Data |
| OM1.5.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.5.7 | Coding System Version ID | 2013 | Changeable Data |
| OM1.7 | Other Service/Test/Observation IDs for the Observation | | |
| OM1.7.1 | Identifier | 20-8 | Test Case Fixed Data |
| OM1.7.2 | Text | Amoxicillin+Clavulanate [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.7.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.9 | Preferred Report Name for the Observation | Amoxicillin+Clavulanate | Changeable Data |
| OM1.12 | Orderability | N | Test Case Fixed Data |
| OM1.18 | Nature of Service/Test/Observation | A | Test Case Fixed Data |
| OM1.39 | Factors that may Affect the Observation | Insufficient specimen, Improper labeling. | Changeable Data |
| OM1.40 | Service/Test/Observation Performance Schedule | Monday through Friday | Changeable Data |
| OM1.48 | Exclusive Test | N | Changeable Data |
| OM1.49 | Diagnostic Service Sector ID | LAB | Changeable Data |
| OM1.56 | Observation Identifier associated with Producer's Service/Test/Observation ID | | |
| OM1.56.1 | Identifier | 20-8 | Changeable Data |
| OM1.56.2 | Text | Amoxicillin+Clavulanate [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.56.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.56.4 | Alternate Identifier | 1504 | Changeable Data |
| OM1.56.5 | Alternate Text | Amoxicillin+Clavulanate | Changeable Data |
| OM1.56.6 | Name of Alternate Coding System | 99USL | Changeable Data |
| OM1.57 | Expected Turn-Around Time | | |
| OM1.57.1 | Quantity | 3 | Changeable Data |
| OM1.57.2 | Units | | |
| OM1.57.2.2 | Text | day | Changeable Data |

MFE

| Location | Data Element | Data | Categorization |
|--------------|--------------------------------|------|----------------------|
| MFE.1 | Record-Level Event Code | MAD | Test Case Fixed Data |
| MFE.3 | Effective Date/Time | | |

| MFE.3.1 Location | Time Data Element | 20131219145310 Data | System Generated Categorization |
|---------------------|--------------------------------|-------------------------------|------------------------------------|
| MFE.4 | Primary Key Value - MFE | | |
| MFE.4.1 | Identifier | 1505 | Changeable Data |
| MFE.4.2 | Text | Trimethoprim-sulfamethoxazole | Changeable Data |
| MFE.4.3 | Name of Coding System | 99USL | Changeable Data |
| MFE.4.7 | Coding System Version ID | 20130421 | Changeable Data |
| MFE.5 | Primary Key Value Type | CWE | IG Fixed Data |

OM1

| Location | Data Element | Data | Categorization |
|---------------|--|--|----------------------|
| OM1.1 | Sequence Number - Test/Observation Master File | 7 | IG Fixed Data |
| OM1.2 | Producer's Service/Test/Observation ID | | |
| OM1.2.1 | Identifier | 1505 | Changeable Data |
| OM1.2.2 | Text | Trimethoprim-sulfamethoxazole | Changeable Data |
| OM1.2.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.2.7 | Coding System Version ID | 20130421 | Changeable Data |
| OM1.4 | Specimen Required | N | Changeable Data |
| OM1.5 | Producer ID | | |
| OM1.5.1 | Identifier | 05D0669071 | Changeable Data |
| OM1.5.2 | Text | Century Hospital Clinical Laboratory | Changeable Data |
| OM1.5.3 | Name of Coding System | 99USL | Changeable Data |
| OM1.5.7 | Coding System Version ID | 2013 | Changeable Data |
| OM1.7 | Other Service/Test/Observation IDs for the Observation | | |
| OM1.7.1 | Identifier | 516-5 | Test Case Fixed Data |
| OM1.7.2 | Text | Trimethoprim+Sulfamethoxazole [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.7.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.9 | Preferred Report Name for the Observation | Trimethoprim-sulfamethoxazole MIC | Changeable Data |
| OM1.12 | Orderability | N | Test Case Fixed Data |
| OM1.18 | Nature of Service/Test/Observation | A | Test Case Fixed Data |
| OM1.39 | Factors that may Affect the Observation | Insufficient specimen, Improper labeling. | Changeable Data |
| OM1.40 | Service/Test/Observation Performance Schedule | Monday through Friday | Changeable Data |
| OM1.48 | Exclusive Test | N | Changeable Data |
| OM1.49 | Diagnostic Service Sector ID | LAB | Changeable Data |
| OM1.56 | Observation Identifier associated with Producer's Service/Test/Observation ID | | |
| OM1.56.1 | Identifier | 516-5 | Changeable Data |
| OM1.56.2 | Text | Trimethoprim+Sulfamethoxazole [Susceptibility] by Minimum inhibitory concentration (MIC) | Changeable Data |
| OM1.56.3 | Name of Coding System | LN | Test Case Fixed Data |
| OM1.56.4 | Alternate Identifier | 1505 | Changeable Data |
| OM1.56.5 | Alternate Text | Trimethoprim-sulfamethoxazole | Changeable Data |
| OM1.56.6 | Name of Alternate Coding System | 99USL | Changeable Data |
| OM1.57 | Expected Turn-Around Time | | |
| OM1.57.1 | Quantity | 3 | Changeable Data |
| OM1.57.2 | Units | | |
| OM1.57.2.2 | Text | day | Changeable Data |