Description

The Laboratory Test Compendium from Century Hospital Clinical Laboratory is a subset of their Directory of Services. It is based upon the most commonly ordered lab tests by Dr. Radon. This compendium is being used by Dr. Nicholas Radon's practice EHR-S to place orders electronically to Century Hospital's Clinical Laboratory. Century Hospital has made the following changes to their test compendium:
- Added a stool culture with susceptibility reflex and a susceptibility panel
Century Hospital's LIS transmits the appropriate eDOS update messages with these changes to Dr. Radon's EHR.

Comments

Update changes for additions of new panels and their elements.

PreCondition

EDOS_1.0_1.1-M08_New
and
EDOS_1.0_2.1-M10_New
and
EDOS_1.0_3.1-M04_New
and
EDOS_1.0_4.1-M18_New_Approved
and
EDOS_1.0_5.1-M18_New_Limited
and
EDOS_2.1_1.1-M08_Update_Add
have been completed.

PostCondition

eDOS M08 and M10 data elements are incorporated appropriately into the EHR-S.

TestObjectives

- Demonstrate capability to support a M10 update message - action: addition
- Demonstrate capability to support the repeating field in OM4-3 (Container Description), OM4-4 (Container Volume), and OM4-5 (Container Units).
- Demonstrate capability to support all supported data elements, including repeating fields in the OM5 segment.
- Demonstrate capability to support repeating segments for OM4.

EDOS_2.1_2.1-M10_GU - M10_Update_add	
Test Case ID	EDOS_2.1_2.1-M10_GU

MSH

Location	Data Element	Data	Categorization
MSH.1	**Field Separator**	|	IG Fixed Data
MSH.2	**Encoding Characters**	^~\&#	IG Fixed Data
MSH.3	**Sending Application**		
MSH.3.1	Namespace ID	NIST Test Lab APP	Configurable Data
MSH.3.2	Universal ID	2.16.840.1.113883.3.72.5.20	Configurable Data
MSH.3.3	Universal ID Type	ISO	IG Fixed Data
MSH.4	**Sending Facility**		
MSH.4.1	Namespace ID	NIST Lab Facility	Configurable Data
MSH.4.2	Universal ID	2.16.840.1.113883.3.72.5.21	Configurable Data
MSH.4.3	Universal ID Type	ISO	IG Fixed Data
MSH.6	**Receiving Facility**		
MSH.6.1	Namespace ID	NIST EHR Facility	Configurable Data
MSH.6.2	Universal ID	2.16.840.1.113883.3.72.5.23	Configurable Data
MSH.6.3	Universal ID Type	ISO	IG Fixed Data
MSH.7	**Date/Time Of Message**		
MSH.7.1	Time	20130421113601-0700	System Generated
MSH.9	**Message Type**		
MSH.9.1	Message Code	MFN	IG Fixed Data
MSH.9.2	Trigger Event	M10	IG Fixed Data
MSH.9.3	Message Structure	MFN_M10	IG Fixed Data
MSH.10	**Message Control ID**	EDOS_2.1_2.1-M10_GU	System Generated
MSH.11	**Processing ID**		
MSH.11.1	Processing ID	D	Changeable Data
MSH.12	**VersionID**		
MSH.12.1	Version ID	2.5.1	IG Fixed Data
MSH.21	**Message Profile Identifier**		
MSH.21.1	Entity Identifier	EDOS_Common_Component	Test Case Fixed Data
MSH.21.2	Namespace ID	EDOS Base Profile	Changeable Data
MSH.21.3	Universal ID	2.16.840.1.113883.9.67	Test Case Fixed Data
MSH.21.4	Universal ID Type	ISO	IG Fixed Data
MSH.21[2]	**Message Profile Identifier**		
MSH.21[2].1	Entity Identifier	EDOS_GU_Component	Test Case Fixed Data
MSH.21[2].2	Namespace ID	EDOS GU Profile	Changeable Data
MSH.21[2].3	Universal ID	2.16.840.1.113883.9.68	Test Case Fixed Data
MSH.21[2].4	Universal ID Type	ISO	IG Fixed Data

MFI

Location	Data Element	Data	Categorization
MFI.1	**Master File Identifier**		
MFI.1.1	Identifier	OMC	IG Fixed Data
MFI.1.2	Text	Observation batteries master file	Changeable Data
MFI.1.3	Name of Coding System	HL70175	IG Fixed Data
MFI.1.7	Coding System Version ID	2.5.1	Test Case Fixed Data
MFI.3	**File-Level Event Code**	UPD	Test Case Fixed Data
MFI.6	**Response Level Code**	NE	IG Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	**Record-Level Event Code**	MAD	Test Case Fixed Data

MFE.3 Location	Effective Date/Time Data Element	Data	Categorization
MFE.3.1	Time	20131219145310	System Generated
MFE.4	**Primary Key Value - MFE**		
MFE.4.1	Identifier	1100	Changeable Data
MFE.4.2	Text	Stool culture with Susceptibility	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	**Primary Key Value Type**	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	**Sequence Number - Test/Observation Master File**	1	IG Fixed Data
OM1.2	**Producer's Service/Test/Observation ID**		
OM1.2.1	Identifier	1100	Changeable Data
OM1.2.2	Text	Stool culture with Susceptibility	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	**Specimen Required**	Y	Changeable Data
OM1.5	**Producer ID**		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
OM1.9	**Preferred Report Name for the Observation**	Stool Culture with Susceptibility Reflex	Changeable Data
OM1.12	**Orderability**	Y	Test Case Fixed Data
OM1.18	**Nature of Service/Test/Observation**	P	Test Case Fixed Data
OM1.39	**Factors that may Affect the Observation**	Insufficient specimen, Improper labeling.	Changeable Data
OM1.40	**Service/Test/Observation Performance Schedule**	Monday through Friday	Changeable Data
OM1.48	**Exclusive Test**	N	Changeable Data
OM1.49	**Diagnostic Service Sector ID**	LAB	Changeable Data
OM1.57	**Expected Turn-Around Time**		
OM1.57.1	Quantity	3	Changeable Data
OM1.57.2	Units		
OM1.57.2.2	Text	day	Changeable Data

OM5

Location	Data Element	Data	Categorization
OM5.1	**Sequence Number - Test/Observation Master File**	1	IG Fixed Data
OM5.2	**Test/Observations Included Within an Ordered Test Battery**		
OM5.2.1	Identifier	1101	Changeable Data
OM5.2.2	Text	Stool culture	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	625-4	Test Case Fixed Data
OM5.2.5	Alternate Text	Bacteria identified in Stool by Culture	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2]	**Test/Observations Included Within an Ordered Test Battery**		
OM5.2[2].1	Identifier	1102	Changeable Data
OM5.2[2].2	Text	Colony Count	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	564-5	Test Case Fixed Data
OM5.2[2].5	Alternate Text	COLONY COUNT	Changeable Data

Location	Data Element	Data	Categorization
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3]	**Test/Observations Included Within an Ordered Test Battery**		
OM5.2[3].1	Identifier	1500	Changeable Data
OM5.2[3].2	Text	Bacteria susceptibility	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data
OM5.2[3].4	Alternate Identifier	50545-3	Test Case Fixed Data
OM5.2[3].5	Alternate Text	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data

OM4

Location	Data Element	Data	Categorization
OM4.1	**Sequence Number - Test/Observation Master File**	1.1	IG Fixed Data
OM4.3	**Container Description**	Enteric Pathogen Transport System - Cary Blair	Changeable Data
OM4.4	**Container Volume**	15.0	Changeable Data
OM4.5	**Container Units**		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliter	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.6	**Specimen**		
OM4.6.1	Identifier	119339001	Test Case Fixed Data
OM4.6.2	Text	Stool specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.7	**Additive**		
OM4.7.1	Identifier	CARY	Changeable Data
OM4.7.2	Text	Cary Blair Medium	Changeable Data
OM4.7.3	Name of Coding System	HL70371	Changeable Data
OM4.10	**Normal Collection Volume**		
OM4.10.1	Quantity	10	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
OM4.11	**Minimum Collection Volume**		
OM4.11.1	Quantity	5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.15	**Specimen Handling Code**		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.16	**Specimen Preference**	P	Test Case Fixed Data

OM4

Location	Data Element	Data	Categorization
OM4.1	**Sequence Number - Test/Observation Master File**	1.2	IG Fixed Data
OM4.3	**Container Description**	Enteric Pathogen Transport System - Para Pak C and S	Changeable Data

Location	Data Element	Data	Categorization
OM4.3[2]	Container Description	Enteric Pathogen Transport System - buffered glycerol saline	Changeable Data
OM4.4	Container Volume	15.0	Changeable Data
OM4.4[2]	Container Volume	15.0	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliter	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	119339001	Test Case Fixed Data
OM4.6.2	Text	Stool specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	10	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.16	Specimen Preference	A	Test Case Fixed Data
OM4.17	Preferred Specimen/Attribute Sequence	1.1	Test Case Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
MFE.4.1	Identifier	1500	Changeable Data
MFE.4.2	Text	Bacteria susceptibility	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	2	IG Fixed Data
	Producer's Service/Test/Observation		

Location	ID	Data Element	Data	Categorization
OM1.2.1	Identifier		1500	Changeable Data
OM1.2.2	Text		Bacteria susceptibility	Changeable Data
OM1.2.3	Name of Coding System		99USL	Changeable Data
OM1.2.7	Coding System Version ID		20130421	Changeable Data
OM1.4	**Specimen Required**		Y	Changeable Data
OM1.5	**Producer ID**			
OM1.5.1	Identifier		05D0669071	Changeable Data
OM1.5.2	Text		Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System		99USL	Changeable Data
OM1.5.7	Coding System Version ID		2013	Changeable Data
OM1.7	**Other Service/Test/Observation IDs for the Observation**			
OM1.7.1	Identifier		50545-3	Test Case Fixed Data
OM1.7.2	Text		Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)	Changeable Data
OM1.7.3	Name of Coding System		LN	Test Case Fixed Data
OM1.9	**Preferred Report Name for the Observation**		Bacteria susceptibility	Changeable Data
OM1.12	**Orderability**		Y	Test Case Fixed Data
OM1.18	**Nature of Service/Test/Observation**		P	Test Case Fixed Data
OM1.39	**Factors that may Affect the Observation**		Insufficient specimen, Improper labeling.	Changeable Data
OM1.40	**Service/Test/Observation Performance Schedule**		Monday through Friday	Changeable Data
OM1.48	**Exclusive Test**		N	Changeable Data
OM1.49	**Diagnostic Service Sector ID**		LAB	Changeable Data
OM1.57	**Expected Turn-Around Time**			
OM1.57.1	Quantity		3	Changeable Data
OM1.57.2	Units			
OM1.57.2.2	Text		day	Changeable Data

--- OM5 ---

Location	Data Element	Data	Categorization
OM5.1	**Sequence Number - Test/Observation Master File**	2	IG Fixed Data
OM5.2	**Test/Observations Included Within an Ordered Test Battery**		
OM5.2.1	Identifier	1501	Changeable Data
OM5.2.2	Text	Ciprofloxacin	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	185-9	Test Case Fixed Data
OM5.2.5	Alternate Text	Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2]	**Test/Observations Included Within an Ordered Test Battery**		
OM5.2[2].1	Identifier	1502	Changeable Data
OM5.2[2].2	Text	Gentamicin	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	267-5	Test Case Fixed Data
OM5.2[2].5	Alternate Text	Gentamicin [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3]	**Test/Observations Included Within an Ordered Test Battery**		
OM5.2[3].1	Identifier	1503	Changeable Data
OM5.2[3].2	Text	Ampicillin	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data

Location	Data Element	Data	Categorization
OM5.2[3].4	Alternate Identifier	28-1	Changeable Data
OM5.2[3].5	Alternate Text	Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[4]	**Test/Observations Included Within an Ordered Test Battery**		
OM5.2[4].1	Identifier	1504	Changeable Data
OM5.2[4].2	Text	Amoxicillin+Clavulanate	Changeable Data
OM5.2[4].3	Name of Coding System	99USL	Changeable Data
OM5.2[4].4	Alternate Identifier	20-8	Test Case Fixed Data
OM5.2[4].5	Alternate Text	Amoxicillin+Clavulanate [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[4].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[5]	**Test/Observations Included Within an Ordered Test Battery**		
OM5.2[5].1	Identifier	1505	Changeable Data
OM5.2[5].2	Text	Trimethoprim-sulfamethoxazole	Changeable Data
OM5.2[5].3	Name of Coding System	99USL	Changeable Data
OM5.2[5].4	Alternate Identifier	516-5	Test Case Fixed Data
OM5.2[5].5	Alternate Text	Trimethoprim+Sulfamethoxazole [Susceptibility] by Minimum inhibitory concentration (MIC)	Changeable Data
OM5.2[5].6	Name of Alternate Coding System	LN	Changeable Data

Element	Data
Identifier	OMC
Event code	UPD

Panel/Test battery Information - Stool culture with Susceptibility

Record information

Element	Data
Event code	MAD
Effective date and time	20131219145310
Test/Panel Name	Stool culture with Susceptibility
Test/Panel identifier (code system)	1100 (99USL)

General information

Element	Data
Specimen required ?	Y
Preferred Report Name	Stool Culture with Susceptibility Reflex
Is the test/panel orderable ?	Y
Nature	P
Factors that may affect the test	Insufficient specimen, Improper labeling.
Schedule	Monday through Friday
Is the test exclusive ?	N
Diagnostic Service Sector	LAB
Expected turn around time	3 day

Panel/Test battery Details

Element	Data
Test included in panel/test battery	Stool culture
Test included in panel/test battery (code & code system)	1101 (99USL)
Test included in panel/test battery	Colony Count
Test included in panel/test battery (code & code system)	1102 (99USL)
Test included in panel/test battery	Bacteria susceptibility
Test included in panel/test battery (code & code system)	1500 (99USL)

Specimen information details

Element	Data
Sequence ID	1.1
Container description	Enteric Pathogen Transport System - Cary Blair
Container volume	15.0
Container units	milliliter
Container units (code & code system)	mL (UCUM)
Specimen (code & code system)	119339001 (SCT)
Specimen (code & code system)	CARY (HL70371)
Normal collection volume	10
Normal collection volume unit	milliliter
Normal collection volume unit (code & code system)	mL (UCUM)
Normal collection volume	5
Normal collection volume unit	milliliter
Normal collection volume unit (code & code system)	mL (UCUM)
Specimen Handling Code	Refrigerated
Specimen Handling Code (code & code system)	REF (HL70376)
Specimen Preference	P

Specimen information details

Element	Data
Sequence ID	1.2

Container description	Enteric Pathogen Transport System - Para Pak C and S
Container description	Enteric Pathogen Transport System - buffered glycerol saline
Container volume	15.0
Container volume	15.0
Container units	milliliter
Container units (code & code system)	mL (UCUM)
Container units	milliliter
Container units (code & code system)	mL (UCUM)
Specimen (code & code system)	119339001 (SCT)
Normal collection volume	10
Normal collection volume unit	milliliter
Normal collection volume unit (code & code system)	mL (UCUM)
Normal collection volume	5
Normal collection volume unit	milliliter
Normal collection volume unit (code & code system)	mL (UCUM)
Specimen Handling Code	Refrigerated
Specimen Handling Code (code & code system)	REF (HL70376)
Specimen Preference	A
Preferred Specimen Sequence ID	1.1

Panel/Test battery Information - Bacteria susceptibility

Record information

Element	Data
Event code	MAD
Effective date and time	20131219145310
Test/Panel Name	Bacteria susceptibility
Test/Panel identifier (code system)	1500 (99USL)

General information

Element	Data
Specimen required ?	Y
Test/Panel other name	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)
Test/Panel other identifier (code system)	50545-3 (LN)
Preferred Report Name	Bacteria susceptibility
Is the test/panel orderable ?	Y
Nature	P
Factors that may affect the test	Insufficient specimen, Improper labeling.
Schedule	Monday through Friday
Is the test exclusive ?	N
Diagnostic Service Sector	LAB
Expected turn around time	3 day

Panel/Test battery Details

Element	Data
Test included in panel/test battery	Ciprofloxacin
Test included in panel/test battery (code & code system)	1501 (99USL)
Test included in panel/test battery	Gentamicin
Test included in panel/test battery (code & code system)	1502 (99USL)
Test included in panel/test battery	Ampicillin
Test included in panel/test battery (code & code system)	1503 (99USL)
Test included in panel/test battery	Amoxicillin+Clavulanate
Test included in panel/test battery (code & code system)	1504 (99USL)

Test included in panel/test battery	Trimethoprim-sulfamethoxazole
Test included in panel/test battery (code & code system)	1505 (99USL)

MSH|^~\&#|NIST Test Lab APP^2.16.840.1.113883.3.72.5.20^ISO|NIST Lab Facility^2.16.840.1.113883.3.72.5.21^ISO||NIST EHR Facility^2.16.840.1.113883.3.72.5.23^ISO|20130421113601-0700||MFN^M10^MFN_M10|EDOS_2.1_2.1-M10_GU|D|2.5.1|||||||||EDOS_ Common_Component^EDOS Base Profile^2.16.840.1.113883.9.67^ISO~EDOS_GU_Component^EDOS GU Profile^2.16.840.1.113883.9.68^I
SO

MFI|OMC^Observation batteries master file^HL70175^^^^2.5.1||UPD|||NE

MFE|MAD||20131219145310|1100^Stool culture with Susceptibility^99USL^^^^20130421|CWE

OM1|1|1100^Stool culture with Susceptibility^99USL^^^^20130421||Y|05D0669071^Century Hospital Clinical Laboratory^99USL ^^^^2013||||Stool Culture with Susceptibility Reflex|||Y|||||P|||||||||||||||||||||Insufficient specimen, Improper labe ling.|Monday through Friday||||||||N|LAB|||||||3^&day

OM5|1|1101^Stool culture^99USL^625-4^Bacteria identified in Stool by Culture^LN~1102^Colony Count^99USL^564-5^COLONY CO UNT^LN~1500^Bacteria susceptibility^99USL^50545-3^Bacterial susceptibility panel in Isolate by Minimum inhibitory concen tration (MIC)^LN

OM4|1.1||Enteric Pathogen Transport System - Cary Blair|15.0|mL^milliliter^UCUM^^^^1.8|119339001^Stool specimen^SCT^^^^ 201509-US Ed|CARY^Cary Blair Medium^HL70371||||10^mL&milliliter&UCUM&&&&1.8|5^mL&milliliter&UCUM&&&&1.8||||REF^Refrigerat ed^HL70376|P

OM4|1.2||Enteric Pathogen Transport System - Para Pak C and S~Enteric Pathogen Transport System - buffered glycerol sa line|15.0~15.0|mL^milliliter^UCUM^^^^1.8~mL^milliliter^UCUM^^^^1.8|119339001^Stool specimen^SCT^^^^201509-US Ed||||10^mL &milliliter&UCUM&&&&1.8|5^mL&milliliter&UCUM&&&&1.8||||REF^Refrigerated^HL70376|A|1.1

MFE|MAD||20131219145310|1500^Bacteria susceptibility^99USL^^^^20130421|CWE

OM1|2|1500^Bacteria susceptibility^99USL^^^^20130421||Y|05D0669071^Century Hospital Clinical Laboratory^99USL^^^^2013|| 50545-3^Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)^LN||Bacteria susceptibility| ||Y|||||P|||||||||||||||||||||Insufficient specimen, Improper labeling.|Monday through Friday||||||||N|LAB|||||||3^&da y

OM5|2|1501^Ciprofloxacin^99USL^185-9^Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC)^LN~1502^G entamicin^99USL^267-5^Gentamicin [Susceptibility] by Minimum inhibitory concentration (MIC)^LN~1503^Ampicillin^99USL^28- 1^Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC)^LN~1504^Amoxicillin+Clavulanate^99USL^20-8^Amoxi cillin+Clavulanate [Susceptibility] by Minimum inhibitory concentration (MIC)^LN~1505^Trimethoprim-sulfamethoxazole^99US L^516-5^Trimethoprim+Sulfamethoxazole [Susceptibility] by Minimum inhibitory concentration (MIC)^LN