

Patient Information

Element	Data
Name	William A Jones
Date/Time of Birth	06/15/1961
Administrative Sex	Male
Race	White
Alt Race	

Order Observation**Ordering Provider**

Element	Data
Name	Nicholas Radon
Identifier number	5742200012

Observation Details

Element	Data
Observation General Information	
Placer Order Number	ORD777888
Filler Order Number	R-220713
Placer Group Number	GORD874244
Parent Universal Service Identifier	
Identifier	
Text	
Alt Identifier	
Alt Text	
Original Text	
Observation Details	
Universal Service Identifier	Lipid 1996 panel in Serum or Plasma
Observation Date/Time	09/25/2015
Observation end Date/Time	
Specimen Action Code	
Relevant Clinical Information	Patient was fasting prior to the procedure.
Relevant Clinical Information Original Text	fasting 12 hours
Observation Result Information	
Result Status	F
Results Report/Status Change - Date/Time	09/26/2015 2:05 PM
Results Copy To	
Name	Pafford
Identifier	10092000194
Results Handling	
Standard	
Observation Notes	

Timing/Quantity Information

Element	Data
---------	------

Priority	
Start Date/time	
End Date/time	

Results Performing Laboratory

Element	Data
Laboratory Name	Century Hospital
Organization identifier	24D9871327
Address	2070 Test Park Los Angeles CA 90067
Director Name	Dr. Phil Knowsalot
Director identifier	5432178916

Specimen Information

Element	Data
Specimen Type	BLD
Alt Specimen Type	
Specimen Original Text	Blood
Start date/time	20150925

Lab results

Element		Data						
Test performed		Lipid 1996 panel in Serum or Plasma						
Test Report date		09/26/2015 14:05						
Result Observation Name	Result	UOM	Range	Abnormal Flag	Status	Date/Time of Observation	Date/Time of Analysis	Notes
Cholesterol [Mass/volume] in Serum or Plasma	196	milligrams per deciliter	Recommended: <200; Moderate Risk: 200-239 ; High Risk: >240	N	F	09/25/2015	09/26/2015 14:00	
Triglyceride [Mass/volume] in Serum or Plasma	100	milligrams per deciliter	40 to 160	N	F	09/25/2015	09/26/2015 14:00	
Cholesterol in HDL [Mass/volume] in Serum or Plasma	60	milligrams per deciliter	29 to 72	N	F	09/25/2015	09/26/2015 14:00	
Cholesterol in LDL [Mass/volume] in Serum or Plasma	116	milligrams per deciliter	Recommended: <130; Moderate Risk: 130-159; High Risk: >160	N	F	09/25/2015	09/26/2015 14:00	