

Description

The initial Laboratory Test Compendium built by Century Hospital Clinical Laboratory consists of a single Prothrombin Time panel (PT +INR). This compendium is delivered electronically to Dr. Nicholas Radon's practice EHR, as agreed to between Laboratory and Dr. Radon's Office and EHR-S Vendor. The EHR-S will integrate the eDOS into its test directory and use it to allow Dr. Radon to place orders electronically to Century Hospital's Clinical Laboratory. The initial laboratory test compendium is composed of four messages. After Century Hospital's LIS transmits the first message which provides information about the PT and INR observations, it sends the second message which provides information about orderable PT + INR panel.

Comments

This is the initial "smoke testing" to reveal simple failures severe enough to preclude further testing. Initial upload of a single panel. Since this is a replace message, all data in this message will replace information from a previous eDOS M10 message.

PreCondition

EDOS_0.0_1.1-M08_New_SmokeTest
has been completed.

PostCondition

eDOS M08 and M10 data elements are incorporated appropriately into the EHR-S.

TestObjectives

- Demonstrate capability to support a minimal M10 initial load message.
- Demonstrate capability to support a single occurrence of all required ("R") elements in the MSH segment.
- Demonstrate capability to support a single occurrence of all required ("R") elements in the MFI segment.
- Demonstrate capability to support a single occurrence of all required ("R") elements in the MFE segment.
- Demonstrate capability to support a single occurrence of all required ("R") elements in the OM1 segment.
- Demonstrate capability to support a single occurrence of all required ("R") elements in the OM5 segment.