

#### Description

The originator of the eDOS is the Century Hospital Clinical Laboratory located at 2070 Test Park, Los Angeles, CA, 90067, CLIA: 24D9871327, phone number: (310) 461-3666.

The Sender is the Century Hospital Clinical Laboratory LIS.

The Receiver is Dr. Radon's Office EHR.

The Laboratory Test Compendium from Century Hospital Clinical Laboratory is a subset of their Directory of Services. It is based upon the most commonly ordered lab tests by Dr. Radon. This compendium is being used by Dr. Nicholas Radon's practice EHR to place orders electronically to Century Hospital's Clinical Laboratory. Century Hospital Laboratory had decided to no longer offer the sedimentation rate test and Century Hospital's LIS transmits the appropriate eDOS update messages to Dr. Radon's EHR to deprecate this orderable test.

#### Comments

Update message to deactivate a no longer offered test (individual observation).

#### PreCondition

EDOS\_1.0\_1.1-M08\_New  
and  
EDOS\_1.0\_2.1-M10\_New  
and  
EDOS\_1.0\_3.1-M04\_New  
have been uploaded.

#### PostCondition

No Post-Conditions.

#### TestObjectives

- Demonstrate capability to support a M08 update message - action: deactivate.
- Demonstrate capability to support repeating segments for OM4.
- Demonstrate capability to support repeating fields in OM1-51 (Other Names), OM1-54 (Special Instructions), and OM4-15 (Specimen Handling Code).

#### Notes to Testers

No Notes.