

Patient Information

Element	Data
Name	Peggy Smirnoff
Date/Time of Birth	04/01/1975
Administrative Sex	Female
Race	White
Alt Race	

Order Observation**Ordering Provider**

Element	Data
Name	DR Nicholas Radon
Identifier number	5742200012

Observation Details

Element	Data
Observation General Information	
Placer Order Number	ORD448811
Filler Order Number	R-511
Placer Group Number	
Parent Universal Service Identifier	
Identifier	
Text	
Alt Identifier	
Alt Text	
Original Text	
Observation Details	
Universal Service Identifier	Hepatitis A B C Panel
Observation Date/Time	09/25/2015
Observation end Date/Time	
Specimen Action Code	
Relevant Clinical Information	
Relevant Clinical Information Original Text	
Observation Result Information	
Result Status	F
Results Report/Status Change - Date/Time	09/26/2015 2:05 PM
Results Handling	
Standard	
Observation Notes	

Timing/Quantity Information

Element	Data
Priority	
Start Date/time	
End Date/time	

Results Performing Laboratory

Element	Data
Laboratory Name	Century Hospital
Organization identifier	24D9871327
Address	2070 Test Park Los Angeles CA 90067 USA
Director Name	Dr. Phil J. Knowsalot
Director identifier	

Specimen Information

Element	Data
Specimen Type	Serum specimen (specimen)
Alt Specimen Type	Serum
Specimen Original Text	
Start date/time	20150925

Lab results

Element		Data						
Test performed		Hepatitis A B C Panel						
Test Report date		09/26/2015 14:05						
Result Observation Name	Result	UOM	Range	Abnormal Flag	Status	Date/Time of Observation	Date/Time of Analysis	Notes
Hepatitis A virus IgM Ab [Presence] in Serum	Negative (qualifier value)		Negative	N	F	09/25/2015	09/26/2015 14:00	
Hepatitis A virus Ab [Presence] in Serum	Negative (qualifier value)		Negative	N	F	09/25/2015	09/26/2015 14:00	
Hepatitis B virus core Ab [Presence] in Serum	Negative (qualifier value)		Negative	N	F	09/25/2015	09/26/2015 14:00	
Hepatitis B virus core Ab [Units/volume] in Serum	0.40	international unit per milliliter	<0.50 IU/mL	N	F	09/25/2015	09/26/2015 14:00	
Hepatitis B virus e Ab [Presence] in Serum	Negative (qualifier value)		Negative	N	F	09/25/2015	09/26/2015 14:00	
Hepatitis B virus surface Ag [Presence] in Serum	Negative (qualifier value)		Negative	N	F	09/25/2015	09/26/2015 14:00	
Hepatitis B virus surface Ab [Presence] in Serum	Negative (qualifier value)		Negative	N	F	09/25/2015	09/26/2015 14:00	
Hepatitis C virus Ab [Presence] in Serum	Positive (qualifier value)		Negative	A	F	09/25/2015	09/26/2015 14:00	

Hepatitis C virus Ab Signal/Cutoff in Serum or Plasma by Immunoassay	10.8	Signal to cutoff ratio	0.0-0.9 s/co	H	F	09/25/2015	09/26/2015 14:00	Negative: < 0.8; Indeterminate 0.8 - 0.9; Positive: > 0.9 In order to reduce the incidence of a false positive result, the CDC recommends that all s/co ratios between 1.0 and 10.9 be confirmed with additional Verification or PCR testing.
---	------	---------------------------	--------------	---	---	------------	---------------------	--