

HL7 v2.5 ORU^R01^ORU_R01 Message: Incorporation of Laboratory Results		
Test Case ID	LRI_2.0_1.1-GU	
Juror ID		
Juror Name		
HIT System Tested		
Inspection Date/Time		
Inspection Settlement (Pass/Fail)	Pass	Fail
	<input type="checkbox"/>	<input type="checkbox"/>
Reason Failed		
Juror Comments		

This Test Case-specific Juror Document provides a checklist for the Tester to use during testing for assessing the Health IT Module's ability to display and incorporate required data elements from the information received in the LRI message. Additional data from the message or from the Health IT Module are permitted to be displayed and incorporated by the Module. Grayed-out fields in the Juror Document indicate where no data for that data element were included in the LRI message for the given Test Case.

The format of the Display Verification section of this Juror Document is for ease-of-use by the Tester and does not indicate how the Health IT Module display must be designed.

Display Verification

Legend for Display Requirement

Data in **bold red** text: HIT Module must display exact version of stored data

Data in ***bold black italics*** text: HIT Module must display exact version of data received in the LRI message

Data in regular text: HIT Module may display equivalent version of stored data

Patient Information - Display Verification					
Patient Identifier	Patient Name	DOB	Sex	Race	Tester Comment
<i>PATID1234</i>	<i>William A Jones</i>	06/15/1961	M	White	
When a given patient has more than one Patient ID Number, the HIT module may display the ID Number that is most appropriate for the context (e.g., inpatient ID Number versus ambulatory ID Number.)					

Lab Results - Display Verification									
Test Performed:	Complete Blood Count								
Test Report Date:	09/26/2015 14:30:00								
Result Report Status	F								
Result Observation Name	Result Value	UOM	Reference Range	Abnormal Flag	Status	Date/Time of Observation	End Date/Time of Observation	Date/Time of Analysis	Tester Comment
Erythrocytes [#/volume] in Blood	4.41	million per microliter	4.3 to 6.2	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Hemoglobin [Mass/volume] in Blood	12.5	grams per milliliter	13 to 18	L	F	09/25/2015 14:00:		09/25/2015 19:30:	
Hematocrit [Volume Fraction] of Blood	41	percent	40 to 52	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Leukocytes [#/volume] in Blood	105600	cells per microliter	4300 to 10800	HH	F	09/25/2015 14:00:		09/25/2015 19:30:	
Platelets [#/volume] in Blood	210000	cells per microliter	150000 to 350000	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Erythrocyte mean corpuscular volume [Entitic volume]	91	femtoliter	80 to 95	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Erythrocyte mean corpuscular hemoglobin [Entitic mass]	29	picograms per cell	27 to 31	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Erythrocyte mean corpuscular hemoglobin concentration [Mass/volume]	32.4	grams per deciliter	32 to 36	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Erythrocyte distribution width [Ratio]	10.5	percent	10.2 to 14.5	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Basophils [#/volume] in Blood	0.1	thousand per microliter	0 to 0.3	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Basophils/100 leukocytes in Blood	0.1	percent	0 to 2	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Monocytes [#/volume] in Blood	3	thousand per microliter	0.0 to 13.0	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Monocytes/100 leukocytes in Blood	3	percent	0 to 10	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Eosinophils [#/volume] in Blood	2.1	thousand per microliter	0.0 to 0.45	HH	F	09/25/2015 14:00:		09/25/2015 19:30:	
Eosinophils/100 leukocytes in Blood	2	percent	0 to 6	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Lymphocytes [#/volume] in Blood	41.2	thousand per microliter	1.0 to 4.8	HH	F	09/25/2015 14:00:		09/25/2015 19:30:	

Lab Results - Display Verification									
Test Performed:	Complete Blood Count								
Test Report Date:	09/26/2015 14:30:00								
Result Report Status	F								
Result Observation Name	Result Value	UOM	Reference Range	Abnormal Flag	Status	Date/Time of Observation	End Date/Time of Observation	Date/Time of Analysis	Tester Comment
Lymphocytes/100 leukocytes in Blood	39	percent	15.0 to 45.0	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Neutrophils [#volume] in Blood	58	thousand per microliter	1.5 to 7.0	HH	F	09/25/2015 14:00:		09/25/2015 19:30:	
Neutrophils/100 leukocytes in Blood	55	percent	50 to 73	N	F	09/25/2015 14:00:		09/25/2015 19:30:	
Anisocytosis [Presence] in Blood	Moderate Anisocytosis			A	F	09/25/2015 14:00:		09/26/2015 14:00:	
Hypochromia [Presence] in Blood	None seen			N	F	09/25/2015 14:00:		09/26/2015 14:00:	
Macrocytes [Presence] in Blood	None seen			N	F	09/25/2015 14:00:		09/26/2015 14:00:	
Microcytes [Presence] in Blood	None seen			N	F	09/25/2015 14:00:		09/26/2015 14:00:	
Poikilocytosis [Presence] in Blood by Light microscopy	None seen			N	F	09/25/2015 14:00:		09/26/2015 14:00:	
Polychromasia [Presence] in Blood by Light microscopy	None seen			N	F	09/25/2015 14:00:		09/26/2015 14:00:	
Erythrocyte morphology finding [Identifier] in Blood	Many spherocytes present.			A	F	09/25/2015 14:00:		09/26/2015 14:00:	
Leukocyte morphology finding [Identifier] in Blood	Reactive morphology in lymphoid cells.			A	F	09/25/2015 14:00:		09/26/2015 14:00:	
Platelet morphology finding [Identifier] in Blood	Platelets show defective granulation.			A	F	09/25/2015 14:00:		09/26/2015 14:00:	

Performing Organization Information - Display Verification		
Data Element Name	Data	Tester Comment
Organization Name	Century Hospital	
Organization Address		
Street address	2070 Test Park	
Other designation		
City	Los Angeles	
State	CA	
Zip code	90067	

Performing Organization Medical Director Information - Display Verification		
Data Element Name	Data	Tester Comment
Medical Director Name		
Family Name		
Surname	Knowsalot	
Given Name	Phil	
Second and Further Given Names or Initials Thereof		
Suffix (e.g., JR or III)		
Prefix (e.g., DR)	Dr.	

Specimen Information - Display Verification		
Data Element Name	Data	Tester Comment
Specimen Type(Specimen Source)	Blood	
Specimen Collection Date/Time - Start	09/25/2015 14:00:	
Specimen Collection Date/Time - End		
Specimen Reject Reason		
Specimen Condition		

Order Information - Display Verification		
Data Element Name	Data	Tester Comment
Relevant Clinical Information		
Placer Order Number Entity ID	ORD666555	
Ordering Provider		
Family Name		
Surname	Radon	
Given Name	Nicholas	
Second and Further Given Names or Initials Thereof	M	
Suffix (e.g., JR or III)		
Prefix (e.g., DR)	DR	
Results Copies To		
Family Name		
Surname	Hamlin	
Given Name	Pafford	
Second and Further Given Names or Initials Thereof		
Suffix (e.g., JR or III)		
Prefix (e.g., DR)	Dr.	

Incorporate Verification

Legend for Store Requirement

S-EX : Store exact

S-TR-R : Translate and store translation (exact value can be re-created from translation any time)

S-EX-A : Store exact by association

S-RC : Process and re-create

S-EQ : Store equivalent

(See "Instructions to Testers for Verification of Store Requirements" at the end of this Juror Document for additional details.)

Patient Information Details- Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
PID-3	Patient Identifier List			
PID-3.1	ID Number	S-EX-A	PATID1234	
PID-3.4	Assigning Property			
PID-3.4.1	Namespace ID	S-EX-A		
PID-3.4.2	Universal ID	S-EX-A	2.16.840.1.113883.3.72.5.30.2	
PID-3.4.3	Universal ID Type	S-EX-A	ISO	
PID-3.5	Identifier Type Code	S-RC	MR	
PID-5	Patient Name			
PID-5.1	Family Name			
PID-5.1.1	Surname	S-EX-A	Jones	
PID-5.2	Given Name	S-EX-A	William	
PID-5.3	Second and Further Given Names or Initials Thereof	S-EX-A	A	
PID-5.4	Suffix (e.g., JR or III)	S-EX-A		
PID-5.7	Name Type Code	S-RC	L	
PID-7	Date/Time of Birth			
PID-7.1	Time	S-EQ	06/15/1961	
PID-8	Administrative Sex	S-TR-R	M	
PID-10	Race			
PID-10.1	Identifier	S-RC	2106-3	
PID-10.2	Text	S-RC	White	
PID-10.3	Name of Coding System	S-RC	HL70005	

Order Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
ORC-2/OBR-2	Placer Order Number			
ORC-2.1/OBR-2.1	Entity Identifier	S-EX-A	ORD666555	
ORC-2.2/OBR-2.2	Namespace ID	S-EX-A	GoodHealthC_EHR	
ORC-2.3/OBR-2.3	Universal ID	S-EX-A	2.16.840.1.113883.3.72.5.24	
ORC-2.4/OBR-2.4	Universal ID Type	S-EX-A	ISO	
ORC-3/OBR-3	Filler Order Number			
ORC-3.1/OBR-3.1	Entity Identifier	S-EX	R-991133	
ORC-3.2/OBR-3.2	Namespace ID	S-EX-A	NIST Lab Filler	
ORC-3.3/OBR-3.3	Universal ID	S-EX-A	2.16.840.1.113883.3.72.5.25	
ORC-3.4/OBR-3.4	Universal ID Type	S-EX-A	ISO	
ORC-12/OBR-16	Ordering Provider			
ORC-12.1/OBR-16.1	ID Number	S-RC	5742200012	
ORC-12.2/OBR-16.2	Family Name			
ORC-12.2.1/OBR-16.2.1	Surname	S-RC	Radon	
ORC-12.3/OBR-16.3	Given Name	S-RC	Nicholas	
ORC-12.4/OBR-16.4	Second and Further Given Names or Initials Thereof	S-RC	M	
ORC-12.5/OBR-16.5	Suffix (e.g., JR or III)	S-RC		
ORC-12.6/OBR-16.6	Prefix (e.g., DR)	S-RC	DR	
ORC-12.9/OBR-16.9	Assigning Authority			
ORC-12.9.1/OBR-16.9.1	Namespace ID	S-EX-A	NPI	
ORC-12.9.2/OBR-16.9.2	Universal ID	S-EX-A	2.16.840.1.113883.4.6	
ORC-12.9.3/OBR-16.9.3	Universal ID Type	S-EX-A	ISO	
ORC-12.10/OBR-16.10	Name Type Code	S-RC	L	
ORC-12.13/OBR-16.13	Identifier Type Code	S-RC	NPI	

Performing Organization Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-23	Performing Organization Name			
OBX-23.1	Organization Name (Note 1)	S-TR-R	Century Hospital	
OBX-23.6	Assigning Authority (Note 2)			
OBX-23.6.1	Namespace ID	S-EX-A	CLIA	
OBX-23.6.2	Universal ID	S-EX-A	2.16.840.1.113883.4.7	
OBX-23.6.3	Universal ID Type	S-EX-A	ISO	
OBX-23.7	Identifier Type Code	S-RC	XX	
OBX-23.10	Organization Identifier	S-TR-R	24D9871327	
OBX-24	Performing Organization Address			
OBX-24.1	Street Address			
OBX-24.1.1	Street or Mailing Address	S-EX-A	2070 Test Park	
OBX-24.2	Other Designation	S-EX-A		
OBX-24.3	City	S-EX-A	Los Angeles	
OBX-24.4	State or Province	S-EX-A	CA	
OBX-24.5	Zip or Postal Code	S-EX-A	90067	
OBX-24.6	Country	S-TR-R		
OBX-25	Performing Organization Medical Director			
OBX-25.1	ID Number	S-RC	5432178916	
OBX-25.2	Family Name			
OBX-25.2.1	Surname	S-TR-R	Knowsalot	
OBX-25.3	Given Name	S-TR-R	Phil	
OBX-25.4	Second and Further Given Names or Initials Thereof	S-TR-R		
OBX-25.5	Suffix (e.g., JR or III)	S-TR-R		
OBX-25.6	Prefix (e.g., DR)	S-TR-R		
OBX-25.9	Assigning Authority (Note 2)			
OBX-25.9.1	Namespace ID	S-EX-A		
OBX-25.9.2	Universal ID	S-EX-A	2.16.840.1.113883.4.6	
OBX-25.9.3	Universal ID Type	S-EX-A	ISO	
OBX-25.10	Name Type Code	S-RC	L	
OBX-25.13	Identifier Type Code	S-RC	NPI	
Note 1 - The HIT Module must store the Organization Name or be able to recreate it. If the HIT Module is able to demonstrate Organization Name: ID is always 1:1, then the HIT Module is permitted to store and recreate (S-TR-R).				
Note 2 - Determine requirement for support of 2nd component or 3rd and 4th component based on the EI or HD Profile				

Order Information (cont'd) - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBR-4	Universal Service Identifier (Note 1)			
OBR-4.1	Identifier	S-TR-R	57021-8	
OBR-4.2	Text	S-EX-A	CBC W Auto Differential panel in Blood	
OBR-4.3	Name of the Coding System	S-RC	LN	
OBR-4.4	Alternate Identifier	S-TR-R	200	
OBR-4.5	Alternate Text	S-EX-A	CBC_diff	
OBR-4.6	Name of Alternate Coding System	S-RC	99USL	
OBR-4.9	Original Text	S-EX	Complete Blood Count	
OBR-7/SPM-17.1	Observation Date/Time			
OBR-7.1/SPM-17.1.1	Time	S-EQ	09/25/2015 14:00:	
OBR-8/SPM-17.2	Observation End Date/Time			
OBR-8.1/SPM-17.2.1	Time	S-EQ		
OBR-13	Relevant Clinical Information			
OBR-13.1	Identifier	S-TR-R		
OBR-13.2	Text	S-EX-A		
OBR-13.3	Name of the Coding System	S-RC		
OBR-13.9	Original Text	S-EX		
OBR-22	Results Rpt/Status Chng - Date/Time			
OBR-22.1	Time	S-EQ	09/26/2015 14:30:00	
OBR-25	Result Status	S-TR-R	F	
OBR-28	Result Copies To			
OBR-28.1	ID Number	S-RC	10092000194	
OBR-28.2	Family Name			
OBR-28.2.1	Surname	S-EX-A	Hamlin	
OBR-28.3	Given Name	S-EX-A	Pafford	
OBR-28.4	Second and Further Given Names or Initials Thereof	S-EX-A		
OBR-28.5	Suffix (e.g., JR or III)	S-EX-A		
OBR-28.6	Prefix (e.g., DR)	S-EX-A	Dr.	
OBR-28.9	Assigning Authority			
OBR-28.9.1	Namespace ID	S-EX-A	NPI	
OBR-28.9.2	Universal ID	S-EX-A	2.16.840.1.113883.4.6	
OBR-28.9.3	Universal ID Type	S-EX-A	ISO	
OBR-28.10	Name Type Code	S-TR-R		
OBR-28.13	Identifier Type Code	S-RC	NPI	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26453-1	
OBX-3.2	Text	S-EX-A	Erythrocytes [#/volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Erythrocytes [#/volume] in Blood	
OBX-5	Observation Value	S-EQ	4.41	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	10*6/uL	
OBX-6.2	Text	S-TR-R	million per microliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	4.3 to 6.2	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	718-7	
OBX-3.2	Text	S-EX-A	Hemoglobin [Mass/volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Hemoglobin [Mass/volume] in Blood	
OBX-5	Observation Value	S-EQ	12.5	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	g/mL	
OBX-6.2	Text	S-TR-R	grams per milliliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	13 to 18	
OBX-8	Abnormal Flags	S-TR-R	L	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	20570-8	
OBX-3.2	Text	S-EX-A	Hematocrit [Volume Fraction] of Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Hematocrit [Volume Fraction] of Blood	
OBX-5	Observation Value	S-EQ	41	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	%	
OBX-6.2	Text	S-TR-R	percent	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	40 to 52	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26464-8	
OBX-3.2	Text	S-EX-A	Leukocytes [# /volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Leukocytes [# /volume] in Blood	
OBX-5	Observation Value	S-EQ	105600	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	{cells} /uL	
OBX-6.2	Text	S-TR-R	cells per microliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	4300 to 10800	
OBX-8	Abnormal Flags	S-TR-R	HH	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26515-7	
OBX-3.2	Text	S-EX-A	Platelets [# /volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Platelets [# /volume] in Blood	
OBX-5	Observation Value	S-EQ	210000	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	{cells} /uL	
OBX-6.2	Text	S-TR-R	cells per microliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	150000 to 350000	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	30428-7	
OBX-3.2	Text	S-EX-A	Erythrocyte mean corpuscular volume [Entitic volume]	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Erythrocyte mean corpuscular volume [Entitic volume]	
OBX-5	Observation Value	S-EQ	91	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	fL	
OBX-6.2	Text	S-TR-R	femtoliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	80 to 95	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	28539-5	
OBX-3.2	Text	S-EX-A	Erythrocyte mean corpuscular hemoglobin [Entitic mass]	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Erythrocyte mean corpuscular hemoglobin [Entitic mass]	
OBX-5	Observation Value	S-EQ	29	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	pg/{cell}	
OBX-6.2	Text	S-TR-R	picograms per cell	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	27 to 31	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	28540-3	
OBX-3.2	Text	S-EX-A	Erythrocyte mean corpuscular hemoglobin concentration [Mass/volume]	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Erythrocyte mean corpuscular hemoglobin concentration [Mass/volume]	
OBX-5	Observation Value	S-EQ	32.4	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	g/dL	
OBX-6.2	Text	S-TR-R	grams per deciliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	32 to 36	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	30385-9	
OBX-3.2	Text	S-EX-A	Erythrocyte distribution width [Ratio]	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Erythrocyte distribution width [Ratio]	
OBX-5	Observation Value	S-EQ	10.5	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	%	
OBX-6.2	Text	S-TR-R	percent	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	10.2 to 14.5	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26444-0	
OBX-3.2	Text	S-EX-A	Basophils [# /volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Basophils [# /volume] in Blood	
OBX-5	Observation Value	S-EQ	0.1	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	10*3/uL	
OBX-6.2	Text	S-TR-R	thousand per microliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	0 to 0.3	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	30180-4	
OBX-3.2	Text	S-EX-A	Basophils/100 leukocytes in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Basophils/100 leukocytes in Blood	
OBX-5	Observation Value	S-EQ	0.1	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	%	
OBX-6.2	Text	S-TR-R	percent	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	0 to 2	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26484-6	
OBX-3.2	Text	S-EX-A	Monocytes [# /volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Monocytes [# /volume] in Blood	
OBX-5	Observation Value	S-EQ	3	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	10*3/uL	
OBX-6.2	Text	S-TR-R	thousand per microliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	0.0 to 13.0	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26485-3	
OBX-3.2	Text	S-EX-A	Monocytes/100 leukocytes in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Monocytes/100 leukocytes in Blood	
OBX-5	Observation Value	S-EQ	3	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	%	
OBX-6.2	Text	S-TR-R	percent	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	0 to 10	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26449-9	
OBX-3.2	Text	S-EX-A	Eosinophils [# /volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Eosinophils [# /volume] in Blood	
OBX-5	Observation Value	S-EQ	2.1	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	10*3/uL	
OBX-6.2	Text	S-TR-R	thousand per microliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	0.0 to 0.45	
OBX-8	Abnormal Flags	S-TR-R	HH	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26450-7	
OBX-3.2	Text	S-EX-A	Eosinophils/100 leukocytes in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Eosinophils/100 leukocytes in Blood	
OBX-5	Observation Value	S-EQ	2	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	%	
OBX-6.2	Text	S-TR-R	percent	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	0 to 6	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26474-7	
OBX-3.2	Text	S-EX-A	Lymphocytes [# /volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Lymphocytes [# /volume] in Blood	
OBX-5	Observation Value	S-EQ	41.2	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	10*3/uL	
OBX-6.2	Text	S-TR-R	thousand per microliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	1.0 to 4.8	
OBX-8	Abnormal Flags	S-TR-R	HH	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26478-8	
OBX-3.2	Text	S-EX-A	Lymphocytes/100 leukocytes in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Lymphocytes/100 leukocytes in Blood	
OBX-5	Observation Value	S-EQ	39	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	%	
OBX-6.2	Text	S-TR-R	percent	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	15.0 to 45.0	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26499-4	
OBX-3.2	Text	S-EX-A	Neutrophils [# /volume] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Neutrophils [# /volume] in Blood	
OBX-5	Observation Value	S-EQ	58	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	10*3/uL	
OBX-6.2	Text	S-TR-R	thousand per microliter	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	1.5 to 7.0	
OBX-8	Abnormal Flags	S-TR-R	HH	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	26511-6	
OBX-3.2	Text	S-EX-A	Neutrophils/100 leukocytes in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Neutrophils/100 leukocytes in Blood	
OBX-5	Observation Value	S-EQ	55	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R	%	
OBX-6.2	Text	S-TR-R	percent	
OBX-6.3	Name of the Coding System	S-RC	UCUM	
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX	50 to 73	
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/25/2015 19:30:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	38892-6	
OBX-3.2	Text	S-EX-A	Anisocytosis [Presence] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Anisocytosis [Presence] in Blood	
OBX-5	Observation Value			
OBX-5.1	Identifier	S-TR-R	260348001	
OBX-5.2	Text	S-EX-A	Present ++ out of ++++	
OBX-5.3	Name of the Coding System	S-RC	SCT	
OBX-5.4	Alternate Identifier	S-TR-R		
OBX-5.5	Alternate Text	S-EX-A		
OBX-5.6	Name of Alternate Coding System	S-RC		
OBX-5.9	Original Text	S-EX	Moderate Anisocytosis	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	A	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the Identifier and the Text for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If Original Text field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	30400-6	
OBX-3.2	Text	S-EX-A	Hypochromia [Presence] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Hypochromia [Presence] in Blood	
OBX-5	Observation Value			
OBX-5.1	Identifier	S-TR-R	260415000	
OBX-5.2	Text	S-EX-A	not detected	
OBX-5.3	Name of the Coding System	S-RC	SCT	
OBX-5.4	Alternate Identifier	S-TR-R		
OBX-5.5	Alternate Text	S-EX-A		
OBX-5.6	Name of Alternate Coding System	S-RC		
OBX-5.9	Original Text	S-EX	None seen	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the Identifier and the Text for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If Original Text field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	30424-6	
OBX-3.2	Text	S-EX-A	Macrocytes [Presence] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Macrocytes [Presence] in Blood	
OBX-5	Observation Value			
OBX-5.1	Identifier	S-TR-R	260415000	
OBX-5.2	Text	S-EX-A	not detected	
OBX-5.3	Name of the Coding System	S-RC	SCT	
OBX-5.4	Alternate Identifier	S-TR-R		
OBX-5.5	Alternate Text	S-EX-A		
OBX-5.6	Name of Alternate Coding System	S-RC		
OBX-5.9	Original Text	S-EX	None seen	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	30434-5	
OBX-3.2	Text	S-EX-A	Microcytes [Presence] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Microcytes [Presence] in Blood	
OBX-5	Observation Value			
OBX-5.1	Identifier	S-TR-R	260415000	
OBX-5.2	Text	S-EX-A	not detected	
OBX-5.3	Name of the Coding System	S-RC	SCT	
OBX-5.4	Alternate Identifier	S-TR-R		
OBX-5.5	Alternate Text	S-EX-A		
OBX-5.6	Name of Alternate Coding System	S-RC		
OBX-5.9	Original Text	S-EX	None seen	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the Identifier and the Text for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If Original Text field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	779-9	
OBX-3.2	Text	S-EX-A	Poikilocytosis [Presence] in Blood by Light microscopy	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Poikilocytosis [Presence] in Blood by Light microscopy	
OBX-5	Observation Value			
OBX-5.1	Identifier	S-TR-R	260415000	
OBX-5.2	Text	S-EX-A	not detected	
OBX-5.3	Name of the Coding System	S-RC	SCT	
OBX-5.4	Alternate Identifier	S-TR-R		
OBX-5.5	Alternate Text	S-EX-A		
OBX-5.6	Name of Alternate Coding System	S-RC		
OBX-5.9	Original Text	S-EX	None seen	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	10378-8	
OBX-3.2	Text	S-EX-A	Polychromasia [Presence] in Blood by Light microscopy	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Polychromasia [Presence] in Blood by Light microscopy	
OBX-5	Observation Value			
OBX-5.1	Identifier	S-TR-R	260415000	
OBX-5.2	Text	S-EX-A	not detected	
OBX-5.3	Name of the Coding System	S-RC	SCT	
OBX-5.4	Alternate Identifier	S-TR-R		
OBX-5.5	Alternate Text	S-EX-A		
OBX-5.6	Name of Alternate Coding System	S-RC		
OBX-5.9	Original Text	S-EX	None seen	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	N	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	6742-1	
OBX-3.2	Text	S-EX-A	Erythrocyte morphology finding [Identifier] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Erythrocyte morphology finding [Identifier] in Blood	
OBX-5	Observation Value	S-EX	Many spherocytes present.	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	A	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	11156-7	
OBX-3.2	Text	S-EX-A	Leukocyte morphology finding [Identifier] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Leukocyte morphology finding [Identifier] in Blood	
OBX-5	Observation Value	S-EX	Reactive morphology in lymphoid cells.	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	A	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Result Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
OBX-3	Observation Identifier (Note 1)			
OBX-3.1	Identifier	S-TR-R	11125-2	
OBX-3.2	Text	S-EX-A	Platelet morphology finding [Identifier] in Blood	
OBX-3.3	Name of the Coding System	S-RC	LN	
OBX-3.4	Alternate Identifier	S-TR-R		
OBX-3.5	Alternate Text	S-EX-A		
OBX-3.6	Name of Alternate Coding System	S-RC		
OBX-3.9	Original Text	S-EX	Platelet morphology finding [Identifier] in Blood	
OBX-5	Observation Value	S-EX	Platelets show defective granulation.	
OBX-6	Units (Note 2)			
OBX-6.1	Identifier	S-TR-R		
OBX-6.2	Text	S-TR-R		
OBX-6.3	Name of the Coding System	S-RC		
OBX-6.4	Alternate Identifier	S-TR-R		
OBX-6.5	Alternate Text	S-TR-R		
OBX-6.6	Name of Alternate Coding System	S-RC		
OBX-6.9	Original Text	S-EX		
OBX-7	Reference Range	S-EX		
OBX-8	Abnormal Flags	S-TR-R	A	
OBX-11	Observation Result Status	S-TR-R	F	
OBX-14	Date/Time of the Observation			
OBX-14.1	Time	S-EQ	09/25/2015 14:00:	
OBX-19	Date/Time of the Analysis			
OBX-19.1	Time	S-EQ	09/26/2015 14:00:	
Note 1 - Store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				
Note 2 - If both UOM triplets are populated, receiver may choose to store the data received in either triplet; translations must result in equivalent UOM that do not require a change in the numeric result.				

Specimen Information - Incorporate Verification				
Location	Data Element Name	Store Requirement	Data	Tester Comment
SPM-4	Specimen Type (Note 1)			
SPM-4.1	Identifier	S-TR-R	119297000	
SPM-4.2	Text	S-EX-A	BLD	
SPM-4.3	Name of the Coding System	S-RC	SCT	
SPM-4.4	Alternate Identifier	S-TR-R		
SPM-4.5	Alternate Text	S-EX-A		
SPM-4.6	Name of Alternate Coding System	S-RC		
SPM-4.9	Original Text	S-EX	Blood	
Note 1 - The HIT must store the <u>Identifier</u> and the <u>Text</u> for each populated triplet using the S-EX-A, S-TR-R, or S-EX store requirement as indicated. If <u>Original Text</u> field is populated, MUST store the exact data received.				

Instructions to Testers for Verification of Store Requirements

Note: The HIT Module being tested is always allowed to incorporate/store the exact data received in the LRI message even if a given Store Requirement does not explicitly state that the HIT Module is permitted to do so.

Store Requirement	Definition	Instructions for Verification of Requirement During Conformance Testing
S-EX	Store Exact	<p>The HIT Module being tested must be designed to incorporate/store only the exact data received in the LRI message.</p> <ul style="list-style-type: none"> Tester must verify that the HIT Module being tested incorporates/stores in the patient's laboratory result record only the exact data received in the LRI message, and that the HIT Module does not just store an equivalent of that exact data or just a pointer to the exact data.
S-EX-A	Store exact by association	<p>The HIT Module being tested must be designed (1) to incorporate/store the exact data received in the LRI message OR (2) to use a pointer to a location (e.g., file/table in or accessible to the HIT Module) where the exact data can be obtained.</p> <ul style="list-style-type: none"> Tester must verify that the HIT Module being tested incorporates/stores in the patient's laboratory result record the exact data received in the LRI message OR that the HIT Module incorporates/stores in the patient's laboratory result record a pointer to the exact data received in the LRI message. <p>Example: Placer Number; the HIT-originated Placer Number received in the LRI message may be incorporated/stored using a pointer rather than being stored redundantly in the patient's lab result record.</p>
S-EQ	Store equivalent	<p>The HIT Module being tested must be designed to transform the exact data received in the LRI message to an equivalent format and then incorporate/store the equivalent format.</p> <ul style="list-style-type: none"> Tester must verify that the HIT Module being tested transforms the exact data received in the LRI message to an equivalent format and incorporates/stores the equivalent format in the patient's laboratory result record.
S-TR-R	Translate and store translation (exact value can be re-created from translation any time)	<p>The HIT Module being tested must be designed to transform the exact data received in the LRI message to an equivalent value and then incorporate/store the equivalent value.</p> <ul style="list-style-type: none"> Tester must verify that the HIT Module being tested incorporates/stores in the patient's laboratory result record the equivalent value. Tester must also verify that the HIT Module is able to re-create from this equivalent value the exact data received in the LRI message.
S-RC	Process and re-create	<p>The HIT Module being tested must be designed to process and incorporate/store in an "abstract-able manner" (e.g., using the HIT Module's data model) the exact data received in the LRI message and to re-create the exact data (e.g., from the HIT Module's data model).</p> <ul style="list-style-type: none"> Tester must verify that the HIT Module being tested processes and abstractly incorporates/stores in the patient's laboratory result record the exact data received in the LRI message. Tester also must verify that the HIT Module is able to re-create the exact data received in the LRI message by abstracting the data (e.g., from the HIT Module's data model). <p>Example: Identifier Type Code; the HIT Module uses a separate file/table to store Social Security Numbers versus internal Medical Record Numbers, and does not need to retain the Identifier Type Code</p>