

Test Case Information

EDOS 1.0 1.1-M08-NG - M08 New	
Test Case ID	EDOS_1.0_1.1-M08_NG

MSH :

Location	Data Element	Data	Categorization
MSH.1[1]	Field Separator		IG Fixed Data
MSH.2[1]	Encoding Characters	^~\&#	IG Fixed Data
MSH.3[1]	Sending Application		
MSH.3[1].1	Namespace ID	NIST Test Lab APP	Configurable Data
MSH.4[1]	Sending Facility		
MSH.4[1].1	Namespace ID	NIST Lab Facility	Configurable Data
MSH.6[1]	Receiving Facility		
MSH.6[1].1	Namespace ID	NIST EHR Facility	Configurable Data
MSH.7[1]	Date/Time Of Message		
MSH.7[1].1	Time	20130421113601-0700	System Generated
MSH.9[1]	Message Type		
MSH.9[1].1	Message Code	MFN	IG Fixed Data
MSH.9[1].2	Trigger Event	M08	IG Fixed Data
MSH.9[1].3	Message Structure	MFN_M08	IG Fixed Data
MSH.10[1]	Message Control ID	EDOS_1.0_1.1-M08-NG	System Generated
MSH.11[1]	Processing ID		
MSH.11[1].1	Processing ID	T	Changeable Data
MSH.12[1]	VersionID		
MSH.12[1].1	Version ID	2.5.1	IG Fixed Data
MSH.15[1]	Accept Acknowledgment Type	AL	Changeable Data
MSH.16[1]	Application Acknowledgment Type	NE	Changeable Data
MSH.21[1]	Message Profile Identifier		
MSH.21[1].1	Entity Identifier	EDOS_Common_Component	Test Case Fixed Data
MSH.21[1].2	Namespace ID	EDOS Base Profile	Changeable Data
MSH.21[1].3	Universal ID	2.16.840.1.113883.9.67	Test Case Fixed Data
MSH.21[1].4	Universal ID Type	ISO	IG Fixed Data
MSH.21[2]	Message Profile Identifier		
MSH.21[2].1	Entity Identifier	EDOS_NG_Component	Test Case Fixed Data
MSH.21[2].2	Namespace ID	EDOS NG Profile	Changeable Data
MSH.21[2].3	Universal ID	2.16.840.1.113883.9.69	Test Case Fixed Data
MSH.21[2].4	Universal ID Type	ISO	IG Fixed Data

MFI :

Location	Data Element	Data	Categorization
MFI.1[1]	Master File Identifier		
MFI.1[1].1	Identifier	OMA	IG Fixed Data
MFI.1[1].2	Text	Numerical observation master file	Changeable Data
MFI.1[1].3	Name of Coding System	HL70175	IG Fixed Data
MFI.1[1].7	Coding System Version ID	2.5.1	Test Case Fixed Data
MFI.3[1]	File-Level Event Code	REP	Test Case Fixed Data
MFI.6[1]	Response Level Code	NE	IG Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	500	Changeable Data
MFE.4[1].2	Text	Erythrocyte sedimentation rate	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	1	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	500	Changeable Data
OM1.2[1].2	Text	Erythrocyte sedimentation rate	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	30341-2	Test Case Fixed Data
OM1.7[1].2	Text	Erythrocyte sedimentation rate	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Erythrocyte sedimentation rate	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	The erythrocyte sedimentation rate is a nonspecific measure of inflammatory disease.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient blood, Clotting, Hemolysis, Blood specimen received > 12 hours of collection.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.51[1]	Other Names	Westergren	Changeable Data
OM1.51[2]	Other Names	Sed Rate	Changeable Data
OM1.54[1]	Special Instructions	None	Changeable Data
OM1.54[2]	Special Instructions	None	Changeable Data
OM1.55[1]	Test Relationship Category		
OM1.55[1].1	Identifier	CP	Changeable Data
OM1.55[1].2	Text	Clinical Pathology	Changeable Data
OM1.55[1].3	Name of Coding System	99USI	Changeable Data

OM1.55[1].7	Coding System Version ID	41863	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	30341-2	Changeable Data
OM1.56[1].2	Text	Erythrocyte sedimentation rate	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	500	Changeable Data
OM1.56[1].5	Alternate Text	Erythrocyte sedimentation rate	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.56[1].9	Original Text	Erythrocyte sedimentation rate	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	1.1	IG Fixed Data
OM4.3[1]	Container Description	Black Top Tube (Vac-Tec)	Changeable Data
OM4.4[1]	Container Volume	3.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliters	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119297000	Test Case Fixed Data
OM4.6[1].2	Text	Blood sample	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	WBLD	Changeable Data
OM4.6[1].5	Alternate Text	Whole blood	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Whole blood	Changeable Data
OM4.7[1]	Additive		
OM4.7[1].1	Identifier	WEST	Changeable Data
OM4.7[1].2	Text	Buffered Citrate (Westergren Sedimentation Rate)	Changeable Data
OM4.7[1].3	Name of Coding System	HL70371	Changeable Data
OM4.7[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2.4	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliters	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	2.4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliters	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Specimen must be received and tested within 4-6 hrs of Collection	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	CREF	Changeable Data
OM4.15[1].2	Text	Critical refrigerated	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.15[2]	Specimen Handling Code		
OM4.15[2].1	Identifier	MTLF	Changeable Data
OM4.15[2].2	Text	Metal Free	Changeable Data
OM4.15[2].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[2].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	1.2	IG Fixed Data
OM4.3[1]	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.4[1]	Container Volume	3.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliters	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119297000	Test Case Fixed Data
OM4.6[1].2	Text	Blood sample	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	WBLD	Changeable Data
OM4.6[1].5	Alternate Text	Whole blood	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Whole blood	Changeable Data
OM4.7[1]	Additive		
OM4.7[1].1	Identifier	EDTK	Changeable Data
OM4.7[1].2	Text	Potassium/K EDTA	Changeable Data
OM4.7[1].3	Name of Coding System	HL70371	Changeable Data
OM4.7[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2.4	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliters	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	2.4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliters	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Specimen must be received and tested within 4-6 hrs of Collection	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	CREF	Changeable Data
OM4.15[1].2	Text	Critical refrigerated	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.15[2]	Specimen Handling Code		
OM4.15[2].1	Identifier	MTLF	Changeable Data
OM4.15[2].2	Text	Metal Free	Changeable Data
OM4.15[2].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[2].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	A	Test Case Fixed Data
OM4.17[1]	Preferred Specimen/Attribute Sequence	1.1	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	202	Changeable Data
MFE.4[1].2	Text	Erythrocytes, blood	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	2	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	202	Changeable Data
OM1.2[1].2	Text	Erythrocytes, blood	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26453-1	Test Case Fixed Data
OM1.7[1].2	Text	Erythrocytes [# /volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Erythrocytes, blood	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26453-1	Changeable Data
OM1.56[1].2	Text	Erythrocytes [# /volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	202	Changeable Data
OM1.56[1].5	Alternate Text	Erythrocytes, blood	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	2	IG Fixed Data
OM4.3[1]	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.3[2]	Container Description	Pink Top (K2EDTA) tube	Changeable Data
OM4.4[1]	Container Volume	3.0	Changeable Data
OM4.4[2]	Container Volume	3.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliters	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliters	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119297000	Test Case Fixed Data
OM4.6[1].2	Text	Blood sample	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	WBLD	Changeable Data
OM4.6[1].5	Alternate Text	Whole blood	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Whole blood	Changeable Data
OM4.7[1]	Additive		
OM4.7[1].1	Identifier	EDTK	Changeable Data
OM4.7[1].2	Text	Potassium/K EDTA	Changeable Data
OM4.7[1].3	Name of Coding System	HL70371	Changeable Data
OM4.7[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	3	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliters	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliters	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Refrigeration is required if specimen is not brought immediately to laboratory. Two blood smears should be prepared if sample is not delivered to the laboratory within 4 hrs. Sample should be analyzed within 6 hours at room temperature and 24 hrs when stored at 4 degrees C.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	CREF	Changeable Data
OM4.15[1].2	Text	Critical refrigerated	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	256	Changeable Data
MFE.4[1].2	Text	Hemoglobin (Hb)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	3	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	256	Changeable Data
OM1.2[1].2	Text	Hemoglobin (Hb)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	718-7	Test Case Fixed Data
OM1.7[1].2	Text	Hemoglobin [Mass/volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Hemoglobin	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Reduced hemoglobin levels indicate anemia which is commonly caused by loss of blood, nutritional deficiency, bone marrow problems, chemotherapy, kidney failure, hyper hydration, or abnormal hemoglobin (such as that of sickle-cell disease). Increase in hemoglobin levels are due to exposure to high altitudes, smoking, dehydration, or tumors. Increase in red blood cell number or size also result in increased hemoglobin levels. Hemoglobin levels are also impacted by genetic diseases, for example porphyria.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	718-7	Changeable Data
OM1.56[1].2	Text	Hemoglobin [Mass/volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	256	Changeable Data
OM1.56[1].5	Alternate Text	Hemoglobin (Hb)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	204	Changeable Data
MFE.4[1].2	Text	Hematocrit	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	4	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	204	Changeable Data
OM1.2[1].2	Text	Hematocrit	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	20570-8	Test Case Fixed Data
OM1.7[1].2	Text	Hematocrit [Volume Fraction] of Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Hematocrit	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	20570-8	Changeable Data
OM1.56[1].2	Text	Hematocrit [Volume Fraction] of Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	204	Changeable Data
OM1.56[1].5	Alternate Text	Hematocrit	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	4	IG Fixed Data
OM4.3[1]	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.3[2]	Container Description	Pink Top (K2EDTA) tube	Changeable Data
OM4.4[1]	Container Volume	3.0	Changeable Data
OM4.4[2]	Container Volume	3.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliters	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliters	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119297000	Test Case Fixed Data
OM4.6[1].2	Text	Blood sample	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	WBLD	Changeable Data
OM4.6[1].5	Alternate Text	Whole blood	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Whole blood	Changeable Data
OM4.7[1]	Additive		
OM4.7[1].1	Identifier	EDTK	Changeable Data
OM4.7[1].2	Text	Potassium/K EDTA	Changeable Data
OM4.7[1].3	Name of Coding System	HL70371	Changeable Data
OM4.7[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	3	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliters	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliters	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Refrigeration is required if specimen is not brought immediately to laboratory. Two blood smears should be prepared if sample is sample is not delivered to the laboratory within 4 hrs. Sample should be analyzed within 6 hours at room temperature and 24 hrs when stored at 4 degrees C.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	CREF	Changeable Data
OM4.15[1].2	Text	Critical refrigerated	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	206	Changeable Data
MFE.4[1].2	Text	Leukocytes, blood	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	5	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	206	Changeable Data
OM1.2[1].2	Text	Leukocytes, blood	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26464-8	Test Case Fixed Data
OM1.7[1].2	Text	Leukocytes [# /volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Leukocytes, blood	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26464-8	Changeable Data
OM1.56[1].2	Text	Leukocytes [# /volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	206	Changeable Data
OM1.56[1].5	Alternate Text	Leukocytes, blood	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	5	IG Fixed Data
OM4.3[1]	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.3[2]	Container Description	Pink Top (K2EDTA) tube	Changeable Data
OM4.4[1]	Container Volume	3.0	Changeable Data
OM4.4[2]	Container Volume	3.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliters	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliters	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119297000	Test Case Fixed Data
OM4.6[1].2	Text	Blood sample	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	WBLD	Changeable Data
OM4.6[1].5	Alternate Text	Whole blood	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Whole blood	Changeable Data
OM4.7[1]	Additive		
OM4.7[1].1	Identifier	EDTK	Changeable Data
OM4.7[1].2	Text	Potassium/K EDTA	Changeable Data
OM4.7[1].3	Name of Coding System	HL70371	Changeable Data
OM4.7[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	3	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliters	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliters	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Refrigeration is required if specimen is not brought immediately to laboratory. Two blood smears should be prepared if sample is not delivered to the laboratory within 4 hrs. Sample should be analyzed within 6 hours at room temperature and 24 hrs when stored at 4 degrees C.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	CREF	Changeable Data
OM4.15[1].2	Text	Critical refrigerated	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	208	Changeable Data
MFE.4[1].2	Text	Platelets	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	6	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	208	Changeable Data
OM1.2[1].2	Text	Platelets	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26515-7	Test Case Fixed Data
OM1.7[1].2	Text	Platelets [#/volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Platelets	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26515-7	Changeable Data
OM1.56[1].2	Text	Platelets [#/volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	208	Changeable Data
OM1.56[1].5	Alternate Text	Platelets	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	6	IG Fixed Data
OM4.3[1]	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.3[2]	Container Description	Pink Top (K2EDTA) tube	Changeable Data
OM4.4[1]	Container Volume	3.0	Changeable Data
OM4.4[2]	Container Volume	3.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliters	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliters	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119297000	Test Case Fixed Data
OM4.6[1].2	Text	Blood sample	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	WBLD	Changeable Data
OM4.6[1].5	Alternate Text	Whole blood	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Whole blood	Changeable Data
OM4.7[1]	Additive		
OM4.7[1].1	Identifier	EDTK	Changeable Data
OM4.7[1].2	Text	Potassium/K EDTA	Changeable Data
OM4.7[1].3	Name of Coding System	HL70371	Changeable Data
OM4.7[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	3	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliters	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliters	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Refrigeration is required if specimen is not brought immediately to laboratory. Two blood smears should be prepared if sample is not delivered to the laboratory within 4 hrs. Sample should be analyzed within 6 hours at room temperature and 24 hrs when stored at 4 degrees C.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	CREF	Changeable Data
OM4.15[1].2	Text	Critical refrigerated	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	210	Changeable Data
MFE.4[1].2	Text	Mean corpuscular volume (MCV)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	7	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	210	Changeable Data
OM1.2[1].2	Text	Mean corpuscular volume (MCV)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	30428-7	Test Case Fixed Data
OM1.7[1].2	Text	Erythrocyte mean corpuscular volume [Entitic volume]	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Mean corpuscular volume (MCV)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	30428-7	Changeable Data
OM1.56[1].2	Text	Erythrocyte mean corpuscular volume [Entitic volume]	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	210	Changeable Data
OM1.56[1].5	Alternate Text	Mean corpuscular volume (MCV)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	212	Changeable Data
MFE.4[1].2	Text	Mean corpuscular hemoglobin (MCH)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	8	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	212	Changeable Data
OM1.2[1].2	Text	Mean corpuscular hemoglobin (MCH)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	28539-5	Test Case Fixed Data
OM1.7[1].2	Text	Erythrocyte mean corpuscular hemoglobin [Entitic mass]	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Mean corpuscular hemoglobin (MCH)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	28539-5	Changeable Data
OM1.56[1].2	Text	Erythrocyte mean corpuscular hemoglobin [Entitic mass]	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	212	Changeable Data
OM1.56[1].5	Alternate Text	Mean corpuscular hemoglobin (MCH)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	214	Changeable Data
MFE.4[1].2	Text	Mean corpuscular hemoglobin Concentration (MCHC)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	9	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	214	Changeable Data
OM1.2[1].2	Text	Mean corpuscular hemoglobin Concentration (MCHC)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	28540-3	Test Case Fixed Data
OM1.7[1].2	Text	Erythrocyte mean corpuscular hemoglobin concentration [Mass/volume]	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Mean corpuscular hemoglobin Concentration (MCHC)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	28540-3	Changeable Data
OM1.56[1].2	Text	Erythrocyte mean corpuscular hemoglobin concentration [Mass/volume]	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	214	Changeable Data
OM1.56[1].5	Alternate Text	Mean corpuscular hemoglobin Concentration (MCHC)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	216	Changeable Data
MFE.4[1].2	Text	Red blood cell distribution width (RDW)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	10	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	216	Changeable Data
OM1.2[1].2	Text	Red blood cell distribution width (RDW)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	30385-9	Test Case Fixed Data
OM1.7[1].2	Text	Erythrocyte distribution width [Ratio]	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Red blood cell distribution width (RDW)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	30385-9	Changeable Data
OM1.56[1].2	Text	Erythrocyte distribution width [Ratio]	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	216	Changeable Data
OM1.56[1].5	Alternate Text	Red blood cell distribution width (RDW)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	218	Changeable Data
MFE.4[1].2	Text	Basophils	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	11	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	218	Changeable Data
OM1.2[1].2	Text	Basophils	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26444-0	Test Case Fixed Data
OM1.7[1].2	Text	Basophils [# /volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Basophils	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26444-0	Changeable Data
OM1.56[1].2	Text	Basophils [# /volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	218	Changeable Data
OM1.56[1].5	Alternate Text	Basophils	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	220	Changeable Data
MFE.4[1].2	Text	% Basophils	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	12	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	220	Changeable Data
OM1.2[1].2	Text	% Basophils	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	30180-4	Test Case Fixed Data
OM1.7[1].2	Text	Basophils/100 leukocytes in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	% Basophils	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	30180-4	Changeable Data
OM1.56[1].2	Text	Basophils/100 leukocytes in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	220	Changeable Data
OM1.56[1].5	Alternate Text	% Basophils	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	222	Changeable Data
MFE.4[1].2	Text	Monocytes	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	13	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	222	Changeable Data
OM1.2[1].2	Text	Monocytes	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26484-6	Test Case Fixed Data
OM1.7[1].2	Text	Monocytes [# /volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Monocytes	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26484-6	Changeable Data
OM1.56[1].2	Text	Monocytes [# /volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	222	Changeable Data
OM1.56[1].5	Alternate Text	Monocytes	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	224	Changeable Data
MFE.4[1].2	Text	% Monocytes	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	14	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	224	Changeable Data
OM1.2[1].2	Text	% Monocytes	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26485-3	Test Case Fixed Data
OM1.7[1].2	Text	Monocytes/100 leukocytes in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	% Monocytes	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26485-3	Changeable Data
OM1.56[1].2	Text	Monocytes/100 leukocytes in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	224	Changeable Data
OM1.56[1].5	Alternate Text	% Monocytes	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	226	Changeable Data
MFE.4[1].2	Text	Eosinophils	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	15	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	226	Changeable Data
OM1.2[1].2	Text	Eosinophils	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26449-9	Test Case Fixed Data
OM1.7[1].2	Text	Eosinophils [# /volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Eosinophils	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26449-9	Changeable Data
OM1.56[1].2	Text	Eosinophils [# /volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	226	Changeable Data
OM1.56[1].5	Alternate Text	Eosinophils	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	228	Changeable Data
MFE.4[1].2	Text	% Eosinophils	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	16	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	228	Changeable Data
OM1.2[1].2	Text	% Eosinophils	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26450-7	Test Case Fixed Data
OM1.7[1].2	Text	Eosinophils/100 leukocytes in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	% Eosinophils	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26450-7	Changeable Data
OM1.56[1].2	Text	Eosinophils/100 leukocytes in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	228	Changeable Data
OM1.56[1].5	Alternate Text	% Eosinophils	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	230	Changeable Data
MFE.4[1].2	Text	Lymphocytes	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	17	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	230	Changeable Data
OM1.2[1].2	Text	Lymphocytes	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26474-7	Test Case Fixed Data
OM1.7[1].2	Text	Lymphocytes [# /volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Lymphocytes	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26474-7	Changeable Data
OM1.56[1].2	Text	Lymphocytes [# /volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	230	Changeable Data
OM1.56[1].5	Alternate Text	Lymphocytes	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	232	Changeable Data
MFE.4[1].2	Text	% Lymphocytes	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	18	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	232	Changeable Data
OM1.2[1].2	Text	% Lymphocytes	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26478-8	Test Case Fixed Data
OM1.7[1].2	Text	Lymphocytes/100 leukocytes in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	% Lymphocytes	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26478-8	Changeable Data
OM1.56[1].2	Text	Lymphocytes/100 leukocytes in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	232	Changeable Data
OM1.56[1].5	Alternate Text	% Lymphocytes	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	234	Changeable Data
MFE.4[1].2	Text	Neutrophils	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	19	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	234	Changeable Data
OM1.2[1].2	Text	Neutrophils	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26499-4	Test Case Fixed Data
OM1.7[1].2	Text	Neutrophils [# /volume] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Neutrophils	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26499-4	Changeable Data
OM1.56[1].2	Text	Neutrophils [# /volume] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	234	Changeable Data
OM1.56[1].5	Alternate Text	Neutrophils	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	236	Changeable Data
MFE.4[1].2	Text	% Neutrophils	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	20	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	236	Changeable Data
OM1.2[1].2	Text	% Neutrophils	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	26511-6	Test Case Fixed Data
OM1.7[1].2	Text	Neutrophils/100 leukocytes in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	% Neutrophils	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	26511-6	Changeable Data
OM1.56[1].2	Text	Neutrophils/100 leukocytes in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	236	Changeable Data
OM1.56[1].5	Alternate Text	% Neutrophils	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	238	Changeable Data
MFE.4[1].2	Text	Anisocytosis	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	21	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	238	Changeable Data
OM1.2[1].2	Text	Anisocytosis	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	38892-6	Test Case Fixed Data
OM1.7[1].2	Text	Anisocytosis [Presence] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Anisocytosis	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	38892-6	Changeable Data
OM1.56[1].2	Text	Anisocytosis [Presence] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	238	Changeable Data
OM1.56[1].5	Alternate Text	Anisocytosis	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	21	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	detected (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	240	Changeable Data
MFE.4[1].2	Text	Hypochromia	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	22	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	240	Changeable Data
OM1.2[1].2	Text	Hypochromia	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	30400-6	Test Case Fixed Data
OM1.7[1].2	Text	Hypochromia [Presence] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Hypochromia	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	30400-6	Changeable Data
OM1.56[1].2	Text	Hypochromia [Presence] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	240	Changeable Data
OM1.56[1].5	Alternate Text	Hypochromia	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	22	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	detected (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	242	Changeable Data
MFE.4[1].2	Text	Macrocytosis	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	23	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	242	Changeable Data
OM1.2[1].2	Text	Macrocytosis	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	30424-6	Test Case Fixed Data
OM1.7[1].2	Text	Macrocytes [Presence] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Macrocytosis	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	30424-6	Changeable Data
OM1.56[1].2	Text	Macrocytes [Presence] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	242	Changeable Data
OM1.56[1].5	Alternate Text	Macrocytosis	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	23	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	detected (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	244	Changeable Data
MFE.4[1].2	Text	Microcytosis	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	24	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	244	Changeable Data
OM1.2[1].2	Text	Microcytosis	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	30434-5	Test Case Fixed Data
OM1.7[1].2	Text	Microcytes [Presence] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Microcytosis	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	30434-5	Changeable Data
OM1.56[1].2	Text	Microcytes [Presence] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	244	Changeable Data
OM1.56[1].5	Alternate Text	Microcytosis	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	24	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	detected (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	246	Changeable Data
MFE.4[1].2	Text	Poikilocytosis	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	25	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	246	Changeable Data
OM1.2[1].2	Text	Poikilocytosis	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	779-9	Test Case Fixed Data
OM1.7[1].2	Text	Poikilocytosis [Presence] in Blood by Light microscopy	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Poikilocytosis	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	779-9	Changeable Data
OM1.56[1].2	Text	Poikilocytosis [Presence] in Blood by Light microscopy	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	246	Changeable Data
OM1.56[1].5	Alternate Text	Poikilocytosis	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	25	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	detected (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	248	Changeable Data
MFE.4[1].2	Text	Polychromasia	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	26	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	248	Changeable Data
OM1.2[1].2	Text	Polychromasia	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	10378-8	Test Case Fixed Data
OM1.7[1].2	Text	Polychromasia [Presence] in Blood by Light microscopy	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Polychromasia	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	10378-8	Changeable Data
OM1.56[1].2	Text	Polychromasia [Presence] in Blood by Light microscopy	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	248	Changeable Data
OM1.56[1].5	Alternate Text	Polychromasia	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	26	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	detected (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	250	Changeable Data
MFE.4[1].2	Text	RBC morphology	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	27	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	250	Changeable Data
OM1.2[1].2	Text	RBC morphology	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	6742-1	Test Case Fixed Data
OM1.7[1].2	Text	Erythrocyte morphology finding [Identifier] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	RBC morphology	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	6742-1	Changeable Data
OM1.56[1].2	Text	Erythrocyte morphology finding [Identifier] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	250	Changeable Data
OM1.56[1].5	Alternate Text	RBC morphology	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
----------	--------------	------	----------------

OM3.1[1]	Sequence Number - Test/Observation Master File	27	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	17621005	Test Case Fixed Data
OM3.4[1].2	Text	normal (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	19669003	Test Case Fixed Data
OM3.5[1].2	Text	Erythrocyte agglutination (morphologic abnormality)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	250236003	Test Case Fixed Data
OM3.5[2].2	Text	Heinz bodies (finding)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	165496003	Test Case Fixed Data
OM3.5[3].2	Text	Rouleaux (finding)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	250240007	Test Case Fixed Data
OM3.5[4].2	Text	Dimorphic red blood cell population (finding)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data
OM3.5[5]	Abnormal Text/Codes for Categorical Observations		
OM3.5[5].1	Identifier	397063002	Test Case Fixed Data
OM3.5[5].2	Text	Basophilic stippling, erythrocytes (finding)	Configurable Data
OM3.5[5].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[5].7	Coding System Version ID	20130731	Changeable Data
OM3.5[6]	Abnormal Text/Codes for Categorical Observations		
OM3.5[6].1	Identifier	397067001	Test Case Fixed Data
OM3.5[6].2	Text	Hemoglobin C crystals (finding)	Configurable Data
OM3.5[6].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[6].7	Coding System Version ID	20130731	Changeable Data
OM3.5[7]	Abnormal Text/Codes for Categorical Observations		
OM3.5[7].1	Identifier	250234000	Test Case Fixed Data
OM3.5[7].2	Text	Howell Jolly bodies (finding)	Changeable Data
OM3.5[7].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[7].7	Coding System Version ID	20130731	Changeable Data
OM3.5[8]	Abnormal Text/Codes for Categorical Observations		
OM3.5[8].1	Identifier	250235004	Test Case Fixed Data
OM3.5[8].2	Text	Pappenheimer bodies (finding)	Configurable Data
OM3.5[8].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[8].7	Coding System Version ID	20130731	Changeable Data
OM3.5[9]	Abnormal Text/Codes for Categorical Observations		

OM3.5[9].1	Identifier	313235003	Test Case Fixed Data
OM3.5[9].2	Text	Burr cells present (finding)	Configurable Data
OM3.5[9].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[9].7	Coding System Version ID	20130731	Changeable Data
OM3.5[10]	Abnormal Text/Codes for Categorical Observations		
OM3.5[10].1	Identifier	259679003	Test Case Fixed Data
OM3.5[10].2	Text	Ringed sideroblast (finding)	Configurable Data
OM3.5[10].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[10].7	Coding System Version ID	20130731	Changeable Data
OM3.5[11]	Abnormal Text/Codes for Categorical Observations		
OM3.5[11].1	Identifier	397062007	Test Case Fixed Data
OM3.5[11].2	Text	Cabot's ring bodies (finding)	Configurable Data
OM3.5[11].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[11].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	252	Changeable Data
MFE.4[1].2	Text	WBC morphology	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	28	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	252	Changeable Data
OM1.2[1].2	Text	WBC morphology	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	11156-7	Test Case Fixed Data
OM1.7[1].2	Text	Leukocyte morphology finding [Identifier] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	WBC morphology	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	11156-7	Changeable Data
OM1.56[1].2	Text	Leukocyte morphology finding [Identifier] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	252	Changeable Data
OM1.56[1].5	Alternate Text	WBC morphology	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
----------	--------------	------	----------------

OM3.1[1]	Sequence Number - Test/Observation Master File	28	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	17621005	Test Case Fixed Data
OM3.4[1].2	Text	normal (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.4[2]	Normal Text/Codes for Categorical Observations		
OM3.4[2].1	Identifier	80153006	Test Case Fixed Data
OM3.4[2].2	Text	Segmented neutrophil (cell)	Configurable Data
OM3.4[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[2].7	Coding System Version ID	20130731	Changeable Data
OM3.4[3]	Normal Text/Codes for Categorical Observations		
OM3.4[3].1	Identifier	55918008	Test Case Fixed Data
OM3.4[3].2	Text	Monocyte (cell)	Configurable Data
OM3.4[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[3].7	Coding System Version ID	20130731	Changeable Data
OM3.4[4]	Normal Text/Codes for Categorical Observations		
OM3.4[4].1	Identifier	56972008	Test Case Fixed Data
OM3.4[4].2	Text	Lymphocyte (cell)	Configurable Data
OM3.4[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[4].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	87361006	Test Case Fixed Data
OM3.5[1].2	Text	Left shifted white blood cells (finding)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	50551008	Test Case Fixed Data
OM3.5[2].2	Text	Right shifted white blood cells (finding)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	259715006	Test Case Fixed Data
OM3.5[3].2	Text	Dohle body (finding)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	250275007	Test Case Fixed Data
OM3.5[4].2	Text	Hypersegmentation (finding)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data
OM3.5[5]	Abnormal Text/Codes for Categorical Observations		
OM3.5[5].1	Identifier	250277004	Test Case Fixed Data
OM3.5[5].2	Text	Ring-form neutrophil (finding)	Configurable Data
OM3.5[5].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[5].7	Coding System Version ID	20130731	Changeable Data
OM3.5[6]	Abnormal Text/Codes for Categorical Observations		
OM3.5[6].1	Identifier	15111002	Test Case Fixed Data
OM3.5[6].2	Text	Pelger-Huet cell (finding)	Configurable Data

OM3.5[6].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[6].7	Coding System Version ID	20130731	Changeable Data
OM3.5[7]	Abnormal Text/Codes for Categorical Observations		
OM3.5[7].1	Identifier	250282006	Test Case Fixed Data
OM3.5[7].2	Text	Drumstick nuclear appendage (finding)	Changeable Data
OM3.5[7].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[7].7	Coding System Version ID	20130731	Changeable Data
OM3.5[8]	Abnormal Text/Codes for Categorical Observations		
OM3.5[8].1	Identifier	250281004	Test Case Fixed Data
OM3.5[8].2	Text	Cytoplasmic vacuolation (finding)	Configurable Data
OM3.5[8].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[8].7	Coding System Version ID	20130731	Changeable Data
OM3.5[9]	Abnormal Text/Codes for Categorical Observations		
OM3.5[9].1	Identifier	64668006	Test Case Fixed Data
OM3.5[9].2	Text	Sensitized leukocyte (finding)	Configurable Data
OM3.5[9].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[9].7	Coding System Version ID	20130731	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	254	Changeable Data
MFE.4[1].2	Text	Platelet morphology	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	29	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	254	Changeable Data
OM1.2[1].2	Text	Platelet morphology	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	11125-2	Test Case Fixed Data
OM1.7[1].2	Text	Platelet morphology finding [Identifier] in Blood	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Platelet morphology	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	11125-2	Changeable Data
OM1.56[1].2	Text	Platelet morphology finding [Identifier] in Blood	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	254	Changeable Data
OM1.56[1].5	Alternate Text	Platelet morphology	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	29	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	17621005	Test Case Fixed Data
OM3.4[1].2	Text	normal (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	134204007	Test Case Fixed Data
OM3.5[1].2	Text	Platelet clumps (finding)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	44687006	Test Case Fixed Data
OM3.5[2].2	Text	Giant platelet (morphologic abnormality)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	25624002	Test Case Fixed Data
OM3.5[3].2	Text	Dysplastic platelet (morphologic abnormality)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	344	Changeable Data
MFE.4[1].2	Text	Color of Urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	30	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	344	Changeable Data
OM1.2[1].2	Text	Color of Urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	5778-6	Test Case Fixed Data
OM1.7[1].2	Text	Color of Urine	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Color of Urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Dark brown or smoky urine suggests a renal source of hematuria, pink or red urine are indications of extra renal sources. Deep purple urine suggests porphyria.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	5778-6	Changeable Data
OM1.56[1].2	Text	Color of Urine	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	344	Changeable Data
OM1.56[1].5	Alternate Text	Color of Urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	30	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	77775007	Test Case Fixed Data
OM3.4[1].2	Text	Normal color (finding)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	50935005	Test Case Fixed Data
OM3.5[1].2	Text	Milky urine (finding)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	28977008	Test Case Fixed Data
OM3.5[2].2	Text	Pink color (finding)	Configurable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	386713009	Test Case Fixed Data
OM3.5[3].2	Text	Red color (finding)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	73112009	Test Case Fixed Data
OM3.5[4].2	Text	Dark color (finding)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	346	Changeable Data
MFE.4[1].2	Text	Clarity of Urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	31	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	346	Changeable Data
OM1.2[1].2	Text	Clarity of Urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	32167-9	Test Case Fixed Data
OM1.7[1].2	Text	Clarity of Urine	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Clarity of Urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Increased turbidity of urine is an indication of increased cell numbers (erythrocytes or leukocytes), presence of bacteria, presence of crystals, lipiduria, increased mucus content, semen or fecal contamination.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	32167-9	Changeable Data
OM1.56[1].2	Text	Clarity of Urine	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	346	Changeable Data
OM1.56[1].5	Alternate Text	Clarity of Urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	31	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	167236000	Test Case Fixed Data
OM3.4[1].2	Text	Urine: looks clear (finding)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	7766007	Test Case Fixed Data
OM3.5[1].2	Text	Cloudy urine (finding)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	167238004	Test Case Fixed Data
OM3.5[2].2	Text	Urine: turbid (finding)	Configurable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	302	Changeable Data
MFE.4[1].2	Text	Erythrocytes, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	32	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	302	Changeable Data
OM1.2[1].2	Text	Erythrocytes, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	46419-8	Test Case Fixed Data
OM1.7[1].2	Text	Erythrocytes [# /area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Erythrocytes, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Presence of more than the occasional are an indication of hemorrhage in the urinary tract system. Dysmorphic red cells can indicate glomerulonephritis.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	46419-8	Changeable Data
OM1.56[1].2	Text	Erythrocytes [# /area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	302	Changeable Data
OM1.56[1].5	Alternate Text	Erythrocytes, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	304	Changeable Data
MFE.4[1].2	Text	Leukocytes, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	33	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	304	Changeable Data
OM1.2[1].2	Text	Leukocytes, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	46702-7	Test Case Fixed Data
OM1.7[1].2	Text	Leukocytes [# /area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Leukocytes, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Presence of more than the occasional leukocytes are an indication of inflammation in the genitourinary tract.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	46702-7	Changeable Data
OM1.56[1].2	Text	Leukocytes [# /area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	304	Changeable Data
OM1.56[1].5	Alternate Text	Leukocytes, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	306	Changeable Data
MFE.4[1].2	Text	Leukocyte clumps, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	34	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	306	Changeable Data
OM1.2[1].2	Text	Leukocyte clumps, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	50233-6	Test Case Fixed Data
OM1.7[1].2	Text	Leukocyte clumps [# /area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Leukocyte clumps, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Clumping leukocytes occur with a high number of leukocytes, a good indicator of inflammation in the genitourinary tract.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	50233-6	Changeable Data
OM1.56[1].2	Text	Leukocyte clumps [# /area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	306	Changeable Data
OM1.56[1].5	Alternate Text	Leukocyte clumps, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	308	Changeable Data
MFE.4[1].2	Text	Non-squamous epithelial cells. , urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	35	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	308	Changeable Data
OM1.2[1].2	Text	Non-squamous epithelial cells. , urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	53294-5	Test Case Fixed Data
OM1.7[1].2	Text	Epithelial cells.non-squamous [# /area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Non-squamous epithelial cells, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Any large number of non-squamous epithelial cells can indicate a neoplasm in the genitourinary tract. A follow up cytological analysis is recommended, when neoplasia is suspected.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	53294-5	Changeable Data
OM1.56[1].2	Text	Epithelial cells.non-squamous [# /area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	308	Changeable Data
OM1.56[1].5	Alternate Text	Non-squamous epithelial cells. , urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	310	Changeable Data
MFE.4[1].2	Text	Squamous epithelial cells. , urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	36	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	310	Changeable Data
OM1.2[1].2	Text	Squamous epithelial cells. , urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	33219-7	Test Case Fixed Data
OM1.7[1].2	Text	Epithelial cells.squamous [# /area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Squamous epithelial cells. , urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	A few squamous epithelial cells are normal in random urine, a large number suggests contamination of the sample, by incorrectly or insufficiently cleaning prior to collection.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	33219-7	Changeable Data
OM1.56[1].2	Text	Epithelial cells.squamous [# /area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	310	Changeable Data
OM1.56[1].5	Alternate Text	Squamous epithelial cells. , urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	314	Changeable Data
MFE.4[1].2	Text	Bacteria, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	37	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	314	Changeable Data
OM1.2[1].2	Text	Bacteria, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	33218-9	Test Case Fixed Data
OM1.7[1].2	Text	Bacteria [#/area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Bacteria, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Presence of bacteria, especially in large numbers indicate infection in the urinary tract. A urine culture is recommended.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	33218-9	Changeable Data
OM1.56[1].2	Text	Bacteria [#/area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	314	Changeable Data
OM1.56[1].5	Alternate Text	Bacteria, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	312	Changeable Data
MFE.4[1].2	Text	Crystals , urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	38	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	312	Changeable Data
OM1.2[1].2	Text	Crystals , urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	53322-4	Test Case Fixed Data
OM1.7[1].2	Text	Crystals [#area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Crystals , urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This is most useful in warm fresh urine for differential diagnosis of hematuria, nephrolithiasis or toxin ingestion. There are several types of crystals indicating different disease origin. Review of urine pH as well as the polarizing microscopy are recommended for further identification.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	53322-4	Changeable Data
OM1.56[1].2	Text	Crystals [#area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	312	Changeable Data
OM1.56[1].5	Alternate Text	Crystals , urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	316	Changeable Data
MFE.4[1].2	Text	Hyaline casts	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	39	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	316	Changeable Data
OM1.2[1].2	Text	Hyaline casts	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	33223-9	Test Case Fixed Data
OM1.7[1].2	Text	Hyaline casts [#area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Hyaline casts	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Hyaline casts are the most common type of casts. They are solidified Tamm-Horsfall mucoprotein secreted from the tubular epithelial cells of individual nephrons. Low urine flow, concentrated urine, or an acidic environment can contribute to the formation of hyaline casts, and, as such, they may be seen in normal individuals in dehydration or vigorous exercise. They often form the basis of other cast types due to inclusion or adhesion of other elements and can also indicate several types of renal disease.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	33223-9	Changeable Data
OM1.56[1].2	Text	Hyaline casts [#area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	316	Changeable Data
OM1.56[1].5	Alternate Text	Hyaline casts	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	318	Changeable Data
MFE.4[1].2	Text	Casts	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	40	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	318	Changeable Data
OM1.2[1].2	Text	Casts	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	43755-8	Test Case Fixed Data
OM1.7[1].2	Text	Casts [# /area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Casts	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data

OM1.32[1]	Interpretation of Observations	Any kind of casts are counted in this test - there are several kinds of casts: Granular casts are the second-most common type of cast, resulting from break down of cellular casts, or inclusion of plasma proteins. They are most often indicative of chronic renal disease. Exception here is the muddy brown cast, which is an indication of acute tubular necrosis. Waxy casts can be found in urine from patients in renal failure. Fatty casts are indicators of high protein nephrotic syndrome. Pigment casts can indicate hemolytic anemia, rhabdomyolysis and liver disease. They also occur with some medication. Cellular casts: Red blood cell cast always indicate glomerular damage. White blood cell casts are suggestive of pyelonephritis, and may also be seen in inflammatory states, such as acute allergic interstitial nephritis, nephrotic syndrome, or post-streptococcal acute glomerulonephritis.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	43755-8	Changeable Data
OM1.56[1].2	Text	Casts [# /area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	318	Changeable Data
OM1.56[1].5	Alternate Text	Casts	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	320	Changeable Data
MFE.4[1].2	Text	Spermatozoa, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	41	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	320	Changeable Data
OM1.2[1].2	Text	Spermatozoa, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	53324-0	Test Case Fixed Data
OM1.7[1].2	Text	Spermatozoa [# /area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Spermatozoa, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Presence of sperm in male urine can be indicative of retrograde ejaculation.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	53324-0	Changeable Data
OM1.56[1].2	Text	Spermatozoa [# /area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	320	Changeable Data
OM1.56[1].5	Alternate Text	Spermatozoa, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	322	Changeable Data
MFE.4[1].2	Text	Mucus, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	42	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	322	Changeable Data
OM1.2[1].2	Text	mucus, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	50235-1	Test Case Fixed Data
OM1.7[1].2	Text	Mucus [#/area] in Urine sediment by Automated count	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	mucus, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	In the majority presence of mucus in urine is an indicator of a urinary tract infection. Other causes are kidney stone or neoplasm.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	50235-1	Changeable Data
OM1.56[1].2	Text	Mucus [#/area] in Urine sediment by Automated count	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	322	Changeable Data
OM1.56[1].5	Alternate Text	Mucus, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	324	Changeable Data
MFE.4[1].2	Text	Total bilirubin, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	43	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	324	Changeable Data
OM1.2[1].2	Text	Total bilirubin, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	53327-3	Test Case Fixed Data
OM1.7[1].2	Text	Bilirubin.total [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Total bilirubin, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Bilirubin in urine may indicate liver damage or disease.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	53327-3	Changeable Data
OM1.56[1].2	Text	Bilirubin.total [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	324	Changeable Data
OM1.56[1].5	Alternate Text	Total bilirubin, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	43	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	Present + out of ++++ (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	260348001	Test Case Fixed Data
OM3.5[2].2	Text	Present ++ out of ++++ (qualifier value)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	260349009	Test Case Fixed Data
OM3.5[3].2	Text	Present +++ out of ++++ (qualifier value)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	260350009	Test Case Fixed Data
OM3.5[4].2	Text	Present ++++ out of ++++ (qualifier value)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	326	Changeable Data
MFE.4[1].2	Text	Glucose, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	44	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	326	Changeable Data
OM1.2[1].2	Text	Glucose, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2349-9	Test Case Fixed Data
OM1.7[1].2	Text	Glucose [Presence] in Urine	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.11[1]	Preferred Long Name for the Observation	Glucose, Semi quantitative, Urine	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Test for detection and monitoring of diabetes mellitus.	Changeable Data
OM1.37[1]	Patient Preparation	Collect random urine in a clean plastic container. Label the urine container with the patient's full name and the date and time of collection, refrigerate after collection.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2349-9	Changeable Data
OM1.56[1].2	Text	Glucose [Presence] in Urine	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	326	Changeable Data
OM1.56[1].5	Alternate Text	Glucose, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	44	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	4	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	[foz_us]	Changeable Data
OM4.5[1].2	Text	fluid ounce (US)	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	UR	Changeable Data
OM4.6[1].5	Alternate Text	Random urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Random urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	328	Changeable Data
MFE.4[1].2	Text	Hemoglobin, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	45	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	328	Changeable Data
OM1.2[1].2	Text	Hemoglobin, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	50559-4	Test Case Fixed Data
OM1.7[1].2	Text	Hemoglobin [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Hemoglobin, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Presence of hemoglobin is often associated with hemolytic or sickle cell anemia, though it requires work up for renal cancer, pyelonephritis, tuberculosis or malaria, and acute lead poisoning and trauma. In small amounts it may occur after strenuous exercise.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	50559-4	Changeable Data
OM1.56[1].2	Text	Hemoglobin [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	328	Changeable Data
OM1.56[1].5	Alternate Text	Hemoglobin, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	45	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	Present + out of ++++ (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	260348001	Test Case Fixed Data
OM3.5[2].2	Text	Present ++ out of ++++ (qualifier value)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	260349009	Test Case Fixed Data
OM3.5[3].2	Text	Present +++ out of ++++ (qualifier value)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	260350009	Test Case Fixed Data
OM3.5[4].2	Text	Present ++++ out of ++++ (qualifier value)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	45	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	4	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	[foz_us]	Changeable Data
OM4.5[1].2	Text	fluid ounce (US)	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	UR	Changeable Data
OM4.6[1].5	Alternate Text	Random urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Random urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	330	Changeable Data
MFE.4[1].2	Text	Ketones , urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	46	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	330	Changeable Data
OM1.2[1].2	Text	Ketones , urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	50557-8	Test Case Fixed Data
OM1.7[1].2	Text	Ketones [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Ketones , urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Ketones in urine occur more commonly in type I diabetes mellitus, but can also be observed during starvation.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	50557-8	Changeable Data
OM1.56[1].2	Text	Ketones [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	330	Changeable Data
OM1.56[1].5	Alternate Text	Ketones , urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	46	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	Present + out of ++++ (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	260348001	Test Case Fixed Data
OM3.5[2].2	Text	Present ++ out of ++++ (qualifier value)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	260349009	Test Case Fixed Data
OM3.5[3].2	Text	Present +++ out of ++++ (qualifier value)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	260350009	Test Case Fixed Data
OM3.5[4].2	Text	Present ++++ out of ++++ (qualifier value)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	332	Changeable Data
MFE.4[1].2	Text	Leukocyte esterase, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	47	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	332	Changeable Data
OM1.2[1].2	Text	Leukocyte esterase, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	60026-2	Test Case Fixed Data
OM1.7[1].2	Text	Leukocyte esterase [Presence] in Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Leukocyte esterase, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Presence of leukocyte esterase can be used as a screening for urinary tract infection, though even in combination with nitrite results the sensitivity (24%) and specificity (94%) are low. A urine culture is the gold standard diagnosing a urinary tract infection and is recommended.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	60026-2	Changeable Data
OM1.56[1].2	Text	Leukocyte esterase [Presence] in Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	332	Changeable Data
OM1.56[1].5	Alternate Text	Leukocyte esterase, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	47	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	Present + out of ++++ (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	260348001	Test Case Fixed Data
OM3.5[2].2	Text	Present ++ out of ++++ (qualifier value)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	260349009	Test Case Fixed Data
OM3.5[3].2	Text	Present +++ out of ++++ (qualifier value)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	260350009	Test Case Fixed Data
OM3.5[4].2	Text	Present ++++ out of ++++ (qualifier value)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	334	Changeable Data
MFE.4[1].2	Text	Nitrite, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	48	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	334	Changeable Data
OM1.2[1].2	Text	Nitrite, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	50558-6	Test Case Fixed Data
OM1.7[1].2	Text	Nitrite [Presence] in Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Nitrite, urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This test is often included as a screening test for urinary tract infections, however it has been found to have low sensitivity (24%) and specificity (94%), even when used in combination with results from the Leukocyte Esterase test. The best test for urinary tract infect detection is still the urine culture.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	50558-6	Changeable Data
OM1.56[1].2	Text	Nitrite [Presence] in Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	334	Changeable Data
OM1.56[1].5	Alternate Text	Nitrite, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	48	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260415000	Test Case Fixed Data
OM3.4[1].2	Text	Not detected	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	260347006	Test Case Fixed Data
OM3.5[1].2	Text	Present + out of ++++ (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	260348001	Test Case Fixed Data
OM3.5[2].2	Text	Present ++ out of ++++ (qualifier value)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	260349009	Test Case Fixed Data
OM3.5[3].2	Text	Present +++ out of ++++ (qualifier value)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	260350009	Test Case Fixed Data
OM3.5[4].2	Text	Present ++++ out of ++++ (qualifier value)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	48	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	4	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	[foz_us]	Changeable Data
OM4.5[1].2	Text	fluid ounce (US)	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	UR	Changeable Data
OM4.6[1].5	Alternate Text	Random urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Random urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	336	Changeable Data
MFE.4[1].2	Text	Urine pH	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	49	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	336	Changeable Data
OM1.2[1].2	Text	Urine pH	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	50560-2	Test Case Fixed Data
OM1.7[1].2	Text	pH of Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Urine pH	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Changes in pH are an indicator of the acid-base balance in the body, which may be helpful in determining subtle presence of distal renal tubular disease or pyelonephritis as well as identifying crystals in urine and determining predisposition to form a given type of stone.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	50560-2	Changeable Data
OM1.56[1].2	Text	pH of Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	336	Changeable Data
OM1.56[1].5	Alternate Text	Urine pH	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	49	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	4	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	[foz_us]	Changeable Data
OM4.5[1].2	Text	fluid ounce (US)	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	UR	Changeable Data
OM4.6[1].5	Alternate Text	Random urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Random urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	338	Changeable Data
MFE.4[1].2	Text	Protein, urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	50	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	338	Changeable Data
OM1.2[1].2	Text	Protein, urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	50561-0	Test Case Fixed Data
OM1.7[1].2	Text	Protein [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Protein, urine	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Proteinuria is an indication of kidney disease, which can be caused by several conditions, most commonly diabetes mellitus and hypertension. Other cause of protein in urine are toxins, some medications, trauma or infections. Proteinuria can also occur in pregnant women as part of preeclampsia.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	50561-0	Changeable Data
OM1.56[1].2	Text	Protein [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	338	Changeable Data
OM1.56[1].5	Alternate Text	Protein, urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	50	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	4	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	[foz_us]	Changeable Data
OM4.5[1].2	Text	fluid ounce (US)	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	UR	Changeable Data
OM4.6[1].5	Alternate Text	Random urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Random urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	340	Changeable Data
MFE.4[1].2	Text	Urobilinogen	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	51	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	340	Changeable Data
OM1.2[1].2	Text	Urobilinogen	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	50563-6	Test Case Fixed Data
OM1.7[1].2	Text	Urobilinogen [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Urobilinogen	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	Urinary urobilinogen may be increased in the presence of a hemolytic process such as hemolytic anemia. It may also be increased with infectious hepatitis, or with cirrhosis.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	50563-6	Changeable Data
OM1.56[1].2	Text	Urobilinogen [Mass/volume] in Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	340	Changeable Data
OM1.56[1].5	Alternate Text	Urobilinogen	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	51	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	4	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	[foz_us]	Changeable Data
OM4.5[1].2	Text	fluid ounce (US)	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	UR	Changeable Data
OM4.6[1].5	Alternate Text	Random urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Random urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	342	Changeable Data
MFE.4[1].2	Text	Urine specific gravity	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	52	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	342	Changeable Data
OM1.2[1].2	Text	Urine specific gravity	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	53326-5	Test Case Fixed Data
OM1.7[1].2	Text	Specific gravity of Urine by Automated test strip	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Urine specific gravity	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	The specific gravity of urine is used to obtain information about the state of the kidney and the state of hydration of the patient.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling, presence of preservatives, warm sample.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	53326-5	Changeable Data
OM1.56[1].2	Text	Specific gravity of Urine by Automated test strip	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	342	Changeable Data
OM1.56[1].5	Alternate Text	Urine specific gravity	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	52	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	4	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	[foz_us]	Changeable Data
OM4.5[1].2	Text	fluid ounce (US)	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	UR	Changeable Data
OM4.6[1].5	Alternate Text	Random urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Random urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	104	Changeable Data
MFE.4[1].2	Text	Serum Glucose	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	53	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	104	Changeable Data
OM1.2[1].2	Text	Serum Glucose	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2345-7	Test Case Fixed Data
OM1.7[1].2	Text	Glucose [Mass/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Serum Glucose	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2345-7	Changeable Data
OM1.56[1].2	Text	Glucose [Mass/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	104	Changeable Data
OM1.56[1].5	Alternate Text	Serum Glucose	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	53	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	106	Changeable Data
MFE.4[1].2	Text	Blood Urea Nitrogen (BUN)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	54	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	106	Changeable Data
OM1.2[1].2	Text	Blood Urea Nitrogen (BUN)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	3094-0	Test Case Fixed Data
OM1.7[1].2	Text	Urea nitrogen [Mass/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Blood Urea Nitrogen (BUN)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	3094-0	Changeable Data
OM1.56[1].2	Text	Urea nitrogen [Mass/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	106	Changeable Data
OM1.56[1].5	Alternate Text	Blood Urea Nitrogen (BUN)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	54	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	102	Changeable Data
MFE.4[1].2	Text	Creatinine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	55	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	102	Changeable Data
OM1.2[1].2	Text	Creatinine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2160-0	Test Case Fixed Data
OM1.7[1].2	Text	Creatinine [Mass/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Creatinine	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2160-0	Changeable Data
OM1.56[1].2	Text	Creatinine [Mass/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	102	Changeable Data
OM1.56[1].5	Alternate Text	Creatinine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	55	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	108	Changeable Data
MFE.4[1].2	Text	BUN/Creatinine Ratio	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	56	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	108	Changeable Data
OM1.2[1].2	Text	BUN/Creatinine Ratio	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	3097-3	Test Case Fixed Data
OM1.7[1].2	Text	Urea nitrogen/Creatinine [Mass Ratio] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	BUN/Creatinine Ratio	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	3097-3	Changeable Data
OM1.56[1].2	Text	Urea nitrogen/Creatinine [Mass Ratio] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	108	Changeable Data
OM1.56[1].5	Alternate Text	BUN/Creatinine Ratio	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	110	Changeable Data
MFE.4[1].2	Text	GFR, calculated	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	57	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	110	Changeable Data
OM1.2[1].2	Text	GFR, calculated	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	33914-3	Test Case Fixed Data
OM1.7[1].2	Text	Glomerular filtration rate/1.73 sq M.predicted by Creatinine-based formula (MDRD)	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	GFR, calculated	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	33914-3	Changeable Data
OM1.56[1].2	Text	Glomerular filtration rate/1.73 sq M.predicted by Creatinine-based formula (MDRD)	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	110	Changeable Data
OM1.56[1].5	Alternate Text	GFR, calculated	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	112	Changeable Data
MFE.4[1].2	Text	Calcium	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	58	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	112	Changeable Data
OM1.2[1].2	Text	Calcium	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	17861-6	Test Case Fixed Data
OM1.7[1].2	Text	Calcium [Mass/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Calcium	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	17861-6	Changeable Data
OM1.56[1].2	Text	Calcium [Mass/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	112	Changeable Data
OM1.56[1].5	Alternate Text	Calcium	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	58	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	114	Changeable Data
MFE.4[1].2	Text	Total protein, serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	59	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	114	Changeable Data
OM1.2[1].2	Text	Total protein, serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2885-2	Test Case Fixed Data
OM1.7[1].2	Text	Protein [Mass/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Total protein, serum	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2885-2	Changeable Data
OM1.56[1].2	Text	Protein [Mass/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	114	Changeable Data
OM1.56[1].5	Alternate Text	Total protein, serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	59	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	116	Changeable Data
MFE.4[1].2	Text	Albumin	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	60	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	116	Changeable Data
OM1.2[1].2	Text	Albumin	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	1751-7	Test Case Fixed Data
OM1.7[1].2	Text	Albumin [Mass/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Albumin	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	1751-7	Changeable Data
OM1.56[1].2	Text	Albumin [Mass/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	116	Changeable Data
OM1.56[1].5	Alternate Text	Albumin	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	60	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	118	Changeable Data
MFE.4[1].2	Text	Globulin	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	61	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	118	Changeable Data
OM1.2[1].2	Text	Globulin	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	10834-0	Test Case Fixed Data
OM1.7[1].2	Text	Globulin [Mass/volume] in Serum by calculation	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Globulin	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	10834-0	Changeable Data
OM1.56[1].2	Text	Globulin [Mass/volume] in Serum by calculation	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	118	Changeable Data
OM1.56[1].5	Alternate Text	Globulin	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	120	Changeable Data
MFE.4[1].2	Text	Albumin/globulin ratio	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	62	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	120	Changeable Data
OM1.2[1].2	Text	Albumin/globulin ratio	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	1759-0	Test Case Fixed Data
OM1.7[1].2	Text	Albumin/Globulin [Mass Ratio] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Albumin/globulin ratio	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	1759-0	Changeable Data
OM1.56[1].2	Text	Albumin/Globulin [Mass Ratio] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	120	Changeable Data
OM1.56[1].5	Alternate Text	Albumin/globulin ratio	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	122	Changeable Data
MFE.4[1].2	Text	Total bilirubin, serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	63	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	122	Changeable Data
OM1.2[1].2	Text	Total bilirubin, serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	1975-2	Test Case Fixed Data
OM1.7[1].2	Text	Bilirubin.total [Mass/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Total bilirubin, serum	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	1975-2	Changeable Data
OM1.56[1].2	Text	Bilirubin.total [Mass/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	122	Changeable Data
OM1.56[1].5	Alternate Text	Total bilirubin, serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	63	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	124	Changeable Data
MFE.4[1].2	Text	Alkaline phosphatase (ALP)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	64	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	124	Changeable Data
OM1.2[1].2	Text	Alkaline phosphatase (ALP)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	6768-6	Test Case Fixed Data
OM1.7[1].2	Text	Alkaline phosphatase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Alkaline phosphatase (ALP)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	6768-6	Changeable Data
OM1.56[1].2	Text	Alkaline phosphatase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	124	Changeable Data
OM1.56[1].5	Alternate Text	Alkaline phosphatase (ALP)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	64	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	126	Changeable Data
MFE.4[1].2	Text	Alanine aminotransferase (ALT)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	65	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	126	Changeable Data
OM1.2[1].2	Text	Alanine aminotransferase (ALT)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	1742-6	Test Case Fixed Data
OM1.7[1].2	Text	Alanine aminotransferase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Alanine aminotransferase (ALT)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	1742-6	Changeable Data
OM1.56[1].2	Text	Alanine aminotransferase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	126	Changeable Data
OM1.56[1].5	Alternate Text	Alanine aminotransferase (ALT)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	65	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	128	Changeable Data
MFE.4[1].2	Text	Aspartate aminotransferase (ASP)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	66	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	128	Changeable Data
OM1.2[1].2	Text	Aspartate aminotransferase (ASP)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	1920-8	Test Case Fixed Data
OM1.7[1].2	Text	Aspartate aminotransferase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Aspartate aminotransferase (ASP)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	1920-8	Changeable Data
OM1.56[1].2	Text	Aspartate aminotransferase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	128	Changeable Data
OM1.56[1].5	Alternate Text	Aspartate aminotransferase (ASP)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	66	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	130	Changeable Data
MFE.4[1].2	Text	Sodium, serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	67	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	130	Changeable Data
OM1.2[1].2	Text	Sodium, serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2951-2	Test Case Fixed Data
OM1.7[1].2	Text	Sodium [Moles/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Sodium, serum	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2951-2	Changeable Data
OM1.56[1].2	Text	Sodium [Moles/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	130	Changeable Data
OM1.56[1].5	Alternate Text	Sodium, serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	132	Changeable Data
MFE.4[1].2	Text	Potassium, serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	68	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	132	Changeable Data
OM1.2[1].2	Text	Potassium, serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2823-3	Test Case Fixed Data
OM1.7[1].2	Text	Potassium [Moles/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Potassium, serum	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2823-3	Changeable Data
OM1.56[1].2	Text	Potassium [Moles/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	132	Changeable Data
OM1.56[1].5	Alternate Text	Potassium, serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	134	Changeable Data
MFE.4[1].2	Text	Chloride, serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	69	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	134	Changeable Data
OM1.2[1].2	Text	Chloride, serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2075-0	Test Case Fixed Data
OM1.7[1].2	Text	Chloride [Moles/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Chloride, serum	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2075-0	Changeable Data
OM1.56[1].2	Text	Chloride [Moles/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	134	Changeable Data
OM1.56[1].5	Alternate Text	Chloride, serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	136	Changeable Data
MFE.4[1].2	Text	Carbon dioxide, serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	70	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	136	Changeable Data
OM1.2[1].2	Text	Carbon dioxide, serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2028-9	Test Case Fixed Data
OM1.7[1].2	Text	Carbon dioxide, total [Moles/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Carbon dioxide, serum	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2028-9	Changeable Data
OM1.56[1].2	Text	Carbon dioxide, total [Moles/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	136	Changeable Data
OM1.56[1].5	Alternate Text	Carbon dioxide, serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	138	Changeable Data
MFE.4[1].2	Text	Anion gap	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	71	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	138	Changeable Data
OM1.2[1].2	Text	Anion gap	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	33037-3	Test Case Fixed Data
OM1.7[1].2	Text	Anion gap in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Anion gap	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	33037-3	Changeable Data
OM1.56[1].2	Text	Anion gap in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	138	Changeable Data
OM1.56[1].5	Alternate Text	Anion gap	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	140	Changeable Data
MFE.4[1].2	Text	Gamma-Glutamyltransferase (GGT)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	72	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	140	Changeable Data
OM1.2[1].2	Text	Gamma-Glutamyltransferase (GGT)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2324-2	Test Case Fixed Data
OM1.7[1].2	Text	Gamma glutamyl transferase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Gamma-Glutamyltransferase (GGT)	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.32[1]	Interpretation of Observations	This blood test is used to determine...	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2324-2	Changeable Data
OM1.56[1].2	Text	Gamma glutamyl transferase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	140	Changeable Data
OM1.56[1].5	Alternate Text	Gamma-Glutamyltransferase (GGT)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	600	Changeable Data
MFE.4[1].2	Text	Prostate Biopsy Pathology Report	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	73	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	600	Changeable Data
OM1.2[1].2	Text	Prostate Biopsy Pathology Report	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	66117-3	Test Case Fixed Data
OM1.7[1].2	Text	Prostate Pathology biopsy report	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Prostate Biopsy Pathology Report	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.27[1]	Outside Site(s) Where Observation may be Performed		
OM1.27[1].1	Identifier	05D8884444	Changeable Data
OM1.27[1].2	Text	Pacific Anatomic Pathology Services	Changeable Data
OM1.27[1].3	Name of Coding System	99USI	Changeable Data
OM1.27[1].7	Coding System Version ID	2013	Changeable Data
OM1.27[2]	Outside Site(s) Where Observation may be Performed		
OM1.27[2].1	Identifier	05D75654321	Changeable Data
OM1.27[2].2	Text	Acme Laboratories - Los Angeles	Changeable Data
OM1.27[2].3	Name of Coding System	99USI	Changeable Data
OM1.27[2].7	Coding System Version ID	2013	Changeable Data
OM1.28[1]	Address of Outside Site(s)		
OM1.28[1].1	Street Address		
OM1.28[1].1.1	Street or Mailing Address	2216 Santa Monica Blvd	Changeable Data
OM1.28[1].3	City	Santa Monica	Changeable Data
OM1.28[1].4	State or Province	CA	Changeable Data
OM1.28[1].5	Zip or Postal Code	90404	Changeable Data

OM1.28[1].6	Country Code	USA	Changeable Data
OM1.28[1].7	Address Type	L	Changeable Data
OM1.28[2]	Address of Outside Site(s)		
OM1.28[2].1	Street Address		
OM1.28[2].1.1	Street or Mailing Address	8635 West 3rd Street	Changeable Data
OM1.28[2].3	City	Los Angeles	Changeable Data
OM1.28[2].4	State or Province	CA	Changeable Data
OM1.28[2].5	Zip or Postal Code	90048	Changeable Data
OM1.28[2].6	Country Code	USA	Changeable Data
OM1.28[2].7	Address Type	L	Changeable Data
OM1.32[1]	Interpretation of Observations	Histologic evaluation of prostate biopsy specimens and additional prognostic information following histologic diagnosis. These tests help clinicians to diagnose prostate cancer.	Changeable Data
OM1.33[1]	Contraindications to Observations		
OM1.33[1].2	Text	Contraindications to prostate biopsy include acute painful perianal disorders, bleeding diathesis, acute prostatitis, and severe immunosuppression.	Changeable Data
OM1.33[2]	Contraindications to Observations		
OM1.33[2].1	Identifier	79411002	Changeable Data
OM1.33[2].2	Text	Acute prostatitis	Changeable Data
OM1.33[2].3	Name of Coding System	SCT	Changeable Data
OM1.33[2].7	Coding System Version ID	20130131	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Specimen submitted unfixed; improperly labeled specimen; unlabeled specimen	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	OSL	Changeable Data
OM1.53[1]	Prior Results Instructions	When ordering a Prostate biopsy, send prior Prostate Specific Antigen (PSA) results	Changeable Data
OM1.53[2]	Prior Results Instructions	When ordering a Prostate biopsy, send prior relevant clinical findings.	Changeable Data
OM1.54[1]	Special Instructions	Submit Surgical Pathology Requisition and Biopsy Worksheet with specimen	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	66117-3	Changeable Data
OM1.56[1].2	Text	Prostate Pathology biopsy report	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	600	Changeable Data
OM1.56[1].5	Alternate Text	Prostate Biopsy Pathology Report	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.56[1].7	Coding System Version ID	2.48	Changeable Data
OM1.56[1].8	Alternate Coding System Version ID	20130421	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	3	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.1	Identifier	d	Changeable Data
OM1.57[1].2.2	Text	day	Changeable Data
OM1.57[1].2.3	Name of Coding System	UCUM	Changeable Data
OM1.57[1].2.7	Coding System Version ID	1.8	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	73	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	17621005	Test Case Fixed Data
OM3.4[1].2	Text	normal (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	369775001	Test Case Fixed Data
OM3.5[1].2	Text	Gleason Score 2-4: Well differentiated (finding)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[2]	Abnormal Text/Codes for Categorical Observations		
OM3.5[2].1	Identifier	369776000	Test Case Fixed Data
OM3.5[2].2	Text	Gleason Score 5-6: Moderately differentiated (finding)	Changeable Data
OM3.5[2].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[2].7	Coding System Version ID	20130731	Changeable Data
OM3.5[3]	Abnormal Text/Codes for Categorical Observations		
OM3.5[3].1	Identifier	385412008	Test Case Fixed Data
OM3.5[3].2	Text	Gleason Score 7-10: Poorly differentiated (finding)	Configurable Data
OM3.5[3].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[3].7	Coding System Version ID	20130731	Changeable Data
OM3.5[4]	Abnormal Text/Codes for Categorical Observations		
OM3.5[4].1	Identifier	125556001	Test Case Fixed Data
OM3.5[4].2	Text	Atypical proliferation (morphologic abnormality)	Configurable Data
OM3.5[4].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[4].7	Coding System Version ID	20130731	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	73	IG Fixed Data
OM4.3[1]	Container Description	15 ml jar containing OncoFix II	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	309132009	Test Case Fixed Data
OM4.6[1].2	Text	Prostate biopsy sample	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	700	Changeable Data
MFE.4[1].2	Text	TSH	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	74	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	700	Changeable Data
OM1.2[1].2	Text	TSH	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2103	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	3016-3	Test Case Fixed Data
OM1.7[1].2	Text	Thyrotropin [Units/volume] in Serum or Plasma	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	TSH - Serum	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Medicines that may affect test results include: Amiodarone Dopamine Lithium Potassium iodide Prednisone	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	3016-3	Changeable Data
OM1.56[1].2	Text	Thyrotropin [Units/volume] in Serum or Plasma	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	700	Changeable Data
OM1.56[1].5	Alternate Text	TSH	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	74	IG Fixed Data
OM4.3[1]	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.3[2]	Container Description	Pink Top (K2EDTA) tube	Changeable Data
OM4.4[1]	Container Volume	3.0	Changeable Data
OM4.4[2]	Container Volume	3.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliters	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliters	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119297000	Test Case Fixed Data
OM4.6[1].2	Text	Blood sample	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	WBLD	Changeable Data
OM4.6[1].5	Alternate Text	Whole blood	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Whole blood	Changeable Data
OM4.7[1]	Additive		
OM4.7[1].1	Identifier	EDTK	Changeable Data
OM4.7[1].2	Text	Potassium/K EDTA	Changeable Data
OM4.7[1].3	Name of Coding System	HL70371	Changeable Data
OM4.7[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	3	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliters	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliters	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Refrigeration is required if specimen is not brought immediately to laboratory. Two blood smears should be prepared if sample is not delivered to the laboratory within 4 hrs. Sample should be analyzed within 6 hours at room temperature and 24 hrs when stored at 4 degrees C.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	CREF	Changeable Data
OM4.15[1].2	Text	Critical refrigerated	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	610	Changeable Data
MFE.4[1].2	Text	Pap Test	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	75	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	610	Changeable Data
OM1.2[1].2	Text	Pap Test	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	47527-7	Test Case Fixed Data
OM1.7[1].2	Text	Cytology report of Cervical or vaginal smear or scraping Cyto stain.thin prep	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.7[1].7	Coding System Version ID	2.42	Changeable Data
OM1.9[1]	Preferred Report Name for the Observation	Pap Test	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.27[1]	Outside Site(s) Where Observation may be Performed		
OM1.27[1].1	Identifier	05D8884444	Changeable Data
OM1.27[1].2	Text	Pacific Anatomic Pathology Services	Changeable Data
OM1.27[1].3	Name of Coding System	99USI	Changeable Data
OM1.27[1].7	Coding System Version ID	2013	Changeable Data
OM1.28[1]	Address of Outside Site(s)		
OM1.28[1].1	Street Address		
OM1.28[1].1.1	Street or Mailing Address	2216 Santa Monica Blvd	Changeable Data
OM1.28[1].3	City	Santa Monica	Changeable Data
OM1.28[1].4	State or Province	CA	Changeable Data
OM1.28[1].5	Zip or Postal Code	90404	Changeable Data
OM1.28[1].6	Country Code	USA	Changeable Data
OM1.28[1].7	Address Type	L	Changeable Data

OM1.31[1]	Observations Required to Interpret the Observation		
OM1.31[1].1	Identifier	1905	Changeable Data
OM1.31[1].2	Text	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
OM1.31[1].3	Name of Coding System	99USI	Changeable Data
OM1.31[2]	Observations Required to Interpret the Observation		
OM1.31[2].1	Identifier	8665-2	Changeable Data
OM1.31[2].2	Text	Date last menstrual period	Changeable Data
OM1.31[2].3	Name of Coding System	LN	Changeable Data
OM1.31[2].7	Coding System Version ID	2.42	Changeable Data
OM1.32[1]	Interpretation of Observations	The Pap Test is for use in screening for the presence of atypical cells, cervical cancer, or precursor lesions (LSIL, HSIL) as well as other cytologic categories as defined by the Bethesda System for Reporting Cervical Cytology.	Changeable Data
OM1.37[2]	Patient Preparation	Instruct the patient not to douche or engage in sexual intercourse within 24 hours of the procedure. For premenopausal patients, obtain specimens during the second half of the menstrual period to avoid contamination by obscuring blood.	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Frozen specimens, Specimens not collected in a ThinPrep Pap Test collection kit or specimens submitted in an expired collection kit.	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Mon-Fri	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.51[1]	Other Names	ThinPrep Pap Test	Changeable Data
OM1.51[2]	Other Names	Pap Smear	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	47527-7	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	610	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	2	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	75	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	373887005	Test Case Fixed Data
OM3.4[1].2	Text	Negative for intraepithelial lesion or malignancy	Changeable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	75	IG Fixed Data
OM4.3[1]	Container Description	PreservCyt Solution vial	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	110951002	Test Case Fixed Data
OM4.6[1].2	Text	Endocervical cytologic material	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	2134	Changeable Data
OM4.6[1].5	Alternate Text	Cervical Cytology (ThinPrep)	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20140131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	Cervical Cytology (ThinPrep)	Changeable Data
OM4.7[1]	Additive		
OM4.7[1].2	Text	PreservCyt Solution	Changeable Data
OM4.12[1]	Specimen Requirements	Follow instructions per the ThinPrep Pap Test collection kit.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	AMB	Changeable Data
OM4.15[1].2	Text	Ambient temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1001	Changeable Data
MFE.4[1].2	Text	Hepatitis A IgM antibodies (IgM anti-HAV)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	76	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1001	Changeable Data
OM1.2[1].2	Text	Hepatitis A IgM antibodies (IgM anti-HAV)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	22314-9	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis A virus IgM Ab [Presence] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	IgM anti-HAV	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	22314-9	Changeable Data
OM1.56[1].2	Text	Hepatitis A virus IgM Ab [Presence] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1001	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis A IgM antibodies (IgM anti-HAV)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	76	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260385009	Test Case Fixed Data
OM3.4[1].2	Text	Negative (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	10828004	Test Case Fixed Data
OM3.5[1].2	Text	Positive (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	76	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	1.7	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1002	Changeable Data
MFE.4[1].2	Text	Hepatitis A antibodies (anti-HAV)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	77	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1002	Changeable Data
OM1.2[1].2	Text	Hepatitis A antibodies (anti-HAV)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	20575-7	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis A virus Ab [Presence] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	anti-HAV	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	20575-7	Changeable Data
OM1.56[1].2	Text	Hepatitis A virus Ab [Presence] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1002	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis A antibodies (anti-HAV)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	77	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260385009	Test Case Fixed Data
OM3.4[1].2	Text	Negative (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	10828004	Test Case Fixed Data
OM3.5[1].2	Text	Positive (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	77	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	1.7	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1003	Changeable Data
MFE.4[1].2	Text	Hepatitis B core antibodies (anti-HB Vc)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	78	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1003	Changeable Data
OM1.2[1].2	Text	Hepatitis B core antibodies (anti-HBVc)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	16933-4	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis B virus core Ab [Presence] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	anti-HBVc	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	16933-4	Changeable Data
OM1.56[1].2	Text	Hepatitis B virus core Ab [Presence] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1003	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis B core antibodies (anti-HBVc)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	78	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260385009	Test Case Fixed Data
OM3.4[1].2	Text	Negative (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	10828004	Test Case Fixed Data
OM3.5[1].2	Text	Positive (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	78	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.8	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1004	Changeable Data
MFE.4[1].2	Text	Hepatitis B core antibodies (anti-HBVC) Quant	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	79	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1004	Changeable Data
OM1.2[1].2	Text	Hepatitis B core antibodies (anti-HBVc) Quant	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	22316-4	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis B virus core Ab [Units/volume] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	anti-HBVc Qant	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	22316-4	Changeable Data
OM1.56[1].2	Text	Hepatitis B virus core Ab [Units/volume] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1004	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis B core antibodies (anti-HBVc) Quant	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	79	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	1.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1005	Changeable Data
MFE.4[1].2	Text	Hepatitis B e antibodies (anti-HBVe)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	80	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1005	Changeable Data
OM1.2[1].2	Text	Hepatitis B e antibodies (anti-HBVe)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	22320-6	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis B virus e Ab [Presence] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	anti-HBVe	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	22320-6	Changeable Data
OM1.56[1].2	Text	Hepatitis B virus e Ab [Presence] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1005	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis B e antibodies (anti-HBVe)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	80	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260385009	Test Case Fixed Data
OM3.4[1].2	Text	Negative (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	10828004	Test Case Fixed Data
OM3.5[1].2	Text	Positive (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	80	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1006	Changeable Data
MFE.4[1].2	Text	Hepatitis B surface antigen (HBsAg)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	81	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1006	Changeable Data
OM1.2[1].2	Text	Hepatitis B surface antigen (HBsAg)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	5195-3	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis B virus surface Ag [Presence] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	HBsAg	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	5195-3	Changeable Data
OM1.56[1].2	Text	Hepatitis B virus surface Ag [Presence] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1006	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis B surface antigen (HBsAg)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	81	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260385009	Test Case Fixed Data
OM3.4[1].2	Text	Negative (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	10828004	Test Case Fixed Data
OM3.5[1].2	Text	Positive (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	81	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1007	Changeable Data
MFE.4[1].2	Text	Hepatitis B surface antibody (anti-HBs)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	82	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1007	Changeable Data
OM1.2[1].2	Text	Hepatitis B surface antibody (anti-HBVs)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	22322-2	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis B virus surface Ab [Presence] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	anti-HBVs	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	22322-2	Changeable Data
OM1.56[1].2	Text	Hepatitis B virus surface Ab [Presence] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1007	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis B surface antibody (anti-HBVs)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	82	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260385009	Test Case Fixed Data
OM3.4[1].2	Text	Negative (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	10828004	Test Case Fixed Data
OM3.5[1].2	Text	Positive (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	82	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1008	Changeable Data
MFE.4[1].2	Text	Hepatitis C antibody screen (anti-HCV)	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	83	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1008	Changeable Data
OM1.2[1].2	Text	Hepatitis C antibody screen (anti-HCV)	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	16128-1	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis C virus Ab [Presence] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	anti-HCV	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	16128-1	Changeable Data
OM1.56[1].2	Text	Hepatitis C virus Ab [Presence] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1008	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis C antibody screen (anti-HCV)	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	83	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	260385009	Test Case Fixed Data
OM3.4[1].2	Text	Negative (qualifier value)	Configurable Data
OM3.4[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.4[1].7	Coding System Version ID	20130731	Changeable Data
OM3.5[1]	Abnormal Text/Codes for Categorical Observations		
OM3.5[1].1	Identifier	10828004	Test Case Fixed Data
OM3.5[1].2	Text	Positive (qualifier value)	Configurable Data
OM3.5[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM3.5[1].7	Coding System Version ID	20130731	Changeable Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	83	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	2	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1009	Changeable Data
MFE.4[1].2	Text	Hepatitis C antibodies Signal to Cut-off Ratio	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	84	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1009	Changeable Data
OM1.2[1].2	Text	Hepatitis C antibodies Signal to Cut-off Ratio	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	48159-8	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis C virus Ab Signal/Cutoff in Serum or Plasma by Immunoassay	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	anti-HCV S/CO	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	48159-8	Changeable Data
OM1.56[1].2	Text	Hepatitis C virus Ab Signal/Cutoff in Serum or Plasma by Immunoassay	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1009	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis C antibodies Signal to Cut-off Ratio	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	84	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1.5	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.8	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1010	Changeable Data
MFE.4[1].2	Text	Hepatitis C RNA PCR	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	85	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1010	Changeable Data
OM1.2[1].2	Text	Hepatitis C RNA PCR	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	11011-4	Test Case Fixed Data
OM1.7[1].2	Text	Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe and target amplification method	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.10[1]	Preferred Short Name on Mnemonic for Observation	HCV PCR	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	11011-4	Changeable Data
OM1.56[1].2	Text	Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe and target amplification method	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1010	Changeable Data
OM1.56[1].5	Alternate Text	Hepatitis C RNA PCR	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	85	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	mililiter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1.5	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	mililiter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.8	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	mililiter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	FRZ	Changeable Data
OM4.15[1].2	Text	Frozen	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1506	Changeable Data
MFE.4[1].2	Text	Penicillin	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	86	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1506	Changeable Data
OM1.2[1].2	Text	Penicillin	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	18964-7	Test Case Fixed Data
OM1.7[1].2	Text	Penicillin [Susceptibility]	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Penicillin	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	18964-7	Changeable Data
OM1.56[1].2	Text	Penicillin [Susceptibility]	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1506	Changeable Data
OM1.56[1].5	Alternate Text	Penicillin	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	3	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	86	IG Fixed Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	429951000124103	Test Case Fixed Data
OM4.6[1].2	Text	Bacterial isolate specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130331	Changeable Data
OM4.12[1]	Specimen Requirements	Organism must be in pure culture and actively growing. Place into large infectious container and label as "Infectious substance".	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	CAMB	Changeable Data
OM4.15[1].2	Text	Critical ambient temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1901	Changeable Data
MFE.4[1].2	Text	Date of Last Menstrual Period	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	87	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1901	Changeable Data
OM1.2[1].2	Text	Date of Last Menstrual Period	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	8665-2	Test Case Fixed Data
OM1.7[1].2	Text	Date last menstrual period	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Last Menstrual Perios Date (LMP)	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	8665-2	Changeable Data
OM1.56[1].2	Text	Date last menstrual period	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1901	Changeable Data
OM1.56[1].5	Alternate Text	Date of Last Menstrual Period	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1902	Changeable Data
MFE.4[1].2	Text	Fasting Status	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	88	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1902	Changeable Data
OM1.2[1].2	Text	Fasting Status	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	49541-6	Test Case Fixed Data
OM1.7[1].2	Text	Fasting status	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Fasting Status	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	49541-6	Changeable Data
OM1.56[1].2	Text	Fasting status	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1902	Changeable Data
OM1.56[1].5	Alternate Text	Fasting Status	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	88	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	Y	Test Case Fixed Data
OM3.4[1].2	Text	Yes	Configurable Data
OM3.4[1].3	Name of Coding System	HL70136	Test Case Fixed Data
OM3.4[2]	Normal Text/Codes for Categorical Observations		
OM3.4[2].1	Identifier	N	Test Case Fixed Data
OM3.4[2].2	Text	No	Configurable Data
OM3.4[2].3	Name of Coding System	HL70136	Test Case Fixed Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1903	Changeable Data
MFE.4[1].2	Text	Pregnancy status	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	89	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1903	Changeable Data
OM1.2[1].2	Text	Pregnancy status	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	67471-3	Test Case Fixed Data
OM1.7[1].2	Text	Pregnancy status	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Is the patient pregnant?	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	67471-3	Changeable Data
OM1.56[1].2	Text	Pregnancy status	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1903	Changeable Data
OM1.56[1].5	Alternate Text	Pregnancy status	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	89	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	Y	Test Case Fixed Data
OM3.4[1].2	Text	Yes	Configurable Data
OM3.4[1].3	Name of Coding System	HL70136	Test Case Fixed Data
OM3.4[2]	Normal Text/Codes for Categorical Observations		
OM3.4[2].1	Identifier	N	Test Case Fixed Data
OM3.4[2].2	Text	No	Configurable Data
OM3.4[2].3	Name of Coding System	HL70136	Test Case Fixed Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1904	Changeable Data
MFE.4[1].2	Text	Urine Volume of 24 hour collection	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	90	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1904	Changeable Data
OM1.2[1].2	Text	Urine Volume of 24 hour collection	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	3167-4	Test Case Fixed Data
OM1.7[1].2	Text	Volume of 24 hour Urine	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Urine Volume 24hour collection	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	3167-4	Changeable Data
OM1.56[1].2	Text	Volume of 24 hour Urine	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1904	Changeable Data
OM1.56[1].5	Alternate Text	Urine Volume of 24 hour collection	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1905	Changeable Data
MFE.4[1].2	Text	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	91	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1905	Changeable Data
OM1.2[1].2	Text	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	PLT458	Test Case Fixed Data
OM1.7[1].2	Text	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
OM1.7[1].3	Name of Coding System	PLT	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	PLT458	Changeable Data
OM1.56[1].2	Text	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
OM1.56[1].3	Name of Coding System	PLT	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1905	Changeable Data
OM1.56[1].5	Alternate Text	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	91	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	Y	Test Case Fixed Data
OM3.4[1].2	Text	Yes	Configurable Data
OM3.4[1].3	Name of Coding System	HL70136	Test Case Fixed Data
OM3.4[2]	Normal Text/Codes for Categorical Observations		
OM3.4[2].1	Identifier	N	Test Case Fixed Data
OM3.4[2].2	Text	No	Configurable Data
OM3.4[2].3	Name of Coding System	HL70136	Test Case Fixed Data
OM3.4[3]	Normal Text/Codes for Categorical Observations		
OM3.4[3].1	Identifier	UNK	Test Case Fixed Data
OM3.4[3].2	Text	Unknown	Configurable Data
OM3.4[3].3	Name of Coding System	HL70353	Test Case Fixed Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1906	Changeable Data
MFE.4[1].2	Text	What is the Clinically Relevant Race?	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	92	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1906	Changeable Data
OM1.2[1].2	Text	What is the Clinically Relevant Race?	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	32624-9	Test Case Fixed Data
OM1.7[1].2	Text	Race	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Clinically Relevant Race	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	32624-9	Changeable Data
OM1.56[1].2	Text	Race	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1906	Changeable Data
OM1.56[1].5	Alternate Text	What is the Clinically Relevant Race?	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data

OM3 :

Location	Data Element	Data	Categorization
OM3.1[1]	Sequence Number - Test/Observation Master File	92	IG Fixed Data
OM3.4[1]	Normal Text/Codes for Categorical Observations		
OM3.4[1].1	Identifier	2028-9	Test Case Fixed Data
OM3.4[1].2	Text	Asian	Changeable Data
OM3.4[1].3	Name of Coding System	HL70005	Test Case Fixed Data
OM3.4[2]	Normal Text/Codes for Categorical Observations		
OM3.4[2].1	Identifier	2106-3	Test Case Fixed Data
OM3.4[2].2	Text	White	Changeable Data
OM3.4[2].3	Name of Coding System	HL70005	Test Case Fixed Data
OM3.4[3]	Normal Text/Codes for Categorical Observations		
OM3.4[3].1	Identifier	1002-5	Test Case Fixed Data
OM3.4[3].2	Text	American Indian or Alaska Native	Changeable Data
OM3.4[3].3	Name of Coding System	HL70005	Test Case Fixed Data
OM3.4[4]	Normal Text/Codes for Categorical Observations		
OM3.4[4].1	Identifier	2054-5	Test Case Fixed Data
OM3.4[4].2	Text	Black or African American	Changeable Data
OM3.4[4].3	Name of Coding System	HL70005	Test Case Fixed Data
OM3.4[5]	Normal Text/Codes for Categorical Observations		
OM3.4[5].1	Identifier	2076-8	Test Case Fixed Data
OM3.4[5].2	Text	Native Hawaiian or Other Pacific Islander	Changeable Data
OM3.4[5].3	Name of Coding System	HL70005	Test Case Fixed Data
OM3.4[6]	Normal Text/Codes for Categorical Observations		
OM3.4[6].1	Identifier	2131-1	Test Case Fixed Data
OM3.4[6].2	Text	Other Race	Changeable Data
OM3.4[6].3	Name of Coding System	HL70005	Test Case Fixed Data
OM3.7[1]	Value Type	CWE	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1907	Changeable Data
MFE.4[1].2	Text	If DOB not available, what is patient age?	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	93	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1907	Changeable Data
OM1.2[1].2	Text	If DOB not available, what is patient age?	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	30525-0	Test Case Fixed Data
OM1.7[1].2	Text	Age	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Patient Age	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	PLT458	Changeable Data
OM1.56[1].2	Text	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
OM1.56[1].3	Name of Coding System	PLT	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1905	Changeable Data
OM1.56[1].5	Alternate Text	Did the patient have a previous abnormal Pap report, treatment, or biopsy?	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1301	Changeable Data
MFE.4[1].2	Text	Dengue Virus IgG Titer Serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	94	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1301	Changeable Data
OM1.2[1].2	Text	Dengue Virus IgG Titer Serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	6811-4	Test Case Fixed Data
OM1.7[1].2	Text	Dengue virus IgG Ab [Titer] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Dengue Virus IgG	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	6811-4	Test Case Fixed Data
OM1.56[1].2	Text	Dengue virus IgG Ab [Titer] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1301	Changeable Data
OM1.56[1].5	Alternate Text	Dengue Virus IgG Titer Serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	2	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1302	Changeable Data
MFE.4[1].2	Text	Dengue Virus IgM Titer Serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	95	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1302	Changeable Data
OM1.2[1].2	Text	Dengue Virus IgM Titer Serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	6812-2	Test Case Fixed Data
OM1.7[1].2	Text	Dengue virus IgM Ab [Titer] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Dengue Virus IgM	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	6812-2	Test Case Fixed Data
OM1.56[1].2	Text	Dengue virus IgM Ab [Titer] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1302	Changeable Data
OM1.56[1].5	Alternate Text	Dengue Virus IgM Titer Serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	2	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1303	Changeable Data
MFE.4[1].2	Text	WNV IgG Titer Serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	96	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1303	Changeable Data
OM1.2[1].2	Text	WNV IgG Titer Serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	33329-4	Test Case Fixed Data
OM1.7[1].2	Text	West Nile virus IgG Ab [Titer] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	West Nile Virus IgG	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	33329-4	Test Case Fixed Data
OM1.56[1].2	Text	West Nile virus IgG Ab [Titer] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1303	Changeable Data
OM1.56[1].5	Alternate Text	WNV IgG Titer Serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	2	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1304	Changeable Data
MFE.4[1].2	Text	WNV Virus IgM Titer Serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	97	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1304	Changeable Data
OM1.2[1].2	Text	WNV Virus IgM Titer Serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	33331-0	Test Case Fixed Data
OM1.7[1].2	Text	West Nile virus IgM Ab [Titer] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	West Nile Virus IgM	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	33331-0	Test Case Fixed Data
OM1.56[1].2	Text	West Nile virus IgM Ab [Titer] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1304	Changeable Data
OM1.56[1].5	Alternate Text	WNV Virus IgM Titer Serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	2	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1305	Changeable Data
MFE.4[1].2	Text	SLE IgG Titer Serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	98	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1305	Changeable Data
OM1.2[1].2	Text	SLE IgG Titer Serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	22512-8	Test Case Fixed Data
OM1.7[1].2	Text	Saint Louis encephalitis virus IgG Ab [Titer] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Saint Luis Virus IgG	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	22512-8	Test Case Fixed Data
OM1.56[1].2	Text	Saint Louis encephalitis virus IgG Ab [Titer] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1305	Changeable Data
OM1.56[1].5	Alternate Text	SLE IgG Titer Serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	2	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	98	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1306	Changeable Data
MFE.4[1].2	Text	SLE IgM Titer Serum	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	99	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1306	Changeable Data
OM1.2[1].2	Text	SLE IgM Titer Serum	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	N	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	22514-4	Test Case Fixed Data
OM1.7[1].2	Text	Saint Louis encephalitis virus IgM Ab [Titer] in Serum	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Saint Luis Virus IgM	Changeable Data
OM1.12[1]	Orderability	Y	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	22514-4	Test Case Fixed Data
OM1.56[1].2	Text	Saint Louis encephalitis virus IgM Ab [Titer] in Serum	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1306	Changeable Data
OM1.56[1].5	Alternate Text	SLE IgM Titer Serum	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	2	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	99	IG Fixed Data
OM4.3[1]	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4[1]	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	119364003	Test Case Fixed Data
OM4.6[1].2	Text	Serum specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	1	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	0.5	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1201	Changeable Data
MFE.4[1].2	Text	Creatinine Clearance in 24 hours	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	100	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1201	Changeable Data
OM1.2[1].2	Text	Creatinine Clearance in 24 hours	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	2164-2	Test Case Fixed Data
OM1.7[1].2	Text	Creatinine renal clearance in 24 hour	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Creatinine Clearance in 24 hours	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.31[1]	Observations Required to Interpret the Observation		
OM1.31[1].1	Identifier	32624-9	Test Case Fixed Data
OM1.31[1].2	Text	Race	Changeable Data
OM1.31[1].3	Name of Coding System	LN	Changeable Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	2164-2	Test Case Fixed Data
OM1.56[1].2	Text	Creatinine renal clearance in 24 hour	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1201	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1202	Changeable Data
MFE.4[1].2	Text	Creatinine in 24 hr Urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	101	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1202	Changeable Data
OM1.2[1].2	Text	Creatinine in 24 hr Urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	20624-3	Test Case Fixed Data
OM1.7[1].2	Text	Creatinine [Mass/volume] in 24 hour Urine	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	Creatinine in 24 hr Urine	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	20624-3	Test Case Fixed Data
OM1.56[1].2	Text	Creatinine [Mass/volume] in 24 hour Urine	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1202	Changeable Data
OM1.56[1].5	Alternate Text	Creatinine in 24 h Urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	101	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	2000	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	24HrUR	Changeable Data
OM4.6[1].5	Alternate Text	24 hour urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	24 hour urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data

MFE :

Location	Data Element	Data	Categorization
MFE.1[1]	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3[1]	Effective Date/Time		
MFE.3[1].1	Time	20131219145310	System Generated
MFE.4[1]	Primary Key Value - MFE		
MFE.4[1].1	Identifier	1202	Changeable Data
MFE.4[1].2	Text	Protein in 24 hour Urine	Changeable Data
MFE.4[1].3	Name of Coding System	99USI	Changeable Data
MFE.4[1].7	Coding System Version ID	20130421	Changeable Data
MFE.5[1]	Primary Key Value Type	CWE	IG Fixed Data

OM1 :

Location	Data Element	Data	Categorization
OM1.1[1]	Sequence Number - Test/Observation Master File	102	IG Fixed Data
OM1.2[1]	Producer's Service/Test/Observation ID		
OM1.2[1].1	Identifier	1202	Changeable Data
OM1.2[1].2	Text	Protein in 24 hour Urine	Changeable Data
OM1.2[1].3	Name of Coding System	99USI	Changeable Data
OM1.2[1].7	Coding System Version ID	20130421	Changeable Data
OM1.4[1]	Specimen Required	Y	Changeable Data
OM1.5[1]	Producer ID		
OM1.5[1].1	Identifier	05D0669071	Changeable Data
OM1.5[1].2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5[1].3	Name of Coding System	99USI	Changeable Data
OM1.5[1].7	Coding System Version ID	2013	Changeable Data
OM1.7[1]	Other Service/Test/Observation IDs for the Observation		
OM1.7[1].1	Identifier	21482-5	Test Case Fixed Data
OM1.7[1].2	Text	Protein [Mass/volume] in 24 hour Urine	Changeable Data
OM1.7[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.9[1]	Preferred Report Name for the Observation	24 hour Urine Protein	Changeable Data
OM1.12[1]	Orderability	N	Test Case Fixed Data
OM1.18[1]	Nature of Service/Test/Observation	A	IG Fixed Data
OM1.39[1]	Factors that may Affect the Observation	Insufficient specimen, Improper labeling	Changeable Data
OM1.40[1]	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48[1]	Exclusive Test	N	Changeable Data
OM1.49[1]	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.56[1]	Observation Identifier associated with Producer's Service/Test/Observation ID		
OM1.56[1].1	Identifier	21482-5	Changeable Data
OM1.56[1].2	Text	Protein [Mass/volume] in 24 hour Urine	Changeable Data
OM1.56[1].3	Name of Coding System	LN	Test Case Fixed Data
OM1.56[1].4	Alternate Identifier	1203	Changeable Data
OM1.56[1].5	Alternate Text	Protein in 24 hour Urine	Changeable Data
OM1.56[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM1.57[1]	Expected Turn-Around Time		
OM1.57[1].1	Quantity	1	Changeable Data
OM1.57[1].2	Units		
OM1.57[1].2.2	Text	day	Changeable Data

OM4 :

Location	Data Element	Data	Categorization
OM4.1[1]	Sequence Number - Test/Observation Master File	102	IG Fixed Data
OM4.3[1]	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4[1]	Container Volume	2000	Changeable Data
OM4.5[1]	Container Units		
OM4.5[1].1	Identifier	mL	Changeable Data
OM4.5[1].2	Text	milliliter	Changeable Data
OM4.5[1].3	Name of Coding System	UCUM	Changeable Data
OM4.5[1].7	Coding System Version ID	1.8	Changeable Data
OM4.6[1]	Specimen		
OM4.6[1].1	Identifier	122575003	Test Case Fixed Data
OM4.6[1].2	Text	Urine specimen	Changeable Data
OM4.6[1].3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6[1].4	Alternate Identifier	24HrUR	Changeable Data
OM4.6[1].5	Alternate Text	24 hour urine	Changeable Data
OM4.6[1].6	Name of Alternate Coding System	99USI	Changeable Data
OM4.6[1].7	Coding System Version ID	20130131	Changeable Data
OM4.6[1].8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6[1].9	Original Text	24 hour urine	Changeable Data
OM4.10[1]	Normal Collection Volume		
OM4.10[1].1	Quantity	20	Changeable Data
OM4.10[1].2	Units		
OM4.10[1].2.1	Identifier	mL	Changeable Data
OM4.10[1].2.2	Text	milliliter	Changeable Data
OM4.10[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.11[1]	Minimum Collection Volume		
OM4.11[1].1	Quantity	4	Changeable Data
OM4.11[1].2	Units		
OM4.11[1].2.1	Identifier	mL	Changeable Data
OM4.11[1].2.2	Text	milliliter	Changeable Data
OM4.11[1].2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11[1].2.7	Coding System Version ID	1.8	Changeable Data
OM4.12[1]	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15[1]	Specimen Handling Code		
OM4.15[1].1	Identifier	REF	Changeable Data
OM4.15[1].2	Text	Refrigerated temperature	Changeable Data
OM4.15[1].3	Name of Coding System	HL70376	IG Fixed Data
OM4.15[1].7	Coding System Version ID	2.5.1	Changeable Data
OM4.16[1]	Specimen Preference	P	Test Case Fixed Data