

Master File Identification

Element name	Data
File-Level Event Code	Change file records as defined in the record-level event codes for each record that follows

Test information [1]

Master File Entry

Element name	Data
Record-Level Event Code	Reactivate deactivated record
Effective Date/Time	2013-12-19 2:53:10pm
Primary Key Value - MFE	Erythrocyte sedimentation rate

General Segment

Element name	Data
Specimen Required	Yes
Producer ID	Century Hospital Clinical Laboratory
Other Service/Test/Observation IDs for the Observation	Erythrocyte sedimentation rate
Preferred Report Name for the Observation	Erythrocyte sedimentation rate
Orderability	Yes
Nature of Service/Test/Observation	A
Interpretation of Observations	The erythrocyte sedimentation rate is a nonspecific measure of inflammatory disease.
Factors that may Affect the Observation	Insufficient blood, Clotting, Hemolysis, Blood specimen received > 12 hours of collection.
Service/Test/Observation Performance Schedule	Daily
Exclusive Test	This test can be included with any number of other tests
Diagnostic Service Sector ID	Laboratory
Other Names	Westergren
Other Names	Sed Rate
Special Instructions	None
Special Instructions	None
Test Relationship Category Identifier	Clinical Pathology
Observation Identifier	Erythrocyte sedimentation rate
Expected Turn-Around Time	1 day

Observations that Require Specimens

Element name	Data
Sequence Number - Test/Observation Master File	1.1
Container Description	Black Top Tube (Vac-Tec)
Container Volume	3.0
Container Units	milliliters
Specimen	Blood sample
Additive	Buffered Citrate (Westergren Sedimentation Rate)
Normal Collection Volume	2.4 milliliters
Minimum Collection Volume	2.4 milliliters
Specimen Requirements	Specimen must be received and tested within 4-6 hrs of Collection

Specimen Handling Code	Critical refrigerated
Specimen Handling Code	Metal Free
Specimen Preference	Preferred

Observations that Require Specimens

Element name	Data
Sequence Number - Test/Observation Master File	1.2
Container Description	Lavender Top (EDTA) tube
Container Volume	3.0
Container Units	milliliters
Specimen	Blood sample
Additive	Potassium/K EDTA
Normal Collection Volume	2.4 milliliters
Minimum Collection Volume	2.4 milliliters
Specimen Requirements	Specimen must be received and tested within 4-6 hrs of Collection
Specimen Handling Code	Critical refrigerated
Specimen Handling Code	Metal Free
Specimen Preference	Alternate
Preferred Specimen/Attribute Sequence ID	1.1