#### -Description

The Laboratory Test Compendium from Century Hospital Clinical Laboratory is a subset of their Directory of Services. It is based upon the most commonly ordered lab tests by Dr. Radon. This compendium is being used by Dr. Nicholas Radon's practice EHR-S to place orders electronically to Century Hospital's Clinical Laboratory. Century Hospital has made changes to their test compendium:

- Updated approved coverage information for a single test (updated price)

Century Hospital's LIS transmits the appropriate eDOS update messages with these changes to Dr. Radon's EHR.

#### -Comments

Update message to revise approved coverage information for a test.

#### **PreCondition**

EDOS\_1.0\_1.1-M08\_New

and

EDOS\_1.0\_2.1-M10\_New

and

EDOS\_1.0\_3.1-M04\_New

and

EDOS\_1.0\_4.1-M18\_New\_Approved

and

EDOS\_1.0\_5.1-M18\_New\_Limited

and

EDOS 2.2 1.1-M08 Update Revise

and

EDOS\_2.2\_2.1-M10\_Update\_Revise

and

EDOS\_2.2\_3.1-M04\_Update\_Revise

have been completed.

#### -PostCondition-

eDOS M08, M10, M04 and M18 data elements are incorporated appropriately into the EHR-S.

#### **TestObjectives**

- Demonstrate capability to support a M18 approved coverage update message for an revised test.
- Demonstrate capability to support a maximally populated MCP segment.

#### -Test Case Information-

# EDOS\_2.2\_4.1-M18\_GU - M18\_Update\_revise

Test Case ID

EDOS\_2.2\_4.1-M18\_GU

-MSH-

Location	Data Element	Data	Categorization
MSH.1	Field Separator		IG Fixed Data
MSH.2	<b>Encoding Characters</b>	^~\&#</td><td>IG Fixed Data</td></tr><tr><td>MSH.3</td><td>Sending Application</td><td></td><td></td></tr><tr><td>MSH.3.2</td><td>Universal ID</td><td>2.16.840.1.113883.3.72.5.20</td><td>Configurable Data</td></tr><tr><td>MSH.3.3</td><td>Universal ID Type</td><td>ISO</td><td>IG Fixed Data</td></tr><tr><td>MSH.4</td><td>Sending Facility</td><td></td><td></td></tr><tr><td>MSH.4.2</td><td>Universal ID</td><td>2.16.840.1.113883.3.72.5.21</td><td>Configurable Data</td></tr><tr><td>MSH.4.3</td><td>Universal ID Type</td><td>ISO</td><td>IG Fixed Data</td></tr><tr><td>MSH.6</td><td>Receiving Facility</td><td></td><td></td></tr><tr><td>MSH.6.2</td><td>Universal ID</td><td>2.16.840.1.113883.3.72.5.23</td><td>Configurable Data</td></tr><tr><td>MSH.6.3</td><td>Universal ID Type</td><td>ISO</td><td>IG Fixed Data</td></tr><tr><td>MSH.7</td><td>Date/Time Of Message</td><td></td><td></td></tr><tr><td>MSH.7.1</td><td>Time</td><td>20130421113601-0700</td><td>System Generated</td></tr><tr><td>MSH.9</td><td>Message Type</td><td></td><td></td></tr><tr><td>MSH.9.1</td><td>Message Code</td><td>MFN</td><td>IG Fixed Data</td></tr><tr><td>MSH.9.2</td><td>Trigger Event</td><td>M18</td><td>IG Fixed Data</td></tr><tr><td>MSH.9.3</td><td>Message Structure</td><td>MFN_M18</td><td>IG Fixed Data</td></tr><tr><td>MSH.10</td><td>Message Control ID</td><td>EDOS_2.2_4.1-M18_GU</td><td>System Generated</td></tr><tr><td>MSH.11</td><td>Processing ID</td><td></td><td></td></tr><tr><td>MSH.11.1</td><td>Processing ID</td><td>D</td><td>Changeable Data</td></tr><tr><td>MSH.12</td><td>VersionID</td><td></td><td></td></tr><tr><td>MSH.12.1</td><td>Version ID</td><td>2.5.1</td><td>IG Fixed Data</td></tr><tr><td>MSH.21</td><td>Message Profile Identifier</td><td></td><td></td></tr><tr><td>MSH.21.1</td><td>Entity Identifier</td><td>EDOS_Common_Component</td><td>Test Case Fixed Data</td></tr><tr><td>MSH.21.2</td><td>Namespace ID</td><td>EDOS Base Profile</td><td>Changeable Data</td></tr><tr><td>MSH.21.3</td><td>Universal ID</td><td>2.16.840.1.113883.9.67</td><td>Test Case Fixed Data</td></tr><tr><td>MSH.21.4</td><td>Universal ID Type</td><td>ISO</td><td>IG Fixed Data</td></tr><tr><td>MSH.21[2]</td><td>Message Profile Identifier</td><td></td><td></td></tr><tr><td>MSH.21[2].1</td><td>Entity Identifier</td><td>EDOS_GU_Component</td><td>Test Case Fixed Data</td></tr><tr><td>MSH.21[2].2</td><td>Namespace ID</td><td>EDOS GU Profile</td><td>Changeable Data</td></tr><tr><td>MSH.21[2].3</td><td>Universal ID</td><td>2.16.840.1.113883.9.68</td><td>Test Case Fixed Data</td></tr><tr><td>MSH.21[2].4</td><td>Universal ID Type</td><td>ISO</td><td>IG Fixed Data</td></tr></tbody></table>	

-MFI-

		1711 1	
Location	Data Element	Data	Categorization
MFI.1	Master File Identifier		
MFI.1.1	Identifier	MACP	IG Fixed Data
MFI.1.2	Text	Medicare Approved Coverage Process	Changeable Data
MFI.1.3	Name of Coding System	HL70175	IG Fixed Data
MFI.1.7	Coding System Version ID	2.8.2	Test Case Fixed Data
MFI.3	File-Level Event Code	UPD	Test Case Fixed Data
MFI.6	Response Level Code	NE	IG Fixed Data

-MFE-

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MUP	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
	i i		

MFE ocation	Identifier Data Element	600 Data	Changeahlegorization
MFE.4.2	Text	Prostate Biopsy Pathology Report	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

# -PM1-

Location	Data Element	Data	Categorization
PM1.1	Health Plan ID		
PM1.1.2	Text	Healthplan2	Changeable Data
PM1.2	Insurance Company ID		
PM1.2.1	ID Number	SMCA2	Changeable Data
PM1.2.4	Assigning Authority		
PM1.2.4.2	Universal ID	2.16.840.1.113883.3.72.5.22	Configurable Data
PM1.2.4.3	Universal ID Type	ISO	IG Fixed Data
PM1.2.5	Identifier Type Code	XX	Changeable Data

## -MCP-

		IVICI	
Location	Data Element	Data	Categorization
MCP.1	Set ID - MCP	1	IG Fixed Data
MCP.2	Producer's Service/Test/Observation ID		
MCP.2.1	Identifier	600	Test Case Fixed Data
MCP.2.2	Text	Prostate Biopsy Pathology Report	Changeable Data
MCP.2.3	Name of Coding System	99USL	Changeable Data
MCP.2.7	Coding System Version ID	20130421	Changeable Data
MCP.3	Universal Service Price Range - Low Value		
MCP.3.1	Quantity	30	Changeable Data
MCP.3.2	Denomination	USD	IG Fixed Data
МСР.4	Universal Service Price Range - High Value		
MCP.4.1	Quantity	120	Changeable Data
MCP.4.2	Denomination	USD	IG Fixed Data
MCP.5	Reason for Universal Service Cost Range	Depending on the number of biopsies submitted - max covered are 20	Changeable Data

Ele me nt	Data
Identifier	MACP
Event code	UPD

# Payer Information - Prostate Biopsy Pathology Report Record information

Element	Data
Event code	MUP
Effective date and time	20131219145310
Test/Panel Name	Prostate Biopsy Pathology Report
Test/Panel identifier (code system)	600 (99USL)

# Payer & coverage details—

## -Payer-

Element	Data
Health Plan	Healthplan2
Insurance Company	SMCA2

# -Coverage Policy-

	<u> </u>
Low price range	USD 30
High price range	USD 120
Reason for universal service cost range	Depending on the number of biopsies submitted - max covered are 20

 $\label{eq:msh} $$MSH^\sim_{\#}^2.16.840.1.113883.3.72.5.20^ISO|^2.16.840.1.113883.3.72.5.21^ISO|^2.16.840.1.113883.3.72.5.23^ISO|^2.1000|^2.16.840.1.113883.3.72.5.23^ISO|^2.1000|^2.16.840.1.113883.3.72.5.23^ISO|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.10000|^2.10000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.1000|^2.$ 

3.9.67^ISO~EDOS\_GU\_Component^EDOS GU Profile^2.16.840.1.113883.9.68^ISO

MFI|MACP^Medicare Approved Coverage Process^HL70175^^^^2.8.2||UPD|||NE

MFE|MUP||20131219145310|600^Prostate Biopsy Pathology Report^99USL^^^^20130421|CWE

 $PM1|^{A} Healthplan2|SMCA2^{A} \& 2.16.840.1.113883.3.72.5.22 \& ISO^{XX} \\$ 

 $MCP|1|600^{Prostate}\ Biopsy\ Pathology\ Report^{99}USL^{\wedge\wedge\wedge}20130421|30^{USD}|120^{USD}|Depending\ on\ the\ number\ of\ biopsies\ submitt\ ed\ -\ max\ covered\ are\ 20$