

#### Description

The Laboratory Test Compendium from Century Hospital Clinical Laboratory is a subset of their Directory of Services. It is based upon the most commonly ordered lab tests by Dr. Radon. This compendium is being used by Dr. Nicholas Radon's practice EHR-S to place orders electronically to Century Hospital's Clinical Laboratory. Century Hospital Laboratory had decided to no longer offer the sedimentation rate test. Century Hospital's LIS transmits the appropriate eDOS update message for approved coverage information for this deactivated test to Dr. Radon's EHR.

#### Comments

Update message about approved coverage information for a deactivated test.

#### PreCondition

EDOS\_1.0\_1.1-M08\_New  
and  
EDOS\_1.0\_2.1-M10\_New  
and  
EDOS\_1.0\_3.1-M04\_New  
and  
EDOS\_1.0\_4.1-M18\_New\_Aproved  
and  
EDOS\_1.0\_5.1-M18\_New\_Limited  
and  
EDOS\_2.0\_1.1-M08\_Update\_Deactivate  
and  
EDOS\_2.0\_2.1-M10\_Update\_Deactivate  
and  
EDOS\_2.0\_3.1-M04\_Update\_Deactivate  
have been completed.

#### PostCondition

eDOS M08, M10, M04 and M18 data elements are incorporated appropriately into the EHR-S.

#### TestObjectives

- Demonstrate capability to support a M18 approved coverage update message-action: deactivate.

## Test Case Information

## EDOS\_2.0\_4.1-M18\_GU - M18\_Update\_deactivate

Test Case ID

EDOS\_2.0\_4.1-M18\_GU

## MSH

Location	Data Element	Data	Categorization
<b>MSH.1</b>	<b>Field Separator</b>		IG Fixed Data
<b>MSH.2</b>	<b>Encoding Characters</b>	^~&#	IG Fixed Data
<b>MSH.3</b>	<b>Sending Application</b>		
MSH.3.2	Universal ID	2.16.840.1.113883.3.72.5.20	Configurable Data
MSH.3.3	Universal ID Type	ISO	IG Fixed Data
<b>MSH.4</b>	<b>Sending Facility</b>		
MSH.4.2	Universal ID	2.16.840.1.113883.3.72.5.21	Configurable Data
MSH.4.3	Universal ID Type	ISO	IG Fixed Data
<b>MSH.6</b>	<b>Receiving Facility</b>		
MSH.6.2	Universal ID	2.16.840.1.113883.3.72.5.23	Configurable Data
MSH.6.3	Universal ID Type	ISO	IG Fixed Data
<b>MSH.7</b>	<b>Date/Time Of Message</b>		
MSH.7.1	Time	20130421113601-0700	System Generated
<b>MSH.9</b>	<b>Message Type</b>		
MSH.9.1	Message Code	MFN	IG Fixed Data
MSH.9.2	Trigger Event	M18	IG Fixed Data
MSH.9.3	Message Structure	MFN_M18	IG Fixed Data
<b>MSH.10</b>	<b>Message Control ID</b>	EDOS_2.0_4.1-M18_GU	System Generated
<b>MSH.11</b>	<b>Processing ID</b>		
MSH.11.1	Processing ID	D	Changeable Data
<b>MSH.12</b>	<b>VersionID</b>		
MSH.12.1	Version ID	2.5.1	IG Fixed Data
<b>MSH.21</b>	<b>Message Profile Identifier</b>		
MSH.21.1	Entity Identifier	EDOS_Common_Component	Test Case Fixed Data
MSH.21.2	Namespace ID	EDOS Base Profile	Changeable Data
MSH.21.3	Universal ID	2.16.840.1.113883.9.67	Test Case Fixed Data
MSH.21.4	Universal ID Type	ISO	IG Fixed Data
<b>MSH.21[2]</b>	<b>Message Profile Identifier</b>		
MSH.21[2].1	Entity Identifier	EDOS_GU_Component	Test Case Fixed Data
MSH.21[2].2	Namespace ID	EDOS GU Profile	Changeable Data
MSH.21[2].3	Universal ID	2.16.840.1.113883.9.68	Test Case Fixed Data
MSH.21[2].4	Universal ID Type	ISO	IG Fixed Data

## MFI

Location	Data Element	Data	Categorization
<b>MFI.1</b>	<b>Master File Identifier</b>		
MFI.1.1	Identifier	MACP	IG Fixed Data
MFI.1.2	Text	Medicare Approved Coverage Process	Changeable Data
MFI.1.3	Name of Coding System	HL70175	IG Fixed Data
MFI.1.7	Coding System Version ID	2.8.2	Test Case Fixed Data
<b>MFI.3</b>	<b>File-Level Event Code</b>	UPD	Test Case Fixed Data
<b>MFI.6</b>	<b>Response Level Code</b>	NE	IG Fixed Data

## MFE

Location	Data Element	Data	Categorization
<b>MFE.1</b>	<b>Record-Level Event Code</b>	MDC	Test Case Fixed Data
<b>MFE.3</b>	<b>Effective Date/Time</b>		
MFE.3.1	Time	20131219145310	System Generated
<b>MFE.4</b>	<b>Primary Key Value - MFE</b>		

Location	Data Element	Data	Categorization
MFE.4.1	Identifier	500	Changeable Data
MFE.4.2	Text	Erythrocyte sedimentation rate	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

PM1

Location	Data Element	Data	Categorization
PM1.1	Health Plan ID		
PM1.1.2	Text	Healthplan2	Changeable Data
PM1.2	Insurance Company ID		
PM1.2.1	ID Number	SMCA2	Changeable Data
PM1.2.4	Assigning Authority		
PM1.2.4.2	Universal ID	2.16.840.1.113883.3.72.5.22	Configurable Data
PM1.2.4.3	Universal ID Type	ISO	IG Fixed Data
PM1.2.5	Identifier Type Code	XX	Changeable Data

MCP

Location	Data Element	Data	Categorization
MCP.1	Set ID - MCP	1	IG Fixed Data
MCP.2	Producer's Service/Test/Observation ID		
MCP.2.1	Identifier	500	Test Case Fixed Data
MCP.2.2	Text	Erythrocyte sedimentation rate	Changeable Data
MCP.2.3	Name of Coding System	99USL	Changeable Data
MCP.2.7	Coding System Version ID	20130421	Changeable Data
MCP.3	Universal Service Price Range - Low Value		
MCP.3.1	Quantity	25	Changeable Data
MCP.3.2	Denomination	USD	IG Fixed Data
MCP.4	Universal Service Price Range - High Value		
MCP.4.1	Quantity	30	Changeable Data
MCP.4.2	Denomination	USD	IG Fixed Data
MCP.5	Reason for Universal Service Cost Range	Some reason	Changeable Data

Element	Data
Identifier	MACP
Event code	UPD

Payer Information - Erythrocyte sedimentation rate  
Record information

Element	Data
Event code	MDC
Effective date and time	20131219145310
Test/Panel Name	Erythrocyte sedimentation rate
Test/Panel identifier (code system)	500 (99USL)

Payer & coverage details

Payer

Element	Data
Health Plan	Healthplan2
Insurance Company	SMCA2

Coverage Policy

Low price range	USD 25
High price range	USD 30
Reason for universal service cost range	Some reason

MSH|^~\&#|^2.16.840.1.113883.3.72.5.20^ISO|^2.16.840.1.113883.3.72.5.21^ISO||^2.16.840.1.113883.3.72.5.23^ISO|201304211  
13601-0700||MFN^M18^MFN\_M18|EDOS\_2.0\_4.1-M18\_GU|D|2.5.1|||||||EDOS\_Common\_Component^EDOS Base  
Profile^2.16.840.1.11388  
3.9.67^ISO~EDOS\_GU\_Component^EDOS GU Profile^2.16.840.1.113883.9.68^ISO  
  
MFI|MACP^Medicare Approved Coverage Process^HL70175^^^^2.8.2||UPD|||NE  
  
MFE|MDC||20131219145310|500^Erythrocyte sedimentation rate^99USL^^^^20130421|CWE  
  
PM1|^Healthplan2|SMCA2^^^&2.16.840.1.113883.3.72.5.22&ISO^XX  
  
MCP|1|500^Erythrocyte sedimentation rate^99USL^^^^20130421|25^USD|30^USD|Some reason