

#### Description

The Laboratory Test Compendium from Century Hospital Clinical Laboratory is a subset of their Directory of Services. It is based upon the most commonly ordered lab tests by Dr. Radon. This compendium is being used by Dr. Nicholas Radon's practice EHR-S to place orders electronically to Century Hospital's Clinical Laboratory. Century Hospital has made the following changes to their test compendium:

- Added a stool culture with susceptibility reflex and a susceptibility panel

Century Hospital's LIS transmits the appropriate eDOS update messages with these changes to Dr. Radon's EHR.

#### Comments

Update changes for additions of new panels and their elements.

#### PreCondition

EDOS\_1.0\_1.1-M08\_New  
and  
EDOS\_1.0\_2.1-M10\_New  
and  
EDOS\_1.0\_3.1-M04\_New  
and  
EDOS\_1.0\_4.1-M18\_New\_Aproved  
and  
EDOS\_1.0\_5.1-M18\_New\_Limited  
and  
EDOS\_2.1\_1.1-M08\_Update\_Add  
have been completed.

#### PostCondition

No Post-Condition.

#### TestObjectives

- Demonstrate capability to support a M10 update message - action: addition
- Demonstrate capability to support the repeating field in OM4-3 (Container Description), OM4-4 (Container Volume), and OM4-5 (Container Units).
- Demonstrate capability to support all supported data elements, including repeating fields in the OM5 segment.
- Demonstrate capability to support repeating segments for OM4.