

Test Case Information

EDOS_1.0_2.1-M10-NG - M10_New

Test Case ID

EDOS_1.0_2.1-M10_NG

MSH

Location	Data Element	Data	Categorization
MSH.1	Field Separator		IG Fixed Data
MSH.2	Encoding Characters	^~&#	IG Fixed Data
MSH.3	Sending Application		
MSH.3.1	Namespace ID	NIST Test Lab APP	Configurable Data
MSH.4	Sending Facility		
MSH.4.1	Namespace ID	NIST Lab Facility	Configurable Data
MSH.6	Receiving Facility		
MSH.6.1	Namespace ID	NIST EHR Facility	Configurable Data
MSH.7	Date/Time Of Message		
MSH.7.1	Time	20130421113601-0700	System Generated
MSH.9	Message Type		
MSH.9.1	Message Code	MFN	IG Fixed Data
MSH.9.2	Trigger Event	M10	IG Fixed Data
MSH.9.3	Message Structure	MFN_M10	IG Fixed Data
MSH.10	Message Control ID	EDOS_1.0_2.1-M10-NG	System Generated
MSH.11	Processing ID		
MSH.11.1	Processing ID	D	Changeable Data
MSH.12	VersionID		
MSH.12.1	Version ID	2.5.1	IG Fixed Data
MSH.21	Message Profile Identifier		
MSH.21.1	Entity Identifier	EDOS_Common_Component	Test Case Fixed Data
MSH.21.2	Namespace ID	EDOS Base Profile	Changeable Data
MSH.21.3	Universal ID	2.16.840.1.113883.9.67	Test Case Fixed Data
MSH.21.4	Universal ID Type	ISO	IG Fixed Data
MSH.21[2]	Message Profile Identifier		
MSH.21[2].1	Entity Identifier	EDOS_NG_Component	Test Case Fixed Data
MSH.21[2].2	Namespace ID	EDOS NG Profile	Changeable Data
MSH.21[2].3	Universal ID	2.16.840.1.113883.9.69	Test Case Fixed Data
MSH.21[2].4	Universal ID Type	ISO	IG Fixed Data

MFI

Location	Data Element	Data	Categorization
MFI.1	Master File Identifier		
MFI.1.1	Identifier	OMC	IG Fixed Data
MFI.1.2	Text	Observation batteries master file	Changeable Data
MFI.1.3	Name of Coding System	HL70175	IG Fixed Data
MFI.1.7	Coding System Version ID	2.5.1	Test Case Fixed Data
MFI.3	File-Level Event Code	REP	Test Case Fixed Data
MFI.6	Response Level Code	NE	IG Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
MFE.4.1	Identifier	100	Changeable Data
MFE.4.2	Text	CMP	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data

MFE.4.7	Coding System Version ID	20130421	Changeable Data
Location	Data Element	Data	Categorization
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	1	IG Fixed Data
OM1.2	Producer's Service/Test/Observation ID		
OM1.2.1	Identifier	100	Changeable Data
OM1.2.2	Text	CMP	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	Specimen Required	Y	Changeable Data
OM1.5	Producer ID		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
OM1.7	Other Service/Test/Observation IDs for the Observation		
OM1.7.1	Identifier	24323-8	Test Case Fixed Data
OM1.7.2	Text	Comprehensive metabolic 2000 panel - Serum or Plasma	Changeable Data
OM1.7.3	Name of Coding System	LN	Test Case Fixed Data
OM1.7.7	Coding System Version ID	2.42	Changeable Data
OM1.10	Preferred Short Name on Mnemonic for Observation	CMP	Changeable Data
OM1.12	Orderability	Y	Test Case Fixed Data
OM1.18	Nature of Service/Test/Observation	P	Test Case Fixed Data
OM1.32	Interpretation of Observations	Test used to measure blood sugar, electrolytes and fluid balance, kidney and liver function.	Changeable Data
OM1.37	Patient Preparation	Patient fasting required for 12 hours.	Changeable Data
OM1.39	Factors that may Affect the Observation	Insufficient specimen, Gross hemolysis, Improper labeling..	Changeable Data
OM1.40	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48	Exclusive Test	N	Changeable Data
OM1.49	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.51	Other Names	CMP	Changeable Data
OM1.57	Expected Turn-Around Time		
OM1.57.1	Quantity	1	Changeable Data
OM1.57.2	Units		
OM1.57.2.1	Identifier	d	Changeable Data
OM1.57.2.2	Text	day	Changeable Data
OM1.57.2.3	Name of Coding System	UCUM	Changeable Data
OM1.57.2.7	Coding System Version ID	1.8	Changeable Data

OM5

Location	Data Element	Data	Categorization
OM5.1	Sequence Number - Test/Observation Master File	1	IG Fixed Data
OM5.2	Test/Observations Included Within an Ordered Test Battery		
OM5.2.1	Identifier	104	Changeable Data
OM5.2.2	Text	Serum Glucose	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	2345-7	Changeable Data

OM5.2.5 Location	Alternate Text	Data Element	Glucose [Mass/volume] in Serum or Plasma	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN		Changeable Data
OM5.2.7	Coding System Version ID	20130421		Changeable Data
OM5.2.8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[2]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[2].1	Identifier	106		Changeable Data
OM5.2[2].2	Text	Blood Urea Nitrogen (BUN)		Changeable Data
OM5.2[2].3	Name of Coding System	99USL		Changeable Data
OM5.2[2].4	Alternate Identifier	3094-0		Changeable Data
OM5.2[2].5	Alternate Text	Urea nitrogen [Mass/volume] in Serum or Plasma		Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[2].7	Coding System Version ID	20130421		Changeable Data
OM5.2[2].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[3]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[3].1	Identifier	102		Changeable Data
OM5.2[3].2	Text	Creatinine		Changeable Data
OM5.2[3].3	Name of Coding System	99USL		Changeable Data
OM5.2[3].4	Alternate Identifier	2160-0		Changeable Data
OM5.2[3].5	Alternate Text	Creatinine [Mass/volume] in Serum or Plasma		Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[3].7	Coding System Version ID	20130421		Changeable Data
OM5.2[3].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[4]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[4].1	Identifier	108		Changeable Data
OM5.2[4].2	Text	BUN/Creatinine Ratio		Changeable Data
OM5.2[4].3	Name of Coding System	99USL		Changeable Data
OM5.2[4].4	Alternate Identifier	3097-3		Changeable Data
OM5.2[4].5	Alternate Text	Urea nitrogen/Creatinine [Mass Ratio] in Serum or Plasma		Changeable Data
OM5.2[4].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[4].7	Coding System Version ID	20130421		Changeable Data
OM5.2[4].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[5]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[5].1	Identifier	110		Changeable Data
OM5.2[5].2	Text	GFR, calculated		Changeable Data
OM5.2[5].3	Name of Coding System	99USL		Changeable Data
OM5.2[5].4	Alternate Identifier	33914-3		Changeable Data
OM5.2[5].5	Alternate Text	Glomerular filtration rate/1.73 sq M, predicted by Creatinine-based formula (MDRD)		Changeable Data
OM5.2[5].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[5].7	Coding System Version ID	20130421		Changeable Data
OM5.2[5].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[6]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[6].1	Identifier	112		Changeable Data
OM5.2[6].2	Text	Calcium		Changeable Data
OM5.2[6].3	Name of Coding System	99USL		Changeable Data
OM5.2[6].4	Alternate Identifier	17861-6		Changeable Data
OM5.2[6].5	Alternate Text	Calcium [Mass/volume] in Serum or Plasma		Changeable Data
OM5.2[6].6	Name of Alternate Coding System	LN		Changeable Data

OM5.2[6].7 Location	Coding System Version ID	20130421	Data	Changeable Data
OM5.2[6].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[7]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[7].1	Identifier	114		Changeable Data
OM5.2[7].2	Text	Total protein, serum		Changeable Data
OM5.2[7].3	Name of Coding System	99USL		Changeable Data
OM5.2[7].4	Alternate Identifier	2885-2		Changeable Data
OM5.2[7].5	Alternate Text	Protein [Mass/volume] in Serum or Plasma		Changeable Data
OM5.2[7].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[7].7	Coding System Version ID	20130421		Changeable Data
OM5.2[7].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[8]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[8].1	Identifier	116		Changeable Data
OM5.2[8].2	Text	Albumin		Changeable Data
OM5.2[8].3	Name of Coding System	99USL		Changeable Data
OM5.2[8].4	Alternate Identifier	1751-7		Changeable Data
OM5.2[8].5	Alternate Text	Albumin [Mass/volume] in Serum or Plasma		Changeable Data
OM5.2[8].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[8].7	Coding System Version ID	20130421		Changeable Data
OM5.2[8].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[9]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[9].1	Identifier	118		Changeable Data
OM5.2[9].2	Text	Globulin		Changeable Data
OM5.2[9].3	Name of Coding System	99USL		Changeable Data
OM5.2[9].4	Alternate Identifier	10834-0		Changeable Data
OM5.2[9].5	Alternate Text	Globulin [Mass/volume] in Serum by calculation		Changeable Data
OM5.2[9].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[9].7	Coding System Version ID	20130421		Changeable Data
OM5.2[9].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[10]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[10].1	Identifier	120		Changeable Data
OM5.2[10].2	Text	Albumin/globulin ratio		Changeable Data
OM5.2[10].3	Name of Coding System	99USL		Changeable Data
OM5.2[10].4	Alternate Identifier	1759-0		Changeable Data
OM5.2[10].5	Alternate Text	Albumin/Globulin [Mass Ratio] in Serum or Plasma		Changeable Data
OM5.2[10].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[10].7	Coding System Version ID	20130421		Changeable Data
OM5.2[10].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[11]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[11].1	Identifier	122		Changeable Data
OM5.2[11].2	Text	Total bilirubin, serum		Changeable Data
OM5.2[11].3	Name of Coding System	99USL		Changeable Data
OM5.2[11].4	Alternate Identifier	1975-2		Changeable Data
OM5.2[11].5	Alternate Text	Bilirubin.total [Mass/volume] in Serum or Plasma		Changeable Data
OM5.2[11].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[11].7	Coding System Version ID	20130421		Changeable Data
OM5.2[11].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[12]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[12].1	Identifier	124		Changeable Data

OM5.2[12].2 Coding System	Data Element Name of Coding System	Alkaline phosphatase (ALP) 99USL	Changeable Data Changeable Data
OM5.2[12].4	Alternate Identifier	6768-6	Changeable Data
OM5.2[12].5	Alternate Text	Alkaline phosphatase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM5.2[12].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[12].7	Coding System Version ID	20130421	Changeable Data
OM5.2[12].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[13]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[13].1	Identifier	126	Changeable Data
OM5.2[13].2	Text	Alanine aminotransferase (ALT)	Changeable Data
OM5.2[13].3	Name of Coding System	99USL	Changeable Data
OM5.2[13].4	Alternate Identifier	1742-6	Changeable Data
OM5.2[13].5	Alternate Text	Alanine aminotransferase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM5.2[13].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[13].7	Coding System Version ID	20130421	Changeable Data
OM5.2[13].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[14]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[14].1	Identifier	128	Changeable Data
OM5.2[14].2	Text	Aspartate aminotransferase (ASP)	Changeable Data
OM5.2[14].3	Name of Coding System	99USL	Changeable Data
OM5.2[14].4	Alternate Identifier	1920-8	Changeable Data
OM5.2[14].5	Alternate Text	Aspartate aminotransferase [Enzymatic activity/volume] in Serum or Plasma	Changeable Data
OM5.2[14].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[14].7	Coding System Version ID	20130421	Changeable Data
OM5.2[14].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[15]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[15].1	Identifier	130	Changeable Data
OM5.2[15].2	Text	Sodium, serum	Changeable Data
OM5.2[15].3	Name of Coding System	99USL	Changeable Data
OM5.2[15].4	Alternate Identifier	2951-2	Changeable Data
OM5.2[15].5	Alternate Text	Sodium [Moles/volume] in Serum or Plasma	Changeable Data
OM5.2[15].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[15].7	Coding System Version ID	20130421	Changeable Data
OM5.2[15].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[16]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[16].1	Identifier	132	Changeable Data
OM5.2[16].2	Text	Potassium, serum	Changeable Data
OM5.2[16].3	Name of Coding System	99USL	Changeable Data
OM5.2[16].4	Alternate Identifier	2823-3	Changeable Data
OM5.2[16].5	Alternate Text	Potassium [Moles/volume] in Serum or Plasma	Changeable Data
OM5.2[16].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[16].7	Coding System Version ID	20130421	Changeable Data
OM5.2[16].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[17]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[17].1	Identifier	134	Changeable Data
OM5.2[17].2	Text	Chloride, serum	Changeable Data
OM5.2[17].3	Name of Coding System	99USL	Changeable Data
OM5.2[17].4	Alternate Identifier	2075-0	Changeable Data
OM5.2[17].5	Alternate Text	Chloride [Moles/volume] in Serum or	Changeable Data

Location	Data Element	Plasma	Category
OM5.2[17].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[17].7	Coding System Version ID	20130421	Changeable Data
OM5.2[17].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[18]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[18].1	Identifier	136	Changeable Data
OM5.2[18].2	Text	Carbon dioxide, serum	Changeable Data
OM5.2[18].3	Name of Coding System	99USL	Changeable Data
OM5.2[18].4	Alternate Identifier	2028-9	Changeable Data
OM5.2[18].5	Alternate Text	Carbon dioxide, total [Moles/volume] in Serum or Plasma	Changeable Data
OM5.2[18].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[18].7	Coding System Version ID	20130421	Changeable Data
OM5.2[18].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[19]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[19].1	Identifier	138	Changeable Data
OM5.2[19].2	Text	Anion gap	Changeable Data
OM5.2[19].3	Name of Coding System	99USL	Changeable Data
OM5.2[19].7	Coding System Version ID	20130421	Changeable Data

OM4

Location	Data Element	Data	Category
OM4.1	Sequence Number - Test/Observation Master File	1	IG Fixed Data
OM4.3	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliter	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	119364003	Test Case Fixed Data
OM4.6.2	Text	Serum specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	1	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	0.5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data

Location	Data Element	Data	Categorization
OM4.12	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated temperature	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.15.7	Coding System Version ID	2.5.1	Changeable Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
MFE.4.1	Identifier	300	Changeable Data
MFE.4.2	Text	Comprehensive Urinalysis	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	2	IG Fixed Data
OM1.2	Producer's Service/Test/Observation ID		
OM1.2.1	Identifier	300	Changeable Data
OM1.2.2	Text	Comprehensive Urinalysis	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	Specimen Required	Y	Changeable Data
OM1.5	Producer ID		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
OM1.7	Other Service/Test/Observation IDs for the Observation		
OM1.7.1	Identifier	50564-4	Test Case Fixed Data
OM1.7.2	Text	Urinalysis panel - Urine by Auto	Changeable Data
OM1.7.3	Name of Coding System	LN	Test Case Fixed Data
OM1.7.7	Coding System Version ID	2.44	Changeable Data
OM1.9	Preferred Report Name for the Observation	Comprehensive Urinalysis	Changeable Data
OM1.12	Orderability	Y	Test Case Fixed Data
OM1.18	Nature of Service/Test/Observation	P	Test Case Fixed Data
OM1.32	Interpretation of Observations	Urinalysis is used to detect and assess a wide range of disorders. This panel includes a opacity, color, appearance, specific gravity, pH, protein, glucose, occult blood, ketones, bilirubin, nitrite, and microscopic examination of the urine sediment.	Changeable Data
OM1.37	Patient Preparation	Collect random urine in a clean plastic container. Label the urine container with the patient's full name and the date and time of collection, refrigerate after collection.	Changeable Data

Location	Data Element	Data	Categorization
OM1.37[2]	Patient Preparation	Both males and females need instructions on cleaning the urethral opening. A "midstream catch" is performed by initially urinating into the toilet then bringing the collection device into the urine stream to obtain the midportion of the void. For infants and young children urine can be collected by urine bag, catheterization or cystocentesis. A clean catch sample is preferred, when contamination from vaginal hemorrhage or discharge is suspected. If the specimen is obtained by catheterization, the collection method must be noted.	Changeable Data
OM1.39	Factors that may Affect the Observation	Insufficient specimen, Improper labeling., presence of preservatives, fecal contamination, bacterial overgrowth. Delay in transport.	Changeable Data
OM1.40	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48	Exclusive Test	N	Changeable Data
OM1.49	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.57	Expected Turn-Around Time		
OM1.57.1	Quantity	1	Changeable Data
OM1.57.2	Units		
OM1.57.2.2	Text	day	Changeable Data

OM5

Location	Data Element	Data	Categorization
OM5.1	Sequence Number - Test/Observation Master File	2	IG Fixed Data
OM5.2	Test/Observations Included Within an Ordered Test Battery		
OM5.2.1	Identifier	344	Changeable Data
OM5.2.2	Text	Color of Urine	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	5778-6	Changeable Data
OM5.2.5	Alternate Text	Color of Urine	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2.7	Coding System Version ID	20130421	Changeable Data
OM5.2.8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[2]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[2].1	Identifier	346	Changeable Data
OM5.2[2].2	Text	Clarity of Urine	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	32167-9	Changeable Data
OM5.2[2].5	Alternate Text	Clarity of Urine	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2].7	Coding System Version ID	20130421	Changeable Data
OM5.2[2].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[3]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[3].1	Identifier	302	Changeable Data
OM5.2[3].2	Text	Erythrocytes, urine	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data
OM5.2[3].4	Alternate Identifier	46419-8	Changeable Data
OM5.2[3].5	Alternate Text	Erythrocytes [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3].7	Coding System Version ID	20130421	Changeable Data
OM5.2[3].8	Alternate Coding System Version ID	2.42	Changeable Data

OM5.2[4]	Test/Observations Included Within an Ordered Test Battery	Data Element	Data	Categorization
OM5.2[4].1	Identifier		304	Changeable Data
OM5.2[4].2	Text		Leukocytes, urine	Changeable Data
OM5.2[4].3	Name of Coding System		99USL	Changeable Data
OM5.2[4].4	Alternate Identifier		46702-7	Changeable Data
OM5.2[4].5	Alternate Text		Leukocytes [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[4].6	Name of Alternate Coding System		LN	Changeable Data
OM5.2[4].7	Coding System Version ID		20130421	Changeable Data
OM5.2[4].8	Alternate Coding System Version ID		2.42	Changeable Data
OM5.2[5]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[5].1	Identifier		306	Changeable Data
OM5.2[5].2	Text		Leukocyte clumps, urine	Changeable Data
OM5.2[5].3	Name of Coding System		99USL	Changeable Data
OM5.2[5].4	Alternate Identifier		50233-6	Changeable Data
OM5.2[5].5	Alternate Text		Leukocyte clumps [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[5].6	Name of Alternate Coding System		LN	Changeable Data
OM5.2[5].7	Coding System Version ID		20130421	Changeable Data
OM5.2[5].8	Alternate Coding System Version ID		2.42	Changeable Data
OM5.2[6]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[6].1	Identifier		308	Changeable Data
OM5.2[6].2	Text		Non-squamous epithelial cells. , urine	Changeable Data
OM5.2[6].3	Name of Coding System		99USL	Changeable Data
OM5.2[6].4	Alternate Identifier		53294-5	Changeable Data
OM5.2[6].5	Alternate Text		Epithelial cells.non-squamous [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[6].6	Name of Alternate Coding System		LN	Changeable Data
OM5.2[6].7	Coding System Version ID		20130421	Changeable Data
OM5.2[6].8	Alternate Coding System Version ID		2.42	Changeable Data
OM5.2[7]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[7].1	Identifier		310	Changeable Data
OM5.2[7].2	Text		Squamous epithelial cells. , urine	Changeable Data
OM5.2[7].3	Name of Coding System		99USL	Changeable Data
OM5.2[7].4	Alternate Identifier		33219-7	Changeable Data
OM5.2[7].5	Alternate Text		Epithelial cells.squamous [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[7].6	Name of Alternate Coding System		LN	Changeable Data
OM5.2[7].7	Coding System Version ID		20130421	Changeable Data
OM5.2[7].8	Alternate Coding System Version ID		2.42	Changeable Data
OM5.2[8]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[8].1	Identifier		314	Changeable Data
OM5.2[8].2	Text		Bacteria, urine	Changeable Data
OM5.2[8].3	Name of Coding System		99USL	Changeable Data
OM5.2[8].4	Alternate Identifier		33218-9	Changeable Data
OM5.2[8].5	Alternate Text		Bacteria [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[8].6	Name of Alternate Coding System		LN	Changeable Data
OM5.2[8].7	Coding System Version ID		20130421	Changeable Data
OM5.2[8].8	Alternate Coding System Version ID		2.42	Changeable Data
OM5.2[9]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[9].1	Identifier		312	Changeable Data
OM5.2[9].2	Text		Crystals , urine	Changeable Data

OM5.2[9].3	Name of Coding System	99USL	Changeable Data
OM5.2[9].4	Alternate Identifier	53322-4	Changeable Data
OM5.2[9].5	Alternate Text	Crystals [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[9].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[9].7	Coding System Version ID	20130421	Changeable Data
OM5.2[9].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[10]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[10].1	Identifier	316	Changeable Data
OM5.2[10].2	Text	Hyaline casts	Changeable Data
OM5.2[10].3	Name of Coding System	99USL	Changeable Data
OM5.2[10].4	Alternate Identifier	33223-9	Changeable Data
OM5.2[10].5	Alternate Text	Hyaline casts [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[10].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[10].7	Coding System Version ID	20130421	Changeable Data
OM5.2[10].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[11]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[11].1	Identifier	318	Changeable Data
OM5.2[11].2	Text	Casts	Changeable Data
OM5.2[11].3	Name of Coding System	99USL	Changeable Data
OM5.2[11].4	Alternate Identifier	43755-8	Changeable Data
OM5.2[11].5	Alternate Text	Casts [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[11].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[11].7	Coding System Version ID	20130421	Changeable Data
OM5.2[11].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[12]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[12].1	Identifier	320	Changeable Data
OM5.2[12].2	Text	Spermatozoa, urine	Changeable Data
OM5.2[12].3	Name of Coding System	99USL	Changeable Data
OM5.2[12].4	Alternate Identifier	53324-0	Changeable Data
OM5.2[12].5	Alternate Text	Spermatozoa [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[12].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[12].7	Coding System Version ID	20130421	Changeable Data
OM5.2[12].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[13]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[13].1	Identifier	322	Changeable Data
OM5.2[13].2	Text	Mucus,urine	Changeable Data
OM5.2[13].3	Name of Coding System	99USL	Changeable Data
OM5.2[13].4	Alternate Identifier	50235-1	Changeable Data
OM5.2[13].5	Alternate Text	Mucus [# /area] in Urine sediment by Automated count	Changeable Data
OM5.2[13].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[13].7	Coding System Version ID	20130421	Changeable Data
OM5.2[13].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[14]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[14].1	Identifier	324	Changeable Data
OM5.2[14].2	Text	Total bilirubin,urine	Changeable Data
OM5.2[14].3	Name of Coding System	99USL	Changeable Data
OM5.2[14].4	Alternate Identifier	53327-3	Changeable Data
OM5.2[14].5	Alternate Text	Bilirubin.total [Mass/volume] in Urine by Automated test strip	Changeable Data

OM5.2[14].6 Coding System Version ID	Name of Alternate Coding System	LN	Data	Changeable Data
OM5.2[14].7	Coding System Version ID	20130421		Changeable Data
OM5.2[14].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[15]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[15].1	Identifier	326		Changeable Data
OM5.2[15].2	Text	Glucose, urine		Changeable Data
OM5.2[15].3	Name of Coding System	99USL		Changeable Data
OM5.2[15].4	Alternate Identifier	53328-1		Changeable Data
OM5.2[15].5	Alternate Text	Glucose [Mass/volume] in Urine by Automated test strip		Changeable Data
OM5.2[15].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[15].7	Coding System Version ID	20130421		Changeable Data
OM5.2[15].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[16]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[16].1	Identifier	328		Changeable Data
OM5.2[16].2	Text	Hemoglobin, urine		Changeable Data
OM5.2[16].3	Name of Coding System	99USL		Changeable Data
OM5.2[16].4	Alternate Identifier	50559-4		Changeable Data
OM5.2[16].5	Alternate Text	Hemoglobin [Mass/volume] in Urine by Automated test strip		Changeable Data
OM5.2[16].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[16].7	Coding System Version ID	20130421		Changeable Data
OM5.2[16].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[17]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[17].1	Identifier	330		Changeable Data
OM5.2[17].2	Text	Ketones , urine		Changeable Data
OM5.2[17].3	Name of Coding System	99USL		Changeable Data
OM5.2[17].4	Alternate Identifier	50557-8		Changeable Data
OM5.2[17].5	Alternate Text	Ketones [Mass/volume] in Urine by Automated test strip		Changeable Data
OM5.2[17].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[17].7	Coding System Version ID	20130421		Changeable Data
OM5.2[17].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[18]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[18].1	Identifier	332		Changeable Data
OM5.2[18].2	Text	Leukocyte esterase, urine		Changeable Data
OM5.2[18].3	Name of Coding System	99USL		Changeable Data
OM5.2[18].4	Alternate Identifier	60026-2		Changeable Data
OM5.2[18].5	Alternate Text	Leukocyte esterase [Presence] in Urine by Automated test strip		Changeable Data
OM5.2[18].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[18].7	Coding System Version ID	20130421		Changeable Data
OM5.2[18].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[19]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[19].1	Identifier	334		Changeable Data
OM5.2[19].2	Text	Nitrite, urine		Changeable Data
OM5.2[19].3	Name of Coding System	99USL		Changeable Data
OM5.2[19].7	Coding System Version ID	20130421		Changeable Data
OM5.2[20]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[20].1	Identifier	336		Changeable Data
OM5.2[20].2	Text	Urine pH		Changeable Data
OM5.2[20].3	Name of Coding System	99USL		Changeable Data
OM5.2[20].4	Alternate Identifier	50560-2		Changeable Data

Location	Data Element	Data	Categorization
OM5.2[20].5	Alternate Text	pH of Urine by Automated test strip	Changeable Data
OM5.2[20].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[20].7	Coding System Version ID	20130421	Changeable Data
OM5.2[20].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[21]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[21].1	Identifier	338	Changeable Data
OM5.2[21].2	Text	Protein, urine	Changeable Data
OM5.2[21].3	Name of Coding System	99USL	Changeable Data
OM5.2[21].4	Alternate Identifier	50561-0	Changeable Data
OM5.2[21].5	Alternate Text	Protein [Mass/volume] in Urine by Automated test strip	Changeable Data
OM5.2[21].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[21].7	Coding System Version ID	20130421	Changeable Data
OM5.2[21].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[22]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[22].1	Identifier	340	Changeable Data
OM5.2[22].2	Text	Urobilinogen	Changeable Data
OM5.2[22].3	Name of Coding System	99USL	Changeable Data
OM5.2[22].4	Alternate Identifier	50563-6	Changeable Data
OM5.2[22].5	Alternate Text	Urobilinogen [Mass/volume] in Urine by Automated test strip	Changeable Data
OM5.2[22].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[22].7	Coding System Version ID	20130421	Changeable Data
OM5.2[22].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[23]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[23].1	Identifier	342	Changeable Data
OM5.2[23].2	Text	Urine specific gravity	Changeable Data
OM5.2[23].3	Name of Coding System	99USL	Changeable Data
OM5.2[23].4	Alternate Identifier	53326-5	Changeable Data
OM5.2[23].5	Alternate Text	Specific gravity of Urine by Automated test strip	Changeable Data
OM5.2[23].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[23].7	Coding System Version ID	20130421	Changeable Data
OM5.2[23].8	Alternate Coding System Version ID	2.42	Changeable Data

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	2	IG Fixed Data
OM4.3	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4	Container Volume	4	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	[foz_us]	Changeable Data
OM4.5.2	Text	fluid ounce (US)	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	122575003	Test Case Fixed Data
OM4.6.2	Text	Urine specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.4	Alternate Identifier	UR	Changeable Data
OM4.6.5	Alternate Text	Random urine	Changeable Data
OM4.6.6	Name of Alternate Coding System	99USL	Changeable Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.6.8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6.9	Original Text	Random urine	Changeable Data

Location	Data Element	Data	Categorization
OM4.10.1	Quantity	20	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	4	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.12	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated temperature	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.15.7	Coding System Version ID	2.5.1	Changeable Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
MFE.4.1	Identifier	200	Changeable Data
MFE.4.2	Text	CBC_diff	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	3	IG Fixed Data
OM1.2	Producer's Service/Test/Observation ID		
OM1.2.1	Identifier	200	Changeable Data
OM1.2.2	Text	CBC_diff	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	Specimen Required	Y	Changeable Data
OM1.5	Producer ID		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
OM1.7	Other Service/Test/Observation IDs for the Observation		
OM1.7.1	Identifier	57021-8	Test Case Fixed Data
OM1.7.2	Text	CBC W Auto Differential panel in Blood	Changeable Data
OM1.7.3	Name of Coding System	LN	Test Case Fixed Data
OM1.7.7	Coding System Version ID	2.44	Changeable Data
OM1.9	Preferred Report Name for the Observation	Complete Blood Count	Changeable Data

Location	Data Element	Data	Category
OM1.18	Nature of Service/Test/Observation	P	Test Case Fixed Data
OM1.32	Interpretation of Observations	A CBC is used to evaluate red blood cells , white blood cells , and platelet and helps detect and assess a wide range of disorders. This panel includes a WBC count, differential count, Hct, Hb, RBC count, WBC and RBC Morphology, RBC indices, platelet estimate, platelet count, RDW, and histogram.	Changeable Data
OM1.39	Factors that may Affect the Observation	Insufficient specimen, Improper labeling., improper tube, clotted specimen, hemolyzed sample, dilution of blood.	Changeable Data
OM1.40	Service/Test/Observation Performance Schedule	Daily	Changeable Data
OM1.48	Exclusive Test	N	Changeable Data
OM1.49	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.53	Prior Results Instructions	Send prior results for CBC in past 60 days	Changeable Data
OM1.57	Expected Turn-Around Time		
OM1.57.1	Quantity	1	Changeable Data
OM1.57.2	Units		
OM1.57.2.2	Text	day	Changeable Data

OM5

Location	Data Element	Data	Category
OM5.1	Sequence Number - Test/Observation Master File	3	IG Fixed Data
OM5.2	Test/Observations Included Within an Ordered Test Battery		
OM5.2.1	Identifier	202	Changeable Data
OM5.2.2	Text	Erythrocytes, blood	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	26453-1	Changeable Data
OM5.2.5	Alternate Text	Erythrocytes [# /volume] in Blood	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2.7	Coding System Version ID	20130421	Changeable Data
OM5.2.8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[2]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[2].1	Identifier	256	Changeable Data
OM5.2[2].2	Text	Hemoglobin (Hb)	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	718-7	Changeable Data
OM5.2[2].5	Alternate Text	Hemoglobin [Mass/volume] in Blood	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2].7	Coding System Version ID	20130421	Changeable Data
OM5.2[2].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[3]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[3].1	Identifier	204	Changeable Data
OM5.2[3].2	Text	Hematocrit	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data
OM5.2[3].4	Alternate Identifier	20570-8	Changeable Data
OM5.2[3].5	Alternate Text	Hematocrit [Volume Fraction] of Blood	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3].7	Coding System Version ID	20130421	Changeable Data
OM5.2[3].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[4]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[4].1	Identifier	206	Changeable Data

OM5.2[4].2 Location	Data Element	Leukocytes, blood	Data	Changeable Data Categorization
OM5.2[4].3	Name of Coding System	99USL		Changeable Data
OM5.2[4].4	Alternate Identifier	26464-8		Changeable Data
OM5.2[4].5	Alternate Text	Leukocytes [#/volume] in Blood		Changeable Data
OM5.2[4].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[4].7	Coding System Version ID	20130421		Changeable Data
OM5.2[4].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[5]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[5].1	Identifier	208		Changeable Data
OM5.2[5].2	Text	Platelets		Changeable Data
OM5.2[5].3	Name of Coding System	99USL		Changeable Data
OM5.2[5].4	Alternate Identifier	26515-7		Changeable Data
OM5.2[5].5	Alternate Text	Platelets [#/volume] in Blood		Changeable Data
OM5.2[5].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[5].7	Coding System Version ID	20130421		Changeable Data
OM5.2[5].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[6]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[6].1	Identifier	210		Changeable Data
OM5.2[6].2	Text	Mean corpuscular volume (MCV)		Changeable Data
OM5.2[6].3	Name of Coding System	99USL		Changeable Data
OM5.2[6].4	Alternate Identifier	30428-7		Changeable Data
OM5.2[6].5	Alternate Text	Erythrocyte mean corpuscular volume [Entitic volume]		Changeable Data
OM5.2[6].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[6].7	Coding System Version ID	20130421		Changeable Data
OM5.2[6].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[7]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[7].1	Identifier	212		Changeable Data
OM5.2[7].2	Text	Mean corpuscular hemoglobin (MCH)		Changeable Data
OM5.2[7].3	Name of Coding System	99USL		Changeable Data
OM5.2[7].4	Alternate Identifier	28539-5		Changeable Data
OM5.2[7].5	Alternate Text	Erythrocyte mean corpuscular hemoglobin [Entitic mass]		Changeable Data
OM5.2[7].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[7].7	Coding System Version ID	20130421		Changeable Data
OM5.2[7].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[8]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[8].1	Identifier	214		Changeable Data
OM5.2[8].2	Text	Mean corpuscular hemoglobin Concentration (MCHC)		Changeable Data
OM5.2[8].3	Name of Coding System	99USL		Changeable Data
OM5.2[8].4	Alternate Identifier	28540-3		Changeable Data
OM5.2[8].5	Alternate Text	Erythrocyte mean corpuscular hemoglobin concentration [Mass/volume]		Changeable Data
OM5.2[8].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[8].7	Coding System Version ID	20130421		Changeable Data
OM5.2[8].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[9]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[9].1	Identifier	216		Changeable Data
OM5.2[9].2	Text	Red blood cell distribution width (RDW)		Changeable Data
OM5.2[9].3	Name of Coding System	99USL		Changeable Data
OM5.2[9].4	Alternate Identifier	30385-9		Changeable Data
OM5.2[9].5	Alternate Text	Erythrocyte distribution width [Ratio]		Changeable Data
OM5.2[9].6	Name of Alternate Coding System	LN		Changeable Data

OM5.2[9]	Coding System Version ID	20130421	Changeable Data
OM5.2[9].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[10]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[10].1	Identifier	218	Changeable Data
OM5.2[10].2	Text	Basophils	Changeable Data
OM5.2[10].3	Name of Coding System	99USL	Changeable Data
OM5.2[10].4	Alternate Identifier	26444-0	Changeable Data
OM5.2[10].5	Alternate Text	Basophils [# /volume] in Blood	Changeable Data
OM5.2[10].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[10].7	Coding System Version ID	20130421	Changeable Data
OM5.2[10].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[11]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[11].1	Identifier	220	Changeable Data
OM5.2[11].2	Text	% Basophils	Changeable Data
OM5.2[11].3	Name of Coding System	99USL	Changeable Data
OM5.2[11].4	Alternate Identifier	30180-4	Changeable Data
OM5.2[11].5	Alternate Text	Basophils/100 leukocytes in Blood	Changeable Data
OM5.2[11].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[11].7	Coding System Version ID	20130421	Changeable Data
OM5.2[11].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[12]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[12].1	Identifier	222	Changeable Data
OM5.2[12].2	Text	Monocytes	Changeable Data
OM5.2[12].3	Name of Coding System	99USL	Changeable Data
OM5.2[12].4	Alternate Identifier	26484-6	Changeable Data
OM5.2[12].5	Alternate Text	Monocytes [# /volume] in Blood	Changeable Data
OM5.2[12].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[12].7	Coding System Version ID	20130421	Changeable Data
OM5.2[12].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[13]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[13].1	Identifier	224	Changeable Data
OM5.2[13].2	Text	% Monocytes	Changeable Data
OM5.2[13].3	Name of Coding System	99USL	Changeable Data
OM5.2[13].4	Alternate Identifier	26485-3	Changeable Data
OM5.2[13].5	Alternate Text	Monocytes/100 leukocytes in Blood	Changeable Data
OM5.2[13].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[13].7	Coding System Version ID	20130421	Changeable Data
OM5.2[13].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[14]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[14].1	Identifier	226	Changeable Data
OM5.2[14].2	Text	Eosinophils	Changeable Data
OM5.2[14].3	Name of Coding System	99USL	Changeable Data
OM5.2[14].4	Alternate Identifier	26449-9	Changeable Data
OM5.2[14].5	Alternate Text	Eosinophils [# /volume] in Blood	Changeable Data
OM5.2[14].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[14].7	Coding System Version ID	20130421	Changeable Data
OM5.2[14].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[15]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[15].1	Identifier	228	Changeable Data
OM5.2[15].2	Text	% Eosinophils	Changeable Data
OM5.2[15].3	Name of Coding System	99USL	Changeable Data
OM5.2[15].4	Alternate Identifier	26450-7	Changeable Data

Location	Alternate Text	Data Element	Data	Category
OM5.2[15].5		Eosinophils/100 leukocytes in Blood		Changeable Data
OM5.2[15].6		Name of Alternate Coding System	LN	Changeable Data
OM5.2[15].7		Coding System Version ID	20130421	Changeable Data
OM5.2[15].8		Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[16]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[16].1		Identifier	230	Changeable Data
OM5.2[16].2		Text	Lymphocytes	Changeable Data
OM5.2[16].3		Name of Coding System	99USL	Changeable Data
OM5.2[16].4		Alternate Identifier	26474-7	Changeable Data
OM5.2[16].5		Alternate Text	Lymphocytes [# /volume] in Blood	Changeable Data
OM5.2[16].6		Name of Alternate Coding System	LN	Changeable Data
OM5.2[16].7		Coding System Version ID	20130421	Changeable Data
OM5.2[16].8		Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[17]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[17].1		Identifier	232	Changeable Data
OM5.2[17].2		Text	% Lymphocytes	Changeable Data
OM5.2[17].3		Name of Coding System	99USL	Changeable Data
OM5.2[17].4		Alternate Identifier	26478-8	Changeable Data
OM5.2[17].5		Alternate Text	Lymphocytes/100 leukocytes in Blood	Changeable Data
OM5.2[17].6		Name of Alternate Coding System	LN	Changeable Data
OM5.2[17].7		Coding System Version ID	20130421	Changeable Data
OM5.2[17].8		Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[18]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[18].1		Identifier	234	Changeable Data
OM5.2[18].2		Text	Neutrophils	Changeable Data
OM5.2[18].3		Name of Coding System	99USL	Changeable Data
OM5.2[18].4		Alternate Identifier	26499-4	Changeable Data
OM5.2[18].5		Alternate Text	Neutrophils [# /volume] in Blood	Changeable Data
OM5.2[18].6		Name of Alternate Coding System	LN	Changeable Data
OM5.2[18].7		Coding System Version ID	20130421	Changeable Data
OM5.2[18].8		Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[19]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[19].1		Identifier	236	Changeable Data
OM5.2[19].2		Text	% Neutrophils	Changeable Data
OM5.2[19].3		Name of Coding System	99USL	Changeable Data
OM5.2[19].7		Coding System Version ID	20130421	Changeable Data
OM5.2[20]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[20].1		Identifier	238	Changeable Data
OM5.2[20].2		Text	Anisocytosis	Changeable Data
OM5.2[20].3		Name of Coding System	99USL	Changeable Data
OM5.2[20].4		Alternate Identifier	38892-6	Changeable Data
OM5.2[20].5		Alternate Text	Anisocytosis [Presence] in Blood	Changeable Data
OM5.2[20].6		Name of Alternate Coding System	LN	Changeable Data
OM5.2[20].7		Coding System Version ID	20130421	Changeable Data
OM5.2[20].8		Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[21]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[21].1		Identifier	240	Changeable Data
OM5.2[21].2		Text	Hypochromia	Changeable Data
OM5.2[21].3		Name of Coding System	99USL	Changeable Data
OM5.2[21].4		Alternate Identifier	30400-6	Changeable Data
OM5.2[21].5		Alternate Text	Hypochromia [Presence] in Blood	Changeable Data
OM5.2[21].6		Name of Alternate Coding System	LN	Changeable Data

Location	Data Element	20130421	Data	Changeable Data
OM5.2[21].7	Coding System Version ID	20130421		Changeable Data
OM5.2[21].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[22]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[22].1	Identifier	242		Changeable Data
OM5.2[22].2	Text	Macrocytosis		Changeable Data
OM5.2[22].3	Name of Coding System	99USL		Changeable Data
OM5.2[22].4	Alternate Identifier	30424-6		Changeable Data
OM5.2[22].5	Alternate Text	Macrocytes [Presence] in Blood		Changeable Data
OM5.2[22].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[22].7	Coding System Version ID	20130421		Changeable Data
OM5.2[22].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[23]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[23].1	Identifier	244		Changeable Data
OM5.2[23].2	Text	Microcytosis		Changeable Data
OM5.2[23].3	Name of Coding System	99USL		Changeable Data
OM5.2[23].4	Alternate Identifier	30434-5		Changeable Data
OM5.2[23].5	Alternate Text	Microcytes [Presence] in Blood		Changeable Data
OM5.2[23].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[23].7	Coding System Version ID	20130421		Changeable Data
OM5.2[23].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[24]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[24].1	Identifier	246		Changeable Data
OM5.2[24].2	Text	Poikilocytosis		Changeable Data
OM5.2[24].3	Name of Coding System	99USL		Changeable Data
OM5.2[24].7	Coding System Version ID	20130421		Changeable Data
OM5.2[25]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[25].1	Identifier	248		Changeable Data
OM5.2[25].2	Text	Polychromasia		Changeable Data
OM5.2[25].3	Name of Coding System	99USL		Changeable Data
OM5.2[25].4	Alternate Identifier	10378-8		Changeable Data
OM5.2[25].5	Alternate Text	Polychromasia [Presence] in Blood by Light microscopy		Changeable Data
OM5.2[25].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[25].7	Coding System Version ID	20130421		Changeable Data
OM5.2[25].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[26]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[26].1	Identifier	250		Changeable Data
OM5.2[26].2	Text	RBC morphology		Changeable Data
OM5.2[26].3	Name of Coding System	99USL		Changeable Data
OM5.2[26].4	Alternate Identifier	6742-1		Changeable Data
OM5.2[26].5	Alternate Text	Erythrocyte morphology finding [Identifier] in Blood		Changeable Data
OM5.2[26].6	Name of Alternate Coding System	LN		Changeable Data
OM5.2[26].7	Coding System Version ID	20130421		Changeable Data
OM5.2[26].8	Alternate Coding System Version ID	2.42		Changeable Data
OM5.2[27]	Test/Observations Included Within an Ordered Test Battery			
OM5.2[27].1	Identifier	252		Changeable Data
OM5.2[27].2	Text	WBC morphology		Changeable Data
OM5.2[27].3	Name of Coding System	99USL		Changeable Data
OM5.2[27].4	Alternate Identifier	11156-7		Changeable Data
OM5.2[27].5	Alternate Text	Leukocyte morphology finding [Identifier] in Blood		Changeable Data

Location	Data Element	Data	Categorization
OM5.2[27].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[27].7	Coding System Version ID	20130421	Changeable Data
OM5.2[27].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[28]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[28].1	Identifier	254	Changeable Data
OM5.2[28].2	Text	Platelet morphology	Changeable Data
OM5.2[28].3	Name of Coding System	99USL	Changeable Data
OM5.2[28].4	Alternate Identifier	11125-2	Changeable Data
OM5.2[28].5	Alternate Text	Platelet morphology finding [Identifier] in Blood	Changeable Data
OM5.2[28].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[28].7	Coding System Version ID	20130421	Changeable Data
OM5.2[28].8	Alternate Coding System Version ID	2.42	Changeable Data

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	3	IG Fixed Data
OM4.3	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.3[2]	Container Description	Pink Top (K2EDTA) tube	Changeable Data
OM4.4	Container Volume	3.0	Changeable Data
OM4.4[2]	Container Volume	3.0	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliters	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliters	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	119297000	Test Case Fixed Data
OM4.6.2	Text	Blood sample	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.4	Alternate Identifier	WBLD	Changeable Data
OM4.6.5	Alternate Text	Whole blood	Changeable Data
OM4.6.6	Name of Alternate Coding System	99USL	Changeable Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.6.8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6.9	Original Text	Whole blood	Changeable Data
OM4.7	Additive		
OM4.7.1	Identifier	EDTK	Changeable Data
OM4.7.2	Text	Potassium/K EDTA	Changeable Data
OM4.7.3	Name of Coding System	HL70371	Changeable Data
OM4.7.7	Coding System Version ID	2.5.1	Changeable Data
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	3	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliters	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	0.5	Changeable Data
OM4.11.2	Units		

Location	Data Element	Data	Categorization
OM4.11.2.2	Text	milliliters	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.12	Specimen Requirements	Refrigeration is required if specimen is not brought immediately to laboratory. Two blood smears should be prepared if sample is not delivered to the laboratory within 4 hrs. Sample should be analyzed within 6 hours at room temperature and 24 hrs when stored at 4 degrees C.	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	CREF	Changeable Data
OM4.15.2	Text	Critical refrigerated	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.15.7	Coding System Version ID	2.5.1	Changeable Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
MFE.4.1	Identifier	800	Changeable Data
MFE.4.2	Text	GHP	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	4	IG Fixed Data
OM1.2	Producer's Service/Test/Observation ID		
OM1.2.1	Identifier	800	Changeable Data
OM1.2.2	Text	GHP	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	Specimen Required	Y	Changeable Data
OM1.5	Producer ID		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
OM1.9	Preferred Report Name for the Observation	General Health Profile	Changeable Data
OM1.12	Orderability	Y	Test Case Fixed Data
OM1.18	Nature of Service/Test/Observation	S	Test Case Fixed Data
OM1.32	Interpretation of Observations	This blood test is used to determine general health status and to screen for and monitor a variety of disorders. This profile includes a complete metabolic profile, comprehensive CBC, Urinalysis and total Thyrotropin (T4).	Changeable Data
OM1.37	Patient Preparation	Patient fasting required for 12 hours.	Changeable Data
OM1.39	Factors that may Affect the Observation	Insufficient specimen, Gross hemolysis, Improper labeling...	Changeable Data
	Service/Test/Observation Performance		

Location	Schedule	Data Element	Daily	Data	Changeable Data	Categorization
OM1.48	Exclusive Test		N			Changeable Data
OM1.49	Diagnostic Service Sector ID		LAB			Changeable Data
OM1.57	Expected Turn-Around Time					
OM1.57.1	Quantity		1			Changeable Data
OM1.57.2	Units					
OM1.57.2.1	Identifier		d			Changeable Data
OM1.57.2.2	Text		day			Changeable Data
OM1.57.2.3	Name of Coding System		UCUM			Changeable Data
OM1.57.2.7	Coding System Version ID		1.8			Changeable Data

OM5

Location	Data Element	Data	Categorization
OM5.1	Sequence Number - Test/Observation Master File	4	IG Fixed Data
OM5.2	Test/Observations Included Within an Ordered Test Battery		
OM5.2.1	Identifier	100	Changeable Data
OM5.2.2	Text	CMP	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	24323-8	Changeable Data
OM5.2.5	Alternate Text	Comprehensive metabolic 2000 panel - Serum or Plasma	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2.8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[2]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[2].1	Identifier	200	Changeable Data
OM5.2[2].2	Text	CBC_diff	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	57021-8	Changeable Data
OM5.2[2].5	Alternate Text	CBC W Auto Differential panel in Blood	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[3]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[3].1	Identifier	700	Changeable Data
OM5.2[3].2	Text	TSH	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data
OM5.2[3].4	Alternate Identifier	3016-3	Changeable Data
OM5.2[3].5	Alternate Text	Thyrotropin [Units/volume] in Serum or Plasma	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3].8	Alternate Coding System Version ID	2.42	Changeable Data
OM5.2[4]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[4].1	Identifier	300	Changeable Data
OM5.2[4].2	Text	Comprehensive Urinalysis	Changeable Data
OM5.2[4].3	Name of Coding System	99USL	Changeable Data
OM5.2[4].4	Alternate Identifier	50564-4	Changeable Data
OM5.2[4].5	Alternate Text	Urinalysis panel- Urine by Auto	Changeable Data
OM5.2[4].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[4].8	Alternate Coding System Version ID	2.42	Changeable Data

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	4.1	IG Fixed Data
OM4.3	Container Description	Gold Serum Separator tube	Changeable Data

Location	Data Element	Data	Categorization
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliter	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	119364003	Test Case Fixed Data
OM4.6.2	Text	Serum specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	1	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	0.5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.12	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated temperature	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.15.7	Coding System Version ID	2.5.1	Changeable Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	4.2	IG Fixed Data
OM4.3	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.3[2]	Container Description	Pink Top (K2EDTA) tube	Changeable Data
OM4.4	Container Volume	3.0	Changeable Data
OM4.4[2]	Container Volume	3.0	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliters	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliters	Changeable Data

Location	Data Element	Data	Categorization
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	119297000	Test Case Fixed Data
OM4.6.2	Text	Blood sample	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.4	Alternate Identifier	WBLD	Changeable Data
OM4.6.5	Alternate Text	Whole blood	Changeable Data
OM4.6.6	Name of Alternate Coding System	99USL	Changeable Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.6.8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6.9	Original Text	Whole blood	Changeable Data
OM4.7	Additive		
OM4.7.1	Identifier	EDTK	Changeable Data
OM4.7.2	Text	Potassium/K EDTA	Changeable Data
OM4.7.3	Name of Coding System	HL70371	Changeable Data
OM4.7.7	Coding System Version ID	2.5.1	Changeable Data
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	3	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliters	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	0.5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliters	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.12	Specimen Requirements	Refrigeration is required if specimen is not brought immediately to laboratory. Two blood smears should be prepared if sample is not delivered to the laboratory within 4 hrs. Sample should be analyzed within 6 hours at room temperature and 24 hrs when stored at 4 degrees C.	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	CREF	Changeable Data
OM4.15.2	Text	Critical refrigerated	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.15.7	Coding System Version ID	2.5.1	Changeable Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	4.3	IG Fixed Data
OM4.3	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4	Container Volume	4	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	[foz_us]	Changeable Data
OM4.5.2	Text	fluid ounce (US)	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	122575003	Test Case Fixed Data

Location	Data Element	Data	Categorization
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.4	Alternate Identifier	UR	Changeable Data
OM4.6.5	Alternate Text	Random urine	Changeable Data
OM4.6.6	Name of Alternate Coding System	99USL	Changeable Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.6.8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6.9	Original Text	Random urine	Changeable Data
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	20	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	4	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.12	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated temperature	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.15.7	Coding System Version ID	2.5.1	Changeable Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
MFE.4.1	Identifier	1000	Changeable Data
MFE.4.2	Text	Hepatitis A B C Panel_ With Reflex	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	5	IG Fixed Data
OM1.2	Producer's Service/Test/Observation ID		
OM1.2.1	Identifier	1000	Changeable Data
OM1.2.2	Text	Hepatitis A B C Panel_ With Reflex	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	Specimen Required	Y	Changeable Data
OM1.5	Producer ID		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data

Location	Preferred Report Name for the Observation	Data Element	Hepatitis A B C Panel With Reflex	Data	Categorization
OM1.12	Orderability		Y		Test Case Fixed Data
OM1.18	Nature of Service/Test/Observation		P		Test Case Fixed Data
OM1.34	Reflex Tests/Observations				
OM1.34.1	Identifier		1010		Test Case Fixed Data
OM1.34.2	Text		Hepatitis C RNA PCR		Test Case Fixed Data
OM1.34.3	Name of Coding System		99USL		Test Case Fixed Data
OM1.34.4	Alternate Identifier		11011-4		Test Case Fixed Data
OM1.34.5	Alternate Text		Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe and target amplification method		Test Case Fixed Data
OM1.34.6	Name of Alternate Coding System		LN		Test Case Fixed Data
OM1.35	Rules that Trigger Reflex Testing		Negative: < 0.8; Indeterminate 0.8 - 0.9; Positive: > 0.9. In order to reduce the incidence of a false positive result, the CDC recommends that all s/co ratios between 1.0 and 10.9 be confirmed with additional Verification or PCR testing.		Test Case Fixed Data
OM1.39	Factors that may Affect the Observation		Performance characteristics have not been established for the following types of specimen: -Grossly icteric (total bilirubin level of >15 mg/dL) -Grossly lipemic (triolein level of >3,000 mg/dL) -Grossly hemolyzed (hemoglobin level of >500 mg/dL) -Presence of particulate matter - Cadaveric specimen		Changeable Data

OM5

Location	Data Element	Data	Categorization
OM5.1	Sequence Number - Test/Observation Master File	5	IG Fixed Data
OM5.2	Test/Observations Included Within an Ordered Test Battery		
OM5.2.1	Identifier	1001	Changeable Data
OM5.2.2	Text	Hepatitis A IgM antibodies (IgM anti-HAV)	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	22314-9	Changeable Data
OM5.2.5	Alternate Text	Hepatitis A virus IgM Ab [Presence] in Serum	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[2].1	Identifier	1002	Changeable Data
OM5.2[2].2	Text	Hepatitis A antibodies (anti-HAV)	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	20575-7	Changeable Data
OM5.2[2].5	Alternate Text	Hepatitis A virus Ab [Presence] in Serum	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[3].1	Identifier	1003	Changeable Data
OM5.2[3].2	Text	Hepatitis B core antibodies (anti-HBVC)	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data
OM5.2[3].4	Alternate Identifier	16933-4	Changeable Data
OM5.2[3].5	Alternate Text	Hepatitis B virus core Ab [Presence] in Serum	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[4]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[4].1	Identifier	1004	Changeable Data

Location	Data Element	Data	Categorization
OM5.2[1]	Text	Hepatitis B core antibodies (anti-HBVe) Quant	Changeable Data
OM5.2[4].3	Name of Coding System	99USL	Changeable Data
OM5.2[4].4	Alternate Identifier	22316-4	Changeable Data
OM5.2[4].5	Alternate Text	Hepatitis B virus core Ab [Units/volume] in Serum	Changeable Data
OM5.2[4].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[5]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[5].1	Identifier	1005	Changeable Data
OM5.2[5].2	Text	Hepatitis B e antibodies (anti-HBVe)	Changeable Data
OM5.2[5].3	Name of Coding System	99USL	Changeable Data
OM5.2[5].4	Alternate Identifier	22320-6	Changeable Data
OM5.2[5].5	Alternate Text	Hepatitis B virus e Ab [Presence] in Serum	Changeable Data
OM5.2[5].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[6]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[6].1	Identifier	1006	Changeable Data
OM5.2[6].2	Text	Hepatitis B surface antigen (HBsAg)	Changeable Data
OM5.2[6].3	Name of Coding System	99USL	Changeable Data
OM5.2[6].4	Alternate Identifier	5195-3	Changeable Data
OM5.2[6].5	Alternate Text	Hepatitis B virus surface Ag [Presence] in Serum	Changeable Data
OM5.2[6].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[7]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[7].1	Identifier	1007	Changeable Data
OM5.2[7].2	Text	Hepatitis B surface antibody (anti-HBVs)	Changeable Data
OM5.2[7].3	Name of Coding System	99USL	Changeable Data
OM5.2[7].4	Alternate Identifier	22322-2	Changeable Data
OM5.2[7].5	Alternate Text	Hepatitis B virus surface Ab [Presence] in Serum	Changeable Data
OM5.2[7].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[8]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[8].1	Identifier	1008	Changeable Data
OM5.2[8].2	Text	Hepatitis C antibody screen (anti-HCV)	Changeable Data
OM5.2[8].3	Name of Coding System	99USL	Changeable Data
OM5.2[8].4	Alternate Identifier	16128-1	Changeable Data
OM5.2[8].5	Alternate Text	Hepatitis C virus Ab [Presence] in Serum	Changeable Data
OM5.2[8].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[9]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[9].1	Identifier	1009	Changeable Data
OM5.2[9].2	Text	Hepatitis C antibodies Signal to Cut-off Ratio	Changeable Data
OM5.2[9].3	Name of Coding System	99USL	Changeable Data
OM5.2[9].4	Alternate Identifier	48159-8	Changeable Data
OM5.2[9].5	Alternate Text	Hepatitis C virus Ab Signal/Cutoff in Serum or Plasma by Immunoassay	Changeable Data
OM5.2[9].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[10]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[10].1	Identifier	1010	Changeable Data
OM5.2[10].2	Text	Hepatitis C RNA PCR	Changeable Data
OM5.2[10].3	Name of Coding System	99USL	Changeable Data
OM5.2[10].4	Alternate Identifier	11011-4	Changeable Data
OM5.2[10].5	Alternate Text	Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe and target amplification method	Changeable Data

OM4.10.6	Name of Alternate Coding System	LN	Data	Changeable Data
----------	---------------------------------	----	------	-----------------

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	5	IG Fixed Data
OM4.3	Container Description	Gold Serum Separator tube	Changeable Data
OM4.4	Container Volume	5.0	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliter	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	119364003	Test Case Fixed Data
OM4.6.2	Text	Serum specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	4	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	2.5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.12	Specimen Requirements	Spin down and remove serum from clot within 6 hours.	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	FRZ	Changeable Data
OM4.15.2	Text	Frozen	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		
MFE.4.1	Identifier	1300	Changeable Data
MFE.4.2	Text	Arbovirus IgG and IgM Panel (DNG, WNV) in Serum	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	6	IG Fixed Data
	Producer's Service/Test/Observation		

Location	Data Element	Data	Categorization
OM1.2.1	Identifier	1300	Changeable Data
OM1.2.2	Text	Arbovirus IgG and IgM Panel (DNG, WNV) in Serum	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	Specimen Required	N	Changeable Data
OM1.5	Producer ID		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
OM1.9	Preferred Report Name for the Observation	Arbovirus Panel for Dengue, West Nile Virus	Changeable Data
OM1.12	Orderability	Y	Test Case Fixed Data
OM1.18	Nature of Service/Test/Observation	P	Test Case Fixed Data
OM1.39	Factors that may Affect the Observation	Insufficient specimen, Improper labeling.	Changeable Data
OM1.40	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48	Exclusive Test	N	Changeable Data
OM1.49	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.57	Expected Turn-Around Time		
OM1.57.1	Quantity	2	Changeable Data
OM1.57.2	Units		
OM1.57.2.2	Text	day	Changeable Data

OM5

Location	Data Element	Data	Categorization
OM5.1	Sequence Number - Test/Observation Master File	6	IG Fixed Data
OM5.2	Test/Observations Included Within an Ordered Test Battery		
OM5.2.1	Identifier	1301	Changeable Data
OM5.2.2	Text	Dengue Virus IgG Titer Serum	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	6811-4	Test Case Fixed Data
OM5.2.5	Alternate Text	Dengue virus IgG Ab [Titer] in Serum	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[2].1	Identifier	1302	Changeable Data
OM5.2[2].2	Text	Dengue Virus IgM Titer Serum	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data
OM5.2[2].4	Alternate Identifier	6812-2	Test Case Fixed Data
OM5.2[2].5	Alternate Text	Dengue virus IgM Ab [Titer] in Serum	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[3].1	Identifier	1303	Changeable Data
OM5.2[3].2	Text	WNV IgG Titer Serum	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data
OM5.2[3].4	Alternate Identifier	33329-4	Changeable Data
OM5.2[3].5	Alternate Text	West Nile virus IgG Ab [Titer] in Serum	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[4]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[4].1	Identifier	1304	Changeable Data
OM5.2[4].2	Text	WNV Virus IgM Titer Serum	Changeable Data

Location	Data Element	Data	Categorization
OM5.2[4].3	Name of Coding System	99USL	Changeable Data
OM5.2[4].4	Alternate Identifier	33331-0	Test Case Fixed Data
OM5.2[4].5	Alternate Text	West Nile virus IgM Ab [Titer] in Serum	Changeable Data
OM5.2[4].6	Name of Alternate Coding System	LN	Changeable Data

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	6	IG Fixed Data
OM4.3	Container Description	Gold Serum Separator tube	Changeable Data
OM4.3[2]	Container Description	Red, No Additive tube	Changeable Data
OM4.4	Container Volume	5.0	Changeable Data
OM4.4[2]	Container Volume	5.0	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliter	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliter	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	119364003	Test Case Fixed Data
OM4.6.2	Text	Serum specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	1	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	0.5	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.12	Specimen Requirements	Protect from light. Allow serum tube to clot completely at room temperature. Separate serum or plasma from cells ASAP or within 30 minutes of collection.	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated temperature	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.15.7	Coding System Version ID	2.5.1	Changeable Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

MFE

Location	Data Element	Data	Categorization
MFE.1	Record-Level Event Code	MAD	Test Case Fixed Data
MFE.3	Effective Date/Time		
MFE.3.1	Time	20131219145310	System Generated
MFE.4	Primary Key Value - MFE		

MFE.4.1 Location	Identifier Data Element	1200 Data	Changeable Data Categorization
MFE.4.2	Text	Creatinine Clearance	Changeable Data
MFE.4.3	Name of Coding System	99USL	Changeable Data
MFE.4.7	Coding System Version ID	20130421	Changeable Data
MFE.5	Primary Key Value Type	CWE	IG Fixed Data

OM1

Location	Data Element	Data	Categorization
OM1.1	Sequence Number - Test/Observation Master File	7	IG Fixed Data
OM1.2	Producer's Service/Test/Observation ID		
OM1.2.1	Identifier	1200	Changeable Data
OM1.2.2	Text	Creatinine Clearance	Changeable Data
OM1.2.3	Name of Coding System	99USL	Changeable Data
OM1.2.7	Coding System Version ID	20130421	Changeable Data
OM1.4	Specimen Required	Y	Changeable Data
OM1.5	Producer ID		
OM1.5.1	Identifier	05D0669071	Changeable Data
OM1.5.2	Text	Century Hospital Clinical Laboratory	Changeable Data
OM1.5.3	Name of Coding System	99USL	Changeable Data
OM1.5.7	Coding System Version ID	2013	Changeable Data
OM1.7	Other Service/Test/Observation IDs for the Observation		
OM1.7.1	Identifier	34555-3	Test Case Fixed Data
OM1.7.2	Text	Creatinine 24H renal clearance panel	Changeable Data
OM1.7.3	Name of Coding System	LN	Test Case Fixed Data
OM1.9	Preferred Report Name for the Observation	Creatinine Clearance	Changeable Data
OM1.12	Orderability	Y	Test Case Fixed Data
OM1.18	Nature of Service/Test/Observation	P	Test Case Fixed Data
OM1.39	Factors that may Affect the Observation	Insufficient specimen, Improper labeling.	Changeable Data
OM1.40	Service/Test/Observation Performance Schedule	Monday through Friday	Changeable Data
OM1.48	Exclusive Test	N	Changeable Data
OM1.49	Diagnostic Service Sector ID	LAB	Changeable Data
OM1.57	Expected Turn-Around Time		
OM1.57.1	Quantity	1	Changeable Data
OM1.57.2	Units		
OM1.57.2.2	Text	day	Changeable Data

OM5

Location	Data Element	Data	Categorization
OM5.1	Sequence Number - Test/Observation Master File	7	IG Fixed Data
OM5.2	Test/Observations Included Within an Ordered Test Battery		
OM5.2.1	Identifier	1904	Changeable Data
OM5.2.2	Text	Urine Volume of 24 hour collection	Changeable Data
OM5.2.3	Name of Coding System	99USL	Changeable Data
OM5.2.4	Alternate Identifier	3167-4	Test Case Fixed Data
OM5.2.5	Alternate Text	Volume of 24 hour Urine	Changeable Data
OM5.2.6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[2]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[2].1	Identifier	1201	Changeable Data
OM5.2[2].2	Text	Creatinine Clearance in 24 hours	Changeable Data
OM5.2[2].3	Name of Coding System	99USL	Changeable Data

Location	Data Element	Data	Test Case Fixed Data
OM5.2[2].4	Alternate Identifier	2164-2	Changeable Data
OM5.2[2].5	Alternate Text	Creatinine renal clearance in 24 hour	Changeable Data
OM5.2[2].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[3]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[3].1	Identifier	102	Changeable Data
OM5.2[3].2	Text	Creatinine	Changeable Data
OM5.2[3].3	Name of Coding System	99USL	Changeable Data
OM5.2[3].4	Alternate Identifier	2160-0	Changeable Data
OM5.2[3].5	Alternate Text	Creatinine [Mass/volume] in Serum or Plasma	Changeable Data
OM5.2[3].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[4]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[4].1	Identifier	110	Changeable Data
OM5.2[4].2	Text	GFR, calculated	Changeable Data
OM5.2[4].3	Name of Coding System	99USL	Changeable Data
OM5.2[4].4	Alternate Identifier	33914-3	Test Case Fixed Data
OM5.2[4].5	Alternate Text	Glomerular filtration rate/1.73 sq M.predicted by Creatinine-based formula (MDRD)	Changeable Data
OM5.2[4].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[5]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[5].1	Identifier	1202	Changeable Data
OM5.2[5].2	Text	Creatinine in 24 hr Urine	Changeable Data
OM5.2[5].3	Name of Coding System	99USL	Changeable Data
OM5.2[5].4	Alternate Identifier	20624-3	Test Case Fixed Data
OM5.2[5].5	Alternate Text	Creatinine [Mass/volume] in 24 hour Urine	Changeable Data
OM5.2[5].6	Name of Alternate Coding System	LN	Changeable Data
OM5.2[6]	Test/Observations Included Within an Ordered Test Battery		
OM5.2[6].1	Identifier	1906	Changeable Data
OM5.2[6].2	Text	What is the Clinically Relevant Race?	Changeable Data
OM5.2[6].3	Name of Coding System	99USL	Changeable Data
OM5.2[6].4	Alternate Identifier	32624-9	Test Case Fixed Data
OM5.2[6].5	Alternate Text	Race	Changeable Data
OM5.2[6].6	Name of Alternate Coding System	LN	Changeable Data

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	7.1	IG Fixed Data
OM4.3	Container Description	Sterile, plastic, leak proof container	Changeable Data
OM4.4	Container Volume	2000	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliter	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	122575003	Test Case Fixed Data
OM4.6.2	Text	Urine specimen	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.4	Alternate Identifier	24HrUR	Changeable Data
OM4.6.5	Alternate Text	24 hour urine	Changeable Data
OM4.6.6	Name of Alternate Coding System	99USL	Changeable Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.6.8	Alternate Coding System Version ID	2014	Changeable Data

Location	Data Element	Data	Categorization
OM4.10	Normal Collection Volume		
OM4.10.1	Quantity	20	Changeable Data
OM4.10.2	Units		
OM4.10.2.1	Identifier	mL	Changeable Data
OM4.10.2.2	Text	milliliter	Changeable Data
OM4.10.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.10.2.7	Coding System Version ID	1.8	Changeable Data
OM4.11	Minimum Collection Volume		
OM4.11.1	Quantity	4	Changeable Data
OM4.11.2	Units		
OM4.11.2.1	Identifier	mL	Changeable Data
OM4.11.2.2	Text	milliliter	Changeable Data
OM4.11.2.3	Name of Coding System	UCUM	IG Fixed Data
OM4.11.2.7	Coding System Version ID	1.8	Changeable Data
OM4.12	Specimen Requirements	Keep refrigerated	Changeable Data
OM4.15	Specimen Handling Code		
OM4.15.1	Identifier	REF	Changeable Data
OM4.15.2	Text	Refrigerated temperature	Changeable Data
OM4.15.3	Name of Coding System	HL70376	IG Fixed Data
OM4.15.7	Coding System Version ID	2.5.1	Changeable Data
OM4.16	Specimen Preference	P	Test Case Fixed Data

OM4

Location	Data Element	Data	Categorization
OM4.1	Sequence Number - Test/Observation Master File	7.2	IG Fixed Data
OM4.3	Container Description	Lavender Top (EDTA) tube	Changeable Data
OM4.3[2]	Container Description	Pink Top (K2EDTA) tube	Changeable Data
OM4.4	Container Volume	3.0	Changeable Data
OM4.4[2]	Container Volume	3.0	Changeable Data
OM4.5	Container Units		
OM4.5.1	Identifier	mL	Changeable Data
OM4.5.2	Text	milliliters	Changeable Data
OM4.5.3	Name of Coding System	UCUM	Changeable Data
OM4.5.7	Coding System Version ID	1.8	Changeable Data
OM4.5[2]	Container Units		
OM4.5[2].1	Identifier	mL	Changeable Data
OM4.5[2].2	Text	milliliters	Changeable Data
OM4.5[2].3	Name of Coding System	UCUM	Changeable Data
OM4.5[2].7	Coding System Version ID	1.8	Changeable Data
OM4.6	Specimen		
OM4.6.1	Identifier	119297000	Test Case Fixed Data
OM4.6.2	Text	Blood sample	Changeable Data
OM4.6.3	Name of Coding System	SCT	Test Case Fixed Data
OM4.6.4	Alternate Identifier	WBLD	Changeable Data
OM4.6.5	Alternate Text	Whole blood	Changeable Data
OM4.6.6	Name of Alternate Coding System	99USL	Changeable Data
OM4.6.7	Coding System Version ID	201509-US Ed	Changeable Data
OM4.6.8	Alternate Coding System Version ID	2014	Changeable Data
OM4.6.9	Original Text	Whole blood	Changeable Data
OM4.7	Additive		
OM4.7.1	Identifier	EDTK	Changeable Data
OM4.7.2	Text	Potassium/K EDTA	Changeable Data
OM4.7.3	Name of Coding System	HL70371	Changeable Data
OM4.7.7	Coding System Version ID	2.5.1	Changeable Data
OM4.10	Normal Collection Volume		

OM4.10.1 Location	Quantity	Data Element	3	Data	Changeable Data	Categorization
OM4.10.2	Units					
OM4.10.2.1	Identifier		mL		Changeable Data	
OM4.10.2.2	Text		milliliters		Changeable Data	
OM4.10.2.3	Name of Coding System		UCUM		IG Fixed Data	
OM4.10.2.7	Coding System Version ID		1.8		Changeable Data	
OM4.11	Minimum Collection Volume					
OM4.11.1	Quantity		0.5		Changeable Data	
OM4.11.2	Units					
OM4.11.2.1	Identifier		mL		Changeable Data	
OM4.11.2.2	Text		milliliters		Changeable Data	
OM4.11.2.3	Name of Coding System		UCUM		IG Fixed Data	
OM4.11.2.7	Coding System Version ID		1.8		Changeable Data	
OM4.12	Specimen Requirements		Refrigeration is required if specimen is not brought immediately to laboratory. Two blood smears should be prepared if sample is not delivered to the laboratory within 4 hrs. Sample should be analyzed within 6 hours at room temperature and 24 hrs when stored at 4 degrees C.		Changeable Data	
OM4.15	Specimen Handling Code					
OM4.15.1	Identifier		CREF		Changeable Data	
OM4.15.2	Text		Critical refrigerated		Changeable Data	
OM4.15.3	Name of Coding System		HL70376		IG Fixed Data	
OM4.15.7	Coding System Version ID		2.5.1		Changeable Data	
OM4.16	Specimen Preference		P		Test Case Fixed Data	