

Description

To reflect the requirement in real-world installations, the HIT Module must demonstrate the capability to populate Visit ID (PV1-19.1) with the same value for all messages included within each test case executed. For each executed Visit Test Case (Urgent Care Visit, ED Visit, Inpatient Visit, Ambulatory Care Visit), the tester will visually inspect each of the messages within that test case to verify that Visit ID (PV1-19.1) is the same in each.

Comments

The messages generated from each of the test steps within each Syndromic Surveillance test case executed are to be used to evaluate this test step.

Pre-condition

A01- Admission (where applicable), A04-Registration, A08-Update, and A03-Disposition messages are generated by the HIT Module.

Post-Condition

No Post-Condition

Test Objectives

Demonstrate the capability to populate Visit ID (PV1-19.1) with the same value for all messages included within each executed this Test Case.

Evaluation Criteria

For each message within any test case executed, the value of Visit ID (PV1-19.1) must be populated with the same value. Test Tool does not automatically test for this requirement, so Testers must manually inspect the messages to verify that Visit ID (PV1-19.1) are the same for all Test Step messages for a given Test Case.

Notes

This Manual Test Step has been included in this Test Case to prompt Testers for the following inspections:

- Visit ID (PV1-19.1) must be populated with the same value for all messages included in this Test Case to reflect the requirement in real-world installations.