

NIST CRC Meta Report

rsynthpop

Report created on: January 31, 2024 19:50:50

Created with [SDNIST v2.3.0](#)

Motivation

The R Synthpop library is a user friendly, open source R library that offers a variety of synthetic data approaches. In our archive, we have three algorithms: the fully conditional CART model algorithm, and two newer additions to the library, ipf and catal.

The CART model algorithm is not differentially private, but is notable for its high performance on both utility and privacy. New records are generated one feature at a time, using a sequence of decision trees that select plausible new values for each feature, based on the values synthesized for previous features. This basic approach has been explored by a variety of government statistical agencies for use in public data dissemination.

The CatAll (Categorical All) and IPF (Iterative Proportional Fitting) methods begin similarly to a DPHistogram and DP Marginal methods respectively, and then use statistical methods to sample new data from the noisy co-occurrence counts. For more information on them, look here:
<https://arxiv.org/abs/2206.01362>

Both of these new methods can be run as differentially private or without added noise. The samples in our archive allow a comparison of the privacy and utility impact—is it the added noise that provides privacy? Or the modeling approach itself?

You can access the R Synthpop library to explore these approaches yourself here: [[rsynthpop](#)]


Comparisons

Correlation Comparison:

The [Pearson Correlation](#) difference was a popular utility metric during the [HLG-MOS Synthetic Data Test Drive](#). Note that darker highlighting indicates pairs of features whose correlations were not well preserved by the deidentified data.


Feature Set: demographic-focused | Target Dataset: ma2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: ma2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000




Feature Set: family-focused I Target Dataset: ma2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 58,212,000,000




Feature Set: custom-features-21 I Target Dataset: ma2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000




Feature Set: demographic-focused I Target Dataset: tx2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: tx2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000




Feature Set: family-focused | Target Dataset: tx2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 58,212,000,000




Feature Set: custom-features-21 | Target Dataset: tx2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000




Feature Set: demographic-focused I Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: demographic-focused | Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: national2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000




Feature Set: family-focused I Target Dataset: national2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 58,212,000,000



Feature Set: custom-features-21 I Target Dataset: national2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 266,602,111,776,000,000,000



Unique Exact Matches Comparison:

This is a count of unique records in the target data that were exactly reproduced in the deidentified data. Because these records were unique outliers in the target data, and they still appear unchanged in the deidentified data, they are potentially vulnerable to reidentification.

Feature Set: demographic-focused | Target Dataset: ma2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
Feature Space (possible combinations): 227,026,800

Number of Unique Records in Target Data: 4268 (55.91%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC ipf e:100 tol=0.01 s #[1]	799	18.72
CBS-NL cart minnumlevels=11 s #[2]	587	13.75
CRC cart maxfaclevels: 300	1108	25.96
CRC ipf e:10 tol=0.01 s #[1]	612	14.34
CRC ipf e:2 tol=0.01 s #[1]	12	0.28

Feature Set: industry-focused | Target Dataset: ma2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 27,027,000

Number of Unique Records in Target Data: 4265 (55.87%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 300	1087	25.49

Feature Set: family-focused | Target Dataset: ma2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 58,212,000,000

Number of Unique Records in Target Data: 6435 (84.29%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 503	1057	16.43

Feature Set: custom-features-21 | Target Dataset: ma2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 266,602,111,776,000,000,000

Number of Unique Records in Target Data: 7179 (94.04%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 300	224	3.12

Feature Set: demographic-focused | Target Dataset: tx2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
Feature Space (possible combinations): 227,026,800

Number of Unique Records in Target Data: 5268 (56.79%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CBS-NL cart minnumlevels=11 s #[2]	1840	34.93
CRC cart maxfaclevels: 300	1274	24.18
CRC ipf e:2 tol=0.01 s #[1]	36	0.68
CRC ipf e:100 tol=0.01 s #[1]	893	16.95
CRC ipf e:10 tol=0.01 s #[1]	721	13.69

Feature Set: industry-focused | Target Dataset: tx2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 27,027,000

Number of Unique Records in Target Data: 5504 (59.34%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 300	1264	22.97

Feature Set: family-focused | Target Dataset: tx2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 58,212,000,000

Number of Unique Records in Target Data: 8601 (92.72%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 503	912	10.6

Feature Set: custom-features-21 | Target Dataset: tx2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 266,602,111,776,000,000,000

Number of Unique Records in Target Data: 9077 (97.85%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 300	196	2.16

Feature Set: demographic-focused | Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
Feature Space (possible combinations): 227,026,800

Number of Unique Records in Target Data: 15037 (55.18%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
Rsynthpop-categorical ipf_NonDP no epsilon set for this s #[2]	2379	15.82

Feature Set: demographic-focused | Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800

Number of Unique Records in Target Data: 14918 (54.74%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
Rsynthpop-categorical catall_NonDP this one not DP s #[1]	9453	63.37
CBS-NL cart minnumlevels=11 s #[2]	5538	37.12
CRC cart maxfaclevels: 300	3728	24.99
Rsynthpop-categorical ipf e:1 e=1 s #[2]	526	3.53
CRC ipf e:1 tol=0.01 s #[1]	257	1.72
Rsynthpop-categorical catall e:1 e=1 d=0 rand=False s #[1]	1	0.01
Rsynthpop-categorical catall e:1 e=1 d=0 rand=True s #[1]	1	0.01
CRC ipf e:2 tol=0.01 s #[1]	1223	8.2
Rsynthpop-categorical catall e:100 e=100 d=0 rand=False s #[1]	14917	99.99
Rsynthpop-categorical catall e:100 e=100 d=0 rand=True s #[1]	9351	62.68
Rsynthpop-categorical ipf e:2 e=2 s #[2]	1593	10.68
Rsynthpop-categorical catall e:10 e=10 d=0 rand=False s #[1]	10950	73.4
CRC ipf e:100 tol=0.01 s #[1]	2275	15.25
CRC ipf e:10 tol=0.01 s #[1]	2215	14.85
Rsynthpop-categorical catall e:10 e=10 d=0 rand=True s #[1]	7066	47.37

Feature Set: industry-focused | Target Dataset: national2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000

Number of Unique Records in Target Data: 16132 (59.19%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 300	3766	23.34

Feature Set: family-focused | Target Dataset: national2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 58,212,000,000

Number of Unique Records in Target Data: 23908 (87.73%)

Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 503	2855	11.94

Feature Set: custom-features-21 | Target Dataset: national2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000

Number of Unique Records in Target Data: 25774 (94.57%)


Variant	Records Matched In Target Data	Percent Records Matched In Target Data
CRC cart maxfaclevels: 300	654	2.54

PCA Comparison: (PC-0 & PC-1) with highlighted MSP-N (AGE < 15):

This is another approach for visualizing where the distribution of the deidentified data has shifted away from the target data. In this approach, we begin by using [Principle Component Analysis](#) to find a way of representing the target data in a lower dimensional space (in 5 dimensions rather than the full 22 dimensions of the original feature space). Descriptions of these new five dimensions (components) are given in the components table; the components will change depending on which target data set you're using. Five dimensions are better than 22, but we actually want to get down to two dimensions so we can plot the data on simple (x,y) axes. The plots below show the data across each possible pair combination of our five components. You can compare how the shapes change between the target data and the deidentified data, and consider what that might mean in light of the component definitions. This is a relatively new visualization metric that was introduced by the [IPUMS International team](#) during the HLG-MOS Synthetic Data Test Drive.


Feature Set: demographic-focused | Target Dataset: ma2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: ma2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 27,027,000




Feature Set: family-focused I Target Dataset: ma2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 58,212,000,000




Feature Set: custom-features-21 I Target Dataset: ma2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000




Feature Set: demographic-focused I Target Dataset: tx2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: tx2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 27,027,000




Feature Set: family-focused | Target Dataset: tx2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 58,212,000,000




Feature Set: custom-features-21 | Target Dataset: tx2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 266,602,111,776,000,000,000




Feature Set: demographic-focused I Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: demographic-focused | Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: national2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000




Feature Set: family-focused I Target Dataset: national2019:

Features: ['AGEP', 'HISP', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 58,212,000,000

**Feature Set: custom-features-21 I Target Dataset: national2019:**

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPIP', 'PUMA', 'RAC1P', 'SEX']
Feature Space (possible combinations): 266,602,111,776,000,000,000



Regression Comparison: White Men Data:

Linear regression is a fundamental data analysis technique that condenses a multi-dimensional data distribution down to a one dimensional (line) representation. It works by finding the line that sits in the 'middle' of the data, in some sense-- [it minimizes the total distance between the points of the data and the line](#). There are more advanced forms of regression, but here we're focusing on the simplest case-- we fit a simple straight line to the data, getting the slope and y-intercept value of that line.

For this metric we're just looking at data from adults (AGEP > 15) and we're only considering the distribution of the data across two features:


- EDU: The highest education level this individual has attained, ranging from 1 (elementary school) to 12 (PhD). See Appendix of this report for the full list of code values.
- PINCP_DECILE: The individual's income decile relative to their PUMA. This helps us account for differences in cost of living across the country. If an individual makes a moderate income but lives in a very low income area, they may have a high value for PINCP_DECILE indicating that they have a high income for their PUMA).

The basic idea is that higher values of EDU should lead to higher values of PINCP_DECILE, and this is broadly true. However, it is known that the relationship between EDU and PINCP_DECILE is different for different demographic subgroups. The heatmaps in the left column below show the density distribution of the true data for each subgroup, normalized by education category (so the density values in each column sum to 1; note that when a cell in the heatmap contains too few people (< 20), it is left blank; it's not expected that the deidentified data will match the original distribution precisely). The regression line is drawn in red over the heatmap, so you can see the relationship between the target data distribution and its linear regression analysis. In the right column for each subgroup we show how the deidentified data's regression line compares to the target data's regression line, along with a heatmap of the density differences between the two distributions. Redder areas are where the deidentified data has created too many people, bluer areas are where it's created too few people.

We've broken this metric down into demographic subgroups so we can see not only how well the privacy techniques preserve the overall relationship between these features, but also whether they preserve how that overall relationship is built up from the different relationships that hold at each major demographic subgroup. It's important that deidentification techniques preserve these distinct subgroup patterns for analysis.


Feature Set: demographic-focused | Target Dataset: ma2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: ma2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000




Feature Set: custom-features-21 | Target Dataset: ma2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000




Feature Set: demographic-focused | Target Dataset: tx2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: tx2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000




Feature Set: custom-features-21 | Target Dataset: tx2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000




Feature Set: demographic-focused I Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: demographic-focused I Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused I Target Dataset: national2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000



Feature Set: custom-features-21 I Target Dataset: national2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000



Regression Comparison: Black Women Data:

Linear regression is a fundamental data analysis technique that condenses a multi-dimensional data distribution down to a one dimensional (line) representation. It works by finding the line that sits in the 'middle' of the data, in some sense-- [it minimizes the total distance between the points of the data and the line](#). There are more advanced forms of regression, but here we're focusing on the simplest case-- we fit a simple straight line to the data, getting the slope and y-intercept value of that line.

For this metric we're just looking at data from adults (AGEP > 15) and we're only considering the distribution of the data across two features:


- EDU: The highest education level this individual has attained, ranging from 1 (elementary school) to 12 (PhD). See Appendix of this report for the full list of code values.
- PINCP_DECILE: The individual's income decile relative to their PUMA. This helps us account for differences in cost of living across the country. If an individual makes a moderate income but lives in a very low income area, they may have a high value for PINCP_DECILE indicating that they have a high income for their PUMA).

The basic idea is that higher values of EDU should lead to higher values of PINCP_DECILE, and this is broadly true. However, it is known that the relationship between EDU and PINCP_DECILE is different for different demographic subgroups. The heatmaps in the left column below show the density distribution of the true data for each subgroup, normalized by education category (so the density values in each column sum to 1; note that when a cell in the heatmap contains too few people (< 20), it is left blank; it's not expected that the deidentified data will match the original distribution precisely). The regression line is drawn in red over the heatmap, so you can see the relationship between the target data distribution and its linear regression analysis. In the right column for each subgroup we show how the deidentified data's regression line compares to the target data's regression line, along with a heatmap of the density differences between the two distributions. Redder areas are where the deidentified data has created too many people, bluer areas are where it's created too few people.

We've broken this metric down into demographic subgroups so we can see not only how well the privacy techniques preserve the overall relationship between these features, but also whether they preserve how that overall relationship is built up from the different relationships that hold at each major demographic subgroup. It's important that deidentification techniques preserve these distinct subgroup patterns for analysis.


Feature Set: demographic-focused | Target Dataset: ma2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: ma2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000




Feature Set: custom-features-21 | Target Dataset: ma2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000




Feature Set: demographic-focused | Target Dataset: tx2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused | Target Dataset: tx2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000




Feature Set: custom-features-21 | Target Dataset: tx2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVPPIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000




Feature Set: demographic-focused I Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: demographic-focused I Target Dataset: national2019:

Features: ['AGEP', 'DEYE', 'DVET', 'EDU', 'HOUSING_TYPE', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 227,026,800




Feature Set: industry-focused I Target Dataset: national2019:

Features: ['EDU', 'HISP', 'INDP_CAT', 'MSP', 'OWN_RENT', 'PINCP_DECILE', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 27,027,000



Feature Set: custom-features-21 I Target Dataset: national2019:

Features: ['AGEP', 'DEAR', 'DEYE', 'DPHY', 'DREM', 'DVET', 'EDU', 'HISP', 'HOUSING_TYPE', 'INDP', 'INDP_CAT', 'MSP', 'NOC', 'NPF', 'OWN_RENT', 'PINCP', 'PINCP_DECILE', 'POVIP', 'PUMA', 'RAC1P', 'SEX']
 Feature Space (possible combinations): 266,602,111,776,000,000,000



Observations

How do the histogram marginal approaches here (IPF and CATTALL) compare to the marginal approaches from the SmartNoise library report (marginals), or the Tumult Analytics report (histogram)? Do you notice any similarities or differences in their responses to different feature sets and epsilon values?

How does the CART model approach compare to other relatively high utility approaches, such as the MostlyAI report or the MST algorithm in the SmartNoise report? If you look at the detailed data report for the CART model (open up the detailed report zip file in the same folder as this report) can you see any fine grained issues in the data that might not be apparent in this meta comparison?

Data Description

Deidentified (Deid.) Datasets:

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	ma2019
Variant Label	tol=0.01
Epsilon	100
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	0a1820367d1ffa8358c8d21635f08c537555141c
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_100_demographic
Records	7634
Features	10

| cart || minnumlevels=11:

Label Name	Label Value
Team	CBS-NL
Submission Timestamp	4/28/2023 12:09:32
Target Dataset	tx2019
Algorithm Name	cart
Variant Label	minnumlevels=11
Submission Number	2
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	non_dp
Deid Data Id	5dfc74e2b5eb80f20e8fbcc7cc9bdc6a2b612f0dc
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	Non-differentially private synthetic data.
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_minnumlevels_11_demographic_SlokomManel_2
Records	9276
Features	10

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	tx2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	non_dp
Deid Data Id	5b01c4a8821eaa5d3c972e2dce054e108fe82dd
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_demographic_tx2019
Records	9276
Features	10

| ipf_NonDP || no epsilon set for this:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 11:31:23
Algorithm Name	ipf_NonDP
Target Dataset	national2019
Variant Label	no epsilon set for this
Submission Number	2
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	non_dp
Deid Data Id	67a5fa35eb0b507127180f179f45e9a12929ece5
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DREM
Privacy Label Detail	this is the same as the differentially private ipf algorithm, with epsilon set to infinity.
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_nondp_demographic_GRaab
Records	27253
Features	10

I catali_NonDP || this one not DP:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 6:58:34
Algorithm Name	catali_NonDP
Target Dataset	national2019
Variant Label	this one not DP
Submission Number	1
Algorithm Type	histogram
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	non_dp
Deid Data Id	581dc5c92dd2b20970080b02307af2f6a37881db
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	See catali for algorithm definition; this variant has epsilon = infinity and produces non-differentially private synthetic data.
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	catali_nondp_demographic_GRaab
Records	27253
Features	10

I cart || minnumlevels=11:

Label Name	Label Value
Team	CBS-NL
Submission Timestamp	4/28/2023 12:09:32
Target Dataset	national2019
Algorithm Name	cart
Variant Label	minnumlevels=11
Submission Number	2
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	non_dp
Deid Data Id	cca7ec7419f66fa9a6f61ed62d2e9d51f5378880
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	Non-differentially private synthetic data.
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_minnumlevels_11_demographic_SlokomManel_2
Records	27253
Features	10

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	national2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	non_dp
Deid Data Id	f615aa3f1774e046028ed010e0d46eb0cc4cd2aa
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_demographic_na2019
Records	27253
Features	10

| cart || minnumlevels=11:

Label Name	Label Value
Team	CBS-NL
Submission Timestamp	4/28/2023 12:09:32
Target Dataset	ma2019
Algorithm Name	cart
Variant Label	minnumlevels=11
Submission Number	2
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	non_dp
Deid Data Id	5dfc74e2b5eb80f20e8fbcc9bdc6a2b612f0dc
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	Non-differentially private synthetic data.
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_minnumlevels_11_demographic_SlokomManel_2
Records	9276
Features	10

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	ma2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	non_dp
Deid Data Id	c44827f8b0b5fbeac500f23f1db024b7fca672a4
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_demographic_ma2019
Records	7634
Features	10

| ipf || e=1:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 11:31:23
Algorithm Name	ipf
Target Dataset	national2019
Variant Label	e=1
Epsilon	1
Delta	0
Submission Number	2
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Deid Data Id	659b0ca059cff98d4107c5843744344520da0960
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_1_demographic_GRaab
Records	27253
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	national2019
Variant Label	tol=0.01
Epsilon	1
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	9d3f4ee8d83342253a8663871eeb44385b10a607
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_1_demographic
Records	27253
Features	10

| catall || e=1 d=0 rand=False:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 6:58:34
Algorithm Name	catall
Target Dataset	national2019
Variant Label	e=1 d=0 rand=False
Epsilon	1
Delta	0
Submission Number	1
Algorithm Type	histogram
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Deid Data Id	5cc4aac8ecfa028ceb331023a7cee33496d8d96e
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	The DP versions are differentially private conditional on 1) the known sample size 2) knowledge of the data structure and the cells presumed to be structural zeros in the table.
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	catall_e_1_rand_false_demographic_GRaab
Records	27253
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	tx2019
Variant Label	tol=0.01
Epsilon	2
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	ebe28b1662ad6f54eff3e7d62e62bc499082acf3
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_2_demographic
Records	9276
Features	10

| catall || e=1 d=0 rand=True:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 6:58:34
Algorithm Name	catall
Target Dataset	national2019
Variant Label	e=1 d=0 rand=True
Epsilon	1
Delta	0
Submission Number	1
Algorithm Type	histogram
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Deid Data Id	e95852c61aa626fd2ad343cd9b70f3504463ceb4
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	The DP versions are differentially private conditional on 1) the known sample size 2) knowledge of the data structure and the cells presumed to be structural zeros in the table.
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	catall_e_1_demographic_GRaab
Records	27253
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	national2019
Variant Label	tol=0.01
Epsilon	2
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	e2676bdb4122f619664f801db55f39226968a623
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_2_demographic
Records	27253
Features	10

| catall || e=100 d=0 rand=False:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 6:58:34
Algorithm Name	catall
Target Dataset	national2019
Variant Label	e=100 d=0 rand=False
Epsilon	100
Delta	0
Submission Number	1
Algorithm Type	histogram
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Deid Data Id	9a467d456c956e335eed4ec3e12b534fc7e680e
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	The DP versions are differentially private conditional on 1) the known sample size 2) knowledge of the data structure and the cells presumed to be structural zeros in the table.
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	catall_e_100_rand_false_demographic_GRaab
Records	27253
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	tx2019
Variant Label	tol=0.01
Epsilon	100
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	645eed35f0a6584c9d08e3422de5c997bef83707
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_100_demographic
Records	9276
Features	10

| catall || e=100 d=0 rand=True:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 6:58:34
Algorithm Name	catall
Target Dataset	national2019
Variant Label	e=100 d=0 rand=True
Epsilon	100
Delta	0
Submission Number	1
Algorithm Type	histogram
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Deid Data Id	5278d935a75372c2413e2c1518bc3b71a5b4a2d7
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	The DP versions are differentially private conditional on 1) the known sample size 2) knowledge of the data structure and the cells presumed to be structural zeros in the table.
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	catall_e_100_demographic_GRaab
Records	27253
Features	10

| ipf || e=2:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 11:31:23
Algorithm Name	ipf
Target Dataset	national2019
Variant Label	e=2
Epsilon	2
Delta	0
Submission Number	2
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Deid Data Id	016f41caf598e5bd01e051d0581651801f29f23a
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_2_demographic_GRaab
Records	27253
Features	10

| catall || e=10 d=0 rand=False:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 6:58:34
Algorithm Name	catall
Target Dataset	national2019
Variant Label	e=10 d=0 rand=False
Epsilon	10
Delta	0
Submission Number	1
Algorithm Type	histogram
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Deid Data Id	1018c356395ac4f84f0c6522328a53f2096ed9ee
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	The DP versions are differentially private conditional on 1) the known sample size 2) knowledge of the data structure and the cells presumed to be structural zeros in the table.
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	catall_e_10_rand_false_demographic_GRaab
Records	27253
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	national2019
Variant Label	tol=0.01
Epsilon	100
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	89fc790b9c0e435abfe280be55b7b4bb29cb37aa
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_100_demographic
Records	27253
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	national2019
Variant Label	tol=0.01
Epsilon	10
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	ba428026681ea2df88b64ed40db0582940e1cfcb
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_10_demographic
Records	27253
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	ma2019
Variant Label	tol=0.01
Epsilon	10
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	99640ae0f87804a8e8fbf6f641631735b90d2f37
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_10_demographic
Records	7634
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	tx2019
Variant Label	tol=0.01
Epsilon	10
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	dea3cd02fe20818f4123d615168c4823588c503b
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_10_demographic
Records	9276
Features	10

| ipf || tol=0.01:

Label Name	Label Value
Algorithm Name	ipf
Target Dataset	ma2019
Variant Label	tol=0.01
Epsilon	2
Submission Number	1
Algorithm Type	query matching
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Deid Data Id	7e76110c35e46ff84628f4b9a0b347e217783ab5
Team	CRC
Submission Timestamp	9/5/2023 00:00:00
Privacy Label Detail	differential privacy
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	ipf_e_2_demographic
Records	7634
Features	10

| catall || e=10 d=0 rand=True:

Label Name	Label Value
Team	Rsynthpop-categorical
Submission Timestamp	5/8/2023 6:58:34
Algorithm Name	catall
Target Dataset	national2019
Variant Label	e=10 d=0 rand=True
Epsilon	10
Delta	0
Submission Number	1
Algorithm Type	histogram
Library Name	rsynthpop
Feature Set Name	demographic-focused
Privacy Category	dp
Deid Data Id	018dc6c3b312249a2bc4b2b4d30d630aa720c1e9
Features List	AGEP, SEX, MSP, RAC1P, HOUSING_TYPE, OWN_RENT, EDU, PINCP_DECILE, DVET, DEYE
Privacy Label Detail	The DP versions are differentially private conditional on 1) the known sample size 2) knowledge of the data structure and the cells presumed to be structural zeros in the table.
Research Papers	https://doi.org/10.48550/arXiv.2206.01362

Property	Value
Filename	catall_e_10_demographic_GRaab
Records	27253
Features	10

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	national2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	industry-focused
Privacy Category	non_dp
Deid Data Id	352b339e5b0fa33c5fc4ebba2a989d51e4560137
Features List	PUMA, SEX, MSP, HISP, RAC1P, OWN_RENT, INDP_CAT, EDU, PINCP_DECILE
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_industry_na2019
Records	27253
Features	9

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	ma2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	industry-focused
Privacy Category	non_dp
Deid Data Id	dde7ecbf0a1e39a35314e638f2fe6f55cf68fe4
Features List	PUMA, SEX, MSP, HISP, RAC1P, OWN_RENT, INDP_CAT, EDU, PINCP_DECILE
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_industry_ma2019
Records	7634
Features	9

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	tx2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	industry-focused
Privacy Category	non_dp
Deid Data Id	fd01386fdbd0cb1c199f4371c150119e5e6929965
Features List	PUMA, SEX, MSP, HISP, RAC1P, OWN_RENT, INDP_CAT, EDU, PINCP_DECILE
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_industry_tx2019
Records	9276
Features	9

| cart || maxfaclevels: 503:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	ma2019
Variant Label	maxfaclevels: 503
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	family-focused
Privacy Category	non_dp
Deid Data Id	cfab4701ef5d6703799d49b7e1e76cd6913d234e
Features List	PUMA, AGEP, SEX, MSP, HISP, RAC1P, NOC, NPF, OWN_RENT, PINCP_DECILE, POVPPIP
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_family_maxfaclevels_503_ma2019
Records	7634
Features	11

| cart || maxfaclevels: 503:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	national2019
Variant Label	maxfaclevels: 503
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	family-focused
Privacy Category	non_dp
Deid Data Id	38123cd5570ee2a6ca7384332d11110881819a6c
Features List	PUMA, AGEP, SEX, MSP, HISP, RAC1P, NOC, NPF, OWN_RENT, PINCP_DECILE, POVPPIP
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_family_maxfaclevels_503_na2019
Records	27253
Features	11

| cart || maxfaclevels: 503:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	tx2019
Variant Label	maxfaclevels: 503
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	family-focused
Privacy Category	non_dp
Deid Data Id	4b1de23fcba43d8510e0f7e8f9e0417725d19d05
Features List	PUMA, AGEP, SEX, MSP, HISP, RAC1P, NOC, NPF, OWN_RENT, PINCP_DECILE, POVPPIP
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_family_maxfaclevels_503_tx2019
Records	9276
Features	11

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	ma2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	custom-features-21
Privacy Category	non_dp
Deid Data Id	79503534807a125162e042e3316ff2468924152a
Features List	PUMA, AGEP, SEX, MSP, HISP, RAC1P, NOC, NPF, HOUSING_TYPE, OWN_RENT, INDP, INDP_CAT, EDU, PINCP, PINCP_DECILE, POVPIP, DVET, DREM, DPHY, DEYE, DEAR
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_cf21_ma2019
Records	7634
Features	21

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	national2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	custom-features-21
Privacy Category	non_dp
Deid Data Id	a4e947b700c619f808cb68ec50472a503b5c337c
Features List	PUMA, AGEP, SEX, MSP, HISP, RAC1P, NOC, NPF, HOUSING_TYPE, OWN_RENT, INDP, INDP_CAT, EDU, PINCP, PINCP_DECILE, POVPIP, DVET, DREM, DPHY, DEYE, DEAR
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_cf21_na2019
Records	27253
Features	21

| cart || maxfaclevels: 300:

Label Name	Label Value
Algorithm Name	cart
Target Dataset	tx2019
Variant Label	maxfaclevels: 300
Algorithm Type	stat model
Library Name	rsynthpop
Feature Set Name	custom-features-21
Privacy Category	non_dp
Deid Data Id	301ccb28923a699a1ae17186eb42b7f187846f8e
Features List	PUMA, AGEP, SEX, MSP, HISP, RAC1P, NOC, NPF, HOUSING_TYPE, OWN_RENT, INDP, INDP_CAT, EDU, PINCP, PINCP_DECILE, POVPPIP, DVET, DREM, DPHY, DEYE, DEAR
Privacy Label Detail	Non-differentially private synthetic data. Produced using a fully conditional multiple imputation algorithm comprised of a sequence of decision trees trained on the target data. Each feature value in a given record is synthesized one at a time: the values of the preceding synthesized features are fed into the decision tree trained to predict the current feature.
Submission Timestamp	5/20/2023 00:00:00
Team	CRC
Research Papers	https://doi.org/10.18637/jss.v074.i11

Property	Value
Filename	cart_cf21_tx2019
Records	9276
Features	21

Appendix

Data Dictionary:

PUMA: Public use microdata area code:

PUMA Code	Code Description
25-00503	Middlesex County--Waltham City, Lexington, Burlington, Bedford & Lincoln Towns
25-00703	Essex County (East)--Salem, Beverly, Gloucester & Newburyport Cities
25-01000	Peabody City, Danvers, Reading, North Reading & Lynnfield Towns
25-01300	Billerica, Andover, Tewksbury & Wilmington Towns
25-02800	Woburn, Melrose Cities, Saugus, Wakefield & Stoneham Towns
48-02510	Tarrant County (North)--North Richland Hills (North) & Keller Cities
48-02102	Johnson County
48-02101	Ellis County
48-02515	Tarrant County (West)--Fort Worth City (West)
48-02507	Tarrant County (East)--Arlington City (West)--South of I-30 & East of Loop I-820
48-02516	Tarrant County (Southwest)--Fort Worth (Southwest) & Benbrook Cities
01-01301	Birmingham City (West)
06-07502	San Francisco County (North & East)--North Beach & Chinatown
06-08507	Santa Clara County (Southwest)--Cupertino, Saratoga Cities & Los Gatos Town
08-00803	Boulder County (Central)--Boulder City
13-04600	Atlanta Regional Commission--Fulton County (Central)--Atlanta City (Central)
17-03529	Chicago City (South)--South Shore, Hyde Park, Woodlawn, Grand Boulevard & Douglas
17-03531	Chicago City (South)--Auburn Gresham, Roseland, Chatham, Avalon Park & Burnside
19-01700	Des Moines City
24-01004	Montgomery County (South)--Bethesda, Potomac & North Bethesda
26-02702	Washtenaw County (East Central)--Ann Arbor City Area
28-01100	Central Region--Jackson City (East & Central)
29-01901	St. Louis City (North)
30-00600	East Montana (Outside Billings City)
32-00405	Las Vegas City (Southeast)
36-03710	NYC-Bronx Community District 1 & 2--Hunts Point, Longwood & Melrose
36-04010	NYC-Brooklyn Community District 17--East Flatbush, Farragut & Rugby
38-00100	West North Dakota--Minot City
40-00200	Cherokee, Sequoyah & Adair Counties
51-01301	Arlington County (North)
51-51255	Alexandria City

AGEP: Person's age:

AGEP Code	Code Description
min	0
max	99

SEX: Person's gender:

SEX Code	Code Description
1	Male
2	Female

MSP: Marital Status:

MSP Code	Code Description
N	N/A (age less than 15 years)
1	Now married, spouse present
2	Now Married, spouse absent
3	Widowed
4	Divorced
5	Separated
6	Never married

HISP: Hispanic origin:

HISP Code	Code Description
0	Not Spanish/Hispanic/Latino
1	Mexican
2	Puerto Rican
3	Cuban
4	All other Spanish/Hispanic/Latino

RAC1P: Person's Race:

RAC1P Code	Code Description
1	White alone
2	Black or African American alone
3	American Indian alone
4	Alaska Native alone
5	American Indian and Alaska Native tribes specified; or American Indian or Alaska Native, not specified and no other races
6	Asian alone
7	Native Hawaiian and Other Pacific Islander alone
8	Some Other Race alone
9	Two or More Races

NOC: Number of own children in household (unweighted):

NOC Code	Code Description
N	N/A (GQ/vacant)
0	No own children
min	1
max	19

NPF: Number of persons in family (unweighted):

NPF Code	Code Description
N	N/A (GQ/vacant/non-family household)
min	2
max	20

HOUSING_TYPE: Housing unit or group quarters:

HOUSING_TYPE Code	Code Description
1	Housing Unit
2	Institutional Group Quarters
3	Non-institutional Group Quarters

OWN_RENT: Housing unit rented or owned:

OWN_RENT Code	Code Description
0	Group quarters
1	Own housing unit
2	Rent housing unit

DENSITY: Population density among residents of each PUMA:

DENSITY Code	Code Description
min	16.3
max	52864.7

Density Bin: 0 | Bin Range: (0, 150]

PUMA	DENSITY	PUMA NAME
30-00600	16.3	East Montana (Outside Billings City)
38-00100	73.0	West North Dakota--Minot City
40-00200	90.7	Cherokee, Sequoyah & Adair Counties

Density Bin: 2 | Bin Range: (309.67, 475.62]

PUMA	DENSITY	PUMA NAME
48-02101	357.4	Ellis County
48-02102	450.9	Johnson County

Density Bin: 5 | Bin Range: (1121.99, 1723.27]

PUMA	DENSITY	PUMA NAME
25-01300	1457.2	Billerica, Andover, Tewksbury & Wilmington Towns
48-02516	1338.4	Tarrant County (Southwest)--Fort Worth (Southwest) & Benbrook Cities

Density Bin: 6 | Bin Range: (1723.27, 2646.76]

PUMA	DENSITY	PUMA NAME
25-00703	2195.3	Essex County (East)--Salem, Beverly, Gloucester & Newburyport Cities
25-01000	2447.1	Peabody City, Danvers, Reading, North Reading & Lynnfield Towns
48-02515	2134.8	Tarrant County (West)--Fort Worth City (West)

Density Bin: 7 | Bin Range: (2646.76, 4065.16]

PUMA	DENSITY	PUMA NAME
01-01301	2731.2	Birmingham City (West)
06-08507	3305.1	Santa Clara County (Southwest)--Cupertino, Saratoga Cities & Los Gatos Town
08-00803	3393.2	Boulder County (Central)--Boulder City
13-04600	3670.4	Atlanta Regional Commission--Fulton County (Central)--Atlanta City (Central)
19-01700	3572.3	Des Moines City
25-00503	2872.7	Middlesex County--Waltham City, Lexington, Burlington, Bedford & Lincoln Towns
25-02800	3683.9	Woburn, Melrose Cities, Saugus, Wakefield & Stoneham Towns
28-01100	2674.3	Central Region--Jackson City (East & Central)
48-02507	3731.1	Tarrant County (East)--Arlington City (West)--South of I-30 & East of Loop I-820
48-02510	3092.4	Tarrant County (North)--North Richland Hills (North) & Keller Cities

Density Bin: 8 | Bin Range: (4065.16, 6243.68]

PUMA	DENSITY	PUMA NAME
24-01004	4187.9	Montgomery County (South)--Bethesda, Potomac & North Bethesda
26-02702	4817.2	Washtenaw County (East Central)--Ann Arbor City Area
29-01901	5434.8	St. Louis City (North)

Density Bin: 9 | Bin Range: (6243.68, 9589.66]

PUMA	DENSITY	PUMA NAME
32-00405	7990.5	Las Vegas City (Southeast)

Density Bin: 10 | Bin Range: (9589.66, 14728.75]

PUMA	DENSITY	PUMA NAME
17-03531	11171.6	Chicago City (South)--Auburn Gresham, Roseland, Chatham, Avalon Park & Burnside
51-01301	11162.8	Arlington County (North)
51-51255	11224.3	Alexandria City

Density Bin: 11 | Bin Range: (14728.75, 22621.88]

PUMA	DENSITY	PUMA NAME
17-03529	15097.5	Chicago City (South)--South Shore, Hyde Park, Woodlawn, Grand Boulevard & Douglas

Density Bin: 12 | Bin Range: (22621.88, 34744.92]

PUMA	DENSITY	PUMA NAME
06-07502	33632.6	San Francisco County (North & East)- -North Beach & Chinatown

Density Bin: 13 | Bin Range: (34744.92, 53364.7]

PUMA	DENSITY	PUMA NAME
36-03710	52864.7	NYC-Bronx Community District 1 & 2- -Hunts Point, Longwood & Melrose
36-04010	50441.6	NYC-Brooklyn Community District 17- -East Flatbush, Farragut & Rugby

INDP: Industry codes:

[See codes in ACS data dictionary](#). Find codes by searching the string: INDP, in the ACS data dictionary

INDP_CAT: Industry categories:

INDP_CAT Code	Code Description
N	N/A (less than 16 years old, or last worked more than 5 years ago, or never worked)
0	AGR: Agriculture, Forestry, Fishing and Hunting
1	EXT: Mining, Quarrying, and Oil and Gas Extraction
2	UTL: Utilities
3	CON: Construction
4	MFG: Manufacturing
5	WHL: Wholesale Trade
6	RET: Retail Trade
7	TRN: Transportation and Warehousing
8	INF: Information
9	FIN: Finance, Insurance, Real Estate
10	PRF: Professional, Scientific and Technical Services
11	EDU: Educational Services
12	MED: Health Care
13	SCA: Social Assistance
14	ENT: Arts, Entertainment, Accommodation, Food Services and Recreation
15	SRV: Other Services
16	ADM: Government, Public Administration
17	MIL: Military
18	UNEMPLOYED

EDU: Educational attainment:

EDU Code	Code Description
N	N/A (less than 3 years old)
1	No schooling completed
2	Nursery school, Preschool, or Kindergarten
3	Grade 1 to grade 8
4	Grade 9 to grade 12, no diploma
5	High School diploma
6	GED
7	Some College, no degree
8	Associate degree
9	Bachelors degree
10	Masters degree
11	Professional degree
12	Doctorate degree

PINCP: Person's total income in dollars:

PINCP Code	Code Description
N	N/A (less than 15 years old)
min	-9000
max	1341000

PINCP_DECILE: Person's total income rank (with respect to their state) discretized into 10% bins.:

PINCP_DECILE Code	Code Description
N	N/A (less than 15 years old)
9	90th percentile
8	80th percentile
7	70th percentile
6	60th percentile
5	50th percentile
4	40th percentile
3	30th percentile
2	20th percentile
1	10th percentile
0	0th percentile

POVPIP: Income-to-poverty ratio (ex: 250 = 2.5 x poverty line):

POVPIP Code	Code Description
N	N/A
min	0
max	500
501	income above 5 x poverty line

DVET: Veteran service connected disability rating (percentage):

DVET Code	Code Description
N	N/A (No service-connected disability/never served in military)
1	0 percent
2	10 or 20 percent
3	30 or 40 percent
4	50 or 60 percent
5	70, 80, 90 or 100 percent
6	Not reported

DREM: Cognitive difficulty:

DREM Code	Code Description
N	N/A (Less than 5 years old)
1	Yes
2	No

DPHY: Ambulatory (walking) difficulty:

DPHY Code	Code Description
N	N/A (Less than 5 years old)
1	Yes
2	No

DEYE: Vision difficulty:

DEYE Code	Code Description
1	Yes
2	No

DEAR: Hearing difficulty:

DEAR Code	Code Description
1	Yes
2	No

WGTP: Housing unit sampling weight:

[See description of weights.](#)

WGTP Code	Code Description
0	Group quarters place holder record
min	1
max	9999

PWGTP: Person's sampling weight:

[See description of weights.](#)

PWGTP Code	Code Description
min	1
max	9999