

Making of a Sole Survivor

Uygar Sozer

3/26/2021



Motivation

As I was winding down after the finals week watching *Survivor: Africa*, which marks the 22nd season I have seen of the reality TV competition series Survivor, I was once again theorizing about who among the cast was going to make it to the top this time around. As a fan of this show, I get very invested in trying to figure out the logic that underlies the personal relationships and strategic moves in the game, all for the sole purpose of making it to the end and getting a shot at winning the \$1 million cash prize.

The reason why I love this show so much is that the game environment exposes so much about our psyche, and as with anything involving human psychology, what happens in the game is always so unpredictable. My personal goal embarking on this project was to determine what among the laundry list of “good qualities” of a winner are most influential in snatching the title at the end.

I. *Survivor US*

Survivor is a popular show and it's easy to understand why. The rules of the game are very simple, it's a proven formula, and it keeps the fans of the show coming back for more. As with any other TV series finishing up their 40th season, there are only a handful aspects of the game left that show producers haven't tried to tinker with over the course of the last 20 years to keep things fresh. But the base rules are the same.

16 to 20 castaways are placed in a remote location and divided up into tribes. The goal? Making it to the end of the 39 days of the game without getting voted off, whether that is through winning immunity challenges to keep you safe from votes, or forging alliances to vote with, not against, you. At the end of the 39 days, only 3 (or 2) survivors stand to make their case to the jury as to why they should claim the title of sole survivor and the \$1 million prize. This is where it gets interesting. The jury is 7-10 castaways that were most recently voted out of the tribe. So your job as a finalist now is to convince the people you had a hand in voting out why they should write you in as their winner.



In this project I decided to solely focus on the finalists of the game, the two or three survivors standing at the end with different (or similar) styles of game play. When the power shifts to the jury, what are the qualities of a finalist that helps or hinders them in their pursuit of winning the game? Is it possible to quantify aspects of how these finalists played the game that would allow me to objectively compare them to each other, regardless of what season they come from?

II. Descriptive statistics, feature engineering

Data was obtained from `survivoR` package in R, available at the public Github repo `doehm/survivoR`.

Feature selection was a crucial part of deciding what my approach was going to be. **An exciting example** from 2017 attempts to encode each castaway by “behavioral vectors” to predict the winner, and focuses on the entirety of the season cast. For my case, I wasn't fully comfortable with manual data imputation.

First of all, interpretation of behavior and emotions is very subjective, e.g. I might think a castaway was particularly “lazy” and “boastful” on an episode, while another person could watch the same episode and come up with the opposite conclusions. Second, the way castaways are depicted are highly dependent on the editing of the show. Portrayal of the eventual winner vs. an early exit are ultimately decisions from the post-production edit suite. If we were to interpret behavior through the lens that the show producers provide us, our independent variables are most likely going to be not so independent. So, I decided that it was best if I kept to the objective truth only.


Finally, I kept my analysis for the finalists only. It is no secret among Survivor fans and former castaways that *luck* perhaps plays a larger role in people making it to the final than we would have liked. Thus, it is

almost a “clean slate” approach to just focus on the final tribal council; castaways make it to the end one way or another and we just take that as our starting point.

Primary features

Here are the primary features that I considered:

- **Age:** Instead of using raw age, I took Z-scores of ages within each season. So it would be more accurately called ‘relative age within season’.
- **Immunity idols won (necklaces):** This was one of the variables I was personally curious about, because there have been winners that were very dominant in the challenges and won lots of immunity idols, but many winners famously have won without getting a single immunity idol (one particular castaway managed it twice).



The age distribution is identical for finalists and jury, but the distribution of the immunity idols suggest that most finalists have won the idol at least once, whereas majority of the jury members never had.

- **Appearance:** Many previous contestants return to play other seasons, and being a returning player might influence jury’s decision to award you with the title, depending on if they view it positively or not. Especially in season where half of the cast is new and half has played before, previous experience, both in survival and in social situations, could also be another factor that affects the game in a major way.
- **Date of final tribal council:** I have access to filming dates that each season. The exact date of day 39 of each season, which is when the jury votes for a winner, could be used to control for seasonalities, but I did not attempt that here.

Derived features

- **Original tribe representation** (`prevtribe_jury`): This feature looks at the importance of day 1 bonds; it is the percentage of jury members who were in the same tribe as the finalist. In season 1 of Survivor, after the tribe merger happened, the former Tagi tribe fully eliminated the opposing Pagong tribe to become the final 5 standing. This the first instance (duh) of what fans now call “Pagonging”. In a Pagonged season, all finalists will have the same number for this variable, since they come from the same tribe. But what happens when opposing tribe members make it to the end?

The next two features incorporate finalists’ voting histories. `survivorR` package also has a voting history table, through which I was able to extract a matrix of “vote vectors” for each jury member and finalist per each season.

Here is what these matrices look like for episodes 8 through 14 of season 6: The Amazon for the two finalists, Jenna and Matthew.

	8	9	10	11	12	13	14
Matthew	Dave	Deena	Alex	Christy	Heidi	Butch	NA
Jenna	Dave	Deena	Matthew	Christy	Rob	Butch	Rob

We have the same table for the jury members as well.

	8	9	10	11	12	13	14
Dave	Matthew	NA	NA	NA	NA	NA	NA
Deena	Dave	Alex	NA	NA	NA	NA	NA
Alex	Dave	Deena	Matthew	NA	NA	NA	NA
Christy	Dave	Alex	Alex	Jenna	NA	NA	NA
Heidi	Dave	Deena	Matthew	Christy	Rob	NA	NA
Butch	Dave	Deena	Alex	Jenna	Heidi	Rob	NA
Rob	Dave	Deena	Alex	Christy	Heidi	Butch	NA


The following features compare the finalists with the jury matrix in two different ways.

- **Jury similarity index** (`jury_simil`): This variable quantifies how similar the finalist voted compared to the jury members. The idea is that if the similarity index is high, that means the finalist was likely in alliances with the jury members or simply aligning interests with them. How does clashing or matching voting histories affect jury’s decision? In calculation, `jury_simil` is the average Jaccard index between a finalist and each jury member.
- **Majority vote percentage** (`majorityvote`): The idea for this variable came from the final trouble council at Season 33 when a finalist was asked by a jury member how many times she was a part of the majority vote. How I interpret this is that if your vote belonged to the majority’s most of the time, then you likely had a good grasp of the game, command over tribe mates and successful alliance management. How does the jury value being the dominant force vs. the underdog?

III. Clustering

Just for the fun of it, since I have all this normalized data now, I decided to see if I can come up with a cluster solution that could help me gain some insight as to how I can group these finalists together.

I used k-means clustering algorithm and chose the number of clusters according to the highest pseudo- F statistic, which occurred at $K = 4$.



Here's my attempt at profiling each of these clusters.

1. This is a cluster of young finalists who came to the final collecting tons of individual immunities. Example: Kelly from Borneo, Fabio from Nicaragua
2. These finalists were probably in the majority most of their time and as a result, voted very much like the jury members who were probably in the finalist's alliance. Example: Amanda & Parvati from Micronesia, Rob from Redemption Island
3. Players who didn't win many individual immunities and relied on their alliances to carry them through. Example: Courtney from China, Sandra from Pearl Islands
4. Older returning players who made tons of big moves against the majority and voted against most of the jury members. Example: Russell & Parvati from Heroes v Villains

cluster	winrate	mean_season
1	0.5200000	22.44000
2	0.2857143	15.19048
3	0.4444444	21.86111
4	0.2173913	28.39130

Surprisingly, or unsurprisingly, real life data says clusters 1 and 3 became more successful in their quest to win the show. It is interesting that these two clusters have the highest and the lowest mean of individual immunities won, respectively.


Another interesting statistic to look at is the “mean season number” for each of the clusters, which could serve as an estimation to which player type is more old school vs. modern. Older returning players at cluster 4 is the “most recent” type, whereas we do not run into players like the ones that belong to cluster 2 as much anymore.


One other immediate question that popped into my head was how often do the 2 or 3 finalists of each season end up belonging to the same cluster.

final_tribal	count
All different	18
All same	9
One different (F3)	13

Out of 40 seasons of the show, only 9 seasons featured a final 2 or 3 of the same cluster. Neat! An indication that finalists usually do have different strategies from each other.

Just to test the validity of my solution, I did dimensionality reduction through PCA, plotted the PC-scores and individually colored the clusters. Think of these coordinates as representing everybody by some “distilled score” of 3 numbers, each representing a different aspect of their data. These scores are centered at 0, so 0 means average.





2D plots are kind of like looking at two different sides of a cube, and then the 3D plots offer another perspective. Clusters 3 and 4 (in blue and purple) are well-clustered, while 1 and 2 appear highly variable.

It could be interesting to include clusters we found in the predictive model, but for now I'll trust that any information we glean from the cluster solution is already included in the raw data. Now, onto the exciting stuff.

IV. Modeling


All statistical learning models were selected and tuned through n -fold cross validation. Here was the algorithm: The model is trained on finalists from all seasons but one. The predicted probabilities of winning for the left-out season finalists are obtained from the trained model, and the person with the highest probability in the final 2 or final 3 is declared the winner.

I considered various models but eventually landed on a neural network with logistic outputs. I ran into issues with nonlinear models like boosted trees and k-nearest neighbors where the model was yielding equal win probabilities and hence predicting multiple winners per season. Neural network predictions did not have the same issue. I used the `nnet` package to fit the model.

Now, what can we learn from it? We can look at relative feature importance to see which variables have the largest contribution in predictions. I'll use `caret` package, which uses Recursive Feature Elimination (RFE) to determine the importance measures.

	Overall
age	26.012273
majorityvote	22.647441
necklaces	19.420558
jury_simil	16.423839
appearance	6.419513
returning1	5.252020
prevtribe_jury	3.824356

And we can also use partial dependence plots (I use ALE plots here) to see the isolated effects of each variable.



It is slightly annoying to interpret the variables since the scales are normalized, but we can look at the curve to provide some explanations.

- **Age** follows a roughly linear trajectory, meaning younger finalists are more likely to win the show.
- **majorityvote** has a very interesting curve. Win probability is maximized at a little below the average and sharply declines as **majorityvote** approaches 1. The way I see it is that players who didn't always vote with the majority are favored, but not to the extent where the percentage is extremely low (if a finalist never knew what was going on and always voted against the crowd, that's viewed negatively.) But when the percentage is too high, close to 100%, then the finalist is probably viewed by the jury as cunning and devious which also works against the finalist's favor.
- **Number of immunity idols (necklaces)** was probably the most surprising here, where fewer idols didn't have a positive effect (if you see the scale for x_2 (**necklaces**), main effect at y-axis at the lower end is 0) but more idols hurt the finalists' chances.
- **Appearance** didn't appear to be one of the more important variables, and it is most likely heavily influenced by one particular data point for Season 22 when Rob "Boston Rob" Mariano won Survivor on his 4th try.

V. Bootstrap estimates

Now that I have my model tuned, I can repeat this a bunch of times! For each season, I will generate 10000 predictions of who the winner is going to be, with a model trained on a resampling with replacement of the 39 other seasons. That is a whopping 400,000 neural networks fit! Thankfully I was able to set up this code to run on the MSiA servers overnight.

Winner	Season	Predicted%
Chris Daugherty	9: Vanuatu	91.6
Ethan Zohn	3: Africa	88.0
Jenna Morasca	6: The Amazon	87.2
Sandra Diaz-Twine	7: Pearl Islands	82.0
J.T. Thomas	18: The Tocantins	79.9

Winner	Season	Predicted%
Jeremy Collins	31: Cambodia - Second Chance	4.5
Yul Kwon	13: Cook Islands	8.7
Tony Vlachos	28: Cagayan	12.7
Bob Crowley	17: Gabon	13.3
Richard Hatch	1: Borneo	14.1

How should we interpret these results? The way I look at it is, since the predictions for each season are done using a model trained on the other 39, a high **predicted%** indicates that the way the finalist played “a textbook game”. The model says Chris from Vanuatu or Ethan from Africa had a gamestyle possibly similar to those we saw before, and the previous contestants that played like they did usually won.

For Jeremy and Yul, the opposite. They were possibly in the finals with a textbook contestant, and the model saw Jeremy winning only 450 out of 10000 simulations of the season. Against all odds, these winners were able to claim the title in the end.

Another interesting table to look at is the non-winners with the highest **predicted%**.

Non-winner finalist	Season	Predicted%
Spencer Bledsoe	31: Cambodia - Second Chance	91.5
Woo Hwang	28: Cagayan	87.3
Kelly Wiglesworth	1: Borneo	85.9
Sugar Kiper	17: Gabon	83.9
Colby Donaldson	2: The Australian Outback	76.2

The model says these shoo-ins could not convince the jury. Kelly and Colby came to the end with lots of immunity idols won along the way, but they lost. For Spencer and Woo, it is hard to tell. Woo was likely favored due to the fact that he was in the majority vote most of the time, and Spencer was relatively young at 23 when he played in *Season 31: Cambodia - Second Chance*, a returning player season with most contestants in their 30s and 40s.

Conclusions

This exercise was less about building the best predictive model to help me hit the jackpot at **bets.com** for season 41, and more about coming to understand various intricacies of gameplay and strategy within the realm of my favorite TV show. Normally, I don’t care much to interpret what a statistical model predicts

a historical datapoint, but in the case of this particular dataset, one datapoint is a 13-episode season with story arcs, big personalities and iconic challenges, so reviewing the output of my n-fold cross validation was actually enjoyable for once. I feel like I gained some understanding as to what some past winners had to set them apart from the rest, and how each of these winners fit in (and not fit in) with each other.

Two big missing variables for me here are race and gender. In my personal opinion, demographics undoubtedly play a huge role in the personal relationships that the castaways form, just like in real life. I would love to repeat the analysis in the future with some demographic data as well to see if it improves the correct classification rate at all.

In any case, you can find me watching Survivor in my Engelhart apartment until I finish all 40 seasons.