



GLYCOL CHILLER



CAUTION - Risk of Fire or Explosion.

Failure to follow this safety information can cause a fire hazard.

SAFETY INFORMATION

1. When transporting, keep level and lift from the base.
2. Never tip the unit on its side or upside down. This will void the warranty as it will damage the electronics.
3. Always operate on a flat surface in a well-ventilated environment.
4. Keep the sides of the unit where the vents are located, at least 20cm (7.8") clear of any objects as it requires uninterrupted airflow to operate.
5. Avoid getting any liquid on the control touch panel.
6. Use food grade propylene glycol. Seek glycol manufacturers specifications for more information.
7. Do not store explosive substances such as aerosol cans with a flammable propellant on or in this appliance.
8. **WARNING** - Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
9. **WARNING** - Do not damage the refrigerant circuit.
10. This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
11. **CAUTION** - Risk of Electric Shock. If the cord or plug becomes damaged, replace only with a cord and plug of the same type.
12. **CAUTION** - Avoid any act of moving and handling of the chiller/refrigerator/freezer that may cause damage to the refrigerant tubing or increase the risk of a leak.

MAINTENANCE

1. Turn off chiller before cleaning.
2. Regularly clean the ventilation louvres using a soft brush.
3. DO NOT clean the stainless steel or plastic casing with a wire brush or steel wool.
4. Use water or washing liquid that does not contain alkali or chlorine.
5. DO NOT spray water onto ventilation louvres.
6. Regularly check the glycol mixture level to make sure it is not too low. For optimal performance it is recommended to replace the glycol mixture every 6 months.