


API Testing for petstore:

Folder Structure:



Model : Pet.java

```
package model;
```

```
public class Pet {
```

```
private long id;
private String name;
private String status;

public Pet() {
}

public Pet(long id, String name, String status) {
    this.id = id;
    this.name = name;
    this.status = status;
}

public long getId() {
    return id;
}

public String getName() {
    return name;
}

public String getStatus() {
    return status;
}

public void setId(long id) {
    this.id = id;
}

public void setName(String name) {
    this.name = name;
}

public void setStatus(String status) {
    this.status = status;
}

@Override
public String toString() {
    return "Pet{" +
        "id=" + id +
```

```

        ", name=" + name + "\" +
        ", status=" + status + "\" +
        '};
    }
}

```

SpecFactory : request and response specifications

SpecFactory.java

```

package spec;

import io.restassured.builder.RequestSpecBuilder;
import io.restassured.builder.ResponseSpecBuilder;
import io.restassured.http.ContentType;
import io.restassured.specification.RequestSpecification;
import io.restassured.specification.ResponseSpecification;

public final class SpecFactory {

    private SpecFactory() {
    }

    public static RequestSpecification requestSpec() {
        return new RequestSpecBuilder()
            .setBaseUri("https://petstore.swagger.io")
            .setBasePath("/v2")
            .setContentType(ContentType.JSON)
            .build();
    }

    public static ResponseSpecification success200() {
        return new ResponseSpecBuilder()
            .expectStatusCode(200)
            .expectContentType(ContentType.JSON)
            .build();
    }
}

```

```

public static ResponseSpecification success201() {
    return new ResponseSpecBuilder()
        .expectStatusCode(201)
        .expectContentType(ContentType.JSON)
        .build();
}

public static ResponseSpecification success204() {
    return new ResponseSpecBuilder()
        .expectStatusCode(204)
        .build();
}
}

```

PetstoreApiTests.java

```

package tests;

import io.restassured.response.Response;
import model.Pet;
import org.junit.jupiter.api.Test;
import org.junit.jupiter.params.ParameterizedTest;
import org.junit.jupiter.params.provider.ValueSource;
import spec.SpecFactory;

import static io.restassured.RestAssured.given;
import static org.junit.jupiter.api.Assertions.*;

public class PetstoreApiTests {

    @Test
    void getSinglePet() {

        Response response =
            given()
                .spec(SpecFactory.requestSpec())
                .when()
                .get("/pet/1");
    }
}

```

```
response.then()
    .spec(SpecFactory.success200());

assertNotNull(response.jsonPath().getString("name"));
}
```

```
@Test
void createPet() {

    long id = System.currentTimeMillis() / 1000;
    Pet pet = new Pet(id, "Fluffy", "available");
```

```
    Response response =
        given()
            .spec(SpecFactory.requestSpec())
            .body(pet)
            .when()
            .post("/pet");
```

```
response.then()
    .spec(SpecFactory.success200());

assertEquals(
    "Fluffy",
    response.jsonPath().getString("name"));
}
```

```
@Test
void findPetByStatus() {
```

```
    Response response =
        given()
            .spec(SpecFactory.requestSpec())
            .queryParam("status", "available")
            .when()
            .get("/pet/findByStatus");
```

```
response.then()
    .spec(SpecFactory.success200());
```

```
int size = response.jsonPath().getList("$").size();
```

```

        assertTrue(size >= 0);
    }

    @Test
    void validateHeaders() {

        Response response =
            given()
                .spec(SpecFactory.requestSpec())
                .when()
                .get("/pet/1");

        response.then()
            .spec(SpecFactory.success200());

        assertTrue(
            response.getHeader("Content-Type")
                .contains("application/json"));
    }

    @Test
    void validateResponseTime() {

        Response response =
            given()
                .spec(SpecFactory.requestSpec())
                .when()
                .get("/store/inventory");

        assertTrue(response.time() < 5000);
    }
}

```

Petstoreapitest: test to get and post something

