

Nykaa UI Automation Assessment

Project Overview

This project automates basic UI functionality of the Shoppers Stop website using Playwright with TypeScript.

Website:

<https://www.nykaa.com/>

Framework:

- Playwright
 - TypeScript
 - Page Object Model (POM)
-

Objective

To automate search functionality by implementing:

- One Positive Scenario
 - One Negative Scenario
-

Project Structure

Pages/

- HomePage.ts
- SearchResultsPage.ts

Tests/


- positiveSearch.spec.ts
- negativeSearch.spec.ts

playwright.config.ts

package.json

tsconfig.json

Screenshot of Project Structure:



Test Scenarios

Positive Scenario

1. Launch Nykaa website.
2. Verify home page is loaded.
3. Enter a valid search keyword.
4. Perform search.
5. Verify search results are displayed.

Expected Result:

Relevant search results should be displayed successfully.

Negative Scenario

1. Launch Nykaa website.
2. Enter an invalid search keyword.
3. Perform search.
4. Verify no matching products are displayed.

Expected Result:

Appropriate no-results message should be displayed.

Automation Design

HomePage

Contains reusable methods for:

- Opening application
- Searching products
- Verifying homepage
- Verifying search results

Search Tests

Contains:

- Positive Search Test
 - Negative Search Test
-

Assertions Implemented

The following validations are performed:

- Page Title Validation
 - URL Validation
 - Search Result Validation
 - No Result Validation
-

Test Execution

Command Used:

`npx playwright test`

Screenshot of the Terminal:

A screenshot of a Visual Studio Code terminal window. The terminal has tabs for PROBLEMS (1), OUTPUT, DEBUG CONSOLE, TERMINAL (active), PORTS, and PLAYWRIGHT. The command prompt shows the path C:\Users\299172\Documents\Playwright_test_UI> and the command npx playwright test. The output indicates that 2 tests were run using 2 workers, and all 2 tests passed in 31.1 seconds. It also provides instructions to open the last HTML report by running npx playwright show-report. The status bar at the bottom shows the current line and column (Ln 18, Col 5), the number of spaces (4), the encoding (UTF-8), the line ending (CRLF), and the file type (TypeScript).

```
PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL PORTS PLAYWRIGHT
C:\Users\299172\Documents\Playwright_test_UI>npx playwright test

Running 2 tests using 2 workers
  2 passed (31.1s)

To open last HTML report run:

  npx playwright show-report

C:\Users\299172\Documents\Playwright_test_UI>
```

Result

The automated test cases were executed successfully using Playwright and TypeScript.

Implemented Features:

- Navigation using page.goto()
- Element identification using locators
- User interactions using fill() and press()
- Assertions using expect()
- Proper async/await implementation
- Page Object Model design

All planned test scenarios executed successfully.