

UI Automation Test Report

Practice Team Assessment

Purpose and details of document

The purpose of document is to document the objectives, environment setup, framework, test cases covered, results and conclusions of an API testing using rest assured.

Prepared By: Muhammed Ali M A

Date: 29-June-2026

GitHub Repository (Test Code) : <https://github.com/ust-sdet-training/SDET>

Branch: muhammed_assesement_29Jun26

Assessment: UI Automation using Selenium Cucumber.

1. Objective & User Story

Objective

The objective of the Test Project is to validate a REST API functionality of the website using Rest Assured.

The automation test is used to test the scenarios that given in the assessment.

The automation test will be coded to be reusable, maintainable and easily understandable. For this POJO model must be followed. Instead of POJO we are using POJO with record in models instead of classes in models.

User story

As a traveller, I want to search for available buses between two cities for a selected date so that I can view and evaluate travel options based on my requirements.

Acceptance Criteria

The user should be able to enter valid source and destination cities and select them from suggested options. The user should be able to select a future journey date. On initiating search, the system should display a list of available buses. Each result should display:

Bus operator name, Departure and arrival timings, Fare, Available seat count (if applicable)

The user should be able to apply filters (e.g., AC, Sleeper) and see refined results.

The system should dynamically update results when filters are applied.

The user should be able to view seat details for a selected bus.

Flow Under Test as Scenario

Question 1: Search A Bus

1. Scenario: Search A Bus
2. I set the source location chennai
3. I set the destination to banglore
4. Select the date
5. I hit the search
6. I take the first bus card
7. I checked the Bus driver is there
8. I checked Departure and Arival time is there
9. I checked available seat count is there
10. I set the filter AC
11. I checked the result has AC
12. I check whether the seat details is there

3. Environment & Setup

Test Details

Application URL - Configured through Config.java

Framework - Selenium WebDriver

Language - Java 22

Build Tool - Maven

Test Runner - JUnit 5

Design Pattern - Page Object Model (POM)

Browser - Google Chrome

Driver Management - ChromeDriver

OS - Windows 11

Environment Variables

Stored in: .env file

baseurl= (Enter the API URL of the website that testing)

HEADLESS= (Enter the True / false for run the test is headless or not)

Note: Here Dot Env package is used to get the env from file

How to run the test

1. Clone the repo with the project branch (git clone -branch BRANCHNAME --single-branch REPOSITORYLINK)
2. Go to the API testing directory (cd selenium)
3. Run the execution commands according to the requirement

Execution Command

mvn test (To run the Whole Test)

mvn clean test (To run the Whole Test and Remove the previous tests results (the target file will get deleted))

mvn test -Dtest=Tested (To run the Non cucumber file only)


mvn test -Dtest=TESTCLASS# TESTMETHODNAME

(To run the TESTMETHODNAME inside TESTCLASS file only)

4. Framework Design

The framework we follow is POMO (Page object model)

Folder Structure



Directories and files in the framework

Test Directory

Contains test files only.

File: Tested.java

Page

Contain different java classes which represent the each page in the ui. Here we have added the Base page and extended with all other pages

Files: HomePage.java, ResultPage.Java, BasePage.java

Supports

Contains Java classes which supports the whole project . Supports contain utility classes for reusable methods and environment data handling, Drivery Factory which is used to select the selenium driver

File: DriverFactory.java,Config.java

Resources

Contains schema properties files to get the allure and extend report and have features page where we initialise the cucumber code.

Bdd

Contains file which supports for cucumber

5. Expectation

The cucumber and normal test is running

6. Results

TC_API_001 – Search – Failed

7. Results Evidence

Test 1: Search Failed

9. Conclusion

The locators where hard to find so the test is not completed