

Repository: - <https://github.com/ust-sdet-training/SDET/tree/aravind-24-06-2026>


Objective

To Perform UI testing on the website www.nykaa.com, using playwright tool

Tests Performed

Test 1: Verify Valid Search

- Open Website 'nykaa.com'
- Check whether the url is correct and logo is present
- Search a product. (in current testcase 'lipstick')
- Check whether site has redirected and products are listed



Test 2: Verify Pincode Incorrect Message is Shown

- Open Website 'nykaa.com'
- Check whether the url is correct and logo is present
- Search a product. (in current testcase 'lipstick')
- Check whether site has redirected and products are listed
- Click on a product to redirect to the product page
- Verify the Url and Product Name
- Enter an invalid pincode
- Check whether the invalid pincode error is shown

Delivery Options

12345

Check

Please enter valid pincode

Test 3: Add to cart, Check quantity cannot be modified than 10

- Open Website 'nykaa.com'
- Check whether the url is correct and logo is present
- Search a product. (in current testcase 'lipstick')
- Check whether site has redirected and products are listed
- Click on a product to redirect to the product page
- Verify the Url and Product Name

← **Bag** 1 item

Get Started & grab best offers!

[Login / Register](#)



Kay Beauty Hydra Creme Serum
Lipstick -Rich Color & Hyaluronic...



3.6g |  Panache

Quantity : 1 ▼

You Pay

₹1099



Coupons

[Apply now and save extra!](#)



Select Quantity

Enter Quantity(Max 10)

11

Quantity can not be greater than 10.



[Cancel](#)

[Submit](#)

[Hide](#)

Environment & Setup

Environment Setup Command:

`npm init playwright@latest` ----- initializes the playwright config and necessary files

Execution Command:

`npx playwright test --headed`

Playwright Config:-

`timeout:80000`

`fullyParallel:false`

`navigationTimeout : 30000,`

`actionTimeout : 10000,`

`{`

`name: 'chromium',`

`use: { ...devices['Desktop Chrome'] },`

`},`


`{`

`name: 'Microsoft Edge',`

`use: { ...devices['Desktop Edge'], channel: 'msedge' },`

`},`

Folder Structure



MainTest.spec.ts – Stores all the 2 functioning main test cases

```
TS MainTest.spec.ts X TS NegativeTest.spec.ts TS SearchPage.ts TS example.spec.ts
tests > TS MainTest.spec.ts > test('Incorrect Pincode') callback
1  import {test} from '../fixtures/NykaaFixture'
2
3  test('Checking search', async ({ nykaa }) => {
4
5
6      await nykaa.ValidSearch('lipstick');
7
8  });
9
10 test('Incorrect Pincode', async ({ nykaa }) => {
11
12     await nykaa.IncorrectPincode('12345');
13
14 });
15
```

NegativeTest.spec.ts – Used as a temporary file for testcases before conversion into OOPs format. Contains the last test case for quantity verification

```
test('test', async ({ page }) => {
  await page.goto('https://www.nykaa.com/');
  await page.getByRole('textbox', { name: 'Search on Nykaa' }).click();
  await page.getByRole('textbox', { name: 'Search on Nykaa' }).fill('lipstick');
  await page.getByRole('textbox', { name: 'Search on Nykaa' }).press('Enter');
  const page1Promise = page.waitForEvent('popup');
  await page.getByRole('link', { name: 'Kay Beauty Hydra Creme Serum' }).click();
  const page1 = await page1Promise;
  await page1.getByRole('button', { name: 'Add to bag undefined' }).click();
  await page1.getByRole('button', { name: 'Shopping Bag, 1 item' }).click();
  await page1.locator('[data-test-id="product-quantity-dropdown"]').click();
  await page1.getByRole('spinbutton').click();
  await page1.getByRole('spinbutton').fill('11');
  await page1.getByRole('spinbutton').press('Enter');
});
```

HomePage.ts –

```

import {Page, expect} from '@playwright/test'

export class HomePage {
  constructor(private readonly page:Page) {}

  async goto(){
    ... await this.page.goto('https://www.nykaa.com/');
    ...
  }

  async search(query: string){
    await this.page.getByRole('textbox', { name: 'Search on Nykaa' }).click();
    await this.page.getByRole('textbox', { name: 'Search on Nykaa' }).fill(query);
    await this.page.getByRole('textbox', { name: 'Search on Nykaa' }).press('Enter');
  }

  async goToProductList(){
    return this.page.waitForEvent('popup');
  }

  async getProductPage(){
    this.page.getByRole('link', { name: 'Nykaa Lip Grip No-Transfer' }).click()
  }
}

```

SearchPage.ts

Contains the functions for flow after the homepage. Getting Product items and adding to cart

NykaaFlows.ts


```

    }

    async ValidSearch(query:string){
        await this.homepage.goto();
        await expect.soft(this.page).toHaveURL(/\\/www.nykaa.com/i);
        await expect.soft(this.page.getByRole('link', { name: 'Nykaa Logo' })).toBeVisible();
        await this.homepage.search(query);
    }

    async IncorrectPincode(pincod : string){
        await this.homepage.goto();
        await this.homepage.search('lipstick')
        const searchPagePromise = this.homepage.goToProductList()
        await this.homepage.getProductPage();
        const page1 = await searchPagePromise;

        var searchpage = new SearchPage(page1)

        await searchpage.enterPincode(pincod)

        await searchpage.checkErrorDisplayed()
    }
}

```

NykaaFixtures.ts

```

SearchPage.ts  TS example.spec.ts  TS playwright.config.ts 3  TS HomePage.ts  TS NykaaFixture.ts  TS NykaaFlow.ts
fixtures > TS NykaaFixture.ts > test > nykaa
1  import {test as base,expect} from "@playwright/test"
2  import { NykaaFlow } from "../flows/NykaaFlows"
3
4  export const test = base.extend<{nykaa:NykaaFlow}>({
5      nykaa: async({page},use)=>{
6          await use (new NykaaFlow(page));
7      }
8  })
9
10 export {expect} from '@playwright/test';

```

Results:

▼ MainTest.spec.ts	
✓ Checking search chromium	7.7s
MainTest.spec.ts:3	
✓ Incorrect Pincode chromium	9.3s
MainTest.spec.ts:10	
✓ Checking search Microsoft Edge	10.1s
MainTest.spec.ts:3	
✓ Incorrect Pincode Microsoft Edge	9.2s
MainTest.spec.ts:10	

Checking search

MainTest.spec.ts:37.7s

chromium

✓ Run

▼ Test Steps

Q Filter steps

> ✓ Before Hooks404ms

> ✓ Navigate to "/" — ../pages/HomePage.ts:75.5s

> ✓ Expect "soft toHaveURL" — ../flows/NykaaFlows.ts:17240ms

> ✓ Expect "soft toBeVisible" getByRole('link', { name: 'Nykaa Logo' }) — ../flows/NykaaFlows.ts:18156ms

> ✓ Click getByRole('textbox', { name: 'Search on Nykaa' }) — ../pages/HomePage.ts:11250ms

> ✓ Fill "lipstick" getByRole('textbox', { name: 'Search on Nykaa' }) — ../pages/HomePage.ts:12124ms

> ✓ Press "Enter" getByRole('textbox', { name: 'Search on Nykaa' }) — ../pages/HomePage.ts:13970ms

> ✓ After Hooks118ms

Incorrect Pincode

MainTest.spec.ts:109.3s

chromium

✓ Run

▼ Test Steps

Q Filter steps

> ✓ Before Hooks419ms

> ✓ Navigate to "/" — ../pages/HomePage.ts:72.0s

> ✓ Click getByRole('textbox', { name: 'Search on Nykaa' }) — ../pages/HomePage.ts:111.1s

> ✓ Fill "lipstick" getByRole('textbox', { name: 'Search on Nykaa' }) — ../pages/HomePage.ts:12144ms

> ✓ Press "Enter" getByRole('textbox', { name: 'Search on Nykaa' }) — ../pages/HomePage.ts:131.0s

> ✓ Wait for event "popup" — ../pages/HomePage.ts:161.7s

> ✓ Click getByRole('link', { name: 'Nykaa Lip Grip No-Transfer' }) — ../pages/HomePage.ts:201.4s

> ✓ Click getByRole('textbox', { name: 'Enter pincode' }) — ../pages/SearchPage.ts:182.4s

> ✓ Fill "12345" getByRole('textbox', { name: 'Enter pincode' }) — ../pages/SearchPage.ts:19175ms

> ✓ Press "Enter" getByRole('textbox', { name: 'Enter pincode' }) — ../pages/SearchPage.ts:20168ms

> ✓ Expect "soft toBeVisible" getByText('Please enter valid pincode') — ../pages/SearchPage.ts:27162ms

> ✓ After Hooks137ms

Add to cart and update Quantity

NegativeTest.spec.ts:3

View Trace | 28.9s

chromium

Run

Errors

TimeoutError: locator.click: Timeout 10000ms exceeded.
Call log:
- waiting for getByRole('spinbutton')

Copy prompt

```
12 |     await page1.getByRole('button', { name: 'Shopping Bag, 1 item' }).click();  
13 |     await page1.locator('[data-test-id="product-quantity-dropdown"]').click();  
14 |     await page1.getByRole('spinbutton').click();  
15 |     await page1.getByRole('spinbutton').fill('11');  
16 |     await page1.getByRole('spinbutton').press('Enter');  
17 |   });  
    at C:\Users\310962\Assessment\Playwright\tests\NegativeTest.spec.ts:14:39
```

Test Steps

Filter steps

- | | |
|--|-------|
| > ✓ Before Hooks | 1.9s |
| > ✓ Navigate to "/" — NegativeTest.spec.ts:4 | 5.9s |
| > ✓ Click getByRole('textbox', { name: 'Search on Nykaa' }) — NegativeTest.spec.ts:5 | 1.5s |
| > ✓ Fill "lipstick" getByRole('textbox', { name: 'Search on Nykaa' }) — NegativeTest.spec.ts:6 | 192ms |

Test Steps		
Filter steps		
> ✓ Before Hooks		1.9s
> ✓ Navigate to "/" — NegativeTest.spec.ts:4		5.9s
> ✓ Click getByRole("textbox", { name: 'Search on Nykaa' }) — NegativeTest.spec.ts:5		1.5s
> ✓ Fill "lipstick" getByRole("textbox", { name: 'Search on Nykaa' }) — NegativeTest.spec.ts:6		192ms
> ✓ Press "Enter" getByRole("textbox", { name: 'Search on Nykaa' }) — NegativeTest.spec.ts:7		1.4s
> ✓ Wait for event "popup" — NegativeTest.spec.ts:8		2.0s
> ✓ Click getByRole("link", { name: 'Kay Beauty Hydra Creme Serum' }) — NegativeTest.spec.ts:9		1.8s
> ✓ Click getByRole("button", { name: 'Add to bag undefined' }) — NegativeTest.spec.ts:11		2.9s
> ✓ Click getByRole("button", { name: 'Shopping Bag, 1 item' }) — NegativeTest.spec.ts:12		1.0s
> ✓ Click locator("[data-test-id='product-quantity-dropdown']") — NegativeTest.spec.ts:13		829ms
> ✗ Click getByRole("spinbutton") — NegativeTest.spec.ts:14		10.1s
> ✓ After Hooks		2.2s
> ✓ Worker Cleanup		1.9s

