

WEEK04 GATE04

CI TESTING ASSESMENT

Purpose of the document : This document is the UI test report using Pact Flow. This document contains objectives, Environment setup, Project structure, Test covered, How to run, Evidence, Conclusion.

Prepared By : **Monisha Puttaswamy**

DATED BY : **27 JUNE 2026**

ASSIGNMENT : **CI Testing**

OBJECTIVE

As per the assessment question check the pact and ci evaluate the below things

Environment and Setup

1. Language used - Java
 2. Technology Used – WireMock, PactFlow
 3. OS/Browser – Windows / Chrome
 4. Test Executions and Assertions – Junit
 5. Build Tool – Maven
-

URL Configuration:

baseURL: 'http://localhost:5173/.

in the Config.java

Framework

The test uses page as a model framework in which it contains consumer and provider projects as the directory

Consumer:



omsClient: which contains the structure of the oms

posomsConsumerPactTest: which has the pact and tests for 200, 201, 401

Provider:

OmsProviderVerification– has the verification code which verifies the contract which has shown by the browser.

Project Structure:




Test Covered:

Test 1 : test for consumer to run in ci = **Passed**

Test 2 : test for provider to run in ci = **Passed**

Evidences:

When run : mvn test

A terminal window titled 'Terminal' with tabs 'Local' and '+'. It shows the output of a Maven test command. The output includes a 'TESTS' section, a message 'Running com.week4.gate4.tests.BadgeTest', and a summary 'Tests run: 1, Failures: 0, Errors: 0, Skipped: 0'. The final status is 'BUILD SUCCESS' and 'Total time: 10.833 s'.

```
[INFO] T E S T S
[INFO] -----
[INFO] Running com.week4.gate4.tests.BadgeTest
[main] INFO com.codeborne.selenide.WebDriverThreadLocalContainer - No webdriver is bound to current thread: 1 - let's create a new webdriver
[main] INFO com.codeborne.selenide.webdriver.WebDriverFactory - Selenide 7.16.2 / Selenium 4.45.0 / chrome 149.0.7827.201 windows
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 4.496 s -- in com.week4.gate4.tests.BadgeTest
[INFO] Results:
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO] BUILD SUCCESS
[INFO] Total time: 10.833 s
```

A 'Run' window titled 'Run' with a tab 'BadgeTest'. It shows a summary '1 test passed' and '1 test total, 4 sec 322 ms'. Below this, it shows the command used to run the test: '"C:\Program Files\OpenLogic\jre-22.0.2.9-hotspot\bin\java.exe" ...'. The output of the command is visible, showing the same test results as the terminal window.

```
BadgeTest (0 4 sec 322 ms) 1 test passed 1 test total, 4 sec 322 ms
placeOrder 4 sec 322 ms
"C:\Program Files\OpenLogic\jre-22.0.2.9-hotspot\bin\java.exe" ...
[main] INFO com.codeborne.selenide.WebDriverThreadLocalContainer - No webdriver is bound to current thread: 1
[main] INFO com.codeborne.selenide.webdriver.WebDriverFactory - Selenide 7.16.2 / Selenium 4.45.0 / chrome 149
Process finished with exit code 0
```

How to run:

Build

mvn clean install

Run full test

mvn test

mvn clean test

Run full test for specific file

```
mvn -Dtest=BadgeTest test
```

Git commands

POM:

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
  <modelVersion>4.0.0</modelVersion>

  <groupId>org.example</groupId>
  <artifactId>consumer</artifactId>
  <version>1.0-SNAPSHOT</version>

  <properties>
    <maven.compiler.source>22</maven.compiler.source>
    <maven.compiler.target>22</maven.compiler.target>
    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
    <wiremock.version>3.13.2</wiremock.version>
    <pact.version>4.6.20</pact.version>
    <pact.broker.url>http://127.0.0.1:9292</pact.broker.url>
    <pact.publish.consumer.version>${project.version}</pact.publish.consumer.version>
    <pact.publish.consumer.branchName>local</pact.publish.consumer.branchName>
    <slf4j.version>2.0.17</slf4j.version>
    <maven.surefire.version>3.5.6</maven.surefire.version>
    <pact.verifier.publishResults>false</pact.verifier.publishResults>
    <git.sha>local</git.sha>
    <pact.provider.branch>local</pact.provider.branch>
  </properties>
```

Consumer pom

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <project xmlns="http://maven.apache.org/POM/4.0.0"
3     xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
4     xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
5     <modelVersion>4.0.0</modelVersion>
6
7     <groupId>org.example</groupId>
8     <artifactId>provider</artifactId>
9     <version>1.0-SNAPSHOT</version>
10
11     <properties>
12         <maven.compiler.source>22</maven.compiler.source>
13         <maven.compiler.target>22</maven.compiler.target>
14         <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
15         <wiremock.version>3.13.2</wiremock.version>
16         <pact.version>4.6.20</pact.version>
17         <pact.broker.url>http://127.0.0.1:9292</pact.broker.url>
18         <pact.publish.consumer.version>${project.version}</pact.publish.consumer.version>
19         <pact.publish.consumer.branchName>local</pact.publish.consumer.branchName>
20         <slf4j.version>2.0.17</slf4j.version>
21         <maven.surefire.version>3.5.6</maven.surefire.version>
22         <pact.verifier.publishResults>>false</pact.verifier.publishResults>
23         <git.sha>local</git.sha>
24         <pact.provider.branch>local</pact.provider.branch>
25     </properties>
```

Producer pom

Conclusion:

Both consumer and provider are working good in ci and can interact through brockers.