

Playwright UI Automation Test Report

Project Name: Nykaa UI Automation Testing with Playwright

Participant: Shahbaz Ahmad

Date: 24-06-2026

Branch: shahbaz_june_24(git)

Assessment: Nykaa Ecommerce Playwright UI Automation

Question NO 1

Objective

The objective of this automation project is to validate the core functionality of the application using Playwright with website

<https://www.nykaa.com/>

The automated test suite verifies critical user workflows and ensures that the application behaves as expected across supported browsers. The framework is designed to provide reliable, maintainable, and scalable UI automation.

Github Link

My Branch name is **shahbaz_june_24** and link is

[ust-sdet-training/SDET at shahbaz_june_24](#)

User Story

As a user, I want to perform the application workflow successfully so that I can complete my task without errors and receive the expected results from the system.

1. Home page of nykaa is visible .
2. Search text box is working as per given parameter
3. Negative search that is not matched
4. Empty search

Environment Setup

- Tools: Node.js, Playwright Test Runner, TypeScript/JavaScript, VS Code
- Install Commands:
- `npm init playwright@latest`
 - `npx playwright install`
 - Reporting Tools: HTML Reporter, Allure

Framework Architecture

The framework is built using:


- Page Object Model (for UI abstraction)(Homepage)
- Fixtures (for reusable setup like login, credentials)(tests)
- Test files (business scenarios)(nykaa.spec.ts)
- Config file (playwright.config.ts)

Workflow

1. Start test execution
2. Load fixtures (page,test,expect)
3. Navigate using page.goto(<https://www.nykaa.com/>)
4. Use Page Object methods

5. Execute assertions
6. Generate report

Folder Structure




Page Object Model

Each UI page is represented as a class containing locators and methods. This improves maintainability and avoids duplication. I create HomePage for visible home page and search negative and positive actions.

Here I define 3 method

- `navigateToHomePage()`
- `positiveSearch()`
- `negativeSearch()`



```
TS HomePage.ts U X TS nykaa.spec.ts U TS playwright.config.ts 3, U
RetestPlaywrite24June > SDET > playwrightAssessmentNykaa > pages > TS HomePage.ts > 🚩 HomePage > 🕒 navigateToHomePage
1 import {expect,Page,Locator} from '@playwright/test';
2
3 export class HomePage {
4     constructor(private page: Page) {}
5
6
7     async navigateToHomePage():Promise<void> {
8         await this.page.goto('/');
9         await this.page.waitForURL('https://www.nykaa.com/');
10    }
11
12    async positiveSearch(item: string):Promise<void> {
13        await this.navigateToHomePage();
14        await expect(this.page.getByRole('textbox', { name: 'Search on Nykaa' })).toBeVisible();
15        await this.page.getByRole('textbox', { name: 'Search on Nykaa' }).click();
16        await this.page.getByRole('textbox', { name: 'Search on Nykaa' }).fill(item);
17        await this.page.waitForLoadState('load');
18        this.page.locator('span').filter({ hasText: 'shirt for man' }).first().click();
19    }
20
21    async negativeSearch(item: string):Promise<void>
22    {
23        await this.navigateToHomePage();
24        await this.page.getByRole('textbox', { name: 'Search on Nykaa' }).fill('adbduidsjhksdfksfksdj');
25        await this.page.getByRole('textbox', { name: 'Search on Nykaa' }).press('Enter');
26    }
27
28
29 }
30
31
32
```

Fixtures Usage

Fixtures are used to provide reusable resources like home page, session. So that can access home page method and we can use POM Homepage in test easily assert all the things by using home

```
TS HomePage.ts U TS nykaa.spec.ts U TS playwright.config.ts 3, U TS test.ts U X
RetestPlaywrite24June > SDET > playwrightAssessmentNykaa > fixtures > TS test.ts > ...
1 import {test as base} from '@playwright/test';
2 import { HomePage } from '../pages/HomePage';
3
4 export const test = base.extend<{home: HomePage}>({
5   home: async ({ page }, use) => {
6     await use(new HomePage(page));
7   }
8 });
9 export {expect} from '@playwright/test';
```

Code – Home Page with Search for happy and negative

```
TS HomePage.ts U TS nykaa.spec.ts U X TS playwright.config.ts 3, U TS test.ts U
RetestPlaywrite24June > SDET > playwrightAssessmentNykaa > tests > TS nykaa.spec.ts > ...
1 import {test,expect} from '../fixtures/test'
2
3 test('test for nykaa home page visible ', async ({ page,home }) => {
4   await home.navigateToHomePage();
5   await expect(page).toHaveURL('https://www.nykaa.com/');
6   await expect(page.getByRole('link', { name: 'Nykaa Logo' })).toBeVisible();
7   await expect(page.locator('img-wrapper.css-19k52lt > .css-13o7eu2')).toBeVisible();
8 });
9
10 test("test for nykaa search box visible and search for positive item", async ({ page,home }) => {
11   await home.positiveSearch('Shirt');
12   await expect(page).toHaveURL(/search\/result\/\?q=Shirt/i);
13   await expect(page.getByText('Showing 20 of 279 results for')).toBeVisible();
14   await expect(page.getByRole('heading', { name: 'shirt for man' })).toBeVisible();
15 });
16
17 test("test for nykaa search box visible and search for negative item", async ({ page,home }) => {
18   await home.negativeSearch('adbdjdhksdfksfksdj');
19   await expect(page).toHaveURL(/search\/result\/\?q=adbdjdhksdfksfksd/i);
20   await expect(page.getByRole('img', { name: 'no_result' })).toBeVisible();
21   await expect(page.getByText('Thanks for visiting our website!Unfortunately, we couldn't find any matches for')).toBeVisible();
22 });
23
24 test("test for nykaa search box visible and search for negative item with empty", async ({ page,home }) => {
25   await home.negativeSearch('');
26   await expect(page.getByText('Thanks for visiting our website!Unfortunately, we couldn't find any matches for')).toBeVisible();
27 });
28
29
```

Here 1 test

check home page verification by expect url”

await this.page.waitForURL('https://www.nykaa.com/');

```
await expect(page.getByRole('link', { name: 'Nykaa Logo' })).toBeVisible();

await expect(page.locator('.image-wrapper.css-19k52lt > .css-13o7eu2')).toBeVisible();
```

2 Test

I verify search is working for match type of and after fill “shirt”

Then expect

```
await expect(page).toHaveURL(/search\/result\/\?q=Shirt/i);

await expect(page.getByText('Showing 20 of 279 results for')).toBeVisible();

await expect(page.getByRole('heading', { name: 'shirt for man' })).toBeVisible();
```

3 Test

I verify search is working for non match type of and after fill “adbduidsjhksdfksfksdj

Then expect

```
await expect(page).toHaveURL(/search\/result\/\?q=adbduidsjhksdfksfksdj/i);

await expect(page.getByRole('img', { name: 'no_result' })).toBeVisible();

await expect(page.getByText('Thanks for visiting our website!Unfortunately, we
couldn't find any matches for')).toBeVisible();
```

4 Test

I verify search is working for empty string

Then expect

```
await expect(page.getByText('Thanks for visiting our website!Unfortunately, we
couldn't find any matches for')).toBeVisible();
```

Test Case ID	Description	Status
--------------	-------------	--------

TC_001	Verify Home Page	Passed
--------	------------------	--------

TC_002	Verify Valid Product Search	Passed
--------	-----------------------------	--------

Negative Scenarios

Test Case ID	Description	Status
--------------	-------------	--------

TC_003	Verify Invalid Product Search	Passed
--------	-------------------------------	--------

TC_004	Verify Empty Search Validation	Passed
--------	--------------------------------	--------

Commands

- npx playwright test --headed
- npx playwright show-report

Result Evidence

Attach screenshots, videos, and trace files generated during execution.

In cmd run the command and it run all 4 test pass

```
PS C:\Users\307424\Documents\QA Training\Assessment\RetestPlaywrite24June\SDET\playwrigthAssessmentNykaa> npx playwright test --headed
Running 4 tests using 1 worker
 4 passed (1.4m)
To open last HTML report run:
  npx playwright show-report
```

For show report

```
PS C:\Users\307424\Documents\QA Training\Assessment\RetestPlaywrite24June\SDET\playwrigthAssessmentNykaa> npx playwright show-report
Serving HTML report at http://localhost:9323. Press Ctrl+C to quit.
█
```

Q Search tests	All 4	✓ Passed 4	Failed 0	Flaky 0	Skipped 0	🔄	⚙️
Project: chromium 24/6/2026, 5:47:37 pm Total time: 1.4m							
▼ nykaa.spec.ts							
✓ test for nykaa home page visible chromium 29.2s							
nykaa.spec.ts:3							
✓ test for nykaa search box visible and search for positive item chromium 16.0s							
nykaa.spec.ts:10							
✓ test for nykaa search box visible and search for negative item chromium 17.3s							
nykaa.spec.ts:18							
✓ test for nykaa search box visible and search for negative item with empty chromium 15.3s							
nykaa.spec.ts:25							

Test 1 Verify Home Page (Visible home page)

test for nykaa home page visible

nykaa.spec.ts:3

chromium

✓ Run

Test Steps

Filter steps

> ✓ Before Hooks

3.9s

> ✓ Navigate to "/" — ./pages/HomePage.ts:8

24.3s

> ✓ Wait for load state "load" — ./pages/HomePage.ts:9

2ms

> ✓ Expect "toHaveURL" — nykaa.spec.ts:5

64ms

> ✓ Expect "toBeVisible" getByRole("link", { name: 'Nykaa Logo' }) — nykaa.spec.ts:6

245ms

> ✓ Expect "toBeVisible" locator(".image-wrapper.css-19k52lt > .css-13o7eu2") — nykaa.spec.ts:7

20ms

> ✓ After Hooks

2.1s

TC_002 Verify Valid Product Search

test for nykaa search box visible and search for positive item

nykaa.spec.ts:10 16.0s

chromium

✓ Run

Test Steps

Filter steps

> ✓ Before Hooks	1.3s
> ✓ Navigate to "/" — ./pages/HomePage.ts:8	9.1s
> ✓ Wait for load state "load" — ./pages/HomePage.ts:9	0ms
> ✓ Expect "toBeVisible" getByRole('textbox', { name: 'Search on Nykaa' }) — ./pages/HomePage.ts:14	46ms
> ✓ Click getByRole('textbox', { name: 'Search on Nykaa' }) — ./pages/HomePage.ts:15	1.2s
> ✓ Fill "Shirt" getByRole('textbox', { name: 'Search on Nykaa' }) — ./pages/HomePage.ts:16	1.0s
> ✓ Wait for load state "load" — ./pages/HomePage.ts:17	1ms
> ✓ Click locator('span').filter(({ hasText: 'shirt for man' }).first() — ./pages/HomePage.ts:18	1.9s
> ✓ Expect "toHaveURL" — nykaa.spec.ts:12	884ms
> ✓ Expect "toBeVisible" getByText('Showing 20 of 279 results for') — nykaa.spec.ts:13	104ms
> ✓ Expect "toBeVisible" getByRole('heading', { name: 'shirt for man' }) — nykaa.spec.ts:14	20ms
> ✓ After Hooks	2.3s

> Executed in Worker #0

TC_003 Verify Invalid Product Search

test for nykaa search box visible and search for negative item
nykaa.spec.ts:18 17.3s

chromium

✓ Run


Test Steps

Filter steps

> ✓ Before Hooks	1.1s
> ✓ Navigate to "/" — ./pages/HomePage.ts:8	11.2s
> ✓ Wait for load state "load" — ./pages/HomePage.ts:9	1ms
> ✓ Fill "adbduidsjhksdfksfdj" getByRole('textbox', { name: 'Search on Nykaa' }) — ./pages/HomePage.ts:24	1.1s
> ✓ Press "Enter" getByRole('textbox', { name: 'Search on Nykaa' }) — ./pages/HomePage.ts:25	1.6s
> ✓ Expect "toHaveURL" — nykaa.spec.ts:20	431ms
> ✓ Expect "toBeVisible" getByRole('img', { name: 'no_result' }) — nykaa.spec.ts:21	139ms
> ✓ Expect "toBeVisible" getByText('Thanks for visiting our website!Unfortunately, we couldn't find any matches for') — nykaa.spec.ts:22	165ms
> ✓ After Hooks	1.6s

> Executed in Worker #0

TC_004 Verify Empty Search



How to Solve Issues

Check locators specific for element(search,home logo,shirt)

Wait for url,load content

Auto retries and use auto wait

fixture setup,

test data, and

network conditions.

Limitations

Dependent on UI stability, network speed, and environment configuration and number of user so ,we only run here in headed mode so that url can easily fetch

Conclusion

Playwright framework ensures scalable, maintainable, and fast UI automation using modern testing practices.

Today I did home page verification ,search text working with positive search like product list is available and negative search like not found and empty search;