

Playwright Automation Test Report

Project Information

Emp Id - 299167

Name: Tetali Hemanth Venkata Reddy

Date: 24-06-2026

Assessment: Playwright UI Automation

Git Hub : [ust-sdet-training/SDET: Repository for SDET training batch](https://github.com/ust-sdet-training/SDET: Repository for SDET training batch)

Created a branch hemanth_24Jun26

You can find the code in the following git repo.

1.User Story

The User story is to open the website and use the search bar to get the required products based on the text given in the search bar.

2. Scenarios

Scenario – 1 :

1. The user open the nykaa website.
2. Then search for sanitizer in the search bar.
3. Then opens the first products shown in the response product page.

Scenario – 2 :

1. The user open the nykaa website.
2. Then search for shoes in the search bar.
3. Then opens the first products shown in the response product page.

Scenario – 3 :

1. The user open the nykaa website.
2. Then search for the not found product in the search bar.
3. Then it should display the Thanks for visiting our website as text.

Scenario – 4:

1. The user open the nykaa website.
2. Then search for invalid text in the search bar.
3. Then it should display the Thanks for visiting our website as text.


3.setup

Application Details

Item	Value
Application URL [Base URL]	
Framework	Playwright
Language	TypeScript
Design Pattern	Page Object Model
Test Runner	Playwright Test
Browser	Chromium
OS	Windows 11

I have mentioned the application url in playwright.config.ts in the baseUrl place.

The Following is the Screenshot for the playwright.config.ts file




```
TS playwright.config.ts >...
1  import { defineConfig, devices } from '@playwright/test';
2
3  /**
4   * Read environment variables from file.
5   * https://github.com/motdotla/dotenv
6   */
7  // import dotenv from 'dotenv';
8  // import path from 'path';
9  // dotenv.config({ path: path.resolve(__dirname, '.env') });
10
11  /**
12   * See https://playwright.dev/docs/test-configuration.
13   */
14  export default defineConfig({
15    testDir: './tests',
16    timeout: 120 * 1000,
17    /* Run tests in files in parallel */
18    fullyParallel: false,
19    /* Fail the build on CI if you accidentally left test.only in the source code. */
20    forbidOnly: !!process.env.CI,
21    /* Retry on CI only */
22    retries: process.env.CI ? 2 : 0,
23    /* Opt out of parallel tests on CI. */
24    workers: process.env.CI ? 1 : undefined,
25    /* Reporter to use. See https://playwright.dev/docs/test-reporters */
26    reporter: 'html',
27    /* Shared settings for all the projects below. See https://playwright.dev/docs/api/class-testoptions. */
28    use: {
29      /* Base URL to use in actions like `await page.goto(')` */
30      baseUrl: 'https://www.nykaa.com/',
31
32      /* Collect trace when retrying the failed test. See https://playwright.dev/docs/trace-viewer */
33      trace: 'on-first-retry',
34      /* Timeout for actions like click(), fill(), etc. */
35      actionTimeout: 10 * 1000,
```

4.Frameworks

The automation framework follows the Page Object Model (POM) design pattern.

I have Created a page file for the SearchPage which is used to Search the product in the Search bar so that I can use that in all the test cases which make the code reuseable.

The following was the Structure I followed as I mentioned in the below screenshot.



Components

SearchPage.ts is the reusable code which I created.

```
tests > nykaa > pages > TS SearchPage.ts > SearchPage > search
1  import type { Page } from "@playwright/test";
2
3  export class SearchPage {
4    constructor(private readonly page: Page) {}
5
6    private searchBox = () => this.page.getByRole('textbox', { name: 'Search on Nykaa' });
7    async search(q: string) {
8      await this.searchBox().fill(q);
9      await this.searchBox().press('Enter');
10   }
11 }
```

I have created two test files one file is for happy path and the other file is for negative path.

HappyPath Screenshot :

```
import { expect, test } from "@playwright/test";
import { SearchPage } from "../pages/SearchPage";

test.describe("Happy Path", () => {
  test.beforeEach(async ({ page }) => {
    await page.goto("/", { waitUntil: 'domcontentloaded' });
  });
  test("search for Sanitizer", async ({ page }) => {
    await page.goto('/');
    await expect(page.getByRole('link', { name: 'Nykaa Logo' })).toBeVisible();
    await expect(page.getByRole('textbox', { name: 'Search on Nykaa' })).toBeVisible();
    const search = new SearchPage(page);
    await search.search('Sanitizer');
    await expect(page.getByRole('heading', { name: 'Perenne Makeup Disinfectant Mist' })).toBeVisible();
    const pagePromise = page.waitForEvent('popup');
    await page.getByRole('link', { name: 'Perenne Makeup Disinfectant' }).click();
    const productpage = await pagePromise;
    await expect(productpage.getByRole('heading', { name: 'Perenne Makeup Disinfectant Mist (Sanitizes Make Up Palette And Tools) 200ml ('' )' })).toBeVisible();
  });
  test("search for Shoes", async ({ page }) => {
    await page.goto('/');
    await expect(page.getByRole('link', { name: 'Nykaa Logo' })).toBeVisible();
    await expect(page.getByRole('textbox', { name: 'Search on Nykaa' })).toBeVisible();
    const search = new SearchPage(page);
    await search.search('Shoes');
    await expect(page.getByRole('heading', { name: 'Shoetopia Daily Wear Casual White Sneakers for Women' })).toBeVisible();
    const pagePromise = page.waitForEvent('popup');
    await page.getByRole('link', { name: 'Shoetopia Daily Wear Casual White Sneakers for Women' }).click();
    const productpage = await pagePromise;
    await expect(productpage.getByRole('heading', { name: 'Shoetopia Daily Wear Casual White Sneakers for Women (EURO 38)' })).toBeVisible();
  });
});
```

Negative Path Screenshot :

```
import { expect, test } from "@playwright/test";
import { SearchPage } from "../pages/SearchPage";

test.describe("Negative path", () => {
  test.beforeEach(async ({ page }) => {
    await page.goto("/", {waitUntil: 'domcontentloaded'});
  })
  test("Search for invalid or not found product", async ({ page }) => {
    await page.goto('/');
    await expect(page.getByRole('link', { name: 'Nykaa Logo' })).toBeVisible();
    await expect(page.getByRole('textbox', { name: 'Search on Nykaa' })).toBeVisible();
    const searchPage = new SearchPage(page);
    await searchPage.search('abcdefghijklmnopqrstuvwxyz');
    await expect(page.getByText('Thanks for visiting our')).toBeVisible();

  })
  test("Search using invalid text", async ({ page }) => {
    await page.goto('/');
    await expect(page.getByRole('link', { name: 'Nykaa Logo' })).toBeVisible();
    await expect(page.getByRole('textbox', { name: 'Search on Nykaa' })).toBeVisible();
    const searchPage = new SearchPage(page);
    await searchPage.search('av123131saq');
    await expect(page.getByText('Thanks for visiting our')).toBeVisible();

  })
});
```

5.Test Cases

Test case_id	path	scenario	result
TC_1	Happy	Search for sanitiser	Passed
TC_2	Happy	Search for shoes	Passed
TC_3	Happy	Search with not found product	Passed
TC_4	Happy	Search with invalid text	Passed

The Screen shots for the Successfully passed the tests

```
C:\Users\299167\Desktop\playwright-24-06-2026>npx playwright test --headed
```

Running 4 tests using 2 workers

4 passed (59.5s)

To open last HTML report run:

`npx playwright show-report`

Project: chromium

24/6/2026, 6:35:33 pm Total time: 59.5s

▼ nykaa/tests/HappyPath.spec.ts		
✓ Happy Path › search for Sanitizer	chromium	16.2s
nykaa/tests/HappyPath.spec.ts:9		
✓ Happy Path › search for Shoes	chromium	21.3s
nykaa/tests/HappyPath.spec.ts:21		
▼ nykaa/tests/negative.spec.ts		
✓ Negative path › Search for invalid or not found product	chromium	19.2s
nykaa/tests/negative.spec.ts:9		
✓ Negative path › Search using invalid text	chromium	34.9s
nykaa/tests/negative.spec.ts:19		

search for Sanitizer

nykaa/tests/HappyPath.spec.ts:9

16.2s

chromium

✓ Run

▼ Test Steps		
Q Filter steps		
> ✓ Before Hooks		8.8s
> ✓ Navigate to "/" — nykaa/tests/HappyPath.spec.ts:10		5.1s
> ✓ Expect "toBeVisible" getByRole('link', { name: 'Nykaa Logo' }) — nykaa/tests/HappyPath.spec.ts:11		806ms
> ✓ Expect "toBeVisible" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/tests/HappyPath.spec.ts:12		62ms
> ✓ Fill "Sanitizer" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/pages/SearchPage.ts:8		181ms
> ✓ Press "Enter" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/pages/SearchPage.ts:9		889ms
> ✓ Expect "toBeVisible" getByRole('heading', { name: 'Perenne Makeup Disinfectant Mist' }) — nykaa/tests/HappyPath.spec.ts:15		211ms
> ✓ Wait for event "popup" — nykaa/tests/HappyPath.spec.ts:16		785ms
> ✓ Click getByRole('link', { name: 'Perenne Makeup Disinfectant' }) — nykaa/tests/HappyPath.spec.ts:17		331ms
> ✓ Expect "toBeVisible" getByRole('heading', { name: 'Perenne Makeup Disinfectant Mist (Sanitizes Make Up Pallette And Tools) 200ml (')' })...		269ms
> ✓ After Hooks		432ms

search for Shoes

nykaa/tests/HappyPath.spec.ts:21

21.3s

chromium

✓ Run

Test Steps

Q Filter steps

> ✓ Before Hooks	13.4s
> ✓ Navigate to "/" — nykaa/tests/HappyPath.spec.ts:22	4.1s
> ✓ Expect "toBeVisible" getByRole('link', { name: 'Nykaa Logo' }) — nykaa/tests/HappyPath.spec.ts:23	389ms
> ✓ Expect "toBeVisible" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/tests/HappyPath.spec.ts:24	98ms
> ✓ Fill "Shoes" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/pages/SearchPage.ts:8	252ms
> ✓ Press "Enter" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/pages/SearchPage.ts:9	723ms
> ✓ Expect "toBeVisible" getByRole('heading', { name: 'Shoetopia Daily Wear Casual White Sneakers for Women' }) — nykaa/tests/HappyPat...	209ms
> ✓ Wait for event "popup" — nykaa/tests/HappyPath.spec.ts:28	1.8s
> ✓ Click getByRole('link', { name: 'Shoetopia Daily Wear Casual White Sneakers for Women' }) — nykaa/tests/HappyPath.spec.ts:29	1.7s
> ✓ Expect "toBeVisible" getByRole('heading', { name: 'Shoetopia Daily Wear Casual White Sneakers for Women (EURO 38)' }) — nykaa/tests...	304ms
> ✓ After Hooks	120ms

Search for invalid or not found product

nykaa/tests/negative.spec.ts:9

19.2s

chromium

✓ Run

Test Steps

Q Filter steps

> ✓ Before Hooks	11.2s
> ✓ Navigate to "/" — nykaa/tests/negative.spec.ts:10	8.6s
> ✓ Expect "toBeVisible" getByRole('link', { name: 'Nykaa Logo' }) — nykaa/tests/negative.spec.ts:11	285ms
> ✓ Expect "toBeVisible" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/tests/negative.spec.ts:12	187ms
> ✓ Fill "abcdefghijklmnopqrstuvwxyz" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/pages/SearchPage.ts:8	81ms
> ✓ Press "Enter" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/pages/SearchPage.ts:9	671ms
> ✓ Expect "toBeVisible" getByText('Thanks for visiting our') — nykaa/tests/negative.spec.ts:15	42ms
> ✓ After Hooks	60ms

Search using invalid text

nykaa/tests/negative.spec.ts:19

34.9s

chromium

✓ Run

Test Steps

Filter steps

> ✓ Before Hooks	12.1s
> ✓ Navigate to "/" — nykaa/tests/negative.spec.ts:20	22.0s
> ✓ Expect "toBeVisible" getByRole('link', { name: 'Nykaa Logo' }) — nykaa/tests/negative.spec.ts:21	144ms
> ✓ Expect "toBeVisible" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/tests/negative.spec.ts:22	31ms
> ✓ Fill "av123131saq" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/pages/SearchPage.ts:8	148ms
> ✓ Press "Enter" getByRole('textbox', { name: 'Search on Nykaa' }) — nykaa/pages/SearchPage.ts:9	494ms
> ✓ Expect "toBeVisible" getByText('Thanks for visiting our') — nykaa/tests/negative.spec.ts:25	53ms
> ✓ After Hooks	42ms

Due to the live website you need to run the tests in headed mode

To run the test in the headed mode you need to use the following command

```
npx playwright test --headed
```