

## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

### Question Pro Online Survey 2021-22: CODE BOOK

**Count:** ELIGIBLE Responses: 152    Completed: 124(82%)    Incomplete: -28(18%)    Deleted responses: 2

	Question:	SPSS Variable:	Coding:	Answer Key
01.	What is your age?	Age	Age	Type age 0 – n/a
02.	What is your race?	Race	Race	1- Amer Indian/Alaskan Native 2- Asian 3- Black/AA 4- Hispanic/Latino 5- Middle Eastern 6- Native Hawaiian/Pacific Islander 7- White/European American 8- other
03.	What is your marital status?	Relationship Status	Rel_stat	1- single 2- married 3- separated 4-divorced 5- widow
04.	Which of the following best describes your gender identity?	Gender Identification	Gen_id	1- Man (born male) 2- Woman (born female) 3- Transgender 4- Transsexual 5- choose not to answer
05.	Which of the following best describes your hometown?	Geographic area	Geographic	1- Large size urban city (ex: Detroit, Houston, NY, ATL) 2- Small urban city 3- Small town 4- Rural area 5- Military based
06.	What is your current academic status?	Academic status	Acad_stat	1- Freshman 2- Sophomore 3- Junior 4- Senior 5- Grad Masters 6- Grad Doctorate 7- non-student
07.	Which of the following best describe your sexual orientation?	Sexual orientation	Sex_ori	1- Straight/Heterosexual 2- Gay/Lesbian 3- Bisexual

## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

				4- Other 5- choose not to answer
08	Have you ever had oral/vaginal/anal sex? (Select all that apply)	Sexual engagement	Or_VagAnal	0- no answer 1- oral-genital stimulation 2- penile-vaginal penetration 3- penile-anal penetration 4- choose (1,2) 5- choose (1,3) 6- choose (2,3) 7- all of the above
09.	At what age did you first have sexual intercourse?	Age at first time of sex	Age_1stSex	1- 13y or younger 2- 14y–15y 3- 16y–17y 4- 18y–19y 5- 20y or older
10.	Which range of # sexual partners you've had in the past year?	Sex partners past year	SexPar_PYr	1- 0-1 partners 2- 2-3 partners 3- 3-4 partners 4- 5+ partners 5- I am not sure 6- choose not to answer
11.	Did you use a condom during your last sexual activity?	Used a condom last sex	CU_lastSex	0- no 1- yes
12.	Did you drink alcohol or use any other controlled substance before your last sexual activity?	Alcohol/drugs used last sex	SubUse_lastSex	0- no 1- yes
13.	In general, how often do you use condoms for (the following) Oral sex?  Original QP code: CUfreq_OVAsex	Use condoms for Oral, anal or vaginal sex	CUfreq_Osex	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
13a.	In general, how often do you use condoms for (the following) vaginal sex?		CUfreq_Vsex	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
13b.	In general, how often do you use condoms for (the following) anal sex?		CUfreq_Asex	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely

## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

				5- never
14.	Please select the category that BEST describes the type of sexual partner(s) you've had sexual contact with in the past 6m:	Partner in the past 6mo	SEXpar_P6mo	0- n/a – did not answer 1- only one partner for all sexual activity 2- one main sex partner; but "I" can/I "do" have sex with other partners 3- one casual sex partner w/ sporadic sexual activity "FWB" 4- multiple casual sex partners / more than one "hook up"
15.	I use a condom with my boyfriend/girlfriend	Use a condom w/ BFGF	CU_BFGF	0- n/a – did not answer 1- always (100%) 2- some of the time (50%) 3- rarely(10%) 4- never
16.	If I had <b>more than one</b> sex partner, I would use a condom during oral sex  Original QP code: CUmultisex	Condom use w/ >1 sex partner	CUmultisex_oral	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
16a.	If I had <b>more than one</b> sex partner, I would use a condom during vaginal sex	Condom use w/ >1 sex partner	CUmultisex_vag	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
16b.	If I had <b>more than one</b> sex partner, I would use a condom during anal sex	Condom use w/ >1 sex partner	CUmultisex_anal	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
17.	If I had a casual sex partner ("friends with benefits"), I would use a condom during oral, vaginal or anal sex:  Original QP code: CU_OVAsexFWB	Condom use w/ Friends w/ Benefits	CU_OsexFWB	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never

## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

17a.	If I had a casual sex partner ("friends with benefits"), I would use a condom during oral, vaginal or anal sex:	Condom use w/ Friends w/ Benefits	CU_VsexFWB	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
17b.	If I had a casual sex partner ("friends with benefits"), I would use a condom during oral, vaginal or anal sex:	Condom use w/ Friends w/ Benefits	CU_AsexFWB	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
18.	If I had a "hook-up" sex partner (someone you don't know well) I would you use a condom for:  Original QP code: CU_OVAsexHkUp	Condom use w/ hookup sex	CU_OsexHkup	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
18a.	If I had a "hook-up" sex partner (someone you don't know well) I would you use a condom for:	Condom use w/ hookup sex	CU_VsexHkup	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
18b.	If I had a "hook-up" sex partner (someone you don't know well) I would you use a condom for:	Condom use w/ hookup sex	CU_AsexHkup	0- n/a – did not answer 1- always (every time) 2- often (nearly every time) 3- sometimes 4- rarely 5- never
19.	Who is MOST responsible for providing the condoms when having sexual activity?	Responsible for condoms	Respon_CU	1- you (self) 2- my partner 3- both 4- neither
20.	20-How difficult would it be for you to discuss condom use with your partner(s)?	Difficulty talking about condom use	Discuss_CU	1- very easy 2- easy 3- difficult 4- very difficult

## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

21.	<p>Please read each statement below and select the answer that best describes your feeling about the statement:</p> <p><b>A</b> Condoms are uncomfortable</p> <p><b>B</b> Condoms break or slips off and are unreliable</p> <p><b>C</b> Condoms are pleasant to use</p> <p><b>D</b> Condoms will not protect you from catching an <u>STI</u></p> <p><b>E</b> I use condom to prevent "wet spots" on the bed</p> <p><b>F</b> I would prefer Plan B over using a condom</p> <p><b>G</b> There is no reason to feel embarrassed if my partner suggested we use a condom.</p> <p><b>H</b> I intend to try condoms</p> <p><b>I</b> I just don't like condoms.</p> <p><b>J</b> There is no reason why I should be embarrassed to ask my partner to use a condom.</p> <p><b>K</b> Having to stop to put on a condom interrupts the flow of sex.</p> <p><b>L</b> Condoms are safer for preventing unwanted pregnancy more than preventing <u>STIs</u> or HIV</p> <p><b>M</b> I prefer "raw" sex because it feels better</p>	<p>Attitude towards condom use</p> <p>a) CU_uncomf</p> <p>b) C_break_slips_unrely</p> <p>c) C_pleasant</p> <p>d) C_donot protectfromSTI</p> <p>e) CU_prevent wetspots</p> <p>f) Prefer_planB</p> <p>g) partneraskCU_Noshame</p> <p>h) CU_intentions</p> <p>i) DoNotlike_C</p> <p>j) Noshame_iask4CU</p> <p>k) CU_interruptFlow</p> <p>l) CU_prevPregmorethnSTIs</p> <p>m) raw_sexBetr</p>	<p>0- n/a – did not answer 1- strongly agree 2- agree 3- disagree 4- strongly disagree</p>
-----	---	---	--

## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

22.	Which would you be more worried about (STI or pregnancy) if you didn't use a condom?	Afraid of pregnancy or STI	Preg_STI_worry	1-STI 2-pregnancy (unplanned) 3-neither 4-both
23.	Have you ever been tested for an STI or HIV?	Ever had STI/HIV Test	STI_HIVtest	1- Yes STI 2- Yes HIV 3- Yes STI and HIV 4- No STI or HIV test
24.	Have you ever tested POSITIVE for an STI or HIV?	Positive STI/HIV test	Pos_STIHIV	1- Yes STI 2- Yes HIV 3- Yes positive STI and HIV 4- No positive STI or HIV
25.	How often do you get tested for STIs?	STI/HIV testing freq	Freq_STItest	0- no answer 1- never 2- 1x/year 3- >2x/year 4- >than 1 year ago
26.	When was the last time you were tested for HIV?	Last HIV test	Last_STItest	0- no answer 1- never 2- < 1 month ago 3- within 3 months ago 4- 1x/in the past year 5- >1 year ago
27.	Are you aware of UT-Arlington's Student Health Services located on campus?	Aware of UTA clinic	UTHC_aware	0- no 1- yes
28.	Have you ever received screening or testing for STIs or HIV at UTA Student Health clinic?	Ever use UTA clinic services	UTHC_serv	0- no 1- yes
29.	How many total sexual partners have you had oral, vaginal or anal sex with?	Total number of sex partners	TOT_Sexpart	0- no answer 1- 1 partner 2- 2 partners 3- 3 partners 4- 4 partners 5- 5 partners 6- 6 partners 7-10 partners 8->10 partners

## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

### Qualitative Data Q&A

<b>1. What are the most popular dating apps to find a partner?</b>		(Dating Apps)	Code:	DATE_apps
<b>2. Have you ever met a sexual partner from a dating app? If so, how many?</b>		(Sex partners from date app)	Code:	DATEapp_Sex
<b>3. If you had the opportunity to receive "FREE" STI/HIV testing how often would you get tested?</b>		Willing to get free STI / HIV testing)	Code:	FREE_FreqTest
	<b>32</b> -Bumble -7 -half a year	<b>63</b> -Dating -yes, 7 -n/a	<b>94</b> -Bumble, Tinder, Hinge, Grindr. I prefer Bumble & Tinder. -Yes, 2 -"Um.. only if it didn't involve needles"	
<b>2</b> - App Bumble - none - Tested often	<b>33</b> -Bumble -6 -half a year	<b>64</b> -Momo dating app -n/a -every 3 months	<b>95</b> -Tinder -No -Every 2 weeks or once a month	
<b>3</b> - App Bumble & Tinder - Most of them - Very often	<b>34</b> -Bumble -2 -half a year	<b>65</b> -none -no -1 yearly	<b>96</b> -n/a -no -once a semester	
<b>4</b> - I do not use any dating apps - I have not met a sexual partner from a dating app - Every time I feel necessary.	<b>35</b> -Haven't used any, have no idea -No -Once a year	<b>66</b> -No, I usually look for it in reality -3 (in person) -once a year	<b>97</b> -no -no -a trimester	
<b>5</b> - App Bumble, Tinder - No - Every 6 months	<b>36</b> -Bumble -3 -half a year	<b>67</b> -no -n/a -every 2 months	<b>98</b> -I don't look on the Internet -no -half a year	
<b>6</b> - App Tinder - none - once a year	<b>37</b> -Bumble -2 -half a year	<b>68</b> -Dating -yes, 4 -n/a	<b>99</b> -n/a -n/a -once a year	
<b>7</b> - App Tinder, Bumble - No - Never	<b>38</b> -Bumble -5 -half a year	<b>69</b> -dating -yes, 13 -n/a	<b>100</b> -Bumble, hinge -2 -Two or three times a year	
<b>8</b> - App WeChat - No - Yes, if completely anonymous	<b>39</b> -Bumble -7 -half a year	<b>70</b> -Momo -2 -1 a year	<b>101</b> -SnapChat -4 -twice a year	
<b>9</b> - App: Taimi. For purely sexual partners, Tinder. Otherwise, I've mostly switched to Taimi, as a trans masculine queer (AFAB) assigned female at birth person.	<b>40</b> -Pinterest -2 -yearly	<b>71</b> -Facebook -Yes, at least 10 -once a year	<b>102</b> -I don't look on the Internet -no -every 3 to 6 months	

## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

- Two - Everytime I had a new partner or changed between partners who had new partners, or at least every 6mos. My main barrier has been setting up the appts and affordable.			
<b>10</b> - App Bumble, Tinder - None - Yes	<b>41</b> -Bumble -yes, 8 -half a year	<b>72</b> -Dating -n/a -n/a	<b>103</b> -I don't use social media to find a mate -no -Every year, many times
<b>11</b> - Tinder - No - Monthly	<b>42</b> -Facebook -3 -one yearly	<b>73</b> -no -2 -1x/year	<b>104</b> -Tinder, Bumble -no Yearly/annually
<b>12</b> -n/a -n/a -whenever I remember	<b>43</b> -Tinder, Bumble -yes, 2 -twice a year	<b>74</b> -Dating -n/a -n/a	<b>105</b> -Pure, Tinder -zero -Often, especially after a "hookup"
<b>13</b> -Tinder -no -often as needed	<b>44</b> -No, I usually look for it in real life -3 -1x / year	<b>75</b> -Dating -n/a -n/a	<b>106</b> -Tinder, hinge -3 -As often as needed
<b>14</b> -n/a -no Once a year	<b>45</b> -Bar -yes, 13 -all the time	<b>76</b> -Facebook -4 -every 3 months	<b>107</b> -n/a -n/a -n/a
<b>15</b> -Hinge, Tinder, Bumble -No -Never	<b>46</b> -some websites -3 -twice a year	<b>77</b> -Dating -n/a -n/a	<b>108</b> -Twitter -1 -once
<b>16</b> -none -no -Every time I had a new partner, but I'm married so I don't need it anymore	<b>47</b> -website -2 -every 2 years	<b>78</b> -I met a sexual partner through a dating app - tested once a year	<b>109</b> -Bumble -yes, 2 -every few months if I was sexually active with more than person or casually with one person
<b>17</b> -Bumble, Tinder -about 10 -every 3 months or if symptoms arise	<b>48</b> -Tinder, Pure, OKCupid -1 -Once a year	<b>79</b> -on the internet -3 -two times a year	<b>110</b> -n/a -n/a -n/a
<b>18</b> -I think Bumble because that's what my friends use. I haven't been on any dating apps but Bumble is recommend the most. -No -Almost always it just depends on my work and school schedule	<b>49</b> -one the internet -2 -3 times	<b>80</b> -n/a -yes, one -once a month	<b>111</b> -Facebook -1 -once a year
<b>19</b> -Tinder, Hinge, Bumble -Yes, 4 -As much as I could	<b>50</b> -some social networking sites -3 -annually	<b>81</b> -n/a -3 -every three months	<b>112</b> -Facebook -2 -once a month
<b>20</b> -tinder, hinge, bumble -no -often	<b>51</b> -Social software -3 -annually	<b>82</b> -n/a -yes, 3 -every year	<b>113</b> -Facebook -1 -annually
<b>21</b> -Tinder, hinge, grinder	<b>52</b> -I ran into him on a night out	<b>83</b> -Zoosk	<b>114</b> -Tinder



## "Sexual Health and STI/HIV Risk Assessment Survey among Young Adult College Students"

	-yes, 10 -Every time I would have sexual relations with a new person before and after intercourse	-yes, 2 -checked every two months	-1 -every 3 months	-no -4 times a year
<b>22</b>	-n/a -2 -3 months	<b>53</b> -n/a -Met a sexual partner -annually	<b>84</b> -Twitter -1 -Twice a year	<b>115</b> -Facebook -3 -once a year
<b>23</b>	-no -0 (zero) -1 (once)	<b>54</b> -n/a -3 -every 3 months	<b>85</b> -n/a -n/a -yearly	<b>116</b> -Facebook -4 -once a year
<b>24</b>	-Facebook -5 -half a year	<b>55</b> -on the net -3 -every 2 years	<b>86</b> -Facebook -3 -once a year	<b>117</b> -Facebook -4 -yearly
<b>25</b>	-social networking platform -3 -6 months	<b>56</b> -Dating apps -yes, 13 -I hope every two months	<b>87</b> -n/a -n/a -Once a year	<b>118</b> -Facebook -3 -every 2 months
<b>26</b>	-Bumble -yes, 3 -half a year	<b>57</b> -on the net -1 -twice	<b>88</b> -n/a -n/a -n/a	<b>119</b> -no app, in person -no -after every partner
<b>27</b>	-Bumble -5 -every 6 months	<b>58</b> -Tumblr -yes, 4 -yearly	<b>89</b> -Twitter -5 -half a year	<b>120</b> -n/a -no -none
<b>28</b>	-Bumble -yes, 4 -half a year	<b>59</b> -n/a -n/a -annually	<b>90</b> -Twitter -yes, 2 -every 2 months	<b>121</b> -I don't use them but it depends on what you're looking for; a one-night stand, a friend with benefits, an actual romantic relationship, or just a friend (nothing kinky) -no -before and after each partner
<b>29</b>	-Bumble -3 -half a year	<b>60</b> -n/a -n/a -check once a year	<b>91</b> -n/a -n/a -twice a year	<b>122</b> -hinge -yes, 1 -every 3 months
<b>30</b>	-Bumble -4 -half a year	<b>61</b> -n/a -n/a -n/a	<b>92</b> -n/a -n/a -2 times a year	<b>123</b> -Tinder, Bumble -yes, 1 -once a year
<b>31</b>	-Bumble -5 -half a year	<b>62</b> -Tinder, Bumble, Hinge, etc. -n/a -more often	<b>93</b> -n/a -n/a -twice yearly	