CDT audio audiophile 6x9 series


Understanding the basic sound quality and design differences between ordinary subwoofers and CDT 6X9" subwoofers will help you and your installer design a sound system that will far exceed your listening preferences and expectations.

CL-69 SUB CF 6x9" mid/bass/subwoofer

- 1 pr 6X9" carbon fiber subwoofer
- Frequency response 35Hz-4000Hz
- Power handling: 190WRMS
- Impedance 4 Ohm Sensitivity: 90.6dB
- Dimensions:6.625"X 9.25"
- Ellipse (168.3mm X 235mm)
- Ellipse (Exclusive of mounting tabs) 6" X 8.625"
- Ellipse (152.4mm X 219mm)
- Ellipse Free Air use mount in rear deck, large door or panel
- Mounting depth: 3.25"
- · Cone: carbon fiber cone
- · Magnet weight 30 Oz
- · Cone surround Buytal rubber
- Voice coil: 2.0"

ES-0690 Gold

1 pr 6X9" Carbon Fiber Subwoofer



- Frequency response 30Hz-3500Hz
- Power handling: 220W Impedance 4 Ohm
- Sensitivity: 88.1dB
- Dimensions:6.625"X 9.25"
- Ellipse (168.3mm X 235mm)
- Ellipse (Exclusive of mounting tabs) 6" X 8.625"
- Ellipse (152.4mm X 219mm)
- · Ellipse Free Air use mount in rear deck, large door or panel.
- Mounting depth: 3.5"
- · Cone: carbon fiber cone
- Magnet weight 30 Oz
- Cone surround rubber
- Voice coil: 2.0"

HD 690CF

1 pr 6X9" Carbon Fiber Subwoofer" cast mid-woofer

- 1 pr 6X9" carbon fiber subwoofer
- Frequency response 30Hz-4000Hz
- Power handling: 200WRMS
- Impedance 4 OhmSensitivity: 90.1dB
- Dimensions:6.625"X 9.25"
- Dimensions.0.025 A 9.25
- Ellipse (168.3mm X 235mm)
- Ellipse (Exclusive of mounting tabs) 6" X 8.625"
- Ellipse (152.4mm X 219mm)
- · Ellipse Free Air use mount in rear deck, large door or panel
- Mounting depth: 3.5"
- Cone: carbon fiber cone
- Magnet weight 30 Oz
- Cone surround Buytal rubber
- Voice coil: 2.0"



1 pr 6X9" Carbon Fiber Coaxial speaker

- 1 pr 6X9" carbon fiber coaxial speaker
- Frequency response: 30Hz-20.000Hz
- Power handling: 200WRMS
- Impedance: 4 Ohm
- · Sensitivity: 90.6dB
- Dimensions: 6.625"X 9.25"
- Ellipse (168.3mm X 235mm)
- Ellipse (Exclusive of mounting tabs) 6" X 8.625"
- Ellipse (152.4mm X 219mm)
- · Ellipse Free Air use mount in rear deck, large door or panel
- Mounting depth: 3.5"
- · Cone: carbon fiber cone
- Magnet weight 30 Oz
- · Cone surround Buytal rubber
- Voice coil: 2.0"



HD-690COM 6X9" 2-way component set

- HD-690COM Technical specs and contents:
- 1 pr 6X9" carbon fiber woofer
- 1 pr 1.1" silk dome tweeter
- 1 pr EX-550i "Transient Optimized" 24dB xover
- Frequency response: 30Hz-20.000Hz
- Power handling: 200WRMS
- Impedance: 4 Ohm
- Sensitivity: 90.7dB
- Dimensions: 6.625"X 9.25"
- Ellipse (168.3mm X 235mm)
- Ellipse (Exclusive of mounting tabs) 6" X 8.625"
- Ellipse (152.4mm X 219mm)
- Ellipse Free Air use mount in rear deck,large door or panel.
- Mounting depth: 3.5"
- Cone: carbon fiber cone
- Magnet weight 30 Oz
- Cone surround Buytal rubber
- Voice coil: 2.0"





CDT Audio

92 2nd St. Buellton Ca 93427 USA

ph: 805-693-1980

www.cdtaudio.com • e-mail: info@cdtaudio.com