

Writing Text in Markdown



Use Rstudio's Visual Editor



```
1 ---
2 title: "R Markdown Example"
3 author: "Matt Worthington"
4 date: "3/18/2021"
5 output:
6   html_document: default
7   pdf_document: default
8 ---
9
10 ```{r setup, include=FALSE}
11 knitr::opts_chunk$set(echo = TRUE)
12 ```
13
14 ## R Markdown
15
16 This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word
documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.
17
18 When you click the Knit button a document will be generated that includes both content as well as the
output of any embedded R code chunks within the document. You can embed an R code chunk like this:
19
20 ```{r cars}
21 summary(cars)
22 ```
23
24 ## Including Plots
25
26 You can also embed plots, for example:
27
28 ```{r pressure, echo=FALSE}
29 plot(pressure)
30 ```
31
32 Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that
generated the plot.
```





```
1 ---
2 title: "R Markdown Example"
3 author: "Matt Worthington"
4 date: "3/18/2021"
5 output:
6   html_document: default
7   pdf_document: default
8 ---
9
10 ```{r setup, include=FALSE}
11 knitr::opts_chunk$set(echo = TRUE)
12 ```
13
14 ## R Markdown
15
16 This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word
documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.
17
18 When you click the Knit button a document will be generated that includes both content as well as the
output of any embedded R code chunks within the document. You can embed an R code chunk like this:
19
20 ```{r cars}
21 summary(cars)
22 ```
23
24 ## Including Plots
25
26 You can also embed plots, for example:
27
28 ```{r pressure, echo=FALSE}
29 plot(pressure)
30 ```
31
32 Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that
generated the plot.
```


