


# CONCRETE BLOCK MACHINE

Integrated solution provider for block making and concrete mixing



For Further Details Contact:



AE-5/51, FIRST STREET, ANNANAGAR, CHENNAI-600 040.

Mobile:+91-99628 54759 / 99419 14191,

Email: contact@bienmercantile.com,

Visit: www.bienmercantile.com

品质决定价值 QUALITY DECIDES THE VALUE



#### T10 Automatic Block Making Machine

- Height of Concrete Products: 50-300mm
- Pallet size:
- Maximum production area: 1,100x820mm
- PLC: Siemens S7

## ■ Touchscreen & Electrical Components:

Siemens & Turck

Frequency Conversional Vibration System ( Double Vibration):

Bottom Vibration: Siemens, 7.5 KW x 2 Top Vibration: MVE, 0.65 KW x 2 Frequency Convertor: Siemens

Hydraulic System:

Germany & Italy, Integrated Modular Units Rexroth Pump, ABB / Siemens Motors

Overall Dimension (L×W×H)mm:

With Facemix Device: 5,200x2,300x2,960mm Without Facemix Device: 3,200x2,300x2,960mm

Product	Size	PCS/Mould	PCS/8h
Hollow Block	400x200x200 mm	10	14,400 - 19,200
Rectangular Paver (w/o face mix)	200x100x80 mm	35	50,400 - 67,200
Rectangular Paver (with face mix)	200x100x80 mm	35	40,320 - 50,400

<sup>\*</sup> The capacity data are theoretical and are dependent on machine settings, mix design, aggregates used and other environmental conditions.



Vibration System



Feeding system





Hydraulic system



Control system



### 15 Automatic Block Making Machine

- Height of Concrete Product: 50-400 mm
- Pallet Size: 1,400 x 1,100 mm
- Maximum Production Area: 1,300 x 1,050 mm
- PLC: Siemens S7

#### ■ Touchscreen & Electrical Components: Siemens & Turck

Frequency Conversional Vibration System (Double Vibration): Bottom Vibration: Siemens, 7.5 kW x 4 Top Vibration: MVSI, 5.5 kW x 2

Frequency Convertor: Siemens

Hydraulic System: Germany & Italy, Integrated Modular Units Rexroth Pump, ABB / Siemens Motors

Overall Dimension (L x W x H): With Facemix Device: 7,600x2,400x4,400mm Without Facemix Device: 4,600x2,400x4,400mm

Product	Size	PCS/Mould	PCS/8h
Hollow Block	400x200x200 mm	15	21,600 - 28,800
Rectangular Paver (w/o face mix)	200x100x80 mm	54	77,760 - 103,680
Rectangular Paver (with face mix)	200x100x80 mm	54	62,208 - 77,760

The capacity data are theoretical and are dependent on machine settings, mix design, aggregates used and other environmental conditions.











Hydraulic system

Feeding system








Indian Contact: BIEN MERCANTILE PRIVATE LIMITED, AE-5/51, FIRST STREET, ANNANAGAR, CHENNAI-600 040. Mobile:+91-99628 54759 / 99419 14191, Email: contact@bienmercantile.com, Visit: www.bienmercantile.com

# **Automatic Production Line with Central Control System**



Indian Contact: BIEN MERCANTILE PRIVATE LIMITED, AE-5/51, FIRST STREET, ANNANAGAR, CHENNAI-600 040.

Mobile:+91-99628 54759 / 99419 14191, Email: contact@bienmercantile.com, Visit: www.bienmercantile.com

#### Global Vision, Local Service



For Further Details Contact:



AE-5/51, FIRST STREET, ANNANAGAR, CHENNAI-600 040. Mobile:+91-99628 54759 / 99419 14191,

Email: contact@bienmercantile.com, Visit: www.bienmercantile.com